

FALL PROTECTION VERBIAGE IN UFGS

UFGS SECTION 01 35 29.05 20
SAFETY AND OCCUPATIONAL HEALTH REQUIREMENTS for
DESIGN-BUILD

3.3 Fall Hazard Protection & Prevention Program

3.3.1 Fall Protection for Roofing Work

3.3.2 Fall Prevention during Design Phase

During design phase the Contractor shall consider and eliminate fall hazards encountered at the [facility, building, crane, structure, etc.] during maintenance evolutions, whenever possible. If it is not feasible to eliminate or prevent the need to work at heights with its subsequent exposure to fall hazards, control measures should be included in the design to protect personnel conducting maintenance work after completion of the project. In addition to the detailed requirements included in the provisions of this contract, the design work shall incorporate the requirements of 29 CFR 1910 Standards, ANSI Z359 Fall Protection Code and ANSI A1264.1.

UFGS: SEC 01 33 10.05 20

DESIGN SUBMITTAL PROCEDURES: BASIS OF DESIGN

1.8.5 Fall Protection Submission:

Consider and eliminate fall hazards in the facility. If it is not feasible to eliminate or prevent the need to work at heights with its subsequent exposure to fall hazards, control measures should be included in the design to protect personnel conducting maintenance work after completion of the project. Fall hazards shall be identified early in the design phase and addressed in the basis of design with the Design Development and Pre-final submittals. The evaluation should include

how fall hazards are considered, eliminated, prevented or controlled to prevent maintenance personnel from exposure to fall hazards while performing work at heights. In addition to the detailed requirements included in the provisions of this contract, the design work shall incorporate the requirements of 29 CFR 1910, 29 CFR 1926 Standards and the American National Standards Institute, ANSI/ASSE Z359 Fall Protection Code/Standards and ANSI/ASSE A1264.1 Standard.