



DEPARTMENT OF THE NAVY

CRANE DIVISION  
NAVAL SURFACE WARFARE CENTER  
300 HIGHWAY 361  
CRANE INDIANA 47522-5001

N00164.AR.000882  
NSWC CRANE  
5090.3a

IN REPLY REFER TO:

5090/H14.3  
Ser RP3/4209

21 JUL 2004

U.S. Environmental Protection Agency, Region V  
Waste, Pesticides, & Toxics Division  
Waste Management Branch  
Corrective Action Section  
Attn: Mr. Peter Ramanauskas (DW-8J)  
77 West Jackson Blvd.  
Chicago, IL 60604

Dear Mr. Ramanauskas:

Crane Division, Naval Surface Warfare Center submits, for your review and approval, an Amendment for the Grit Blast Closure Plan. The Amendment covers the Surface Water Sampling Standard Operation Procedure (SOP) for the Grit Blast Closure. Two copies of the Surface Water Sampling Amendment are included as enclosure (1). Enclosure (2) is the required certification statement.

If you require any further information, my point of contact is Ms. Christine Freeman, Code RP3-CF, at 812-854-4423, or email [freeman\\_cd@crane.navy.mil](mailto:freeman_cd@crane.navy.mil).

Sincerely,

JAMES M. HUNSICKER  
Manager, Environmental Protection  
By direction of the Commanding Officer

Encls:

- (1) Surface Water Sampling SOP Amendment for Grit Blast Closure
- (2) Certification Statement

Copy to:

Administrative Record  
IDEM (D. Griffin)  
NAVSEA 04XQ CHAS DET  
TOLTEST Odon (w/o encls)

5090

Ser RP3/4209

21 July 2004

The letter Ser RP3/4209 was an amendment to the Grit Blast (A01/00) Closure Plan submitted on 3/25/03. Surface Water Sampling SOP Amendment added to end of Final report.