

N00164.AR.002450  
NSA CRANE  
5090.3a

U S EPA COMMENTS ON DRAFT INDOOR AIR QUALITY REPORT BUILDING 146 SOLID  
WASTE MANAGEMENT UNIT 16 (SWMU 16) CASE HIGH EXPLOSIVES FILL B 146  
INCINERATOR NSA CRANE IN

4/7/2009  
U S EPA

**UNITED STATES EPA REGION 5 COMMENTS FROM MR. PETER RAMANAUSKAS  
DATED APRIL 7, 2009 REGARDING THE  
SWMU 16 CAST HIGH EXPLOSIVES FILL/B146 INCINERATOR -  
BUILDING 146 INDOOR AIR QUALITY DRAFT REPORT  
NSWC CRANE  
CRANE, INDIANA**

United States Environmental Protection Agency (U.S. EPA) Region 5 comments, dated April 7, 2009, are shown in bold font. Navy responses to each comment are shown in regular font. Text changes to the RFI are shown in italic font enclosed in quotation marks within the response.

- 1. The only minor comment we have on the Report is for Table 3-1 and the text in Section 3.2: the IDEM 25-year Commercial Action Level heading should be "Chronic" not "Sub-Chronic".**

Response: Agreed. The referenced text in Table 3-1 and Section 3.2 on Page 3-2 has been corrected to now read "Chronic". In addition, a similar change was made to the last sentence on Page ES-2 of the Executive Summary.