

N00164.AR.002540  
NSA CRANE  
5090.3a

EMAIL AND THE U S EPA REGION V APPROVAL OF THE DRAFT FINAL INTERIM  
MEASURES REPORT FOR UNEXPLODED ORDNANCE 7 ( UXO 7) NSA CRANE IN  
11/03/2015  
U S EPA REGION V CHICAGO IL

## Cohen, Deborah

---

-----Original Message-----

From: Ramanauskas, Peter [mailto:ramanauskas.peter@epa.gov]

Sent: Tuesday, November 03, 2015 9:45 AM

To: Cole, Linda L CIV NAVFAC MIDLANT, IPTNE <linda.cole@navy.mil>

Cc: Brent, Thomas CIV NAVFAC MIDLANT, PWD Crane <thomas.brent@navy.mil>; Cohen, Deborah <Deborah.Cohen@tetrattech.com>; dgriffin@idem.in.gov

Subject: RE: NSA Crane - UXO 7 - Status - 20150918

Linda/Tom,

Just wanted to get back to you on UXO 7 IMR. The September 9, 2015 responses are acceptable. We recommend that when finalizing the IMR, the Navy include text stating that an exposure barrier (sand and 6 inches clean soil) was placed over any soil with residual contamination (below Eco-SSL benchmarks and LOAEL PRG values).

Sorry it took a bit longer to get back to you on this. Let me know if you have questions.

Thanks,  
Pete