N60478.AR.000138
NWS EARLE
5090.3a

HEARTLAND ENVIRONMENTAL SERVICES, INC.
P.O. BOX 163 ST. PETERS MO 63376
(314) 278-8232

REGION II VOA DATA VALIDATION

NAVAL WEAPONS STATION - COLTSNECK

ROY F. WESTON CASE 9103L947

Coltsneck ID	R.F. Weston ID	Coltsneck ID	R.F. Weston ID
	Water Samples (all)		
11-001-M001	9103L947-001	11-002-M001	9103L947-002
11-003-M001	9103L947-003	11-004-M001	9103l947-004
11-004-M101	9103L947-005	11-004-M201	9103L947-006
11-005-M001	9103L947-007	02-001-M001	9103L947-008
02-002-M001	9103L947-009	02-003-M001	9103L947-010
02-003-M101	9103L947-011	02-003-M201	9103L947-012
02-004-M001	9103L947-013	02-005-M001	9103L947-014
02-006-M001	9103L947-015	02-007-M001	9103L947-016
02-003-M301	9103L947-017	04-003-M001	9103L947-018
04-004-M001	9103L947-019	04-004-M001	9103L947-019MS
04-004-M001	9103L947-019MSD		

PREPARED BY: Eugene M. Watson DATE: 9-4-91
Eugene M. Watson

VERIFIED BY: Paul B. Humburg DATE: 9/5/91
Paul B. Humburg

HEARTLAND ENVIRONMENTAL SERVICES, INC.

DATA ASSESSMENT AND NARRATIVE

G neral

The organic findings offered in this screening report assumes that all analytical results are correct as reported and is based upon the examination of the reported holding times, blank analysis results, surrogate and matrix spike recoveries, GC/MS performance, tuning results, calibration results and internal standard areas. This report was prepared in compliance relative to the analytical and deliverable requirements specified in the U.S. EPA CLP and Region II SOP No. HW-6, Revision 7. All comments made within this report should be considered when examining the analytical results (Form I's).

Holding Times

All of the samples met the U. S. EPA CLP holding times of ten (10) days from VTSR.

Method Blanks

The five (5) method blanks that were analyzed exhibited contamination for various TCLs. All sample results are compared to the associated method blank results.

Specific Findings:

1. The method blank 91LVW041-MB1 exhibited contamination for methylene chloride and acetone. For samples 11-004-M101, 02-003-M001, 02-003-M101, and 02-003-M201, the results for methylene chloride and acetone are greater than the CRQL and less than 10X the blank value. Qualify the sample results as "U". For samples 11-001-M001, 11-002-M001, 11-003-M001, 11-004-M201, and 11-005-M001, the results for methylene chloride are greater than the CRQL and less than 10X the blank value. Qualify the sample results for methylene chloride as "U".

2. The method blank 91LVW043-MB1 exhibited contamination for methylene chloride and acetone. For samples 11-004-M001 and 02-001-M001, the results for methylene chloride and acetone are greater than the CRQL and less than 10X the blank value. Qualify the sample results as "U".

DATA ASSESSMENT AND NARRATIVE

Method Blanks (continued)

3. The method blank 91LVW043-MB1 exhibited contamination for methylene chloride and acetone. For samples 02-004-M001 and 02-007-M001, the results for methylene chloride and acetone are less than the CRQL and less than 10X the blank value. The sample results for methylene chloride and acetone are rejected and the CRQL is reported. For samples 02-005-M001 and 04-003-M001, the results for methylene chloride are less than the CRQL and less than 10X the blank value. The sample results for methylene chloride are rejected and the CRQL is reported. For sample 02-006-M001, the result for methylene chloride is less than the CRQL and less than 10X the blank value. The sample result for methylene chloride is rejected and the CRQL is reported. In addition, the sample result for acetone is greater than the CRQL and less than 10X the blank value. Qualify the sample result for acetone as "U". For samples 02-003-M301 and 04-004-M001, the results for methylene chloride are less than the CRQL and less than 10X the blank value. The sample results for methylene chloride are rejected and the CRQL is reported. In addition, the results for acetone are greater than the CRQL and greater than 10X the blank value. Reject the "B" qualifier and report the sample results.

4. Method blanks 91LVW042-MB1 and 91LVK054-MB1 are associated with dilution analyses only. No qualifications will be made for these method blanks since the target analytes that are being diluted are also present in the blank. All "B" qualifiers are rejected and the diluted value is reported.

Tuning

All of the BFB tunes in the initial and continuing calibrations met the criteria of the SOW and the Organic Functional Guidelines.

Calibrations - Relative Response Factors (RRFs)

The RRFs from some of the calibrations in this data package were not acceptable for 2-butanone. All other compounds exhibited acceptable response factors.

DATA ASSESSMENT AND NARRATIVE

Calibrations - Relative Response Factors (RRFs) (continued)

Specific Findings:

5. For samples 11-001-M001, 11-002-M001, 11-003-M001, 11-004-M101, 11-004-M201, 11-005-M001, 02-002-M001, 02-003-M001, 02-003-M101, 02-003-M201, and VBLKLVW041-MB1, the continuing calibration on 03/20/91 on instrument 1050W contained the following compounds with RRFs less than 0.05. Qualify all positive results as estimated (J) and reject all non detects (R).
   a) 2-butanone

6. For samples 11-001-M001DL, 11-002-M001DL, 11-003-M001DL, 11-004-M201DL, 11-005-M001DL, and VBLKLVW042-MB1, the continuing calibration on 03/21/91 on instrument 1050W contained the following compounds with RRFs less than 0.05. Qualify all positive results as estimated (J) and reject all non detects (R).
   a) 2-butanone

7. For samples 11-004-M001, 02-001-M001, and VBLKLVW043-MB1, the continuing calibration on 03/21/91 on instrument 1050W contained the following compounds with RRFs less than 0.05. Qualify all positive results as estimated (J) and reject all non detects (R).
   a) 2-butanone

Calibrations - %RSDs and %Ds

The calibrations presented in this data package were acceptable. However, the laboratory did encounter some problems with certain compounds.

Specific Findings:

8. For samples 11-004-M001, 02-001-M001, and VBLKLVW043-MB1, the continuing calibration on 03/21/91 on instrument 1050W contained the following compounds with %Ds that were greater than 25% D, but less than 50% D. Qualify all positive results as estimated (J).
   a) methylene chloride

DATA ASSESSMENT AND NARRATIVE

Surrogates

The surrogate recoveries for one (1) of the sample analyses fell outside the established QA/QC criteria limits. All results associated with these samples will be qualified.

Specific Findings:

9. For sample 04-004-M001, one or more surrogates exhibited recoveries that were outside the QA/QC limits. Qualify all positive results as estimated (J) and all non detect results as estimated (UJ).

Internal Standards

The EICP areas for the internal standards were within the QA/QC control limits. No qualifications are needed.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD recoveries and RPDs were acceptable. No qualifications are needed.

Compound Identification/Quantitation

No qualifications are needed.

System Performance and Overall Assessment

The GC/MS system performance for the calibrations and the analysis was acceptable. The data package was thorough and complete. Please refer to the Summary of Data Qualifications for a tabulated summary of the data assessment and narrative.

HEARTLAND ENVIRONMENTAL
SERVICES, INC.

GLOSSARY OF DATA QUALIFIERS

QUALIFICATION CODES

U = Not detected

J = Estimated value

UJ = Reported quantitation limit is qualified as estimated

R = Result is rejected and unusable

NJ = Presumptive evidence for the presence of the material at an estimated value

Heartland ESI specific findings will be noted in numerical form on the Form Is in this data validation report. These specific finding footnotes will reflect the conclusions found in the data validation process that resulted in the qualification of the data.

HEARTLAND ENVIRONMENTAL SERVICES, INC.

SUMMARY OF DATA QUALIFICATIONS

SAMPLE ID	ANALYTE ID	DL	QL	SPECIFIC FINDINGS
11-004-M101,02-003-M001 02-003-M101,02-003-M201	methylene chloride	+B	U	1
	acetone	+B	U	
11-001-M001,11-002-M001 11-003-M001,11-004-M201 11-005-M001	methylene chloride	+B	U	1
11-004-M001,02-001-M001	methylene chloride	+B	U	2
	acetone	+B	U	
02-004-M001,02-007-M001	methylene chloride	+BJ	CRQL	3
	acetone	+BJ	CRQL	
02-005-M001,04-003-M001	methylene chloride	+BJ	CRQL	3
02-006-M001	methylene chloride	+BJ	CRQL	3
	acetone	+B	U	
02-003-M301,04-004-M001	methylene chloride	+BJ	CRQL	3
	acetone	+B	+	
11-001-M001,11-002-M001 11-003-M001,11-004-M101, 11-004-M201,11-005-M001, 02-002-M001,02-003-M001, 02-003-M101,02-003-M201, VBLKLVW042-MB1	2-butanone	+/-	J/R	5

* DL denotes the Form I qualifier supplied by the laboratory

QL denotes the qualifier used by Heartland ESI

\+ in the DL column denotes a positive result

\- in the DL column denotes a non detect result

HEARTLAND ENVIRONMENTAL SERVICES, INC.

SUMMARY OF DATA QUALIFICATIONS

SAMPLE ID	ANALYTE ID	DL	QL	SPECIFIC FINDINGS
11-001-M001DL, 11-002-M001DL, 11-003-M001DL, 11-004-M201DL, VBLKLVW042-MB1	2-butanone	+/-	J/R	6
11-004-M001,02-001-M001 VBLKLVW043-MB1	2-butanone	+/-	J/R	7
11-004-M001,02-001-M001 VBLKLVW043-MB1	methylene chloride	+	J	8
04-004-M001	all analytes	+/-	J/UJ	9

* DL denotes the Form I qualifier supplied by the laboratory

QL denotes the qualifier used by Heartland ESI

+ in the DL column denotes a positive result

- in the DL column denotes a non detect result

1A

VOLATILE ORGANICS ANALYSIS SHEET

00000 CLIENT SAMPLE NO.

02-003-M101

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-011

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032020

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	54	~~B~~ U
67-64-1	Acetone	14	~~B~~ U
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-003-M101

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-011

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032020

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-003-M201

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-012

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032021

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	55	~~B~~ U 1
67-64-1	Acetone	23	~~B~~ U 1
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	6	
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-003-M201

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-012

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032021

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-013

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: AK3K04

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~4~~ 5	~~JB~~ U 3
67-64-1	Acetone	~~7~~ 10	~~JB~~ U 3
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	4	J
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-013

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K04

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-005-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-014

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K05

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~3~~ 5	~~JB~~ U 3
67-64-1	Acetone	210	~~E~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	2	J
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-005-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-014

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K05

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-005-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-014 DL

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: AK3M05

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/22/91

Column: (pack/cap) CAP Dilution Factor: 2.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	210	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

1A

VOLATILE ORGANICS ANALYSIS SHEET

0000085

CLIENT SAMPLE NO.

02-006-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-015

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K06

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~25~~	~~B~~ U 3
67-64-1	Acetone	11	~~B~~ U 3
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-006-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-015

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K06

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-007-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-016

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K07

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~3~~ 5	~~JB~~ U 3
67-64-1	Acetone	~~9~~ 10	~~JB~~ U 3
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-007-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-016

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K07

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

0000098

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-003-M301

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-017

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K08

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~4~~ 5	~~B~~ U 3
67-64-1	Acetone	92	~~B~~ U 3
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

0000100

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-003-M301

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-017

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K08

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC

12/88 Rev.

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.
04-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-018

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: AK3K09

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	25	~~B~~ U3
67-64-1	Acetone	180	~~E~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	2	J
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

04-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-018

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K09

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

04-003-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-018 DL

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3M06

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/22/91

Column: (pack/cap) CAP

Dilution Factor: 2.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	180	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

04-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-019

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K10

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	~~75~~	~~JB~~ U 3
67-64-1	Acetone	81	~~B~~ U 3
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

VI 9

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

04-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-019

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: AK3K10

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

000013

CLIENT SAMPLE NO.

11-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-004

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032213

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/22/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	53	~~B~~ U 2
67-64-1	Acetone	11	~~B~~ U 2
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

11-004-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-004

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032213

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/22/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A
VOLATILE ORGANICS ANALYSIS SHEET

0000143

CLIENT SAMPLE NO.

11-004-M101

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-005

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032014

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	58	~~B~~ U 1
67-64-1	Acetone	40	~~B~~ U 1
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

11-004-M101

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-005

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032014

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-004-M201

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-006

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032015

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	51	~~B~~ U
67-64-1	Acetone	990	~~B~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	6	
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

11-004-M201

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-006

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032015

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-004-M201DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-006 DL

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032108

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/21/91

Column: (pack/cap) PACK Dilution Factor: 10.0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	990	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-005-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-007

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032016

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	51	~~B~~ U
67-64-1	Acetone	87000	~~B~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

11-005-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-007

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032016

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-005-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-007 DL

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032110

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/21/91

Column: (pack/cap) PACK

Dilution Factor: 500

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	87000	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-001-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-008

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032214

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/22/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	28	~~B~~ U 2
67-64-1	Acetone	18	~~B~~ U 2
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	8	
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ 2
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

Emw 9-4-91

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-001-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-008

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032214

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/22/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

1A

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

02-002-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-009

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032018

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	58	B
67-64-1	Acetone	11	B
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	4	J
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-002-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-009

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032018

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC. 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

000020 CLIENT SAMPLE NO.

02-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-010

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032019

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	54	~~B~~ U
67-64-1	Acetone	20	~~B~~ U
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

FORM 1 V-1 12/88 Rev.

1E

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.

02-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-010

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032019

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-001-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-001

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032010

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	~~U~~ EMU
75-09-2	Methylene Chloride	7	~~B~~ U
67-64-1	Acetone	4200	~~B~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	6	
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

000003 CLIENT SAMPLE NO.

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

11-001-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-001

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032010

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/20/91

Column: (pack/cap) PACK

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

0000215

CLIENT SAMPLE NO.

11-001-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-001 DL

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032104

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/21/91

Column: (pack/cap) PACK

Dilution Factor: 50.0

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	4200	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

1A
VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.
11-002-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-002

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032011

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	38	~~B~~ U 1
67-64-1	Acetone	3100	~~B~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.
11-002-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-002

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032011

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-002-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER

Lab Sample ID: 9103L947-002 DL

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: W032105

Level: (low/med) LOW

Date Received: 03/15/91

% Moisture: not dec. _____

Date Analyzed: 03/21/91

Column: (pack/cap) PACK

Dilution Factor: 50.0

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	3100	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

VOLATILE ORGANICS ANALYSIS SHEET

CLIENT SAMPLE NO.

11-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-003

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032012

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	40	~~B~~ U 1
67-64-1	Acetone	7700	~~E~~
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	~~10~~	~~U~~ R 5
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
108-05-4	Vinyl Acetate	10	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	Trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U
1330-20-7	Xylene (total)	5	U

1E

0 0 0 0 2 3 7

VOLATILE ORGANICS ANALYSIS SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

CLIENT SAMPLE NO.
11-003-M001

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-003

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032012

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/20/91

Column: (pack/cap) PACK Dilution Factor: 1.00

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				

FORM 1 VOA-TIC 12/88 Rev.

1A

VOLATILE ORGANICS ANALYSIS SHEET

0000125

CLIENT SAMPLE NO.

11-003-M001DL

Lab Name: Roy F. Weston, Inc. Work Order: 1771-15-03-0000

Client: NAVAL WEAPONS/COLTSNECK

Matrix: WATER Lab Sample ID: 9103L947-003 DL

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: W032106

Level: (low/med) LOW Date Received: 03/15/91

% Moisture: not dec. _____ Date Analyzed: 03/21/91

Column: (pack/cap) PACK Dilution Factor: 100

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND		
74-87-3	Chloromethane	NA	
74-83-9	Bromomethane	NA	
75-01-4	Vinyl Chloride	NA	
75-00-3	Chloroethane	NA	
75-09-2	Methylene Chloride	NA	
67-64-1	Acetone	7700	B
75-15-0	Carbon Disulfide	NA	
75-35-4	1,1-Dichloroethene	NA	
75-34-3	1,1-Dichloroethane	NA	
540-59-0	1,2-Dichloroethene (total)	NA	
67-66-3	Chloroform	NA	
107-06-2	1,2-Dichloroethane	NA	
78-93-3	2-Butanone	NA	
71-55-6	1,1,1-Trichloroethane	NA	
56-23-5	Carbon Tetrachloride	NA	
108-05-4	Vinyl Acetate	NA	
75-27-4	Bromodichloromethane	NA	
78-87-5	1,2-Dichloropropane	NA	
10061-01-5	cis-1,3-Dichloropropene	NA	
79-01-6	Trichloroethene	NA	
124-48-1	Dibromochloromethane	NA	
79-00-5	1,1,2-Trichloroethane	NA	
71-43-2	Benzene	NA	
10061-02-6	Trans-1,3-Dichloropropene	NA	
75-25-2	Bromoform	NA	
108-10-1	4-Methyl-2-pentanone	NA	
591-78-6	2-Hexanone	NA	
127-18-4	Tetrachloroethene	NA	
79-34-5	1,1,2,2-Tetrachloroethane	NA	
108-88-3	Toluene	NA	
108-90-7	Chlorobenzene	NA	
100-41-4	Ethylbenzene	NA	
100-42-5	Styrene	NA	
1330-20-7	Xylene (total)	NA	

FORM 1 V-1 12/88 Rev.

ATTACHMENT 1
SOP NO. HW-6

PAGE __OF__

TOTAL REVIEW

CLP DATA ASSESSMENT

Functional Guidelines for Evaluating Organics Analysis

Case No. 91032947 SDG No. — LABORATORY LIONVILLE SITE COLTSNECK

DATA ASSESSMENT:

The current functional guidelines for evaluating organic data have been applied.

All data are valid and acceptable except those analytes which have been qualified with a "J" (estimated), "U" (non-detects), "R" (unusable), or "NJ" (presumptive evidence for the presence of the material at an estimated value). All action is detailed on the attached sheets.

Reviewer's Signature: [signature] Date: 9/3/1991

Verified By: [signature] Date: 9/5/1991

DATA ASSESSMENT:

1. HOLDING TIME:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples will be qualified as estimated, "J". The non-detects sample quantitation limits will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following action was taken in the samples and analytes shown due to excessive holding time.

No Action.

4-3-91

ATTACHMENT 1
SOP NO. HW-6

DATA ASSESSMENT:

2. BLANK CONTAMINATION:

Quality assurance (QA) blanks, i.e., method, trip field, rinse and water blanks are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure cross-contamination of samples during shipment. Field blanks measure cross- contamination of samples during field operations. Water blanks measure potential contamination of the distilled water used used during decontamination of field equipment. If the concentration of the analyte is less than 5 times (10 times for the common contaminants), the analytes are qualified as non- detects, "U". The following analytes in the samples shown were qualified with "U" for these reasons:

A) Method blank contamination

91LVW041-MB1
11-001-M001 - CH_2Cl_2 - U
11-002-M001, 11-004-M201
11-003-M001, 11-005-M001
11-004-M101 - CH_2Cl_2 - U
02-003-M001 Acetone - U
02-003-M1 1, 02-003-M201

91LVW042-MB1
No qualifications for acetone dilutions.

91LVW043-MB1
CH_2Cl_2, Acetone - U
11-004-M001
02-001-M001

91LVK053-MB1
CH_2Cl_2, Acetone - CRQL
02-004-M001, 02-007-M001
02-005-M001 (CH_2Cl_2 only)
04-003-M001 "
02-006-M001 - CH_2Cl_2 CRQL
Acetone U
02-003-M301 - CH_2Cl_2 - CRQL
04-004-M001 acetone - NA.

B) Field or rinse blank contamination

None submitted or identified

91LVK054-MB1 -
No qualifications for dilutions

C) Water blank contamination

See above

D) Trip blank contamination

None submitted or identified.

ATTACHMENT 1
SOP NO. HW-6

DATA ASSESSMENT:

3. SPECTROMETER TUNING:

Tuning and performance criteria are established to ensure mass resolution, identification of compounds, and to some degree, the instrument sensitivity. These criteria are not sample specific. Instrument performance is determined using standard materials. Therefore, these criteria should be met in all circumstances. The tuning standard for volatile organics is bromofluorobenzene and for semi-volatiles is decafluorotriphenyl- phosphine.

If the mass calibration is in error, all associated data will be classified as unusable, "R".

No Action

EMW
9-3-91

DATA ASSESSMENT:

4. CALIBRATION:

Satisfactory instrument calibration is established to insure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of giving acceptable performance in the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

A) RESPONSE FACTOR:

The response factor measures the instrument's response to specific chemical compounds. The response factor for the Target Compound List (TCL) must be $\geq$ 0.05 either in the initial or continuing calibration. A value < 0.05 indicates a serious detection and quantitation problem. Analytes detected in the sample will be qualified as estimated, "J". All non-detects for that compound will be qualified as rejected, "R".

* Int Cal - 3-8-91 MSD-K - No Action
* Cont Cal - 3-20-91 MSD-K No Action.
* Cont Cal 3-22-91 MSD-K No Action
* Int Cal 3-18-91 1050 W - No Samples
2-Butanone <0.05
* Cont Cal 3-20-91 1050W - VBLKLVW041-MB1, 11-001-M001, 11-002-M001, 11-003-M001, 11-004-M101, 11-004-M201, 11-005-M001, 02-002-M001, 02-003-M001, 02-003-M101, 02-003-M201
2-Butanone - <0.05
* Cont Cal 3-21-91-1050W - VBLKLVW042-MB1, 11-001-M001DL, 11-002-M001DL, 11-003-M001DL, 11-004-M201DL, 11-005-M001DL
2-Butanone - <0.05
* Cont Cal 3-22-91-1050W - VBLKLVW043-MB1, 11-004-M001, 02-001-M001
2-Butanone - <0.05

DATA ASSESSMENT:

5. CALIBRATION:

A) PERCENT RELATIVE STANDARD DEVIATION (%RSD) AND PERCENT DIFFERENCE (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentration. Percent D compares the response factor to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be <30% and %D must be <25%. A value outside of these limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J" and non-detects are flagged "UJ". If there is a gross deviation of %RSD and %D, the non-detects may be qualified as rejected, "R".

For the PCB/PESTICIDE fraction, %RSD for aldrin, endrin, DDT, and dibutylchlorendate must not exceed 10%. Percent D must be within 15% on the quantitation column and 20% on the confirmation column.

* Int Cal - 3-8-91 - MSD-K - No Action
* Cont Cal - 3-20-91 MSD-K - No Action
* Cont Cal - 3-22-91 MSD-K No Action
* Int Cal - 3-18-91 1050W - No Action
* Cont Cal 3-20-91 1050W - No Action
* Cont Cal - 3-21-91 1050N - No Action
* Cont Cal 3-22-91 1050W - VBLKLVW043-MB1, 11-104-M001, 02-001-M001

J pos (>25% - <50%) methylene chloride.

DATA ASSESSMENT:

6. SURROGATES:

All samples are spiked with surrogate compounds prior to sample preparation in order to evaluate the laboratory performance and to estimate the efficiency of the analytical technique. If the measured surrogate concentration is outside of the contract specifications, qualifications were applied to the samples and analytes as shown below.

04-004-M001 - 1,2-Dichloroethane-d4 out side of QA/QC limits high. J/UJ associated data -

DATA ASSESSMENT:

7. INTERNAL STANDARDS PERFORMANCE:

Internal standard (IS) performance criteria ensure that the GC/MS sensitivity and response are stable during every experimental run. The internal standard area count must not vary by more than a factor of 2 (-50% to +100%) from the associated calibration standard. The retention time of the internal standard must not vary more than ±30 seconds from the associated calibration standard. If the area count is outside the (-50% to +100%) range of the associated standard, all of the positive results for compounds quantitated using that IS are to be qualified as estimated, "J", and all non-detects as "UJ" or "R" if there is a severe loss of sensitivity.

If an internal standard retention time varies by more than 30 seconds, the reviewer will use professional judgment to determine either partial or total rejection of the data for that sample fraction.

No Action

EMM
9-3-91

DATA ASSESSMENT:

8. COMPOUND IDENTIFICATION:

A) VOLATILE AND SEMI-VOLATILE FRACTIONS:

TCL compounds are identified on the GC/MS by using the analytes relative retention time (RRT) and by comparison to the ion spectra obtained from known standards. For the results to be a positive hit, the sample peak must be within ± 0.06 RRT units of the standard compound and have an ion spectra which has a ratio of the primary and secondary M/E lines within 20% of that in the standard compound. For the tentatively identified compounds, TIC, the ion spectra must match accurately. In the cases where there is not a perfect ion spectrum match, the laboratory may have provided false positive identifications.

B) PESTICIDE FRACTION:

The retention times of reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10 ng/uL in the final sample extract.

No Action

EMM
9-3-91

DATA ASSESSMENT:

9. MATRIX SPIKE/SPIKE DUPLICATE, MS/MSD:

The MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices. The MS/MSD may be used in conjunction with other QC criteria for some additional qualification of the data.

No Action

EMM
9-3-91

ATTACHMENT 1
SOP NO. HW-6

PAGE__OF__

DATA ASSESSMENT:

10. OTHER QC DATA OUT OF SPECIFICATION:

None

11. SYSTEM PERFORMANCE AND OVERALL ASSESSMENT:

System performance good. See narrative.

12. CONTRACT PROBLEMS__Ø__NON-COMPLIANCE:

13. This package contains re-extraction, re-analysis or dilution. Upon reviewing the QA results, the following form I(s) are identified to be used.

Do not use DL form 1's. — value is transcribed to original sample analysis form 1 for dilution value.

DPO: [ ] ACTION [ ] FYI Region_____

ORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO. 9103C947 LABORATORY RF WESTON CLONVILLE

SDG NO. _____ DATA USER RF WESTON

SOW 2/88 CLP / REGION II REVIEW COMPLETION DATE 9-3-91

NO. OF SAMPLES 19 WATER _____ SOIL _____ OTHER

REVIEWER [ ] ESD [ ] ESAT [X] OTHER, CONTRACT/CONTRACTOR HEARTLAND ETI

	VOA	BNA	PEST	OTHER
1. HOLDING TIMES	O			
2. GC-MS TUNE/ GC PERFORMANCE	O			
3. INITIAL CALIBRATIONS	O			
4. CONTINUING CALIBRATIONS	X			
5. FIELD BLANKS ("F" = not applicable)	F			
6. LABORATORY BLANKS	O			
7. SURROGATES	M			
8. MATRIX SPIKE/DUPLICATES	O			
9. REGIONAL QC ("F" = not applicable)	F			
10. INTERNAL STANDARDS	O			
11. COMPOUND IDENTIFICATION	O			
12. COMPOUND QUANTITATION	O			
13. SYSTEM PERFORMANCE	O			
14. OVERALL ASSESSMENT	M			

O = No problems or minor problems that do not affect data usability.
X = No more than *about* 5% of the data points are qualified as either estimated or unusable.
M = More than *about* 5% of the data points are qualified as estimated.
Z = More than *about* 5% of the data points are qualified as unusable.

DPO ACTION ITEMS: _____

AREAS OF CONCERN: _____

00065

489

Attachment 3

REJECTION SUMMARY FORM
(No. of Compounds/No. of Fractions (Samples)

SOP NO: HW-6
Date: February 1989

Type of Review: VOA CLP/REGION II VALIDATION
Project: COLBNECK NAVAL WEAPONS STATION
Reviewer's Initials: EMW

Date: 9-3-91
Case #: 91031947
Lab Name: R.F. WESTON - LANSVILLE
Number of Samples: 19

Analytes Rejected Due to Exceeding Review Criteria:

	Surrogates	Holding Time	Calibration	Contamination	ID	Other	Total # Samples	Total # Rejected/ Total # in all Samples
Acids (15)								
B/N (50)								
VOA (35)	0	0	12	0	0	0	19	12/665
PEST (20)								
PCB (7)								
TCDD (1)								

Analytes Estimated Due to Exceeding Review Criteria for:

Acids (15)								
B/N (50)								
VOA (35)	35	0	0	29	0	0	19	64/665
PEST (20)								
PCB (7)								
TCDD (1)								

00066

PACKAGE COMPLETENESS AND DELIVERABLES

CASE NUMBER: 91031947

LAB: R.F. WESTON-LIONVILLE

SITE: COLBNECK NAVAL WEAPONS STATION

1.0 Data Completeness and Deliverables	YES	NO	N/A
1.1 Have any missing deliverables been received and added to the data package.	[ ]		
ACTION: Call lab for explanation / resubmittal of any missing deliverables. If lab cannot provide them, note the effect on review of the package under the "Contract Problems/Non-compliance" section of reviewer narrative.			
1.2 Was SMO CCS checklist included with package?	[ ]	✓	
2.0 Cover Letter/Case Narrative			
2.1 Is the Narrative or Cover Letter present?	[✓]		
2.2 Are Case Number and/or SAS number contained in the Narrative or Cover Letter?	[✓]		

3.0 Data Validation Checklist

The following checklist is divided into three parts. Part A is filled out if the data package contains any VOA analyses, Part B for any BNA analyses and Part C for Pesticide/PCBs.

Does this package contain:

VOA data?	✓	
BNA data?		✓
Pesticide/PCB data?		✓

ACTION: Complete corresponding parts of checklist.

	YES	NO	N/A

PART A: VOA ANALYSES

1.0 Traffic Reports and Laboratory Narrative

1.1 Are the Traffic Report Forms present for all samples? [✓] ___ ___

ACTION: If no, contact lab for replacement of missing or illegible copies.

1.2 Do the Traffic Reports or Lab Narrative indicate any problems with sample receipt, condition of samples, analytical problems or special notations affecting the quality of the data? ___ [✓] ___

ACTION: Use professional judgement to evaluate the effect on the quality of the data.

ACTION: If any sample analyzed as a soil contains more than 50% water, all data should be flagged as estimated (J).

ACTION: If both VOA vials for a sample have air bubbles, flag all positive results "J" and all non-detects "R".

2.0 Holding Times

2.1 Have any VOA holding times, determined from date of collection to date of analysis, been exceeded? ___ [✓] ___

If unpreserved, aqueous aromatic volatiles must be analyzed within 7 days of collection and non-aromatic volatiles must be analyzed within 14 days. If preserved with hydrochloric acid and stored at 4°C, then both aromatic and non-aromatic volatiles must be analyzed within 14 days. If uncertain about preservation, contact the sampler to determine whether the samples were preserved.

A ten-day holding time for soil samples is recommended.

Table of Holding Time Violations

Sample	Sample Matrix	Preserved ?	(See Traffic Report) Date Sampled	Date Lab Received	Date Analyzed

ACTION: If holding times are exceeded, flag all positive results as estimated ("J") and sample quantitation limits as estimated ("UJ"), and document in the narrative that holding times were exceeded.

	YES	NO	N/A
If analyses were done more than 14 days beyond holding time, either on the first analysis or upon reanalysis, the reviewer must use professional judgement to determine the reliability of the data and the effects of additional storage on the sample results. The reviewer may determine that non-detect data are unusable ("R").			

3.0 Surrogate Recovery (Form II)

3.1 Are the VOA Surrogate Recovery Summaries (Form II) present for each of the following matrices:			
a. Low Water	[✓]		
b. Med Water	[ ]		✓
c. Low Soil	[ ]		✓
d. Med Soil	[ ]		✓
3.2 Are all the VOA samples listed on the appropriate Surrogate Recovery Summaries for each of the following matrices:			
a. Low Water	[✓]		
b. Med Water	[ ]		✓
c. Low Soil	[ ]		✓
d. Med Soil	[ ]		✓

ACTION: Call lab for explanation / resubmittals. If missing deliverables are unavailable, document effect on data under "Conclusions" section of reviewer narrative.

3.3 Were outliers marked correctly with an asterisk?	[✓]		

ACTION: Circle all outliers in red.

3.4 Was one or more VOA surrogate recovery outside of contract specifications for any sample or method blank?	✓	[ ]	
If yes, were samples reanalyzed?	[✓]		
Were method blanks reanalyzed?	[✓]		

ACTION: If surrogate recoveries are > 10% but all do not meet SOW specifications:

1. Flag all positive results as estimated ("J").
2. Flag all non-detects as estimated detection limits ("UJ").

	YES	NO	N/A
If any surrogate has a recovery of <10% : 1. Flag all positive results as estimated ("J"). 2. Flag all non-detects as unusable ("R"). Professional judgement should be used to qualify data that have method blank surrogate recoveries out of specification in both original and re-analyses. Check the internal standard areas.			
3.5 Are there any transcription/calculation errors between raw data and Form II?	___	[✓]	___
ACTION: If large errors exist, call lab for explanation / resubmittal, make any necessary corrections and note errors under "Conclusions".			
.0 Matrix Spikes (Form III)			
4.1 Is the Matrix Spike Duplicate/Recovery Form (Form III) present?	[✓]	___	___
4.2 Were matrix spikes analyzed at the required frequency for each of the following matrices:			
a. Low Water	[✓]	___	___
b. Med Water	[ ]	___	✓
c. Low Soil	[ ]	___	✓
d. Med Soil	[ ]	___	✓
ACTION: If any matrix spike data are missing, take the action specified in 3.2 above.			

4.3 How many VOA spike recoveries are outside QC limits?

Water	Soils
Ø out of 10	N/A out of 10

4.4 How many RPD's for matrix spike and matrix spike duplicate recoveries are outside QC limits?

Water	Soils
Ø out of 5	N/A out of 5

ACTION: If MS and MSD both have less than 10% recovery for an analyte, negative results for that analyte should be rejected, and positive results should be flagged "J". The above applies only to the sample used for the MS/MSD analysis. Use professional judgement in applying this criterion to other samples in the package.

	YES	NO	N/A
5.0 Blanks (Form IV)			
5.1 Is the Method Blank Summary (Form IV) present?	[✓]	___	___
5.2 Frequency of Analysis: for the analysis of VOA TCL compounds, has a reagent/method blank been analyzed for each set of samples or every 20 samples of similar matrix (low water, med water, low soil, medium soil), whichever is more frequent?	[✓]	___	___
5.3 Has a VOA instrument blank been analyzed at least once every twelve hours for each GC/MS system used?	[✓]	___	___
ACTION: If any method blank data are missing, call lab for explanation / resubmittal. If not available, reject all associated positive data ("R").			
5.4 Chromatography: review the blank raw data - chromatograms (RICs), quant reports or data system printouts and spectra.			
Is the chromatographic performance (baseline stability) for each instrument acceptable for VOAs?	[✓]	___	___
ACTION: Use professional judgement to determine the effect on the data.			
6.0 Contamination			
NOTE: "Water blanks" and "distilled water blanks" are validated like any other sample and are <u>not</u> used to qualify data. Do not confuse them with the other QC blanks discussed below.			
6.1 Do any method/instrument/reagent blanks have positive results (TCL and/or TIC) for VOAs? When applied as described below, the contaminant concentration in these blanks are multiplied by the sample Dilution Factor.	✓	[ ]	___
6.2 Do any field/trip/rinse blanks have positive VOA results (TCL and/or TIC)?	___	[ ]	✓
ACTION: Prepare a list of the samples associated with each of the contaminated blanks. (Attach a separate sheet.)			
NOTE: Only field/rinse blanks taken the same day as the samples are used to qualify data. Trip blanks are used to qualify only those samples with which they were shipped. Blanks may not be qualified because of contamination in another blank. Blanks may be qualified for surrogate, spectral, tuning or calibration QC problems.			

Not identified

YES NO N/A

ACTION: Follow the directions in the table below to qualify TCL results due to contamination. Use the largest value from all the associated blanks.

	Sample conc > CRQL but < 10x blank	Sample conc < CRQL & is < 10x blank value	Sample conc > CRQL value & >10x blank value
Methylene chloride Acetone Toluene 2-butanone	Flag sample result with a 'U'; cross out 'B' flag	Reject sample result and report CRQL; cross out 'B' flag	No qualification is needed

	Sample conc > CRQL but < 5x blank	Sample conc < CRQL & is < 5x blank value	Sample conc > CRQL value & > 5 blank value
Other Contaminants	Flag sample result with a 'U'; cross out 'B' flag	Reject sample result and report CRQL; cross out 'B' flag	No qualification is needed

ACTION: For TIC compounds, if the concentration in the sample is less than five times the concentration in the most contaminated associated blank, flag the sample data "R" (unusable).

6.3 Are there field/rinse/equipment blanks associated with every sample? [ ] [✓] [ ]

ACTION: For low level samples, note in data assessment that there is no associated field/rinse/equipment blank. Exception: samples taken from a drinking water tap do not have associated field blanks. Not identified.

7.0 GC/MS Tuning and Mass Calibration (Form V)

7.1 Are the GC/MS Tuning and Mass Calibration Forms (Form V) present for Bromofluorobenzene (BFB)? [✓] [ ] [ ]

7.2 Are the enhanced bar graph spectrum and mass/charge (m/z) listing for the BFB provided for each twelve hour shift? [✓] [ ] [ ]

7.3 Has a tuning performance compound been analyzed for every twelve hours of sample analysis per instrument? [✓] [ ] [ ]

ACTION: If any tuning data are missing, take action specified in 3.2 above.

ACTION: List date, time, instrument ID, and sample analyses for which no associated GC/MS tuning data are available.

DATE	TIME	INSTRUMENT	SAMPLE NUMBERS

EMW 9-3-91

ACTION: If lab cannot provide missing data, reject ("R") all data generated outside an acceptable twelve hour calibration interval.

	YES	NO	N/A
7.4 Have the ion abundance criteria been met for each instrument used?	[✓]		

ACTION: List all data which do not meet ion abundance criteria (attach a separate sheet).

ACTION: If tuning calibration is in error, flag all associated sample data as unusable ("R"). However, if expanded ion criteria are met (See 1988 Functional Guidelines), the data reviewer may accept data with appropriate qualifiers.

7.5 Are there any transcription / calculation errors between mass lists and Form Vs? (Check at least two values but if errors are found, check more.)		[✓]	
7.6 Have the appropriate number of significant figures (two) been reported? (Check at least two values, but if errors are found check more values.)	[✓]		

ACTION: If large errors exist, call lab for explanation / resubmittal, make necessary corrections and note errors under "Conclusions".

7.7 Are the spectra of the mass calibration compound acceptable?	[✓]		

ACTION: Use professional judgement to determine whether associated data should be accepted, qualified, or rejected.

.0 Target Compound List (TCL) Analytes

8.1 Are the Organic Analysis Data Sheets (Form I VOA) present with required header information on each page, for each of the following:			
a. Samples and/or fractions as appropriate	[✓]		
b. Matrix spikes and matrix spike duplicates	[✓]		
c. Blanks	[✓]		

	YES	NO	N/A
8.2 Are the VOA Reconstructed Ion Chromatograms, the mass spectra for the identified compounds, and the data system printouts (Quant Reports) included in the sample package for each of the following?			
a. Samples and/or fractions as appropriate	[✓]		
b. Matrix spikes and matrix spike duplicates (Mass spectra not required)	[✓]		
c. Blanks	[✓]		
ACTION: If any data are missing, take action specified in 3.2 above.			
8.3 Are the response factors shown in the Quant Report?	[ ]	✓	
8.4 Is chromatographic performance acceptable with respect to:	Quant con		
Baseline stability	[✓]		
Resolution	[✓]		
Peak shape	[✓]		
Full-scale graph (attenuation)	[✓]		
Other:_____	[ ]		✓
ACTION: Use professional judgement to determine the acceptability of the data.			
8.5 Are the lab-generated standard mass spectra of the identified VOA compounds present for each sample?	[✓]		
ACTION: If any mass spectra are missing, take action specified in 3.2 above. If Lab does not generate their own standard spectra, make note in "Contract Problems/Non-compliance".			
8.6 Is the RRT of each reported compound within 0.06 RRT units of the standard RRT in the continuing calibration?	[✓]		
8.7 Are all ions present in the standard mass spectrum at a relative intensity greater than 10% also present in the sample mass spectrum?	[✓]		
8.8 Do sample and standard relative ion intensities agree within 20%?	[✓]		
ACTION: Use professional judgement to determine acceptability of data. If it is determined that incorrect identifications were made, all such data should be rejected, flagged "N" (presumptive evidence of the presence of the compound) or changed to not detected (at the calculated detection limit).			

	YES	NO	N/A
9.0 Tentatively Identified Compounds (TIC)			
9.1 Are all Tentatively Identified Compound Forms (Form I, Part B) present; and do listed TICs include scan number or retention time, estimated concentration and "J" qualifier?	[✓]	___	___
9.2 Are the mass spectra for the tentatively identified compounds and associated "best match" spectra included in the sample package for each of the following:			
a. Samples and/or fractions as appropriate	[___]	___	✓
b. Blanks	[___]	___	✓
ACTION: If any TIC data are missing, take action specified in 3.2 above.			
ACTION: Add "J" qualifier if missing and "N" qualifier to all identified TIC compounds on Form I, Part B.			
9.3 Are any TCL compounds (from any fraction) listed as TIC compounds (example: 1,2-dimethylbenzene is xylene—a VOA TCL—and should not be reported as a TIC)?	___	[___]	✓
ACTION: Flag with "R" any TCL compound listed as a TIC.			
9.4 Are all ions present in the reference mass spectrum with a relative intensity greater than 10% also present in the sample mass spectrum?	[___]	___	✓
9.5 Do TIC and "best match" standard relative ion intensities agree within 20%?	[___]	___	✓
ACTION: Use professional judgement to determine acceptability of TIC identifications. If it is determined that an incorrect identification was made, change identification to "unknown" or to some less specific identification (example: "C3 substituted benzene") as appropriate.			
10.0 Compound Quantitation and Reported Detection Limits			
10.1 Are there any transcription / calculation errors in Form I results? Check at least two positive values. Verify that the correct internal standard, quantitation ion, and RRF were used to calculate Form I result. Were any errors found?	___	[✓]	___
10.2 Are the CRQLs adjusted to reflect sample dilutions and, for soils, sample moisture?	[✓]	___	___

	YES	NO	N/A
ACTION: If errors are large, call lab for explanation / resubmittal, make any necessary corrections and note errors under "Conclusions".			
ACTION: When a sample is analyzed at more than one dilution, the lowest CRQLs are used (unless a QC exceedance dictates the use of the higher CRQL data from the diluted sample analysis). Replace concentrations that exceed the calibration range in the original analysis by crossing out the "E" value on the original Form I and substituting it with data from the analysis of diluted sample. Specify which Form I is to be used, then draw a red "X" across the entire page of all Form I's that should not be used, including any in the summary package.			
11.0 Standards Data (GC/MS)			
11.1 Are the Reconstructed Ion Chromatograms, and data system printouts (Quant. Reports) present for initial and continuing calibration?	[✓]	___	___
ACTION: If any calibration standard data are missing, take action specified in 3.2 above.			
12.0 GC/MS Initial Calibration (Form VI)			
12.1 Are the Initial Calibration Forms (Form VI) present and complete for the volatile fraction?	[✓]	___	___
ACTION: If any calibration standard forms are missing, take action specified in 3.2 above.			
12.2 Are response factors stable for volatiles over the concentration range of the calibration (RSD <30%)?	[✓]	___	___
ACTION: Circle all outliers in red.			
ACTION: When RSD >30%, non-detects may be qualified using professional judgement. Flag all positive results "J". When RSD >90%, flag all non-detects as unusable ("R"). (Region II policy.)			
12.3 Do any compounds have an average RRF < 0.05?	✓	[___]	___
ACTION: Circle all outliers in red.			
ACTION: If any volatile compound has an average RRF < 0.05, flag positive results for that compound as estimated ("J"), and flag non-detects for that compound as unusable ("R").			

	YES	NO	N/A
12.4 Are there any transcription / calculation errors in the reporting of average response factors (RRF) or %RSD? (Check at least two values but if errors are found, check more.)		✓	

ACTION: Circle errors in red.

ACTION: If errors are large, call lab for explanation / resubmittal, make any necessary corrections and note errors under "Conclusions".

13.0 GC/MS Continuing Calibration (Form VII)

13.1 Are the Continuing Calibration Forms (Form VII) present and complete for the volatile fraction?	✓		
13.2 Has a continuing calibration standard been analyzed for every twelve hours of sample analysis per instrument?	✓		

ACTION: List below all sample analyses that were not within twelve hours of the previous continuing calibration analysis.

SMW 9-3-91

ACTION: If any forms are missing or no continuing calibration standard has been analyzed within twelve hours of every sample analysis, call lab for explanation / resubmittal. If continuing calibration data are not available, flag all associated sample data as unusable ("R").

13.3 Do any continuing calibration standard compounds have a RRF < 0.05?	✓		

ACTION: Circle all outliers in red.

ACTION: If any volatile compound has a RRF < 0.05, flag positive results for that compound as estimated ("J"), and flag non-detects for that compound as unusable ("R").

13.4 Do any compounds have a % difference between initial and continuing calibration RRF > 25%?	✓		

ACTION: Circle all outliers in red and qualify associated sample data as outlined in the table below:

YES NO N/A

% DIFFERENCE

25-50	50-90	>90
'J' positive results, no action for non detects	'J' positive results, 'UJ' non detects	'J' positive results, "R" non detects

13.5 Are there any transcription / calculation errors in the reporting of average response factors (RRF) or difference (%D) between initial and continuing RRFs? (Check at least two values but if errors are found, check more.) ___ [✓] ___

ACTION: Circle errors in red.

ACTION: If errors are large, call lab for explanation / resubmittal, make any necessary corrections and note errors under "Conclusions".

4.0 Internal Standards (Form VIII)

14.1 Are the internal standard areas (Form VIII) of every sample and blank within the upper and lower limits for each continuing calibration? [✓] ___ ___

ACTION: List all the outliers below.

Sample #	Internal Std	Area	Lower Limit	Upper Limit

(Attach additional sheets if necessary.)

EMW 9-3-91

ACTION: If the internal standard area count is outside the upper or lower limit, flag with "J" all positive results and non-detects (U values) quantitated with this internal standard. If extremely low area counts are reported, or if performance exhibits a major abrupt drop off, flag all associated non-detects as unusable ("R").

14.2 Are the retention times of the internal standards within 30 seconds of the associated calibration standard? [✓] ___ ___

ACTION: Professional judgement should be used to qualify data if the retention times differ by more than 30 seconds.

	YES	NO	N/A
15.0 Field Duplicates			
15.1 Were any field duplicates submitted for VOA analysis?	[___]	✓	___

ACTION: Compare the reported results for field duplicates and calculate the relative percent difference. Not identified or Submitted.

ACTION: Any gross variation between field duplicate results must be addressed in the reviewer narrative. However, if large differences exist, identification of field duplicates should be confirmed by contacting the sampler.