

N60478.AR.001286  
NWS EARLE  
5090.3a

TRANSMITTAL LETTER REGARDING FINAL STREAMLINED QUALITY ASSURANCE  
PROJECT PLAN UXO 2 MUNITIONS LOADING PIER COMPLEX SIDE-SCAN SONAR AND  
BATHYMETRIC SURVEY NWS EARLE NJ  
3/5/2013  
CH2MHILL



CH2M HILL  
5701 Cleveland Street, Suite 200  
Virginia Beach, VA 23462  
Tel 757.518.9666

March 5, 2013

Commanding Officer  
NAVFAC Midlant, NE IPT  
Attention: Mr. Roberto Pagtalunan  
Building Z-144, 2<sup>nd</sup> Floor, Rm. 214  
Virginia Avenue  
Norfolk, VA 23511-3095

Subject: Final Streamlined Quality Assurance Project Plan, UXO 0002, Munitions Loading Pier Complex, Side-scan Sonar and Bathymetric Survey Naval Weapons Station Earle, Sandy Hook Bay, Monmouth County, NJ Navy Clean Program - Contract N62470-11-D-8012 Contract Task Order WE06


Dear Mr. Pagtalunan:

Enclosed, please find one hardcopy and one CD containing an electronic version of the referenced document for your records. Per the email provided to the Regulators on November 15, 2012, additional copies of the referenced document are also being provided to the USEPA and NJDEP as outlined in the distribution list below.

If you have any questions or comments regarding the enclosed documents, please feel free to contact me at 757-671-6267.

Sincerely,

CH2M HILL

  
Adam Forshey, Jr.  
Project Manager

cc: Ms. Jessica Mollin/USEPA Region 2 - 3 copies, 3 CD-ROMs  
Ms. Erica Bergman/NJDEP - 2 copies, 2 CD-ROMs  
Mr. Scott Fleming/Navy - 1 copy, 1 CD-ROM  
Ms. Patricia Elder/Navy - cover only  
Project File - 1 copy, 1 CD-ROM  
Admin Record - 1 copy, 1 CD-ROM