

N50092.AR.000045
JEB FORT STORY, VA
5090.3a

LETTER REPLYING TO CONFIRMED PETROLEUM RELEASE FROM A WASH RACK AT
LIGHTER AMPHIBIOUS RESUPPLY CARGO (LARC) 60 AREA FORT STORY VA
3/7/1994
COMMONWEALTH OF VIRGINIA DEPARTMENT STATE WATER CONTROL BOARD



0045

COMMONWEALTH of VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY

Richard M. Burton
Director

Water Regional Office
287 Pembroke Office Park
Pembroke 2, Suite 310
Virginia Beach, Virginia 23462
(804) 552-1840

Larry S. McBride
Regional Director

MAR 7 1994

Commander
US Army Transportation Center
Attn: ATZF-EHE, Dan Musel
209 Thornell Avenue
Fort Eustis, Virginia 23604-5332

re: Report of a Confirmed Petroleum Release from a Wash Rack
Site Name/Location: Wash Rack at LARC Area, Ft. Story, Virginia Beach
DEQ Tracking Number: PC 94-2275

Dear Sir:

Thank you for notifying the Department of Environmental Quality (DEQ) of a confirmed petroleum release at the subject site. On February 22, 1994, Mr. Dan Musel reported that elevated Total Petroleum Hydrocarbons, lead, and perchloroethylene were detected in soil samples collected near the wash rack for a worker hazard assessment prior to construction activities. Certain petroleum discharge are regulated under Chapter 3.1, Article 11, Section 62.1-44.34:14 et seq. of the Code of Virginia (Enclosure).

Please submit an Initial Abatement Measures Report to this office by March 15, 1994. This report is to be followed by a Site Characterization Report, which includes site, risk, and remediation assessments, and by a Free Product Removal Report, if applicable. Please submit the Site Characterization Report to this office by April 11, 1994. Items that must be addressed in these reports are specified in the checklists included with this package (enclosures). The appropriate checklist must be included with each report when it is submitted. Our review of the Site Characterization Report will determine whether further actions and/or a Corrective Action Plan and Permit will be required. If you are unable to submit the required report by the deadline, you may request a deadline extension of up to sixty (60) days, provided that a written request is received by this office before the deadline expires.


Page 2
Commander

MAR 7 1994

This letter and enclosures are intended to provide you with basic information you need to comply with laws pertaining to the reported release of a regulated substance at this site.

To expedite review of this case, please refer to the above DEQ tracking number in all correspondence. If you have any questions, please call LeAnn Moran at (804) 552-1156.

Sincerely,

A handwritten signature in cursive script that reads "David E. Borton". The signature is written in black ink and is positioned above the typed name and title.

David E. Borton
Ground Water Manager

Enclosures

cc: Harold Winer, DEQ-Waste Div.-TRC
Chris Haywood
DEQ-Water Div.-TRC-OE&CA
File PC 94-2275