N62661.AR 001837
NAVSTA NEWPORT RI
5090.3a

FINAL
PROJECT CLOSEOUT REPORT
FOR
PHASE II - PCB CONTAMINATED SOILS AND CONCRETE REMEDIATION
GOULD ISLAND
NAVAL STATION NEWPORT
NEWPORT, RHODE ISLAND

Issued:

October 29, 2004

Prepared for:

Department of the Navy
Engineering Field Activity, Northeast
Naval Facilities Engineering Command
10 Industrial Highway, Mail Stop #82
Lester, PA 19113-2090

Prepared by:

Tetra Tech FW, Inc.
2300 Lincoln Highway East
One Oxford Valley – Suite 200
Langhorne, PA 19047-1829

REMEDIAL ACTION CONTRACT NO. N62472-99-D-0032
CONTRACT TASK ORDER NO. 47 AND 69

Revision	Date	Prepared By	Approved By	Pages
0	10/29/04	D. VanConover	R. Woodworth	All

Prepare in quintuplicate (original and 4 copies)

CONTRACTOR DRAWINGS & INFORMATION SUBMITTAL
EFANENAVFACENGCOM 4335/3 (Rev. 6/80)

CONTROL NO. 19

CONTRACT NO.	CONTRACT TASK ORDER NO.	ACTIVITY LOCATION
N62472-99-D-0032	**0069**	**Naval Station Newport - Newport, RI**

PROJECT TITLE:
PCB Characterization and Removal – Gould Island

FROM:	DATE
Tetra Tech FW, Inc.: Program QC Manager Thomas Kelly	October 29, 2004
TO:	DATE
C. Davis (CD-Copy)	October 29, 2004

1. THE CONTRACTOR SUBMITTALS LISTED BELOW ARE FORWARDED FOR YOUR REVIEW AND RECOMMENDATIONS.
(a) APPLY APPROPRIATE STAMP IMPRINT TO EACH SUBMITTAL AND INDICATE REVIEW COMMENTS, AS REQUIRED.
(b) RETAIN ONE (1) COPY OF THIS TRANSMITTAL FORM AND RETURN REMAINING COPIES WITH REVIEWED SUBMITTALS TO ROICC.

2. THESE SUBMITTALS SHOULD BE RETURNED TO THIS OFFICE BY _____

3. _____

CD-COPY TO:
EFANE: T. Bober, P. Burgio, B. Krivinskas
NSNPT: K. Marley
USEPA: K. Tisa
RIDEM: P. Kulpa
TTNUS: S. Parker

HARD COPY TO:
USEPA: K. Tisa
RIDEM: P. Kulpa

☐ ROICC ☐ RPM ☐ CSO

Thomas Joseph Kelly — OCTOBER 29, 2004
SIGNATURE AND DATE

FROM: DESIGNER	DATE
TO: ROICC	DATE

1. THE SUBMITTALS LISTED BELOW HAVE BEEN REVIEWED AND ARE RETURNED, WITH ACTION TAKEN AS INDICATED.

2. _____

COPY TO:

☐ ROICC ☐ DESIGNER

SIGNATURE AND DATE

FROM: ROICC	DATE
TO: CONTRACTOR	DATE

1. THE SUBMITTALS LISTED BELOW HAVE BEEN REVIEWED AND ARE APPROVED/DISAPPROVED AS SHOWN BELOW AND ON EACH STAMP IMPRINT.

COPY TO:

☐ ROICC ☐ OTHER

FOR COMMANDING OFFICER, ENGINEERING FIELD ACTIVITY NORTHEAST - NAVAL FACILITIES ENGINEERING COMMAND — DATE

ITEM NO.	SUBMITTAL DESCRIPTION	PREPARED/ SUBMITTED BY	APPROVED	DISAPPROVED	REMARKS
1	SD-18, Records; Final Project Closeout Report for Phase II – PCB Contaminated Soils and Concrete Remediation – Gould Island	Amy Karaskevicus			

FINAL
PROJECT CLOSEOUT REPORT
FOR
PHASE II - PCB CONTAMINATED SOILS AND CONCRETE REMEDIATION
GOULD ISLAND
NAVAL STATION NEWPORT
NEWPORT, RHODE ISLAND

TABLE OF CONTENTS

Section **Page**

1.0 INTRODUCTION/PROJECT OBJECTIVES…….....1
1.1 Site History……..……......1
1.2 Background……..……......1

2.0 PROJECT ACTIVITIES…….....4
2.1 Project Planning/Management……..…....4
2.1.1 Pre-Construction Submittals……..…....4
2.1.2 Home Office Support…….....5
2.2 Permit and Report Preparation and Submission…….....5
2.2.1 Dig Safe Permit…….....5
2.2.2 Project Closeout Report…….....5
2.3 Mobilization and Site Preparedness…….....6
2.3.1 Initial Mobilization……..……..…....6
2.3.2 Soil Erosion and Sediment Control…….....6
2.3.3 Spill and Discharge Control…….....6
2.3.4 Temporary Facilities……..…….....6
2.4 Pre-Demolition Sampling Results…….. 7
2.5 Sampling Procedures...…….…….....11
2.6 PCB Remediation…….....12
2.6.1 Concrete Roadway Location GIPI-B32R-FS-3,
GIPI-B32R-FS-5, and GIPI-B32R-FS-6…….....12
2.6.2 Grid/Boring Location F2...…….…....12
2.6.3 Building 53 (Transformer Vault)……...…….....13
2.6.4 Building 54 (Transformer Vault)……..…….....13
2.6.5 Building 56 (Transformer Vault)……..…....15
2.6.6 Building 59 (Switch House/Transformer Vault)…….....16
2.6.7 Building 60 (Transformer Vault)…….…..….....17
2.6.8 Building 61 (Transformer Vault)...…….....18
2.6.9 Transformer Vault Pipe Conduit Test Pits…...…….....18
2.7 Water Treatment……...……...…….....18
2.7.1 Water Discharge Permit.....18
2.7.2 Water Treatment System.....19
2.7.3 Frac Tank Decontamination.....21

TABLE OF CONTENTS
(continued)

2.8 Site Restoration.....21

3.0 TSCA SOIL AND CONCRETE DISPOSAL…….....22
4.0 DOCUMENTATION…….....22
5.0 CONCLUSION…… 22

LIST OF FIGURES

Figure 1 Site Vicinity Map…….……..2
Figure 2 Site Facilities Map…….3

Figure A-1 Roadway Field Screening Locations – May 9, 2001……....…… A-1
Figure A-2 Roadway Goprobe Sampling Locations..…….……..…A-4
Figure A-3 Building 53 (Transformer Vault) Perimeter Sampling Locations.…… A-9
Figure A-4 Building 53 (Transformer Vault) Geoprobe Sampling Locations……..… A-11
Figure A-5 Building 54 (Transformer Vault) Field Screening Locations – May 15, 2001……..……... A-16
Figure A-6 Building 54 (Transformer Vault) Field Screening Locations – May 21, 2001……..… A-19
Figure A-7 Building 54 (Transformer Vault) Perimeter Sampling Locations……. A-22
Figure A-8 Building 54 (Transformer Vault) Geoprobe Sampling Locations……A-24
Figure A-9 Building 56 (Transformer Vault) Perimeter Sampling Locations……..… A-36
Figure A-10 Building 56 (Transformer Vault) Geoprobe Sampling Locations……..… A-38
Figure A-11 Building 59 (Switch House) Perimeter Sampling Locations……..…A-43
Figure A-12 Building 59 (Transformer Vault) Geoprobe Sampling Locations……..... A-45
Figure A-13 Building 60 (Transformer Vault) Perimeter Sampling Locations……. A-49
Figure A-14 Building 60 (Transformer Vault) Geoprobe Sampling Locations……..… A-51
Figure A-15 Building 61 (Transformer Vault) Perimeter Sampling Locations……. A-57
Figure A-16 Building 61 (Transformer Vault) Geoprobe Sampling Locations……..… A-59

Figure C-1 Concrete Roadway Location GIPI-B32R-FS3, GIPI-B32R-FS5 and GIPI-B32R-FS6 Confirmatory Sampling Locations…....……..C-1
Figure C-2 Grid/Boring Location F2 Confirmatory Sampling Locations……C-2
Figure C-3 Building 53 (Transformer Vault) Confirmatory Sampling Locations.…….. C-3
Figure C-4 Hot Spot Location 54B29, 54B40, 54B42, 54B45 & 54B48 Confirmatory Sampling Locations……C-4
Figure C-5 Building 54 (Transformer Vault) Confirmatory Sampling Locations.…….. C-5
Figure C-6 Building 54 (Transformer Vault) Confirmatory Sampling Locations and Excavation Limits – August 21, 2003……..….……..C-6
Figure C-7 Building 54 (Transformer Vault) Confirmatory Sampling Locations and Excavation Limits – August 27, 2003……C-7

TABLE OF CONTENTS
(continued)

Figure C-8 Building 54 (Transformer Vault) Confirmatory Sampling Locations and Excavation Limits – September 2, 2003……. C-8
Figure C-9 Building 56 (Transformer Vault) Confirmatory Sampling Locations……... C-9
Figure C-10 Building 59 (Switch House) Confirmatory Sampling Locations……...C-10
Figure C-11 Building 60 (Transformer Vault) Confirmatory Sampling Locations……... C-11
Figure C-12 Building 61 (Transformer Vault) Confirmatory Sampling Locations……... C-12

Figure D-1 Building 53 (Transformer Vault) Location of Pipe Conduit Test Pits……..D-1
Figure D-2 Building 54 (Transformer Vault) Location of Pipe Conduit Test Pits……..……D-2
Figure D-3 Building 56 (Transformer Vault) Location of Pipe Conduit Test Pits……..D-3
Figure D-4 Building 59 (Switch House) Location of Pipe Conduit Test Pits……..D-4
Figure D-5 Building 60 (Transformer Vault) Location of Pipe Conduit Test Pits……..D-5

LIST OF TABLES

Table A-1 Roadway Field Screening Detection Table – May 9, 2001……..…… A-2
Table A-2 Roadway Geoprobe Sampling Detection Table……..…..……A-5
Table A-3 Building 53 (Transformer Vault) Perimeter Sampling Detection Table……...……... A-10
Table A-4 Building 53 (Transformer Vault) Geoprobe Sampling Detection Table……..…… A-12
Table A-5 Building 54 (Transformer Vault) Field Screening Detection Table – May 15, 2001……. A-17
Table A-6 Building 54 (Transformer Vault) Field Screening Detection Table –May 21, 2001……. A-20
Table A-7 Building 54 (Transformer Vault) Perimeter Sampling Detection Table……..…… A-23
Table A-8 Building 54 (Transformer Vault) Geoprobe Sampling Detection Table……..… A-25
Table A-9 Building 56 (Transformer Vault) Perimeter Sampling Detection Table……..…… A-37

TABLE OF CONTENTS
(continued)

Table A-10 Building 56 (Transformer Vault) Geoprobe Sampling Detection Table……..…… A-39
Table A-11 Building 59 (Switch House) Perimeter Sampling Detection Table……..…… A-44
Table A-12 Building 59 (Switch House) Geoprobe Sampling Detection Table……..…… A-46
Table A-13 Building 60 (Transformer Vault) Perimeter Sampling Detection Table……..…… A-50

Table A-14 Building 60 (Transformer Vault) Geoprobe Sampling Detection Table……..…… A-52
Table A-15 Building 61 (Transformer Vault) Perimeter Sampling Detection Table……..…… A-58
Table A-16 Building 61 (Transformer Vault) Geoprobe Sampling Detection Table……..…… A-60

Table C-1 Confirmatory Sampling Detection Table……...C-13

Table D-1 Pipe Conduit Test Pit Sampling Detection Table…….……D-6

Table E-1 Water Treatment System Flow Log……...E-1
Table E-2 Water Treatment System Sampling Detection Table……E-3
Table E-3 Water Treatment System Wipe Sampling Detection Table……...E-5

Table F-1 Gould Island PCB Remediation Disposal Documentation Tracking Log……..F-1

LIST OF APPENDICES

Appendix A Field Screening Locations, Perimeter and Geoprobe Sampling Locations and Detection Tables

Appendix B Photographic Documentation

Appendix C Confirmatory Sampling Locations, Detection Table and Analytical Results

Appendix D Pipe Conduit Test Pit Documentation and Analytical Results

Appendix E Water Treatment System Documentation and Analytical Results

Appendix F Disposal Documentation

1.0 INTRODUCTION/PROJECT OBJECTIVES

Tetra Tech FW, Inc. (TtFW) was contracted by the Engineering Field Activity, Northeast (EFANE), Naval Facilities Engineering Command to provide remedial services on Gould Island located at Naval Station Newport (NAVSTA) in Newport, Rhode Island. Remedial activities included: removal of PCB contaminated soil and concrete from the five (5) Transformer Vaults (Buildings 53, 54, 56, 60, 61), the Switch House/Transformer Vault (Building 59), Grid/Boring Location F2 - Riggers Storage Building (Building 52) and designated hot spot locations in the southern roadway. This Project Closeout Report is being submitted to summarize the above-mentioned remedial activities. This report will provide the documentation and figure requirements specified in the Work Plan for PCB Contaminated Concrete Removal – Addendum No. 4 dated May 8, 2001 and Phase II – PCB Contaminated Soils and Concrete Remediation dated August 2, 2002 for Contract Task Order No. 47 and 69 (CTO 47 and 69) under Remedial Action Contract (RAC) No. N62472-99-D-0032.

1.1 Site History

The Gould Island Naval Station is located on the northern end of Gould Island, in the East Passage of Narragansett Bay, approximately 1.5 miles off the coast of Middletown, Rhode Island (Figure 1). Access was by boat only and TtFW provided a barge service for all equipment and utilized the services of the Naval Underwater Warfare Center (NUWC) to provide transportation to and from the island for all site personnel.

The Gould Island complex of facilities was constructed in the early 1940's for the production and testing of torpedoes and was abandoned in the early 1970's. The complex consisted of 17 buildings: Torpedo Overhaul Shop (Building 32); Power Plant (Building 33); Acetylene Generator Building (Building 34); Test Facility (Building 35); Range Maintenance Shop (Building 36); Riggers Storage (Building 52); Five (5) Transformer Vaults (Buildings 53, 54, 56, 60, and 61); Deep Well House (Building 58); Switch House (Building 59); Quonset Hut (Building 70); Salt Water Intake Pier (Building 91), Ferry Slip (Building 94) and the Acid Storage Building. TtFW performed asbestos abatement, hazardous waste removal activities, demolition of designated buildings, and removal of designated building slabs, foundations and roadways on Gould Island (Figure 2).

1.2 Background

The work performed at Gould Island consisted of Delivery Order (DO) 44 (under RAC Contract No. N62472-94-D-0398), and CTO 29, CTO 47 and CTO 69 (under RAC Contract No. N62472-99-D-0032. DO 44 consisted of two (2) phases, Phase I and II. Phase I included asbestos abatement and hazardous waste removals. Phase II under DO 44 included demolition of selected buildings to the slab elevation only. Phase I and Phase II under DO 44 were completed in May 2001. In support of the Phase II under DO 44, TtFW performed concrete sampling of the interior floor and wall surfaces of the transformer vaults and the switch house. The results of that sampling indicated the presence of PCB contamination in some of the floor locations.



FIGURE 1

NAVAL UNDERWATER SYSTEMS CENTER
GOULD ISLAND
NEWPORT, RHODE ISLAND

SITE VICINITY MAP

NOT TO SCALE



SOURCE:

BASE PLAN WAS DERIVED FROM NUSC DWG 71-76, CODE ID NO. 80091
DATED JUNE 30, 1971 AND REVISED JULY 22, 1983, ENTITLED "ACTIVITY UTILIZATION
- GOULD ISLAND".

FIGURE 2

NAVAL UNDERWATER SYSTEMS CENTER
GOULD ISLAND
NEWPORT, RHODE ISLAND

SITE FACILITIES MAP

SCALE AS SHOWN

3

Consequently, CTO 29 was created to perform Phase III, the crushing and removal of selected building slabs, foundations and concrete roadways. Due to the elevated levels of PCB contamination found at Building 54, CTO 47 was established to provide an interim PCB removal action for Building 54. CTO 69 was initiated in September 2001 involving two (2) phases of work. Phase I involved the development of a Sampling Plan and implementation of such plan to delineate the extent of PCB contamination on the NAVSTA portion of the Island. The Phase I Sampling Plan took into consideration prior data collected from previous site activities. Rather than using previously collected data to confirm the extent of contamination, the Phase I Sampling Plan under CTO 69 was used to confirm the location of existing PCB contamination along with determining the horizontal and vertical delineation of said contamination. Consequently, under CTO 69 Phase II, a Remedial Action Work Plan was created to address areas of the Island that required remedial actions. See Appendix A for historical sample locations.

2.0 PROJECT ACTIVITIES

The main activities of the project were:

- To demolish, remove and dispose of the concrete foundation and associated PCB contaminated soils from Building 54.
- To demolish, remove and dispose of the concrete foundations and associate PCB contaminated soils from Buildings 53, 56, 59, 60 and 61.
- To remove and dispose of PCB contaminated concrete/soils from designated hot spot locations.
- To treat and discharge PCB contaminated water collected from the Building 54 soil excavation.

These field efforts took place from May 14, 2001 through May 21, 2001, for CTO 47 and August 6, 2002 through October 21, 2002, January 21, 2003 through February 20, 2003, April 14, 2003 through April 23, 2003 and June 25, 2003 through September 25, 2003 for CTO 69.

2.1 Project Planning/Management

Project Planning/Management activities included the preparation of pre-construction submittals, coordination of utility requirements, mobilization to the site, and home office support functions during the time period of the project. The tasks involved in Project Planning/Management are described below.

2.1.1 Pre-Construction Submittals

TtFW prepared and submitted the following pre-construction documents to EFANE.

Final Work Plan

The Final Work Plan (for Gould Island Demolition of Selected Buildings – Phases I, II, and III) Addendum 4 was issued to EFANE on May 8, 2001 and incorporated the removal of PCB contaminated concrete/soil from the Building 54 Transformer Vault (CTO 47). The Final Work Plan (for Phase II – PCB-Contaminated Soils and Concrete Remediation) was issued to EFANE on August 2, 2002 and incorporated the removal of PCB contaminated soil/concrete from Buildings 53, 54, 56, 59, 60, 61, field screening locations FS-3, FS-5, FS-6 and Grid/Boring Location F2 (CTO 69). Amendment No. 1 to the Final Work Plan (for Phase II – PCB Contaminated Soils and Concrete Remediation) was issued to EFANE on August 19, 2002 and incorporated amendments to the sampling procedures used during Phase II Remediation. Amendment No. 2 to the Final Work Plan (for Phase II – PCB Contaminated Soils and Concrete Remediation) (R1) was issued to EFANE on April 18, 2003 and incorporated the removal of additional soils associated with Building 54. Figure 2 (R1) to Amendment No. 2 to the Final Work Plan (for Phase II – PCB Contaminated Soils and Concrete Remediation) (R1) was issued to EFANE on June 25, 2003. Change Request Form (CRF) No. 1 to the Final Work Plan (for Phase II – PCB Contaminated Soils and Concrete Remediation) (R1) was issued to EFANE on July 18, 2003.

Final Site-Specific Health and Safety Plan (SHSP)

The Final SHSP (for Gould Island Demolition of Selected Buildings – Phases I, II and III) included TtFW's approach to ensuring the health and safety of its employees and others during the project. The Final SHSP (for Phase II – PCB Contaminated Soils and Concrete Remediation) for the project was submitted on July 16, 2002 to EFANE.

2.1.2 Home Office Support

TtFW's Langhorne, Pennsylvania office provided home office support throughout the duration of the project. Home office support included procurement and subcontract agreement support along with the preparation of the required financial, technical, and monthly progress reports.

2.2 Permit and Report Preparation and Submission

2.2.1 Dig Safe Permit

On November 2, 1999, TtFW received a Dig Safe Permit for the installation of a bulkhead/barge landing ramp on Gould Island. No additional Dig Safe Permits were required.

2.2.2 Project Closeout Report

This Project Closeout Report has been prepared in accordance with NAVFAC guidelines. The report includes a summary of activities completed, wastes removed, analytical results, and disposal documentation. The documentation contained in this report may be used to support a full site assessment of the island to establish a future remedy for the NAVSTA Newport portion of the island only.

2.3 Mobilization and Site Preparedness

2.3.1 Initial Mobilization

Mobilization, for CTO 47, was incorporated into the mobilization for DO 44/CTO 29 that began on December 23, 1999.

Initial mobilization, for CTO 69, was incorporated into the re-mobilization for CTO 29 that began on June 25, 2002. Subsequent re-mobilizations were required for water treatment and additional soil removal at Building 54 on January 21, 2003, April 14, 2003 and June 25, 2003.

During initial mobilization activities, an office trailer and generators were placed on Gould Island. TtFW left the office trailer in place for the duration of the project and re-mobilized the generator for each phase.

2.3.2 Soil Erosion and Sediment Control

The Final Soil Erosion Control Plan was submitted to EFANE on March 20, 2000 for approval prior to the start of any demolition activities. A General Permit for Storm Water Discharge for all Gould Island activities was issued on April 25, 2000. Erosion and sediment controls were installed to the limits as designated on the Naval Underground Systems Center, Soil Erosion and Sediment Control Plan drawing, SE-1. General control measures consisted of placing a 2-foot silt fence filter fabric, buried 4 inches, and augmented with hay bales at specific perimeter locations of the site. Erosion and sediment controls were installed prior to the start of any activities and were inspected on a weekly basis and documented.

2.3.3 Spill and Discharge Control

The Final Spill Prevention Plan was submitted on February 3, 2000. No spills or accidental discharges to Narragansett Bay occurred during remedial activities.

2.3.4 Temporary Facilities

A temporary office trailer and 10 foot by 20 foot conex box (equipment storage) were placed on the east side of Building 32. On June 25, 2002, temporary facilities were moved to the northeast corner of the Building 32 slab to facilitate concrete roadway removal. A 70 KVA AC generator provided temporary electric service. Toilet facilities consisted of three portable toilets staged near the office trailer. All other office-support equipment and personnel were located at a trailer support area at Derecktor's Shipyard.

2.4 Pre-Demolition Sampling Results

Concrete chip samples were collected from the floor and walls of each Transformer Vault and the Switch House (Transformer Side) prior to any demolition activity. The wall samples indicated that the walls of each vault and the Switch House (Transformer Side) had PCB levels below the Rhode Island Department of Environmental Management (RIDEM) Residential Standard of 10 ppm. This analytical data can be found in the Final Project Closeout Report for Gould Island, Demolition of Selected Buildings Phases I, II, and III, submitted to the Navy on June 26, 2003 under CTO-29. Based on PCB concentrations (>10 ppm) in the vault floors, each floor was covered with 10-mil poly sheeting followed by 3/4-inch CDX plywood to provide a barrier between the PCB contaminated floor surface and the upper structure during demolition of the vaults and switch house. The roof and walls of each structure were then demolished and the concrete debris, which contained less than 10 ppm PCBs, was used as fill in the former Building 44 UST excavation.

Demolition of the Transformer Vaults and the Switch House floor slab/foundations began on March 27, 2001 with slab removal of Building 54. During the demolition process it was discovered that each transformer vault had a basement area under the floor slab that consisted of four (4) concrete foundation walls and a dirt floor. In addition, each vault had a sump area that consisted of four (4) concrete foundation walls and a concrete floor. One foundation wall was common between the basement area and the sump area. Buildings 53, 54, 56, 60 and 61 were all constructed in this fashion. Building 59 contained two (2) separate basement areas (Switch House Side and Transformer Side). The Switch House Side consisted of four (4) concrete foundation walls and a concrete floor with no sump area. The Transformer Side of Building 59 is constructed in the same fashion as the other Transformer Vaults. Buildings 53, 54, 56, 59 (Switch House Side) and 60 contained varying amounts of water and, in the case of Building 54, a small quantity of oil (<5 gallons) as floating product. The floor slabs of Buildings 53, 54, 56, 59 (Transformer Side), 60 and 61 were removed. The floor of Building 59 (Switch House Side) consisted of steel I-beams and diamond plate and was left in place as a safety precaution. Building 59 (Transformer Side) and 61 basements were dry upon slab removal. Samples were collected from the water in the basement areas of Buildings 53, 56, 59 (Switch House Side) and 60. All water referenced in these transformer vaults was removed, irregardless of its PCB level, and disposed of off-site as PCB contaminated water. A sample was also collected from the oil in the Building 54 basement area and the absorbent pads that were used to collect the oil. The results of the oil sample taken from Building 54 indicated levels of 430,000 ppm PCBs. A summary of the demolition activities and results at each location is provided in the following sections.

On April 12 and 16, 2001, TtFW collected a series of soil samples, using a 1.5-meter sampling grid, from the perimeter of each Transformer Vault and the Switch House. Where a concrete slab (6 to 8 inches in thickness) was present, a hole was punched through the slab using the ram hoe to access the soil beneath. The concrete slab generally was placed on soil; no bedding stone was present. Concrete debris was then removed from the hole prior to obtaining a soil sample using a sterile disposable scoop. In areas where no concrete was present, samples were collected from 6 to 12 inches below the surface. See Appendix A for sampling locations detection tables.

Concrete Roadway

Concrete roadways were located throughout the site. In April 2001, the concrete roadway located to the south (D Street) and west (B Street) of the Building 32 floor slab was removed. On May 9, 2001, TtFW collected six (6) soil samples from the roadway to the south and west of the Building 32 floor slab where concrete had been removed. In addition concrete and soil samples were collected adjacent to Building 54 and 56. All samples were analyzed using the SDI Rapid Assay Field Test Kit for PCBs and had concentrations ranging from 2.52 ppm to 126 ppm. See Appendix A for field screening locations (Figure A-1) and field screening detection tables (Table A-1).

In February 2002, TtFW collected a series of soil samples from the southern roadway (D Street) using a Geoprobe. Samples were collected every 20 feet from borings at one (1) foot intervals to a depth of 3 feet. Concrete samples were collected from roadway locations using a 20-foot grid pattern. At location F2, the analytical results of the concrete indicated PCB levels above the RIDEM Residential Standard of 10 ppm. As a result, borings were taken in the vicinity of location F2 adjacent to Building 52 (Riggers Storage Building). It was determined that three (3) areas along the southern roadway and the F2 area required remediation. See Appendix A for geoprobe sample locations (Figure A-2) and geoprobe sampling detection tables (Table A-2).

Building 53 (Transformer Vault)

Building 53 (Transformer Vault) was located along the east side of the site. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard of 10 ppm. The concentration of PCB Aroclor 1260, detected in the concrete floor sample was 360 ppm. The floor of the vault was demolished in March 2001. The concrete debris was sent for off-site disposal as Toxic Substance Control Act (TSCA) regulated material. After floor slab demolition, a water sample was collected from beneath the slab area and found to contain a PCB level of 4.4 ppm. In April 2001, further characterization adjacent to the vault was performed by collecting fourteen (14) perimeter soil samples using a 1.5-meter grid. Concentrations of PCB Aroclor 1260 detected in the perimeter soil ranged from 0.09 to 95.5 ppm. In January 2002, TtFW collected a series of soil samples from twenty-five (25) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth of 10 feet at each location. See Appendix A for perimeter and geoprobe sampling locations (Figure A-3 and A-4), and perimeter and geoprobe sampling detection tables (Table A-3 and A-4).

Building 54 (Transformer Vault)

Building 54 (Transformer Vault) is located along the east side of the site near the south end of the Building 32 floor slab. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard of 10 ppm. The concentration of PCB Aroclor 1260, detected in the concrete floor sample was 320 ppm. The floor of the vault was demolished in March 2001. The concrete debris was sent for off-site disposal as TSCA regulated

material. After floor slab demolition, water and a small quantity of oil (< 5 gallons) as floating product was observed. The water, oil and absorbent pads (used to collect the oil) were sampled and the oil was found to contain PCB levels of 430,000 ppm. Initial Transformer Vault demolition activities were halted on March 29, 2001. On May 15, 2001, demolition was resumed with the removal of the foundation walls and associated PCB contaminated soils to the approximate depth of the foundation (7 feet below ground surface (bgs)). Soil samples were collected from seventeen (17) locations within the excavation area and analyzed using the SDI Rapid Assay Field Test Kit for PCBs. Based on these elevated PCB results, additional soils were removed on May 21, 2002. Soil samples were then collected from twenty (20) locations within the excavation and analyzed using the SDI Rapid Assay Field Test Kit for PCBs. Based on these results, a soil sample was collected at 8 feet below grade for laboratory analysis, from the bottom of the excavation prior to lining the excavation with poly and partially backfilling with clean fill. This sample contained 13,200 ppm PCBs. The depth of sample collected was 8 ft bgs. At this point, the excavation was terminated due to Navy funding constraints.

In January 2002, TtFW collected a series of soil samples from forty-eight (48) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth varying between 7 to 16 feet at each location. See Appendix A for field screening locations (Figure A-5 and A-6), perimeter and geoprobe sampling locations (Figure A-7 and A-8), screening and sampling detection tables (Table A-5, A-6, A-7 and A-8).

Building 56 (Transformer Vault)

Building 56 (Transformer Vault) is located along the west side of the site near the south end of the Building 32 floor slab. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard of 10 ppm. The concentration of PCB Aroclor 1260, detected in the concrete floor sample was 270 ppm. The floor of the vault was demolished in March 2001. The concrete debris was sent for off-site disposal as TSCA regulated material. Prior to floor slab demolition, a water sample was collected from beneath the slab area and found to contain a PCB level of 0.006 ppm. In April 2001, further characterization adjacent to the vault was performed by collecting fourteen (14) perimeter soil samples using a 1.5-meter grid. Concentrations of PCB Aroclor 1260 detected in the perimeter soil ranged from 0.21 to 5,710 ppm. If concrete was present, the sample was collected beneath the 6 to 8-inch thick slab after punching a hole with the ram hoe. If the location did not have concrete, the sample was collected 6 to 12 inches bgs.

In February 2002, TtFW collected a series of soil samples from thirty (30) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth varying between 8 to 12 feet at each location. See Appendix A for perimeter and geoprobe sampling locations (Figure A-9 and A-10), and perimeter and geoprobe sampling detection tables (Table A-9 and A-10).

In addition to the work performed above, TtFW did locate and sample a limited amount of total petroleum hydrocarbon (TPH) contamination southeast (adjacent to B Street) of Building 56.

This area was not further investigated at the direction of the Navy and will be addressed in the future, as required.

Building 59 (Switch House)

Building 59 (Switch House) is located along the southeast corner of the Building 33 floor slab. Building 59 contains two (2) separate basement areas, the Switch House Side and the Transformer Side of the building. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface of the Transformer Vault Side. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard of 10 ppm. The concentration of PCB Aroclor 1260, detected in the concrete floor sample was 73 ppm. The floor of Building 59 (Transformer Vault Side) was demolished in March 2001 and the concrete debris was sent for off-site disposal as TSCA regulated material. After floor slab demolition, a water sample was collected from the basement area of Building 59 (Switch House Side) and found to contain a PCB level of less than 0.001 ppm. In April 2001, further characterization adjacent to the vault was performed by collecting thirteen (13) perimeter soil samples using a 1.5-meter grid. Concentrations of PCB Aroclor 1260 detected in the perimeter soil ranged from 0.096 to 219 ppm. If concrete was present, the sample was collected beneath the 6 to 8-inch thick slab after punching a hole with the ram hoe. If the location did not have concrete, the sample was collected 6 to 12 inches bgs.

In January 2002, TtFW collected a series of soil samples from twenty-eight (28) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth varying between 7 to 14 feet at each location. See Appendix A for perimeter and geoprobe sampling locations (Figure A-11 and A-12), and perimeter and geoprobe sampling detection tables (Table A-11 and A-12).

Building 60 (Transformer Vault)

Building 60 (Transformer Vault) is located along the northeast corner of the Building 33 floor slab. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard 10 ppm. The concentration of PCB Aroclor 1260 detected in the concrete floor sample was 10,000 ppm. The floor of the vault was demolished in March 2001. The concrete debris was sent for off-site disposal as TSCA regulated material. Prior to floor slab demolition, a water sample was collected from beneath the slab area and found to contain a PCB level of 0.536 ppm. In April 2001, further characterization adjacent to the vault was performed by collecting fourteen (14) perimeter soil samples using a 1.5-meter grid. Concentrations of PCB Arochlor 1260 detected in the perimeter soil ranged from 0.11 to 317 ppm. If concrete was present, the sample was collected beneath the 6 to 8-inch thick slab after punching a hole with the ram hoe. If the location did not have concrete, the sample was collected 6 to 12 inches bgs.

In February 2002, TtFW collected a series of soil samples from twenty-five (25) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth varying between 7 to 14 feet at each location. See Appendix A for perimeter and geoprobe sampling

locations (Figure A-13 and A-14), and perimeter and geoprobe sampling detection tables (Table A-13 and A-14).

Building 61 (Transformer Vault)

Building 61 (Transformer Vault) is located at the south end of the Building 35 floor slab. In May 2000, prior to any demolition, a composite sample of concrete was collected from 0 to 1 inch below the floor surface. This sample exhibited levels of PCBs in excess of the RIDEM Residential Standard 10 ppm. The concentration of PCB Aroclor 1260, detected in the concrete floor sample was 3,000 ppm. The floor of the vault was demolished in March 2001. The concrete debris was sent for off-site disposal as TSCA regulated material. The Building 61 basement was dry at the time of slab removal therefore no water sample was collected. In April 2001, further characterization adjacent to the vault was performed by collecting five (5) perimeter soil samples using a 1.5-meter grid. Concentrations of PCB Aroclor 1260 detected in the perimeter soil ranged from 0.09 to 0.847 ppm. If concrete was present, the sample was collected beneath the 6 to 8-inch thick slab after punching a hole with the ram hoe. If the location did not have concrete, the sample was collected 6 to 12 inches bgs.

In January 2002 TtFW collected a series of soil samples from seventeen (17) locations around the vault using a Geoprobe. Samples were collected every one (1) foot to a depth varying between 4 to 7 feet at each location. No samples were collected at five (5) locations due to existing construction debris. See Appendix A for perimeter and geoprobe sampling locations (Figure A-15 and A-16), and perimeter and geoprobe sampling detection tables (Table A-15 and A-16).

2.5 Sampling Procedures

Each sample was designated by an alphanumeric code, which identified the site, building, matrix or interior location, and sequential sample number. In the case of the Geoprobe sampling the sequential sample numbers indicate the depth interval at which the samples were collected (i.e. -1 represents 0-1 foot below ground surface). The site code for Gould Island was GI. Additional sample code tracking included Gould Island Phase I (GIPI) and Gould Island Phase II (GIPII).

Soil samples were collected using a sterile disposable plastic scoop or a chemically decontaminated stainless steel spoon or scoop. In areas where it was determined to be unsafe to enter the excavation, the excavator bucket was used to collect the samples. The excavator bucket was dry deconned (removal of visible dirt using shovels and/or brooms) and if necessary rinsed with a pressure washer. Water and soil/sediment samples were collected using an 8-ounce glass sample jar attached to a length of PVC pipe. Concrete chip samples were collected using an electric hammer drill to break up the concrete and a sterile disposable plastic spoon to collect the concrete chips.

All samples were placed in containers supplied by the analytical laboratory with the appropriate preservative if required. After collection, the samples were stored in a cooler with ice to await shipment to the laboratory.

All equipment used for sampling (stainless steel spoon, scoop and bowl, metal scraper, hammer drill bit, etc.) were decontaminated prior to each use. Each was washed with a solution of Alconox and water, rinsed with de-ionized water, rinsed with Methanol, and rinsed again with de-ionized water. Rinsate liquid was collected in a 5-gallon pail for off-site disposal.

2.6 PCB Remediation

2.6.1 Concrete Roadway Locations GIPI-B32R-FS-3, GIPI-B32R-FS-5, and GIPI-B32R-FS-6

Confirmatory soil sampling in the areas of concrete removed during previous remedial actions indicate that no soil excavation beneath the previously removed concrete roadway was necessary based on the sample event. However, EFANE elected to remove three (3) hot spot areas based on prior SDI Rapid Assay Field Test results collected on May 9, 2001 during previous field activities. These locations, GIPI-B32R-FS-3, GIPI-B32R-FS-5 and GIPI-B32R-FS-6 were excavated using a 10-foot by 10-foot square around each field sample location to a depth of 2-feet below ground surface.

On August 6, 2002, TtFW excavated field sample locations GIPI-B32R-FS-3, GIPI-B32R-FS-5 and GIPI-B32R-FS-6 located along the roadway south and west of the Building 32 floor slab. All excavated material was placed directly into a lined roll-off container for disposal off-site as TSCA regulated material. Confirmatory samples were collected from the bottom and sidewalls of each excavation. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within each excavation to be below the clean-up criteria of 10 ppm. The excavations were backfilled on August 14, 2002. See Appendix B for Photos 1-6. See Appendix C for confirmatory sampling locations (Figure C-1), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.2 Grid/Boring Location F2 – Building 52 (Riggers Storage)

Based on the results of the Phase I soil sampling performed beneath Grid/Boring Location F2 – Building 52 (Riggers Storage), a 40-foot by 40-foot by 8-foot deep initial excavation was required to remediate the soil.

On August 20-26, 2002, TtFW performed the initial excavation at Grid/Boring Location F2 – Building 52 (Riggers Storage). Do to its depth, the excavation became flooded during periods of high tide, but was not flooded at low tide allowing for excavation completion and sampling. Upon completion of the excavation, on September 6, 2002, confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for

compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels above the clean-up criteria of 10 ppm at eight (8) bottom locations and six (6) sidewall locations. On September 13, 2002 the six (6) sidewall hot spots were excavated by removing an additional 10 feet of soil along the West side of the excavation and the remainder of the soil along the North side of the excavation up to the bulkhead. An additional one foot of soil was removed from the bottom at the eight (8) bottom hot spots. Confirmatory samples were collected from the bottom and sidewall locations where previous exceedences had occurred. Sample results indicated exceedences at five (5) bottom locations. On September 17, 2002, these hot spots were again excavated and confirmatory samples were collected from the bottom locations. Sample results again indicated exceedences at three (3) bottom locations. These three (3) locations were excavated on September 19, 2002 and confirmatory samples were collected. Sample results indicated an exceedence at one (1) bottom location. This location was re-excavated on September 24, 2002 and a confirmatory sample was collected. The sample result still indicated an exceedence of the clean-up criteria of 10 ppm. A limited and final excavation was performed on September 26, 2002 that resulted in no exceedence of the clean-up criteria. Although no wipe samples were collected from the seawall, bottom samples F2-BOT-CS1E, CS2A, CSc3A and CS4A indicate no exceedence of the clean-up criteria in this location. The highest level of PCB contamination in the Grid/Boring Location F2 – Building 52 (Riggers Storage) and associated hot spot excavations was 20,900 ppm. The final size of the excavation was approximately 40 feet by 50 feet and ranged from 8-13 feet deep. No sediment samples were collected and no visual evidence of PCB contamination was observed, however, there were instances of olfactory evidence during the excavation and sampling activities. Approximately 925 cubic yards of soil were placed directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. The excavation was backfilled on October 1, 2002. See Appendix B for Photos 7-18. See Appendix C for confirmatory sampling locations (Figure C-2), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.3 Building 53 (Transformer Vault)

Based upon the results of the Phase I sampling and data from previous remedial actions at Building 53, it was determined that the existing foundation of Building 53 would be removed. Additionally, one (1) hot spot excavation at sample location GIPI-53-B19 was completed as part of the remedial effort.

On August 13-14, 2002, TtFW excavated the hot spot at sample location GIPI-53-B19 and the Building 53 foundation. A 10-foot by 10-foot square area around the hot spot was excavated to a depth of 2-feet below ground surface. The Building 53 foundation and associated soils were removed to a depth of approximately 10 feet below ground surface. All material was loaded directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The

laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within the Building 53 excavation to be below the RIDEM Residential standard of 10 ppm. One additional hot spot within 10-foot by 10-foot sample location GIPI-53-B19 excavation was re-excavated and re-sampled on August 21, 2002 with results below the cleanup criteria. The highest level of PCB contamination in the Building 53 and associated hot spot excavation was 95.5 ppm. The final size of the excavation was 20 feet by 15 feet by 10 feet in depth for the foundation area and approximately 2-4 feet deep and 10 feet by 10 feet in size for the hot spot. No visual or olfactory evidence was observed at this location. Approximately 76 cubic yards of soil were removed from the Building 53 excavation area. The excavation was backfilled on August 27, 2002. See Appendix B for Photos 19-24. See Appendix C for confirmatory sampling locations (Figure C-3), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.4 Building 54 (Transformer Vault)

On May 15, 2001, TtFW resumed demolition activities of Building 54 under CTO 47. The foundation and associated soils were removed to the approximate depth of the foundation (7 feet bgs). Soil samples were collected from twenty (20) locations within the excavation area and analyzed using the SDI Rapid Assay Field Test Kit for PCBs. The concentration of PCB Aroclor 1260 detected in these twenty (20) samples ranged from less than 6.3 ppm to less than 126 ppm. Based on these results, a soil sample was collected, for laboratory analysis, from the bottom of the excavation prior to lining the excavation with poly sheeting and partially backfilling with clean fill. This sample contained 13,200 ppm PCBs.

Based upon the results of the Phase I Sampling and data from previous remedial actions at Building 54, it was determined that the size of the excavation would be 40-feet by 40-feet to a depth of 14 feet below ground surface. Additionally, the excavation included the soil from boring locations GIPI-54-B26 and GIPI-54-B31. For PCB contaminated soil located in an ecologically sensitive area, a removal criteria of less than 1 ppm was established. For purposes of this project, an ecologically sensitive area was defined as an area within 10 horizontal feet of the shoreline and/or the normal high tide elevation. Additionally, a profile of the shoreline depicting the sediment locations relative to the high tide elevation was used to determine the extent of soil/sediment removal. From the high tide elevation/shoreline location a distance of 13 feet up the slope separated the limits of removal. Within that 13 feet, the clean-up criteria was 1 ppm PCBs and up gradient of the 13 feet was 10 ppm PCBs. Consequently, there were five (5) hot spot excavations, involving soil/sediment, which required excavation to meet the clean-up criteria of 1 ppm PCBs. A turbidity barrier was installed for erosion and sedimentation control during intrusive activities along the shoreline. The five (5) hot spot excavations included sample locations GIPI-54-B29 and GIPI-54-B45 for soil removal, and GIPI-54-B40, GIPI54-B42 and GIPI-54-B48 for sediment removal. For sample location GIPI-54-B45, a 10-foot by 10-foot square around the hot spot was excavated to 4-feet below ground surface. Sample locations GIPI-54-B29, GIPI-54-B42 and GIPI-54-B48, a 10-foot by 10-foot square around each hot spot was excavated to 2 feet below ground surface. Sample location GIPI-54-B40, a 10-foot by 10-foot square around the hot spot, was excavated to 3 feet below ground surface.

On September 5-6, 2002 TtFW excavated sample locations GIPI-54-B40, GIPI-54-B42, GIPI-54-B29, GIPI-54-B45 and GIPI-54-B48. All materials were placed directly into lined roll-off containers for disposal as TSCA regulated waste at Wayne Disposal, Inc, in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within the GIPI-54-B40, GIPI-54-B42 and GIPI-54-B48 excavations to be below the clean-up criteria of 1 ppm. One sidewall hot spot within sample location GIPI-54-B29 excavation was removed on September 9, 2002. Confirmatory sample results indicated the need for additional sidewall excavation, which was completed on September 19, 2002. This additional sidewall excavation removed all the material between GIPI-54-B29 and GIPI-54-B45; therefore, no confirmatory sample was collected. A second sidewall hot spot within sample location GIPI-54-B45 was removed on September 10, 2002. At this point, all confirmatory samples collected for these five (5) hot spots were below the established clean-up goals. The highest level of PCB contamination in the hot spot excavation areas was 8.88 ppm prior to removal activities. The final depth of the hot spot excavations was: GIPI-54-B29 – 2 feet; GIPI-54-B40 – 3 feet; GIPI-54-B42 – 2 feet; GIPI-54-B45 – 4 feet; and GIPI-54-B48 – 2 feet. No visual or olfactory evidence was observed at these locations. Approximately 46 cubic yards of sediment were removed from the Building 54 hot spot excavation areas. The excavations at sample locations GIPI-54-B29, GIPI-54-B45 and GIPI-54-B48 were backfilled on September 30, 2002. The excavations at sample locations GIPI-54-B40 and GIPI-54-B42, which were beyond the seawall were allowed to restore naturally.

On September 24 to October 1, 2002, TtFW excavated Building 54 to a depth of approximately 14-feet below ground surface. All soils were placed directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels above the clean-up criteria of 10 ppm at eight (8) locations within the Building 54 excavation. On October 10, 2002 the Building 54 excavation was lined with poly sheeting and partially backfilled.

On June 25, 2003 to September 25, 2003, TtFW re-excavated Building 54 to bedrock depth (approximately 18-feet to 22-feet below ground surface). To accomplish this task, Specialty Diving Service was subcontracted to install a 42-foot by 48-foot containment area consisting of sheet pile walls driven to refusal and a series of whalers and struts for interior support. Prior to sheet pile installation, TtFW removed approximately 6 to 8 feet of clean material previously placed in the excavation in October 2002 to stabilize the area during winter shutdown. After the

sheet pile walls were installed, additional material was removed in stages to accommodate the installation of two (2) levels of whalers and struts. Upon completion of the sheet pile installation, contaminated soils were removed based on prior sampling results and placed directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Discrete confirmatory samples were collected from the bottom and sidewalls as required. Bottom confirmatory samples were collected at 10-foot intervals. Sidewall confirmatory samples were also collected at 10-foot intervals at approximately half the depth of the excavation and at the base of the sidewall. All samples were sent to the analytical laboratory for analysis. Initial sample results indicated PCB levels above the clean-up level of 10 ppm at one (1) bottom location and six (6) sidewall locations. Based on these results, additional soil/bedrock was removed and a second set of confirmatory samples were collected. These sample results indicated one (1) location with PCB levels above the clean-up level. All soil in this location was subsequently removed and no further sampling or excavation was required. During excavation activities minimal amounts of water infiltrated the excavation, primarily from storm events. At times, a slight oil sheen was visible on the water within the excavation area. This water was pumped into Frac Tanks for treatment prior to excavation continuing. Groundwater samples taken prior to backfilling indicated PCB levels in the SE corner to be .324 ppm and in the NW corner levels were .229 ppm. The highest level of PCB contamination in the Building 54 excavation was 430,000 ppm. The final depth of the excavation ranged from 18-22 feet. Visual evidence of PCB contamination was observed during the initial foundation excavation only, however, there were instances of olfactory evidence during the remaining excavation and sampling activities. Approximately 1580 cubic yards of soil were removed from the Building 54 excavation area. Backfilling of the excavation began on September 10, 2003. As backfill was completed the whalers and struts were removed followed by the sheet piles. Due to the slilght presence of PCBs in the water, a 6-inch diameter perforated PVC pipe was installed in the Northwest corner of the excavation and backfilled with crushed stone to facilitate future groundwater sampling and/or remedial activities, if required. Upon completion of sheet pile removal, the Building 54 area was graded and rip-rap was spread over the entire area for stabilization. See Appendix B for Photos 25-42 and 115-198. See Appendix C for confirmatory sampling locations (Figure C-4, C-5, C-6, C-7 and C-8), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.5 Building 56 (Transformer Vault)

Based upon the results of the Phase I sampling and data from previous remedial actions at Building 56, it was determined that the existing foundation of Building 56 would be removed. Additionally, the excavation was expanded to include the historical sample results, GI-B56-CS-4, GI-B56-CS-7 and GI-B56-CS-9 based on results greater than 10 ppm PCBs. The Building 56 foundation area, including the three (3) historical sample locations, was excavated to a depth of 10-feet below ground surface.

On August 19-21, 2002, TtFW excavated the Building 56 foundation. The Building 56 foundation and associated soils were removed to a depth of approximately 10 feet below ground surface. All material was loaded directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each

10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within the Building 56 excavation to be below the clean-up criteria of 10 ppm. The highest level of PCB contamination in the Building 56 excavation was 6,710 ppm. The final depth of the excavation was 10 feet and was approximately 20 feet by 15 feet in size. No visual or olfactory evidence was observed at this location. Approximately 112 cubic yards of soil were removed from the Building 56 excavation area. The excavation was backfilled on August 27, 2002. See Appendix B for Photos 43-48. See Appendix C for confirmatory sampling locations (Figure C-9), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.6 Building 59 (Switch House/Transformer Vault)

Based upon results of the Phase I Sampling and data from previous remedial actions at Building 59, it was determined that the existing foundation of Building 59 would be removed. Prior to removal of the existing foundation, TtFW closed the drain located within the Switch House side of the vault in accordance with the RIDEM Underground Injection Control (UIC) Program. A Closure Application Form was submitted by EFANE to the UIC program on August 9, 2002.

On September 17, 2002, TtFW excavated the Building 59 drain. The Building 59 drain was located by survey and a 10-foot by 10-foot square around the location was excavated to a depth of 3-feet below the bottom of vault. A RIDEM UIC representative was present during the excavation and subsequent sampling of the Building 59 drain. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated all parameters (PCB, VOC, SVOC and TPH) to be below the RIDEM residential standards except for one (1) hot spot, which exceeded the residential standards for chrysene. This hot spot was removed on September 25, 2002 and re-sampled. Sample results were below the residential standard for Chrysene. At the request of the RIDEM UIC representative on October 2, 2002, a pipe believed to connect Building 59 to the Deep Well House was uncovered to confirm the actual connection.

On September 17-19, 2002, TtFW excavated four (4) hot spots at sample locations GIPI-59-B10, GIPI-59-B11, GIPI-59-B25, GIPI-RD-Q26B and the Building 59 foundation and associated soils. The sample locations GIPI-59-B10, GIPI-59-B11, GIPI-59-B25 and GIPI-RD-Q26B were excavated using a 10-foot by 10-foot square around each hot spot to a depth of 2 feet below ground surface. The Building 59 foundation was excavated to seven (7) feet below ground surface. All material was loaded directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were

collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within sample locations GIPI-59-B25, GIPI-RD-Q26B and the Building 56 excavation to be below the clean-up criteria of 10 ppm. One hot spot within the sample location GIPI-59-B10 and two (2) hot spots within sample location GIPI-59-B11 were removed on September 24, 2002 resulting in no exceedence of the clean-up criteria of 10 ppm. The highest level of PCB contamination in the Building 59 and associated hot spot excavations was 364 ppm. The final depth of the excavation was 7 feet within the Building 59 excavation area, 2 feet for B25 and Q26B, and 3 feet for B10 and B11. No visual or olfactory evidence was observed at this location. Approximately 85 cubic yards of soil were removed from the Building 59 excavation area. The excavation was backfilled on October 3, 2002. See Appendix B for Photos 49-60. See Appendix C for confirmatory sampling locations (Figure C-10), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.7 Building 60 (Transformer Vault)

Based upon the results of the Phase I sampling and data from previous remedial actions at Building 60, it was determined that the existing foundation of Building 60 would be removed. Additionally, two (2) hot spot excavations at sample locations GIPI-60-B14 and GIPI-60-B15 would be completed as part of the remedial effort.

On August 7-8, 2002, TtFW excavated the hot spot at sample location GIPI-60-B14, GIPI-60-B15 and the Building 60 foundation. A 10-foot by 4-foot (dimension dictated by adjacent concrete retaining wall) area around the hot spots was excavated to a depth of 2 feet below ground surface. Although the initial confirmatory sample for location B15 was below the clean-up criteria (<10 ppm), additional soil was removed at the request of the Navy. The Building 60 foundation and associated soils were removed to a depth of seven (7) feet below ground surface. All material was loaded directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated PCB levels within the GIPI-60-B14, GIPI-60-B15, and Building 60 foundation excavation to be below the clean-up criteria of 10 ppm. The highest level of PCB contamination in the Building 60 and associated hot spot excavations was 317 ppm. The final depth of the excavation was 7 feet and was approximately 20 feet by 14 feet in size. No visual or olfactory evidence was observed at this location. Approximately 45 cubic yards of soil were removed from the Building 60 excavation area. The excavation was backfilled on

September 6, 2002. See Appendix B for Photos 61-66. See Appendix C for confirmatory sampling locations (Figure C-11), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.8 Building 61 (Transformer Vault)

Based upon the results of the Phase I sampling and data from previous remedial actions at Building 61, it was determined that the existing foundation of Building 61 would be removed.

On August 8, 2002, TtFW excavated the Building 61 foundation. The Building 61 foundation and associated soils were removed to a depth of seven (7) feet below ground surface. All material was loaded directly into lined roll-off containers for disposal as TSCA regulated material at Wayne Disposal, Inc. in Belleville, MI. Confirmatory samples were collected from the bottom and sidewalls. Bottom confirmatory samples were collected at each 10-foot by 10-foot horizontal location. Four (4) discrete samples were collected at the center base of each 5-foot by 5-foot horizontal section of the 10-foot by 10-foot square and sent to the laboratory for compositing and analysis. The laboratory composited each group of four (4) samples on a volume to volume ratio. Sidewall confirmatory samples were collected at 10-foot intervals at the vertical midpoint of the sidewall. Each sidewall sample was a discrete sample and was not composited. Sample results indicated the presence of Aroclor 1260 and 1248, however, no historical knowledge is available to determine the origin of Aroclor 1248. Sample results indicated PCB levels within the Building 61 excavation to be below the clean-up criteria of 10 ppm with the exception of one hot spot for Aroclor 1248. The hot spot was removed on September 9, 2002 and subsequent sample results indicated no exceedence of the clean-up criteria. The highest level of PCB contamination in the Building 61 excavation was 19.9 ppm. The final depth of the excavation was 7 feet and was approximately 15 feet by 10 feet in size. No visual or olfactory evidence was observed at this location. Approximately 45 cubic yards of soil were removed from the Building 61 excavation area. The excavation was backfilled on September 17, 2002. See Appendix B for Photos 67-72. See Appendix C for confirmatory sampling locations (Figure C-12), confirmatory sampling detection table (Table C-1) and analytical results.

2.6.9 Transformer Vault Pipe Conduit Test Pits

At the request of RIDEM, a series of test pits were excavated adjacent to the pipe conduits exiting Buildings 53, 54, 56, 59 and 60 on October 7 and 8, 2002. Test pits were excavated every 20 feet to a depth just below the bottom of the conduit. Soil samples were collected from each location and analyzed for PCBs. A total of twenty-one (21) test pits were excavated, however, only eighteen (18) were sampled due to the presence of water, bedrock or depths greater than 10 feet at three (3) locations. See Appendix B for Photos 73-98. See Appendix D for test pit locations (Figure D-1 through D-5), sampling detection table (Table D-1) and analytical results.

2.7 Water Treatment

2.7.1 Water Discharge Permit

A water discharge permit was required through the EFANE from RIDEM. The Order of Approval RIO-329 was issued on January 13, 2003 and required the following:

- Total length of discharge not to exceed eight (8) weeks in duration from commencement of discharge and the discharge must be complete by December 31, 2003.
- Wastewater treated using two (2) bag filters, two (2) 1,000-pound granular activated carbon vessels and discharged through a 4-inch slotted PVC diffuser pipe.
- Discharge shall not contain any visible oil sheen, foam or floating solids.
- Monitor flow continuously and submit flow log with monitoring results.
- Flow rate shall not exceed 15.0 gallons per minute.
- Sample the discharge for PCBs and 1,2,4-Trichlorobenzene.
- Permit discharge limits will be 0.5 ppb for PCBs. Based on the permit language, 1,2,4-trichlorobenzene must be monitored and data must be reported, but no limit has been established at this time.

On May 23, 2003, EFANE requested an extension to Order of Approval RIO-329 to accommodate additional treatment and discharge during the final Building 54 clean up activities. On August 5, 2003, RIDEM issued a Modified Order of Approval RIO-329.

2.7.2 Water Treatment System

TtFW subcontracted Handex to install a Wastewater Treatment System on Gould Island. The system consisted of a booster pump, two (2) 25 micron bag filter units and two (2) 1,000-pound activated carbon vessels connected in series to treat the wastewater stored in two (2) frac tanks. TtFW also assembled approximately 1,400 feet of 2-inch PVC pipe between the water treatment system, near Building 54, and the discharge point at the Northwest corner of Building 35. A 4-inch diameter PVC diffuser pipe was installed at the end of the discharge pipe and lowered into Narragansett Bay to a point below the low tide level.

On January 29, 2003, the system was tested at a rate not exceeding 15.0 gallons per minute, for 3-4 hours, re-circulating wastewater from frac tank #2 through the system and back into frac tank #2. At the end of this period, water samples were collected from installed spigots at three locations in the system. The first sample point was located between the bag filters and the first carbon unit (PRETREAT), the second sample point was located between the two carbon units (MIDTREAT) and the third sample point was located at the outlet of the second carbon filter unit (EFFLUENT). These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated non-detect for PCBs at the PRETREAT, MIDTREAT and EFFLUENT locations. Results for 1,2,4-Trichlorobenzene indicated a level of 0.016 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. On January 31, 2003 water from Frac Tank #2 was treated and pumped into a clean frac tank (Frac Tank #1) to await approval for discharge to Narragansett

Bay. On February 3, 2003 approval was given to begin discharge to Narragansett Bay based on these analytical results. The flow rate was monitored to ensure a maximum flow rate of 15.0 gallons per minute was not exceeded. At the end of each day the system was shut down and drained to prevent freezing. See Appendix E for Flow Log (Table E-1), Sampling Detection Table (Table E-2) and analytical results.

On February 4, 2003, a second and final round of water samples were collected from the PRETREAT, MIDTREAT and EFFLUENT locations. These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.006 ppm at the PRETREAT and MIDTREAT locations and non-detect at the EFFLUENT locations. Results for 1,2,4-Trichlorobenzene indicated a level of 0.015 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On February 6, 2003, the water treatment operation was suspended due to cold weather and the inability to thaw the ice inside both frac tanks. The Water Treatment System was partially demobilized and the frac tanks were left on the island. A total of 18,312 gallons of water was treated and discharged to this point.

On April 14, 2003, the Water Treatment System was re-mobilized to the island. The system was re-circulated as before and samples were collected from the PRETREAT, MIDTREAT and EFFLUENT locations prior to discharge. These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.001 ppm at the PRETREAT location, 0.002 at the MIDTREAT location and non-detect at the EFFLUENT location. Results for 1,2,4-trichlorobenzene indicated a level of 0.012 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On April 16, 2003, a second and final round of water samples were collected from the PRETREAT, MIDPOINT and EFFLUENT locations. These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.011 ppm at the PRETREAT location, 0.002 at the MIDTREAT location and 0.00046 at the EFFLUENT location. Results for 1,2,4-Trichlorobenzene indicated a level of 10 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On April 21, 2003, the water treatment system was completely demobilized by Handex and the frac tanks were removed from the island after being properly decontaminated. A total of 2,060 gallons of water was treated and discharged during this phase.

On July 29, 2003, TtFW again contracted Handex to install the same Water Treatment System on Gould Island. Two (2) frac tanks were also mobilized to the island for water storage. On July 30, 2003, TtFW began pumping water from the Building 54 excavation to frac tank #1.

On August 12, 2003, the system was re-circulated as before and samples were collected from the PRETREAT, MIDTREAT and EFFLUENT locations prior to discharge. These samples were

sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.004 ppm at the PRETREAT location and non-detect at the MIDPOINT and EFFLUENT locations. Results for 1,2,4-Trichlorobenzene indicated a level of 0.007 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On August 21, 2003, a second round of water samples were collected from the PRETREAT, MIDPOINT and EFFLUENT locations. These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.001 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. Results for 1,2,4-Trichlorobenzene indicated a level of 0.184 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On September 8, 2003, a third and final round of water samples were collected from the PRETREAT, MIDPOINT and EFFLUENT locations. These samples were sent to Analytics Laboratory and analyzed for PCB 1260 and 1,2,4-Trichlorobenzene. Analytical results indicated PCB levels of 0.005 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. Results for 1,2,4-Trichlorobenzene indicated a level of 0.017 ppm at the PRETREAT location and non-detect at the MIDTREAT and EFFLUENT locations. See Appendix E for Sampling Detection Table (Table E-2) and analytical results.

On September 16, 2003, the water treatment system was demobilized by Handex and the frac tanks were removed from the island after being properly decontaminated. A total of 44,112 gallons of water was treated and discharged during this phase and a total of 64,484 gallons of water was treated and discharged under CTO 69.

2.7.3 Frac Tank Decontamination

On January 29, 2003, Global Transportation Services (Global) was on-site to clean one (1) frac tank which was then used to store treated water prior to discharge. After completion of cleaning activities a wipe sample was collected from the interior wall of the frac tank and sent to Analytics Laboratory for PCB analysis. The result indicated a level of 1 μg/wipe for PCBs in the frac tank. See Appendix E for Sampling Detection Table (Table E-3) and analytical results.

On April 18, 2003 Global was on site to clean two (2) frac tanks. After completion of cleaning activities a wipe sample was collected from the interior wall of each frac tank and sent to Analytics Laboratory for PCB analysis. The results indicated non-detect for PCB's in both frac tanks. See Appendix E for Sampling Detection Table (Table E-3) and analytical results.

On September 15, 2003 Global was on-site to clean frac tank #1 (Settling Tank) and Frac Tank #2 (Treatment Tank). Frac tank #3 (Discharge Tank) was never used. After completion of cleaning activities a wipe sample was collected from the interior wall of each frac tank and sent to Analytics Laboratory for PCB analysis. The results indicated non-detect for PCBs in both frac tanks. See Appendix E for Sampling Detection Table (Table E-3) and analytical results.

During the cleaning of both frac tanks, sediments were removed, using a vacuum truck, from the bottom of both frac tanks and placed in a lined roll-off for disposal.

2.8 Site Restoration

On July 1, 2002, TtFW began importing common gravel fill for use as backfill where the concrete roadway was removed and as backfill for the excavation areas. All excavation areas were backfilled by October 10, 2002 with the exception of Building 54, which was lined with poly and partially backfilled with clean rip-rap to stabilize the excavation during the winter shutdown.

With the backfill material in place and compacted accordingly, TtFW spread 4 inches of topsoil over all disturbed roadway areas, Building 53, 56, 59 and 60 excavation areas and hydro seeded all disturbed areas as required. The spreading of topsoil began on October 15, 2002 and was completed on October 21, 2002. The hydroseeding was completed by Hydrograss Technologies of North Oxford, MA on October 21, 2002. On September 24-25, 2003, Building 54 was completed, backfilled, graded and stabilized with rock rip-rap. See Appendix B for Photos 99-114 and 192-198.

3.0 TSCA SOIL AND CONCRETE DISPOSAL

On May 15-21, 2001 TtFW removed the foundation and associated soils from Building 54. On August 6, 2002 to October 21, 2002 TtFW removed the foundations, associated soils and hot spots for Buildings 53, 56, 59, 60, 61, Grid/Boring location F2 and Field Sample Locations CS3, CS5 and CS6. On June 25, 2003 to September 25, 2003 TtFW removed the remaining contaminated soils from the Building 54 area. During each activity, Global was subcontracted to provide transportation and disposal of the concrete and soil that was loaded into roll-offs. A total of 4,414.62 tons of concrete and associated PCB soils was shipped as TSCA regulated waste to Wayne Disposal, Inc. in Belleville, MI, and 85.91 tons was shipped as TSCA regulated waste to Chemical Waste Management (CWM) in Model City, NY. See Appendix F for disposal documentation tracking log (Table F-1) and disposal documentation.

4.0 DOCUMENTATION

Documentation of operations, record keeping, photographic evidence of work performed, and analytical results are provided in this Project Closeout Report.

Appendix B of this report is a photographic log recording the activities that took place during Gould Island Phase II – PCB Contaminated Soils and Concrete Remediation. Photographs document the existing conditions prior to work and during activities. Photograph location, date, and description of the activity recorded are included in the photographic documentation.

5.0 CONCLUSION

All activities pertaining to Gould Island Phase II – PCB Contaminated Soils and Concrete Remediation have been completed in accordance with the Final Work Plan and all applicable

permits, and Federal, State, and Local regulations. The Gould Island Phase II – PCB Contaminated Soils and Concrete Remediation for which TtFW was contracted by EFANE is complete.

This Project Closeout Report satisfies the post-construction submittal requirements included in the Statement of Services for CTO 47 and 69 under RAC No. N62472-99-D-0032.

APPENDIX A

FIELD SCREENING LOCATIONS, PERIMETER AND GEOPROBE SAMPLING LOCATIONS, AND DETECTION TABLES







- ● SOIL SAMPLE LOCATION
- ◉ CONCRETE AND SOIL SAMPLE LOCATION
- **A** DESIGNATES CONCRETE SAMPLE TAKEN AT SURFACE
- **B** DESIGNATES SOIL SAMPLE TAKEN BELOW CONCRETE
- **R** INDICATES ROADWAY LOCATION
- **FS** INDICATES PCB FIELD SCREEN

FIGURE A-1
ROADWAY FIELD SCREENING LOCATIONS - MAY 9, 2001

NOT TO SCALE

TABLE A-1
ROADWAY FIELD SCREENING DETECTION TABLE
MAY 9, 2001

SAMPLE TEST NO.	LOCATION ID	DATE	TIME	MATRIX	ABSORBENCE	CONCENTRATION	MULTIPLIER	RESULT (ppm)	ACTION LEVEL	COMMENTS
1A	GI-B54-FS-1A	05/09/01	0817	CONC	0.177	16.27Hi	25.2	**>126**	**1**	Surface concrete
1B	GI-B54-FS-1B	05/09/01	0815	SOIL	0.893	0.1	25.2	2.52	1	Soil beneath concrete apron
2A	GI-B54R-FS-1A	05/09/01	0821	CONC	0.654	0.6	25.2	15.12	1	Surface concrete
2B	GI-B54R-FS-1B	05/09/01	0840	SOIL	0.941	0.06nd	25.2	<6.3	1	Soil beneath concrete roadway
3	GI-B32R-FS-1	05/09/01	0828	SOIL	0.780	0.26	25.2	6.55	1	Soil in roadway where concrete previously removed
4	GI-B32R-FS-2	05/09/01	0830	SOIL	0.895	0.10	25.2	2.52	1	Soil in roadway where concrete previously removed
5	GI-B32R-FS-3	05/09/01	0832	SOIL	0.684	0.50	25.20	12.60	1	Soil in roadway where concrete previously removed
6	GI-B32R-FS-4	05/09/01	0835	SOIL	0.783	0.26	25.20	6.55	1	Soil in roadway where concrete previously removed
7	GI-B32R-FS-5	05/09/01	0849	SOIL	0.587	0.90	25.20	22.68	1	Soil in roadway where concrete previously removed
8	GI-B32R-FS-6	05/09/01	0852	SOIL	0.642	0.65	25.20	16.38	1	Soil in roadway where concrete previously removed
9A	GI-B56R-FS-1A	05/09/01	0856	CONC	0.733	0.36	25.20	9.07	1	Surface concrete
9B	GI-B56R-FS-1B	05/09/01	0854	SOIL	0.807	0.22	25.20	5.54	1	Soil beneath concrete roadway
10	GI-B56-FS-1	05/09/01	0857	SOIL	0.870	0.13	25.20	3.28	1	Soil behind covered concrete basin

ROADWAY PCB FIELD SCREENING
SDI RAPID ASSAY TEST KIT RESULTS

05-09-01 12:20

********** OHMICRON **********

PROTOCOL: PCB

TECH ID : D. Conover
LOT # : OH1034R
EXP. DATE : 8/01

Data Reduct: Lin. Regression
Xformation : Ln/LgtB
Read Mode : Absorbance
Wavelength : 450 nm
Units : PPB

EQUATION OF LINE

Slope = -0.616
Intercept = 0.064
Corr (r) = 0.9965

Transformed Data :

Conc	Abs
-1.39	0.965
0.00	-0.023
1.61	-0.886

Calibrator Data :

Conc	Abs	Diff	%CV	Predic	%Diff
0.00	1.105				
	1.098				
Mean	1.102		0.5		
0.25	0.750				0.32
	0.075				23.0
	0.846				0.16
	-0.090				-56.7
Mean	0.798		8.5		0.23
	-0.018				-7.9
1.00	0.416				2.49
	1.492				59.9
	0.672				0.54
	-0.464				-86.7
Mean	0.544		33.3*		1.15
	0.153				13.3
5.00	0.325				4.58
	-0.418				-9.1
	0.319				4.78
	-0.217				-4.5
Mean	0.322		1.3		4.68
	-0.319				-6.8

Control Data :

Ctrl#	Abs	Conc
1	0.397	2.82

ID:

Sample Data :

	Spl#	Abs	Conc	ID
(1A)	1	0.177	16.27Hi	**GI-B54-FS-1A**
(1B)	2	0.893	0.10	**GI-B54-FS-1B**
(2A)	3	0.654	0.60	**GI-B54R-FS-1A**
(2B)	4	0.941	0.06nd	**GI-B54R-FS-1B**
(3)	5	0.780	0.26	**GI-B32R-FS-1**
(4)	6	0.895	0.10	**GI-B32R-FS-2**
(5)	7	0.684	0.50	**GI-B32R-FS-3**
(6)	8	0.783	0.26	**GI-B32R-FS-4**
(7)	9	0.587	0.90	**GI-B32R-FS-5**
(8)	10	0.642	0.65	**GI-B32R-FS-6**
(9A)	11	0.733	0.36	**GI-B56R-FS-1A**
(9B)	12	0.807	0.22	**GI-B56R-FS-1B**
(10)	13	0.870	0.13	**GI-B56-FS-1**

END OF RUN
05-09-01 12:23



FIGURE A-2
ROADWAY GEOPROBE SAMPLING LOCATIONS

NOT TO SCALE

TABLE A-2
ROADWAY GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-E34-B1-S	2/25/2002	1130	SOIL	PCB	PCB-1260	0.161	10	
GIPI-E34-B1-1	2/25/2002	1133	SOIL	PCB	PCB-1260	0.103	10	
GIPI-E34-B1-2	2/25/2002	1136	SOIL	PCB	PCB-1260	U	10	
GIPI-E35-B1-S	2/25/2002	1144	SOIL	PCB	PCB-1260	1.940	10	
GIPI-E35-B1-1	2/25/2002	1147	SOIL	PCB	PCB-1260	U	10	
GIPI-E35-B1-2	2/25/2002	1150	SOIL	PCB	PCB-1260	U	10	
GIPI-E36-B1-S	2/25/2002	1200	SOIL	PCB	PCB-1260	0.178	10	
GIPI-E36-B1-1	2/25/2002	1203	SOIL	PCB	PCB-1260	U	10	
GIPI-E36-B1-2	2/25/2002	1206	SOIL	PCB	PCB-1260	U	10	
GIPI-E37-B1-S	2/25/2002	1208	SOIL	PCB	PCB-1260	0.229	10	
GIPI-E37-B1-1	2/25/2002	1211	SOIL	PCB	PCB-1260	U	10	
GIPI-E37-B1-2	2/25/2002	1214	SOIL	PCB	PCB-1260	U	10	
GIPI-E38-B1-S	2/25/2002	1215	SOIL	PCB	PCB-1260	0.268	10	
GIPI-E38-B1-1	2/25/2002	1218	SOIL	PCB	PCB-1260	0.033	10	
GIPI-E38-B1-2	2/25/2002	1221	SOIL	PCB	PCB-1260	U	10	
GIPI-E39-B1-S	2/25/2002	1330	SOIL	PCB	PCB-1260	0.158	10	
GIPI-E39-B1-1	2/25/2002	1333	SOIL	PCB	PCB-1260	0.195	10	
GIPI-E39-B1-2	2/25/2002	1336	SOIL	PCB	PCB-1260	U	10	
GIPI-E40-B1-S	2/25/2002	1340	SOIL	PCB	PCB-1260	U	10	
GIPI-E40-B1-1	2/25/2002	1343	SOIL	PCB	PCB-1260	U	10	
GIPI-E40-B1-2	2/25/2002	1346	SOIL	PCB	PCB-1260	U	10	
GIPI-E41-B1-S	2/25/2002	1405	SOIL	PCB	PCB-1260	0.599	10	
GIPI-E41-B1-1	2/25/2002	1408	SOIL	PCB	PCB-1260	U	10	
GIPI-E41-B1-2	2/25/2002	1411	SOIL	PCB	PCB-1260	U	10	
GIPI-E42-B1-S	2/25/2002	1415	SOIL	PCB	PCB-1260	0.513	10	
GIPI-E42-B1-1	2/25/2002	1418	SOIL	PCB	PCB-1260	U	10	
GIPI-E42-B1-2	2/25/2002	1421	SOIL	PCB	PCB-1260	U	10	
GIPI-E43-B1-S	2/25/2002	1425	SOIL	PCB	PCB-1260	0.090	10	
GIPI-E43-B1-1	2/25/2002	1428	SOIL	PCB	PCB-1260	U	10	
GIPI-E43-B1-2	2/25/2002	1431	SOIL	PCB	PCB-1260	U	10	
GIPI-F42-B1-S	2/25/2002	1506	SOIL	PCB	PCB-1260	0.276	10	
GIPI-F42-B1-1	2/25/2002	1509	SOIL	PCB	PCB-1260	U	10	
GIPI-F42-B1-2	2/25/2002	1512	SOIL	PCB	PCB-1260	U	10	
GIPI-F43-B1-S	2/25/2002	1457	SOIL	PCB	PCB-1260	U	10	
GIPI-F43-B1-1	2/25/2002	1500	SOIL	PCB	PCB-1260	U	10	
GIPI-F43-B1-2	2/25/2002	1503	SOIL	PCB	PCB-1260	U	10	
GIPI-G42-B1-S	2/25/2002	1515	SOIL	PCB	PCB-1260	0.328	10	
GIPI-G42-B1-1	2/25/2002	1518	SOIL	PCB	PCB-1260	U	10	

TABLE A-2
ROADWAY GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-G42-B1-2	2/25/2002	1521	SOIL	PCB	PCB-1260	U	10	
GIPI-H42-B1-S	2/25/2002	1525	SOIL	PCB	PCB-1260	1.075	10	
GIPI-H42-B1-1	2/25/2002	1528	SOIL	PCB	PCB-1260	U	10	
GIPI-H42-B1-2	2/25/2002	1531	SOIL	PCB	PCB-1260	U	10	
GIPI-I42-B1-S	2/25/2002	1535	SOIL	PCB	PCB-1260	U	10	
GIPI-I42-B1-1	2/25/2002	1538	SOIL	PCB	PCB-1260	U	10	
GIPI-I42-B1-2	2/25/2002	1541	SOIL	PCB	PCB-1260	U	10	
GIPI-J42-B1-S	2/25/2002	1545	SOIL	PCB	PCB-1260	0.163	10	
GIPI-J42-B1-1	2/25/2002	1548	SOIL	PCB	PCB-1260	U	10	
GIPI-J42-B1-2	2/25/2002	1551	SOIL	PCB	PCB-1260	U	10	
GIPI-K42-B1-S	2/25/2002	1530	SOIL	PCB	PCB-1260	0.215	10	
GIPI-K42-B1-1	2/25/2002	1533	SOIL	PCB	PCB-1260	0.022	10	
GIPI-K42-B1-2	2/25/2002	1536	SOIL	PCB	PCB-1260	U	10	
GIPI-L42-B1-S	2/25/2002	1539	SOIL	PCB	PCB-1260	0.049	10	
GIPI-L42-B1-1	2/25/2002	1542	SOIL	PCB	PCB-1260	U	10	
GIPI-L42-B1-2	2/25/2002	1545	SOIL	PCB	PCB-1260	U	10	
GIPI-M42-B1-S	2/25/2002	1548	SOIL	PCB	PCB-1260	0.070	10	
GIPI-M42-B1-1	2/25/2002	1551	SOIL	PCB	PCB-1260	U	10	
GIPI-M42-B1-2	2/25/2002	1554	SOIL	PCB	PCB-1260	U	10	
GIPI-N42-B1-S	2/25/2002	1557	SOIL	PCB	PCB-1260	U	10	
GIPI-N42-B1-1	2/25/2002	1600	SOIL	PCB	PCB-1260	U	10	
GIPI-N42-B1-2	2/25/2002	1603	SOIL	PCB	PCB-1260	U	10	
GIPI-O42-B1-S	2/26/2002	1015	SOIL	PCB	PCB-1260	0.103	10	
GIPI-O42-B1-1	2/26/2002	1040	SOIL	PCB	PCB-1260	U	10	
GIPI-O42-B1-2	2/26/2002	1043	SOIL	PCB	PCB-1260	U	10	
GIPI-P42-B1-S	2/26/2002	1018	SOIL	PCB	PCB-1260	0.107	10	
GIPI-P42-B1-1	2/26/2002	1046	SOIL	PCB	PCB-1260	U	10	
GIPI-P42-B1-2	2/26/2002	1049	SOIL	PCB	PCB-1260	U	10	
GIPI-Q37-B1-S	2/26/2002	1033	SOIL	PCB	PCB-1260	0.717	10	
GIPI-Q37-B1-1	2/26/2002	1138	SOIL	PCB	PCB-1260	U	10	
GIPI-Q37-B1-2	2/26/2002	1141	SOIL	PCB	PCB-1260	U	10	
GIPI-Q38-B1-S	2/26/2002	1030	SOIL	PCB	PCB-1260	0.045	10	
GIPI-Q38-B1-1	2/26/2002	1126	SOIL	PCB	PCB-1260	U	10	
GIPI-Q38-B1-2	2/26/2002	1129	SOIL	PCB	PCB-1260	U	10	
GIPI-Q39-B1-S	2/26/2002	1027	SOIL	PCB	PCB-1260	0.044	10	
GIPI-Q39-B1-1	2/26/2002	1118	SOIL	PCB	PCB-1260	U	10	
GIPI-Q39-B1-2	2/26/2002	1121	SOIL	PCB	PCB-1260	U	10	
GIPI-Q40-B1-S	2/26/2002	1024	SOIL	PCB	PCB-1260	0.096	10	

TABLE A-2
ROADWAY GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-Q40-B1-1	2/26/2002	1106	SOIL	PCB	PCB-1260	U	10	
GIPI-Q40-B1-2	2/26/2002	1109	SOIL	PCB	PCB-1260	U	10	
GIPI-Q41-B1-S	2/26/2002	1021	SOIL	PCB	PCB-1260	0.385	10	
GIPI-Q41-B1-1	2/26/2002	1100	SOIL	PCB	PCB-1260	U	10	
GIPI-Q41-B1-2	2/26/2002	1103	SOIL	PCB	PCB-1260	U	10	
GIPI-AA25-B1-S	2/26/2002	1200	SOIL	PCB	PCB-1260	U	10	
GIPI-AA25-B1-1	2/26/2002	1300	SOIL	PCB	PCB-1260	U	10	
GIPI-AA25-B1-2	2/26/2002	1303	SOIL	PCB	PCB-1260	U	10	
GIPI-AA26-B1-S	2/26/2002	1203	SOIL	PCB	PCB-1260	U	10	
GIPI-AA26-B1-1	2/26/2002	1306	SOIL	PCB	PCB-1260	U	10	
GIPI-AA26-B1-2	2/26/2002	1309	SOIL	PCB	PCB-1260	U	10	
GIPI-AA27-B1-S	2/26/2002	1206	SOIL	PCB	PCB-1260	U	10	
GIPI-AA27-B1-1	2/26/2002	1312	SOIL	PCB	PCB-1260	U	10	
GIPI-AA27-B1-2	2/26/2002	1315	SOIL	PCB	PCB-1260	U	10	
GIPI-AA28-B1-S	2/26/2002	1209	SOIL	PCB	PCB-1260	0.048	10	
GIPI-AA28-B1-1	2/26/2002	1318	SOIL	PCB	PCB-1260	U	10	
GIPI-AA28-B1-2	2/26/2002	1321	SOIL	PCB	PCB-1260	U	10	
GIPI-AA29-B1-S	2/26/2002	1212	SOIL	PCB	PCB-1260	0.050	10	
GIPI-AA29-B1-1	2/26/2002	1324	SOIL	PCB	PCB-1260	U	10	
GIPI-AA29-B1-2	2/26/2002	1327	SOIL	PCB	PCB-1260	U	10	
GIPI-Z29-B1-S	2/26/2002	1215	SOIL	PCB	PCB-1260	0.021	10	
GIPI-Z29-B1-1	2/26/2002	1330	SOIL	PCB	PCB-1260	U	10	
GIPI-Z29-B1-2	2/26/2002	1333	SOIL	PCB	PCB-1260	U	10	
GIPI-Y30-B1-S	2/26/2002	1218	SOIL	PCB	PCB-1260	U	10	
GIPI-Y30-B1-1	2/26/2002	1336	SOIL	PCB	PCB-1260	U	10	
GIPI-Y30-B1-2	2/26/2002	1339	SOIL	PCB	PCB-1260	U	10	
GIPI-T16-B1-S	2/26/2002	1348	SOIL	PCB	PCB-1260	U	10	
GIPI-T16-B1-1	2/26/2002	1415	SOIL	PCB	PCB-1260	U	10	
GIPI-T16-B1-2	2/26/2002	1418	SOIL	PCB	PCB-1260	U	10	
GIPI-S17-B1-S	2/26/2002	1345	SOIL	PCB	PCB-1260	U	10	
GIPI-S17-B1-1	2/26/2002	1408	SOIL	PCB	PCB-1260	U	10	
GIPI-S17-B1-2	2/26/2002	1411	SOIL	PCB	PCB-1260	U	10	
GIPI-F2-B1-1	1/14/2002	1130	SOIL	PCB	PCB-1260	4.83	10	
GIPI-F2-B1-2	1/14/2002	1140	SOIL	PCB	PCB-1260	0.057	10	
GIPI-F2-B1-3	1/14/2002	1145	SOIL	PCB	PCB-1260	0.018	10	

TABLE A-2
ROADWAY GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-F2-N-B1-1	2/25/2002	1033	SOIL	PCB	PCB-1260	**208.0**	10	
GIPI-F2-N-B1-2	2/25/2002	1036	SOIL	PCB	PCB-1260	7.46	10	
GIPI-F2-N-B1-3	2/25/2002	1039	SOIL	PCB	PCB-1260	**62.8**	10	
GIPI-F2-N-B1-4	3/6/2002	0825	SOIL	PCB	PCB-1260	**92.9**	10	
GIPI-F2-N-B1-5	3/6/2002	0828	SOIL	PCB	PCB-1260	6.23	10	
GIPI-F2-N-B1-6	3/6/2002	0831	SOIL	PCB	PCB-1260	**998.0**	10	
GIPI-F2-N-B1-7	3/6/2002	0834	SOIL	PCB	PCB-1260	**22.3**	10	
GIPI-F2-N-B1-8	3/6/2002	0837	SOIL	PCB	PCB-1260	1.68	10	
GIPI-F2-W-B1-1	2/25/2002	1053	SOIL	PCB	PCB-1260	**658.0**	10	
GIPI-F2-W-B1-2	2/25/2002	1056	SOIL	PCB	PCB-1260	1.640	10	
GIPI-F2-W-B1-3	2/25/2002	1059	SOIL	PCB	PCB-1260	0.434	10	
GIPI-F2-E-B1-1	3/6/2002	0920	SOIL	PCB	PCB-1260	0.455	10	
GIPI-F2-E-B1-2	3/6/2002	0923	SOIL	PCB	PCB-1260	**16.2**	10	
GIPI-F2-E-B1-3	3/6/2002	0926	SOIL	PCB	PCB-1260	0.038	10	
GIPI-F2-E-B1-4	3/6/2002	0929	SOIL	PCB	PCB-1260	1.72	10	
GIPI-F2-E-B1-5	3/6/2002	0932	SOIL	PCB	PCB-1260	0.070	10	
GIPI-F2-E-B1-6	3/6/2002	0935	SOIL	PCB	PCB-1260	0.035	10	
GIPI-F2-E-B1-7	3/6/2002	0938	SOIL	PCB	PCB-1260	0.213	10	
GIPI-F2-E-B1-8	3/6/2002	0941	SOIL	PCB	PCB-1260	0.150	10	
GIPI-F2-NE-B1-1	3/6/2002	0845	SOIL	PCB	PCB-1260	0.034	10	
GIPI-F2-NE-B1-2	3/6/2002	0848	SOIL	PCB	PCB-1260	0.028	10	
GIPI-F2-NW-B1-1	3/6/2002	0945	SOIL	PCB	PCB-1260	4.360	10	
GIPI-F2-NW-B1-2	3/6/2002	0948	SOIL	PCB	PCB-1260	**20900.0**	10	
GIPI-F2-NW-B1-3	3/6/2002	0951	SOIL	PCB	PCB-1260	9.2	10	
GIPI-F2-NW-B1-4	3/6/2002	0954	SOIL	PCB	PCB-1260	0.599	10	
GIPI-F2-NW-B1-5	3/6/2002	0957	SOIL	PCB	PCB-1260	**424.0**	10	
GIPI-F2-NW-B1-6	3/6/2002	1000	SOIL	PCB	PCB-1260	8.08	10	
GIPI-F2-NW-B1-7	3/6/2002	1003	SOIL	PCB	PCB-1260	**116.0**	10	
GIPI-F2-NW-B1-8	3/6/2002	1006	SOIL	PCB	PCB-1260	0.463	10	

* All samples collected within Table A-2 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-3
BUILDING 53 (TRANSFORMER VAULT)
PERIMETER SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 3'

TABLE A-3
BUILDING 53 (TRANSFORMER VAULT)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B53-PCB-1	03/27/01	1550	GW	PCB	Arochlor-1260	4.4		WR, FS
GI-B53-CS-1	04/12/01	0920	S	PCB	Arochlor-1260	U	10	WR, FS, SBC
GI-B53-CS-2	04/12/01	0923	S	PCB	Arochlor-1260	0.733	10	WR, FS, SBC
GI-B53-CS-3	04/12/01	0926	S	PCB	Arochlor-1260	5.840	10	WR, FS, SBC
GI-B53-CS-4	04/12/01	0930	S	PCB	Arochlor-1260	3.730	10	WR, FS, SBC
GI-B53-CS-5	04/12/01	0933	S	PCB	Arochlor-1260	2.110	10	WR, FS, SBC
GI-B53-CS-6	04/12/01	0936	S	PCB	Arochlor-1260	U	10	WR, FS, SBC
GI-B53-CS-7	04/12/01	0939	S	PCB	Arochlor-1260	3.040	10	WR, FS, SBC
GI-B53-CS-8	04/12/01	0942	S	PCB	Arochlor-1260	**23.300**	**10**	WR, FS, SBC
GI-B53-CS-9	04/12/01	0945	S	PCB	**Arochlor-1260**	**32.400**	**10**	WR, FS, SBC
GI-B53-CS-10	04/12/01	0948	S	PCB	**Arochlor-1260**	**95.500**	**10**	WR, FS, SBC
GI-B53-CS-11	04/12/01	0951	S	PCB	Arochlor-1260	5.730	10	WR, FS, SBC
GI-B53-CS-12	04/12/01	0954	S	PCB	**Arochlor-1260**	**25.200**	**10**	WR, FS, SBC
GI-B53-CS-13	04/12/01	0957	S	PCB	Arochlor-1260	5.270	10	WR, FS, SBC
GI-B53-CS-14	04/12/01	1000	S	PCB	Arochlor-1260	0.120	10	WR, FS, SBC

Bold = excedence of Action Level
GW = Groundwater.
S = Soil
WR = Building walls removed and disposed of in 2000.
FS = Floor slab removed and disposed of in March/April 2001
FR = Floor slab remains.
SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-4
BUILDING 53 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 5'

TABLE A-4
BUILDING 53 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-53-B1-NW	1/10/2002	1020	SOIL	PCB	PCB-1260	2.450	10	
GIPI-53-B1-7	1/10/2002	1023	SOIL	PCB	PCB-1260	2.120	10	
GIPI-53-B1-8	1/10/2002	1026	SOIL	PCB	PCB-1260	1.240	10	
GIPI-53-B1-9	1/10/2002	1029	SOIL	PCB	PCB-1260	**11.6**	10	
GIPI-53-B1-10	1/10/2002	1032	SOIL	PCB	PCB-1260	0.092	10	
GIPI-53-B1-11	1/16/2002	1530	SED	PCB	PCB-1260	0.036	10	
GIPI-53-B2-1	1/9/2002	1015	SOIL	PCB	PCB-1260	6.710	10	
GIPI-53-B2-2	1/9/2002	1018	SOIL	PCB	PCB-1260	0.779	10	
GIPI-53-B2-8	1/9/2002	1045	SED	PCB	PCB-1260	U	10	
GIPI-53-B2-9	1/9/2002	1048	SED	PCB	PCB-1260	U	10	
GIPI-53-B2-10	1/9/2002	1105	SED	PCB	PCB-1260	U	10	
GIPI-53-B3-1	1/9/2002	0830	SOIL	PCB	PCB-1260	0.018	10	
GIPI-53-B3-2	1/9/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B3-8	1/9/2002	0853	SED	PCB	PCB-1260	U	10	
GIPI-53-B3-9	1/9/2002	0856	SED	PCB	PCB-1260	U	10	
GIPI-53-B3-10	1/9/2002	1030	SED	PCB	PCB-1260	U	10	
GIPI-53-B4-1	1/17/2002	1145	SED	PCB	PCB-1260	1.46	10	
GIPI-53-B4-2	1/17/2002	1147	SED	PCB	PCB-1260	0.111	10	
GIPI-53-B4-8	1/17/2002	1313	SED	PCB	PCB-1260	U	10	
GIPI-53-B4-9	1/17/2002	1320	SED	PCB	PCB-1260	U	10	
GIPI-53-B4-10	1/17/2002	1322	SED	PCB	PCB-1260	U	10	
GIPI-53-B5-1	1/16/2002	1400	SED	PCB	PCB-1260	0.018	10	
GIPI-53-B5-2	1/16/2002	1403	SED	PCB	PCB-1260	U	10	
GIPI-53-B5-8	1/16/2002	1443	SED	PCB	PCB-1260	U	10	
GIPI-53-B5-9	1/16/2002	1450	SED	PCB	PCB-1260	U	10	
GIPI-53-B5-10	1/16/2002	1453	SED	PCB	PCB-1260	U	10	
GIPI-53-B6-1	1/16/2002	1045	SED	PCB	PCB-1260	U	10	
GIPI-53-B6-2	1/16/2002	1047	SED	PCB	PCB-1260	U	10	
GIPI-53-B6-8	1/16/2002	1118	SED	PCB	PCB-1260	U	10	
GIPI-53-B6-9	1/16/2002	1130	SED	PCB	PCB-1260	U	10	
GIPI-53-B6-10	1/16/2002	1133	SED	PCB	PCB-1260	U	10	
GIPI-53-B7-1	1/16/2002	1155	SED	PCB	PCB-1260	U	10	
GIPI-53-B7-2	1/16/2002	1158	SED	PCB	PCB-1260	U	10	
GIPI-53-B9-1	1/16/2002	0900	SED	PCB	PCB-1260	U	10	
GIPI-53-B9-2	1/16/2002	0902	SED	PCB	PCB-1260	U	10	
GIPI-53-B9-8	1/16/2002	1010	SED	PCB	PCB-1260	U	10	
GIPI-53-B9-9	1/16/2002	1020	SED	PCB	PCB-1260	U	10	

TABLE A-4
BUILDING 53 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-53-B9-10	1/16/2002	1022	SED	PCB	PCB-1260	U	10	
GIPI-53-B10-1	1/16/2002	0800	SED	PCB	PCB-1260	U	10	
GIPI-53-B10-2	1/16/2002	0802	SED	PCB	PCB-1260	U	10	
GIPI-53-B10-8	1/14/2002	0827	SED	PCB	PCB-1260	U	10	
GIPI-53-B10-9	1/14/2002	0835	SED	PCB	PCB-1260	U	10	
GIPI-53-B10-10	1/14/2002	0837	SED	PCB	PCB-1260	U	10	
GIPI-53-B11-1	1/9/2002	1410	SOIL	PCB	PCB-1260	0.118	10	
GIPI-53-B11-2	1/9/2002	1413	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B11-8	1/9/2002	1437	SED	PCB	PCB-1260	U	10	
GIPI-53-B11-9	1/9/2002	1440	SED	PCB	PCB-1260	U	10	
GIPI-53-B11-10	1/9/2002	1443	SED	PCB	PCB-1260	U	10	
GIPI-53-B12-1	1/15/2002	1435	SED	PCB	PCB-1260	U	10	
GIPI-53-B12-2	1/15/2002	1437	SED	PCB	PCB-1260	U	10	
GIPI-53-B12-8	1/15/2002	1512	SED	PCB	PCB-1260	U	10	
GIPI-53-B12-9	1/15/2002	1528	SED	PCB	PCB-1260	U	10	
GIPI-53-B12-10	1/15/2002	1530	SED	PCB	PCB-1260	U	10	
GIPI-53-B13-1	1/15/2002	1345	SED	PCB	PCB-1260	U	10	
GIPI-53-B13-2	1/15/2002	1347	SED	PCB	PCB-1260	U	10	
GIPI-53-B13-8	1/15/2002	1417	SED	PCB	PCB-1260	U	10	
GIPI-53-B13-9	1/15/2002	1420	SED	PCB	PCB-1260	U	10	
GIPI-53-B13-10	1/15/2002	1422	SED	PCB	PCB-1260	U	10	
GIPI-53-B14-1	1/17/2002	0820	SED	PCB	PCB-1260	0.364	10	
GIPI-53-B14-2	1/17/2002	0822	SED	PCB	PCB-1260	U	10	
GIPI-53-B14-8	1/17/2002	0842	SED	PCB	PCB-1260	U	10	
GIPI-53-B14-9	1/17/2002	0855	SED	PCB	PCB-1260	U	10	
GIPI-53-B14-10	1/17/2002	0858	SED	PCB	PCB-1260	U	10	
GIPI-53-B15-1	1/15/2002	1200	SED	PCB	PCB-1260	1.120	10	
GIPI-53-B15-2	1/15/2002	1203	SED	PCB	PCB-1260	U	10	
GIPI-53-B15-8	1/15/2002	1217	SED	PCB	PCB-1260	U	10	
GIPI-53-B15-9	1/15/2002	1320	SED	PCB	PCB-1260	U	10	
GIPI-53-B15-10	1/15/2002	1322	SED	PCB	PCB-1260	U	10	
GIPI-53-B16-1	1/15/2002	1115	SED	PCB	PCB-1260	0.505	10	
GIPI-53-B16-2	1/15/2002	1118	SED	PCB	PCB-1260	U	10	
GIPI-53-B17-1	1/9/2002	1505	SOIL	PCB	PCB-1260	0.252	10	
GIPI-53-B17-2	1/9/2002	1508	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B17-8	1/9/2002	1527	SED	PCB	PCB-1260	U	10	
GIPI-53-B17-9	1/9/2002	1530	SED	PCB	PCB-1260	U	10	

TABLE A-4
BUILDING 53 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-53-B17-10	1/9/2002	1533	SED	PCB	PCB-1260	U	10	
GIPI-53-B18-1	1/17/2002	1105	SED	PCB	PCB-1260	0.239	10	
GIPI-53-B18-2	1/17/2002	1108	SED	PCB	PCB-1260	U	10	
GIPI-53-B18-8	1/17/2002	1127	SED	PCB	PCB-1260	U	10	
GIPI-53-B18-9	1/17/2002	1135	SED	PCB	PCB-1260	U	10	
GIPI-53-B18-10	1/17/2002	1137	SED	PCB	PCB-1260	U	10	
GIPI-53-B19-1	1/9/2002	1150	SOIL	PCB	PCB-1260	**15.8**	10	
GIPI-53-B19-2	1/9/2002	1153	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B19-3	1/28/2002	1325	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B19-8	1/9/2002	1211	SED	PCB	PCB-1260	1.190	10	
GIPI-53-B19-9	1/9/2002	1214	SED	PCB	PCB-1260	0.294	10	
GIPI-53-B19-10	1/9/2002	1217	SED	PCB	PCB-1260	U	10	
GIPI-53-B20-1	1/15/2002	0840	SED	PCB	PCB-1260	0.482	10	
GIPI-53-B20-2	1/15/2002	0843	SED	PCB	PCB-1260	U	10	
GIPI-53-B21-1	1/14/2002	1335	SOIL	PCB	PCB-1260	0.366	10	
GIPI-53-B21-2	1/14/2002	1342	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B21-8	1/14/2002	1420	SED	PCB	PCB-1260	U	10	
GIPI-53-B21-9	1/14/2002	1422	SED	PCB	PCB-1260	U	10	
GIPI-53-B21-10	1/14/2002	1425	SED	PCB	PCB-1260	U	10	
GIPI-53-B22-1	1/8/2002	1545	SOIL	PCB	PCB-1260	3.060	10	
GIPI-53-B22-2	1/8/2002	1545	SOIL	PCB	PCB-1260	0.029	10	
GIPI-53-B22-8	1/8/2002	1545	SED	PCB	PCB-1260	U	10	
GIPI-53-B22-9	1/8/2002	1545	SED	PCB	PCB-1260	U	10	
GIPI-53-B22-10	1/9/2002	1545	SED	PCB	PCB-1260	U	10	
GIPI-53-B23-1	1/14/2002	1445	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B23-2	1/14/2002	1448	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B23-8	1/14/2002	1515	SED	PCB	PCB-1260	U	10	
GIPI-53-B23-9	1/14/2002	1518	SED	PCB	PCB-1260	U	10	
GIPI-53-B23-10	1/14/2002	1521	SED	PCB	PCB-1260	U	10	
GIPI-53-B24-1	1/14/2002	1532	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B24-2	1/14/2002	1535	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B24-8	1/14/2002	1555	SED	PCB	PCB-1260	U	10	
GIPI-53-B24-9	1/14/2002	1558	SED	PCB	PCB-1260	U	10	
GIPI-53-B24-10	1/14/2002	1900	SED	PCB	PCB-1260	0.034	10	
GIPI-53-B25-1	1/9/2002	0740	SOIL	PCB	PCB-1260	0.165	10	
GIPI-53-B25-2	1/9/2002	0743	SOIL	PCB	PCB-1260	U	10	
GIPI-53-B25-8	1/9/2002	0801	SED	PCB	PCB-1260	U	10	

TABLE A-4
BUILDING 53 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-53-B25-9	1/9/2002	0804	SED	PCB	PCB-1260	U	10	
GIPI-53-B25-10	1/9/2002	1115	SED	PCB	PCB-1260	U	10	

* All samples collected within Table A-4 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-5
BUILDING 54 (TRANSFORMER VAULT)
FIELD SCREENING LOCATIONS - MAY 15, 2001

NOT TO SCALE



TABLE A-5
BUILDING 54 (TRANSFORMER VAULT)
FIELD SCREENING DETECTION TABLE - MAY 15, 2001

SAMPLE TEST NO.	LOCATION ID	DATE	TIME	MATRIX	ABSORBENCE	CONCENTRATION	MULTIPLIER	RESULT (ppm)	ACTION LEVEL	COMMENTS
1	GI-B54-SWS-1	05/15/01	0742	SOIL	0.856	0.10nd	25.2	<6.3	10	Sidewall South about 5' below top of concrete
2	**GI-B54-SWS-2**	05/15/01	0745	SOIL	0.277	9.65Hi	25.2	**>126**	**10**	Sidewall South about 5' below top of concrete
3	GI-B54-SWS-3	05/15/01	0748	SOIL	0.980	0.02nd	25.2	<6.3	10	Sidewall South about 5' below top of concrete
4	GI-B54-BOT-1	05/15/01	0751	SOIL	0.946	0.03nd	25.2	<6.3	10	Bottom
5	**GI-B54-BOT-2**	05/15/01	0753	SOIL	0.268	10.49Hi	25.2	**>126**	**10**	Bottom
6	**GI-B54-SWW-1**	05/15/01	0756	SOIL	0.115	72.26Hi	25.2	**>126**	**10**	Sidewall West about 5' below top of concrete
7	**GI-B54-BOT-3**	05/15/01	0800	SOIL	0.223	16.51Hi	25.2	**>126**	**10**	Bottom
8	**GI-B54-BOT-4**	05/15/01	0803	SOIL	0.215	12.31Hi	25.2	**>126**	**10**	Bottom
9	**GI-B54-BOT-5**	05/15/01	0806	SOIL	0.142	46.38Hi	25.20	**>126**	**10**	Bottom
10	**GI-B54-BOT-6**	05/15/01	0809	SOIL	0.154	38.77Hi	25.20	**>126**	**10**	Bottom
11	**GI-B54-BOT-7**	05/15/01	0812	SOIL	0.431	2.79	25.20	**70.31**	**10**	Bottom
12	GI-B54-BOT-8	05/15/01	0815	SOIL	0.632	0.66	25.20	**16.63**	**10**	Bottom
13	**GI-B54-BOT-9**	05/15/01	0819	SOIL	0.484	1.90	25.20	**47.88**	**10**	Bottom
14	**GI-B54-BOT-10**	05/15/01	0822	SOIL	0.123	63.14Hi	25.20	**>126**	**10**	Bottom
15	**GI-B54-BOT-11**	05/15/01	0825	SOIL	0.160	35.59Hi	25.20	**>126**	**10**	Bottom
16	GI-B54-SWN-1	05/15/01	0828	SOIL	0.945	0.03nd	25.20	<6.3	10	Sidewall North about 2' below concrete
17	GI-B54-SWN-2	05/15/01	0832	SOIL	1.000	0.01nd	25.20	<6.3	10	Sidewall North about 2' below concrete

BUILDING 53 PCB FIELD SCREENING
SDI RAPID ASSAY TEST KIT RESULTS

05-15-01 14:35

********** OHMICRON **********

PROTOCOL: PCB

TECH ID : D. Conover
LOT # : OH1034R
EXP. DATE : 8/01

Data Reduct: Lin. Regression
Xformation : Ln/LgtB
Read Mode : Absorbance
Wavelength : 450 nm
Units : PPB

EQUATION OF LINE

Slope = -0.527
Intercept = 0.137
Corr (r) = 0.9717**

Transformed Data :

Conc	Abs
-1.39	0.749
0	0.359
1.61	-0.814

Calibrator Data :

Conc	Abs	%CV	Predic %Diff
0.00	1.037		
	1.114		
Mean	1.076	5.1	
0.25	0.732		0.31
	0.060		19.2
	0.729		0.32
	0.067		21.2
Mean	0.730	0.3	0.31
	0.063		20.2
1.00	0.625		0.70
	-0.302		-43.3
	0.642		0.62
	-0.382		-61.7
Mean	0.633	1.8	0.66
	-0.343		-52.2
5.00	0.329		6.13
	1.130		18.4
	0.331		6.02
	1.016		16.9
Mean	0.330	0.5	6.07
	1.073		17.7

Control Data :

Ctrl#	Abs	Conc
1	0.392	3.74

ID:

Sample Data :

Spl#	Abs	Conc	ID
1	0.856	0.10nd	GI-B54-SWS-1
2	0.277	9.65Hi	GI-B54-SWS-2
3	0.980	0.02nd	GI-B54-SWS-3
4	0.946	0.03nd	GI-B54-BOT-1
5	0.268	10.49Hi	GI-B54-BOT-2
6	0.115	72.26Hi	GI-B54-SWW-1
7	0.223	16.51Hi	GI-B54-BOT-3
8	0.251	12.31Hi	GI-B54-BOT-4
9	0.142	46.38Hi	GI-B54-BOT-5
10	0.154	38.77Hi	GI-B54-BOT-6
11	0.711	2.79	GI-B54-BOT-7
12	0.632	0.66	GI-B54-BOT-8
13	0.484	1.90	GI-B54-BOT-9
14	0.123	63.14Hi	GI-B54-BOT-10
15	0.160	35.59Hi	GI-B54-BOT-11
16	0.945	0.03nd	GI-B54-SWN-1
17	1.000	0.01nd	GI-B54-SWN-2

END OF RUN
05-15-01 14:38



FIGURE A-6
BUILDING 54 (TRANSFORMER VAULT)
FIELD SCREENING LOCATIONS - MAY 21, 2001

NOT TO SCALE

TABLE A-6
BUILDING 54 (TRANSFORMER VAULT)
FIELD SCREENING DETECTION TABLE - MAY 21, 2001

SAMPLE TEST NO.	LOCATION ID	DATE	TIME	MATRIX	ABSORBENCE	CONCENTRATION	MULTIPLIER	RESULT (ppm)	ACTION LEVEL	COMMENTS
1	GI-B54-BOT-12	05/21/01	1257	SOIL	0.919	nd	25.2	<6.3	10	
2	GI-B54-BOT-13	05/21/01	1300	SOIL	0.910	nd	25.2	<6.3	10	
3	**GI-B54-BOT-14**	05/21/01	1302	SOIL	0.215	7.95Hi	25.2	**>126**	10	
4	**GI-B54-SWW-2**	05/21/01	1305	SOIL	0.184	9.06Hi	25.2	**>126**	10	
5	GI-B54-SWW-3	05/21/01	1308	SOIL	0.748	nd	25.2	<6.3	10	
6	**GI-B54-BOT-15**	05/21/01	1311	SOIL	0.163	10.01Hi	25.2	**>126**	10	
7	GI-B54-BOT-16	05/21/01	1315	SOIL	0.968	nd	25.2	<6.3	10	
8	**GI-B54-BOT-17**	05/21/01	1318	SOIL	0.150	10.66Hi	25.2	**>126**	10	
9	GI-B54-SWE-1	05/21/01	1321	SOIL	0.896	nd	25.2	<6.3	10	
10	**GI-B54-SWT-1**	05/21/01	1323	SOIL	0.129	11.91Hi	25.2	**>126**	10	
11	**GI-B54-SWT-2**	05/21/01	1326	SOIL	0.154	10.42Hi	25.2	**>126**	10	
12	**GI-B54-SWT-3**	05/21/01	1329	SOIL	0.205	8.30Hi	25.2	**>126**	10	
13	GI-B54-SWW-4	05/21/01	1332	SOIL	0.922	nd	25.2	<6.3	10	
14	GI-B54-SWW-5	05/21/01	1335	SOIL	0.827	nd	25.2	<6.3	10	
15	GI-B54-SWW-6	05/21/01	1338	SOIL	0.956	nd	25.2	<6.3	10	
16	GI-B54-SWS-4	05/21/01	1342	SOIL	0.874	nd	25.2	<6.3	10	
17	GI-B54-SWS-5	05/21/01	1345	SOIL	0.904	nd	25.2	<6.3	10	
18	**GI-B54-SWE-2**	05/21/01	1348	SOIL	0.511	2.26	25.2	**56.952**	10	
19	**GI-B54-SWE-3**	05/21/01	1351	SOIL	0.191	8.79Hi	25.2	**>126**	10	
20	GI-B54-SWE-4	05/21/01	1354	SOIL	0.889	nd	25.2	<6.3	10	
LAB	**GI-B54-PCB-3**	05/21/01	1600	SOIL	n/a	n/a	n/a	**13,200**	**10**	Sample analyzed at Analytics Environmental Lab

BUILDING 54 PCB FIELD SCREENING
SDI RAPID ASSAY TEST KIT RESULTS

05-21-01 14:00

********** OHMICRON **********

PROTOCOL: PCB

TECH ID : D. Conover
LOT # : OH1034R
EXP. DATE : 8/01

Data Reduct: Lin. Regression
Xformation : Ln/LgtB
Read Mode : Absorbance
Wavelength : 450 nm
Units : PPB

EQUATION OF LINE

Slope	=	-1.755
Intercept	=	3.020
Corr (r)	=	1.0000

Transformed Data :

Conc	Abs
0.00	3.020
1.61	0.195

Calibrator Data :

Conc	Abs	%CV	Predic %Diff
0.00	0.942		
	0.288		
Mean	0.615	75.3*	
0.25	0.663		nd
	0.599		0.69
	0.445		64.0
Mean	0.631	7.2	nd
1.00	0.553		1.61
	0.608		37.8
	0.620		nd
Mean	0.586	8.1	1.00
	0.000		0.0
5.00	0.341		4.93
	-0.070		-1.4
	0.334		5.07
	0.071		1.4
Mean	0.337	1.6	5.00
	-0.000		-0.0

Control Data :

Ctrl#	Abs	Conc
1	0.429	3.47

ID:

Sample Data :

Spl#	Abs	Conc	ID
1	0.919	nd	GI-B54-BOT-12
2	0.910	nd	GI-B54-BOT-13
3	0.215	7.95Hi	GI-B54-BOT-14
4	0.184	9.06Hi	GI-B54-SWW-2
5	0.748	nd	GI-B54-SWW-3
6	0.163	10.01Hi	GI-B54-BOT-15
7	0.968	nd	GI-B54-BOT-16
8	0.150	10.66Hi	GI-B54-BOT-17
9	0.896	nd	GI-B54-SWE-1
10	0.129	11.91Hi	GI-B54-SWT-1
11	0.154	10.42Hi	GI-B54-SWT-2
12	0.205	8.30Hi	GI-B54-SWT-3
13	0.922	nd	GI-B54-SWW-4
14	0.827	nd	GI-B54-SWW-5
15	0.956	nd	GI-B54-SWW-6
16	0.874	nd	GI-B54-SWS-4
17	0.904	nd	GI-B54-SWS-5
18	0.511	2.26	GI-B54-SWE-2
19	0.191	8.79Hi	GI-B54-SWE-3
20	0.889	nd	GI-B54-SWE-4

END OF RUN
05-21-01 14:03



FIGURE A-7
BUILDING 54 (TRANSFORMER VAULT)
PERIMETER SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 3'

TABLE A-7
BUILDING 54 (TRANSFORMER VAULT)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B54-PCB-1	03/27/01	1245	GW	Fingerprint	Mineral spirit hydrocarbon	NA		WR, FS
GI-B54-PCB-2	03/27/01	1250	OIL	PCB	**Arochlor-1260**	**430,000**	**10**	WR, FS
GI-B54-PCB-3	05/21/01	1600	OIL	PCB	**Arochlor-1260**	**13,200**	**10**	WR, FS
GI-B54-CS-1	04/12/01	1025	S	PCB	Arochlor-1260	2.330	10	WR, FS, SBC
GI-B54-CS-2	04/12/01	1028	S	PCB	Arochlor-1260	1.880	10	WR, FS, SBC
GI-B54-CS-3	04/12/01	1031	S	PCB	Arochlor-1260	0.665	10	WR, FS, SBC
GI-B54-CS-4	04/12/01	1034	S	PCB	**Arochlor-1260**	**111.000**	**10**	WR, FS, SBC
GI-B54-CS-5	04/12/01	1037	S	PCB	**Arochlor-1260**	**634.000**	**10**	WR, FS, SBC
GI-B54-CS-6	04/12/01	1040	S	PCB	**Arochlor-1260**	**711.000**	**10**	WR, FS, SBC
GI-B54-CS-7	04/12/01	1043	S	PCB	**Arochlor-1260**	**3,230.000**	**10**	WR, FS, SBC
GI-B54-CS-8	04/12/01	1046	S	PCB	**Arochlor-1260**	**68,200.000**	**10**	WR, FS, SBC
GI-B54-CS-9	04/12/01	1050	S	PCB	**Arochlor-1260**	**16,900.000**	**10**	WR, FS, SBC
GI-B54-CS-10	04/12/01	1053	S	PCB	**Arochlor-1260**	**802.000**	**10**	WR, FS, SBC
GI-B54-CS-11	04/12/01	1057	S	PCB	**Arochlor-1260**	**12,200.000**	**10**	WR, FS, SBC
GI-B54-CS-12	04/12/01	1100	S	PCB	**Arochlor-1260**	**7,570.000**	**10**	WR, FS, SBC
GI-B54-CS-13	04/12/01	1105	S	PCB	**Arochlor-1260**	**1,720.000**	**10**	WR, FS, SBC
GI-B54-CS-14	04/12/01	1108	S	PCB	Arochlor-1260	**18.100**	**10**	WR, FS, SBC

Bold = excedence of Action Level
GW = Groundwater.
S = Soil
WR = Building walls removed and disposed of in 2000.
FS = Floor slab removed and disposed of in March/April 2001
FR = Floor slab remains.
SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 10'

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B1-SW	1/10/2002	1120	SOIL	PCB	PCB-1260	**4020.0**	10	
GIPI-54-B1-SW-8	1/10/2002	1135	SOIL	PCB	PCB-1260	**2810.0**	10	
GIPI-54-B1-SW-9	1/10/2002	1143	SOIL	PCB	PCB-1260	**7660.0**	10	
GIPI-54-B1-SW-10	1/10/2002	1146	SOIL	PCB	PCB-1260	**124.0**	10	
GIPI-54-B1-SW-11	1/17/2002	1420	SED	PCB	PCB-1260	**22.9**	10	
GIPI-54-B1-SW-12	1/17/2002	1422	SED	PCB	PCB-1260	0.712	10	
GIPI-54-B1-SW-13	1/16/2002	1430	SED	PCB	PCB-1260	6.28	10	
GIPI-54-B1-1	2/3/2002	1510	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-2	2/3/2002	1513	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-6	2/4/2002	1525	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-7	2/4/2002	1528	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-8	2/4/2002	1532	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-9	2/4/2002	1535	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-10	2/4/2002	1538	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-11	2/4/2002	1542	SED	PCB	PCB-1260	U	10	
GIPI-54-B1-12	2/4/2002	1545	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-1	2/4/2002	1350	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-2	2/4/2002	1353	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-6	2/4/2002	1405	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-7	2/4/2002	1408	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-8	2/4/2002	1412	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-9	2/4/2002	1415	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-10	2/4/2002	1418	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-11	2/4/2002	1422	SED	PCB	PCB-1260	U	10	
GIPI-54-B2-12	2/4/2002	1425	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-1	2/7/2002	0828	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-2	2/7/2002	0831	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-5	2/7/2002	0840	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-6	2/7/2002	0843	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-7	2/7/2002	0845	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-8	2/7/2002	0848	SED	PCB	PCB-1260	U	10	
GIPI-54-B3-9	2/7/2002	0851	SED	PCB	PCB-1260	U	10	
GIPI-54-B4-1	2/7/2002	0950	SED	PCB	PCB-1260	0.209	10	
GIPI-54-B4-2	2/7/2002	0953	SED	PCB	PCB-1260	U	10	
GIPI-54-B4-5	2/7/2002	1002	SED	PCB	PCB-1260	U	10	
GIPI-54-B4-6	2/7/2002	1004	SED	PCB	PCB-1260	U	10	
GIPI-54-B4-7	2/7/2002	1007	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B4-8	2/7/2002	1010	SED	PCB	PCB-1260	U	10	
GIPI-54-B4-9	2/7/2002	1013	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-1	2/6/2002	1425	SED	PCB	PCB-1260	0.045	10	
GIPI-54-B5-2	2/6/2002	1428	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-5	2/6/2002	1437	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-6	2/6/2002	1440	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-7	2/6/2002	1443	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-8	2/6/2002	1446	SED	PCB	PCB-1260	U	10	
GIPI-54-B5-9	2/6/2002	1449	SED	PCB	PCB-1260	U	10	
GIPI-54-B6-1	2/6/2002	1330	SED	PCB	PCB-1260	0.017	10	
GIPI-54-B6-2	2/6/2002	1333	SED	PCB	PCB-1260	U	10	
GIPI-54-B6-5	2/6/2002	1342	SED	PCB	PCB-1260	U	10	
GIPI-54-B6-6	2/6/2002	1345	SED	PCB	PCB-1260	U	10	
GIPI-54-B6-7	2/6/2002	1348	SED	PCB	PCB-1260	0.031	10	
GIPI-54-B6-8	2/6/2002	1351	SED	PCB	PCB-1260	U	10	
GIPI-54-B6-9	2/6/2002	1354	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-1	1/29/2002	1530	SED	PCB	PCB-1260	0.089	10	
GIPI-54-B7-2	1/29/2002	1533	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-5	1/29/2002	1543	SED	PCB	PCB-1260	0.167	10	
GIPI-54-B7-6	1/29/2002	1545	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-7	1/29/2002	1550	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-8	1/29/2002	1553	SED	PCB	PCB-1260	0.033	10	
GIPI-54-B7-9	1/29/2002	1558	SED	PCB	PCB-1260	0.041	10	
GIPI-54-B7-10	1/29/2002	1600	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-11	1/29/2002	1603	SED	PCB	PCB-1260	U	10	
GIPI-54-B7-12	1/29/2002	1610	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-1	1/28/2002	1000	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-2	1/28/2002	1003	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-5	1/28/2002	1013	SED	PCB	PCB-1260	0.232	10	
GIPI-54-B8-6	1/28/2002	1018	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-7	1/28/2002	1021	SED	PCB	PCB-1260	0.061	10	
GIPI-54-B8-8	1/28/2002	1024	SED	PCB	PCB-1260	0.020	10	
GIPI-54-B8-9	1/28/2002	1028	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-10	1/28/2002	1032	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-11	1/28/2002	1035	SED	PCB	PCB-1260	U	10	
GIPI-54-B8-12	1/28/2002	1038	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-1	1/30/2002	0953	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B9-2	1/30/2002	0955	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-5	1/30/2002	1003	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-6	1/30/2002	1005	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-7	1/30/2002	1008	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-8	1/30/2002	1010	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-9	1/30/2002	1013	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-10	1/30/2002	1015	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-11	1/30/2002	1018	SED	PCB	PCB-1260	U	10	
GIPI-54-B9-12	1/30/2002	1020	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-1	1/30/2002	1130	SED	PCB	PCB-1260	0.028	10	
GIPI-54-B10-2	1/30/2002	1133	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-5	1/30/2002	1140	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-6	1/30/2002	1143	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-7	1/30/2002	1147	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-8	1/30/2002	1150	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-9	1/30/2002	1153	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-10	1/30/2002	1157	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-11	1/30/2002	1200	SED	PCB	PCB-1260	U	10	
GIPI-54-B10-12	1/30/2002	1203	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-1	1/30/2002	1410	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-2	1/30/2002	1413	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-5	1/30/2002	1422	SED	PCB	PCB-1260	0.017	10	
GIPI-54-B11-6	1/30/2002	1425	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-7	1/30/2002	1428	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-8	1/30/2002	1431	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-9	1/30/2002	1434	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-10	1/30/2002	1438	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-11	1/30/2002	1440	SED	PCB	PCB-1260	U	10	
GIPI-54-B11-12	1/30/2002	1442	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-1	1/31/2002	0945	SED	PCB	PCB-1260	0.081	10	
GIPI-54-B12-2	1/31/2002	0948	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-5	1/31/2002	0957	SED	PCB	PCB-1260	0.025	10	
GIPI-54-B12-6	1/31/2002	1000	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-7	1/31/2002	1003	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-8	1/31/2002	1006	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-9	1/31/2002	1009	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-10	1/31/2002	1021	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B12-11	1/31/2002	1015	SED	PCB	PCB-1260	U	10	
GIPI-54-B12-12	1/31/2002	1018	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-1	1/31/2002	1135	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-2	1/31/2002	1138	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-5	1/31/2002	1147	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-6	1/31/2002	1150	SED	PCB	PCB-1260	0.161	10	
GIPI-54-B13-7	1/31/2002	1153	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-8	1/31/2002	1156	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-9	1/31/2002	1159	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-10	1/31/2002	1200	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-11	1/31/2002	1203	SED	PCB	PCB-1260	U	10	
GIPI-54-B13-12	1/31/2002	1206	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-1	1/31/2002	1400	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-2	1/31/2002	1403	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-5	1/31/2002	1412	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-6	1/31/2002	1415	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-7	1/31/2002	1418	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-8	1/31/2002	1421	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-9	1/31/2002	1424	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-10	1/31/2002	1427	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-11	1/31/2002	1430	SED	PCB	PCB-1260	U	10	
GIPI-54-B14-12	1/31/2002	1433	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-1	1/25/2002	1513	SED	PCB	PCB-1260	0.172	10	
GIPI-54-B15-2	1/25/2002	1515	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-6	1/25/2002	1533	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-7	1/25/2002	1535	SED	PCB	PCB-1260	0.024	10	
GIPI-54-B15-8	1/25/2002	1538	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-9	1/25/2002	1542	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-10	1/25/2002	1550	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-11	1/25/2002	1553	SED	PCB	PCB-1260	0.042	10	
GIPI-54-B15-12	1/25/2002	1557	SED	PCB	PCB-1260	U	10	
GIPI-54-B15-13	1/25/2002	1600	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-1	1/22/2002	1010	SED	PCB	PCB-1260	0.175	10	
GIPI-54-B16-2	1/22/2002	1013	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-6	1/22/2002	1033	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-7	1/22/2002	1040	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-8	1/22/2002	1043	SED	PCB	PCB-1260	0.017	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B16-9	1/22/2002	1050	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-10	1/22/2002	1052	SED	PCB	PCB-1260	U	10	
GIPI-54-B16-11	1/24/2002	1350	SED	PCB	PCB-1260	0.216	10	
GIPI-54-B16-12	1/24/2002	1353	SED	PCB	PCB-1260	0.138	10	
GIPI-54-B16-13	1/24/2002	1357	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-1	1/28/2002	0843	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-2	1/28/2002	0845	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-7	1/28/2002	0902	SED	PCB	PCB-1260	0.207	10	
GIPI-54-B17-8	1/28/2002	0905	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-9	1/28/2002	0910	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-10	1/28/2002	0913	SED	PCB	PCB-1260	U	10	
GIPI-54-B17-11	1/28/2002	0915	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-1	1/22/2002	1120	SED	PCB	PCB-1260	0.141	10	
GIPI-54-B18-2	1/22/2002	1122	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-7	1/22/2002	1146	SED	PCB	PCB-1260	2.180	10	
GIPI-54-B18-9	1/22/2002	1150	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-9	1/22/2002	1153	SED	PCB	PCB-1260	0.063	10	
GIPI-54-B18-10	1/22/2002	1156	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-11	1/22/2002	1159	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-12	1/24/2002	1430	SED	PCB	PCB-1260	0.048	10	
GIPI-54-B18-13	1/24/2002	1433	SED	PCB	PCB-1260	U	10	
GIPI-54-B18-14	1/24/2002	1437	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-1	2/4/2002	1100	SED	PCB	PCB-1260	0.028	10	
GIPI-54-B19-2	2/4/2002	1103	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-3	2/4/2002	1106	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-4	2/4/2002	1109	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-5	2/4/2002	1112	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-6	2/4/2002	1115	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-7	2/4/2002	1118	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-8	2/4/2002	1121	SED	PCB	PCB-1260	U	10	
GIPI-54-B19-9	2/4/2002	1124	SED	PCB	PCB-1260	U	10	
GIPI-54-B20-1	1/25/2002	1340	SED	PCB	PCB-1260	0.037	10	
GIPI-54-B20-2	1/25/2002	1343	SED	PCB	PCB-1260	0.077	10	
GIPI-54-B20-3	1/25/2002	1347	SED	PCB	PCB-1260	0.876	10	
GIPI-54-B20-4	1/25/2002	1352	SED	PCB	PCB-1260	U	10	
GIPI-54-B20-5	1/25/2002	1357	SED	PCB	PCB-1260	1.77	10	
GIPI-54-B20-6	1/25/2002	1401	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B20-7	1/25/2002	1406	SED	PCB	PCB-1260	3.68	10	
GIPI-54-B20-8	1/25/2002	1409	SED	PCB	PCB-1260	U	10	
GIPI-54-B20-9	1/25/2002	1413	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-1	2/4/2002	1015	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-2	2/4/2002	1018	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-3	2/4/2002	1022	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-4	2/4/2002	1025	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-5	2/4/2002	1028	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-6	2/4/2002	1032	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-7	2/4/2002	1035	SED	PCB	PCB-1260	U	10	
GIPI-54-B21-8	2/4/2002	1038	SED	PCB	PCB-1260	U	10	
GIPI-54-B22-1	2/4/2002	0935	SED	PCB	PCB-1260	0.086	10	
GIPI-54-B22-2	2/4/2002	0938	SED	PCB	PCB-1260	U	10	
GIPI-54-B22-3	2/4/2002	0942	SED	PCB	PCB-1260	0.033	10	
GIPI-54-B22-4	2/4/2002	0946	SED	PCB	PCB-1260	U	10	
GIPI-54-B22-5	2/4/2002	0950	SED	PCB	PCB-1260	U	10	
GIPI-54-B22-6	2/4/2002	0953	SED	PCB	PCB-1260	U	10	
GIPI-54-B22-7	2/4/2002	0956	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-1	2/4/2002	0903	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-2	2/4/2002	0905	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-3	2/4/2002	0908	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-4	2/4/2002	0913	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-5	2/4/2002	0915	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-6	2/4/2002	0919	SED	PCB	PCB-1260	U	10	
GIPI-54-B23-7	2/4/2002	0923	SED	PCB	PCB-1260	U	10	
GIPI-54-B24-1	2/6/2002	0930	SED	PCB	PCB-1260	1.250	10	
GIPI-54-B24-2	2/6/2002	0933	SED	PCB	PCB-1260	0.017	10	
GIPI-54-B24-3	2/6/2002	0936	SED	PCB	PCB-1260	0.112	10	
GIPI-54-B24-4	2/6/2002	0939	SED	PCB	PCB-1260	U	10	
GIPI-54-B25-1	1/25/2002	1115	SED	PCB	PCB-1260	0.089	10	
GIPI-54-B25-2	1/25/2002	1117	SED	PCB	PCB-1260	U	10	
GIPI-54-B25-3	1/25/2002	1120	SED	PCB	PCB-1260	0.549	10	
GIPI-54-B25-4	1/25/2002	1123	SED	PCB	PCB-1260	0.048	10	
GIPI-54-B25-5	1/25/2002	1130	SED	PCB	PCB-1260	0.111	10	
GIPI-54-B25-6	1/25/2002	1133	SED	PCB	PCB-1260	U	10	
GIPI-54-B25-7	1/25/2002	1143	SED	PCB	PCB-1260	0.400	10	
GIPI-54-B25-8	1/25/2002	1145	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B25-9	1/25/2002	1155	SED	PCB	PCB-1260	U	10	
GIPI-54-B26-1	1/25/2002	0930	SED	PCB	PCB-1260	4.320	10	
GIPI-54-B26-2	1/25/2002	0933	SED	PCB	PCB-1260	4.41	10	
GIPI-54-B26-3	1/25/2002	0940	SED	PCB	PCB-1260	3.96	10	
GIPI-54-B26-4	1/25/2002	0943	SED	PCB	PCB-1260	1.87	10	
GIPI-54-B26-5	1/25/2002	0948	SED	PCB	PCB-1260	**12.2**	10	
GIPI-54-B26-6	1/25/2002	0952	SED	PCB	PCB-1260	0.359	10	
GIPI-54-B26-7	1/25/2002	0955	SED	PCB	PCB-1260	0.023	10	
GIPI-54-B26-8	1/25/2002	0958	SED	PCB	PCB-1260	0.118	10	
GIPI-54-B27-1	2/6/2002	1025	SED	PCB	PCB-1260	0.027	10	
GIPI-54-B27-2	2/6/2002	1028	SED	PCB	PCB-1260	U	10	
GIPI-54-B27-3	2/6/2002	1032	SED	PCB	PCB-1260	U	10	
GIPI-54-B27-4	2/6/2002	1035	SED	PCB	PCB-1260	U	10	
GIPI-54-B27-5	2/6/2002	1038	SED	PCB	PCB-1260	U	10	
GIPI-54-B27-6	2/6/2002	1041	SED	PCB	PCB-1260	U	10	
GIPI-54-B27-7	2/6/2002	1044	SED	PCB	PCB-1260	U	10	
GIPI-54-B28-1	2/6/2002	0840	SED	PCB	PCB-1260	0.017	10	
GIPI-54-B28-2	2/6/2002	0843	SED	PCB	PCB-1260	U	10	
GIPI-54-B28-3	2/6/2002	0845	SED	PCB	PCB-1260	U	10	
GIPI-54-B28-4	2/6/2002	0848	SED	PCB	PCB-1260	U	10	
GIPI-54-B29-1	1/30/2002	1545	SED	PCB	PCB-1260	1.390	1	
GIPI-54-B29-2	1/30/2002	1548	SED	PCB	PCB-1260	U	1	
GIPI-54-B29-3	1/30/2002	1550	SED	PCB	PCB-1260	0.261	1	
GIPI-54-B29-4	1/30/2002	1553	SED	PCB	PCB-1260	0.954	1	
GIPI-54-B29-5	1/30/2002	1556	SED	PCB	PCB-1260	U	1	
GIPI-54-B29-6	1/30/2002	1600	SED	PCB	PCB-1260	0.020	1	
GIPI-54-B29-7	1/30/2002	1603	SED	PCB	PCB-1260	U	1	
GIPI-54-B30-1	2/6/2002	1110	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-2	2/6/2002	1113	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-3	2/6/2002	1116	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-4	2/6/2002	1119	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-5	2/6/2002	1122	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-6	2/6/2002	1125	SED	PCB	PCB-1260	U	10	
GIPI-54-B30-7	2/6/2002	1128	SED	PCB	PCB-1260	U	10	
GIPI-54-B31-1	1/22/2002	1450	SED	PCB	PCB-1260	0.128	10	
GIPI-54-B31-2	1/22/2002	1453	SED	PCB	PCB-1260	0.018	10	
GIPI-54-B31-3	1/22/2002	1458	SED	PCB	PCB-1260	4.82	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B31-4	1/22/2002	1500	SED	PCB	PCB-1260	0.059	10	
GIPI-54-B31-5	1/22/2002	1503	SED	PCB	PCB-1260	**161.0**	10	
GIPI-54-B31-6	1/24/2002	1506	SED	PCB	PCB-1260	**23,600.0**	10	
GIPI-54-B31-7	1/24/2002	1553	SED	PCB	PCB-1260	**7540.0**	10	
GIPI-54-B31-8	1/24/2002	1558	SED	PCB	PCB-1260	**163.0**	10	
GIPI-54-B31-9	1/24/2002	1600	SED	PCB	PCB-1260	**17.7**	10	
GIPI-54-B31-10	1/25/2002	0900	SED	PCB	PCB-1260	**11.7**	10	
GIPI-54-B31-11	1/25/2002	0903	SED	PCB	PCB-1260	1.11	10	
GIPI-54-B32-1	1/30/2002	1508	SED	PCB	PCB-1260	0.336	10	
GIPI-54-B32-2	1/30/2002	1511	SED	PCB	PCB-1260	U	10	
GIPI-54-B32-3	1/30/2002	1514	SED	PCB	PCB-1260	U	10	
GIPI-54-B32-4	1/30/2002	1517	SED	PCB	PCB-1260	U	10	
GIPI-54-B32-5	1/30/2002	1520	SED	PCB	PCB-1260	U	10	
GIPI-54-B32-6	1/30/2002	1523	SED	PCB	PCB-1260	U	10	
GIPI-54-B32-7	1/30/2002	1526	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-1	1/31/2002	0845	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-2	1/31/2002	0848	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-3	1/31/2002	0851	SED	PCB	PCB-1260	0.379	10	
GIPI-54-B33-4	1/31/2002	0854	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-5	1/31/2002	0858	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-6	1/31/2002	0902	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-7	1/31/2002	0906	SED	PCB	PCB-1260	U	10	
GIPI-54-B33-8	1/31/2002	0910	SED	PCB	PCB-1260	U	10	
GIPI-54-B34-1	1/22/2002	1423	SED	PCB	PCB-1260	2.030	10	
GIPI-54-B34-1	2/26/2002	0830	SED	PCB	PCB-1260	0.217	10	
GIPI-54-B34-2	1/22/2002	1425	SED	PCB	PCB-1260	U	10	
GIPI-54-B34-3	1/22/2002	1430	SED	PCB	PCB-1260	0.074	10	
GIPI-54-B34-4	1/22/2002	1433	SED	PCB	PCB-1260	0.034	10	
GIPI-54-B34-5	1/22/2002	1435	SED	PCB	PCB-1260	1.02	10	
GIPI-54-B34-6	1/22/2002	1438	SED	PCB	PCB-1260	U	10	
GIPI-54-B34-7	1/24/2002	1535	SED	PCB	PCB-1260	0.291	10	
GIPI-54-B34-8	1/24/2002	1537	SED	PCB	PCB-1260	0.382	10	
GIPI-54-B34-9	1/24/2002	1542	SED	PCB	PCB-1260	0.275	10	
GIPI-54-B35-1	1/29/2002	0935	SED	PCB	PCB-1260	U	10	
GIPI-54-B35-2	1/29/2002	0938	SED	PCB	PCB-1260	5.450	10	
GIPI-54-B35-3	1/29/2002	0940	SED	PCB	PCB-1260	0.024	10	
GIPI-54-B35-4	1/29/2002	0943	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B35-5	1/29/2002	0945	SED	PCB	PCB-1260	0.083	10	
GIPI-54-B35-6	1/29/2002	0948	SED	PCB	PCB-1260	U	10	
GIPI-54-B35-7	1/29/2002	0952	SED	PCB	PCB-1260	U	10	
GIPI-54-B35-8	1/29/2002	0955	SED	PCB	PCB-1260	U	10	
GIPI-54-B35-9	1/29/2002	0958	SED	PCB	PCB-1260	U	10	
GIPI-54-B35-10	1/29/2002	1000	SED	PCB	PCB-1260	U	10	
GIPI-54-B36-1	1/17/2002	1545	SED	PCB	PCB-1260	1.54	10	
GIPI-54-B36-2	1/17/2002	1547	SED	PCB	PCB-1260	1.01	10	
GIPI-54-B36-4	1/17/2002	1552	SED	PCB	PCB-1260	0.275	10	
GIPI-54-B36-5	1/22/2002	1555	SED	PCB	PCB-1260	0.071	10	
GIPI-54-B36-6	1/22/2002	1558	SED	PCB	PCB-1260	0.600	10	
GIPI-54-B36-7	1/22/2002	1602	SED	PCB	PCB-1260	U	10	
GIPI-54-B36-8	1/17/2002	1605	SED	PCB	PCB-1260	U	10	
GIPI-54-B36-9	1/24/2002	1505	SED	PCB	PCB-1260	0.061	10	
GIPI-54-B36-10	1/24/2002	1509	SED	PCB	PCB-1260	0.224	10	
GIPI-54-B36-11	1/24/2002	1513	SED	PCB	PCB-1260	6.07	10	
GIPI-54-B37-1	1/28/2002		SED	PCB	PCB-1260	0.275	10	
GIPI-54-B37-2	1/28/2002		SED	PCB	PCB-1260	U	10	
GIPI-54-B37-5	1/29/2002	1423	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-6	1/29/2002	1427	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-7	1/29/2002	1430	SED	PCB	PCB-1260	0.049	10	
GIPI-54-B37-8	1/29/2002	1433	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-9	1/29/2002	1437	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-10	1/29/2002	1440	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-11	1/29/2002	1443	SED	PCB	PCB-1260	U	10	
GIPI-54-B37-12	1/29/2002	1447	SED	PCB	PCB-1260	U	10	
GIPI-54-B38-1	1/22/2002	1325	SED	PCB	PCB-1260	0.140	10	
GIPI-54-B38-2	1/22/2002	1327	SED	PCB	PCB-1260	0.163	10	
GIPI-54-B38-6	1/22/2002	1337	SED	PCB	PCB-1260	0.078	10	
GIPI-54-B38-7	1/22/2002	1340	SED	PCB	PCB-1260	0.210	10	
GIPI-54-B38-8	1/22/2002	1343	SED	PCB	PCB-1260	0.249	10	
GIPI-54-B38-9	1/22/2002	1345	SED	PCB	PCB-1260	U	10	
GIPI-54-B38-10	1/22/2002	1347	SED	PCB	PCB-1260	U	10	
GIPI-54-B38-11	1/24/2002	1310	SED	PCB	PCB-1260	0.085	10	
GIPI-54-B38-12	1/24/2002	1313	SED	PCB	PCB-1260	1.84	10	
GIPI-54-B38-13	1/24/2002	1316	SED	PCB	PCB-1260	0.081	10	
GIPI-54-B39-1	1/28/2002	1110	SED	PCB	PCB-1260	5.990	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B39-2	1/28/2002	1113	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-5	1/28/2002	1125	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-6	1/28/2002	1127	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-7	1/28/2002	1127	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-8	1/28/2002	1132	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-9	1/28/2002	1138	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-10	1/28/2002	1140	SED	PCB	PCB-1260	0.071	10	
GIPI-54-B39-11	1/28/2002	1145	SED	PCB	PCB-1260	U	10	
GIPI-54-B39-12	1/28/2002	1148	SED	PCB	PCB-1260	0.215	10	
GIPI-54-B40-1	1/14/2002	1355	SED	PCB	PCB-1260	3.04	1	
GIPI-54-B40-2	1/14/2002	1402	SED	PCB	PCB-1260	2.79	1	
GIPI-54-B41-1	1/14/2002	1438	SED	PCB	PCB-1260	0.394	1	
GIPI-54-B41-2	1/14/2002	1452	SED	PCB	PCB-1260	0.028	1	
GIPI-54-B41-3	1/14/2002	1458	SED	PCB	PCB-1260	0.104	1	
GIPI-54-B41-4	1/14/2002	1505	SED	PCB	PCB-1260	0.030	1	
GIPI-54-B42-1	1/14/2002	1510	SED	PCB	PCB-1260	1.61	1	
GIPI-54-B42-2	1/14/2002	1517	SED	PCB	PCB-1260	0.35	1	
GIPI-54-B42-3	1/14/2002	1532	SED	PCB	PCB-1260	U	1	
GIPI-54-B42-4	1/14/2002	1540	SED	PCB	PCB-1260	0.023	1	
GIPI-54-B45-1	1/31/2002	1535	SED	PCB	PCB-1260	3.450	1	
GIPI-54-B45-2	1/31/2002	1538	SED	PCB	PCB-1260	U	1	
GIPI-54-B45-3	1/31/2002	1542	SED	PCB	PCB-1260	8.880	1	
GIPI-54-B45-4	1/31/2002	1545	SED	PCB	PCB-1260	U	1	
GIPI-54-B45-5	1/31/2002	1548	SED	PCB	PCB-1260	U	1	
GIPI-54-B45-6	1/31/2002	1552	SED	PCB	PCB-1260	U	1	
GIPI-54-B45-7	1/31/2002	1555	SED	PCB	PCB-1260	0.021	1	
GIPI-54-B45-8	1/31/2002	1558	SED	PCB	PCB-1260	0.096	1	
GIPI-54-B46-1	1/31/2002	1510	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-2	1/31/2002	1513	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-3	1/31/2002	1516	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-4	1/31/2002	1519	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-5	1/31/2002	1521	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-6	1/31/2002	1524	SED	PCB	PCB-1260	U	10	
GIPI-54-B46-7	1/31/2002	1527	SED	PCB	PCB-1260	U	10	
GIPI-54-B47-1	1/29/2002	1140	SED	PCB	PCB-1260	0.015	10	
GIPI-54-B47-2	1/29/2002	1143	SED	PCB	PCB-1260	U	10	
GIPI-54-B47-3	1/29/2002	1150	SED	PCB	PCB-1260	U	10	

TABLE A-8
BUILDING 54 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-54-B47-4	1/29/2002	1153	SED	PCB	PCB-1260	U	10	
GIPI-54-B47-5	1/29/2002	1158	SED	PCB	PCB-1260	U	10	
GIPI-54-B47-6	1/29/2002	1200	SED	PCB	PCB-1260	U	10	
GIPI-54-B47-7	1/29/2002	1203	SED	PCB	PCB-1260	U	10	
GIPI-54-B48-1	1/29/2002	1450	SED	PCB	PCB-1260	1.480	1	
GIPI-54-B48-2	1/29/2002	1453	SED	PCB	PCB-1260	U	1	
GIPI-54-B48-3	1/29/2002	1459	SED	PCB	PCB-1260	U	1	
GIPI-54-B48-4	1/29/2002	1503	SED	PCB	PCB-1260	U	1	
GIPI-54-B48-5	1/29/2002	1512	SED	PCB	PCB-1260	U	1	
GIPI-54-B48-6	1/29/2002	1520	SED	PCB	PCB-1260	U	1	
GIPI-54-B48-7	1/29/2002	1523	SED	PCB	PCB-1260	U	1	
GIPI-54-B49-1	1/29/2002	1345	SED	PCB	PCB-1260	0.139	10	
GIPI-54-B49-2	1/29/2002	1348	SED	PCB	PCB-1260	U	10	
GIPI-54-B49-3	1/29/2002	1353	SED	PCB	PCB-1260	0.072	10	
GIPI-54-B49-4	1/29/2002	1357	SED	PCB	PCB-1260	U	10	
GIPI-54-B49-5	1/29/2002	1400	SED	PCB	PCB-1260	U	10	
GIPI-54-B49-6	1/29/2002	1403	SED	PCB	PCB-1260	U	10	
GIPI-54-B49-7	1/29/2002	1412	SED	PCB	PCB-1260	U	10	

* All samples collected within Table A-8 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-9
BUILDING 56 (TRANSFORMER VAULT)
PERIMETER SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 3'

TABLE A-9
BUILDING 56 (TRANSFORMER VAULT)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B56-PCB-1	03/29/01	1325	GW	PCB	NA	NA		WR, FR - Sample contaminated at Lab
GI-B56-PCB-1A	04/02/01	1415	GW	PCB	**Arochlor-1260**	**0.006**		WR, FR - Re-sampled
GI-B56-CS-1	04/12/01	1120	S	PCB	**Arochlor-1260**	**125.000**	**10**	WR, FR
GI-B56-CS-2	04/12/01	1123	S	PCB	**Arochlor-1260**	**44.300**	**10**	WR, FR
GI-B56-CS-3	04/12/01	1126	S	PCB	Arochlor-1260	**19.900**	**10**	WR, FR
GI-B56-CS-4	04/12/01	1129	S	PCB	**Arochlor-1260**	**36.300**	**10**	WR, FR, SBC
GI-B56-CS-5	04/12/01	1132	S	PCB	Arochlor-1260	1.040	10	WR, FR, SBC
GI-B56-CS-6	04/12/01	1135	S	PCB	Arochlor-1260	7.320	10	WR, FR, SBC
GI-B56-CS-7	04/12/01	1138	S	PCB	Arochlor-1260	**10.100**	**10**	WR, FR, SBC
GI-B56-CS-8	04/12/01	1140	S	PCB	Arochlor-1260	1.420	10	WR, FR, SBC
GI-B56-CS-9	04/12/01	1143	S	PCB	Arochlor-1260	**13.300**	**10**	WR, FR, SBC
GI-B56-CS-10	04/12/01	1146	S	PCB	Arochlor-1260	1.420	10	WR, FR, SBC
GI-B56-CS-11	04/12/01	1149	S	PCB	Arochlor-1260	0.213	10	WR, FR, SBC
GI-B56-CS-12	04/16/01	1452	S	PCB	**Arochlor-1260**	**5,710.000**	**10**	WR, FR
GI-B56-CS-13	04/16/01	1455	S	PCB	**Arochlor-1260**	**286.000**	**10**	WR, FR
GI-B56-CS-14	04/16/01	1458	S	PCB	Arochlor-1260	12.400	10	WR, FR

Bold = excedence of Action Level
GW = Groundwater.
S = Soil
WR = Building walls removed and disposed of in 2000.
FS = Floor slab removed and disposed of in March/April 2001
FR = Floor slab remains.
SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-10
BUILDING 56 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 5'

TABLE A-10
BUILDING 56 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-56-B1-CTR	1/10/2002	1358	SOIL	PCB	PCB-1260	7	10	
GIPI-56-B1-7	1/10/2002	1420	SOIL	PCB	PCB-1260	0.158	10	
GIPI-56-B1-8	1/10/2002	1430	SOIL	PCB	PCB-1260	**15.6**	10	
GIPI-56-B1-9	2/7/2002	1435	SOIL	PCB	PCB-1260	0.053	10	
GIPI-56-B1-10	2/7/2002	1438	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B2-6	2/7/2002	1545	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B2-7	2/7/2002	1548	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B2-8	2/7/2002	1551	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B2-9	2/7/2002	1554	SOIL	PCB	PCB-1260	0.026	10	
GIPI-56-B3-4	2/7/2002	1600	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B3-5	2/7/2002	1603	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B3-6	2/7/2002	1606	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B3-7	2/7/2002	1609	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B3-8	2/7/2002	1612	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B4-1	2/13/2002	0830	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B4-2	2/13/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B4-6	2/13/2002	0845	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B4-7	2/13/2002	0848	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B4-8	2/13/2002	0851	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B5-1	2/12/2002	0908	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B5-2	2/12/2002	0912	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B5-6	2/12/2002	0924	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B5-7	2/12/2002	0927	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B5-8	2/12/2002	0930	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B6-1	2/13/2002	1100	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B6-2	2/13/2002	1103	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B6-6	2/13/2002	1115	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B6-7	2/13/2002	1118	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B6-8	2/13/2002	1121	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B7-1	2/13/2002	0940	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B7-2	2/13/2002	0943	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B7-6	2/13/2002	0955	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B7-7	2/13/2002	0958	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B7-8	2/13/2002	1001	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B8-1	2/11/2002	0844	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B8-2	2/11/2002	0847	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B8-6	2/11/2002	0859	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B8-7	2/11/2002	0902	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B8-8	2/11/2002	0905	SOIL	PCB	PCB-1260	U	10	

TABLE A-10
BUILDING 56 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-56-B9-1	2/11/2002	0927	SOIL	PCB	PCB-1260	1.840	10	
GIPI-56-B9-2	2/11/2002	0930	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B9-6	2/11/2002	0942	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B9-7	2/11/2002	0945	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B9-8	2/11/2002	0948	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B10-1	2/13/2002	1020	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B10-2	2/13/2002	1023	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B10-6	2/13/2002	1035	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B10-7	2/13/2002	1038	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B10-8	2/13/2002	1041	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B11-1	2/12/2002	0825	SOIL	PCB	PCB-1260	0.227	10	
GIPI-56-B11-2	2/12/2002	0828	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B11-6	2/12/2002	0841	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B11-7	2/12/2002	0844	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B11-8	2/12/2002	0847	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B12-1	2/14/2002	0830	SOIL	PCB	PCB-1260	0.147	10	
GIPI-56-B12-2	2/14/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B12-7	2/14/2002	0848	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B12-8	2/14/2002	0851	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B12-9	2/14/2002	0854	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B13-1	2/14/2002	0920	SOIL	PCB	PCB-1260	1.760	10	
GIPI-56-B13-2	2/14/2002	0923	SOIL	PCB	PCB-1260	0.023	10	
GIPI-56-B13-6	2/14/2002	0935	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B13-7	2/14/2002	0938	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B13-8	2/14/2002	0941	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B14-1	2/12/2002	1120	SOIL	PCB	PCB-1260	2.840	10	
GIPI-56-B14-2	2/12/2002	1123	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B14-9	2/12/2002	1144	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B14-10	2/12/2002	1147	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B14-11	2/12/2002	1150	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B15-1								NO SAMPLE COLLECTED
GIPI-56-B16-1	2/8/2002	1300	SOIL	PCB	PCB-1260	3.060	10	
GIPI-56-B16-2	2/8/2002	1303	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B16-8	2/8/2002	1321	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B16-9	2/8/2002	1324	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B16-10	2/8/2002	1327	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B17-1	2/13/2002	1500	SOIL	PCB	PCB-1260	0.190	10	
GIPI-56-B17-2	2/13/2002	1503	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B17-10	2/13/2002	1527	SOIL	PCB	PCB-1260	U	10	

TABLE A-10
BUILDING 56 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-56-B17-11	2/13/2002	1530	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B17-12	2/13/2002	1533	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B18-1	2/12/2002	1325	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B18-2	2/12/2002	1328	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B18-10	2/12/2002	1351	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B18-11	2/12/2002	1354	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B18-12	2/12/2002	1357	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B19-1	2/13/2002	1420	SOIL	PCB	PCB-1260	0.133	10	
GIPI-56-B19-2	2/13/2002	1423	SOIL	PCB	PCB-1260	0.166	10	
GIPI-56-B19-10	2/13/2002	1447	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B19-11	2/13/2002	1450	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B19-12	2/13/2002	1453	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B20-1	2/13/2002	1320	SOIL	PCB	PCB-1260	0.247	10	
GIPI-56-B20-2	2/13/2002	1323	SOIL	PCB	PCB-1260	0.286	10	
GIPI-56-B20-11	2/13/2002	1350	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B20-12	2/13/2002	1353	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B20-13	2/13/2002	1356	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B21-1	2/12/2002	1030	SOIL	PCB	PCB-1260	0.113	10	
GIPI-56-B21-2	2/12/2002	1033	SOIL	PCB	PCB-1260	0.054	10	
GIPI-56-B21-9	2/12/2002	1054	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B21-10	2/12/2002	1057	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B21-11	2/12/2002	1100	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B22-1	2/8/2002	1015	SOIL	PCB	PCB-1260	2.160	10	
GIPI-56-B22-2	2/8/2002	1018	SOIL	PCB	PCB-1260	0.555	10	
GIPI-56-B22-8	2/8/2002	1036	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B22-9	2/8/2002	1039	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B22-10	2/8/2002	1042	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B23-1	2/12/2002	1400	SOIL	PCB	PCB-1260	0.374	10	
GIPI-56-B23-2	2/12/2002	1403	SOIL	PCB	PCB-1260	0.053	10	
GIPI-56-B23-10	2/12/2002	1427	SOIL	PCB	PCB-1260	U	10	

TABLE A-10
BUILDING 56 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-56-B23-11	2/12/2002	1430	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B23-12	2/12/2002	1433	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B24-1	2/12/2002	1500	SOIL	PCB	PCB-1260	0.207	10	
GIPI-56-B24-2	2/12/2002	1503	SOIL	PCB	PCB-1260	0.227	10	
GIPI-56-B24-10	2/12/2002	1527	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B24-11	2/12/2002	1530	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B24-12	2/12/2002	1533	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B25-1	2/11/2002	1120	SOIL	PCB	PCB-1260	0.089	10	
GIPI-56-B25-2	2/11/2002	1123	SOIL	PCB	PCB-1260	0.051	10	
GIPI-56-B25-9	2/11/2002	1144	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B25-10	2/11/2002	1147	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B25-11	2/11/2002	1150	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B26-1	2/8/2002	0930	SOIL	PCB	PCB-1260	7.840	10	
GIPI-56-B26-2	2/8/2002	0933	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B26-7	2/8/2002	0948	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B26-8	2/8/2002	0953	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B26-9	2/8/2002	0956	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B27-1	2/11/2002	1040	SOIL	PCB	PCB-1260	0.079	10	
GIPI-56-B27-2	2/11/2002	1043	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B27-9	2/11/2002	1104	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B27-10	2/11/2002	1107	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B27-11	2/11/2002	1110	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B28-1	2/13/2002	1130	SOIL	PCB	PCB-1260	0.260	10	
GIPI-56-B28-2	2/13/2002	1133	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B28-8	2/13/2002	1145	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B28-9	2/13/2002	1148	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B28-10	2/13/2002	1151	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B29-4	2/8/2002	0900	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B29-5	2/8/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B29-7	2/8/2002	0909	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B29-8	2/8/2002	0912	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B30-1	2/11/2002	1000	SOIL	PCB	PCB-1260	0.411	10	
GIPI-56-B30-2	2/11/2002	1003	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B30-7	2/11/2002	1018	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B30-8	2/11/2002	1021	SOIL	PCB	PCB-1260	U	10	
GIPI-56-B30-9	2/11/2002	1024	SOIL	PCB	PCB-1260	U	10	

* All samples collected within Table A-10 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-11
BUILDING 59 (SWITCH HOUSE)
PERIMETER SAMPLING LOCATIONS

SCALE: 1" = 3'

TABLE A-11
BUILDING 59 (SWITCH HOUSE)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B59-PCB-1	03/29/01	1335	GW	PCB	NA	NA		WR, FS - Sample contaminated at Lab
GI-B59-PCB-1A	04/02/01	1420	GW	PCB	**Arochlor-1260**	**<.001**		WR, FS - Re-sampled
GI-B59-CS-1	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Conc.
GI-B59-CS-2	04/12/01	1243	S	PCB	Arochlor-1260	0.344	10	WR, FS
GI-B59-CS-3	04/12/01	1246	S	PCB	Arochlor-1260	0.096	10	WR, FS
GI-B59-CS-4	04/12/01	1249	S	PCB	Arochlor-1260	0.494	10	WR, FS
GI-B59-CS-5	04/12/01	1252	S	PCB	Arochlor-1260	2.220	10	WR, FS
GI-B59-CS-6	04/12/01	1255	S	PCB	Arochlor-1260	1.790	10	WR, FS
GI-B59-CS-7	04/12/01	1258	S	PCB	**Arochlor-1260**	**219.000**	**10**	WR, FS
GI-B59-CS-8	04/12/01	1300	S	PCB	Arochlor-1260	7.290	10	WR, FS
GI-B59-CS-9	04/12/01	1303	S	PCB	Arochlor-1260	0.278	10	WR, FS
GI-B59-CS-10	04/12/01	1306	S	PCB	Arochlor-1260	1.860	10	WR, FS
GI-B59-CS-11	04/12/01	1309	S	PCB	Arochlor-1260	1.880	10	WR, FS
GI-B59-CS-12	04/12/01	1312	S	PCB	Arochlor-1260	0.354	10	WR, FS
GI-B59-CS-13	04/12/01	1315	S	PCB	Arochlor-1260	6.130	10	WR, FS
GI-B59-CS-14	04/12/01	1318	S	PCB	Arochlor-1260	8.750	10	WR, FS

Bold = excedence of Action Level
GW = Groundwater.
S = Soil
WR = Building walls removed and disposed of in 2000.
FS = Floor slab removed and disposed of in March/April 2001
FR = Floor slab remains.
SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-12
BUILDING 59 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 5'

TABLE A-12
BUILDING 59 (SWITCH HOUSE)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-59-B1-NW	1/10/2002	1540	SOIL	PCB	PCB-1260	0.093	10	
GIPI-59-B1-8	1/10/2002	1600	SOIL	PCB	PCB-1260	0.032	10	
GIPI-59-B1-9	1/10/2002	1603	SOIL	PCB	PCB-1260	0.057	10	
GIPI-59-B1-10	1/10/2002	1607	SOIL	PCB	PCB-1260	0.031	10	
GIPI-59-B1-11	1/10/2002	1610	SOIL	PCB	PCB-1260	0.020	10	
GIPI-59-B1-12	1/10/2002	1613	SOIL	PCB	PCB-1260	0.021	10	
GIPI-59-B1-13	1/10/2002	1616	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B1-14	1/10/2002	1600	SOIL	PCB	PCB-1260	0.075	10	
GIPI-59-B2-1	2/26/2002	1530	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B2-2	2/26/2002	1533	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B2-4	2/26/2002	1539	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B3-1	2/27/2002	0930	SOIL	PCB	PCB-1260	2.810	10	
GIPI-59-B3-2	2/27/2002	0933	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B3-11	2/27/2002	1000	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B4-1	2/28/2002	1303	SOIL	PCB	PCB-1260	0.424	10	
GIPI-59-B4-2	2/28/2002	1306	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B4-12	2/28/2002	1336	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B5-1	2/27/2002	1330	SOIL	PCB	PCB-1260	0.016	10	
GIPI-59-B5-2	2/27/2002	1333	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B5-11	2/27/2002	1400	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B6-1	2/27/2002	1025	SOIL	PCB	PCB-1260	2.960	10	
GIPI-59-B6-2	2/27/2002	1028	SOIL	PCB	PCB-1260	0.034	10	
GIPI-59-B6-11	2/27/2002	1055	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B7-1	2/26/2002	1515	SOIL	PCB	PCB-1260	0.107	10	
GIPI-59-B7-2	2/26/2002	1518	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B7-6	2/26/2002	1528	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B8-1	2/27/2002	0815	SOIL	PCB	PCB-1260	0.195	10	
GIPI-59-B8-2	2/27/2002	0818	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B8-6	2/27/2002	0830	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B9-1	2/27/2002	0948	SOIL	PCB	PCB-1260	0.630	10	
GIPI-59-B9-2	2/27/2002	0951	SOIL	PCB	PCB-1260	0.158	10	
GIPI-59-B9-3	2/27/2002	0954	SOIL	PCB	PCB-1260	0.242	10	
GIPI-59-B9-4	2/27/2002	0957	SOIL	PCB	PCB-1260	0.017	10	
GIPI-59-B10-1	2/27/2002	1130	SOIL	PCB	PCB-1260	**37.600**	10	
GIPI-59-B10-2	2/27/2002	1133	SOIL	PCB	PCB-1260	0.036	10	
GIPI-59-B10-3	2/27/2002	1136	SOIL	PCB	PCB-1260	1.100	10	
GIPI-59-B10-4	2/27/2002	1139	SOIL	PCB	PCB-1260	0.057	10	

TABLE A-12
BUILDING 59 (SWITCH HOUSE)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-59-B11-1	3/4/2002	1045	SOIL	PCB	PCB-1260	**354.0**	10	
GIPI-59-B11-2	3/4/2002	1048	SOIL	PCB	PCB-1260	0.333	10	
GIPI-59-B11-9	3/4/2002	1109	SOIL	PCB	PCB-1260	0.229	10	
GIPI-59-B12-1	2/27/2002	1005	SOIL	PCB	PCB-1260	1.160	10	
GIPI-59-B12-2	2/27/2002	1008	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B12-6	2/27/2002	1020	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B13-1	2/27/2002	0905	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B13-2	2/27/2002	0908	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B13-6	2/27/2002	0920	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B14-1	2/27/2002	1445	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B14-2	2/27/2002	1448	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B14-6	2/27/2002	1459	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B15-1	2/26/2002	1130	SOIL	PCB	PCB-1260	0.325	10	
GIPI-59-B15-2	2/26/2002	1133	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B15-11	2/26/2002	1200	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B16-1	2/28/2002	0900	SOIL	PCB	PCB-1260	0.375	10	
GIPI-59-B16-2	2/28/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B16-11	2/28/2002	0930	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B17-1	2/28/2002	0955	SOIL	PCB	PCB-1260	0.130	10	
GIPI-59-B17-2	2/28/2002	0958	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B17-12	2/28/2002	1027	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B18-1	2/26/2002	1050	SOIL	PCB	PCB-1260	0.497	10	
GIPI-59-B18-2	2/26/2002	1053	SOIL	PCB	PCB-1260	0.083	10	
GIPI-59-B18-7	2/26/2002	1108	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B18-11	2/25/2002	1120	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B19-1	2/28/2002	1040	SOIL	PCB	PCB-1260	1.880	10	
GIPI-59-B19-2	2/28/2002	1043	SOIL	PCB	PCB-1260	0.269	10	
GIPI-59-B19-12	2/28/2002	0933	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B20-1	2/26/2002	0950	SOIL	PCB	PCB-1260	0.684	10	
GIPI-59-B20-2	2/26/2002	0953	SOIL	PCB	PCB-1260	0.307	10	
GIPI-59-B20-11	2/26/2002	1020	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B21-1	2/28/2002	1153	SOIL	PCB	PCB-1260	0.156	10	
GIPI-59-B21-2	2/28/2002	1156	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B21-7	2/28/2002	1315	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B21-8	2/28/2002	1318	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B21-11	3/4/2002	0836	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B22-1	3/4/2002	1348	SOIL	PCB	PCB-1260	0.219	10	

TABLE A-12
BUILDING 59 (SWITCH HOUSE)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-59-B22-2	3/4/2002	1351	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B22-12	3/4/2002	1545	SOIL	PCB	PCB-1260	0.035	10	
GIPI-59-B23-1	3/4/2002	0900	SOIL	PCB	PCB-1260	0.292	10	
GIPI-59-B23-2	3/4/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B23-12	3/4/2002	0933	SOIL	PCB	PCB-1260	0.035	10	
GIPI-59-B24-1	2/26/2002	1400	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B24-2	2/26/2002	1403	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B24-12	2/26/2002	1433	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B25-1	2/27/2002	0830	SOIL	PCB	PCB-1260	1.740	10	
GIPI-59-B25-2	2/27/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B25-12	2/27/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B26-1	3/4/2002	0950	SOIL	PCB	PCB-1260	1.510	10	
GIPI-59-B26-2	3/4/2002	0953	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B26-12	3/4/2002	1022	SOIL	PCB	PCB-1260	0.263	10	
GIPI-59-B27-1	2/28/2002	1510	SOIL	PCB	PCB-1260	0.040	10	
GIPI-59-B27-2	2/28/2002	1513	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B27-12	2/28/2002	1542	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B28-1	2/28/2002	1400	SOIL	PCB	PCB-1260	0.020	10	
GIPI-59-B28-2	2/28/2002	1403	SOIL	PCB	PCB-1260	U	10	
GIPI-59-B28-12	2/28/2002	1433	SOIL	PCB	PCB-1260	U	10	

* All samples collected within Table A-12 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-13
BUILDING 60 (TRANSFORMER VAULT)
PERIMETER SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 3'

TABLE A-13
BUILDING 60 (TRANSFORMER VAULT)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B60-PCB-1	04/12/01	1405	GW	PCB	**Arochlor-1260**	**0.536**		WR, FR
GI-B60-CS-1	04/12/01	1500	S	PCB	Arochlor-1260	U	10	WR, FR, SBC
GI-B60-CS-2	04/12/01	1529	S	PCB	**Arochlor-1260**	**53.200**	**10**	WR, FR, SBC
GI-B60-CS-3	04/16/01	1332	S	PCB	**Arochlor-1260**	**317.000**	**10**	WR, FR, SBC
GI-B60-CS-4	04/16/01	1334	S	PCB	Arochlor-1260	0.585	10	WR, FR, SBC
GI-B60-CS-5	04/12/01	1358	S	PCB	Arochlor-1260	0.931	10	WR, FR, SBC
GI-B60-CS-6	04/12/01	1401	S	PCB	Arochlor-1260	0.624	10	WR, FR, SBC
GI-B60-CS-7	04/12/01	1404	S	PCB	Arochlor-1260	0.990	10	WR, FR, SBC
GI-B60-CS-8	04/12/01	1512	S	PCB	Arochlor-1260	0.511	10	WR, FR, SBC
GI-B60-CS-9	04/12/01	1410	S	PCB	Arochlor-1260	1.570	10	WR, FR, SBC
GI-B60-CS-10	04/12/01	1519	S	PCB	Arochlor-1260	0.575	10	WR, FR, SBC
GI-B60-CS-11	04/12/01	1515	S	PCB	Arochlor-1260	0.953	10	WR, FR, SBC
GI-B60-CS-12	04/12/01	1520	S	PCB	Arochlor-1260	0.870	10	WR, FR, SBC
GI-B60-CS-13	04/12/01	1523	S	PCB	Arochlor-1260	0.400	10	WR, FR, SBC
GI-B60-CS-14	04/12/01	1526	S	PCB	Arochlor-1260	**20.000**	**10**	WR, FR, SBC

Bold = excedence of Action Level
GW = Groundwater.
S = Soil
WR = Building walls removed and disposed of in 2000.
FS = Floor slab removed and disposed of in March/April 2001
FR = Floor slab remains.
SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 5'

TABLE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-60-B1-CTR	1/14/2002	0835	SOIL	PCB	PCB-1260	**134.0**	10	
GIPI-60-B1-6	1/14/2002	0910	SOIL	PCB	PCB-1260	**23.6**	10	
GIPI-60-B1-7	1/14/2002	0910	SOIL	PCB	PCB-1260	0.126	10	
GIPI-60-B1-8	1/14/2002	0912	SOIL	PCB	PCB-1260	2.15	10	
GIPI-60-B1-9	1/14/2002	0915	SOIL	PCB	PCB-1260	0.302	10	
GIPI-60-B1-10	1/14/2002	0918	SOIL	PCB	PCB-1260	0.024	10	
GIPI-60-B2-1	2/14/2002	1120	SOIL	PCB	PCB-1260	0.028	10	
GIPI-60-B2-2	2/14/2002	1123	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B2-3	2/14/2002	1126	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B2-4	2/14/2002	1129	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B2-5	2/14/2002	1132	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B2-6	2/14/2002	1135	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B2-7	2/14/2002	1138	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-1	2/21/2002	0815	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-2	2/21/2002	0818	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-3	2/21/2002	0821	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-4	2/21/2002	0824	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-5	2/21/2002	0827	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-6	2/21/2002	0830	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B3-7	2/21/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-1	2/21/2002	0900	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-2	2/21/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-3	2/21/2002	0906	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-4	2/21/2002	0909	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-5	2/21/2002	0912	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-6	2/21/2002	0915	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B4-7	2/21/2002	0918	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-1	2/21/2002	0930	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-2	2/21/2002	0933	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-3	2/21/2002	0936	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-4	2/21/2002	0939	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-5	2/21/2002	0942	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-6	2/21/2002	0945	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B5-7	2/21/2002	0948	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-1	2/21/2002	1010	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-2	2/21/2002	1013	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-3	2/21/2002	1016	SOIL	PCB	PCB-1260	U	10	

TABLE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-60-B6-4	2/21/2002	1019	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-5	2/21/2002	1022	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-6	2/21/2002	1025	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B6-7	2/21/2002	1028	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-1	2/14/2002	1300	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-2	2/14/2002	1303	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-3	2/14/2002	1306	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-4	2/14/2002	1309	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-5	2/14/2002	1312	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-6	2/14/2002	1315	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B7-7	2/14/2002	1318	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-1	2/14/2002	1330	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-2	2/14/2002	1333	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-3	2/14/2002	1336	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-4	2/14/2002	1339	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-5	2/14/2002	1342	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-6	2/14/2002	1345	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B8-7	2/14/2002	1348	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-1	2/21/2002	1350	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-2	2/21/2002	1353	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-3	2/21/2002	1356	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-4	2/21/2002	1359	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-5	2/21/2002	1402	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-6	2/21/2002	1405	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B9-7	2/21/2002	1408	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-1	2/21/2002	1050	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-2	2/21/2002	1053	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-3	2/21/2002	1056	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-4	2/21/2002	1059	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-5	2/21/2002	1102	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-6	2/21/2002	1105	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B10-7	2/21/2002	1108	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B11-1	2/21/2002	1130	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B11-2	2/21/2002	1133	SOIL	PCB	PCB-1260	0.025	10	
GIPI-60-B11-3	2/21/2002	1136	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B11-4	2/21/2002	1139	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B11-5	2/21/2002	1142	SOIL	PCB	PCB-1260	U	10	

TABLE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-60-B11-6	2/21/2002	1145	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B11-7	2/21/2002	1148	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-1	2/14/2002	1525	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-2	2/14/2002	1528	SOIL	PCB	PCB-1260	0.058	10	
GIPI-60-B12-3	2/14/2002	1532	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-4	2/14/2002	1535	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-5	2/14/2002	1538	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-6	2/14/2002	1541	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B12-7	2/14/2002	1544	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B13-1	2/21/2002	1430	SOIL	PCB	PCB-1260	0.427	10	
GIPI-60-B13-2	2/21/2002	1433	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B13-3	2/21/2002	1436	SOIL	PCB	PCB-1260	0.083	10	
GIPI-60-B13-4	2/21/2002	1439	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B13-5	2/21/2002	1442	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B13-6	2/21/2002	1445	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B13-7	2/21/2002	1448	SOIL	PCB	PCB-1260	0.027	10	
GIPI-60-B14-1	2/22/2002	0820	SOIL	PCB	PCB-1260	**14.2**	10	
GIPI-60-B14-2	2/22/2002	0823	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B14-3	2/22/2002	0826	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B14-4	2/22/2002	0829	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B14-5	2/22/2002	0832	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B14-6	2/22/2002	0835	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B14-7	2/22/2002	0838	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B15-1	2/21/2002	1545	SOIL	PCB	PCB-1260	**29.2**	10	
GIPI-60-B15-2	2/21/2002	1548	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B15-3	2/21/2002	1551	SOIL	PCB	PCB-1260	7.680	10	
GIPI-60-B15-4	2/21/2002	1554	SOIL	PCB	PCB-1260	0.031	10	
GIPI-60-B15-5	2/21/2002	1557	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B15-6	2/21/2002	1600	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B15-7	2/21/2002	1603	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-1	2/14/2002	1420	SOIL	PCB	PCB-1260	0.060	10	
GIPI-60-B16-2	2/14/2002	1423	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-3	2/14/2002	1426	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-4	2/14/2002	1429	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-5	2/14/2002	1432	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-6	2/14/2002	1435	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B16-7	2/14/2002	1438	SOIL	PCB	PCB-1260	U	10	

TABLE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-60-B17-1	2/21/2002	1503	SOIL	PCB	PCB-1260	0.091	10	
GIPI-60-B17-2	2/21/2002	1506	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B17-3	2/21/2002	1509	SOIL	PCB	PCB-1260	0.167	10	
GIPI-60-B17-4	2/21/2002	1512	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B17-5	2/21/2002	1515	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B17-6	2/21/2002	1518	SOIL	PCB	PCB-1260	0.026	10	
GIPI-60-B17-7	2/21/2002	1521	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-1	2/22/2002	0840	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-2	2/22/2002	0843	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-8	2/22/2002	0901	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-9	2/22/2002	0904	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-10	2/22/2002	0907	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-11	2/22/2002	0910	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B18-12	2/22/2002	0913	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-1	2/25/2002	0900	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-2	2/25/2002	0903	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-8	2/25/2002	0921	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-9	2/25/2002	0924	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-10	2/25/2002	0927	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-11	2/25/2002	0930	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B19-12	2/25/2002	0933	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-1	2/22/2002	1100	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-2	2/22/2002	1103	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-8	2/22/2002	1121	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-9	2/22/2002	1124	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-10	2/22/2002	1127	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-11	2/22/2002	1130	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B20-12	2/22/2002	1133	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-1	2/22/2002	1300	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-2	2/22/2002	1303	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-8	2/22/2002	1321	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-9	2/22/2002	1324	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-10	2/22/2002	1327	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-11	2/22/2002	1330	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B21-12	2/22/2002	1333	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-1	2/22/2002	1345	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-2	2/22/2002	1348	SOIL	PCB	PCB-1260	U	10	

TABLE A-14
BUILDING 60 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-60-B22-8	2/22/2002	1406	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-9	2/22/2002	1409	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-10	2/22/2002	1412	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-11	2/22/2002	1415	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B22-12	2/22/2002	1418	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-1	2/22/2002	1425	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-2	2/22/2002	1428	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-8	2/22/2002	1446	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-9	2/22/2002	1449	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-10	2/22/2002	1452	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-11	2/22/2002	1455	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B23-12	2/22/2002	1458	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-1	2/22/2002	1530	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-2	2/22/2002	1533	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-8	2/22/2002	1551	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-9	2/22/2002	1554	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-10	2/22/2002	1557	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-11	2/22/2002	1600	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B24-12	2/22/2002	1603	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-1	2/25/2002	0800	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-2	2/25/2002	0803	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-8	2/25/2002	0821	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-9	2/25/2002	0824	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-10	2/25/2002	0827	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-11	2/25/2002	0830	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B25-12	2/25/2002	0833	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-1	2/22/2002	1000	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-2	2/22/2002	1003	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-8	2/22/2002	1021	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-9	2/22/2002	1024	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-10	2/22/2002	1027	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-11	2/22/2002	1030	SOIL	PCB	PCB-1260	U	10	
GIPI-60-B26-12	2/22/2002	1033	SOIL	PCB	PCB-1260	U	10	

* All samples collected within Table A-14 were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-15
BUILDING 61 (TRANSFORMER VAULT)
PERIMETER SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 3'

TABLE A-15
BUILDING 61 (TRANSFORMER VAULT)
PERIMETER SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GI-B61-CS-1	04/16/01	1359	S	PCB	Arochlor-1260	0.847	10	WR, FS, SBC
GI-B61-CS-2	04/16/01	1401	S	PCB	Arochlor-1260	U	10	WR, FS, SBC
GI-B61-CS-3	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-4	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-5	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-6	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-7	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-8	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-9	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-10	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-11	----	----	S	PCB	Arochlor-1260	----	10	WR, FS - Not Sampled-Extensive Fill
GI-B61-CS-12	04/16/01	1347	S	PCB	Arochlor-1260	0.573	10	WR, FS
GI-B61-CS-13	04/16/01	1530	S	PCB	Arochlor-1260	U	10	WR, FS
GI-B61-CS-14	04/16/01	1343	S	PCB	Arochlor-1260	0.350	10	WR, FS, SBC

Bold = excedence of Action Level

GW = Groundwater.

S = Soil

WR = Building walls removed and disposed of in 2000.

FS = Floor slab removed and disposed of in March/April 2001

FR = Floor slab remains.

SBC = Soil sample collected from beneath concrete slab.

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.



FIGURE A-16
BUILDING 61 (TRANSFORMER VAULT)
GEOPROBE SAMPLING LOCATIONS

APPROXIMATE SCALE: 1" = 5'

TABLE A-16
BUILDING 61 (TRANSFORMER VAULT)
GEOPROBE SAMPLING DETECTION TABLE

LOCATION ID	DATE	TIME	MATRIX	ANALYSIS	PARAMETER	DETECTION (ppm)	ACTION LEVEL	COMMENTS
GIPI-61-B1-CTR	1/14/2002	1030	SOIL	PCB	PCB-1260	0.023	10	
GIPI-61-B1-6	1/14/2002	1045	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B1-7	1/14/2002	1048	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B1-8	1/14/2002	1055	SOIL	PCB	PCB-1260	0.056	10	
GIPI-61-B2-1	2/28/2002	1029	SOIL	PCB	PCB-1260	2.347	10	
GIPI-61-B2-2	2/28/2002	1032	SOIL	PCB	PCB-1260	2.680	10	
GIPI-61-B2-5	2/28/2002	1038	SOIL	PCB	PCB-1260	0.654	10	
GIPI-61-B3-1	3/4/2002	1330	SOIL	PCB	PCB-1260	0.478	10	
GIPI-61-B4-1	3/4/2002	1345	SOIL	PCB	PCB-1260	0.048	10	
GIPI-61-B4-2	3/4/2002	1348	SOIL	PCB	PCB-1260	0.266	10	
GIPI-61-B5-1	2/28/2002	0748	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B5-2	2/28/2002	0751	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B5-5	2/28/2002	0800	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B6-1	2/27/2002	1206	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B6-2	2/27/2002	1209	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B6-5	2/27/2002	1217	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B7-1	2/27/2002	1145	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B7-2	2/27/2002	1148	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B7-5	2/27/2002	1157	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B8-1	2/27/2002	1127	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B8-2	2/27/2002	1130	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B8-3	2/27/2002	1133	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B8-4	2/27/2002	1136	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B9-1	2/27/2002	1106	SOIL	PCB	PCB-1260	0.507	10	
GIPI-61-B9-2	2/27/2002	1109	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B9-5	2/27/2002	1118	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B14-1	3/4/2002	1350	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B14-2	3/4/2002	1353	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B14-3	3/4/2002	1356	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B14-4	3/4/2002	1359	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B15-1	3/4/2002	1445	SOIL	PCB	PCB-1260	0.460	10	
GIPI-61-B15-2	3/4/2002	1448	SOIL	PCB	PCB-1260	2.290	10	
GIPI-61-B15-3	3/4/2002	1451	SOIL	PCB	PCB-1260	U	10	
GIPI-61-B15-4	3/4/2002	1454	SOIL	PCB	PCB-1260	U	10	

* All samples collected were analyzed using USEPA Method 8082, but only PCB-1260 was detected.

APPENDIX B

PHOTOGRAPHIC DOCUMENTATION

PHOTO 1
FIELD SCREENING LOCATION GIPI-B32R-FS-3
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 2
FIELD SCREENING LOCATION GIPI-B32R-FS-3
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 3
FIELD SCREENING LOCATION GIPI-B32R-FS-5
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 4
FIELD SCREENING LOCATION GIPI-B32R-FS-5
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 5
FIELD SCREENING LOCATION GIPI-B32R-FS-6
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 6
FIELD SCREENING LOCATION GIPI-B32R-FS-6
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 6, 2002

PHOTO 7
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONCRETE REMOVAL
AUGUST 20, 2002

PHOTO 8
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONCRETE REMOVAL
AUGUST 20, 2002

PHOTO 9
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 26, 2002

PHOTO 10
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 27, 2002

PHOTO 11
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 6, 2002

PHOTO 12
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 6, 2002

PHOTO 13
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 6, 2002

PHOTO 14
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 13, 2002

PHOTO 15
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING WITH CONCRETE DEBRIS
OCTOBER 1, 2002

PHOTO 16
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING WITH CONCRETE DEBRIS
OCTOBER 1, 2002

PHOTO 17
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING WITH CONCRETE DEBRIS
OCTOBER 2, 2002

PHOTO 18
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
BACKFILL COMPLETE/SLOPE RIP-RAPPED
OCTOBER 17, 2002

PHOTO 19
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 14, 2002

PHOTO 20
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 14, 2002

PHOTO 21
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 14, 2002

PHOTO 22
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 15, 2002

PHOTO 23
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
ELECTRICAL CONDUIT
AUGUST 15, 2002

PHOTO 24
SAMPLE LOCATION GIPI-53-B19
PCB CONTAMINATED SOIL REMEDIATION
CONFIRMATORY SAMPLE LOCATIONS
AUGUST 15, 2002

PHOTO 25
SAMPLE LOCATION GIPI-54B29
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 5, 2002

PHOTO 26
SAMPLE LOCATION GIPI-54B29
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 19, 2002

PHOTO 27
SAMPLE LOCATION GIPI-54B42
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 5, 2002

PHOTO 28
SAMPLE LOCATION GIPI-54B42 & GIPI-54B40
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 5, 2002

PHOTO 29
SAMPLE LOCATION GIPI-54B40
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 5, 2002

PHOTO 30
SAMPLE LOCATION GIPI-54B45 & GIPI-54B48
PCB CONTAMINATED SOIL REMEDIATION
CONTAMNATED SOIL/SEDIMENT REMOVAL
SEPTEMBER 6, 2002

PHOTO 31
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
MAY 14, 2001

PHOTO 32
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
MAY 14, 2001

PHOTO 33
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
MAY 14, 2001

PHOTO 34
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
MAY 21, 2001

PHOTO 35
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 6, 2002

PHOTO 36
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 26, 2002

PHOTO 37
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 30, 2002

PHOTO 38
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 30, 2002

PHOTO 39
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 30, 2002

PHOTO 40
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
OCTOBER 2, 2002

PHOTO 41
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
EXCAVATION LINED WITH POLY SHEETING
OCTOBER 10, 2002

PHOTO 42
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
EXCAVATION PARTIALLY BACKFILLED
OCTOBER 17, 2002

PHOTO 43
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 15, 2002

PHOTO 44
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 15, 2002

PHOTO 45
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 19, 2002

PHOTO 46
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING EXCAVATION WITH CLEAN FILL
AUGUST 27, 2002

PHOTO 47
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING EXCAVATION WITH CLEAN FILL
AUGUST 27, 2002

PHOTO 48
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING EXCAVATION WITH CLEAN FILL
AUGUST 27, 2002

PHOTO 49
BULDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
SEPTEMBER 17, 2002

PHOTO 50
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
SEPTEMBER 19, 2002

PHOTO 51
SAMPLING LOCATION GIPI-59B10 & GIPI-59B11
PCB CONTAMINATED SOIL RMEDIATION
CONTAMINATED SOIL REMOVAL
OCTOBER 2, 2002

PHOTO 52
SAMPLING LOCATION GIPI-59B10 & GIPI-59B11
PCB CONTAMINATED SOIL REMEDIATION
HOT SPOT REMOVAL
SEPTEMBER 19, 2002

PHOTO 53
SAMPLING LOCATION GIPI-59B25
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
OCTOBER 2, 2002

PHOTO 54
SAMPLING LOCATION GIPI-RD-Q26B
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
SEPTEMBER 18, 2002

PHOTO 55
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
UIC CLOSURE EXCAVATION
SEPTEMBER 18, 2002

PHOTO 56
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
UIC CLOSURE EXCAVATION
SEPTEMBER 18, 2002

PHOTO 57
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
UIC CLOSURE HOT SPOT EXCAVATION
SEPTEMBER 26, 2002

PHOTO 58
BUILDING 59 (SWITCH HOUSE)
WATER PIPE RUNNING FROM BUILDING 59
TO BUILDING 58
OCTOBER 2, 2002

PHOTO 59
BUILDING 59 (SWITCH HOUSE)
WATER PIPE RUNNING FROM
BUILDING 59 ENTERING BUILDING 58
OCTOBER 2, 2002

PHOTO 60
BUILDING 58 (DEEP WELL HOUSE)
VALVE ATTACHED TO WATER PIPE
ENTERING FROM BUILDING 59
OCTOBER 2, 2002

PHOTO 61
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 7, 2002

PHOTO 62
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 7, 2002

PHOTO 63
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 7, 2002

PHOTO 64
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 7, 2002

PHOTO 65
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 7, 2002

PHOTO 66
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 15, 2002

PHOTO 67
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 8, 2002

PHOTO 68
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 8, 2002

PHOTO 69
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
AUGUST 8, 2002

PHOTO 70
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED CONCRETE/SOIL REMOVAL
SEPTEMBER 17, 2002

PHOTO 71
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
HOT SPOT REMOVAL - SIDEWALL NORTH
SEPTEMBER 17, 2002

PHOTO 72
BUILDING 61 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
HOT SPOT REMOVAL - SIDEWALL NORTH
SEPTEMBER 17, 2002

PHOTO 73
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT AREA
OCTOBER 7, 2002

PHOTO 74
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #1
OCTOBER 7, 2002

PHOTO 75
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #2
OCTOBER 7, 2002

PHOTO 76
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #3
OCTOBER 8, 2002

PHOTO 77
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #4
OCTOBER 8, 2002

PHOTO 78
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT AREA
OCTOBER 7, 2002

PHOTO 79
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #1
OCTOBER 7, 2002

PHOTO 80
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #2
OCTOBER 7, 2002

PHOTO 81
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #3
OCTOBER 7, 2002

PHOTO 82
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #4
OCTOBER 8, 2002

PHOTO 83
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #5
OCTOBER 8, 2002

PHOTO 84
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT AREA
OCTOBER 8, 2002

PHOTO 85
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #1
OCTOBER 8, 2002

PHOTO 86
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATON
PIPE CONDUIT TEST PIT #2
OCTOBER 8, 2002

PHOTO 87
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #3
OCTOBER 8, 2002

PHOTO 88
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #4
OCTOBER 8, 2002

PHOTO 89
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT AREA
OCTOBER 7, 2002

PHOTO 90
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #1
OCTOBER 7, 2002

PHOTO 91
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #2
OCTOBER 7, 2002

PHOTO 92
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #3
OCTOBER 8, 2002

PHOTO 93
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #4
OCTOBER 8, 2002

PHOTO 94
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT AREA
OCTOBER 7, 2002

PHOTO 95
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #1
OCTOBER 7, 2002

PHOTO 96
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #2
OCTOBER 7, 2002

PHOTO 97
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #3
OCTOBER 8, 2002

PHOTO 98
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PIPE CONDUIT TEST PIT #4
OCTOBER 8, 2002

PHOTO 99
FIELD SCREENING LOCATION GIPI-B32R-FS-6
PCB CONTAMINATED SOIL REMEDIATON
BACKFILLED & CLEAN FILL SPREAD
AUGUST 26, 2002

PHOTO 100
GRID/BORING LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
TOPSOIL SPREADING
OCTOBER 17, 2002

PHOTO 101
BUILDING 53 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
TOPSOIL SPREADING
OCTOBER 18, 2002

PHOTO 102
BUILDING 56 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
TPH SOIL COVERED WITH POLY
OCTOBER 21, 2002

PHOTO 103
BUILDING 60 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATON
HYDROSEEDING
OCOTBER 21, 2002

PHOTO 104
BUILDING 60 (TRANSFOMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
HYDROSEEDING
OCTOBER 21, 2002

PHOTO 105
SAMPLE LOCATION GIPI-B32R-FS-3
PCB CONTAMINATED SOIL REMEDIATON
HYDROSEEDING
OCTOBER 21, 2002

PHOTO 106
GRID/SAMPLE LOCATION F2
PCB CONTAMINATED SOIL REMEDIATION
HYDROSEEDING
OCTOBER 21, 2002

PHOTO 107
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
HYDROSEEDING
OCTOBER 21, 2002

PHOTO 108
BUILDING 59 (SWITCH HOUSE)
PCB CONTAMINATED SOIL REMEDIATION
HYDROSEEDING
OCTOBER 21, 2002

PHOTO 109
BUILDING 32 (TORPEDO OVERHAUL SHOP)
REVEGETATION
JUNE 26, 2003

PHOTO 110
BUILDING 60 (TRANSFORMER VAULT)
REVEGETATION
JUNE 26, 2003

PHOTO 111
BUILDING 59 (SWITCH HOUSE)
REVEGETATION
JUNE 26, 2003

PHOTO 112
BUILDING 33 (POWER HOUSE)
REVEGETATION
JUNE 26, 2003

PHOTO 113
SAMPLE LOCATION GIPI-B32R-FS-3
REVEGETATION
JUNE 26, 2003

PHOTO 114
BUILDING 33 (POWER HOUSE)
REVEGETATION
JUNE 26, 2003

PHOTO 115
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CLEAN SOIL/ROCK REMOVAL
JUNE 26, 2003

PHOTO 116
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CLEAN SOIL/ROCK REMOVAL
JULY 2, 2003

PHOTO 117
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL - SWE-CS5
JULY 3, 2003

PHOTO 118
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CLEAN SOIL/ROCK REMOVAL
JULY 3, 2003

PHOTO 119
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CLEAN SOIL/ROCK REMOVAL
JULY 3, 2003

PHOTO 120
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CLEAN SOIL/ROCK REMOVAL
JULY 3, 2003

PHOTO 121
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 8, 2003

PHOTO 122
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 8, 2003

PHOTO 123
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 8, 2003

PHOTO 124
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 8, 2003

PHOTO 125
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 8, 2003

PHOTO 126
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
MOBILIZING FOR SHEET PILE INSTALLATION
JULY 10, 2003

PHOTO 127
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - SOUTH WALL
JULY 9, 2003

PHOTO 128
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - SOUTH WALL
JULY 9, 2003

PHOTO 129
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - SOUTH WALL
JULY 10, 2003

PHOTO 130
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - SOUTH WALL
JULY 10, 2003

PHOTO 131
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - SOUTH WALL
JULY 10, 2003

PHOTO 132
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - WEST WALL
JULY 10, 2003

PHOTO 133
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - WEST WALL
JULY 10, 2003

PHOTO 134
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - WEST WALL
JULY 10, 2003

PHOTO 135
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - WEST WALL
JULY 10, 2003

PHOTO 136
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - WEST WALL
JULY 11, 2003

PHOTO 137
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - NORTH WALL
JULY 14, 2003

PHOTO 138
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - NORTH WALL
JULY 14, 2003

PHOTO 139
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - NORTH WALL
JULY 14, 2003

PHOTO 140
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - EAST WALL
JULY 15, 2003

PHOTO 141
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - EAST WALL
JULY 16, 2003

PHOTO 142
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - EAST WALL
JULY 17, 2003

PHOTO 143
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION
JULY 16, 2003

PHOTO 144
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE INSTALLATION - CUT TO GRADE
JULY 21, 2003

PHOTO 145
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING BEHIND CUT SHEETS
JULY 21, 2003

PHOTO 146
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING BEHIND CUT SHEETS
JULY 22, 2003

PHOTO 147
BUILDING 54 (TRANSFORMER VAULT)
PCB CPMTAMINATED SOIL REMEDIATION
BACKFILLING BEHIND CUT SHEETS
JULY 23, 2003

PHOTO 148
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
JULY 25, 2003

PHOTO 149
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
JULY 28, 2003

PHOTO 150
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
JULY 29, 2003

PHOTO 151
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
JULY 31, 2003

PHOTO 152
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
JULY 31, 2003

PHOTO 153
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
UPPER WHALER/STRUT INSTALLATION
AUGUST 5, 2003

PHOTO 154
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT INSTALLATION
AUGUST 7, 2003

PHOTO 155
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT INSTALLATION
AUGUST 12, 2003

PHOTO 156
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT INSTALLATION
AUGUST 14, 2003

PHOTO 157
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT INSTALLATION
AUGUST 14, 2003

PHOTO 158
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 19, 2003

PHOTO 159
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 19, 2003

PHOTO 160
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 20, 2003

PHOTO 161
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 20, 2003

PHOTO 162
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONTAMINATED SOIL REMOVAL
AUGUST 27, 2003

PHOTO 163
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONFIRMATORY SAMPLE LOCATIONS
AUGUST 27, 2003

PHOTO 164
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONFIRMATROY SAMPLE LOCATIONS
AUGUST 27, 2003

PHOTO 165
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
CONFIRMATORY SAMPLE LOCATIONS
AUGUST 27, 2003

PHOTO 166
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
GROUNDWATER SHEEN
SEPTEMBER 4, 2003

PHOTO 167
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
GROUNDWATER SHEEN
SEPTEMBER 4, 2003

PHOTO 168
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
GROUNDWATER SHEEN
SEPTEMBER 4, 2003

PHOTO 169
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 170
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 171
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 172
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 173
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 174
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILLING TO LOWER WHALER
SEPTEMBER 5, 2003

PHOTO 175
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
NORTHWEST CORNER PRIOR TO BACKFILL
SEPTEMBER 8, 2003

PHOTO 176
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
NORTHWEST CORNER PRIOR TO BACKFILL
SEPTEMBER 8, 2003

PHOTO 177
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
NORTHWEST CORNER PRIOR TO BACKFILL
SEPTEMBER 8, 2003

PHOTO 178
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
NORTHWEST CORNER BACKFILLED
SEPTEMBER 10, 2003

PHOTO 179
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILL TO LOWER WHALER COMPLETE
SEPTEMBER 10, 2003

PHOTO 180
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT REMOVAL
SEPTEMBER 10, 2003

PHOTO 181
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT REMOVAL
SEPTEMBER 15, 2003

PHOTO 182
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
LOWER WHALER/STRUT REMOVAL
SEPTEMBER 16, 2003

PHOTO 183
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PVC PIPE INSTALLATION - NW CORNER
SEPTEMBER 17, 2003

PHOTO 184
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PVC PIPE INSTALLATION - NW CORNER
SEPTEMBER 17, 2003

PHOTO 185
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PVC PIPE INSTALLATION - NW CORNER
SEPTEMBER 17, 2003

PHOTO 186
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
PVC PIPE INSTALLATION - NW CORNER
SEPTEMBER 17, 2003

PHOTO 187
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE REMOVAL - EAST WALL
SEPTEMBER 18, 2003

PHOTO 188
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE REMOVAL - SOUTH WALL
SEPTEMBER 18, 2003

PHOTO 189
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE REMOVAL - WEST WALL
SEPTEMBER 23, 2003

PHOTO 190
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE REMOVAL - WEST WALL
SEPTEMBER 23, 2003

PHOTO 191
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
SHEET PILE REMOVAL - NORTH WALL
SEPTEMBER 23, 2003

PHOTO 192
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILL AND GRADING
SEPTEMBER 23, 2003

PHOTO 193
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILL AND GRADING
SEPTEMBER 23, 2003

PHOTO 194
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
BACKFILL AND GRADING
SEPTEMBER 23, 2003

PHOTO 195
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
FINAL GRADING WITH ROCK RIP-RAP
SEPTEMBER 25, 2003

PHOTO 196
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
FINAL GRADING WITH ROCK RIP-RAP
SEPTEMBER 25, 2003

PHOTO 197
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
FINAL GRADING WITH ROCK RIP-RAP
SEPTEMBER 25, 2003

PHOTO 198
BUILDING 54 (TRANSFORMER VAULT)
PCB CONTAMINATED SOIL REMEDIATION
FINAL GRADING WITH ROCK RIP-RAP
SEPTEMBER 25, 2003

APPENDIX C

CONFIRMATORY SAMPLING LOCATIONS, DETECTION TABLE AND ANALYTICAL RESULTS



SAMPLE	RESULT
GIPII-FS5-SWN-CS1	U
GIPII-FS5-SWE-CS1	U
GIPII-FS5-SWS-CS1	U
GIPII-FS5-SWW-CS1	U
GIPII-FS5-BOT-CS1	U

SAMPLE	RESULT
GIPII-FS6-SWN-CS1	U
GIPII-FS6-SWE-CS1	0.059
GIPII-FS6-SWS-CS1	U
GIPII-FS6-SWW-CS1	U
GIPII-FS6-BOT-CS1	U

SAMPLE	RESULT
GIPII-FS3-SWN-CS1	U
GIPII-FS3-SWE-CS1	U
GIPII-FS3-SWS-CS1	U
GIPII-FS3-SWW-CS1	U
GIPII-FS3-BOT-CS1	U

NOTE: All three areas (FS-3, FS-5, and FS-6) were excavated to 2' B.G.

FIGURE C-1
CONCRETE ROADWAY LOCATION
GIPI-B32R-FS3, GIPI-B32R-FS5 AND GIPI-B32R-FS6
CONFIRMATORY SAMPLING LOCATIONS
SCALE: AS SHOWN

SAMPLE ID	RESULT
GIPII-F2-SWN-CS1	**50.2**
GIPII-F2-SWN-CS1A	*
GIPII-F2-SWN-CS2	**117**
GIPII-F2-SWN-CS2A	*
GIPII-F2-SWN-CS3	5.72
GIPII-F2-SWN-CS4	**11.1**
GIPII-F2-SWN-CS4A	*
GIPII-F2-SWE-CS1	0.024
GIPII-F2-SWE-CS2	0.054
GIPII-F2-SWE-CS3	0.253
GIPII-F2-SWE-CS4	U
GIPII-F2-SWS-CS1	0.042
GIPII-F2-SWS-CS2	U
GIPII-F2-SWS-CS3	U
GIPII-F2-SWS-CS4	U
GIPII-F2-SWW-CS1	**51.5**
GIPII-F2-SWW-CS1A	U
GIPII-F2-SWW-CS2	**8400**
GIPII-F2-SWW-CS2A	U
GIPII-F2-SWW-CS3	**23.7**
GIPII-F2-SWW-CS3A	U
GIPII-F2-SWW-CS4	0.105
GIPII-F2-BOT-CS1	**57.4**
GIPII-F2-BOT-CS1A	**11**
GIPII-F2-BOT-CS1B	**28.5**
GIPII-F2-BOT-CS1C	**12.3**
GIPII-F2-BOT-CS1D	**30.4**
GIPII-F2-BOT-CS1E	0.457
GIPII-F2-BOT-CS2	**34.3**
GIPII-F2-BOT-CS2A	0.871



SAMPLE ID	RESULT
GIPII-F2-BOT-CS3	**15.4**
GIPII-F2-BOT-CS3A	3.54
GIPII-F2-BOT-CS4	**23**
GIPII-F2-BOT-CS4A	0.021
GIPII-F2-BOT-CS5	**185**
GIPII-F2-BOT-CS5A	**21.2**
GIPII-F2-BOT-CS5B	**14.8**
GIPII-F2-BOT-CS5C	5.96
GIPII-F2-BOT-CS6	**49.4**
GIPII-F2-BOT-CS6A	**12.5**
GIPII-F2-BOT-CS6B	3.36
GIPII-F2-BOT-CS7	4.14
GIPII-F2-BOT-CS8	0.362
GIPII-F2-BOT-CS9	**10.7**
GIPII-F2-BOT-CS9A	**11.2**
GIPII-F2-BOT-CS9B	**10.3**
GIPII-F2-BOT-CS9C	4.26
GIPII-F2-BOT-CS10	2.54
GIPII-F2-BOT-CS11	0.378
GIPII-F2-BOT-CS12	1.13
GIPII-F2-BOT-CS13	9.65
GIPII-F2-BOT-CS13A	0.23
GIPII-F2-BOT-CS14	1.42
GIPII-F2-BOT-CS15	0.13
GIPII-F2-BOT-CS16	0.043
GIPII-F2-BOT-CS17	4.1
GIPII-F2-BOT-CS18	0.045
GIPII-F2-BOT-CS19	**21.8**
GIPII-F2-BOT-CS19A	4

C-2

* ALL SOIL REMOVED ALONG NORTH SIDE OF EXCAVATION (AGAINST SEAWALL). NO SAMPLE

NOTE: Final excavation depth was 8'-13' B.G.

FIGURE C-2
GRID/BORING LOCATION F2
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1' = 10'



SAMPLE ID	RESULT
GIPII-B53-SWN-CS1	1.15
GIPII-B53-SWN-CS2	U
GIPII-B53-SWE-CS1	U
GIPII-B53-SWE-CS2	0.12
GIPII-B53-SWS-CS1	U
GIPII-B53-SWS-CS2	U
GIPII-B53-SWW-CS1	U
GIPII-B53-SWW-CS2	0.128
GIPII-B53-BOT-CS1	0.187
GIPII-B53-BOT-CS2	U
GIPII-B53-BOT-CS3	U
GIPII-B53-BOT-CS4	0.176

SAMPLE ID	RESULT
GIPII-53B19-SWN-CS1	0.14
GIPII-53B19-SWE-CS1	0.105
GIPII-53B19-SWS-CS1	0.017
GIPII-53B19-SWW-CS1	**67.2**
GIPII-53B19-SWW-CS1A	U
GIPII-53B19-BOT-CS1	0.146

Note: The final excavation depth was 10' B.G. for the building foundation area and 2'-4' B.G. for the B19 hot spot.

FIGURE C-3
BUILDING 53 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 5'



(A) ALL SOIL REMOVED ALONG SOUTH END BETWEEN 54B29 AND 54B45. NO SAMPLE COLLECTED

(B) NO SAMPLE COLLECTED DUE TO SHEET PILE WALL ALONG WEST SIDE OF EXCAVATION

SAMPLE ID	RESULT
GIPII-54B45-SWN-CS1	0.289
GIPII-54B45-SWE-CS1	0.059
GIPII-54B45-SWS-CS1	**4.34**
GIPII-54B45-SWS-CS1A	0.231
GIPII-54B45-SWW-CS1	0.389
GIPII-54B45-BOT-CS1	U

SAMPLE ID	RESULT
GIPII-54B29-SWN-CS1	U
GIPII-54B29-SWE-CS1	U
GIPII-54B29-SWS-CS1	**1.01**
GIPII-54B29-SWS-CS1A	**9.64**
GIPII-54B29-SWS-CS1B	(A)
GIPII-54B29-SWW-CS1	0.044
GIPII-54B29-BOT-CS1	U

SAMPLE ID	RESULT
GIPII-54B48-SWN-CS1	U
GIPII-54B48-SWE-CS1	U
GIPII-54B48-SWS-CS1	0.022
GIPII-54B48-SWW-CS1	0.116
GIPII-54B48-BOT-CS1	U

SAMPLE ID	RESULT
GIPII-54B40-SWN-CS1	0.109
GIPII-54B40-SWE-CS1	U
GIPII-54B40-SWS-CS1	1.016
GIPII-54B40-SWW-CS1	(B)
GIPII-54B40-BOT-CS1	0.119

SAMPLE ID	RESULT
GIPII-54B42-SWN-CS1	U
GIPII-54B42-SWE-CS1	U
GIPII-54B42-SWS-CS1	0.188
GIPII-54B42-SWW-CS1	(B)
GIPII-54B42-BOT-CS1	0.072

Note: Final excavtion depths were as follows:
B45 = 4' B.G.
B40 = 3' B.G.
B29 = 2' B.G.
B.42 = 2' B.G.
B48 = 2' B.G.

FIGURE C-4
HOT SPOT LOCATION 54B29, 54B40, 54B42, 54B45 & 54B48
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 6'

SAMPLE ID	RESULT
GIPII-B54-SWN-CS1	U
GIPII-B54-SWN-CS2	U
GIPII-B54-SWN-CS3	U
GIPII-B54-SWN-CS4	1.43
GIPII-B54-SWE-CS1	U
GIPII-B54-SWE-CS2	U
GIPII-B54-SWE-CS3	0.489
GIPII-B54-SWE-CS4	0.115
GIPII-B54-SWE-CS5	**35.7**
GIPII-B54-SWS-CS1	0.314
GIPII-B54-SWS-CS2	U
GIPII-B54-SWS-CS3	U
GIPII-B54-SWS-CS4	U
GIPII-B54-SWW-CS1	U
GIPII-B54-SWW-CS2	U
GIPII-B54-SWW-CS3	0.109
GIPII-B54-SWW-CS4	0.03
GIPII-B54-BOT-CS1	0.389
GIPII-B54-BOT-CS2	3.72
GIPII-B54-BOT-CS3	3.99
GIPII-B54-BOT-CS4	6.33
GIPII-B54-BOT-CS5	1.82
GIPII-B54-BOT-CS6	**17.8**
GIPII-B54-BOT-CS7	**26.7**
GIPII-B54-BOT-CS8	**22.5**
GIPII-B54-BOT-CS9	0.157
GIPII-B54-BOT-CS10	3.81
GIPII-B54-BOT-CS11	**24.4**
GIPII-B54-BOT-CS12	**12.7**
GIPII-B54-BOT-CS13	**18.8**
GIPII-B54-BOT-CS14	0.656
GIPII-B54-BOT-CS15	3.87
GIPII-B54-BOT-CS16	**370**
GIPII-B54-BOT-CS17	2.43





Note: Excavation Depth was 14' B.G.

FIGURE C-5
BUILDING 54 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS - OCTOBER 2002
APPROXIMATE SCALE: 1" = 10'



FIGURE C-6
BUILDING 54 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS & EXCAVATION LIMITS - AUGUST 21, 2003

APPROXIMATE SALE: 1" = 10'



FIGURE C-7
BUILDING 54 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS & EXCAVATION LIMITS - AUGUST 27, 2003

APPROXIMATE SCALE: 1" = 10'



FIGURE C-8
BUILDING 54 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS & EXCAVATION LIMITS - SEPTEMBER 2, 2003

APPROXIMATE SCALE: 1" =10'



SAMPLE ID	RESULT
GIPII-B56-SWN-CS1	0.053
GIPII-B56-SWN-CS2	U
GIPII-B56-SWE-CS1	U
GIPII-B56-SWE-CS2	U
GIPII-B56-SWS-CS1	U
GIPII-B56-SWS-CS2	0.065
GIPII-B56-SWW-CS1	U
GIPII-B56-SWW-CS2	U
GIPII-B56-BOT-CS1	0.094
GIPII-B56-BOT-CS2	0.066
GIPII-B56-BOT-CS3	U
GIPII-B56-BOT-CS4	0.04
GIPII-B56-BOT-CS5	U

Note: Final excavation depth was 10' B.G.

FIGURE C-9
BUILDING 56 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 5'

SAMPLE ID	RESULT
GIPII-B59-SWN-CS1	U
GIPII-B59-SWN-CS2	U
GIPII-B59-SWE-CS1	7.22
GIPII-B59-SWE-CS2	0.225
GIPII-B59-SWS-CS1	0.014
GIPII-B59-SWS-CS2	0.205
GIPII-B59-SWW-CS1	0.016
GIPII-B59-SWW-CS2	0.033
GIPII-B59-BOT-CS1	4.93
GIPII-B59-BOT-CS2	6.81
GIPII-B59-BOT-CS3	2.17
GIPII-B59-BOT-CS4	1.21
GIPII-59B10-SWE-CS1	0.928
GIPII-59B10-SWS-CS1	0.451
GIPII-59B10-BOT-CS1	**10.4**
GIPII-59B10-BOT-CS1A	0.132
GIPII-59B11-SWN-CS1	0.843
GIPII-59B11-SWE-CS1	**80.5**
GIPII-59B11-SWE-CS1A	*
GIPII-59B11-BOT-CS1	**61.3**
GIPII-59B11-BOT-CS1A	0.39
GIPII-59B25-SWN-CS1	0.082
GIPII-59B25-SWS-CS1	U
GIPII-59B25-SWW-CS1	0.031
GIPII-59B25-BOT-CS1	0.11
GIPII-Q26B-SWN-CS1	1.78
GIPII-Q26B-SWE-CS1	U
GIPII-Q26B-SWE-CS2	0.043
GIPII-Q26B-SWE-CS3	0.088
GIPII-Q26B-SWS-CS1	0.421
GIPII-Q26B-BOT-CS1	0.279
GIPII-Q26B-BOT-CS2	0.173
GIPII-Q26B-BOT-CS3	0.4

* All soil removed along East side of excavation up to existing curbing. No sample collected.



Note: Final excavation depth within the Building 59 excavation was 7' B.G. The depths for B25 and Q26B were 2' B.G. and 3' B.G. for B10 and B11.

FIGURE C-10
BUILDING 59 (SWITCH HOUSE)
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 5'



SAMPLE ID	RESULT
GIPII-B60-SWN-CS1	0.22
GIPII-B60-SWE-CS1	U
GIPII-B60-SWE-CS2	0.214
GIPII-B60-SWS-CS1	0.085
GIPII-B60-SWW-CS1	2.4
GIPII-B60-SWW-CS2	0.117
GIPII-B60-BOT-CS1	0.468
GIPII-B60-BOT-CS2	0.052
GIPII-60B14-SWN-CS1	0.019
GIPII-60B14-SWW-CS1	0.098
GIPII-60B14-BOT-CS1	U
GIPII-60B15-SWS-CS1	5.16
GIPII-60B15-SWS-CS1A	6.12
GIPII-60B15-SWW-CS1	U
GIPII-60B15-BOT-CS1	0.421

Note: Final excavation depth was 7' B.G.

FIGURE C-11
BUILDING 60 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 5'



SAMPLE ID	RESULT
GIPII-B61-SWN-CS1	**19.9**
GIPII-B61-SWN-CS1A	5.76
GIPII-B61-SWE-CS1	0.16
GIPII-B61-SWS-CS1	0.363
GIPII-B61-SWW-CS1	0.0334
GIPII-B61-BOT-CS1	0.0273
GIPII-B61-BOT-CS2	0.068



Note: Final excvation depth was 7' B.G.

FIGURE C-12
BUILDING 61 (TRANSFORMER VAULT)
CONFIRMATORY SAMPLING LOCATIONS
APPROXIMATE SCALE: 1" = 5'

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
FIELD IMMUNOASSAY LOCATION FS3										
GIPII-FS3-SWN-CS1	Soil	8/8/2002	1255	8/8/2002	8/10/2002	48040-1	X	U	10	
GIPII-FS3-SWE-CS1	Soil	8/8/2002	1252	8/8/2002	8/10/2002	48040-2	X	U	10	
GIPII-FS3-SWS-CS1	Soil	8/8/2002	1304	8/8/2002	8/10/2002	48040-3	X	U	10	
GIPII-FS3-SWW-CS1	Soil	8/8/2002	1300	8/8/2002	8/10/2002	48040-4	X	U	10	
GIPII-FS3-BOT-CS1	Soil	8/8/2002	1310	8/8/2002	8/9/2002	48040-11	X	U	10	
FIELD IMMUNOASSAY LOCATION FS5										
GIPII-FS5-SWN-CS1	Soil	8/8/2002	1332	8/8/2002	8/10/2002	48040-5	X	U	10	
GIPII-FS5-SWE-CS1	Soil	8/8/2002	1330	8/8/2002	8/10/2002	48040-6	X	U	10	
GIPII-FS5-SWS-CS1	Soil	8/8/2002	1336	8/8/2002	8/10/2002	48040-7	X	U	10	
GIPII-FS5-SWW-CS1	Soil	8/8/2002	1334	8/8/2002	8/10/2002	48040-8	X	U	10	
GIPII-FS5-BOT-CS1	Soil	8/8/2002	1338	8/8/2002	8/9/2002	48040-12	X	U	10	
FIELD IMMUNOASSAY LOCATION FS6										
GIPII-FS6-SWN-CS1	Soil	8/8/2002	1355	8/8/2002	8/10/2002	48040-9	X	U	10	
GIPII-FS6-SWE-CS1	Soil	8/8/2002	1353	8/8/2002	8/13/2002	48040-10	X	0.059	10	Arochlor 1254
GIPII-FS6-SWS-CS1	Soil	8/8/2002	1357	8/8/2002	8/13/2002	48040-11	X	U	10	
GIPII-FS6-SWW-CS1	Soil	8/8/2002	1356	8/8/2002	8/13/2002	48040-12	X	U	10	
GIPII-FS6-BOT-CS1	Soil	8/8/2002	1400	8/8/2002	8/9/2002	48040-13	X	U	10	
BORING LOCATION F2										
GIPII-F2-SWN-CS1	**Soil**	**9/6/2002**	**1450**	**9/6/2002**	**9/10/2002**	**48208-17**	**X**	**50.2**	**10**	**Arochlor 1260**
GIPII-F2-SWN-CS1A	All soil removed along north side of excavation (against seawall). No sample collected.									
GIPII-F2-SWN-CS2	**Soil**	**9/6/2002**	**1452**	**9/6/2002**	**9/10/2002**	**48208-18**	**X**	**117.0**	**10**	**Arochlor 1260**
GIPII-F2-SWN-CS2A	All soil removed along north side of excavation (against seawall). No sample collected.									
GIPII-F2-SWN-CS3	Soil	9/6/2002	1508	9/6/2002	9/10/2002	48208-19	X	5.72	10	Arochlor 1260
GIPII-F2-SWN-CS4	**Soil**	**9/6/2002**	**1514**	**9/6/2002**	**9/10/2002**	**48208-20**	**X**	**11.1**	**10**	**Arochlor 1260**
GIPII-F2-SWN-CS4A	All soil removed along north side of excavation (against seawall). No sample collected.									
GIPII-F2-SWE-CS1	Soil	9/6/2002	1517	9/6/2002	9/9/2002	48208-9	X	0.024	10	Arochlor 1260
GIPII-F2-SWE-CS2	Soil	9/6/2002	1516	9/6/2002	9/9/2002	48208-10	X	0.054	10	Arochlor 1260
GIPII-F2-SWE-CS3	Soil	9/6/2002	1535	9/6/2002	9/9/2002	48208-11	X	0.253	10	Arochlor 1260
GIPII-F2-SWE-CS4	Soil	9/6/2002	1703	9/6/2002	9/9/2002	48208-12	X	U	10	
GIPII-F2-SWS-CS1	Soil	9/6/2002	1707	9/6/2002	9/9/2002	48208-21	X	0.042	10	Arochlor 1260
GIPII-F2-SWS-CS2	Soil	9/6/2002	1706	9/6/2002	9/9/2002	48208-22	X	U	10	
GIPII-F2-SWS-CS3	Soil	9/6/2002	1705	9/6/2002	9/9/2002	48208-23	X	U	10	
GIPII-F2-SWS-CS4	Soil	9/6/2002	1704	9/6/2002	9/9/2002	48208-24	X	U	10	
GIPII-F2-SWW-CS1	**Soil**	**9/6/2002**	**1534**	**9/6/2002**	**9/10/2002**	**48208-13**	**X**	**51.5**	**10**	**Arochlor 1260**
GIPII-F2-SWW-CS1A	Soil	9/13/2002	1121	9/13/2002	6/14/2002	48257-1	X	U	10	
GIPII-F2-SWW-CS2	**Soil**	**9/6/2002**	**1537**	**9/6/2002**	**9/10/2002**	**48208-14**	**X**	**8400**	**10**	**Arochlor 1260**
GIPII-F2-SWW-CS2A	Soil	9/13/2002	1124	9/13/2002	9/14/2002	48257-2	X	U	10	Arochlor 1260
GIPII-F2-SWW-CS3	**Soil**	**9/6/2002**	**1538**	**9/6/2002**	**9/10/2002**	**48208-15**	**X**	**23.7**	**10**	**Arochlor 1260**
GIPII-F2-SWW-CS3A	Soil	9/13/2002	1126	9/13/2002	9/14/2002	48257-3	X	U	10	
GIPII-F2-SWW-CS4	Soil	9/6/2002	1708	9/6/2002	9/10/2002	48208-16	X	0.105	10	Arochlor 1260
GIPII-F2-BOT-CS1	**Soil**	**9/6/2002**	**1453**	**9/6/2002**	**9/10/2002**	**48208-27**	**X**	**57.4**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS1A	**Soil**	**9/13/2002**	**1008**	**9/13/2002**	**9/16/2002**	**48257-4**	**X**	**11.0**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS1B	**Soil**	**9/17/2002**	**1305**	**9/18/2002**	**9/19/2002**	**48294-1**	**X**	**28.5**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS1C	**Soil**	**9/19/2002**	**1505**	**9/19/2002**	**9/20/2002**	**48306-1**	**X**	**12.3**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS1D	**Soil**	**9/24/2002**	**1600**	**9/24/2002**	**9/25/2002**	**48338-1**	**X**	**30.4**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS1E	Soil	9/26/2002	0950	9/26/2002	9/27/2002	48362-1	X	0.457	10	Arochlor 1260
BORING LOCATION F2 (cont.)										
GIPII-F2-BOT-CS2	**Soil**	**9/6/2002**	**1458**	**9/6/2002**	**9/10/2002**	**48208-28**	**X**	**34.3**	**10**	**Arochlor 1260**

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-F2-BOT-CS2A	Soil	9/13/2002	0952	9/13/2002	9/16/2002	48257-5	X	0.871	10	Arochlor 1260
GIPII-F2-BOT-CS3	**Soil**	**9/6/2002**	**1505**	**9/6/2002**	**9/11/2002**	**48208-29**	**X**	**15.4**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS3A	Soil	9/13/2002	0935	9/13/2002	9/16/2002	48257-6	X	3.54	10	Arochlor 1260
GIPII-F2-BOT-CS4	**Soil**	**9/6/2002**	**1510**	**9/6/2002**	**9/10/2002**	**48208-30**	**X**	**23.0**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS4A	Soil	9/13/2002	0930	9/13/2002	9/14/2002	48257-7	X	0.021	10	Arochlor 1260
GIPII-F2-BOT-CS5	**Soil**	**9/6/2002**	**1533**	**9/6/2002**	**9/10/2002**	**48208-31**	**X**	**185.0**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS5A	**Soil**	**9/13/2002**	**1020**	**9/13/2002**	**9/16/2002**	**48257-8**	**X**	**21.2**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS5B	**Soil**	**9/17/2002**	**1312**	**9/18/2002**	**9/19/2002**	**48294-2**	**X**	**14.8**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS5C	Soil	9/19/2002	1515	9/19/2002	9/20/2002	48306-2	X	5.96	10	Arochlor 1260
GIPII-F2-BOT-CS6	**Soil**	**9/6/2002**	**1532**	**9/6/2002**	**9/10/2002**	**48208-32**	**X**	**49.4**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS6A	**Soil**	**9/13/2002**	**0945**	**9/13/2002**	**9/16/2002**	**48257-9**	**X**	**12.5**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS6B	Soil	9/17/2002	1355	9/18/2002	9/19/2002	48294-3	X	3.36	10	Arochlor 1260
GIPII-F2-BOT-CS7	Soil	9/6/2002	1530	9/6/2002	9/10/2002	48208-33	X	4.14	10	Arochlor 1260
GIPII-F2-BOT-CS8	Soil	9/6/2002	1520	9/6/2002	9/10/2002	48208-34	X	0.362	10	Arochlor 1260
GIPII-F2-BOT-CS9	**Soil**	**9/6/2002**	**1542**	**9/6/2002**	**9/10/2002**	**48208-35**	**X**	**10.7**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS9A	**Soil**	**9/13/2002**	**1045**	**9/13/2002**	**9/16/2002**	**48257-10**	**X**	**11.2**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS9B	**Soil**	**9/17/2002**	**1317**	**9/18/2002**	**9/19/2002**	**48294-4**	**X**	**10.3**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS9C	Soil	9/19/2002	1520	9/19/2002	9/20/2002	48306-3	X	4.26	10	Arochlor 1260
GIPII-F2-BOT-CS10	Soil	9/6/2002	1550	9/6/2002	9/10/2002	48208-36	X	2.54	10	Arochlor 1260
GIPII-F2-BOT-CS11	Soil	9/6/2002	1550	9/6/2002	9/10/2002	48208-37	X	0.378	10	Arochlor 1260
GIPII-F2-BOT-CS12	Soil	9/6/2002	1555	9/6/2002	9/10/2002	48208-38	X	1.13	10	Arochlor 1260
GIPII-F2-BOT-CS13	**Soil**	**9/6/2002**	**1650**	**9/6/2002**	**9/10/2002**	**48208-39**	**X**	**9.65**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS13A	Soil	9/13/2002	1055	9/13/2002	9/16/2002	48257-11	X	0.230	10	Arochlor 1260
GIPII-F2-BOT-CS14	Soil	9/6/2002	1652	9/6/2002	9/10/2002	48208-40	X	1.42	10	Arochlor 1260
GIPII-F2-BOT-CS15	Soil	9/6/2002	1655	9/6/2002	9/10/2002	48208-41	X	0.130	10	Arochlor 1260
GIPII-F2-BOT-CS16	Soil	9/6/2002	1659	9/6/2002	9/10/2002	48208-42	X	0.043	10	Arochlor 1260
GIPII-F2-BOT-CS17	Soil	9/13/2002	1102	9/13/2002	9/16/2002	48257-12	X	4.10	10	Arochlor 1260
GIPII-F2-BOT-CS18	Soil	9/13/2002	1110	9/13/2002	9/14/2002	48257-13	X	0.045	10	Arochlor 1260
GIPII-F2-BOT-CS19	**Soil**	**9/13/2002**	**1115**	**9/13/2002**	**9/16/2002**	**48257-14**	**X**	**21.8**	**10**	**Arochlor 1260**
GIPII-F2-BOT-CS19A	Soil	9/17/2002	1324	9/18/2002	9/19/2002	48294-5	X	4.0	10	Arochlor 1260
TRANSFORMER VAULT 53										
GIPII-B53-SWN-CS1	Soil	8/14/2002	1405	8/14/2002	8/16/2002	48088-1	X	1.15	10	Arochlor 1260
GIPII-B53-SWN-CS2	Soil	8/14/2002	1400	8/14/2002	8/15/2002	48088-2	X	U	10	
GIPII-B53-SWE-CS1	Soil	8/14/2002	1423	8/14/2002	8/15/2002	48088-3	X	U	10	
GIPII-B53-SWE-CS2	Soil	8/14/2002	1420	8/14/2002	8/15/2002	48088-4	X	0.120	10	Arochlor 1260
GIPII-B53-SWS-CS1	Soil	8/14/2002	1415	8/14/2002	8/15/2002	48088-5	X	U	10	
GIPII-B53-SWS-CS2	Soil	8/14/2002	1417	8/14/2002	8/15/2002	48088-6	X	U	10	
GIPII-B53-SWW-CS1	Soil	8/14/2002	1410	8/14/2002	8/15/2002	48088-7	X	U	10	
GIPII-B53-SWW-CS2	Soil	8/14/2002	1413	8/14/2002	8/15/2002	48088-8	X	0.128	10	Arochlor 1260
GIPII-B53-BOT-CS1	Soil	8/14/2002	1330	8/14/2002	8/16/2002	48088-14	X	0.187	10	Arochlor 1260
GIPII-B53-BOT-CS2	Soil	8/14/2002	1345	8/14/2002	8/15/2002	48088-15	X	U	10	
GIPII-B53-BOT-CS3	Soil	8/14/2002	1343	8/14/2002	8/15/2002	48088-16	X	U	10	
GIPII-B53-BOT-CS4	Soil	8/14/2002	1340	8/14/2002	8/15/2002	48088-17	X	0.176	10	Arochlor 1260

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
TRANSFORMER VAULT 53 - BORING LOCATION B19										
GIPII-53B19-SWN-CS1	Soil	8/14/2002	1348	8/14/2002	8/15/2002	48088-9	X	0.140	10	Arochlor 1260
GIPII-53B19-SWE-CS1	Soil	8/14/2002	1354	8/14/2002	8/15/2002	48088-10	X	0.105	10	Arochlor 1260
GIPII-53B19-SWS-CS1	Soil	8/14/2002	1358	8/14/2002	8/15/2002	48088-11	X	0.017	10	Arochlor 1260
GIPII-53B19-SWW-CS1	**Soil**	**8/14/2002**	**1401**	**8/14/2002**	**8/16/2002**	**48088-12**	**X**	**67.2**	**10**	**Arochlor 1260. Additional material excavated.**
GIPII-53B19-SWW-CS1A	Soil	8/21/2002	1112	8/21/2002	8/23/2002	48123-1	X	U	10	
GIPII-53B19-BOT-CS1	Soil	8/14/2002	1340	8/14/2002	8/15/2002	48088-18	X	0.146	10	Arochlor 1260
TRANSFORMER VAULT 54 - BORING LOCATION B29										
GIPII-54B29-SWN-CS1	SED	9/5/2002	1549	9/5/2002	9/6/2002	48202-7	X	U	1	
GIPII-54B29-SWE-CS1	SED	9/5/2002	1552	9/5/2002	9/6/2002	48202-8	X	U	1	
GIPII-54B29-SWS-CS1	**SED**	**9/5/2002**	**1551**	**9/5/2002**	**9/6/2002**	**48202-9**	**X**	**1.01**	**1**	**Arochlor 1260**
GIPII-54B29-SWS-CS1A	**SED**	**9/9/2002**	**0740**	**9/10/2002**	**9/11/2002**	**48223-1**	**X**	**9.64**	**1**	**Arochlor 1260**
GIPII-54B29-SWS-CS1B	All soil removed along south end between 54B29 and 54B45. No sample collected.									
GIPII-54B29-SWW-CS1	SED	9/5/2002	1554	9/5/2002	9/6/2002	48202-10	X	0.044	1	Arochlor 1260
GIPII-54B29-BOT-CS1	SED	9/5/2002	1545	9/5/2002	9/6/2002	48202-13	X	U	1	
TRANSFORMER VAULT 54 - BORING LOCATION B40										
GIPII-54B40-SWN-CS1	SED	9/5/2002	1441	9/5/2002	9/6/2002	48202-4	X	0.109	1	Arochlor 1260
GIPII-54B40-SWE-CS1	SED	9/5/2002	1448	9/5/2002	9/6/2002	48202-5	X	U	1	
GIPII-54B40-SWS-CS1	SED	9/5/2002	1445	9/5/2002	9/6/2002	48202-6	X	0.016	1	Arochlor 1260
GIPII-54B40-SWW-CS1	No sample collected due to sheet pile wall on west side of excavation									
GIPII-54B40-BOT-CS1	SED	9/5/2002	1431	9/5/2002	9/6/2002	48202-12	X	0.119	1	Arochlor 1260
TRANSFORMER VAULT 54 - BORING LOCATION B42										
GIPII-54B42-SWN-CS1	SED	9/5/2002	1324	9/5/2002	9/6/2002	48202-1	X	U	1	
GIPII-54B42-SWE-CS1	SED	9/5/2002	1327	9/5/2002	9/6/2002	48202-2	X	U	1	
GIPII-54B42-SWS-CS1	SED	9/5/2002	1320	9/5/2002	9/6/2002	48202-3	X	0.188	1	Arochlor 1260
GIPII-54B42-SWW-CS1	No sample collected due to sheet pile wall on west side of excavation									
GIPII-54B42-BOT-CS1	SED	9/5/2002	1315	9/5/2002	9/6/2002	48202-11	X	0.072	1	Arochlor 1260
TRANSFORMER VAULT 54 - BORING LOCATION B45										
GIPII-54B45-SWN-CS1	SED	9/6/2002	1228	9/6/2002	9/9/2002	48208-1	X	0.289	1	Arochlor 1260
GIPII-54B45-SWE-CS1	SED	9/6/2002	1233	9/6/2002	9/9/2002	48208-2	X	0.059	1	Arochlor 1260
GIPII-54B45-SWS-CS1	**SED**	**9/6/2002**	**1232**	**9/6/2002**	**9/9/2002**	**48208-3**	**X**	**4.34**	**1**	**Arochlor 1260**
GIPII-54B45-SWS-CS1A	SED	9/10/2002	1245	9/10/2002	9/11/2002	48223-2	X	0.231	1	Arochlor 1260
GIPII-54B45-SWW-CS1	SED	9/6/2002	1230	9/6/2002	9/9/2002	48208-4	X	0.389	1	Arochlor 1260
GIPII-54B45-BOT-CS1	SED	9/6/2002	1223	9/6/2002	9/9/2002	48208-25	X	U	1	
TRANSFORMER VAULT 54 - BORING LOCATION B48										
GIPII-54B48-SWN-CS1	SED	9/6/2002	1140	9/6/2002	9/9/2002	48208-5	X	U	1	
GIPII-54B48-SWE-CS1	SED	9/6/2002	1141	9/6/2002	9/9/2002	48208-6	X	U	1	
GIPII-54B48-SWS-CS1	SED	9/6/2002	1142	9/6/2002	9/9/2002	48208-7	X	0.022	1	Arochlor 1260
GIPII-54B48-SWW-CS1	SED	9/6/2002	1143	9/6/2002	9/9/2002	48208-8	X	0.116	1	Arochlor 1260
GIPII-54B48-BOT-CS1	SED	9/6/2002	1135	9/6/2002	9/9/2002	48208-26	X	U	1	
TRANSFORMER VAULT 54 - 2002										
GIPII-B54-SWN-CS1	Soil	10/1/2002	1506	10/1/2002	10/2/2002	48391-18	X	U	10	
GIPII-B54-SWN-CS2	Soil	10/1/2002	1508	10/1/2002	10/2/2002	48391-19	X	U	10	
GIPII-B54-SWN-CS3	Soil	10/1/2002	1509	10/1/2002	10/2/2002	48391-20	X	U	10	
GIPII-B54-SWN-CS4	Soil	10/1/2002	1510	10/1/2002	10/2/2002	48391-21	X	1.43	10	Arochlor 1260
GIPII-B54-SWE-CS1	Soil	10/1/2002	1512	10/1/2002	10/2/2002	48391-30	X	U	10	
GIPII-B54-SWE-CS2	Soil	10/1/2002	1423	10/1/2002	10/2/2002	48391-31	X	U	10	
TRANSFORMER VAULT 54 - 2002 (cont.)										
GIPII-B54-SWE-CS3	Soil	10/1/2002	1426	10/1/2002	10/2/2002	48391-32	X	0.489	10	Arochlor 1260

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-B54-SWE-CS4	Soil	10/1/2002	1428	10/1/2002	10/2/2002	48391-33	X	0.115	10	Arochlor 1260
GIPII-B54-SWE-CS5	**Soil**	**10/1/2002**	**1430**	**10/1/2002**	**10/2/2002**	**48391-34**	**X**	**35.7**	**10**	Arochlor 1260
GIPII-B54-SWS-CS1	Soil	10/1/2002	1433	10/1/2002	10/2/2002	48391-26	X	0.314	10	Arochlor 1260
GIPII-B54-SWS-CS2	Soil	10/1/2002	1432	10/1/2002	10/2/2002	48391-27	X	U	10	
GIPII-B54-SWS-CS3	Soil	10/1/2002	1431	10/1/2002	10/2/2002	48391-28	X	U	10	
GIPII-B54-SWS-CS4	Soil	10/1/2002	1429	10/1/2002	10/2/2002	48391-29	X	U	10	
GIPII-B54-SWW-CS1	Soil	10/1/2002	1456	10/1/2002	10/2/2002	48391-22	X	U	10	
GIPII-B54-SWW-CS2	Soil	10/1/2002	1458	10/1/2002	10/2/2002	48391-23	X	U	10	
GIPII-B54-SWW-CS3	Soil	10/1/2002	1500	10/1/2002	10/2/2002	48391-24	X	0.109	10	Arochlor 1260
GIPII-B54-SWW-CS4	Soil	10/1/2002	1502	10/1/2002	10/2/2002	48391-25	X	0.030	10	Arochlor 1260
GIPII-B54-BOT-CS1	Soil	10/1/2002	1450	10/1/2002	10/2/2002	48391-1	X	0.389	10	Arochlor 1260
GIPII-B54-BOT-CS2	Soil	10/1/2002	1444	10/1/2002	10/2/2002	48391-2	X	3.72	10	Arochlor 1260
GIPII-B54-BOT-CS3	Soil	10/1/2002	1437	10/1/2002	10/2/2002	48391-3	X	3.99	10	Arochlor 1260
GIPII-B54-BOT-CS4	Soil	10/1/2002	1415	10/1/2002	10/2/2002	48391-4	X	6.33	10	Arochlor 1260
GIPII-B54-BOT-CS5	Soil	10/1/2002	1521	10/1/2002	10/2/2002	48391-5	X	1.82	10	Arochlor 1260
GIPII-B54-BOT-CS6	**Soil**	**10/1/2002**	**1514**	**10/1/2002**	**10/2/2002**	**48391-6**	**X**	**17.8**	**10**	Arochlor 1260
GIPII-B54-BOT-CS7	**Soil**	**10/1/2002**	**1410**	**10/1/2002**	**10/2/2002**	**48391-7**	**X**	**26.7**	**10**	Arochlor 1260
GIPII-B54-BOT-CS8	**Soil**	**10/1/2002**	**1405**	**10/1/2002**	**10/2/2002**	**48391-8**	**X**	**22.5**	**10**	Arochlor 1260
GIPII-B54-BOT-CS9	Soil	10/1/2002	1400	10/1/2002	10/2/2002	48391-9	X	0.157	10	Arochlor 1260
GIPII-B54-BOT-CS10	Soil	10/1/2002	1528	10/1/2002	10/2/2002	48391-10	X	3.81	10	Arochlor 1260
GIPII-B54-BOT-CS11	**Soil**	**10/1/2002**	**1538**	**10/1/2002**	**10/2/2002**	**48391-11**	**X**	**24.4**	**10**	Arochlor 1260
GIPII-B54-BOT-CS12	**Soil**	**10/1/2002**	**1355**	**10/1/2002**	**10/2/2002**	**48391-12**	**X**	**12.7**	**10**	Arochlor 1260
GIPII-B54-BOT-CS13	**Soil**	**10/1/2002**	**1348**	**10/1/2002**	**10/2/2002**	**48391-13**	**X**	**18.8**	**10**	Arochlor 1260
GIPII-B54-BOT-CS14	Soil	10/1/2002	1342	10/1/2002	10/2/2002	48391-14	X	0.656	10	Arochlor 1260
GIPII-B54-BOT-CS15	Soil	10/1/2002	1333	10/1/2002	10/2/2002	48391-15	X	3.87	10	Arochlor 1260
GIPII-B54-BOT-CS16	**Soil**	**10/1/2002**	**1330**	**10/1/2002**	**10/2/2002**	**48391-16**	**X**	**370**	**10**	Arochlor 1260
GIPII-B54-BOT-CS17	Soil	10/1/2002	1314	10/1/2002	10/2/2002	48391-17	X	2.43	10	Arochlor 1260
TRANSFORMER VAULT 54 - 2003										
GIPII-SWN1-TOP	**Soil**	**08/21/03**	**1322**	**08/21/03**	**08/25/03**	**50320-1**	**X**	**11.1**	10	
GIPII-SWN1A-TOP	Soil	08/27/03	1249	08/28/03	08/28/03	50361-1	X	U	10	
GIPII-SWN1-BOT	**Soil**	**08/21/03**	**1324**	**08/21/03**	**08/25/03**	**50320-2**	**X**	**13.5**	10	
GIPII-SWN1A-BOT	Soil	08/27/03	1251	08/28/03	08/28/03	50361-2	X	0.337	10	
GIPII-SWN2-TOP	Soil	08/21/03	1325	08/21/03	08/25/03	50320-3	X	2.32	10	
GIPII-SWN2-BOT	Soil	08/21/03	1326	08/21/03	08/25/03	50320-4	X	8.23	10	
GIPII-SWN3-TOP	Soil	08/21/03	1327	08/21/03	08/23/03	50320-5	X	0.049	10	
GIPII-SWN3-BOT	Soil	08/21/03	1328	08/21/03	08/25/03	50320-6	X	3.4	10	
GIPII-SWN4-TOP	Soil	08/21/03	1329	08/21/03	08/23/03	50320-7	X	0.137	10	
GIPII-SWN4A-TOP	Soil	08/27/03	1225	08/28/03	08/28/03	50361-3	X	U	10	
GIPII-SWN4-BOT	**Soil**	**08/21/03**	**1330**	**08/21/03**	**08/25/03**	**50320-8**	**X**	**13.0**	10	
GIPII-SWN4A-BOT	Soil	08/27/03	1226	08/28/03	08/28/03	50361-4	X	U	10	
GIPII-SWN5-TOP	Soil	08/21/03	1330	08/21/03	08/23/03	50320-9	X	0.478	10	
GIPII-SWN5-BOT	Soil	08/21/03	1332	08/21/03	08/25/03	50320-10	X	8.54	10	
GIPII-SWN6-TOP	Soil	08/21/03	1333	08/21/03	08/23/03	50320-11	X	0.068	10	
GIPII-SWN6-BOT	Soil	08/21/03	1336	08/21/03	08/23/03	50320-12	X	0.089	10	
GIPII-SWE1-TOP	**Soil**	**08/21/03**	**1337**	**08/21/03**	**08/25/03**	**50320-13**	**X**	**30.8**	10	
TRANSFORMER VAULT 54 - 2003 (cont.)										
GIPII-SWE1A-TOP	Soil	08/27/03	1319	08/28/03	08/28/03	50361-5	X	U	10	
GIPII-SWE1-BOT	Soil	08/21/03	1338	08/21/03	08/25/03	50320-14	X	2.67	10	
GIPII-SWE1A-BOT	Soil	08/27/03	1320	08/28/03	08/28/03	50361-6	X	0.126	10	

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-SWE2-TOP	Soil	08/21/03	1339	08/21/03	08/23/03	50320-15	X	0.5	10	
GIPII-SWE2-BOT	Soil	08/21/03	1340	08/21/03	08/23/03	50320-16	X	0.044	10	
GIPII-SWS1-TOP	Soil	08/21/03	1417	08/21/03	08/25/03	50320-17	X	4.12	10	
GIPII-SWS1A-TOP	Soil	08/27/03	1306	08/28/03	08/28/03	50361-7	X	0.457	10	
GIPII-SWS1-BOT	**Soil**	**08/21/03**	**1418**	**08/21/03**	**08/25/03**	**50320-18**	**X**	**12.7**	10	
GIPII-SWS1A-BOT	Soil	08/27/03	1307	08/28/03	08/28/03	50361-8	X	0.583	10	All soil removed.
GIPII-SWS2-TOP	**Soil**	**08/21/03**	**1418**	**08/21/03**	**08/25/03**	**50320-19**	**X**	**13.7**	10	
GIPII-SWS2A-TOP	Soil	08/27/03	1308	08/28/03	08/28/03	50361-9	X	0.863	10	All soil removed.
GIPII-SWS2-BOT	Soil	08/21/03	1419	08/21/03	08/24/03	50320-20	X	0.538	10	
GIPII-SWS2A-BOT	Soil	08/27/03	1309	08/28/03	08/28/03	50361-10	X	6.45	10	All soil removed.
GIPII-SWS3-TOP	Soil	08/21/03	1341	08/21/03	08/24/03	50320-21	X	U	10	
GIPII-SWS3A-TOP	**Soil**	**08/27/03**	**1310**	**08/28/03**	**08/28/03**	**50361-11**	**X**	**89.4**	10	No re-sampling required. All soil removed
GIPII-SWS3-BOT	Soil	08/21/03	1342	08/21/03	08/24/03	50320-22	X	U	10	
GIPII-SWS3A-BOT	Soil	08/27/03	1311	08/28/03	08/28/03	50361-12	X	0.433	10	All soil removed.
GIPII-BED-CS1	Bedrock	08/21/03	1358	08/21/03	08/24/03	50321-1	X	0.261	10	
GIPII-BED-CS2	Bedrock	08/21/03	1351	08/21/03	08/24/03	50321-2	X	0.133	10	
GIPII-BED-CS3	Bedrock	08/21/03	1348	08/21/03	08/24/03	50321-3	X	0.479	10	
GIPII-BED-CS4	Bedrock	08/21/03	1359	08/21/03	08/24/03	50321-4	X	0.177	10	
GIPII-BED-CS5	Bedrock	08/21/03	1356	08/21/03	08/25/03	50321-5	X	1.56	10	
GIPII-BED-CS6	Bedrock	08/21/03	1354	08/21/03	08/24/03	50321-6	X	0.304	10	
GIPII-BED-CS7	Bedrock	08/21/03	1355	08/21/03	08/25/03	50321-7	X	5.52	10	
GIPII-BED-CS8	Bedrock	08/21/03	1401	08/21/03	08/25/03	50321-8	X	1.53	10	
GIPII-BED-CS9	Bedrock	08/21/03	1404	08/21/03	08/25/03	50321-9	X	6.23	10	
GIPII-BED-CS10	Bedrock	08/21/03	1406	08/21/03	08/24/03	50321-10	X	0.651	10	
GIPII-BED-CS11	Bedrock	08/21/03	1408	08/21/03	08/24/03	50321-11	X	0.558	10	
GIPII-BED-CS12	Bedrock	08/21/03	1410	08/21/03	08/24/03	50321-12	X	0.259	10	
GIPII-BED-CS13	Bedrock	08/21/03	1411	08/21/03	08/24/03	50321-13	X	0.322	10	
GIPII-BED-CS14	Bedrock	08/21/03	1413	08/21/03	08/24/03	50321-14	X	U	10	
GIPII-BED-CS15	**Bedrock**	**08/21/03**	**1415**	**08/21/03**	**08/25/03**	**50321-15**	**X**	**18.6**	10	
GIPII-BED-CS15A	Bedrock	08/27/03	1321	08/28/03	08/28/03	50361-13	X	U	10	
TRANSFORMER VAULT 56										
GIPII-B56-SWN-CS1	Soil	8/21/2002	1315	8/21/2002	8/23/2002	48123-3	X	0.053	10	Arochlor 1260
GIPII-B56-SWN-CS2	Soil	8/21/2002	1318	8/21/2002	8/23/2002	48123-4	X	U	10	
GIPII-B56-SWE-CS1	Soil	8/21/2002	1403	8/21/2002	8/23/2002	48123-5	X	U	10	
GIPII-B56-SWE-CS2	Soil	8/21/2002	1400	8/21/2002	8/23/2002	48123-6	X	U	10	
GIPII-B56-SWS-CS1	Soil	8/21/2002	1406	8/21/2002	8/23/2002	48123-7	X	U	10	
GIPII-B56-SWS-CS2	Soil	8/21/2002	1408	8/21/2002	8/23/2002	48123-8	X	0.065	10	Arochlor 1260
GIPII-B56-SWW-CS1	Soil	8/21/2002	1411	8/21/2002	8/23/2002	48123-9	X	U	10	
GIPII-B56-SWW-CS2	Soil	8/21/2002	1415	8/21/2002	8/23/2002	48123-10	X	U	10	
GIPII-B56-BOT-CS1	Soil	8/21/2002	1330	8/21/2002	8/23/2002	48123-12	X	0.094	10	Arochlor 1260
GIPII-B56-BOT-CS2	Soil	8/21/2002	1340	8/21/2002	8/23/2002	48123-13	X	0.066	10	Arochlor 1260
GIPII-B56-BOT-CS3	Soil	8/21/2002	1345	8/21/2002	8/23/2002	48123-14	X	U	10	
GIPII-B56-BOT-CS4	Soil	8/21/2002	1349	8/21/2002	8/23/2002	48123-15	X	0.040	10	Arochlor 1260
TRANSFORMER VAULT 56 (cont.)										
GIPII-B56-BOT-CS5	Soil	8/21/2002	1351	8/21/2002	8/23/2002	48123-16	X	U	10	
GIPII-B56-CTR-CS1	Soil	8/21/2002	1355	8/21/2002	8/23/2002	48123-11	**N/A**	N/A	N/A	No PCB analysis (TPH, VOC, SVOC)
TRANSFORMER VAULT 59										
GIPII-B59-SWN-CS1	Soil	9/17/2002	1130	9/18/2002	9/19/2002	48293-1	X	U	10	
GIPII-B59-SWN-CS2	Soil	9/19/2002	1205	9/19/2002	9/21/2002	48307-1	X	U	10	

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-B59-SWE-CS1	Soil	9/17/2002	1132	9/18/2002	9/19/2002	48293-2	X	7.22	10	Arochlor 1260
GIPII-B59-SWE-CS2	Soil	9/19/2002	1207	9/19/2002	9/21/2002	48307-2	X	0.225	10	Arochlor 1260
GIPII-B59-SWS-CS1	Soil	9/17/2002	1135	9/18/2002	9/19/2002	48293-3	X	0.014	10	Arochlor 1260
GIPII-B59-SWS-CS2	Soil	9/19/2002	1213	9/19/2002	9/21/2002	48307-3	X	0.205	10	Arochlor 1260
GIPII-B59-SWW-CS1	Soil	9/19/2002	1211	9/19/2002	9/21/2002	48307-4	X	0.016	10	Arochlor 1260
GIPII-B59-SWW-CS2	Soil	9/19/2002	1209	9/19/2002	9/21/2002	48307-5	X	0.033	10	Arochlor 1260
GIPII-B59-BOT-CS1	Soil	9/17/2002	1152	9/18/2002	9/19/2002	48293-13	X	4.93	10	Arochlor 1260
GIPII-B59-BOT-CS2	Soil	9/17/2002	1235	9/18/2002	9/19/2002	48293-14	X	6.81	10	Arochlor 1260
GIPII-B59-BOT-CS3	Soil	9/19/2002	1214	9/19/2002	9/21/2002	48307-9	X	2.17	10	Arochlor 1260
GIPII-B59-BOT-CS4	Soil	9/19/2002	1216	9/19/2002	9/21/2002	48307-10	X	1.21	10	Arochlor 1260
TRANSFORMER VAULT 59 SUMP										
GIPII-B59-SUMP-SWN	Soil	9/17/2002	1305	9/17/2002	9/19/2002	48288-1	X	6.04	10	PCB's,VOC's, SVOC's, TPH
GIPII-B59-SUMP-SWE	Soil	9/17/2002	1315	9/17/2002	9/19/2002	48288-2	X	0.029	10	PCB's,VOC's, SVOC's, TPH
GIPII-B59-SUMP-SWS	Soil	9/17/2002	1320	9/17/2002	9/19/2002	48288-3		0.44	0.4	Chrysene
GIPII-B59-SUMP-SWSA	Soil	9/25/2002	0905	9/25/2002	9/25/2002	48348-1		U	0.4	Chrysene
GIPII-B59-SUMP-SWW	Soil	9/17/2002	1325	9/17/2002	9/19/2002	48288-4	X	0.541	10	PCB's,VOC's, SVOC's, TPH
GIPII-B59-SUMP-BOT	Soil	9/17/2002	1335	9/17/2002	9/19/2002	48288-5	X	0.037	10	PCB's,VOC's, SVOC's, TPH
TRANSFORMER VAULT 59 - BORING LOCATION B10										
GIPII-59B10-SWE-CS1	Soil	9/17/2002	1140	9/18/2002	9/19/2002	48293-4	X	0.928	10	Arochlor 1260
GIPII-59B10-SWS-CS1	Soil	9/17/2002	1141	9/18/2002	9/19/2002	48293-5	X	0.451	10	Arochlor 1260
GIPII-59B10-BOT-CS1	**Soil**	**9/17/2002**	**1148**	**9/18/2002**	**9/19/2002**	**48293-15**	**X**	**10.4**	**10**	**Arochlor 1260**
GIPII-59B10-BOT-CS1A	Soil	9/24/2002	1315	9/24/2002	9/24/2002	48338-2	X	0.132	10	Arochlor 1260
TRANSFORMER VAULT 59 - BORING LOCATION B11										
GIPII-59B11-SWN-CS1	Soil	9/17/2002	1138	9/18/2002	9/19/2002	48293-6	X	0.843	10	Arochlor 1260
GIPII-59B11-SWE-CS1	**Soil**	**9/17/2002**	**1139**	**9/18/2002**	**9/19/2002**	**48293-7**	**X**	**80.5**	**10**	**Arochlor 1260**
GIPII-59B11-SWE-CS1A	All soil removed along East side of excavation up to existing curbing. No sample collected.									
GIPII-59B11-BOT-CS1	**Soil**	**9/17/2002**	**1145**	**9/18/2002**	**9/19/2002**	**48293-16**	**X**	**61.3**	**10**	**Arochlor 1260**
GIPII-59B11-BOT-CS1A	Soil	9/24/2002	1320	9/24/2002	9/24/2002	48338-3	X	0.39	10	Arochlor 1260
TRANSFORMER VAULT 59 - BORING LOCATION B11										
GIPII-59B25-SWN-CS1	Soil	9/19/2002	1221	9/19/2002	9/21/2002	48307-6	X	0.082	10	Arochlor 1260
GIPII-59B25-SWS-CS1	Soil	9/19/2002	1222	9/19/2002	9/21/2002	48307-7	X	U	10	
GIPII-59B25-SWW-CS1	Soil	9/19/2002	1223	9/19/2002	9/21/2002	48307-8	X	0.031	10	Arochlor 1260
GIPII-59B25-BOT-CS1	Soil	9/19/2002	1225	9/19/2002	9/21/2002	48307-11	X	0.11	10	Arochlor 1254
TRANSFORMER VAULT 59 - SAMPLE LOCATION Q26B										
GIPII-Q26B-SWN-CS1	Soil	9/17/2002	1114	9/18/2002	9/19/2002	48293-8	X	1.78	10	Arochlor 1260
GIPII-Q26B-SWE-CS1	Soil	9/17/2002	1116	9/18/2002	9/19/2002	48293-9	X	U	10	
GIPII-Q26B-SWE-CS2	Soil	9/17/2002	1117	9/18/2002	9/19/2002	48293-10	X	0.043	10	Arochlor 1260
GIPII-Q26B-SWE-CS3	Soil	9/17/2002	1120	9/18/2002	9/19/2002	48293-11	X	0.088	10	Arochlor 1260
GIPII-Q26B-SWS-CS1	Soil	9/17/2002	1118	9/18/2002	9/19/2002	48293-12	X	0.421	10	Arochlor 1260
GIPII-Q26B-BOT-CS1	Soil	9/17/2002	1124	9/18/2002	9/19/2002	48293-17	X	0.279	10	Arochlor 1260
GIPII-Q26B-BOT-CS2	Soil	9/17/2002	1127	9/18/2002	9/19/2002	48293-18	X	0.173	10	Arochlor 1260
TRANSFORMER VAULT 59 - SAMPLE LOCATION Q26B (cont.)										
GIPII-Q26B-BOT-CS3	Soil	9/17/2002	1230	9/18/2002	9/19/2002	48293-19	X	0.400	10	Arochlor 1260
TRANSFORMER VAULT 60										
GIPII-B60-SWN-CS1	Soil	8/8/2002	1448	8/8/2002	8/9/2002	48041-9	X	0.220	10	Arochlor 1260
GIPII-B60-SWE-CS1	Soil	8/8/2002	1440	8/8/2002	8/9/2002	48041-2	X	U	10	
GIPII-B60-SWE-CS2	Soil	8/8/2002	1437	8/8/2002	8/9/2002	48041-3	X	0.214	10	Arochlor 1260
GIPII-B60-SWS-CS1	Soil	8/8/2002	1453	8/8/2002	8/9/2002	48041-4	X	0.085	10	Arochlor 1260
GIPII-B60-SWW-CS1	Soil	8/8/2002	1458	8/8/2002	8/13/2002	48041-1	X	2.4	10	Arochlor 1260

TABLE C-1
CONFIRMATORY SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-B60-SWW-CS2	Soil	8/8/2002	1459	8/8/2002	8/9/2002	48041-10	**X**	0.117	10	Arochlor 1260
GIPII-B60-BOT-CS1	Soil	8/8/2002	1545	8/8/2002	8/9/2002	48041-14	**X**	0.468	10	Arochlor 1260
GIPII-B60-BOT-CS2	Soil	8/8/2002	1550	8/8/2002	8/9/2002	48041-15	**X**	0.052	10	Arochlor 1260
TRANSFORMER VAULT 60 - BORING LOCATION B14										
GIPII-60B14-SWN-CS1	Soil	8/8/2002	1555	8/8/2002	8/9/2002	48041-7	**X**	0.019	10	Arochlor 1260
GIPII-60B14-SWW-CS1	Soil	8/8/2002	1510	8/8/2002	8/9/2002	48041-8	**X**	0.098	10	Arochlor 1260
GIPII-60B14-BOT-CS1	Soil	8/8/2002	1537	8/8/2002	8/9/2002	48041-17	**X**	U	10	Arochlor 1260
TRANSFORMER VAULT 60 - BORING LOCATION B15										
GIPII-60B15-SWS-CS1	Soil	8/8/2002	1504	8/8/2002	8/13/2002	48041-5	**X**	5.16	10	Arochlor 1260. Additional material excavated at Navy request
GIPII-60B15-SWS-CS1A	Soil	8/21/2002	1119	8/21/2002	8/26/2002	48123-2	**X**	6.12	10	Arochlor 1260
GIPII-60B15-SWW-CS1	Soil	8/8/2002	1506	8/8/2002	8/9/2002	48041-6	**X**	U	10	
GIPII-60B15-BOT-CS1	Soil	8/8/2002	1553	8/8/2002	8/9/2002	48041-16	**X**	0.421	10	Arochlor 1260
TRANSFORMER VAULT 61										
GIPII-B61-SWN-CS1	Soil	8/14/2002	1115	8/14/2002	8/20/2002	48089-1	**X**	**19.9**	10	Arochlor 1248
GIPII-B61-SWN-CS1A	Soil	9/10/2002	1515	9/10/2002	9/11/2002	48223-3	**X**	5.76	10	Arochlor 1248
GIPII-B61-SWE-CS1	Soil	8/14/2002	1117	8/14/2002	8/19/2002	48089-2	**X**	0.160	10	Arochlor 1260
GIPII-B61-SWS-CS1	Soil	8/14/2002	1119	8/14/2002	8/19/2002	48089-3	**X**	0.363/0.121	10	Arochlor 1248/1260
GIPII-B61-SWW-CS1	Soil	8/14/2002	1120	8/14/2002	8/19/2002	48089-4	**X**	0.334/0.200	10	Arochlor 1248/1260
GIPII-B61-BOT-CS1	Soil	8/14/2002	1125	8/14/2002	8/19/2002	48089-8	**X**	0.273/0.065	10	Arochlor 1248/1260
GIPII-B61-BOT-CS2	Soil	8/14/2002	1128	8/14/2002	8/19/2002	48089-9	**X**	0.068/0.025D	10	Arochlor 1248/1260
GIPII-B61-CTR-CS1	Soil	8/14/2002	1130	8/14/2002	8/16/2002	48089-5	**N/A**	N/A	N/A	No PCB analysis (TPH, VOC, SVOC)

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-1
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS3-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	129	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-2
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-FS3-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-3
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS3-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-4
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS3-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-11
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPI-FS3-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	118	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-5
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS5-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytica environmental laboratory LLC

198 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-429-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-6
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS5-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

106 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-7
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS5-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-8
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-FSS-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-927-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-12
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS5-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	81	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

106 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-9
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS6-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-10
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/13/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS6-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	59
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	87	%
Decachlorobiphenyl	111	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-11
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/13/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-FS6-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	68	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48040-12
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/09/02
Analysis Date:	08/13/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FS6-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	95	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-13
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-FS6-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-17
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	273
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	4100	U
PCB-1221	4100	U
PCB-1232	4100	U
PCB-1242	4100	U
PCB-1248	4100	U
PCB-1254	4100	U
PCB-1260	4100	**50200**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-18
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1070
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-SWN-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	16100	U
PCB-1221	16100	U
PCB-1232	16100	U
PCB-1242	16100	U
PCB-1248	16100	U
PCB-1254	16100	U
PCB-1260	16100	**117000**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory llc

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-19
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	22
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWN-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	U
PCB-1254	330	U
PCB-1260	330	**5720**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-20
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	56
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWN-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	840	U
PCB-1221	840	U
PCB-1232	840	U
PCB-1242	840	U
PCB-1248	840	U
PCB-1254	840	U
PCB-1260	840	**11100**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-433-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-9
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	24

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melina A Hulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-10
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	54

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melena Arlalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-11
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWE-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	253

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-12
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWE-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-21
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPTI-F2-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**42**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-22
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWS-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-23
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.2
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWS-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-24
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWS-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-13
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	269
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	4040	U
PCB-1221	4040	U
PCB-1232	4040	U
PCB-1242	4040	U
PCB-1248	4040	U
PCB-1254	4040	U
PCB-1260	4040	**51500**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-1
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/14/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWWW-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-999-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-14
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	22100
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWW-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	332000	U
PCB-1221	332000	U
PCB-1232	332000	U
PCB-1242	332000	U
PCB-1248	332000	U
PCB-1254	332000	U
PCB-1260	332000	**8400000**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-2
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/14/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWW-CS2A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-15
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	214
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWW-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	3210	U
PCB-1221	3210	U
PCB-1232	3210	U
PCB-1242	3210	U
PCB-1248	3210	U
PCB-1254	3210	U
PCB-1260	3210	**23700**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-3
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/14/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWW-CS3A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-16
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-SWW-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**105**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	51	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics Environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPH-F2-BOT-CS1

SAMPLE DATA

Lab Sample ID: 48208-27
Matrix: Solid
Percent Solid: 86
Dilution Factor: 114
Collection Date: 09/06/02
Lab Receipt Date: 09/06/02
Extraction Date: 09/09/02
Analysis Date: 09/10/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1710	U
PCB-1221	1710	U
PCB-1232	1710	U
PCB-1242	1710	U
PCB-1248	1710	U
PCB-1254	1710	U
PCB-1260	1710	**57400**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-4
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	54
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	810	U
PCB-1221	810	U
PCB-1232	810	U
PCB-1242	810	U
PCB-1248	810	U
PCB-1254	810	U
PCB-1260	810	11000

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48294-1
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	230
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-BOT-CS1B

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	3450	U
PCB-1221	3450	U
PCB-1232	3450	U
PCB-1242	3450	U
PCB-1248	3450	U
PCB-1254	3450	U
PCB-1260	3450	**28500**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48306-1
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	114
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/20/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS1C

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1710	U
PCB-1221	1710	U
PCB-1232	1710	U
PCB-1242	1710	U
PCB-1248	1710	U
PCB-1254	1710	U
PCB-1260	1710	**12300**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A. Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 25, 2002

SAMPLE DATA

Lab Sample ID:	48338-1
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	57
Collection Date:	09/24/02
Lab Receipt Date:	09/24/02
Extraction Date:	09/24/02
Analysis Date:	09/25/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-BOT-CS1D

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	860	U
PCB-1221	860	U
PCB-1232	860	U
PCB-1242	860	U
PCB-1248	860	U
PCB-1254	860	U
PCB-1260	860	**30400**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melena A Hull

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 27, 2002

SAMPLE DATA

Lab Sample ID:	48362-1
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/26/02
Lab Receipt Date:	09/26/02
Extraction Date:	09/26/02
Analysis Date:	09/27/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS1E

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	457

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69

Field Sample ID: GIPII-F2-BOT-CS2

SAMPLE DATA

Lab Sample ID: 48208-28
Matrix: Solid
Percent Solid: 84
Dilution Factor: 56
Collection Date: 09/06/02
Lab Receipt Date: 09/06/02
Extraction Date: 09/09/02
Analysis Date: 09/10/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	840	U
PCB-1221	840	U
PCB-1232	840	U
PCB-1242	840	U
PCB-1248	840	U
PCB-1254	840	U
PCB-1260	840	**34300**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene * %
Decachlorobiphenyl * %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-5
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	5
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS2A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	75	U
PCB-1221	75	U
PCB-1232	75	U
PCB-1242	75	U
PCB-1248	75	U
PCB-1254	75	U
PCB-1260	75	871

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	75	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory llc

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 11, 2002

SAMPLE DATA

Lab Sample ID:	48208-29
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	114
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/11/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1710	U
PCB-1221	1710	U
PCB-1232	1710	U
PCB-1242	1710	U
PCB-1248	1710	U
PCB-1254	1710	U
PCB-1260	1710	15400

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-6
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	11
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS3A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**3540**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-30
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	43
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	650	U
PCB-1221	650	U
PCB-1232	650	U
PCB-1242	650	U
PCB-1248	650	U
PCB-1254	650	U
PCB-1260	650	**23000**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory llc.

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-7
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/14/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS4A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	21

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-31
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	586
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS5

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	8790	U
PCB-1221	8790	U
PCB-1232	8790	U
PCB-1242	8790	U
PCB-1248	8790	U
PCB-1254	8790	U
PCB-1260	8790	**185000**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-9151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-8
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	108
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS5A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1620	U
PCB-1221	1620	U
PCB-1232	1620	U
PCB-1242	1620	U
PCB-1248	1620	U
PCB-1254	1620	U
PCB-1260	1620	**21200**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48294-2
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	106
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS5B

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1590	U
PCB-1221	1590	U
PCB-1232	1590	U
PCB-1242	1590	U
PCB-1248	1590	U
PCB-1254	1590	U
PCB-1260	1590	**14900**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48306-2
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	23
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/20/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS5C

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	350	U
PCB-1221	350	U
PCB-1232	350	U
PCB-1242	350	U
PCB-1248	350	U
PCB-1254	350	U
PCB-1260	350	**5960**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melena Cutulle

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-32
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	228
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS6

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	3420	U
PCB-1221	3420	U
PCB-1232	3420	U
PCB-1242	3420	U
PCB-1248	3420	U
PCB-1254	3420	U
PCB-1260	3420	**49400**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-9
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	105
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS6A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1580	U
PCB-1221	1580	U
PCB-1232	1580	U
PCB-1242	1580	U
PCB-1248	1580	U
PCB-1254	1580	U
PCB-1260	1580	**12500**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48294-3
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	11
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS6B

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**3360**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-33
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	22
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS7

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	U
PCB-1254	330	U
PCB-1260	330	**4140**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytica environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-34
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-BOT-CS8

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**362**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-35
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	57
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS9

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	860	U
PCB-1221	860	U
PCB-1232	860	U
PCB-1242	860	U
PCB-1248	860	U
PCB-1254	860	U
PCB-1260	860	**10700**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-10
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	57
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS9A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	860	U
PCB-1221	860	U
PCB-1232	860	U
PCB-1242	860	U
PCB-1248	860	U
PCB-1254	860	U
PCB-1260	860	11200

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48294-4
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	23
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-BOT-CS9B

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	350	U
PCB-1221	350	U
PCB-1232	350	U
PCB-1242	350	U
PCB-1248	350	U
PCB-1254	350	U
PCB-1260	350	**10300**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

190 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 22, 2002

SAMPLE DATA

Lab Sample ID:	48306-3
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	23
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/20/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-C59C

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	350	U
PCB-1221	350	U
PCB-1232	350	U
PCB-1242	350	U
PCB-1248	350	U
PCB-1254	350	U
PCB-1260	350	**4260**

Surrogate Standard Recovery

2,4,5,6 Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A. Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-F2-BOT-CS10

SAMPLE DATA

Lab Sample ID: 48208-36
Matrix: Solid
Percent Solid: 89
Dilution Factor: 11
Collection Date: 09/06/02
Lab Receipt Date: 09/06/02
Extraction Date: 09/09/02
Analysis Date: 09/10/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**2540**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-37
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS11

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	378

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-38
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	11
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS12

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	1130

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-999-9910

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-39
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	56
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS13

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	840	U
PCB-1221	840	U
PCB-1232	840	U
PCB-1242	840	U
PCB-1248	840	U
PCB-1254	840	U
PCB-1260	840	**9650**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-11 RX
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/16/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS13A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	230

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	45*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-40
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	11
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS14

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	1420

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-41
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS15

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**130**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 10, 2002

SAMPLE DATA

Lab Sample ID:	48208-42
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS16

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	43

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-12
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	21
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS17

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	320	U
PCB-1221	320	U
PCB-1232	320	U
PCB-1242	320	U
PCB-1248	320	U
PCB-1254	320	U
PCB-1260	320	4100

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-13
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/14/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-F2-BOT-CS18

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	45

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	65	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 16, 2002

SAMPLE DATA

Lab Sample ID:	48257-14
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	110
Collection Date:	09/13/02
Lab Receipt Date:	09/13/02
Extraction Date:	09/13/02
Analysis Date:	09/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FZ-BOT-CS19

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1650	U
PCB-1221	1650	U
PCB-1232	1650	U
PCB-1242	1650	U
PCB-1248	1650	U
PCB-1254	1650	U
PCB-1260	1650	**21800**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-922-9006

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48294-5
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	11
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-F2-BOT-CS19A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**4000**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-1
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	11
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**1150**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	60	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A. Pelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-2
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWN-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

126 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-3
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A. Fulli

analytics environmental laboratory LLC
196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-4906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-4
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa Abelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-5
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	112	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-6
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWS-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachlorm-m-xylene	76	%
Decachlorobiphenyl	110	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-7
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	110	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Valli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-8
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-SWW-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	128

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	91	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-990-0096

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-14
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	187

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	82	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

Authorized signature Melina Abdelli

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-15
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B53-BOT-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa O'Kelly

analytics environmental laboratory LLC.

195 Commerce Way
Portsmouth, New Hampshire 03801
603 436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-16
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-BOT-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-17
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO,69
Field Sample ID:	GIPII-B53-BOT-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**176**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	102	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Falk

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-4906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-9
Matrix:	Solid
Percent Solid:	98
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-53B19-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	**140**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	107	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melena A Galli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-10
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-53B19-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	**105**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	90	%
Decachlorobiphenyl	110	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa Stalle

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-11
Matrix:	Solid
Percent Solid:	97
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-53B19-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	17

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	118	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa Abelli

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

SAMPLE DATA

Lab Sample ID:	48088-12
Matrix:	Solid
Percent Solid:	97
Dilution Factor:	497
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/16/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-53B19-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	7460	U
PCB-1221	7460	U
PCB-1232	7460	U
PCB-1242	7460	U
PCB-1248	7460	U
PCB-1254	7460	U
PCB-1260	7460	67200

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-4906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-1
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-53B19-SWW-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 16, 2002

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-53B19-BOT-CS1

SAMPLE DATA

Lab Sample ID:	48088-18
Matrix:	Solid
Percent Solid:	95
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/14/02
Analysis Date:	08/15/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	146

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	84	%
Decachlorobiphenyl	117	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Stelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-7
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B29-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	54	%
Decachlorobiphenyl	68*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis . *Surrogate recovery outside control limits. Secondary surrogate is in control.

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-8
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	GTO 69
Field Sample ID:	GIPII-54B29-SWB-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	68	%
Decachlorobiphenyl	65*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected In Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis . *Surrogate recovery outside control limits. Secondary surrogate is in control.

Authorized signature Melissa Arbelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-9
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	11
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B29-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**1010**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 11, 2002

SAMPLE DATA

Lab Sample ID:	48223-1
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	21
Collection Date:	09/09/02
Lab Receipt Date:	09/10/02
Extraction Date:	09/10/02
Analysis Date:	09/11/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-54B29-SWS-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	320	U
PCB-1221	320	U
PCB-1232	320	U
PCB-1242	320	U
PCB-1248	320	U
PCB-1254	320	U
PCB-1260	320	**9640**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-10
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B29-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	44

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	79	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Valli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929 9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-13
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B29-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	67	%
Decachlorobiphenyl	77	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Lalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-4
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B40-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	109

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	65*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis . *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature Melissa Estelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-5
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.2
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B40-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	59	%
Decachlorobiphenyl	47*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis . *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature Melissa A Valle

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-0906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-6
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B40-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	16

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	75	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-12
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B40-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**119**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	71	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Valle

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-1
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-54B42-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A. Hall

analytics environmental laboratory LLC

191 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-2
Matrix:	Solid
Percent Solid:	80
Dilution Factor:	1.2
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B42-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	61*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-3
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-54B42-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	**188**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	114	%
Decachlorobiphenyl	75	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 6, 2002

SAMPLE DATA

Lab Sample ID:	48202-11
Matrix:	Solid
Percent Solid:	81
Dilution Factor:	1:2
Collection Date:	09/05/02
Lab Receipt Date:	09/05/02
Extraction Date:	09/05/02
Analysis Date:	09/06/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-54B42-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	72

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	58*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis . *Surrogate recovery outside control limits. Secondary surrogate is in control.

Authorized signature Melissa A Sullivan

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-1
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**289**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	90	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-2
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	59

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	84	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA.

Lab Sample ID:	48208-3
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	21
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	320	U
PCB-1221	320	U
PCB-1232	320	U
PCB-1242	320	U
PCB-1248	320	U
PCB-1254	320	U
PCB-1260	320	**4340**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 11, 2002

SAMPLE DATA

Lab Sample ID:	48223-3
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	22
Collection Date:	09/09/02
Lab Receipt Date:	09/10/02
Extraction Date:	09/10/02
Analysis Date:	09/11/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWN-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	5760
PCB-1254	330	U
PCB-1260	330	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature: Melissa A Hall

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 11, 2002

SAMPLE DATA

Lab Sample ID:	48223-2
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/10/02
Lab Receipt Date:	09/10/02
Extraction Date:	09/10/02
Analysis Date:	09/11/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-SWS-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	231

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Milena Cabell

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-4
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	389

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	128	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-25
Matrix:	Solid
Percent Solid:	86
Dilution Factor:	1.2
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B45-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-5
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B48-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	94	%
Decachlorobiphenyl	101	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-6
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B48-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	82	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-7
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B48-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**22**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-8
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B48-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**116**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	91	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2002

SAMPLE DATA

Lab Sample ID:	48208-26
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	09/06/02
Lab Receipt Date:	09/06/02
Extraction Date:	09/09/02
Analysis Date:	09/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-54B48-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-18
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-19
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB , REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWN-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature:

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-20
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB , REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWN-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 3, 2002

SAMPLE DATA

Lab Sample ID:	48391-21
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	11
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWN-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	1430

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-30
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B54-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB ,REMEDIATION
Project Number: CTO 69

Field Sample ID: GIPII-B54-SWF-CS2

SAMPLE DATA

Lab Sample ID: 48391-31
Matrix: Solid
Percent Solid: 90
Dilution Factor: 1.1
Collection Date: 10/01/02
Lab Receipt Date: 10/01/02
Extraction Date: 10/02/02
Analysis Date: 10/02/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	61	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-7906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-32
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWB-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	489

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hill

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-33
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB ,REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWE-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	115

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	68	%
Decachlorobiphenyl	104	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 3, 2002

SAMPLE DATA

Lab Sample ID:	48391-34
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	213
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWE-CS5

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	3200	U
PCB-1221	3200	U
PCB-1232	3200	U
PCB-1242	3200	U
PCB-1248	3200	U
PCB-1254	3200	U
PCB-1260	3200	35700

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430 2151
800-929-7906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-26
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**314**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-27
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.0
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWS-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-28
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWS-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	71	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Hulli

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-29
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.2
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWS-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa Orbelle

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-22
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.0
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	78	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-23
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB , REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWW-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	87	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytica environmental laboratory llc.

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-24
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPIJ-B54-SWW-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	109

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	87	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 2, 2002

SAMPLE DATA

Lab Sample ID:	48391-25
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	10/01/02
Lab Receipt Date:	10/01/02
Extraction Date:	10/02/02
Analysis Date:	10/02/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-SWW-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	30

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	71	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC
198 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-1
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	104
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN1-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1560	U
PCB-1221	1560	U
PCB-1232	1560	U
PCB-1242	1560	U
PCB-1248	1560	U
PCB-1254	1560	U
PCB-1260	1560	11100

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-1
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	1.0
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN1A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9900

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-2
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	112
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN1-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1680	U
PCB-1221	1680	U
PCB-1232	1680	U
PCB-1242	1680	U
PCB-1248	1680	U
PCB-1254	1680	U
PCB-1260	1680	13500

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature: Melinda Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-2
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	'CTO 69
Field Sample ID:	GIPII-SWN1A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	337

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	71	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-3
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	28
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN2-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	420	U
PCB-1221	420	U
PCB-1232	420	U
PCB-1242	420	U
PCB-1248	420	U
PCB-1254	420	U
PCB-1260	420	2320

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-4
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	55
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN2-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	830	U
PCB-1221	830	U
PCB-1232	830	U
PCB-1242	830	U
PCB-1248	830	U
PCB-1254	830	U
PCB-1260	830	8230

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A. Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2181
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-5
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN3-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	49

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	58	%
Decachlorobiphenyl	85	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-6
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	27
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN3-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	410	U
PCB-1221	410	U
PCB-1232	410	U
PCB-1242	410	U
PCB-1248	410	U
PCB-1254	410	U
PCB-1260	410	3400

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-7
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN4-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	137

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	57	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-3
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.0
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN4A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-8
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	107
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN4-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1610	U
PCB-1221	1610	U
PCB-1232	1610	U
PCB-1242	1610	U
PCB-1248	1610	U
PCB-1254	1610	U
PCB-1260	1610	13000

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A. Kalk

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-4
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN4A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	59	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-9
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN5-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	478

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	61	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melinda Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-10
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	54
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN5-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	810	U
PCB-1221	810	U
PCB-1232	810	U
PCB-1242	810	U
PCB-1248	810	U
PCB-1254	810	U
PCB-1260	810	8540

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-11
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN6-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	68

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	55	%
Decachlorobiphenyl	72	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-12
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWN6-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	89

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	56	%
Decachlorobiphenyl	68*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature Melissa Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-13
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	106
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE1-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1590	U
PCB-1221	1590	U
PCB-1232	1590	U
PCB-1242	1590	U
PCB-1248	1590	U
PCB-1254	1590	U
PCB-1260	1590	30800

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected I=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-5
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE1A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-14
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	28
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE1-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	420	U
PCB-1221	420	U
PCB-1232	420	U
PCB-1242	420	U
PCB-1248	420	U
PCB-1254	420	U
PCB-1260	420	2670

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-6
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE1A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	**126**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	58	%
Decachlorobiphenyl	82	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-15
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE2-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	500

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	53	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-16
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.2
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWE2-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	44

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	52	%
Decachlorobiphenyl	74	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-17
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	52
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS1-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	780	U
PCB-1221	780	U
PCB-1232	780	U
PCB-1242	780	U
PCB-1248	780	U
PCB-1254	780	U
PCB-1260	780	4120

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. *The surrogates were diluted out.

Authorized signature Melissa A Kalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-7
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPIJ-SWS1A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	457

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-18
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	112
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS1-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1680	U
PCB-1221	1680	U
PCB-1232	1680	U
PCB-1242	1680	U
PCB-1248	1680	U
PCB-1254	1680	U
PCB-1260	1680	**12700**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Kalle

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-8
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS1A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	583

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA. 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-19
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	108
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS2-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1620	U
PCB-1221	1620	U
PCB-1232	1620	U
PCB-1242	1620	U
PCB-1248	1620	U
PCB-1254	1620	U
PCB-1260	1620	13700

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 29, 2003

SAMPLE DATA

Lab Sample ID:	50361-9
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	2.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS2A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	100	U
PCB-1221	100	U
PCB-1232	100	U
PCB-1242	100	U
PCB-1248	100	U
PCB-1254	100	U
PCB-1260	100	863

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-20
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS2-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	538

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	66	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 29, 2003

SAMPLE DATA

Lab Sample ID:	50361-10
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	11
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS2A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	500	U
PCB-1221	500	U
PCB-1232	500	U
PCB-1242	500	U
PCB-1248	500	U
PCB-1254	500	U
PCB-1260	500	6450

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	60	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-21
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	G1PII-SWS3-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	64	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature: Melissa A Halli

analytics environmental laboratory LLC

195 Commercial Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 29, 2003

SAMPLE DATA

Lab Sample ID:	50361-11
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	211
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/29/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS3A-TOP

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	3170	U
PCB-1221	3170	U
PCB-1232	3170	U
PCB-1242	3170	U
PCB-1248	3170	U
PCB-1254	3170	U
PCB-1260	3170	89400

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50320-22
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS3-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	52	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature: Melissa A. Walls

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-12
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-SWS3A-BOT

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	433

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	67	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-1
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	261

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-2
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	133

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-3
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	479

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	61	%
Decachlorobiphenyl	73	%

U=Undetected I=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature: Melissa A. Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-4
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	177

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-5
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	10
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS5

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	150	U
PCB-1221	150	U
PCB-1232	150	U
PCB-1242	150	U
PCB-1248	150	U
PCB-1254	150	U
PCB-1260	150	**1560**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melanie A Stalli

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-6
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS6

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	304

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	64	%
Decachlorobiphenyl	77	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Terra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-7
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	53
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/25/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS7

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	800	U
PCB-1221	800	U
PCB-1232	800	U
PCB-1242	800	U
PCB-1248	800	U
PCB-1254	800	U
PCB-1260	800	5520

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature Melissa A. Lalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-8
Matrix:	Solid
Percent Solid:	95
Dilution Factor:	10
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS8

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	150	U
PCB-1221	150	U
PCB-1232	150	U
PCB-1242	150	U
PCB-1248	150	U
PCB-1254	150	U
PCB-1260	150	1530

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytics environmental laboratory LLC

198 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-9
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	50
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS9

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	750	U
PCB-1221	750	U
PCB-1232	750	U
PCB-1242	750	U
PCB-1248	750	U
PCB-1254	750	U
PCB-1260	750	**6230**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-10
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS10

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	651

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	52	%
Decachlorobiphenyl	82	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste; SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste; SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melina DeMelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-11
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS11

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	558

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	62	%
Decachlorobiphenyl	76	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-12
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS12

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	259

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melinda Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-13
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS13

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	322

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste; SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste; SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melinda Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-14
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/24/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS14

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50321-15
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	105
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS15

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1580	U
PCB-1221	1580	U
PCB-1232	1580	U
PCB-1242	1580	U
PCB-1248	1580	U
PCB-1254	1580	U
PCB-1260	1580	18600

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2003

SAMPLE DATA

Lab Sample ID:	50361-13
Matrix:	Solid
Percent Solid:	98
Dilution Factor:	1.0
Collection Date:	08/27/03
Lab Receipt Date:	08/28/03
Extraction Date:	08/28/03
Analysis Date:	08/28/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-BED-CS15A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	50	U
PCB-1221	50	U
PCB-1232	50	U
PCB-1242	50	U
PCB-1248	50	U
PCB-1254	50	U
PCB-1260	50	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-3
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	53

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	58	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-4906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWN-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-5
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	74	%
Decachlorobiphenyl	87	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-6
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.0
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	84	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-7
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	67	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-8
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-SWS-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	65

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	109	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-9
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated B=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-10
Matrix:	Solid
Percent Solid:	58
Dilution Factor:	1.6
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-SWW-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	24	U
PCB-1221	24	U
PCB-1232	24	U
PCB-1242	24	U
PCB-1248	24	U
PCB-1254	24	U
PCB-1260	24	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-12
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	94

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	67	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-B56-BOT-CS2

SAMPLE DATA

Lab Sample ID: 48123-13
Matrix: Solid
Percent Solid: 89
Dilution Factor: 1.1
Collection Date: 08/21/02
Lab Receipt Date: 08/21/02
Extraction Date: 08/22/02
Analysis Date: 08/23/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	66

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	66	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-14
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-BOT-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	68	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-15
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-BOT-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	40

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	62	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-16
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/23/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-BOT-CS5

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	61	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID: 48123-11
Matrix: Solid
Percent Solid: 90
Dilution Factor: 108
Collection Date: 08/21/02
Lab Receipt Date: 08/21/02
Analysis Date: 08/23/02

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION

Project Number: CTO 69

Field Sample ID: GIPII-B56-CTR-CS1

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	110	U	1,3-Dichloropropane	110	U
Bromobenzene	110	U	cis-1,3-Dichloropropene	110	U
Bromochloromethane	110	U	trans-1,3-Dichloropropene	110	U
Bromodichloromethane	81	U	2,2-Dichloropropane	110	U
Bromoform	81	U	1,1-Dichloropropene	110	U
Bromomethane	110	U	Ethylbenzene	110	U
n-butylbenzene	110	U	Hexachlorobutadiene	110	U
sec-butylbenzene	110	U	Isopropylbenzene	110	U
tert-butylbenzene	110	U	p-isopropyltoluene	110	U
Carbon Tetrachloride	110	U	Methylene Chloride	540	U
Chlorobenzene	110	U	Methyl-tert-butyl ether	110	U
Chloroethane	110	U	Naphthalene	110	U
Chloroform	81	U	n-Propylbenzene	110	U
Chloromethane	110	U	Styrene	110	U
2-Chlorotoluene	110	U	1,1,1,2-Tetrachloroethane	110	U
4-Chlorotoluene	110	U	1,1,2,2-Tetrachloroethane	81	U
Dibromochloromethane	81	U	Tetrachloroethene	110	U
1,2-Dibromo-3-chloropropane	110	U	Toluene	110	U
1,2-Dibromoethane	81	U	1,2,3-Trichlorobenzene	110	U
Dibromomethane	110	U	1,2,4-Trichlorobenzene	110	U
1,2-Dichlorobenzene	110	U	1,1,1-Trichloroethane	110	U
1,3-Dichlorobenzene	110	U	1,1,2-Trichloroethane	81	U
1,4-Dichlorobenzene	110	U	Trichloroethene	110	U
Dichlorodifluoromethane	110	U	Trichlorofluoromethane	110	U
1,1-Dichloroethane	110	U	1,2,3-Trichloropropane	110	U
1,2-Dichloroethane	81	U	1,2,4-Trimethylbenzene	110	U
1,1-Dichloroethene	81	U	1,3,5-Trimethylbenzene	110	U
cis-1,2-Dichloroethene	110	U	Vinyl Chloride	110	U
trans-1,2-Dichloroethene	110	U	o-Xylene	110	U
1,2-Dichloropropane	81	U	m,p-Xylene	110	U
Acetone	1100	U	Diethyl ether	110	U
Carbon Disulfide	110	U	2-Hexanone	1100	U
Tetrahydrofuran	540	U	Methyl isobutyl ketone	1100	U
Methyl ethyl ketone	1100	U	Di-isopropyl ether	110	U
t-Butyl alcohol	4300	U	Ethyl t-butyl ether	110	U
t-Amyl methyl ether	110	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	87 %	d8-Toluene	90 %	Bromofluorobenzene	89 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

6200 full

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 28, 2002

SAMPLE DATA

Lab Sample ID:	48123-11
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/23/02
Analysis Date:	08/27/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-CTR-CS1

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
U	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

August 28, 2002

SAMPLE DATA

Lab Sample ID:	48123-11
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/27/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-CTR-CS1

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	270	U	Pentachlorophenol	270	U
4-Chloro-3-methylphenol	270	U	Phenol	270	U
2,4-Dichlorophenol	270	U	2,4,5-Trichlorophenol	270	U
2,4-Dimethylphenol	270	U	2,4,6-Trichlorophenol	270	U
2,4-dinitrophenol	270	U	Benzoic Acid	270	U
4,6-Dinitro-2-methylphenol	270	U	2-Methylphenol	270	U
2-Nitrophenol	270	U	3+4-Methylphenol	270	U
2,6-Dichlorophenol	270	U	Benzyl Alcohol	270	U
4-Nitrophenol	270	U	2,3,4,6-Tetrachlorophenol	270	U

Acid Surrogate Standard Recovery

2-Fluorophenol	39 %	d5-Phenol	54 %	2,4,6-Tribromophenol	69 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	270	U	Hexachlorobenzene	270	U
1,3-Dichlorobenzene	270	U	Benzidine	270	U
1,4-Dichlorobenzene	270	U	3,3'-Dichlorobenzidine	270	U
2,4-Dinitrotoluene	270	U	Azobenzene	270	U
2,6-Dinitrotoluene	270	U	Bis(2-chloroethoxy)methane	270	U
Nitrobenzene	270	U	bis(2-chloroethyl) ether	270	U
Hexachlorobutadiene	270	U	bis(2-chloroisopropyl)ether	270	U
Dimethyl Phthalate	270	U	4-bromophenyl phenyl ether	270	U
Di-n-butyl phthalate	270	U	Butyl benzyl phthalate	270	U
di-n-octyl-phthalate	270	U	4-Chlorophenyl phenyl ether	270	U
Bis (2-ethylhexyl) phthalate	270	U	Diethyl Phthalate	270	U
1,2,4-Trichlorobenzene	270	U	Hexachlorocyclopentadiene	270	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

August 28, 2002

SAMPLE DATA

Lab Sample ID:	48123-11
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/27/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-CTR-CS1

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	270	U	N-nitrosodimethylamine	270	U
Acenaphthylene	270	U	N-nitroso-di-n-propylamine	270	U
Anthracene	270	U	n-nitrosodiphenylamine	270	U
Benzo[a]anthracene	270	U	Pyridine	270	U
Benzo[a] pyrene	270	U	2-Methylnaphthalene	270	U
Benzo[b] fluoranthene	270	U	2-Chloronaphthalene	270	U
Benzo[k] fluoranthene	270	U	Naphthalene	270	U
Benzo(g,h,i) perylene	270	U	Phenanthrene	270	U
Chrysene	270	U	Dibenzofuran	270	U
Dibenz [a,h] anthracene	270	U	Aniline	270	U
Fluoranthene	270	U	4-Chloroaniline	270	U
Fluorene	270	U	2-Nitroaniline	270	U
Indeno [1,2,3-cd] pyrene	270	U	3-Nitroaniline	270	U
Pyrene	270	U	4-Nitroaniline	270	U
Hexachloroethane	270	U	Carbazole	270	U
Isophorone	270	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	29 %	d5-nitrobenzene	29 * %	d14-p-terphenyl	74 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis. *Surrogate recovery is outside the laboratory acceptance criteria.

8270/625 layout

Authorized signature

analytics environmental laboratory llc

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-1
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	103	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Nelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-1
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.0
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-SWN-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa Abelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-2
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	22
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	U
PCB-1254	330	U
PCB-1260	330	**7220**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Valli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-2
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**225**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	81	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Milena Abali

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-3
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	14

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	99	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-3
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWS-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**205**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature: Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-4
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	16

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	106	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-5
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-SWW-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	33

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	81	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-13
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	22
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	U
PCB-1254	330	U
PCB-1260	330	**4930**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-14
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	22
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-BOT-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	U
PCB-1254	330	U
PCB-1260	330	**6810**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hull

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-9
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	11
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-BOT-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	2170

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa Walsh

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-10
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	11
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/23/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-BOT-CS4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	1210

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory llc

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-927-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-1
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	23
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWN

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	350	U
PCB-1221	350	U
PCB-1232	350	U
PCB-1242	350	U
PCB-1248	350	U
PCB-1254	350	U
PCB-1260	350	**6040**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436 8111 Fax 603-430-2151
800-929-0906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 22, 2002

SAMPLE DATA

Lab Sample ID:	48288-1
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	87
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPIJ-B59-SUMP-SWN

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	87	U	1,3-Dichloropropane	87	U
Bromobenzene	87	U	cis-1,3-Dichloropropene	87	U
Bromochloromethane	87	U	trans-1,3-Dichloropropene	87	U
Bromodichloromethane	65	U	2,2-Dichloropropane	87	U
Bromoform	65	U	1,1-Dichloropropene	87	U
Bromomethane	87	U	Ethylbenzene	87	U
n-butylbenzene	87	U	Hexachlorobutadiene	87	U
sec-butylbenzene	87	U	Isopropylbenzene	87	U
tert-butylbenzene	87	U	p-isopropyltoluene	87	U
Carbon Tetrachloride	87	U	Methylene Chloride	430	U
Chlorobenzene	87	U	Methyl-tert-butyl ether	87	U
Chloroethane	87	U	Naphthalene	87	U
Chloroform	65	U	n-Propylbenzene	87	U
Chloromethane	87	U	Styrene	87	U
2-Chlorotoluene	87	U	1,1,1,2-Tetrachloroethane	87	U
4-Chlorotoluene	87	U	1,1,2,2-Tetrachloroethane	65	U
Dibromochloromethane	65	U	Tetrachloroethene	87	U
1,2-Dibromo-3-chloropropane	87	U	Toluene	87	U
1,2-Dibromoethane	65	U	1,2,3-Trichlorobenzene	87	U
Dibromomethane	87	U	1,2,4-Trichlorobenzene	87	U
1,2-Dichlorobenzene	87	U	1,1,1-Trichloroethane	87	U
1,3-Dichlorobenzene	87	U	1,1,2-Trichloroethane	65	U
1,4-Dichlorobenzene	87	U	Trichloroethene	87	U
Dichlorodifluoromethane	87	U	Trichlorofluoromethane	87	U
1,1-Dichloroethane	87	U	1,2,3-Trichloropropane	87	U
1,2-Dichloroethane	65	U	1,2,4-Trimethylbenzene	87	U
1,1-Dichloroethene	65	U	1,3,5-Trimethylbenzene	87	U
cis-1,2-Dichloroethene	87	U	Vinyl Chloride	87	U
trans-1,2-Dichloroethene	87	U	o-Xylene	87	U
1,2-Dichloropropane	65	U	m,p-Xylene	87	U
Acetone	870	U	Diethyl ether	87	U
Carbon Disulfide	87	U	2-Hexanone	870	U
Tetrahydrofuran	430	U	Methyl isobutyl ketone	870	U
Methyl ethyl ketone	870	U	Di-isopropyl ether	87	U
t-Butyl alcohol	3500	U	Ethyl t-butyl ether	87	U
t-Amyl methyl ether	87	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane 103 % d8-Toluene 106 % Bromofluorobenzene 106 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035. Sample did not meet method acceptance criteria for 1:1 soil to methanol ratio.

8200 full

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-1
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-SUMP-SWN

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	290	U	Pentachlorophenol	290	U
4-Chloro-3-methylphenol	290	U	Phenol	290	U
2,4-Dichlorophenol	290	U	2,4,5-Trichlorophenol	290	U
2,4-Dimethylphenol	290	U	2,4,6-Trichlorophenol	290	U
2,4-dinitrophenol	290	U	Benzoic Acid	290	U
4,6-Dinitro-2-methylphenol	290	U	2-Methylphenol	290	U
2-Nitrophenol	290	U	3+4-Methylphenol	290	U
2,6-Dichlorophenol	290	U	Benzyl Alcohol	290	U
4-Nitrophenol	290	U	2,3,4,6-Tetrachlorophenol	290	U

Acid Surrogate Standard Recovery

2-Fluorophenol	69 %	d5-Phenol	75 %	2,4,6-Tribromophenol	85 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	290	U	Hexachlorobenzene	290	U
1,3-Dichlorobenzene	290	U	Benzidine	290	U
1,4-Dichlorobenzene	290	U	3,3'-Dichlorobenzidine	290	U
2,4-Dinitrotoluene	290	U	Azobenzene	290	U
2,6-Dinitrotoluene	290	U	Bis(2-chloroethoxy)methane	290	U
Nitrobenzene	290	U	bis(2-chloroethyl) ether	290	U
Hexachlorobutadiene	290	U	bis(2-chloroisopropyl)ether	290	U
Dimethyl Phthalate	290	U	4-bromophenyl phenyl ether	290	U
Di-n-butyl phthalate	290	U	Butyl benzyl phthalate	290	U
di-n-octyl-phthalate	290	U	4-Chlorophenyl phenyl ether	290	U
Bis (2-ethylhexyl) phthalate	290	U	Diethyl Phthalate	290	U
1,2,4-Trichlorobenzene	290	U	Hexachlorocyclopentadiene	290	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature Melissa A Stelle

8270/625 layout

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-999-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-1
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWN

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	290	U	N-nitrosodimethylamine	290	U
Acenaphthylene	290	U	N-nitroso-di-n-propylamine	290	U
Anthracene	290	U	n-nitrosodiphenylamine	290	U
Benzo[a]anthracene	290	**188 J**	Pyridine	290	U
Benzo[a] pyrene	290	U	2-Methylnaphthalene	290	U
Benzo[b] fluoranthene	290	U	2-Chloronaphthalene	290	U
Benzo[k] fluoranthene	290	U	Naphthalene	290	U
Benzo(g,h,i) perylene	290	U	Phenanthrene	290	**313**
Chrysene	290	**182 J**	Dibenzofuran	290	U
Dibenz [a,h] anthracene	290	U	Aniline	290	U
Fluoranthene	290	**443**	4-Chloroaniline	290	U
Fluorene	290	U	2-Nitroaniline	290	U
Indeno [1,2,3-cd] pyrene	290	U	3-Nitroaniline	290	U
Pyrene	290	**335**	4-Nitroaniline	290	U
Hexachloroethane	290	U	Carbazole	290	U
Isophorone	290	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	75	%	d5-nitrobenzene	71	%	d14-p-terphenyl	85 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/628 (layout)

Authorized signature Melissa Arbelli

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-927-9706

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-1
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWN

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
11	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature Melina A. Hulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-2
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWE

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	29

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Fulk

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-2
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	103
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPII-B59-SUMP-SWB

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	77	U	2,2-Dichloropropane	100	U
Bromoform	77	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	520	U
Chlorobenzene	100	U	Methyl-tert-butyl ether	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	77	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	77	U
Dibromochloromethane	77	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	77	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	77	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	U
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	77	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	77	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	77	U	m,p-Xylene	100	U
Acetone	1000	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	1000	U
Tetrahydrofuran	520	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether	100	U
t-Butyl alcohol	4100	U	Ethyl t-butyl ether	100	U
t-Amyl methyl ether	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	100 %	d8-Toluene	103 %	Bromofluorobenzene	102 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

8260 full

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800 929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-2
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-SUMP-SWE

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	300	U	Pentachlorophenol	300	U
4-Chloro-3-methylphenol	300	U	Phenol	300	U
2,4-Dichlorophenol	300	U	2,4,5-Trichlorophenol	300	U
2,4-Dimethylphenol	300	U	2,4,6-Trichlorophenol	300	U
2,4-dinitrophenol	300	U	Benzoic Acid	300	U
4,6-Dinitro-2-methylphenol	300	U	2-Methylphenol	300	U
2-Nitrophenol	300	U	3+4-Methylphenol	300	U
2,6-Dichlorophenol	300	U	Benzyl Alcohol	300	U
4-Nitrophenol	300	U	2,3,4,6-Tetrachlorophenol	300	U

Acid Surrogate Standard Recovery

2-Fluorophenol	61 %	d5-Phenol	67 %	2,4,6-Tribromophenol	80 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	300	U	Hexachlorobenzene	300	U
1,3-Dichlorobenzene	300	U	Benzidine	300	U
1,4-Dichlorobenzene	300	U	3,3'-Dichlorobenzidine	300	U
2,4-Dinitrotoluene	300	U	Azobenzene	300	U
2,6-Dinitrotoluene	300	U	Bis(2-chloroethoxy)methane	300	U
Nitrobenzene	300	U	bis(2-chloroethyl) ether	300	U
Hexachlorobutadiene	300	U	bis(2-chloroisopropyl)ether	300	U
Dimethyl Phthalate	300	U	4-bromophenyl phenyl ether	300	U
Di-n-butyl phthalate	300	U	Butyl benzyl phthalate	300	U
di-n-octyl-phthalate	300	U	4-Chlorophenyl phenyl ether	300	U
Bis (2-ethylhexyl) phthalate	300	U	Diethyl Phthalate	300	U
1,2,4-Trichlorobenzene	300	U	Hexachlorocyclopentadiene	300	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature

8270/625 layout

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-2
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-B59-SUMP-SWE

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	300	U	N-nitrosodimethylamine	300	U
Acenaphthylene	300	U	N-nitroso-di-n-propylamine	300	U
Anthracene	300	U	n-nitrosodiphenylamine	300	U
Benzo[a]anthracene	300	U	Pyridine	300	U
Benzo[a] pyrene	300	U	2-Methylnaphthalene	300	U
Benzo[b] fluoranthene	300	U	2-Chloronaphthalene	300	U
Benzo[k] fluoranthene	300	U	Naphthalene	300	U
Benzo(g,h,i) perylene	300	U	Phenanthrene	300	U
Chrysene	300	U	Dibenzofuran	300	U
Dibenz [a,h] anthracene	300	U	Aniline	300	U
Fluoranthene	300	U	4-Chloroaniline	300	U
Fluorene	300	U	2-Nitroaniline	300	U
Indeno [1,2,3-cd] pyrene	300	U	3-Nitroaniline	300	U
Pyrene	300	U	4-Nitroaniline	300	U
Hexachloroethane	300	U	Carbazole	300	U
Isophorone	300	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	67 %	d5-nitrobenzene	64 %	d14-p-terphenyl	77 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/625 layout

Authorized signature Melissa A Tulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800 929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-2
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWE

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
U	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature Melina A Kelly

analytics environmental laboratory inc.

198 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-3
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWS

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	30

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	95	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Gulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-3
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	103
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPII-B59-SUMP-SWS

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	77	U	2,2-Dichloropropane	100	U
Bromoform	77	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	520	U
Chlorobenzene	100	U	Methyl-tert-butyl ether	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	77	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	77	U
Dibromochloromethane	77	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	77	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	77	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	U
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	77	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	77	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	77	U	m,p-Xylene	100	U
Acetone	1000	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	1000	U
Tetrahydrofuran	520	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether	100	U
t-Butyl alcohol	4100	U	Ethyl t-butyl ether	100	U
t-Amyl methyl ether	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	98 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

Authorized signature Melena A Valle

8260 full

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-3
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWS

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	300	U	Pentachlorophenol	300	U
4-Chloro-3-methylphenol	300	U	Phenol	300	U
2,4-Dichlorophenol	300	U	2,4,5-Trichlorophenol	300	U
2,4-Dimethylphenol	300	U	2,4,6-Trichlorophenol	300	U
2,4-dinitrophenol	300	U	Benzoic Acid	300	U
4,6-Dinitro-2-methylphenol	300	U	2-Methylphenol	300	U
2-Nitrophenol	300	U	3+4-Methylphenol	300	U
2,6-Dichlorophenol	300	U	Benzyl Alcohol	300	U
4-Nitrophenol	300	U	2,3,4,6-Tetrachlorophenol	300	U

Acid Surrogate Standard Recovery

2-Fluorophenol	71 %	d5-Phenol	77 %	2,4,6-Tribromophenol	99 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	300	U	Hexachlorobenzene	300	U
1,3-Dichlorobenzene	300	U	Benzidine	300	U
1,4-Dichlorobenzene	300	U	3,3'-Dichlorobenzidine	300	U
2,4-Dinitrotoluene	300	U	Azobenzene	300	U
2,6-Dinitrotoluene	300	U	Bis(2-chloroethoxy)methane	300	U
Nitrobenzene	300	U	bis(2-chloroethyl) ether	300	U
Hexachlorobutadiene	300	U	bis(2-chloroisopropyl)ether	300	U
Dimethyl Phthalate	300	U	4-bromophenyl phenyl ether	300	U
Di-n-butyl phthalate	300	U	Butyl benzyl phthalate	300	U
di-n-octyl-phthalate	300	U	4-Chlorophenyl phenyl ether	300	U
Bis (2-ethylhexyl) phthalate	300	U	Diethyl Phthalate	300	U
1,2,4-Trichlorobenzene	300	U	Hexachlorocyclopentadiene	300	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature

8270/625 layout

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-3
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWS

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	300	U	N-nitrosodimethylamine	300	U
Acenaphthylene	300	U	N-nitroso-di-n-propylamine	300	U
Anthracene	300	U	n-nitrosodiphenylamine	300	U
Benzo[a]anthracene	300	451	Pyridine	300	U
Benzo[a] pyrene	300	343	2-Methylnaphthalene	300	U
Benzo[b] fluoranthene	300	345	2-Chloronaphthalene	300	U
Benzo[k] fluoranthene	300	312	Naphthalene	300	U
Benzo(g,h,i) perylene	300	214 J	Phenanthrene	300	290 J
Chrysene	300	440	Dibenzofuran	300	U
Dibenz [a,h] anthracene	300	U	Aniline	300	U
Fluoranthene	300	721	4-Chloroaniline	300	U
Fluorene	300	U	2-Nitroaniline	300	U
Indeno [1,2,3-cd] pyrene	300	246 J	3-Nitroaniline	300	U
Pyrene	300	588	4-Nitroaniline	300	U
Hexachloroethane	300	U	Carbazole	300	U
Isophorone	300	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	78	%	d5-nitrobenzene	73	%	d14-p-terphenyl	89 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/825 layout

Authorized signature Helena A Hull

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800 929 9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-3
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWS

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
12	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	95	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature Melissa A Hulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 26, 2002

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWSA

SAMPLE DATA

Lab Sample ID:	48348-1
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/25/02
Lab Receipt Date:	09/25/02
Extraction Date:	09/25/02
Analysis Date:	09/25/02

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Chrysene	280	U

Surrogate Standard Recovery

d5-nitrobenzene	57 %	2-Fluorobiphenyl	57 %	d14-p-terphenyl	78 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-9161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/18/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWW

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	**541**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	110
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: G1PII-B59-SUMP-SWW

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	110	U	1,3-Dichloropropane	110	U
Bromobenzene	110	U	cis-1,3-Dichloropropene	110	U
Bromochloromethane	110	U	trans-1,3-Dichloropropene	110	U
Bromodichloromethane	82	U	2,2-Dichloropropane	110	U
Bromoform	82	U	1,1-Dichloropropene	110	U
Bromomethane	110	U	Ethylbenzene	110	U
n-butylbenzene	110	U	Hexachlorobutadiene	110	U
sec-butylbenzene	110	U	Isopropylbenzene	110	U
tert-butylbenzene	110	U	p-isopropyltoluene	110	U
Carbon Tetrachloride	110	U	Methylene Chloride	550	U
Chlorobenzene	110	U	Methyl-tert-butyl ether	110	U
Chloroethane	110	U	Naphthalene	110	U
Chloroform	82	U	n-Propylbenzene	110	U
Chloromethane	110	U	Styrene	110	U
2-Chlorotoluene	110	U	1,1,1,2-Tetrachloroethane	110	U
4-Chlorotoluene	110	U	1,1,2,2-Tetrachloroethane	82	U
Dibromochloromethane	82	U	Tetrachloroethene	110	U
1,2-Dibromo-3-chloropropane	110	U	Toluene	110	U
1,2-Dibromoethane	82	U	1,2,3-Trichlorobenzene	110	U
Dibromomethane	110	U	1,2,4-Trichlorobenzene	110	U
1,2-Dichlorobenzene	110	U	1,1,1-Trichloroethane	110	U
1,3-Dichlorobenzene	110	U	1,1,2-Trichloroethane	82	U
1,4-Dichlorobenzene	110	U	Trichloroethene	110	U
Dichlorodifluoromethane	110	U	Trichlorofluoromethane	110	U
1,1-Dichloroethane	110	U	1,2,3-Trichloropropane	110	U
1,2-Dichloroethane	82	U	1,2,4-Trimethylbenzene	110	U
1,1-Dichloroethene	82	U	1,3,5-Trimethylbenzene	110	U
cis-1,2-Dichloroethene	110	U	Vinyl Chloride	110	U
trans-1,2-Dichloroethene	110	U	o-Xylene	110	U
1,2-Dichloropropane	82	U	m,p-Xylene	110	U
Acetone	1100	U	Diethyl ether	110	U
Carbon Disulfide	110	U	2-Hexanone	1100	U
Tetrahydrofuran	550	U	Methyl isobutyl ketone	1100	U
Methyl ethyl ketone	1100	U	Di-isopropyl ether	110	U
t-Butyl alcohol	4400	U	Ethyl t-butyl ether	110	U
t-Amyl methyl ether	110	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	117 %	d8-Toluene	112 %	Bromofluorobenzene	110 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

Authorized signature Melissa A Gulli

0680 full

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWW

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	300	U	Pentachlorophenol	300	U
4-Chloro-3-methylphenol	300	U	Phenol	300	U
2,4-Dichlorophenol	300	U	2,4,5-Trichlorophenol	300	U
2,4-Dimethylphenol	300	U	2,4,6-Trichlorophenol	300	U
2,4-dinitrophenol	300	U	Benzoic Acid	300	U
4,6-Dinitro-2-methylphenol	300	U	2-Methylphenol	300	U
2-Nitrophenol	300	U	3+4-Methylphenol	300	U
2,6-Dichlorophenol	300	U	Benzyl Alcohol	300	U
4-Nitrophenol	300	U	2,3,4,6-Tetrachlorophenol	300	U

Acid Surrogate Standard Recovery

2-Fluorophenol	71 %	d5-Phenol	78 %	2,4,6-Tribromophenol	94 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	300	U	Hexachlorobenzene	300	U
1,3-Dichlorobenzene	300	U	Benzidine	300	U
1,4-Dichlorobenzene	300	U	3,3'-Dichlorobenzidine	300	U
2,4-Dinitrotoluene	300	U	Azobenzene	300	U
2,6-Dinitrotoluene	300	U	Bis(2-chloroethoxy)methane	300	U
Nitrobenzene	300	U	bis(2-chloroethyl) ether	300	U
Hexachlorobutadiene	300	U	bis(2-chloroisopropyl)ether	300	U
Dimethyl Phthalate	300	U	4-bromophenyl phenyl ether	300	U
Di-n-butyl phthalate	300	U	Butyl benzyl phthalate	300	U
di-n-octyl-phthalate	300	U	4-Chlorophenyl phenyl ether	300	U
Bis (2-ethylhexyl) phthalate	300	U	Diethyl Phthalate	300	U
1,2,4-Trichlorobenzene	300	U	Hexachlorocyclopentadiene	300	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature

8270/625 layout

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWW

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	300	U	N-nitrosodimethylamine	300	U
Acenaphthylene	300	U	N-nitroso-di-n-propylamine	300	U
Anthracene	300	U	n-nitrosodiphenylamine	300	U
Benzo[a]anthracene	300	U	Pyridine	300	U
Benzo[a] pyrene	300	U	2-Methylnaphthalene	300	U
Benzo[b] fluoranthene	300	U	2-Chloronaphthalene	300	U
Benzo[k] fluoranthene	300	U	Naphthalene	300	U
Benzo(g,h,i) perylene	300	U	Phenanthrene	300	U
Chrysene	300	U	Dibenzofuran	300	U
Dibenz [a,h] anthracene	300	U	Aniline	300	U
Fluoranthene	300	U	4-Chloroaniline	300	U
Fluorene	300	U	2-Nitroaniline	300	U
Indeno [1,2,3-cd] pyrene	300	U	3-Nitroaniline	300	U
Pyrene	300	U	4-Nitroaniline	300	U
Hexachloroethane	300	U	Carbazole	300	U
Isophorone	300	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	77	%	d5-nitrobenzene	72	%	d14-p-terphenyl	90 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/525 layout

Authorized signature Milena A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-4
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-SWW

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
10	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature Melissa A. Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPII-B59-SUMP-BOT

SAMPLE DATA

Lab Sample ID: 48288-5
Matrix: Solid
Percent Solid: 82
Dilution Factor: 1.2
Collection Date: 09/17/02
Lab Receipt Date: 09/17/02
Extraction Date: 09/17/02
Analysis Date: 09/18/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	37

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	93	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Valli

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-979-9006

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID: 48288-5
Matrix: Solid
Percent Solid: 82
Dilution Factor: 109
Collection Date: 09/17/02
Lab Receipt Date: 09/17/02
Analysis Date: 09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPII-B59-SUMP-BOT

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	110	U	1,3-Dichloropropane	110	U
Bromobenzene	110	U	cis-1,3-Dichloropropene	110	U
Bromochloromethane	110	U	trans-1,3-Dichloropropene	110	U
Bromodichloromethane	82	U	2,2-Dichloropropane	110	U
Bromoform	82	U	1,1-Dichloropropene	110	U
Bromomethane	110	U	Ethylbenzene	110	U
n-butylbenzene	110	U	Hexachlorobutadiene	110	U
sec-butylbenzene	110	U	Isopropylbenzene	110	U
tert-butylbenzene	110	U	p-isopropyltoluene	110	U
Carbon Tetrachloride	110	U	Methylene Chloride	550	U
Chlorobenzene	110	U	Methyl-tert-butyl ether	110	U
Chloroethane	110	U	Naphthalene	110	U
Chloroform	82	U	n-Propylbenzene	110	U
Chloromethane	110	U	Styrene	110	U
2-Chlorotoluene	110	U	1,1,1,2-Tetrachloroethane	110	U
4-Chlorotoluene	110	U	1,1,2,2-Tetrachloroethane	82	U
Dibromochloromethane	82	U	Tetrachloroethene	110	U
1,2-Dibromo-3-chloropropane	110	U	Toluene	110	U
1,2-Dibromoethane	82	U	1,2,3 Trichlorobenzene	110	U
Dibromomethane	110	U	1,2,4-Trichlorobenzene	110	U
1,2-Dichlorobenzene	110	U	1,1,1-Trichloroethane	110	U
1,3-Dichlorobenzene	110	U	1,1,2-Trichloroethane	82	U
1,4-Dichlorobenzene	110	U	Trichloroethene	110	U
Dichlorodifluoromethane	110	U	Trichlorofluoromethane	110	U
1,1-Dichloroethane	110	U	1,2,3-Trichloropropane	110	U
1,2-Dichloroethane	82	U	1,2,4-Trimethylbenzene	110	U
1,1-Dichloroethene	82	U	1,3,5-Trimethylbenzene	110	U
cis-1,2-Dichloroethene	110	U	Vinyl Chloride	110	U
trans-1,2-Dichloroethene	110	U	o-Xylene	110	U
1,2-Dichloropropane	82	U	m,p-Xylene	110	U
Acetone	1100	U	Diethyl ether	110	U
Carbon Disulfide	110	U	2-Hexanone	1100	U
Tetrahydrofuran	550	U	Methyl isobutyl ketone	1100	U
Methyl ethyl ketone	1100	U	Di-isopropyl ether	110	U
t-Butyl alcohol	4400	U	Ethyl t-butyl ether	110	U
t-Amyl methyl ether	110	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane 113 % d8-Toluene 99 % Bromofluorobenzene 98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

8260 full

Authorized signature Milena Abelli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID: 48288-5
Matrix: Solid
Percent Solid: 82
Dilution Factor: 1.2
Collection Date: 09/17/02
Lab Receipt Date: 09/17/02
Extraction Date: 09/17/02
Analysis Date: 09/19/02

CLIENT SAMPLE ID

Project Name: Gould Island PCB Remediation

Project Number: CTO 69

Field Sample ID: GIPII-B59-SUMP-BOT

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	300	U	Pentachlorophenol	300	U
4-Chloro-3-methylphenol	300	U	Phenol	300	U
2,4-Dichlorophenol	300	U	2,4,5-Trichlorophenol	300	U
2,4-Dimethylphenol	300	U	2,4,6-Trichlorophenol	300	U
2,4-dinitrophenol	300	U	Benzoic Acid	300	U
4,6-Dinitro-2-methylphenol	300	U	2-Methylphenol	300	U
2-Nitrophenol	300	U	3+4-Methylphenol	300	U
2,6-Dichlorophenol	300	U	Benzyl Alcohol	300	U
4-Nitrophenol	300	U	2,3,4,6-Tetrachlorophenol	300	U

Acid Surrogate Standard Recovery

2-Fluorophenol	72 %	d5-Phenol	81 %	2,4,6-Tribromophenol	93 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	300	U	Hexachlorobenzene	300	U
1,3-Dichlorobenzene	300	U	Benzidine	300	U
1,4-Dichlorobenzene	300	U	3,3'-Dichlorobenzidine	300	U
2,4-Dinitrotoluene	300	U	Azobenzene	300	U
2,6-Dinitrotoluene	300	U	Bis(2-chloroethoxy)methane	300	U
Nitrobenzene	300	U	bis(2-chloroethyl) ether	300	U
Hexachlorobutadiene	300	U	bis(2-chloroisopropyl)ether	300	U
Dimethyl Phthalate	300	U	4-bromophenyl phenyl ether	300	U
Di-n-butyl phthalate	300	U	Butyl benzyl phthalate	300	U
di-n-octyl-phthalate	300	U	4-Chlorophenyl phenyl ether	300	U
Bis (2-ethylhexyl) phthalate	300	U	Diethyl Phthalate	300	U
1,2,4-Trichlorobenzene	300	U	Hexachlorocyclopentadiene	300	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature Melissa A. Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436 6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48288-5
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-BOT

PAGE TWO

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	300	U	N-nitrosodimethylamine	300	U
Acenaphthylene	300	U	N-nitroso-di-n-propylamine	300	U
Anthracene	300	U	n-nitrosodiphenylamine	300	U
Benzo[a]anthracene	300	U	Pyridine	300	U
Benzo[a] pyrene	300	U	2-Methylnaphthalene	300	U
Benzo[b] fluoranthene	300	U	2-Chloronaphthalene	300	U
Benzo[k] fluoranthene	300	U	Naphthalene	300	U
Benzo(g,h,i) perylene	300	U	Phenanthrene	300	U
Chrysene	300	U	Dibenzofuran	300	U
Dibenz [a,h] anthracene	300	U	Aniline	300	U
Fluoranthene	300	U	4-Chloroaniline	300	U
Fluorene	300	U	2-Nitroaniline	300	U
Indeno [1,2,3-cd] pyrene	300	U	3-Nitroaniline	300	U
Pyrene	300	U	4-Nitroaniline	300	U
Hexachloroethane	300	U	Carbazole	300	U
Isophorone	300	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	70	%	d5-nitrobenzene	71	%	d14-p-terphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/625 layout

Authorized signature Melina A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 19, 2002

SAMPLE DATA

Lab Sample ID:	48288-5
Matrix:	Solid
Percent Solid:	82
Dilution Factor:	1.2
Collection Date:	09/17/02
Lab Receipt Date:	09/17/02
Extraction Date:	09/17/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-SUMP-BOT

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
U	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature Melissa Astalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-4
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	5
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B10-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	75	U
PCB-1221	75	U
PCB-1232	75	U
PCB-1242	75	U
PCB-1248	75	U
PCB-1254	75	U
PCB-1260	75	**928**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	95	%
Decachlorobiphenyl	140	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-5
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B10-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	451

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	147	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Valli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-15
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	53
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B10-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	800	U
PCB-1221	800	U
PCB-1232	800	U
PCB-1242	800	U
PCB-1248	800	U
PCB-1254	800	U
PCB-1260	800	**10400**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5171 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA. 19047

September 25, 2002

SAMPLE DATA

Lab Sample ID:	48338-2
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	09/24/02
Lab Receipt Date:	09/24/02
Extraction Date:	09/24/02
Analysis Date:	09/24/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B10-BOT-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**132**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa Arkelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-6
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	5
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B11-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	75	U
PCB-1221	75	U
PCB-1232	75	U
PCB-1242	75	U
PCB-1248	75	U
PCB-1254	75	U
PCB-1260	75	843

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	100	%
Decachlorobiphenyl	110	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Helena A Halli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-7
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	267
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B11-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	4010	U
PCB-1221	4010	U
PCB-1232	4010	U
PCB-1242	4010	U
PCB-1248	4010	U
PCB-1254	4010	U
PCB-1260	4010	**80500**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-16
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	526
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B11-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	7890	U
PCB-1221	7890	U
PCB-1232	7890	U
PCB-1242	7890	U
PCB-1248	7890	U
PCB-1254	7890	U
PCB-1260	7890	**61300**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature Melissa A Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 25, 2002

SAMPLE DATA

Lab Sample ID:	48338-3
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/24/02
Lab Receipt Date:	09/24/02
Extraction Date:	09/24/02
Analysis Date:	09/24/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-59B11-BOT-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	390

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	105	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Valli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-6
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B25-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**82**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	79	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-7
Matrix:	Solid
Percent Solid:	96
Dilution Factor:	1.0
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B25-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	149	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa Cabelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-8
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/21/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-59B25-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**31**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	88	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature: Melissa A Bell

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 24, 2002

SAMPLE DATA

Lab Sample ID:	48307-11
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	1.0
Collection Date:	09/19/02
Lab Receipt Date:	09/19/02
Extraction Date:	09/20/02
Analysis Date:	09/23/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPH-59B25-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	110
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	138	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-999-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East, One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-8
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	11
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPIJ-Q26B-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	**1780**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	90	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-9
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-SWB-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	101	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-10
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	43

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	95	%
Decachlorobiphenyl	119	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-999-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-11
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-SWE-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**88**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melina A Galli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-12
Matrix:	Solid
Percent Solid:	93
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	421

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	126	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-17
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	G1PII-Q26B-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**279**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	112	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Halli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-18
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-BOT-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	173

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Pelli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 20, 2002

SAMPLE DATA

Lab Sample ID:	48293-19
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	09/17/02
Lab Receipt Date:	09/18/02
Extraction Date:	09/18/02
Analysis Date:	09/19/02

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 69
Field Sample ID:	GIPII-Q26B-BOT-CS3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	400

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	104	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-9
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	220

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	84	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-2
Matrix:	Solid
Percent Solid:	92
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	91	%
Decachlorobiphenyl	99	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603 430-2151
800-927-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-3
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.2
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPI-B60-SWE-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	**214**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	86	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-4
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**85**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-1
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	11
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/13/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	170	U
PCB-1221	170	U
PCB-1232	170	U
PCB-1242	170	U
PCB-1248	170	U
PCB-1254	170	U
PCB-1260	170	2400

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	70	%
Decachlorobiphenyl	80	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-SWW-CS2

SAMPLE DATA

Lab Sample ID:	48041-10
Matrix:	Solid
Percent Solid:	85
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	117

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-14
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	468

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-B60-BOT-CS2

SAMPLE DATA

Lab Sample ID: 48041-15
Matrix: Solid
Percent Solid: 85
Dilution Factor: 1.2
Collection Date: 08/08/02
Lab Receipt Date: 08/08/02
Extraction Date: 08/08/02
Analysis Date: 08/09/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	18	U
PCB-1221	18	U
PCB-1232	18	U
PCB-1242	18	U
PCB-1248	18	U
PCB-1254	18	U
PCB-1260	18	52

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	89	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

146 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-7
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIP11-60B14-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	19

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436 6111 Fax 603-430-9161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-8
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-60B14-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	98

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	90	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-60B14-BOT-CS1

SAMPLE DATA

Lab Sample ID: 48041-17
Matrix: Solid
Percent Solid: 91
Dilution Factor: 1.1
Collection Date: 08/08/02
Lab Receipt Date: 08/08/02
Extraction Date: 08/08/02
Analysis Date: 08/09/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-5
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	21
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/13/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-60B15-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	320	U
PCB-1221	320	U
PCB-1232	320	U
PCB-1242	320	U
PCB-1248	320	U
PCB-1254	320	U
PCB-1260	320	5160

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature

analytical environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 26, 2002

SAMPLE DATA

Lab Sample ID:	48123-2
Matrix:	Solid
Percent Solid:	77
Dilution Factor:	25
Collection Date:	08/21/02
Lab Receipt Date:	08/21/02
Extraction Date:	08/22/02
Analysis Date:	08/26/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-60B15-SWS-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	380	U
PCB-1221	380	U
PCB-1232	380	U
PCB-1242	380	U
PCB-1248	380	U
PCB-1254	380	U
PCB-1260	380	6120

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-6
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.0
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-60B15-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2002

SAMPLE DATA

Lab Sample ID:	48041-16
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	08/08/02
Lab Receipt Date:	08/08/02
Extraction Date:	08/08/02
Analysis Date:	08/09/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-60B15-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	421

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	80	%
Decachlorobiphenyl	92	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.
Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-1
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	108
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/20/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWN-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	1620	U
PCB-1221	1620	U
PCB-1232	1620	U
PCB-1242	1620	U
PCB-1248	1620	**19900**
PCB-1254	1620	U
PCB-1260	1620	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

PCB Report

Authorized signature Melissa A Lulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 11, 2002

SAMPLE DATA

Lab Sample ID:	48223-3
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	22
Collection Date:	09/09/02
Lab Receipt Date:	09/10/02
Extraction Date:	09/10/02
Analysis Date:	09/11/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWN-CS1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	330	U
PCB-1221	330	U
PCB-1232	330	U
PCB-1242	330	U
PCB-1248	330	5760
PCB-1254	330	U
PCB-1260	330	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	*	%
Decachlorobiphenyl	*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. * The surrogates were diluted out.

Authorized signature: Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-2
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/19/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWE-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	**160**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	116	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Sulli

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-3
Matrix:	Solid
Percent Solid:	94
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/19/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWS-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	**363**
PCB-1254	15	U
PCB-1260	15	**121**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	77	%
Decachlorobiphenyl	121	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-4
Matrix:	Solid
Percent Solid:	95
Dilution Factor:	1.0
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/19/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-SWW-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	334
PCB-1254	15	U
PCB-1260	15	200

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	145	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A. Sulli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-8
Matrix:	Solid
Percent Solid:	84
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/19/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-BOT-CS1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	**273**
PCB-1254	17	U
PCB-1260	17	**65**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	75	%
Decachlorobiphenyl	87	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melina A Tulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-9
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.1
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/19/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-BOT-CS2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	**68**
PCB-1254	17	U
PCB-1260	17	**25 D**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	73	%
Decachlorobiphenyl	105	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis. D=Sample did not meet confirmation acceptance criteria for percent difference.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 19, 2002

SAMPLE DATA

Lab Sample ID:	48089-5
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	116
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Analysis Date:	08/16/02

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION

Project Number: CTO 69

Field Sample ID: GIPII-B61-CTR-CS1

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	120	U	1,3-Dichloropropane	120	U
Bromobenzene	120	U	cis-1,3-Dichloropropene	120	U
Bromochloromethane	120	U	trans-1,3-Dichloropropene	120	U
Bromodichloromethane	87	U	2,2-Dichloropropane	120	U
Bromoform	87	U	1,1-Dichloropropene	120	U
Bromomethane	120	U	Ethylbenzene	120	U
n-butylbenzene	120	U	Hexachlorobutadiene	120	U
sec-butylbenzene	120	U	Isopropylbenzene	120	U
tert-butylbenzene	120	U	p-isopropyltoluene	120	U
Carbon Tetrachloride	120	U	Methylene Chloride	580	U
Chlorobenzene	120	U	Methyl-tert-butyl ether	120	U
Chloroethane	120	U	Naphthalene	120	176
Chloroform	87	U	n-Propylbenzene	120	U
Chloromethane	120	U	Styrene	120	U
2-Chlorotoluene	120	U	1,1,1,2-Tetrachloroethane	120	U
4-Chlorotoluene	120	U	1,1,2,2-Tetrachloroethane	87	U
Dibromochloromethane	87	U	Tetrachloroethene	120	U
1,2-Dibromo-3-chloropropane	120	U	Toluene	120	U
1,2 Dibromoethane	87	U	1,2,3-Trichlorobenzene	120	U
Dibromomethane	120	U	1,2,4-Trichlorobenzene	120	U
1,2-Dichlorobenzene	120	U	1,1,1-Trichloroethane	120	U
1,3-Dichlorobenzene	120	U	1,1,2-Trichloroethane	87	U
1,4-Dichlorobenzene	120	U	Trichloroethene	120	U
Dichlorodifluoromethane	120	U	Trichlorofluoromethane	120	U
1,1-Dichloroethane	120	U	1,2,3-Trichloropropane	120	U
1,2-Dichloroethane	87	U	1,2,4-Trimethylbenzene	120	U
1,1-Dichloroethene	87	U	1,3,5-Trimethylbenzene	120	U
cis-1,2-Dichloroethene	120	U	Vinyl Chloride	120	U
trans-1,2-Dichloroethene	120	U	o-Xylene	120	U
1,2-Dichloropropane	87	U	m,p-Xylene	120	U
Acetone	1200	U	Diethyl ether	120	U
Carbon Disulfide	120	U	2-Hexanone	1200	U
Tetrahydrofuran	580	U	Methyl isobutyl ketone	1200	U
Methyl ethyl ketone	1200	U	Di-isopropyl ether	120	U
t-Butyl alcohol	4600	U	Ethyl t-butyl ether	120	U
t-Amyl methyl ether	120	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	98 %	d8-Toluene	93 %	Bromofluorobenzene	94 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

8260 full

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-5
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/16/02
Analysis Date:	08/20/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-CTR-CS1

ANALYTICAL RESULTS DIESEL RANGE ORGANICS

Result	Units	Quantitation Limit
78	mg/kg	6

Surrogate Standard Recovery

m-Terphenyl	102	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8100"

COMMENTS: Results are expressed on a dry weight basis.

8100

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603 436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-5
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/15/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-CTR-CS1

PAGE ONE

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg	ACID COMPOUND	Quantitation Limit µg/kg	Result µg/kg
2-Chlorophenol	290	U	Pentachlorophenol	290	U
4-Chloro-3-methylphenol	290	U	Phenol	290	U
2,4-Dichlorophenol	290	U	2,4,5-Trichlorophenol	290	U
2,4-Dimethylphenol	290	U	2,4,6-Trichlorophenol	290	U
2,4-dinitrophenol	290	U	Benzoic Acid	290	U
4,6-Dinitro-2-methylphenol	290	U	2-Methylphenol	290	U
2-Nitrophenol	290	U	3+4-Methylphenol	290	U
2,6-Dichlorophenol	290	U	Benzyl Alcohol	290	U
4-Nitrophenol	290	U	2,3,4,6-Tetrachlorophenol	290	U

Acid Surrogate Standard Recovery

2-Fluorophenol	55 %	d5-Phenol	72 %	2,4,6-Tribromophenol	37 %

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
1,2-Dichlorobenzene	290	U	Hexachlorobenzene	290	U
1,3-Dichlorobenzene	290	U	Benzidine	290	U
1,4-Dichlorobenzene	290	U	3,3'-Dichlorobenzidine	290	U
2,4-Dinitrotoluene	290	U	Azobenzene	290	U
2,6-Dinitrotoluene	290	U	Bis(2-chloroethoxy)methane	290	U
Nitrobenzene	290	U	bis(2-chloroethyl) ether	290	U
Hexachlorobutadiene	290	U	bis(2-chloroisopropyl)ether	290	U
Dimethyl Phthalate	290	U	4-bromophenyl phenyl ether	290	U
Di-n-butyl phthalate	290	U	Butyl benzyl phthalate	290	U
di-n-octyl-phthalate	290	U	4-Chlorophenyl phenyl ether	290	U
Bis (2-ethylhexyl) phthalate	290	U	Diethyl Phthalate	290	U
1,2,4-Trichlorobenzene	290	U	Hexachlorocyclopentadiene	290	U

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

Authorized signature

8270/625 layout

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford
Valley, Suite 200

August 21, 2002

SAMPLE DATA

Lab Sample ID:	48089-5
Matrix:	Solid
Percent Solid:	83
Dilution Factor:	1.2
Collection Date:	08/14/02
Lab Receipt Date:	08/14/02
Extraction Date:	08/15/02
Analysis Date:	08/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B61-CTR-CS1

ANALYTICAL RESULTS SEMI-VOLATILE ORGANICS

BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg	BASE NEUTRAL COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Acenaphthene	290	**427**	N-nitrosodimethylamine	290	U
Acenaphthylene	290	U	N-nitroso-di-n-propylamine	290	U
Anthracene	290	**756**	n-nitrosodiphenylamine	290	U
Benzo[a]anthracene	290	**1280**	Pyridine	290	U
Benzo[a] pyrene	290	**1270**	2-Methylnaphthalene	290	U
Benzo[b] fluoranthene	290	**1250**	2-Chloronaphthalene	290	U
Benzo[k] fluoranthene	290	**1080**	Naphthalene	290	**211 J**
Benzo(g,h,i) perylene	290	**462**	Phenanthrene	290	**2550**
Chrysene	290	**1310**	Dibenzofuran	290	217 J
Dibenz [a,h] anthracene	290	U	Aniline	290	U
Fluoranthene	290	**3030**	4-Chloroaniline	290	U
Fluorene	290	**357**	2-Nitroaniline	290	U
Indeno [1,2,3-cd] pyrene	290	**579**	3-Nitroaniline	290	U
Pyrene	290	**2350**	4-Nitroaniline	290	U
Hexachloroethane	290	U	Carbazole	290	**356**
Isophorone	290	U			

Base Neutral Surrogate Standard Recovery

2-Fluorobiphenyl	65 %	d5-nitrobenzene	66 %	d14-p-terphenyl	75 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8270C.

COMMENTS: Results are expressed on a dry weight basis.

8270/625 layout

Authorized signature

APPENDIX D

PIPE CONDUIT TEST PIT DOCUMENTATION
AND
ANALYTICAL RESULTS



FIGURE D-1
BUILDING 53 (TRANSFORMER VAULT)
LOCATION OF PIPE CONDUIT TEST PITS
APPROXIMATE SCALE: 1" = 10'



FIGURE D-2
BUILDING 54 (TRANSFORMER VAULT)
LOCATION OF PIPE CONDUIT TEST PITS
APPROXIMATE SCALE: 1' = 10'



FIGURE D-3
BUILDING 56 (TRANSFORMER VAULT)
LOCATION OF PIPE CONDUIT TEST PITS
APPROXIMATE SCALE: 1' = 10'



FIGURE D-4
BUILDING 59 (SWITCH HOUSE)
LOCATION OF PIPE CONDUIT TEST PITS
APPROXIMATE SCALE: 1' = 10'



FIGURE D-5
BUILDING 60 (TRANSFORMER VAULT)
LOCATION OF PIPE CONDUIT TEST PITS

APPROXIMATE SCALE: 1' = 10'

TABLE D-1
PIPE CONDUIT TEST PIT
SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Received	Lab ID#	PCB 3545/8082	Results (ppm)	Action Level (ppm)	Comment
GIPII-B53-PC1	Soil	10/7/2002	0745	10/7/2002	10/8/2002	48427-1	X	U	10	
GIPII-B53-PC2	Soil	10/7/2002	0820	10/7/2002	10/8/2002	48427-2	X	U	10	
GIPII-B53-PC3	Soil	10/8/2002	1154	10/9/2002	10/10/2002	48446-1	X	U	10	
GIPII-B53-PC4	Soil	Hit bedrock directly under concrete pipe conduit. No sample collected.								
GIPII-B54-PC1	Soil	10/7/2002	1510	10/7/2002	10/8/2002	48427-3	X	U	10	
GIPII-B54-PC2	Soil	Excavated down about 8' but no bottom to concrete found. No sample collected .								
GIPII-B54-PC3	Soil	10/7/2002	1409	10/7/2002	10/8/2002	48427-4	X	U	10	
GIPII-B54-PC4	Soil	10/8/2002	1400	10/9/2002	10/15/2002	48466-9	X	U	10	
GIPII-B54-PC5	Soil	10/8/2002	1410	10/9/2002	10/10/2002	48466-10	X	U	10	
GIPII-B56-PC1	Soil	Very wet conditions resulted in no test pit at this location. No sample collected.								
GIPII-B56-PC2	Soil	10/8/2002	1325	10/9/2002	10/15/2002	48446-6	X	U	10	
GIPII-B56-PC3	Soil	10/8/2002	1340	10/9/2002	10/15/2002	48446-7	X	U	10	
GIPII-B56-PC4	Soil	10/8/2002	1350	10/9/2002	10/10/2002	48446-8	X	U	10	
GIPII-B59-PC1	Soil	10/7/2002	0945	10/7/2002	10/8/2002	48427-5	X	U	10	
GIPII-B59-PC2	Soil	10/7/2002	1350	10/7/2002	10/8/2002	48427-6	X	U	10	
GIPII-B59-PC3	Soil	10/8/2002	1305	10/9/2002	10/10/2002	48446-4	X	U	10	
GIPII-B59-PC4	Soil	10/8/2002	1315	10/9/2002	10/10/2002	48446-5	X	U	10	
GIPII-B60-PC1	Soil	10/7/2002	1130	10/7/2002	10/8/2002	48427-7	X	U	10	
GIPII-B60-PC2	Soil	10/7/2002	1150	10/7/2002	10/8/2002	48427-8	X	U	10	
GIPII-B60-PC3	Soil	10/8/2002	1245	10/9/2002	10/10/2002	48446-2	X	U	10	
GIPII-B60-PC4	Soil	10/8/2002	1255	10/9/2002	10/15/2002	48446-3	X	U	10	
GIPII-CABLE-1	Soil	10/7/2002	1340	10/7/2002	10/8/2002	48427-9	X	U	10	

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800 929 9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-1
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B53-PC1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-2
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B53-PC2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	104	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-1
Matrix:	Solid
Percent Solid:	91
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B53-PC3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800 922 9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-B54-PC1

SAMPLE DATA

Lab Sample ID: 48427-3
Matrix: Solid
Percent Solid: 90
Dilution Factor: 1.1
Collection Date: 10/07/02
Lab Receipt Date: 10/07/02
Extraction Date: 10/07/02
Analysis Date: 10/08/02

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	109	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430 2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-4
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-PC3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	107	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-922-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-9 RX
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/15/02
Analysis Date:	10/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-PC4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	69	%
Decachlorobiphenyl	75	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Tulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-10
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B54-PC5

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB 1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	64	%
Decachlorobiphenyl	87	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Walsh

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929 9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-6 RX
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/15/02
Analysis Date:	10/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-PC2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	72	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A Nalli

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-7 RX
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/15/02
Analysis Date:	10/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B56-PC3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

Authorized signature Melissa A Hulbert

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-8
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B56-PC4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	52	%
Decachlorobiphenyl	95	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Tilli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-5
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-PC1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	94	%
Decachlorobiphenyl	109	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-6
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-PC2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9904

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-4
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-PC3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	61	%
Decachlorobiphenyl	69	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545. Results are expressed on a dry weight basis.

PCB Report

Authorized signature Melissa A. Sullivan

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-0906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-5
Matrix:	Solid
Percent Solid:	87
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B59-PC4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	67	%
Decachlorobiphenyl	94	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature

analytical environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2161
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-7
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-PC1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	83	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800 929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-8
Matrix:	Solid
Percent Solid:	90
Dilution Factor:	1.1
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/07/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-PC2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	92	%
Decachlorobiphenyl	115	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-2
Matrix:	Solid
Percent Solid:	89
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/09/02
Analysis Date:	10/10/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-B60-PC3

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	109	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melissa A Sulli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 16, 2002

SAMPLE DATA

Lab Sample ID:	48446-3 RX
Matrix:	Solid
Percent Solid:	88
Dilution Factor:	1.1
Collection Date:	10/08/02
Lab Receipt Date:	10/09/02
Extraction Date:	10/15/02
Analysis Date:	10/15/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-B60-PC4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	17	U
PCB-1221	17	U
PCB-1232	17	U
PCB-1242	17	U
PCB-1248	17	U
PCB-1254	17	U
PCB-1260	17	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	76	%
Decachlorobiphenyl	91	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

Authorized signature Melina A Hall

analytica environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436 5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

October 8, 2002

SAMPLE DATA

Lab Sample ID:	48427-9
Matrix:	Solid
Percent Solid:	100
Dilution Factor:	1.0
Collection Date:	10/07/02
Lab Receipt Date:	10/07/02
Extraction Date:	10/08/02
Analysis Date:	10/08/02

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-CABLE-1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/kg	Results µg/kg
PCB-1016	15	U
PCB-1221	15	U
PCB-1232	15	U
PCB-1242	15	U
PCB-1248	15	U
PCB-1254	15	U
PCB-1260	15	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	115	%
Decachlorobiphenyl	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

Authorized signature

APPENDIX E

WATER TREATMENT SYSTEM DOCUMENTATION
AND
ANALYTICAL RESULTS

TABLE E-1
WATER TREATMENT SYSTEM
FLOW LOG

DATE	TIME		TOTAL HOURS	FLOW METER		TOTAL DAILY FLOW	FLOW RATE	TOTAL FLOW	OPERATION & MAINTENANCE
	START	END		START	END				
01/29/03	12:30	16:00	3:30	0	3,200	3,200	15.24	N/A	Setup, Re-circulate, & Sample
01/30/03	8:00	13:20	5:20	3,200	7,844	4,644	14.52	N/A	Start-up & Re-circulate
01/31/03	8:55	15:20	6:25	7,844	13,240	5,396	14.02	5,396	Start-up & begin pumping treated water to Frac#3
02/03/03	7:00	17:20	10:20	13,240	22,097	8,857	14.29	14,253	Start-up & continue pumping treated water to Frac #3
02/04/03	6:40	10:00	3:20	22,097	24,202	2,105	10.53	16,358	Start-up & continue pumping treated water to Frac #3 until all water gone. Begin thawing ice.
02/04/03	14:25	14:45	0:20	24,202	24,363	161	8.05	16,519	Start-up, Collect samples, Shut down.
02/05/03	6:40	7:50	1:10	24,363	25,145	782	11.17	17,301	Start-up & continue pumping treated water to Frac #3. Continue thawing ice.
02/06/03	13:15	14:25	1:10	25,145	26,156	1,011	14.44	18,312	Start-up & continue pumping treated water to Frac #3. Continue thawing ice. Complete water treatment.
04/16/03	7:25	9:20	1:55	2,405	4,045	1,640	14.26	19,952	Start-up & treat remaining water from Frac #2.
04/18/03	15:00	15:20	0:20	4,045	4,355	310	4.43	20,262	Treat water generated during cleaning of Frac Tanks.
04/21/03	9:00	9:15	0:15	4,355	4,465	110	7.33	20,372	Treat residual water in system.
08/12/03	8:33	14:45	6:12	0	4,840	4,840	13.01	N/A	Start-up, Treat, Re-circulate, & Sample Water from Frac #2
08/13/03	8:43	15:30	6:47	4,840	10,129	5,289	13.00	N/A	Start-up, Treat & Re-circulate Water from Frac #2
08/14/03	7:30	15:30	8:00	10,129	16,904	6,775	14.11	6,775	Start-up, Treat and Discharge Water from Frac #2

TABLE E-1
WATER TREATMENT SYSTEM
FLOW LOG

DATE	TIME		TOTAL HOURS	FLOW METER		TOTAL DAILY FLOW	FLOW RATE	TOTAL FLOW	OPERATION & MAINTENANCE
	START	END		START	END				
08/15/03	6:40	12:00	5:20	16,904	21,639	4,735	14.80	11,510	Start-up, Treat and Discharge Water from Frac #2
08/19/03	7:00	16:05	9:05	21,639	29,001	7,362	13.51	18,872	Start-up, Treat and Discharge Water from Frac #2
08/20/03	7:45	12:00	4:15	29,001	32,384	3,383	13.27	22,255	Start-up, Treat and Discharge Water from Frac #2
08/21/03	8:00	10:45	2:45	32,384	34,612	2,228	13.50	24,483	Start-up, Treat and Discharge Water from Frac #2
08/21/03	14:32	14:55	0:23	34,612	34,911	299	13.00	24,782	Start-up, Treat and Discharge Water from Frac #2
09/04/03	07:35	12:40	5:05	34,911	39,134	4,223	13.85	29,005	Start-up, Treat and Discharge Water from Frac #2
09/05/03	07:00	11:10	4:10	39,134	42,552	3,418	13.67	32,423	Start-up, Treat and Discharge Water from Frac #2
09/08/03	07:00	15:45	8:45	42,552	50,252	7,700	14.67	40,123	Start-up, Treat and Discharge Water from Frac #2
09/09/03	07:00	07:55	0:55	50,252	50,997	745	13.55	40,868	Start-up, Treat and Discharge Water from Frac #2
09/11/03	10:45	13:40	2:55	50,997	53,544	2,547	14.55	43,415	Start-up, Treat and Discharge Water from Frac #2
09/15/03	11:05	11:55	0:50	53,544	54,241	697	13.94	44,112	Start-up, Treat and Discharge Water from Frac #2
TOTAL DISCHARGE								**64,484**	Total Discharge from Water Treatment System 01/31/03 to 09/30/03

NOTE: Grey area indicates period of non-discharge.

TABLE E-2
WATER TREATMENT SYSTEM
SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Date	Lab ID #	Type of Analysis	Parameter	Result (ppm)	Action Level (ppb)	Comment
GIPII-PRETREAT-01	Water	1/29/2003	1550	1/29/2003	1/30/2003	49049-1	PCB	Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	0.016	*	
GIPII-MIDTREAT-01	Water	1/29/2003	1555	1/29/2003	1/30/2003	49049-2	PCB	Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-01	Water	1/29/2003	1600	1/29/2003	1/30/2003	49049-3	PCB	Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-02	Water	2/4/2003	1430	2/4/2003	2/5/2003	49070-1	PCB	Arochlor 1260	0.006	0.5	
							VOC	1,2,4-Trichlorobenzene	0.015	*	
GIPII-MIDTREAT-02	Water	2/4/2003	1435	2/4/2003	2/5/2003	49070-2	PCB	Arochlor 1260	0.0006	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-02	Water	2/4/2003	1440	2/4/2003	2/5/2003	49070-3	PCB	Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-04	Water	4/14/2003	1515	4/14/2003	4/15/2003	49395-1	PCB	Arochlor 1260	0.001	0.5	
							VOC	1,2,4-Trichlorobenzene	0.012	*	
GIPII-MIDTREAT-04	Water	4/14/2003	1520	4/14/2003	4/15/2003	49395-2	PCB	Arochlor 1260	0.002	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-04	Water	4/14/2003	1525	4/14/2003	4/15/2003	49395-3	PCB	Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-05	Water	4/16/2003	0945	4/21/2003	4/22/2003	49436-1	PCB	Arochlor 1260	0.011	0.5	
							VOC	1,2,4-Trichlorobenzene	0.010	*	
GIPII-MIDTREAT-05	Water	4/16/2003	1000	4/21/2003	4/22/2003	49436-2	PCB	Arochlor 1260	0.002	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-05	Water	4/16/2003	0950	4/21/2003	4/22/2003	49436-3	PCB	Arochlor 1260	0.00046	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-A1	Water	8/12/2003	1330	8/12/2003	8/13/2003	50245-1	PCB	PCB - Arochlor 1260	0.0004	0.5	Pre-discharge analysis
							VOC	1,2,4-Trichlorobenzene	0.007	*	
GIPII-MIDPOINT A1	Water	8/12/2003	1335	8/12/2003	8/13/2003	50245-2	PCB	PCB - Arochlor 1260	U	0.5	Pre-discharge analysis
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-A1	Water	8/12/2003	1340	8/12/2003	8/13/2003	50245-3	PCB	PCB - Arochlor 1260	U	0.5	Pre-discharge analysis
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-A2	Water	8/21/2003	1100	8/21/2003	8/22/2003	50322-1	PCB	PCB - Arochlor 1260	0.001	0.5	
							VOC	1,2,4-Trichlorobenzene	0.184	*	

TABLE E-2
WATER TREATMENT SYSTEM
SAMPLING DETECTION TABLE

GIPII-MIDPOINT A2	Water	8/21/2003	1105	8/21/2003	8/22/2003	50322-2	PCB	PCB - Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-A2	Water	8/21/2003	1110	8/21/2003	8/22/2003	50322-3	PCB	PCB - Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-PRETREAT-A4	Water	9/8/2003	1015	9/8/2003	9/8/2003	50411-2	PCB	PCB - Arochlor 1260	0.005	0.5	
							VOC	1,2,4-Trichlorobenzene	0.017	*	
GIPII-MIDPOINT A4	Water	9/8/2003	1020	9/8/2003	9/8/2003	50411-3	PCB	PCB - Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	
GIPII-EFFLUENT-A4	Water	9/8/2003	1025	9/8/2003	9/8/2003	50411-4	PCB	PCB - Arochlor 1260	U	0.5	
							VOC	1,2,4-Trichlorobenzene	U	*	

Note: * - Indicates that per the RIDEM Discharge Permit, 1,2,4 trichlorobenzene required monitoring and that the data must be reported, but no limit has been established at this time.

TABLE E-3
WIPE SAMPLING DETECTION TABLE

Sample I.D	Matrix	Date Collected	Time Collected	Date to Lab	Analysis Date	Lab ID #	Type of Analysis	Parameter	Results (ug/wipe)	Action Level	Comment
GIPII-FRAC3-WIPE	Wipe	1/29/2003	1640	1/29/2003	1/30/2003	49049-4	PCB	Arochlor 1260	1	10 ug/100 CM^2	
GIPII-FRAC1-WIPE	Wipe	4/18/2003	1350	4/21/2003	4/22/2003	49436-5	PCB	Arochlor 1260	1.1	10 ug/100 CM^2	
GIPII-FRAC2-WIPE	Wipe	4/18/2003	1500	4/21/2003	4/22/2003	49436-6	PCB	Arochlor 1260	U	10 ug/100 CM^2	
GIPII-FRAC-W1A	Wipe	9/15/2003	1547	9/16/2003	9/17/2003	50461-1	PCB	Arochlor 1260	U	10 ug/100 CM^2	
GIPII-FRAC-W2B	Wipe	9/18/2003	1200	9/18/2003	9/19/2003	50492-1	PCB	Arochlor 1260	U	10 ug/100 CM^2	

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

SAMPLE DATA

Lab Sample ID:	49049-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	01/29/03
Lab Receipt Date:	01/29/03
Extraction Date:	01/29/03
Analysis Date:	01/30/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-01

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	65	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-920-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

SAMPLE DATA

Lab Sample ID:	49049 1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	01/29/03
Lab Receipt Date:	01/29/03
Analysis Date:	01/30/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-01

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	16

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	94 %	Bromofluorobenzene	94 %

U=Undetected J=Estimated B=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

105 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69
Field Sample ID: GIPII-MIDTREAT-01

SAMPLE DATA

Lab Sample ID: 49049-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 01/29/03
Lab Receipt Date: 01/29/03
Extraction Date: 01/29/03
Analysis Date: 01/30/03

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	89	%
Decachlorobiphenyl	62	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-0906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

SAMPLE DATA

Lab Sample ID:	49049-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	01/29/03
Lab Receipt Date:	01/29/03
Analysis Date:	01/30/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-01

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99	%	d8-Toluene	95	%	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

SAMPLE DATA

Lab Sample ID:	49049-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	01/29/03
Lab Receipt Date:	01/29/03
Extraction Date:	01/29/03
Analysis Date:	01/30/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-01

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	98	%
Decachlorobiphenyl	83	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics Environmental Laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-924-9536

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

SAMPLE DATA

Lab Sample ID:	49049-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	01/29/03
Lab Receipt Date:	01/29/03
Analysis Date:	01/30/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-01

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	98 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.
COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Extraction Date:	02/04/03
Analysis Date:	02/05/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REM.
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-02

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	6

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	84	%
Decachlorobiphenyl	56	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436 6111 Fax 603 430 2151
800-629-9006

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Analysis Date:	02/05/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REM.
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-02

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99	%	d8-Toluene	99	%	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.
COMMENTS:

Authorized signature Melissa A Kulli

analytics environmental laboratory LLC

1Ro Commerce Way
Portsmouth, New Hampshire 03801
603 436 6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Extraction Date:	02/04/03
Analysis Date:	02/05/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REM.
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-02

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	0.6

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	64	%
Decachlorobiphenyl	56	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-920-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Analysis Date:	02/04/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REM.
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-02

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature Melissa A Hull

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Extraction Date:	02/04/03
Analysis Date:	02/05/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REM.
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-02

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	87*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: *Surrogate recovery outside control limits. Secondary surrogate is in control.

Authorized signature Melissa Abell

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-6111 Fax 603-430-2151
800-929-9916

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

February 5, 2003

SAMPLE DATA

Lab Sample ID:	49070-4
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	02/04/03
Lab Receipt Date:	02/04/03
Analysis Date:	02/05/03

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REM.

Project Number: CTO 69

Field Sample ID: TRIP BLANK

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	1	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	93 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Extraction Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-PRETREAT-04

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	1

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	65	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-6111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII PRETREAT-04

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	12

Surrogate Standard Recovery

d4-1,2-Dichloroethane	91 %	d8-Toluene	103 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory llc

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-922-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Extraction Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-04

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	2

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	82	%
Decachlorobiphenyl	64	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-04

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	96 %	d8-Toluene	100 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-6111 Fax 603-430-2151
800-929-9936

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Extraction Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-04

PESTICIDE ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	86	%
Decachlorobiphenyl	72	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A Valli

analytics environmental laboratory, inc.

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-629-7006

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 15, 2003

SAMPLE DATA

Lab Sample ID:	49395-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/14/03
Lab Receipt Date:	04/14/03
Analysis Date:	04/15/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-04

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	98	%	d8-Toluene	103	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW 846 Method 8260B.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2181
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.1
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Extraction Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-05

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	11

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	78	%
Decachlorobiphenyl	39	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics environmental laboratory, LLC

105 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GOPH-PRETREAT-05

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	10

Surrogate Standard Recovery

d4-1,2-Dichloroethane	98 %	d8-Toluene	101 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC
196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
www.oplab.com

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Extraction Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-05

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	2

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	77	%

U=Undetected J=Estimated D=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics environmental laboratory, LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2181
800-629-9406

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDTREAT-05

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	97	%	d8-Toluene	98	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytical laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-0111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Extraction Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-05

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	**0.46**

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	88	%
Decachlorobiphenyl	66	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Gulf Stream Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
888-923-9306

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/16/03
Lab Receipt Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-05

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	96 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Terra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

SAMPLE DATA

Lab Sample ID:	50245-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Extraction Date:	08/13/03
Analysis Date:	08/13/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	0.4

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	69	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa Lebelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

SAMPLE DATA

Lab Sample ID:	50245-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Analysis Date:	08/13/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A1

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	7

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104	%	d8-Toluene	104	%	Bromofluorobenzene	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A1

SAMPLE DATA

Lab Sample ID:	50245-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Extraction Date:	08/13/03
Analysis Date:	08/13/03

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	95	%
Decachlorobiphenyl	94*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: *Surrogate recovery outside control limits. Secondary surrogate is in control.

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9904

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

SAMPLE DATA

Lab Sample ID:	50245-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Analysis Date:	08/13/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB ,REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A1

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	102 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

SAMPLE DATA

Lab Sample ID:	50245-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Extraction Date:	08/13/03
Analysis Date:	08/13/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-A1

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	94	%
Decachlorobiphenyl	74	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

Authorized signature Melissa A. Galli

analytics environmental laboratory LLC

198 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Terra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 13, 2003

SAMPLE DATA

Lab Sample ID:	50245-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/12/03
Lab Receipt Date:	08/12/03
Analysis Date:	08/13/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPTI-EFFLUENT-A1

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104	%	d8-Toluene	101	%	Bromofluorobenzene	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature Melanie A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50322-1
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/22/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	1

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	68	%
Decachlorobiphenyl	71	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

PCB Report

Authorized signature Melissa A Tolli

analytics Environmental Laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A2

SAMPLE DATA

Lab Sample ID:	50322-1 DL
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	5.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Analysis Date:	08/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	10	184

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101	%	d8-Toluene	101	%	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.
COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-0006

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50322-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/22/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	79	%
Decachlorobiphenyl	76	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

PCB Report

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50322-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Analysis Date:	08/25/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A2

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102	%	d8-Toluene	102	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.
COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-926-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50322-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Extraction Date:	08/22/03
Analysis Date:	08/23/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-A2

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	85	%
Decachlorobiphenyl	77	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9000

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

August 25, 2003

SAMPLE DATA

Lab Sample ID:	50322-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	08/21/03
Lab Receipt Date:	08/21/03
Analysis Date:	08/22/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-A2

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.
COMMENTS:

Authorized signature Melissa A. Kelly

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-430-5111 Fax 603-430-2151
800-929-0906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Extraction Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	5

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	91	%
Decachlorobiphenyl	66	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS:

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-629-9006

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-2
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-PRETREAT-A4

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	17

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	102 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Extraction Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	96	%
Decachlorobiphenyl	87*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature

Analytics Environmental Laboratory LLC
195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-920-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-3
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-MIDPOINT-A4

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	103 %	Bromofluorobenzene	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-4
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Extraction Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-EFFLUENT-A4

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/L	Results µg/L
PCB-1016	0.2	U
PCB-1221	0.2	U
PCB-1232	0.2	U
PCB-1242	0.2	U
PCB-1248	0.2	U
PCB-1254	0.2	U
PCB-1260	0.2	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	99	%
Decachlorobiphenyl	99*	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

COMMENTS: *Surrogate recovery outside control limits. Secondary surrogate is in control.

PCB Report

Authorized signature

analytics environmental laboratory LLC

145 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-729-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 9, 2003

SAMPLE DATA

Lab Sample ID:	50411-4
Matrix:	Aqueous
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/08/03
Lab Receipt Date:	09/08/03
Analysis Date:	09/08/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPTI-EFFLUENT-A4

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L
1,2,4-Trichlorobenzene	2	U

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103	%	d8-Toluene	102	%	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Foster Wheeler Environmental Corp.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

January 30, 2003

CLIENT SAMPLE ID

Project Name: GOULD ISLAND PCB REMEDIATION
Project Number: CTO 69

Field Sample ID: GIPII-FRAC3-WIPE

SAMPLE DATA

Lab Sample ID: 49049-4
Matrix: Wipe
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 01/29/03
Lab Receipt Date: 01/29/03
Extraction Date: 01/29/03
Analysis Date: 01/30/03

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/wipe	Results µg/wipe
PCB-1016	0.5	U
PCB-1221	0.5	U
PCB-1232	0.5	U
PCB-1242	0.5	U
PCB-1248	0.5	U
PCB-1254	0.5	U
PCB-1260	0.5	1

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	98	%
Decachlorobiphenyl	105	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8081/82.

COMMENTS:

PCB Report

Authorized signature

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2101
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FRAC1-WIPE

SAMPLE DATA

Lab Sample ID:	49436-5
Matrix:	Wipe
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/18/03
Lab Receipt Date:	04/21/03
Extraction Date:	04/21/03
Analysis Date:	04/21/03

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/wipe	Results µg/wipe
PCB-1016	0.5	U
PCB-1221	0.5	U
PCB-1232	0.5	U
PCB-1242	0.5	U
PCB-1248	0.5	U
PCB-1254	0.5	U
PCB-1260	0.5	1.1

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	95	%
Decachlorobiphenyl	105	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8081/82.

COMMENTS:

FCB Report

Authorized signature

analytics

196 Commerce Way
Portsmouth, New Hampshire 03801
603-430-2111 Fax 603-430-2151
800-859-0016

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

April 22, 2003

SAMPLE DATA

Lab Sample ID:	49436-6
Matrix:	Wipe
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	04/18/03
Lab Receipt Date:	04/21/03
Extraction Date:	04/21/03
Analysis Date:	04/21/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPII-FRAC2-WIPE

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/wipe	Results µg/wipe
PCB-1016	0.5	U
PCB-1221	0.5	U
PCB-1232	0.5	U
PCB-1242	0.5	U
PCB-1248	0.5	U
PCB-1254	0.5	U
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	93	%
Decachlorobiphenyl	103	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8081/82.

COMMENTS:

PCB Report

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 22, 2003

SAMPLE DATA

Lab Sample ID:	50461-1
Matrix:	Wipe
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/15/03
Lab Receipt Date:	09/17/03
Extraction Date:	09/17/03
Analysis Date:	09/17/03

CLIENT SAMPLE ID

Project Name:	GOULD ISLAND PCB REMEDIATION
Project Number:	CTO 69
Field Sample ID:	GIPH-FRAC-W1A

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/wipe	Results µg/wipe
PCB-1016	0.5	U
PCB-1221	0.5	U
PCB-1232	0.5	U
PCB-1242	0.5	U
PCB-1248	0.5	U
PCB-1254	0.5	U
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	102	%
Decachlorobiphenyl	112	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8081/82.

COMMENTS:

PCB Report

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-8111 Fax 603-430-2151
800-929-9906

Mr. Rick Woodworth
Tetra Tech FW Inc.
2300 Lincoln Highway East One Oxford Valley,
Suite 200
Langhorne PA 19047

September 22, 2003

SAMPLE DATA

Lab Sample ID:	50492-1
Matrix:	Wipe
Percent Solid:	N/A
Dilution Factor:	1.0
Collection Date:	09/18/03
Lab Receipt Date:	09/19/03
Extraction Date:	01/03/00
Analysis Date:	09/20/03

CLIENT SAMPLE ID

Project Name:	Gould Island PCB Remediation
Project Number:	CTO 069
Field Sample ID:	GIPII-FRAC-W2B

PCB ANALYTICAL RESULTS

COMPOUND	Quantitation Limit µg/wipe	Results µg/wipe
PCB-1016	0.5	U
PCB-1221	0.5	U
PCB-1232	0.5	U
PCB-1242	0.5	U
PCB-1248	0.5	U
PCB-1254	0.5	U
PCB-1260	0.5	U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene	100	%
Decachlorobiphenyl	128	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8081/82.

COMMENTS:

PCB Report

Authorized signature Melanie A Hall

APPENDIX F

DISPOSAL DOCUMENTATION

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
00090	MI 8893005	200 377	08/13/02	41,000	20.50
00091	MI 8893003	2743	08/13/02	34,620	17.31
00092	Manifest No. Not Used				
00093	MI 8893004	271 349	08/13/02	34,780	17.39
00094	MI 8893002	200 405	08/13/02	38,760	19.38
00095	MI 8893001	200 342	08/13/02	36,200	18.10
00096	MI 8893006	200 295	08/13/02	38,500	19.25
00097	MI 8893007	274 368	08/14/03	38,940	19.47
00098	MI 8893008	274 378	08/14/03	41,840	20.92
00099	MI 8893009	274 379	08/14/03	32,340	16.17
00100	MI 8893010	274 371	08/14/03	41,700	20.85
00101	MI 8893011	200 455	08/14/03	41,260	20.63
00102	MI 8919911	274 349	08/14/03	36,860	18.43
00103	MI 8919912	200 352	08/15/02	43,000	21.50
00104	MI 8919913	200 410	08/15/02	38,880	19.44
00105	MI 8919914	200 446	08/15/02	43,200	21.60
00106	MI 8919915	274 344	08/15/02	45,300	22.65
00107	MI 8919916	200 356	08/15/02	33,840	16.92
00108	MI 8919917	200 265	08/15/02	44,500	22.25
00109	MI 8919920	200 256	08/16/02	41,040	20.52
00110	MI 8919919	274 333	08/16/02	41,940	20.97
00111	MI 8919918	200 269	08/16/02	42,480	21.24
00112	MI 8919961	200 254	08/19/02	35,740	17.87
00113	MI 8920000	200 299	08/19/02	39,780	19.89
00114	MI 8919962	274 352	08/19/02	42,440	21.22
00115	MI 8919998	200 465	08/19/02	39,200	19.60
00116	MI 8919999	200 295	08/19/02	35,280	17.64
00117	MI 8919997	200 342	08/19/02	33,120	16.56
00118	MI 8919994	274 349	08/20/02	24,760	12.38
00119	MI 8919996	274 354	08/20/02	32,700	16.35
00120	MI 8919995	274 346	08/20/02	36,820	18.41
00121	MI 8919993	200 269	08/20/02	33,060	16.53
00122	MI 8919992	200 410	08/20/02	30,540	15.27
00123	MI 8919991	200 421	08/20/02	30,180	15.09
00124	MI 8919921	200 405	08/20/02	36,180	18.09
00125	MI 8919989	274 372	08/21/02	42,900	21.45
00126	MI 8919990	274 331	08/21/02	36,380	18.19
00127	MI 8919988	274 353	08/21/02	36,520	18.26
00128	Manifest No. Not Used				
00129	Manifest No. Not Used				
00130	MI 8919987	200 377	08/21/02	34,440	17.22
00131	MI 8919986	200 391	08/21/02	44,340	22.17
00132	MI 8919963	200 446	08/23/02	30,160	15.08
00133	MI 8919964	274 372	08/23/02	26,880	13.44
00134	MI 8919965	200 280	08/23/02	32,340	16.17
00135	MI 8919968	274 371	08/23/02	36,000	18.00
00136	MI 8919966	274 349	08/23/02	36,600	18.30

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
00137	MI 8919967	200 444	08/23/02	35,560	17.78
00138	MI 8919974	274 333	08/26/02	33,900	16.95
00139	MI 8919971	200 405	08/26/02	28,360	14.18
00140	MI 8919972	274 352	08/26/02	40,140	20.07
00141	MI 8919969	200 410	08/26/02	32,580	16.29
00142	MI 8919973	274 187	08/26/02	40,900	20.45
00143	MI 8919970	200 254	08/26/02	29,640	14.82
00144	MI 8919979	274 368	08/27/02	33,100	16.55
00145	MI 8919980	274 346	08/27/02	35,480	17.74
00146	MI 8919937	274 354	08/27/02	37,600	18.80
00147	MI 8919936	200 265	08/27/02	40,720	20.36
00148	MI 8919935	200 352	08/27/02	34,800	17.40
00149	MI 8919934	200 465	08/27/02	34,700	17.35
00150	MI 8919933	200 421	08/27/02	34,560	17.28
00151	MI 8919930	274 344	08/27/02	48,780	24.39
00152	MI 8919982	200 299	08/28/02	36,840	18.42
00153	MI 8919983	200 269	08/28/02	34,660	17.33
00154	MI 8919984	274 379	08/28/02	40,580	20.29
00155	MI 8919985	200 356	08/28/02	36,660	18.33
00156	MI 8919981	274 378	08/28/02	38,740	19.37
00157	MI 8919975	200 256	08/28/02	34,980	17.49
00158	MI 8919976	200 455	08/28/02	34,100	17.05
00159	MI 8919977	200 342	08/28/02	36,980	18.49
00160	MI 8919926	200 446	08/29/02	40,200	20.10
00161	MI 8919924	200 444	08/29/02	35,760	17.88
00162	MI 8919931	200 354	08/29/02	35,920	17.96
00163	MI 8919925	274 348	08/29/02	42,140	21.07
00164	MI 8919923	274 372	08/29/02	35,980	17.99
00165	MI 8919922	274 331	08/29/02	37,000	18.50
00166	Manifest No. Not Used				
00167	MI 8919932	200 470	08/30/02	32,360	16.18
00168	MI 8919927	274 349	08/30/02	39,000	19.50
00169	MI 8919928	200 295	08/30/02	31,400	15.70
00170	MI 8919929	274 371	08/30/02	34,100	17.05
00171	MI 8919943	200 280	09/03/02	39,700	19.85
00172	MI 8919944	274 353	09/03/02	45,160	22.58
00173	MI 8919942	200 295	09/12/02	35,680	17.84
00174	MI 8919952	200 356	09/11/02	32,700	16.35
00175	MI 8919946	200 354	09/11/02	28,760	14.38
00176	MI 8919948	200 566	09/11/02	33,240	16.62
00177	MI 8919951	200 405	09/11/02	29,380	14.69
00178	MI 8919939	200 361	09/11/02	30,440	15.22
00179	MI 8919938	200 470	09/11/02	31,620	15.81
00180	MI 8919950	200 525	09/11/02	30,580	15.29
00181	MI 8919947	274 353	09/11/02	32,060	16.03
00182	MI 8919949	274 331	09/11/02	32,100	16.05
00183	MI 8919957	274 368	09/12/02	36,940	18.47

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
00184	MI 8919959	200 377	09/12/02	35,580	17.79
00185	MI 8919954	200 446	09/12/02	34,410	17.21
00186	MI 8919956	274 378	09/12/02	39,660	19.83
00187	MI 8919955	274 379	09/12/02	33,760	16.88
00188	MI 8919941	200 269	09/12/02	33,500	16.75
00189	MI 8919940	274 532	09/12/02	37,880	18.94
00190	MI 8919960	274 352	09/12/02	36,220	18.11
00191	MI 8919958	274 356	09/12/02	37,020	18.51
00192	MI 8895853	274 352	09/13/02	41,660	20.83
00193	MI 8919953	274 346	09/13/02	41,700	20.85
00194	MI 8895857	274 333	09/13/02	29,100	14.55
00195	MI 8895858	200 352	09/13/02	35,320	17.66
00196	MI 8895856	200 342	09/13/02	28,400	14.20
00197	MI 8895855	200 299	09/13/02	31,140	15.57
00198	Manifest No. Not Used				
00199	MI 8895854	200 329	09/13/02	28,360	14.18
00200	MI 8895849	200 265	09/13/02	35,400	17.70
00201	MI 8895852	274 344	09/16/02	36,120	18.06
00202	MI 8895860	200 453	09/16/02	32,980	16.49
00203	MI 8895859	200 254	09/16/02	33,760	16.88
00204	MI 8895840	200 391	09/16/02	34,020	17.01
00205	MI 8895843	200 256	09/16/02	33,780	16.89
00206	MI 8895846	200 410	09/17/02	34,420	17.21
00207	MI 8895845	200 455	09/17/02	33,900	16.95
00208	MI 8895844	200 280	09/17/02	34,120	17.06
00209	MI 8895848	200 459	09/17/02	32,960	16.48
00210	MI 8895847	200 444	09/18/02	33,100	16.55
00211	MI 8895923	200 346	09/18/02	25,480	12.74
00212	MI 8895927	200 356	09/18/02	33,060	16.53
00213	MI 8895925	200 417	09/18/02	29,920	14.96
00214	MI 8895928	274 368	09/18/02	39,200	19.60
00215	MI 8895926	274 352	09/18/02	30,560	15.28
00216	MI 8895924	200 329	09/18/02	41,780	20.89
00217	MI 8895922	200 269	09/18/02	43,600	21.80
00218	MI 8895850	200 342	09/18/02	34,340	17.17
00219	MI 8895851	274 532	09/18/02	36,180	18.09
00220	MI 8895861	200 381	09/19/02	44,480	22.24
00221	MI 8895862	200 254	09/19/02	37,260	18.63
00222	MI 8895865	274 371	09/19/02	44,200	22.10
00223	MI 8895863	200 570	09/19/02	35,240	17.62
00224	MI 8895864	200 421	09/19/02	34,300	17.15
00225	MI 8895867	200 329	09/20/02	36,320	18.16
00226	MI 8895868	200 469	09/20/02	51,260	25.63
00227	MI 8895994	274 538	09/20/02	35,700	17.85
00228	MI 8895995	GTS-07	09/23/02	35,880	17.94
00229	MI 8895992	200 462	09/20/02	40,500	20.25
00230	MI 8895991	GTS-07	09/20/02	34,280	17.14

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
00231	MI 8895990	200 566	09/20/02	37,220	18.61
00232	MI 8895993	274 368	09/20/02	40,700	20.35
00233	Manifest No. Not Used				
00234	MI 8895988	200 324	09/23/02	29,940	14.97
00235	MI 8895989	274 187	09/23/02	37,520	18.76
00236	MI 8895987	274 354	09/23/02	40,060	20.03
00237	MI 8895986	200 467	09/23/02	28,780	14.39
00238	MI 8895985	200 465	09/23/02	35,760	17.88
00239	MI 8895984	200 265	09/23/02	48,140	24.07
00240	MI 8895938	274 532	09/24/02	32,580	16.29
00241	MI 8895940	200 342	09/24/02	31,100	15.55
00242	MI 8895939	200 299	09/24/02	33,480	16.74
00243	MI 8895999	274 348	09/24/02	32,440	16.22
00244	MI 8895998	200 410	09/24/02	38,560	19.28
00245	MI 8895997	200 530	09/24/02	30,540	15.27
00246	MI 8895996	200 269	09/25/02	40,100	20.05
00247	MI 8895974	200 352	09/25/02	32,780	16.39
00248	MI 8896000	200 573	09/25/02	30,440	15.22
00249	MI 8895983	200 455	09/25/02	35,220	17.61
00250	MI 8895942	274 354	09/25/02	36,040	18.02
00251	MI 8895941	274 333	09/25/02	35,720	17.86
00252	MI 8895937	274 378	09/26/02	41,040	20.52
00253	MI 8895933	274 187	09/26/02	33,680	16.84
00254	MI 8895932	GTS-07	09/26/02	30,920	15.46
00255	MI 8895934	200 324	09/26/02	43,940	21.97
00256	MI 8895935	200 329	09/26/02	38,680	19.34
00257	MI 8895936	200 256	09/26/02	36,660	18.33
00258	MI 8895930	274 348	09/27/02	38,420	19.21
00259	MI 8895866	274 346	09/27/02	43,440	21.72
00260	MI 8895981	274 344	09/27/02	30,900	15.45
00261	MI 8895982	200 265	09/27/02	36,820	18.41
00262	MI 8895970	200 453	09/27/02	25,840	12.92
00263	MI 8895929	200 361	09/27/02	30,700	15.35
00264	MI 8895980	274 352	09/30/02	36,660	18.33
00265	MI 8895977	274 532	09/30/02	35,880	17.94
00266	MI 8895975	200 467	09/30/02	37,800	18.90
00267	MI 8895976	274 379	09/30/02	40,600	20.30
00268	MI 8895978	200 391	09/30/02	28,460	14.23
00269	MI 8895979	200 280	09/30/02	37,380	18.69
00270	MI 8895945	274 538	10/01/02	38,560	19.28
00271	MI 8895946	200 410	10/01/02	31,060	15.53
00272	MI 8895947	200 566	10/01/02	37,600	18.80
00273	MI 8895948	200 570	10/01/02	40,780	20.39
00274	MI 8895949	200 299	10/01/02	40,800	20.40
00275	MI 8895931	200 573	10/01/02	40,180	20.09
00276	MI 8895943	200 465	10/02/02	40,820	20.41
00277	MI 8895944	200 352	10/02/02	47,980	23.99

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
00278	MI 8895959	200 530	10/02/02	32,900	16.45
00279	MI 8895971	200 265	10/02/02	37,040	18.52
00280	MI 8895972	200 469	10 02 02	44,880	22.44
00281	MI 8895973	200 417	10/02/02	44,160	22.08
00282	MI 8895957	200 254	10/03/02	39,840	19.92
00283	MI 8895958	200 342	10/03/02	34,160	17.08
00284	MI 8895956	GTS-08	10/03/02	27,040	13.52
00285	MI 8895954	274 368	10/03/02	44,000	22.00
00286	MI 8895955	200 446	10/03/02	33,980	16.99
00287	MI 8895953	274 187	10/03/02	36,080	18.04
00288	MI 8895950	200 459	10/07/02	27,400	13.70
00289	MI 8895951	200 329	10/04/02	40,160	20.08
00290	MI 8895952	274 354	10/04/02	38,500	19.25
00291	MI 8895960	274 372	10/04/02	35,760	17.88
00292	MI 8895961	GTS-07	10/04/02	33,840	16.92
00293	MI 8895962	274 378	10/04/02	48,960	24.48
00294	MI 8895963	274 356	10/04/02	40,260	20.13
00295	MI 8895964	274 348	10/04/02	32,240	16.12
00296	MI 8895967	274 333	10/07/02	37,240	18.62
00297	MI 8895966	200 453	10/07/02	46,180	23.09
00298	MI 8895968	200 269	10/07/02	36,400	18.20
00299	MI 8895969	200 361	10/07/02	40,480	20.24
00300	MI 8895965	200 324	10/07/02	43,860	21.93
00301	MI 8894724	274 344	10/08/02	39,920	19.96
00302	MI 8894725	200 455	10/08/02	25,000	12.50
00303	NYB9596142	200 470	10/15/02	25,040	12.52
00304	NYB9596151	200 377	10/17/02	19,180	9.59
00307	NYB9596169	N/A	10/30/02	38,960	19.48
30010	MI8693858	200 556	08/26/03	35,940	17.97
30011	MI8693856	200 352	08/26/03	42,300	21.15
30012	MI8693857	271 188	08/26/03	39,320	19.66
30013	MI8693861	275 007	08/26/03	36,800	18.40
30014	MI8693859	274 214	08/26/03	45,240	22.62
30015	MI8693863	200 446	08/27/03	38,100	19.05
30016	MI8693862	274 336	08/27/03	35,740	17.87
30017	MI8693864	200 329	08/27/03	35,280	17.64
30018	MI8693867	275 022	08/27/03	37,380	18.69
30019	MI8693866	274 376	08/27/03	37,220	18.61
30020	MI8693865	200 470	08/27/03	37,200	18.60
30021	MI8693869	200 274	08/28/03	38,320	19.16
30022	MI8693868	200 444	08/28/03	36,900	18.45
30023	MI8693870	271 188	08/28/03	30,020	15.01
30024	MI8693873	GTS-05	08/28/03	33,480	16.74
30025	MI8693871	274 214	08/28/03	37,820	18.91
30026	MI8693872	GTS-11	08/28/03	30,550	15.28
30027	MI9011717	200 361	09/02/03	34,920	17.46
30028	MI9011716	200 352	09/02/03	33,200	16.60

TABLE F-1
GOULD ISLAND PCB REMEDIATION
DISPOSAL DOCUMENTATION TRACKING LOG

MANIFEST DOCUMENT NO.	STATE MANIFEST DOCUMENT NO.	CONTAINER ID	DATE SHIPPED	WEIGHT (lbs.)	WEIGHT (Tons)
30029	MI9011718	274 374	09/02/03	35,620	17.81
30030	MI9011720	200 265	09/02/03	35,760	17.88
30031	MI9011719	200 569	09/02/03	33,840	16.92
30032	MI9011721	200 391	09/02/03	35,220	17.61
30033	MI9011723	200 455	09/03/03	33,600	16.80
30034	MI9011722	275 024	09/03/03	35,140	17.57
30035	MI9011724	274 538	09/03/03	32,360	16.18
30036	Manifest No. Not Used				
30037	MI9011726	200 356	09/03/03	31,360	15.68
30038	MI9011725	GTS-08	09/03/03	36,680	18.34
30039	MI9011727	200 399	09/04/03	43,480	21.74
30040	MI9011728	200 290	09/04/03	37,200	18.60
30041	MI9011729	200 377	09/04/03	36,350	18.18
30042	MI9011731	200 214	09/04/03	35,640	17.82
30043	MI9011732	200 556	09/04/03	31,660	15.83
30044	MI9011733	274 356	09/04/03	38,680	19.34
30045	MI9011734	200 446	09/05/03	37,120	18.56
30046	NYB9779958	275 007	09/10/03	32,860	16.43
30047	NYB9779967	200 412	09/10/03	32,900	16.45
30048	NYB9779949	N/A	09/25/03	22,880	11.44
TOTAL				8,965,990	4483.00

Invoice ID: 30014138 Receipt ID: 1109578 Manifest: MI8893005

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authorized Part 111 and Part 121 of Act 451, 1994, as amended. Failure to this may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No.
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8893005
B. State Generator's ID ROLLS ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number MERICOOS00545
C. State Transporter's ID
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46363	K	PCB1
b.	☐			15133		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
SPECIMENS CONTAINING PCB'S & DOPED WITH FOR DISPOSAL
INCLUDE SHIPPING DATE
LICENSE NUMBER
IN STATE CODE FOR NON HAZARDOUS WASTE
CAN
K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/635-1111; EQ: 800/839-3875
ERG #171
5/13/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: MARK J RIELLY
Signature
Date: Month 05 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Jamo
Signature
Date: Month 05 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Thrall
Signature
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK 13 CHANGE DATE

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRYAN SCHMITZ
Signature
Date: Month 05 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 01:54 PM 08/13/02
10360 lb GR

Tare 01:54 PM 08/13/02
30240 lb GR
40600 Tare

Net 41,000 Net

Date	Truck No.
8/13/02	401

Consignee MUFU 5825

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 12:16 PM 08/13/02
11140 lb GR

Tare 12:17 PM 08/13/02
70460 lb GR
Split weight
81600 Gross

Net

Date	Truck No.
8/13/02	401

Consignee MUFU 5825
MI 8883005

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109576 Manifest: MI8893003

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994 as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 | Manifest Document No. 6275 | 2. Page 1 of 2 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8893003
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: [illegible] | 6. US EPA ID Number: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone:

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD | 8. US EPA ID Number: MAD159020834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,365	K	PCB1
b.				15,736	K	
c.						
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000039F (SOIL & DEBRIS WITH PCBs >50PPM) RAILCAR # MKEX 5525
STORAGE START DATE: OCT 1/1/02
UNIQUE CONTAINER ID: 2213
RI STATE CODE FOR PCB MATERIAL: NRP
end of service 2/13/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY | Signature: [signature] | Date: Month 08 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] | Signature: [signature] | Date: Month 08 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] | Signature: [signature] | Date: Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHULTZ | Signature: [signature] | Date: Month 08 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 01:36 PM 08/13/02
11060 lb GR

Tare 01:36 PM 08/13/02
30640 lb GR
41700 Tare

Net 34620 Net

Date	Truck No.
8/13/02	402

Consignee MWRR 5825
MI 8893005

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 12:14 PM 08/13/02
11120 lb GR
Spotted weight
12:15 PM 08/13/02
65200 lb GR
76,320 Gross

Tare

Net

Date	Truck No.
8/13/02	402

Consignee MHFX 5825

manifest # 8893003

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109577 Manifest: MI8893004

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00093
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8893004
B. State Generator's ID ROLLO ISLAND

5. Transporter 1 Company Name AMERICAN ENVIRONMENTAL
6. US EPA ID Number MID[illegible]
C. State Transporter's ID MI 290125 ME
D. Transporter's Phone 217/435-9199

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID[illegible]20834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	RQ	001	DT	16,268	K	PCB1
b.	☐			15809		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVALS: 000012PCB (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: 8/13/02
UNIQUE CONTAINER ID: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of [illegible] 8/13/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: Mark Rielly
Date: Month 08 Day 13 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SALLOTY
Signature: [illegible]
Date: Month 08 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHULTZ
Signature: [illegible]
Date: Month 08 Day 21 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 12:10 PM 08/13/02
11020 lb GR

Tare 12:11 PM 08/13/02
68640 lb GR

79660 Gross

Net

Date 8/13/02

Truck No. MHFX 5825

Consignee Truck # 403

Manifest #: 8893004

Weigher MHFX 5825

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 12:50 PM 08/13/02
11100 lb GR

Tare 12:50 PM 08/13/02
33780 lb GR

44880 Tare

34780 Net

Net

Date 8/13/02

Truck No. 403

Consignee MHFX 5825

MI 8893004

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109706 Manifest: MI8893002

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00094
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8893002
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Ameritech Environmental Services
6. US EPA ID Number: MER000500595
C. State Transporter's ID: MF 98035
D. Transporter's Phone: 207 439-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD038029834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-[illegible]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.		☐			12,619		
c.		☐			25018		
d.		☐					

J. Additional Descriptions for Materials Listed Above
[illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 800/835-1111; EQ: 800/839-3875
ERG #171
[illegible]

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: MARK J RIELLY
Signature: M J Rielly
Date: Month 08 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavone
Signature: Carl M Schiavone
Date: Month 08 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: D'Mercato
Signature: Peggy D'Mercato
Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space
Amend 13a per Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA [illegible]

NOT VALID UNLESS IMPRINTED

10520 lb GR

Gross split weigh

06:14 41 05/14/02
89540 lb GR

80,460 gross

Tare 41 700 tare

38,760 net

Net

Date	Truck No.
8/14/02	402

Consignee MHFX 5825

MI 8893002

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014138 Receipt ID: 1109587 Manifest: MI8893001

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No. 000957
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT MAN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8893001
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Ameritech Environmental Service
6. US EPA ID Number MER000500595
C. State Transporter's ID 911351
D. Transporter's Phone 207 438-9189

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone [illegible]

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-6400

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 9 RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 20	K	PCB1
b.	☐			~~16,194~~ 14296		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL # [illegible] 5125
STORAGE START DATE 8/14/02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB [illegible]
out of service 8/14/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 800/555-1111; EC: 800/639-3876
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature [signature] Date Month Day Year 08 13 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 08 13 02

18 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimarcolo Signature [signature] Date Month Day Year 08 14 02

19. Discrepancy Indication Space
OK 13 CHANGE PER Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRYAN SCHMIDT Signature [signature] Date Month Day Year 08 21 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

10700 lb GR

split weigh

Gross

06:10 AM 08/14/02
66160 lb GR

76860 gross

Tare

40600 tare

36200 net

Net

Date	Truck No.
8/14/02	401

Consignee MHFX 5825

MI 8893001

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109707 Manifest: MI8893006

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00096
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NNP)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8893006
B. State Generator's ID ROLD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Apex Tank Environmental Service
6. US EPA ID Number MER000500895
C. State Transporter's ID MI: A270125
D. Transporter's Phone 207. 458. 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RIP000520034
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				25518		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
[illegible]
IN STAGE DOME FOR [illegible] 9518

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; FX: 800/429-3874 Service 8/14/02
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 13 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY
Signature: Robert A. Sillsby
Date: Month 08 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
Bregay Dimaale 081403
Amend 13a per Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month Day Year

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

10860 lb GR

Gross Split weight

06:19 AM 08/14/02
72560 lb GR

83,420

Tare 44980

38500

Net

Date	Truck No.
8/14/02	403

Consignee ~~MFX 7425~~ 88 TREM 9510

MI 8893006

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109586 Manifest: MI8893007

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RI0000021309
Manifest Document No.: 00013
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NSN) ONE SIMON-PIETRI DRIVE NEWPORT, RI 02841
4. Generator's Phone: (401) 841-1791

A. State Manifest Document Number: MI 8893007
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID: A 367863
D. Transporter's Phone: 207 488 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD050020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL, 49350 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.	☐			14,296		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above: APPROVALS: [illegible] STORAGE START DATE: [illegible] UNIQUE CONTAINER ID: [illegible] IN WHAT DOOR FOR PCB [illegible]
K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: P&W F.D. 800/655-1111; EC: 800/639-3675 ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pierre Landry | Signature: [signature] | Date: Month 08 Day 11 Year 07

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Jimmo | Signature: [signature] | Date: Month 08 Day 11 Year 07

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Dimmock | Signature: | Date: Month Day Year

FACILITY

19. Discrepancy Indication Space: OK BOHANE BBC MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRYAN SCHULZ | Signature: [signature] | Date: Month 08 Day 21 Year 07

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [illegible] Page 1

NOT VALID UNLESS IMPRINTED

79540 lb GR

Gross

11:37 AM 08/14/02
00 ID. NO.
79540 lb GR
40600 lb TR KEYED
38940 lb NT

Tare

Net

Date	Truck No.
8/14/02	401

Consignee m HFX 5825

MI BJ93007

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice 30014105 Receipt ID: 1109592 Manifest: MI8893008

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 — Manifest Document No. 00918
2. Page 1 of 2 — Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRO DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8893008
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 207-439-9149
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]20834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐					
c.	☐					
d.	☐					
	15			15		

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: 08/14/2002
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of service 8/14/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EC: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Bruce Waite — Signature: [signature] — Date: Month 08 Day 14 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M. Schauer — Signature: [signature] — Date: Month Day Year
18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaggio — Signature: [signature] — Date: Month Day Year

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRIAN SCHULTZ — Signature: [signature] — Date: Month 08 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross split weigh L 10840 lb GR
11:33 AM 08/14/02
72700 lb GR

Tare

83 540 gross
41 700 tare
41 840 net

Net

Date	Truck No.
	402

Consignee MI 8893008

PW 30004

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109585 Manifest: MI8893009

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 12079
2. Page 1 of 3
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8893009
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Ameritech Environmental Service
6. US EPA ID Number MER000500595
C. State Transporter's ID A2-0125 MIE
D. Transporter's Phone 207-432-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,563~~ 15	K	PCB1
b. ☐				14,700		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MHEX 5825
STORAGE START DATE: 08/14/2002
UNIQUE CONTAINER ID# 3-44379
RI STATE CODE FOR PCB MATERIAL: NRP 1
out of service 8/14/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565 1111; BC 800/X9-1975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Keith LaVoie Signature: [signature] Date: Month 08 Day 14 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SELLSEY Signature: [signature] Date: Month 08 Day 14 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarcello Signature: [signature] Date: Month 08 Day 19 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BRIAN SCHMITZ Signature: [signature] Date: Month 08 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

11:31 AM 08/14/02
10720 lb GR

split weigh <

Gross

11:32 AM 08/14/02
66520 lb GR

77,200 gross

Tare

44,880 tare

32,340 net

Net

Date 8/14/02

Truck No. 403

Consignee MHFY 5825

MI 889 3009

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109591 Manifest: MI8893010

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00100
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 03841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8893010
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID
D. Transporter's Phone 269-442-3911/49

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]20834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WASTE DISPOSAL INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.				21,341		
c.						
d.				PW 30015		

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible] 9560
STORAGE START DATE: 08/14/2002
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible] 274391
out of service 81.5/63

Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Mark LaVoie
Signature: [signature]
Date: Month 08 Day 14 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Curtis Schwanz
Signature: [signature]
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaculo
Signature: [signature]
Date: Month Day Year

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHUTZ
Signature: [signature]
Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 114000 lb GR
07:47 AM 08/15/02
77240 lb GR

Tare 88640 gross
41,700 net

Net 46840

Date	Truck No.
8/15/02	402

Consignee

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

MI8893011, Page 1

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. 53320
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 5001
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (SMV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone

A. State Manifest Document Number MI 8893011
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name
American Environmental Service
6. US EPA ID Number MER000502595
C. State Transporter's ID A 3677563
D. Transporter 1 Phone 207-989-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD985220534
E. State Transporter's ID
F. Transporter 2 Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I-94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. Alternate Facility (or Generator)
H. Facility's Phone 800-592-2809

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16363	K	PCB1
b.	☐					
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVED: [illegible] 01/31/02

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/339-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Lance Lowe
Signature: [signature]
Date: Month 08 Day 14 Year 01

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Jamo
Signature: [signature]
Date: Month 08 Day 14 Year 01

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK DClings 1/3 on Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PERIOD.

NOT VALID UNLESS IMPRINTED

81860 lb GR

Gross

07:52 AM 09/15/02
00 ID. NO.
81860 lb GR
40600 lb TR KEYED

Tare

41260 lb NT

Net

Date	Truck No.
8/15/02	401

Consignee PW 30015

MF 8893021

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109712 Manifest: MI8919911

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 and 12115 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 20102
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number MI8919911

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

B. State Generator's ID GOULD ISLAND

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name Aftertech Environmental Service
6. US EPA ID Number MER000500595
C. State Transporter's ID A2902125NE
D. Transporter's Phone 207-439-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	166,363	K	PCB1
b. ☐						
c. ☐				20059		
d. ☐						

J. Additional Descriptions for Materials Listed Above
NONHAZARDOUS [illegible] Service 8/15/02

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; Ext. 800/638-8675
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee LaVoie Signature [signature] Date Month Day Year 08 14 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name ROBERT SILLSTSY Signature Robert A Silsty Date Month Day Year 08 14 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature [signature] Date Month Day Year 08 15 02

FACILITY

19. Discrepancy Indication Space
CHANGE IN PCB Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clark Signature [signature] Date Month Day 08 21

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross: Split weigh — 11040 lb GR; 07155 HN 05/15/02 70700 lb GR — 81740 gross

Tare: 44880

Net: 36860

Date	Truck No.
5/15/02	403

Consignee: MI 89199N

THEA 9510

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014105 Receipt ID: 1109594 Manifest: MI8919912

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00103
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8919912
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID: 913965
D. Transporter's Phone: 267-[illegible]-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
46930 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b. ☐				15450		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials (List Items Above)
APPROVED [illegible] PW 300 [illegible]
[illegible] 08-25-2011
[illegible]
IN STOCKLOCK FOR FOB [illegible]
8/15/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EC: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee LaVoie — Signature: Renee LaVoie — Date: Month 08 Day 15 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Cecil M Schrawen — Signature: Cecil M Schrawen — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Dimcale — Signature: [illegible] — Date: Month Day Year

19. Discrepancy Indication Space
OK. 10 Change 13 a [illegible] Mark Kelly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Price — Signature: [illegible] Price — Date: Month Day Year 08 21 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

01:03 PM 08/15/02
10740 lb GR

Gross Spl.d C weigh

01:05 PM 08/15/02
73980 lb GR

84 700 gross
41 700 tare
43000 net

Tare

Net

Date	Truck No.
8/15/02	402

Consignee PW 30015

MJ 891 9912

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109713 Manifest: MI8919913

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 of 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Tracking No. 0004
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919913
B. State Generator's ID [illegible]
C. State Transporter's ID A367868
D. Transporter's Phone 207-438-9149
E. State Transporter's ID [illegible]
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-[illegible]

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MER000500595
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID049090633

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGII	001	DT	16,363	K	PCB1
b.						
c.				20660		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] BOX A DRUM WITH BOOM [illegible]
[illegible] DATE [illegible]
[illegible] POLYTE
[illegible] STATE CODE FOR PCB [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.D. 860/565-1111; EC: 800/535-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee Lavoie Signature Renee Lavoie Date Month Day Year 08 15 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg Jimmo Signature Greg Jimmo Date Month Day Year 08 15 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Quinnell Signature Gregory Quinnell Date Month Day Year

FACILITY

19. Discrepancy Indication Space
CHANGE IN PCB Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name Kelly Clark Signature [illegible] Date Month Day Year 08 29 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

79500 lb GR

Gross 01:12 PM 08/15/02
00 ID: NO:
79480 lb GR
40600 lb TR KEYED

Tare 39880 lb NT

Net

Date	Truck No.
8/15/02	401

Consignee TREN 95/C

MI 8919913

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014138 Receipt ID: 1109593 Manifest: MI8919914

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121, P.A. Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0015
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8919914
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID 4290125 ME
D. Transporter's Phone 207-438-9149
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MRD059020634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-0488

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,338	K	PCB1
b.	☐				1475		
c	☐						
d	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
K. Handling Codes a b c d

Copy of service

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PBW F.D. 800-[illegible]; EQ: 800-[illegible]
ERG #171

8/15/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 08 Day 15 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT STILSBY
Signature: Robert A. Stilsby
Date: Month 08 Day 15 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Mimecale
Signature: Gregory Mimecale
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK to Unsc 13 op
Mark

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

U.S. SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY MDP 5116 Rev. 5/98

NOT VALID UNLESS IMPRINTED

Gross 01:10 PM 08/15/02 110520 lb GR

Split Weigh

88080 gross

44880 tare

Tare 01:09 PM 08/15/02 77450 lb GR

43200

Net

Date	Truck No.
8/15/02	403

Consignee PW 30015

MI 891994

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

MI8919917, Page 1

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00000
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI8919915
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Ameritech Environmental Services
6. US EPA ID Number MER000500595
C. State Transporter's ID 913795 ME
D. Transporter's Phone 207-439-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020934
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	26,363	K	PCB1
b. ☐					
c. ☐			22650		
d. ☐			MFX 54		

J. Additional Descriptions for Materials Listed Above
[illegible]
K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; ERG 800/535-5053
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie
Signature: Renee LaVoie
Date: Month 08 Day 15 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schirum
Signature: Carl M Schirum
Date: Month 08 Day 15 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Mario P
Signature: [illegible]
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK to change 1 [illegible] Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Cori Sears
Signature:
Date: Month 08 Day 21 Year 02

ALL EPA'S MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

GENERATOR

WHITE COPY - TRANSPORTER 1 - YELLOW COPY - TRANSPORTER 2 - PINK COPY - FACILITY - GOLD COPY - GENERATOR

NOT VALID UNLESS IMPRINTED

Gross 05:29 AM 08/18/02 10660 lb GR

Tare 05:31 AM 08/18/02 76340 lb GR

Net 45300

Date 8/16/02

Truck No. 402

Consignee AHFX 5611

MI 891 9915

Weigher

Weighed on the Scales of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109721 Manifest: MI8919916

Required under authority of Part 11 and Part 121 of Act 451 1994, as amended

118 80080

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

~~101360~~

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00107 2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT N8N) ONE SIMON PIETRI DRIVE NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919916

B. State Generator's ID GOULD ISLAND A290125AE

5. Transporter 1 Company Name: American Environmental Services 6. US EPA ID Number MER000500595

C. State Transporter's ID

D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD 8. US EPA ID Number MAD055820834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address: ANNIS DISPOSAL, INC., SITE #2 LANDFILL 49350 NORTH I94 SERVICE DRIVE BELLEVILLE, MICHIGAN 48111 10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII		001	DT	50 16,363 1,385 22,305	K	PCB1
b.						
c.						
d.				TRANSIT		

J. Additional Descriptions for Materials Listed Above: APPROVED # 02-0007 SOIL & DEBRIS WITH PCBS >50PPM STORAGE START DATE: 08-15-2002 UNIQUE CONTAINER ID#: 300356 RI STATE CODE FOR PCB MATERIAL: R02 RAILGUN of secured 8/16/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/638-3075 ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaNoire Signature: Renee LaNoire Date: Month Day Year 08 11 02

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name: ROBERT STILSIN Signature: Robert A Stilsin Date: Month Day Year 08 16 02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: Gregory Dimarco Signature: Gregory Dimarco Date: Month Day Year

19. Discrepancy Indication Space: amend 13a per MARK Kelly

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month Day Year 08 21 02

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 6110 Rev. 6/98

NOT VALID UNLESS IMPRINTED

Split < weigh

10560 lb GR

Gross 05:33 AM 08/16/02
68160 lb GR

78720 gross
44880 tare
33840 net

Tare

Net

Date	Truck No.
8/16/02	403

Consignee J KEM 9510

MI 891996

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014138 Receipt ID: 1109597 Manifest: MI8919915

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11115 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document ID 00108
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone: 401 841-1791

A. State Manifest Document Number MI 8919917
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000500595
C. State Transporter's ID: A367563
D. Transporter's Phone: 207-438-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: RID059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,873	K	PCB1
b. ☐				20,233		
c. ☐						
d. ☐						

MHFX 5611
subcontracted

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PDF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # 8/16/02
STORAGE START DATE: 08-13-2002
UNIQUE CONTAINER ID# 20023
RI STATE CODE FOR PCB MATERIAL: R02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/555-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Lene Labib Signature: Lene Labib Date: Month 08 Day 15 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Guy Signature: Date: Month 08 Day 15 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory O'Meara Signature: Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Signature: Date: Month Day Year

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

85100 lb GR

Gross

05:29 AM 08/16/02
00 ID. NO.
85100 lb GR
40600 lb TR KEYED
44500 lb NT

Tare

Net

Date	Truck No.
8/16/02	401

Consignee MHFX 5611

MI 891997

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible] Manifest Tracking No. 10104

2. Page 1 of 12 — Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number: MI [illegible]19920

3. Generator's Name and Mailing Address: [illegible] STATION NEWPORT (ENV DEPT NON) DIKE SIMON PETRO DRIVE NEWPORT, RI 02841 401 841-1791

B. State Generator's ID: [illegible]

4. Generator's Phone ( )

C. State Transporter's ID: 0267863

5. Transporter 1 Company Name: American Environmental Services — 6. US EPA ID Number: MER000502575

D. Transporter's Phone: 438-9149

7. Transporter 2 Company Name: [illegible] & WORCESTER RAILROAD — 8. US EPA ID Number: [illegible]

E. State Transporter's ID: [illegible]

F. Transporter's Phone:

9. Designated Facility Name and Site Address: [illegible] INC., SITE #2 LANDFILL, 46360 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111 — 10. US EPA ID Number: MID048090633

G. State Facility's ID:

H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM [illegible], POLYCHLORINATED BIPHENYLS, SOLID MATRIX (MARINE POLLUTANT), 9, UN2315, PGII	001	DT	16,363	K	PCB1
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above — K. Handling Codes

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT, PEAV F.D. 800-535-1111; EQ: 800-592-5489; ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaDoe — Signature: [signature] — Date: Month 08 Day 16 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name: Greg Lyons — Signature: [signature] — Date: Month 08 Day 16 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: Gregory Dimarale — Signature: Gregory Dimarale — Date: Month 08 Day 16 Year 02

19. Discrepancy Indication Space

OK IF CHANGE PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BRYAN SCHMITZ — Signature: [signature] — Date: Month 08 Day 22 Year 02

TSDF COPY

GENERATOR — TRANSPORTER — FACILITY

ALL COPIES MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

81620 lb GR

Gross

10:49 AM 08/16/02
00 ID. NO.
81640 lb GR
40600 lb TR KEYED
41040 lb NT

Tare

Net

Date	Truck No.
8/16/02	401

Consignee MJ 891920

MAEX 5611

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014138 Receipt ID: 1109606 Manifest: MI8919919

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 0010
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NHS)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI8919919
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Ameritech Environmental Services
6. US EPA ID Number MER000500595
C. State Transporter's ID 231763 MI
D. Transporter's Phone 201-933-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RIRD055020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,368	K	PCB1
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible] DOL & DEBRIS WITH PCBS LEFTOVER [illegible]
[illegible] 08-16-2002
[illegible] 10 of Service
8/16/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800555-1111; EQ: 800532-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Labonte
Signature: [signature]
Date: Month Day Year 08 16 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: STEPHEN WELCH
Signature: [signature]
Date: Month Day Year 08 16 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarco
Signature: [signature]
Date: Month Day Year 08 16 02

FACILITY

19. Discrepancy Indication Space
OK 13 CHANGE PER Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BRYAN SCHULTZ
Signature: [signature]
Date: Month Day Year 08 16

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

77590 lb GR

Gross 35740

Tare 41940

Net

Date	Truck No.
8/16/02	T 501

Consignee MI 891991 9

MHFX 5611

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014138 Receipt ID: 1109607 Manifest: MI8919918

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST.

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00111
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NIN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

5. Transporter 1 Company Name: American Environmental Services
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]

9. Designated Facility Name and Site Address: WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI8919918
B. State Generator's ID: [illegible]
C. State Transporter's ID: A290125 ME
D. Transporter's Phone: 207-432-9149
E. State Transporter's ID: [illegible]
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	TB	78,963	K	PCB1
b.				22-631		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible]
K. Handling Codes: a. b. c.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3075
ERG 171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAVOIE
Signature: Renee Lavoie
Date: Month Day Year 08 16 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SELLSBY
Signature: Robert A. Sellsby
Date: Month Day Year 08 16 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name
Signature
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
BILL'S CHANGE [illegible] MARK [illegible] 08 16 02

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature
Date: Month Day Year 08 22 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

10500 lb GR

Gross split weigh

10:47 AM 08/16/02
76860 lb GR

87360 gross

Tare 44880 tare

42480 net

Net

Date	Truck No.
8/16/02	403

Consignee MJ 891 9918

HFX 5011

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109728 Manifest: MI8919961

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00112
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generators Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919961
B. State Generator's ID [illegible]
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name: Arkin Tech Environmental
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059820834
9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,362~~ 16	K	PCB1
b.	☐				~~16345~~ 9071	K	
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS: [illegible]
IN SOME CONTAINERS FOR TRANSPORT [illegible]
Date of Service 8/19/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3979
ERG: #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pepe Landie
Signature: [signature]
Date: Month 08 Day 19 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 08 Day 19 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Sherrill
Signature: [signature]
Date: Month 08 Day 19 Year 02

FACILITY

19. Discrepancy Indication Space
OK 13 CHARGE FOR Mark Kielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Brian Schum
Signature: [signature]
Date: Month 08 Day 27 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [illegible] Rev. [illegible]

NOT VALID UNLESS IMPRINTED

76240 lb GR

Gross

06:45 AM 08/19/02
00 ID: 140
76240 lb GR
41500 lb TR METER
35740 lb NT

Tare

Net

Date	Truck No.
8/19/02	1001

Consignee MAFI STEEL

8918961

Conf# 200254

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109677 Manifest: MI8920000

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. 08352
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RI0000021309
Manifest Document No.: 00113
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT N00) ONE SIMON PIETRI DRIVE NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791
A. State Manifest Document Number: MI 8920000
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Apex Tech Environmental
6. US EPA ID Number: MER000505095
C. State Transporter's ID
D. Transporter's Phone: 436 7863
E. State Transporter's ID: 762 9149
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD039020834
F. Transporter's Phone

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL, 49350 NORTH I-94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16 3500	K	PCB1
b.	☐				18012		
c.	☐				28977		
d.	☐						

J. Additional Descriptions for Materials Listed Above: [illegible] Manifest 5 of 5 [illegible] Acct of Service 8/19/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EC: 800-535-3675
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie
Signature: [signature]
Date: Month 08 Day 19 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shaw
Signature: [illegible]
Date: Month 08 Day 19 Year 02

19. Discrepancy Indication Space
amend 13 a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 08 Day 27 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

80380 lb GR

Gross

08:48 AM 08/19/02
00 ID. NO.
80380 lb GR
40600 lb TR KEYED
39780 lb NT

Tare

Car #

Net 200299

Date	Truck No.
8/18/02	403

Consignee MI X92 000 0

MHFX 56.60

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109676 Manifest: MI8919962

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Act 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.1115 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021300
Manifest Document No. 00114
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919962
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name
PROVIDENCE & WORCESTER RAILROAD
6. US EPA ID Number MRR000020834
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone

7. US EPA ID Number =R000300595

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	11182	K	PCB1
b. ☐				28499		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible]
[illegible]
IN STATE DOOR FOR POD [illegible]
Out of Service Elevator

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month Day Year 081902

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Stanley
Signature: Robert A. Stanley
Date: Month Day Year 08 19 02

TRANSPORTER

18. Transporter 2 Acknowledgment of Materials
Printed/Typed Name: Gregory Dimacale
Signature: Gregory Dimacale
Date: Month Day Year 8 19 02

19. Discrepancy Indication Space
Amend 13a per Mark Kelly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month Day Year 082702

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

10840 lb GR

Gross split weight

08:43 AM 08/19/02
76450 lb GR

82330 gross

Tare

44880 tare

42440 net

Net

Date	Truck No.
8/19/02	403

Consignee MHFX 5660

MZ 891 9962

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109683 Manifest: MI8919998

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 and 324.12118 MCL

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309 Manifest Document No. 66115
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRO DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

5. Transporter 1 Company Name
PROVIDENCE & WORCESTER RAILROAD

6. US EPA ID Number MAR000500595

7. US EPA ID Number MND000820834

8. State Generator's ID RHODE ISLAND

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
46360 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

A. State Manifest Document Number MI8919998
B. State Generator's ID RHODE ISLAND
C. State Transporter's ID
D. Transporter's Phone 207 438-7119
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,365	K	PCB1
b.				17818	K	
c.				1040		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVED
UNIQUE CONTAINER ID
RI STATE CODE FOR WASTE DISPOSAL 9171

K. Handling Codes
a
b
c
d

end of service 8/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/632-3975
ERG 9171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature Date Month Day Year 08 19 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name ROBERT SULLSBY Signature Date Month Day Year 08 19 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 08 19 02

FACILITY

19. Discrepancy Indication Space OK to change ISCP Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name Signature Date Month Day Year

TSDF COPY

EPA Form 8700-22 (Rev. 9/88)

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY

NOT VALID UNLESS IMPRINTED

Gross 02:21 PM 06/19/02 33260 lb SR

84 080 Gross

Tare 44 880 Tare

39 200 NET

Net

Date	Truck No.
6/18/02	403

Consignee MMKL SALO

MI 891 5958

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109682 Manifest: MI8919999

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 80116
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number MI 8919999
B. State Generator's ID SOLID MIXED

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name Ambient Environmental Services
6. US EPA ID Number MCR000050595
C. State Transporter's ID
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020034
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,365~~	K	PCB1
b.	☐				16036		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL #: [illegible]
EXPIRATION DATE: [illegible]
STORAGE POINT: [illegible]
LIMITED QUANTITY: [illegible]
IN SPACE CODE FOR [illegible]
end of service 8/19/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 860/885-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY
Signature Mark Rielly
Date Month Day Year 08 19 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name
Signature
Date Month Day Year 08 19 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Stowell
Signature
Date Month Day Year 08 19 02

19. Discrepancy Indication Space
ok to change 13 upon Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name
Signature
Date Month Day Year 08 30 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) PREVIOUS EDITIONS ARE OBSOLETE

NOT VALID UNLESS IMPRINTED

Gross

02:17 PM 08/19/02
00 ID. NO.
75920 lb GR
41440 lb TR KEYED
35280 lb NT

Tare Cant
200295

Net

Date	Truck No.
8/19/02	401

Consignee AUEI SLLD
ME 891999

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109684 Manifest: MI8919997

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 to 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 08117
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NSN) ONE SIMON-PIETRI DRIVE NEWPORT, RI 02841
A. State Manifest Document Number: MI8919997
B. State Generator's ID: RHODE ISLAND
4. Generator's Phone: ( ) 401 841-1791
5. Transporter 1 Company Name: Allied Environmental Service
6. US EPA ID Number: MER000505595
C. State Transporter's ID: MI
D. Transporter's Phone: 207 [illegible] 9119
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MND059020934
E. State Transporter's ID:
F. Transporter's Phone:
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL 49350 NORTH I94 SERVICE DRIVE BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCBI
b.	☐			15055	K	
c.	☐			10410		
d.	☐					

J. Additional Descriptions for Materials Listed Above: APPROVALS: [illegible] MANIFEST # MNEL 5660 [illegible] out of service 8/19/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. [illegible]-1111; EQ: 800/638-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: MARK J. RIELLY Signature: [signature] Date: Month 08 Day 19 Year 02

TRANSPORTER — 17. Transporter 1 Acknowledgment of Receipt of Materials: Printed/Typed Name: [illegible] Signature: [signature] Date: Month 08 Day 19 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials: Printed/Typed Name: Derek Shuff Signature: [signature] Date: Month 08 Day 19 Year 02

FACILITY — 19. Discrepancy Indication Space: OK to change [illegible] Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name: [illegible] Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) Previous editions are obsolete. TSCA [illegible]

NOT VALID UNLESS IMPRINTED

Gross 02:25 PM 08/19/02
73620 lb GR
40500 Tare
33,120 NET

Tare

Net

Date	Truck No.
8/19/02	1001

Consignee MAPLE STAO
891997

Can # 200345

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109688 Manifest: MI8919994

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and civil penalties under Sections 324.11148 or 324.12116 MCL.

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Form Approved OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309 Manifest Document No. 00115 2. Page 1 of 2 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone ( ) 401 841-1791

A. State Manifest Document Number MI 8919994

B. State Generator's ID GOULD ISLAND 890125

5. Transporter 1 Company Name American Environmental Service

6. US EPA ID Number MER000050555

C. State Transporter's ID 4 590 [illegible]

D. Transporter's Phone 207 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD039020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐				11,255		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS 000032101 (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible] 5660
STORAGE START DATE: 8/19/02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: R007
out of service 8/20/02

K. Handling Codes a b c d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111; EQ: 800/839-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Steve Lavoie Signature: [signature] Date: Month 08 Day 18 Year 2002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month 08 Day 20 Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Stowell Signature: [signature] Date: Month 08 Day 20 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 5119 Rev. 9/99

NOT VALID UNLESS IMPRINTED

65380 lb GR

Gross

08:15 AM 08/20/02
00 10- NO.
65360 lb GR
40600 lb TR (KEYED)
24760 lb NT

Tare

Car#
274349

Net

Date	Truck No.
5/22/02	401

Consignee MWFI 5660
ME 891899 4

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109720 Manifest: MI8919996

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

118

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12148 MCL.

80680

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00119
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8919996
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Allied Environmental Services
6. US EPA ID Number [illegible]
C. State Transporter's ID
D. Transporter's Phone [illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RIND059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-6489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,383~~	K	PCB1
b. ☐				24,365	K	
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible]
5-19-02
out of Service 8/20/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/[illegible]
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Date Month Day Year
Renee Labre	[signature]	08/20/02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name	Signature	Date Month Day Year
[illegible]	[signature]	08/20/02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name	Signature	Date Month Day Year
David Shuell	[signature]	08/20/02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Date Month Day Year
Anna Marie Fallon	Anna Marie Fallon	08/27/02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

73200 lb GR

Gross

08:17 AM 08/20/02
00 ID. NO.
73200 lb GR
40500 lb TR KEYED
32700 lb NT

Tare

Net

Date	Truck No.
8/20/02	1001

Consignee

TICKET 85.10

ME 891 9996

Weigher

CON # 274354

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109727 Manifest: MI8919995

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No.
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBM)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919995
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID
D. Transporter's Phone
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD055020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	DD1	DT	16,363	K	PCB1
b. ☐				16,363 K		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name Renee LaVoie Signature Date Month Day Year 08 20 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER
Printed/Typed Name ROBERT SELLSBY Signature Robert A. Sellsby Date Month Day Year 08 20 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Shovall Signature Date Month Day Year

19. Discrepancy Indication Space
FACILITY
OK TO CHANGE PER MARK RIELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRYAN SCHULTZ Signature Date Month Day Year 08 20 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 46140 lb GR

08:12 AM 08/20/02

35560 lb GR

81,700 Gross

Tare 44880 Tare

36820 net

Net

Date	Truck No.
8/20/02	403

Consignee MUFA SEAL

MI 891 5595

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109725 Manifest: MI8919993

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00121
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919993
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MEI 000050595
C. State Transporter's ID
D. Transporter's Phone 207 [illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, 9/UN2315 MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 20	K	PCB1
b.	☐			15,020		
c.	☐			9071		
d.	☐					

J. Additional Descriptions for Materials Listed Above
[illegible] Date of Service 8/20/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good "faith" effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Wade Lavoie — Signature: [signature] — Date: Month Day Year

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Gregory Dimarco — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Dimaro — Signature: [signature] — Date: Month Day Year

19. Discrepancy Indication Space
OK 13 CHANGE PER Mark Miller

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
FACILITY — Printed/Typed Name: Brian Schultz — Signature: [signature] — Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

73660 lb GR

Gross

02:05 PM 08/20/02
00 ID. NO.
73660 lb GR
40600 lb TR KEYED
33060 lb NT

Tare

Can #
200269

Net

Date	Truck No.
8/20/02	401

Consignee MHFX 5614

MI 20,9993

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109726 Manifest: MI8919992

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00172
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919992
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amentech Environmental Service
6. US EPA ID Number MER000050595
C. State Transporter's ID A-290125 MES
D. Transporter's Phone 207 855 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363 / 15,882	K	PCB1
b.	☐						
c.	☐				9071		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL: [illegible] 12/20/02
[illegible] STATE CODE FOR PCB [illegible]

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PBW P.D. 800/800-1111; BQ: 800/839-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 12 Day 18 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert A Stillson
Signature: Robert A Stillson
Date: Month 12 Day 18 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: D. Merch
Signature: [illegible]
Date: Month 12 Day 18 Year 02

FACILITY

19. Discrepancy Indication Space
OK IS CHARGE PER MARK RIELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [illegible]
Date: Month 12 Day 18 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

44080 lb GR

Gross 01:23 PM 06/20/02
31340 lb GR

75420 gross
44880 tare
30 540 net

Tare

Net

Date	Truck No.
8/20/02	403

Consignee AHFX 5614

M2 891999 2

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109724 Manifest: MI8919991

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00125 2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N6N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8919991

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Allied Waste Services US EPA ID Number MER000050575

C. State Transporter's ID MI 599557 MC

D. Transporter's Phone 207 938 9119

6. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD 8. US EPA ID Number MAD059020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	16363	K	PCB1
b.		☐			30		
c.		☐			275		
d.		☐			9671		

J. Additional Descriptions for Materials Listed Above
APPROVAL #
EXPIRATION DATE
UNIQUE CONTAINER ID#
RI WASTE CODE FOR NON HAZARDOUS WASTE
Amt Ex 5014

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/865-1111; EQ: 800/839-3978
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Peter LAVOIE Signature: Date: Month Day Year 08 2002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Brian Signature: Date: Month Day Year 08 2002

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinacale Signature: Gregory Dinacale Date: Month Day Year 08 2002

19. Discrepancy Indication Space
OK 13 CHANGE PER FACILITY

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Brian Schutz Signature: Date: Month Day Year 08 27 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22, (Rev. 9-88) TSDF COPY

VALID UNLESS IMPRINTED

70620 lb GR

Gross

02:07 PM 08/20/02
00 ID: WO:
70660 lb GR
40800 lb TR (KEYED)

Tare

30180 lb NT

Net

Date	Truck No.
8/20/02	1001

Consignee MHFX 5614

MT 8 91 99 91

Car# 2004121

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109814 Manifest: MI8919921

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0024
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919921
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
Amerisch Environmental Services
6. US EPA ID Number MER000050595
C. State Transporter's ID 290125 MI
D. Transporter's Phone 207 439 9199

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,365 lbs	K	PCB1
b. ☐				16,445		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible] SOLID [illegible] WITH PCBS [illegible] IN ROHS COMPLIANT FOR TRANSPORT [illegible]
Service 8/21/03

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 800/695-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: RENEE HINDIE
Signature: [signature]
Date: Month 08 Day 20 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

TRANSPORTER

Printed/Typed Name: ROBERT SULLIVAN
Signature: [signature]
Date: Month 08 Day 20 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: Gregory Dimarcalo
Signature: [signature]
Date: Month 08 Day 21 Year 02

19. Discrepancy Indication Space
OK to change 13 [illegible] Mark Kelly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

47700 lb GR

Gross 10:41 AM 08/21/02
33360 lb GR

81060 gross

Tare 44880 empty

36180 net

Net

Date	Truck No.
8/21/02	403

Consignee AHFX 57KC

MZ 8/19/02

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014127 Receipt ID: 1109723 Manifest: MI8919989

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00125
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N96)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI8919989
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Services
6. US EPA ID Number: MEI000050595
C. State Transporter's ID: 4 599 557 MS
D. Transporter's Phone: 207 938 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-6489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 09 RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 18	K	PCB1
b. ☐				~~14,900~~		
c. ☐				9071		
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible] DOT OF [illegible] 8/21/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/638-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 21 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Peter Burns
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarale
Signature: [signature]
Date: Month 08 Day 21 Year 02

19. Discrepancy Indication Space
OK 13 CHANGE PER MARK RIELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHULTZ
Signature: [signature]
Date: Month 08 Day 21 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) Previous editions are obsolete. TRADER COPY

NOT VALID UNLESS IMPRINTED

83400 lb GR

Gross 08:29 AM 08/21/02
00 ID- MO-
83400 lb GR
40500 lb TR KEYED

Tare 42900 lb MT

Net

Date	Truck No.
8-21-02	1001

Consignee MHF X SGM

MJ 89199 89

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109815 Manifest: MI8919990

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.1151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 44126
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919990
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Antitch Environmental Service
6. US EPA ID Number MED000050595
C. State Transporter's ID
D. Transporter's Phone 207 768 9199

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID005820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,383	K	PCB1
b. ☐				1589		
c. ☐				14,536		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
IN STATE CODE FOR PCB MATERIAL
out of service 8/21/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111; EQ: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature Mark Rielly Date Month 08 Day 21 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg Amato Signature Greg Amato Date Month 08 Day 21 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimaggio Signature Gregory Dimaggio Date Month Day Year

FACILITY

19. Discrepancy Indication Space
OK to Change BOL Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

77000 lb GR

Gross

08:26 AM 08/21/02
00 ID: NO.
76990 lb GR
40610 lb TR (EYED)
36380 lb NT

Car# 274331

Tare

B/L 891990

Net

Date	Truck No.
8/21/02	403

Consignee MHFX 5710

MI 891990

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109818 Manifest: MI8919988

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00127
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919988
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amerith Environmental Service
6. US EPA ID Number ONR000060575
C. State Transporter's ID A290125ME
D. Transporter's Phone 207 438 9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.				16,600		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #
STORAGE START DATE: 8-6-02
UNIQUE CONTAINER ID#
RI STATE CODE FOR PCB MATERIAL: [illegible]
rout to disposal 8/21/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT. P&W F.D. 860/565-1111; EQ. 800/639-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: MARK J. RIELLY Signature: M J Rielly Date: Month 08 Day 21 Year 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: ROBERT STILSON Date: Month 08 Day 21 Year 02
18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

FACILITY
19. Discrepancy Indication Space [illegible] 8/21/02
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: [illegible] Signature: Date: Month [illegible] Day [illegible] Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

45620 lb GR

Gross 03:00 PM 08/21/02
35700 lb GR

81 Hes gross
44880 tare
36500 net

Tare

Net

Date	Truck No.
8/21/02	403

Consignee GHPX STIC

MI 8910958

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109816 Manifest: MI8919987

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 | Manifest Document No. 00130 | 2. Page 1 of 22

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919987

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Allwaste Environmental Services | 6. US EPA ID Number MER000050595 | C. State Transporter's ID A599557ME | D. Transporter's Phone 207-432-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD | 8. US EPA ID Number MAD059020834 | E. State Transporter's ID | F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46,367	K	PCB1
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000028PEP (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # 459 570
STORAGE START DATE: 8-15-02
UNIQUE CONTAINER ID# 100 377
RI STATE CODE FOR PCB MATERIAL: N07
Out of service 8/21/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY | Signature: M J Rielly | Date: Month 08 Day 21 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Peter Barnum | Signature: [illegible] | Date: Month 8 Day 21 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Doucette | Signature: [illegible] | Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] | Signature: [illegible] | Date: Month 09 Day 04 Year 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 8110 Rev. 9/96

NOT VALID UNLESS IMPRINTED

74940 lb GR

Gross

01:23 PM 08/21/02
00 TD1 NO.
74940 lb GR
40500 lb TR KEYED
34440 lb NT

Tare Cm# 200377

Net

Date	Truck No.
8/21/02	1001

Consignee MHFX 5710

MI 89/9047

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109813 Manifest: MI8919986

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00131
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (CNV DEPT N9N)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919986
B. State Generator's ID SOULD ISLAND

5. Transporter 1 Company Name Mentech Environmental Service
6. US EPA ID Number MER000050595
C. State Transporter's ID 367863 MI
D. Transporter's Phone 847 385 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PG III	001	DT	16,367	K	PCB1
b.				13,559		
c.				5,154		
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: MARK J. RIELLY
Signature: Mark Rielly
Date: Month 08 Day 12 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Lyons
Signature: Greg Lyons
Date: Month 08 Day 12 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinicola
Signature: Gregory Dinicola
Date: Month 08 Day 12 Year 02

FACILITY

19. Discrepancy Indication Space
012 to change 15 Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month 09 Day 04 Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/93) TSDF COPY

NOT VALID UNLESS IMPRINTED

54940 lb GR

Gross

01:20 PM 08/21/02
00 ID: NO.
54940 lb GR
40800 lb TR KEYED
44140 lb NT

Car# Z00391

Tare

BL 8919986

Net

Date	Truck No.
8/21/02	401

Consignee MHFX 5210

MI 8919986

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109828 Manifest: MI8919963

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 324 of Act 451, 1994 as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.[illegible]

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00132
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NEN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919963
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MER000505595
C. State Transporter's ID [illegible]
D. Transporter's Phone

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID
F. Transporter's Phone [illegible]

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	14,305	K	PCB1
b. ☐					13,709		
c. ☐							
d. ☐							

J. Additional Descriptions for Materials Listed Above
APPROVAL #: [illegible] SOIL & DEBRIS WITH PCBS [illegible] RAILCAR #: MWCL 5616
STORAGE START DATE: 5-17-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB [illegible]
end of service 8/23/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.D. 860/665-1111; ED: 800/639-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: MARK J. RIELLY — Signature: [signature] — Date (Month Day Year): 08 22 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Randy Rose — Signature: [signature] — Date (Month Day Year): 08 23 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date (Month Day Year): 08 23 02

19. Discrepancy Indication Space
FACILITY — ok to change 13 to [illegible] Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] — Signature: [signature] — Date (Month Day Year): 8 23 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24-HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

Tare

Net

Date

8/23/02

Truck No.

R6

Consignee

MUE15616

8919963

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109817 Manifest: MI8919964

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00133
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919964
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Allied Tech Environmental Services
6. US EPA ID Number MER000505285
C. State Transporter's ID 367463
D. Transporter's Phone 517 482 9179

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	14,333	K	PCB1
b.	☐			12,212	K	
c.	☐			15340	K	
d.	☐					

J. Additional Descriptions for Materials Listed Above
K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.D. 860/565-1111; EQ: 800/639-3976
ERG #171

8/23/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 23 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shuell
Signature:
Date: Month 08 Day 23 Year 02

19. Discrepancy Indication Space
OK to change 1 to 2 Mark Rielly

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Date: Month Day Year

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

TSDF COPY

NOT VALID UNLESS IMPRINTED

67500 lb GR

Gross

01:52 PM 08/23/02
00 ID. NO.
67460 lb GR
40600 lb TR KEYED
26860 lb NT

Cu 271372

Tare BK 5919964

Net

Date	Truck No.
8/23/02	401

Consignee MUFI 5710

MO 8919964

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109829 Manifest: MI8919965

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00134
2. Page 1 of 22
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI8919965
B. State Generator's ID: SOLID MIAND
C. State Transporter's ID: 454955 MI
D. Transporter's Phone: 517 435 9149
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: 800-592-9499

5. Transporter 1 Company Name: Allegiech Environmental Svcs
6. US EPA ID Number: MER000058-95
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,333	K	PCB1
b.				14,200	K	
				2428		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
[illegible] NAVAL [illegible]
[illegible] STATE CODE FOR PCB [illegible]
out of service 8/23/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3275
[illegible]

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford

GENERATOR — Printed/Typed Name: MARK J. RIELLY — Signature: [signature] — Date: Month 08 Day 23 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Carl M Schiavone — Signature: [signature] — Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Derek Shroff — Signature: [signature] — Date: Month 08 Day 30 Year 02

19. Discrepancy Indication Space
FACILITY — ok to change 13 to Manil Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
FACILITY — Printed/Typed Name: Lori Beau — Signature: [signature] — Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 5110 Rev. 5/99

NOT VALID UNLESS IMPRINTED

Gross 01:49 PM 08/23/02
93440 lb GR

Tare 01:50 PM 08/23/02
62660 lb SR

72,000 Gross
39,660 Tare

Net 32,340

Date 8/23/02

Truck No. 902

Consignee MHCX 5616

MI 97
891965

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109827 Manifest: MI8919968

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

74500

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00135
2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919968
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Bayfield Environmental Services
6. US EPA ID Number MNR000156505
C. State Transporter's ID A367803
D. Transporter's Phone 262 935 9146

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED DIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,364	K	PCB1
b.				16,364	K	
c.				PGIII		
d.						

J. Additional Descriptions for Materials Listed Above
[illegible]
K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EQ: 800/839-3375
ERG #171

End of Service 8/23/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 23 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Guy Jane
Signature: [signature]
Date: Month 08 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Strom
Signature: [signature]
Date: Month 08 Day 23 Year 02

19. Discrepancy Indication Space
CHANGE 13 PER MARK RIELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Kelly Clark
Signature: [signature]
Month Day Year

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

766000 lb GR

Gross

Car# 27431

08:21 AM 08/23/02
00 ID. NO.
766000 lb GR
406000 lb TR (EYED
360000 lb NT

Tare

B/L 8919968

Net

Date	Truck No.
8/23/02	401

Consignee

MWFU 5616

8919968

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109836 Manifest: MI8919966

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00136
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919966
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name American Envirotech Services
6. US EPA ID Number MED000505495
C. State Transporter's ID A29012SMZ
D. Transporter's Phone 207 935 9140

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD039020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 93 RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,203~~	K	PCB1
b.				16,136	K	
c.				21727		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PDF OIL & DEBRIS WITH PCBs >50PPM RAILCAR # MAUX 5616
STORAGE START DATE: 5-22-02
UNIQUE CONTAINER ID#: 220336
RI STATE CODE FOR PCB MATERIAL: R07

K. Handling Codes
a.
b.
c.
d.

out of service 8/23/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT PAW F.D. 860/565-1111; 20 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: MARK J. RIELLY
Signature: Mark J. Rielly
Date: Month Day Year 08 23 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose
Signature: Randy Rose
Date: Month Day Year 08 23 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stroll
Signature: Derek Stroll
Date: Month Day Year 8 23 02

FACILITY
19. Discrepancy Indication Space
CHANGE 13. PER Marie Kielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Kelly Clark
Signature: Kelly Clark
Date: Month Day Year 08 05 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 03:17 PM 08/23/02
81140 lb GR

Tare 03:17 PM 08/23/02
00 ID. NO.
81000 lb GR
44400 lb TR KEYED
36600 lb NT

Net

Date	Truck No.
8/23/02	R6

Consignee MHFL 5616
8919966

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109826 Manifest: MI8919967

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
74500
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document Number 20737
2. Page 1 of 3 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919967
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amerifech Environmental Gr
6. US EPA ID Number MI0000050595
C. State Transporter's ID
D. Transporter's Phone 207 926 9159

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059620634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,265	K	PCB1
b. ☐				16,164	K	
c. ☐				19818		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
K. Handling Codes a. b. c. d.

end of service 8/23/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY Signature: Date: Month 08 Day 23 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavoni Signature: Date: Month 08 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shyam Signature: Date: Month 08 Day 23 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark Signature: Date: Month 09 Day 05 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

9540 lb GR

Gross 08:18 AM 08/23/02
65680 lb GR

75220 Gross

Tare 39660 TARE

Difference Check

35,560 Lbs.

Net

Date	Truck No.
8/23/02	402

Consignee MRFI 5616

8919967

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109911 Manifest: MI8919974

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Rule 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11154 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 90138
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919974
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: AmeriTech Environmental Service
6. US EPA ID Number: MER000050545
C. State Transporter's ID: 459557 MC
D. Transporter's Phone: 207 998-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAIL ROAD
8. US EPA ID Number: MND059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,700	K	PCB1
b.		☐			15,409	K	
c.		☐					
d		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS <50PPM) RAILCAR # [illegible]
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

out of service 8/26/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT STINSBY
Signature: [signature]
Date: Month 08 Day 26 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shovall
Signature: [signature]
Date: Month 08 Day 26 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 09 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

10700 lb GR

Gross

12:59 PM 08/26/02
84000 lb GR

74,280 Gross

Tare

40,580 Tare

33,700 Net

Net

Date	Truck No.
8/26/02	403

Consignee

MOFF 5865

891979

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00129
2. Page 1 of 32
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N8N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919971
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: AMERITECH ENVIRONMENTAL SERVICE
6. US EPA ID Number: MAD 020050595
C. State Transporter's ID: 36756 3 MAE
D. Transporter's Phone: 207-138 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.		☐			12,891	K	
c.		☐			10,933		
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL # [illegible] (OIL & DEBRIS WITH PCBS -[illegible]) RAILCAR # MWRX 5865
STORAGE START DATE: 8-22-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
end of service 8/26/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860565-1111; EQ: 800639-3376
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 08 Day 26 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shroen
Signature: [signature]
Date: Month 08 Day 26 Year 02

FACILITY

19. Discrepancy Indication Space
Amend Bill of Lading Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 06 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

68960 lb GR

Gross Cont# 200465

01:01 PM 08/26/02
WB TD. NO.
68960 lb GR
40500 lb TR KEYED
28360 lb NT

Tare B/L 5919971

Net

Date	Truck No.
8/26/02	401

Consignee MUCI SALES

5919971

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00140
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919972
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Ameritech Environmental Service
6. US EPA ID Number MID000505595
C. State Transporter's ID 250125-MI
D. Transporter's Phone 402 558 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID055020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol.	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGII	001	DT	16,362	K	PCB1
b.	☐				18,295	K	
c.	☐				11893	K	
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000020F (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MWRX 5865
STORAGE START DATE: 7-22-02
UNIQUE CONTAINER ID# 7-22-02
RI STATE CODE FOR PCB MATERIAL: N00
out of service 8/26/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.O. 860/885-1111; EQ: 800/839-3978
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose
Signature: Randy Rose
Date: Month 08 Day 26 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Dave Shrall
Signature: Dave Shrall
Date: Month 08 Day 26 Year 02

FACILITY

19. Discrepancy Indication Space
ok to change DOA per Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Bob Bass
Signature:
Date: Month 07 Day 02 Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 12:50 PM 08/26/02
00 ID. NO.
84540 lb GR
44400 lb TR KEYED
Tare 40140 lb NT

Net

Date	Truck No.
8/26/02	R6

Consignee MUEX 5865
8918972

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 and 324.12103

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00141
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N6M)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number: MI8919969

4. Generator's Phone (401) 841-1791

B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Allwaste Environmental Service
6. US EPA ID Number: MIL000080545
C. State Transporter's ID: 87 458 9149
D. Transporter's Phone: 734-90 125 ...

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I-94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 14,809	K	PCB1
b.						
c.						
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS: 000022PEF (SOIL & DEBRIS WITH PCBs >50PPM) RAILCAR #: MNFI 5865
STORAGE START DATE: 5/19/02
UNIQUE CONTAINER ID#:
RI STATE CODE FOR PCB MARINE WASTE:
out of service 8/26/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W # D. 860/565-1111; PQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose
Signature: Randy Rose
Date: Month 08 Day 26 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shurell
Signature: Derek C Shurell
Date: Month 08 Day 26 Year 02

FACILITY

19. Discrepancy Indication Space
ok to change 13a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: [illegible]
Signature:
Date: Month Day Year

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 08:10 AM 08/26/02
77000 lb GR

Tare 08:10 AM 08/26/02
001 ID# NO.
76980 lb GR
44400 lb TR KEYED
32580 lb NT

Net

Date	Truck No.
8/26/02	R6

Consignee MUFX 5865
2919969

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109834 Manifest: MI8919973

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11154 or 324.12118 MCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00142
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NON)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841 1791

A. State Manifest Document Number MI8919973
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Hydro Tech Environmental Services
6. US EPA ID Number MI1000050595
C. State Transporter's ID
D. Transporter's Phone 607 936 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.				15,991	K	
c.				2172		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# DESCRIPTION (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MPCX 5616
STORAGE START DATE: 8-13-02
UNIQUE CONTAINER ID# 474 467
RI STATE CODE FOR PCB MATERIAL: NOW

K. Handling Codes
a
b
c
d

end of service 8/26/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W RID. 860/565-1111; EQ: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature Date Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Shaw Signature Date Month 08 Day 26 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PG2

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clark Signature Date Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

1

NOT VALID UNLESS IMPRINTED

81500 lb GR

Gross

08:19 AM 08/26/02
00 ID. NO.
81500 lb GR
40600 lb TR KEYED
40900 lb NT

Car# 274187

Tare B/L 8914973

Net

Date	Truck No.
8/26/02	101

Consignee 8914973

MHFX 5616

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 111 and Part 121 of Act 451 1994 as amended

Failure to fill this form may subject you to criminal and/or civil penalties under Sections 324.11151(6)-324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00143
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919970
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
Amtech Environmental Service
6. US EPA ID Number MAT000050595
C. State Transporter's ID
D. Transporter's Phone 207 439 1199

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5499

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,365~~ 13,473	K	PCB1
b.	☐				1893	K	
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS # 000002PCB (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # ~~MWRX 5265~~
STORAGE START DATE: 8-21-02
UNIQUE CONTAINER ID#:
RI STATE CODE FOR PCB MANIFESTING

K. Handling Codes
a.
b.
c.
d.

out of service 8/26/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D 860/955-1111; EQ: 800/839-3375
ERG #171

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: Mark J Rielly
Date: Month 08 Day 26 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY
Signature: Robert A Sillsby
Date: Month 08 Day 26 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Shuttl
Signature: David Shuttl
Date: Month 08 Day 26 Year 02

FACILITY

19. Discrepancy Indication Space
OK to change 13 to 1893 Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lou Bee
Signature:
Date: Month Day Year

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

41940 lb GR

Gross Split weight

08:17 AM 08/26/02
32580 lb GR

74,520 Gross

Tare

44,880 Tare

29,640 NET

Net

Date	Truck No.
8/26/02	403

Consignee MNFL 5865

8918970

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109843 Manifest: MI8919979

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451 1994 as amended
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIR000021309
Manifest Document No.: 00199
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8919979
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: PROVIDENCE & WORCESTER RAILROAD
6. US EPA ID Number: MAD059120834
C. State Transporter's ID: 901231
D. Transporter's Phone: 617 938 9149
E. State Transporter's ID:

7. Transporter 2 Company Name:
8. US EPA ID Number:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐				15045		
c.	☐				8257		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (BOIL & DRAIN WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: 9-22-03
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3375
ERG #171
out of service 8/27/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kaiser LAVOIE Signature: [signature] Date: Month Day Year 08 27 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Rob Ess Signature: [signature] Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [signature] Signature: [signature] Date: Month Day Year 08 27 02

19. Discrepancy Indication Space
ON 13 CHARGE FOR MIKE KIELLY

FACILITY
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULZ Signature: [signature] Date: Month Day Year 09 09 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

77460 lb GR

Gross

02:54 PM 08/27/02
00 ID. NO.
77460 lb GR
44360 lb TR KEYED
33100 lb NT

Tare

Net

Date	Truck No.
8/27/02	Chuck 2

Consignee AMFA 5644

89/9972

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109842 Manifest: MI8919980

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00145

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N6N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919980

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Aarmtech Environmental Services

6. US EPA ID Number MCC000650595

C. State Transporter's ID

D. Transporter's Phone 867-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number RID005120834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,365~~	K	PCB1
b.				~~16126~~		
c.				~~8287~~		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000020F (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # ~~MWCX 56 44~~
STORAGE START DATE: 8-31-03
UNIQUE CONTAINER ID# 2-31-246
RI STATE CODE FOR PCB MATERIAL: N/A

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

out of service 8/27/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RENEE LAVOIE Signature Renee Lavoie Date Month Day Year 08 27 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Edward Couture Signature Date Month Day Year 08 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 08 27 02

FACILITY

19. Discrepancy Indication Space
ON 13 CHANGE PER Mike Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name BRIAN SCHULTZ Signature Date Month Day Year 09 05 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY SDP 8110 Rev. 3/99

NOT VALID UNLESS IMPRINTED

75560 lb GR

Gross

02:51 PM 08/27/02
00 ID. NO.
75640 lb GR
40080 lb TR KEYED
35480 lb NT

Tare

Net

Date	Truck No.
8/27/02	3

Consignee

MUKI 5644
891 9980

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109859 Manifest: MI8919937

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required Under authority of Part 111 and Part 221 of Act 451 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

925

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No.
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (EMV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919937
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Applied Environmental Service
6. US EPA ID Number MID000050595
C. State Transporter's ID 367563
D. Transporter's Phone 517 438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	2 ~~46,000~~ 97,000	K	PCB1
b.		☐					
c.		☐			1 151 K		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# DREDGEPIT (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MWRX 5711
STORAGE START DATE: 8-22-02
UNIQUE CONTAINER ID# 279 359
RI STATE CODE FOR PCB MATERIAL: N/A

K. Handling Codes
a.
b.
c.
d.

out of service 8/27/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/865-1111; CO 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RENEE LAVOIE Signature Renee Lavoie Date Month Day Year

TRANSPORTER 17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg Jimmo Signature Greg Jimmo Date Month Day Year 08 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Stowell Signature Derek Stowell Date Month Day Year 08 27 02

FACILITY 19. Discrepancy Indication Space
Mike Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

78200 lb GR

Gross

Con
274 354

02:57 PM 08/27/02
00 ID. NO.
78200 lb GR
40600 lb TR KEYED
37600 lb NT

Tare

BL 8919937

Net

Date	Truck No.
8/27/02	41

Consignee

MWRA 5711
8919537

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109841 Manifest: MI8919936

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00147
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL UNDERSEA MUSEUM NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI8919936
B. State Generator's ID GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Antonich Environmental Service
6. US EPA ID Number MID000050595
C. State Transporter's ID A250 125 MC
D. Transporter's Phone 207 938-9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD000620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,362	K	PCB1
b.	☐				76,509 8287	K	
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# DESCRIPTION (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MWRX 5649
STORAGE START DATE 9-20-02
UNIQUE CONTAINER ID# 300-765
RI STATE CODE FOR PCB MATERIAL: 182

K. Handling Codes
a
b
c
d

out of service 8/27/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D 860/565-1111; EQ. 800/638-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RENEE LINDE Signature Date Month Day Year 08 27 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Randy Rose Signature Randy Rose Date Month Day Year 08 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Shuff Signature Date Month Day Year 08 27 02

FACILITY

19. Discrepancy Indication Space
OK 13 CHANGE PER Mike Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRYAN SCHULTZ Signature Date Month Day Year 09 06 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT-OF-STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP-6110 Rev. 6/99

NOT VALID UNLESS IMPRINTED

Gross 01:33 PM 08/27/02
DO ID. NO.
85120 lb GR
Tare 44400 lb TR KEYED
40720 lb NT

Net

Date	Truck No.
8/27/02	R6

Consignee MHF1 3694

MI 85/5936

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109838 Manifest: MI8919935

[redacted]

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00148
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NW)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI8919935
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Mitch Environmental Service
6. US EPA ID Number: MIT000050595
C. State Transporter's ID: 4290-125
D. Transporter's Phone: 517-457-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059820934
E. State Transporter's ID: [redacted]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49950 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID049090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.	☐			15,818		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
RAILCAR #: MFX 5644
out of service 8/27/02

K. Handling Codes: a / b / c / d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/365-1111; EQ: 800/535-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: RENEE LAVOIE — Signature: [signature] — Date: Month 08 Day 27 Year 02

TRANSPORTER — 17. Transporter 1 Acknowledgment of Receipt of Materials — Printed/Typed Name: Randy Rose — Signature: Randy Rose — Date: Month 08 Day 27 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials — Printed/Typed Name: Gregory Dimaeale — Signature: Gregory Dimaeale — Date: Month 08 Day 27 Year 02

FACILITY — 19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ — Signature: [signature] — Date: Month 09 Day 05 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 09:47 AM 08/27/02
(M) ID. NO.
79200 lb GR
44400 lb TR KEYED
34800 lb NT

Tare

Net

Date	Truck No.
8/27/02	R6

Consignee MI 891 9935

MHFX 5644

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109837 Manifest: MI8919934

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994 as amended.
55286
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 NRCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0049
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number MI8919934

4. Generator's Phone (401) 841-1791

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MID000950555
C. State Transporter's ID 0367-863-ME
D. Transporter's Phone 207 439 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b	☐						
c	☐				13,773		
d	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS# 080932PBF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MHFY 5644
STORAGE START DATE: 9-24-02
UNIQUE CONTAINER ID# 20044
RI STATE CODE FOR PCB MATERIAL: 1600
out of Service 8/27/02

K. Handing Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860666-1111; EQ: 800839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: KENE LAVOIE Signature: [signature] Date: Month 08 Day 27 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Craig Jones Signature: [signature] Date: Month 08 Day 27 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Craig Dominick Signature: [signature] Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
[signature] 08 27 02

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: BRIAN SCHULTZ Signature: [signature] Date: Month 08 Day 30 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY DEQ 5110 Rev. 5/98

NOT VALID UNLESS IMPRINTED

75300 lb GR

Gross Car 200246

08:18 AM 08/27/02
00 ID. NO.
75300 lb GR
40600 lb TR KEYED
34700 lb NT

Tare B/L 891993 4

Net

Date	Truck No.
8/27/02	401

Consignee MHFY 5644

MZ 891993 4

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014179 Receipt ID: 1109835 Manifest: MI8919933

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Rule 121 of Act 451, Text, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.1115 or 324.12116 MCL

Please print or type.

Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No: 09150
2. Page 1 of 3
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number: MI8919933

4. Generator's Phone ( ) 401 841-1791

B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Adventech Environmental Service
6. US EPA ID Number: MID000505095
C. State Transporter's ID: 401 435 9119
D. Transporter's Phone:

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.		☐			15,709		
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] SOIL & DEBRIS WITH PCBS >50PPM RAILCAR #: MHFX 5644
STORAGE START DATE: 1-28-02
UNIQUE CONTAINER ID#: 200 727
RI STATE CODE FOR PCB MATERIAL: N02
out of service 1/22/03

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/666-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAVOIE
Signature: [signature]
Date: Month Day Year

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Dimarcale
Signature: Gregory Dimarcale
Date: Month Day Year 01 22 03

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BRYAN SCHULTZ
Signature: [signature]
Date: Month Day Year 01 22 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross Car 200421 94320

BIL 891993334 5G

Tare

Net

Date	Truck No.
8/27/02	

Consignee MHFX 5644

MI 8919933

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

975

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

127640

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI000021309
Manifest Document No. 00051
2. Page 1 of 32

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI8919930

B. State Generator's ID RHODE ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name: Allwaste Environmental Service
6. US EPA ID Number: MID000050595
C. State Transporter's ID
D. Transporter's Phone: 800 435-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	20	K	PCB1
b.				~~16,307~~		
c.				~~22,173~~		
d.				29723		

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MWEX 5365
STORAGE START DATE: 2/[illegible]
UNIQUE CONTAINER ID# [illegible]
IN STATE CODE FOR PCB MATERIAL: [illegible]
MS cut of service 8/27/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/638-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE L NOIE
Signature: [signature]
Date: Month 08 Day 27 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Edward J Couture
Signature: [signature]
Date: Month 08 Day 27 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarco
Signature: [signature]
Date: Month 08 Day 27 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly 9/14/02 [illegible]

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 09 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

[illegible] 08/27/02
89140 lb GR

Gross

08:31 AM 08/27/02
00 ID. NO.
89140 lb GR
40360 lb TR KEYED
48780 lb NT

Tare

Net

Date	Truck No.
8/27/02	MHFX 5865

Consignee MHFX 5865

MI 891 9930

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109891 Manifest: MI8919982

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00152
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919982
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Aircraft Commercial Service
6. US EPA ID Number: MID006050595
C. State Transporter's ID: 9417 3 Line
D. Transporter's Phone: 407 733 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: NOD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				16340		
c.	☐				11745	K	
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL # [illegible] TRACKING # [illegible]
[illegible]
[illegible]
[illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/639-3675
ERG #171

end of service 8/29/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] STISBY
Signature: [illegible]
Date: Month 08 Day 29 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Stovall
Signature: [illegible]
Date: Month 08 Day 29 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [illegible]
Date: Month 09 Day 04 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

NOT VALID UNLESS IMPRINTED

41860 lb GR

Gross

08:27 AM 08/29/02
39580 lb GR

81240

Tare

44400

36840

Net

Date	Truck No.
8/29/02	403

Consignee

TREU 9520

MT 891982

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109867 Manifest: MI8919983

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 421 of Act 451, 1994, as amended.

Failure to comply subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

975

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00752
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919983
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Aufleich Environmental Service
6. US EPA ID Number MID000505595
C. State Transporter's ID
D. Transporter's Phone 607 936 9179

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020934
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b. ☐				16,327		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EC: 800-535-3975
ERG #171
8/29/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: MARK J. RIELLY — Signature: [signature] — Date: Month 08 Day 28 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Brad Shorm — Signature: [signature] — Date: Month 09 Day 2 Year 02

19. Discrepancy Indication Space
FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
FACILITY — Printed/Typed Name: BRYAN SCHMITZ — Signature: [signature] — Date: Month 09 Day 06 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

Gross 08:23 AM 08/29/02
79060 lb GR
44400

Tare 34,660

Net

Date	Truck No.
8/29/02	K6

Consignee MHFX 5711
891983

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIP000021309
Manifest Document No.: 00154
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number: MI8919984
B. State Generator's ID: GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name: Ameritech Environmental Service
6. US EPA ID Number: MID000505595
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 217 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD039020834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,963~~	K	PCB1
b. ☐				~~15,445~~ 14809	K	
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS # 000000PCF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TILX 9505
STORAGE START DATE 5-21-02
UNIQUE CONTAINER ID# 221 229
RI STATE CODE FOR PCB MATERIAL: R09
out of service 8/26/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 860/555-1111, EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Edward T. Couture
Signature: [signature]
Date: Month 08 Day 28 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Sewell
Signature: [signature]
Date: Month 08 Day 28 Year 02

FACILITY

19. Discrepancy Indication Space
OK 13 CHANGE PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [signature]
Date: Month 09 Day 06 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 5110 Rev. 5/99

NOT VALID UNLESS IMPRINTED

60960 lb GR

Gross

12:36 PM 08/28/02
00 ID. NO.
60940 lb GR
40360 lb TR KEYED

Tare

40580 lb NT

Net

Date	Truck No.
8/28/02	3

Consignee

~~[illegible]~~ TUCM 8325

8919984

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109858 Manifest: MI8919985

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 NCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00155

2. Page 1 of 2 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone ( ) 401 841-1791

A. State Manifest Document Number MI8919985

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name AMERICAN Environmental Service — 6. US EPA ID Number MID000502465 — C. State Transporter's ID A290125 MI — D. Transporter's Phone 937 435 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number MAD055920834 — E. State Transporter's ID — F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633 — G. State Facility's ID — H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~46,363~~	K	PCB1
b.	☐			~~46,664~~ 46,514	K	
c.	☐					
d.	☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS# 000002PSF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MUCI 5711
STORAGE START DATE 5-21-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL [illegible]
out of service 8/28/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PNW F.O. 800/555-1111; EQ: 800/639-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J RIELLY — Signature: M J Rielly — Date (Month Day Year): 08 28 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose — Signature: Randy Rose — Date (Month Day Year): 08 28 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stream — Signature: [illegible] — Date (Month Day Year): 08 28 02

FACILITY

19. Discrepancy Indication Space
OK to ch[illegible] Mark Rielly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: — Signature: — Date (Month Day Year):

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

01:04 PM 08/28/02
00 ID. NO.
81080 lb GR
44400 lb TR KEYED
36680 lb NT

Tare

Net

Date	Truck No.
8/28/02	F6

Consignee

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended.
143A
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00156
2. Page 3 of 33
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919981
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Hillsborough Environmental Maint
6. US EPA ID Number MAD000520555
C. State Transporter's ID A362863 MAE
D. Transporter's Phone 207 455 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE, (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46,263	K	PCB1
b.	☐			DT	24024		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PBF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TEGU 8505
STORAGE START DATE: 5-21-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/666-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J RIELLY
Signature: [signature]
Date: Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shu[illegible]
Signature: [illegible]
Date: Month 08 Day 28 Year 02

FACILITY

19. Discrepancy Indication Space
Wt to change 13 per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: AnnaMarie Fallon
Signature: AnnaMarie Fallon DGC
Date: Month

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

79380 lb GR

Gross Car # 274-378

12:23 PM 08/28/02
00 lb. HD.
79340 lb GR
40600 lb TR KEYED
38740 lb NT

Tare BL 8919981

Net

Date	Truck No.
8-28-02	401

Consignee TURN 2505
8919981

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109882 Manifest: MI8919975

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039 975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 20757
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919975
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Ampliech Environmental Service
6. US EPA ID Number MID000050595
C. State Transporter's ID A2901TSME
D. Transporter's Phone 201-438 9799

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [illegible]

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	[illegible]	K	PCB1
b.	☐			15900		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
ADDITIONAL: [illegible] RAILCAR #TJREX 4905
[illegible] 7-15-02
[illegible] 2002
[illegible] STATE CODE FOR PCB NATIONAL: [illegible]
out of service 8/28/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/325-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature [illegible] Date Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Randy Rose Signature Randy Rose Date Month 08 Day 28 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimaio Signature [illegible] Date Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross

08:09 AM 08/28/02
00 ID. NO.
79380 lb GR
44400 lb TR KEYED
34980 lb NT

Tare

Net

Date	Truck No.
8/28/02	R6

Consignee WATKEN 9505

MI 8719975

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00158
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919976
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amrich Environmental Service
6. US EPA ID Number MI0000205595
C. State Transporter's ID
D. Transporter's Phone 407 438 5149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,367	K	PCB1
b.	☐				15,500		
c.	☐				17551		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: 5-15-[illegible]
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
TERM 9505
out of service 8/28/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: M J Rielly
Date: Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Edward J. Couture
Signature: [illegible]
Date: Month 8 Day 28 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stovall
Signature: [illegible]
Date: Month 08 Day 28 Year 02

19. Discrepancy Indication Space
OK to change B.O.L. Mark Reilly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

74460 lb GR

Gross 02:07 AM 03/28/03
00 ID. NO.
74460 lb GR
40360 lb TR REVED

Tare 34100 lb NT

Net

Date	Truck No.
8/28/02	3

Consignee TRCH POST

891976

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109884 Manifest: MI8919977

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☒ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type.

Form Approved. OMB No. 2050-0039 975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 001154
2. Page 1 of 42
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. State Manifest Document Number MI8919977
B. State Generator's ID SOUTH ISLAND

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name Applitech Environmental Service
6. US EPA ID Number MNR000050595
C. State Transporter's ID
D. Transporter's Phone 207-455-9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b. ☐				16809		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
RAILCAR # TILX 95505
out of service 8/26/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY
Signature M J Rielly
Date Month 08 Day 28 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg J. Amo
Signature Greg
Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name David Stovall
Signature
Date Month Day Year 08 28 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name
Signature
Date Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) Previous Editions Are Obsolete

NOT VALID UNLESS IMPRINTED

77580 lb GR

Gross Con H 20247 08:05 AM 08/28/02
00 ID. NO.
B/L 8919977 77580 lb GR
Tare 40600 lb TR KEYED
36980 lb NT

Net

Date	Truck No.
8-28-02	401

Consignee TRAN 9505
NE 8919977

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI 000021309
Manifest Document No. 001100
2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: Amrich Environmental Svcs
6. US EPA ID Number: MID000505951

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059920834

9. Designated Facility Name and Site Address: ENVIROSOLVE, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI8919926
B. State Generator's ID: RHODE ISLAND
C. State Transporter's ID: 1896 145 MA
D. Transporter's Phone: 607 436 9149
E. State Transporter's ID: [illegible]
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒ HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b. ☐				8273		
c. ☐				30191		
d ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL #: 000039PP (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #: TKRX 9320
STORAGE START DATE: 8-24-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

out of service 8/23/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111, EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 29 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Shuron
Signature: [signature]
Date: Month 08 Day 29 Year 02

19. Discrepancy Indication Space
amend 13a per Mark Reilly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 06 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 01:30 PM 08/29/02
84600 lb GR
[illegible]

Tare 40200 Net

Net

Date	Truck No.
8/29/02	R6

Consignee TRGM 8520
MI 8919926

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved OMB No. 2050-0039

975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible]000021309
Manifest Document No. 001161
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919924
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Omnitech Environmental Service
6. US EPA ID Number: MIL000056555
C. State Transporter's ID: 901231 MA
D. Transporter's Phone: 207 426 9449

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol.	I. Waste No.
GENERATOR a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,303	K	PCB1
b.				16,255	K	
c.				4112		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL # 800092FF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #: [illegible] TEST
STORAGE START DATE: 6-26-02
UNIQUE CONTAINER ID#: 800 442
RI STATE CODE FOR PCB MATERIAL: N07
9520
out of service 8/29/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling, Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EQ: 800-899-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 29 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SLLISTY
Signature: [signature]
Date: Month 08 Day 29 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name
Signature
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
Amend 13A per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 04 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP5110 Rev. 6/98

NOT VALID UNLESS IMPRINTED

40760 lb GR

Gross

02:09 PM 09/29/02
39400 lb GR

80160
44400

Tare

35760

Net

Date	Truck No.
9/29/02	403

Consignee

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109868 Manifest: MI8919931

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00162
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone

A. State Manifest Document Number MI8919931
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Allied Tech. Environmental Service
6. US EPA ID Number MAD000050595
C. State Transporter's ID
D. Transporter's Phone 207-938-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD980820634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	NA9, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,323	K	PCB1
b.	☐				16327	K	
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] 5216
[illegible] Service 8/27/02

K. Handling Codes a b c d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PAW P.O. 800/666-1111; EQ: 800/638-3876
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature Mark Rielly Date Month Day Year 08 28 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Edward J. Couture Signature [illegible] Date Month Day Year 08 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Daniel Howard Signature [illegible] Date Month Day Year 08 29 02

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRYAN SCHULTZ Signature [illegible] Date Month Day Year 09 06 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

76300 lb GR

Gross

08:16 AM 08/29/02
DD ID. NO.
76360 lb GR
40360 lb TR KEYED

Tare

35920 lb NT

Net

Date	Truck No.
8/29/02	3

Consignee MARL 5711

891 9931

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109857 Manifest: MI8919925

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RI0000021309
Manifest Document No.: 00163
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address:
NAVAL STATION NEWPORT (ENV DEPT N04)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone: 401 841-1791

A. State Manifest Document Number: MI8919925
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Allied Environmental Service
6. US EPA ID Number: MID000905555
C. State Transporter's ID: A367513 MIC
D. Transporter's Phone: 800 458 9144

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MND059820834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐				12,514		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #
STORAGE START DATE: 7-24-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: R007
end of service 7/29/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860/665-1111; EQ 800/669-3675
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 29 Year 02

TRANSPORTER 1 Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarale
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

TRANSPORTER 2 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 08 Day 21 Year 02

19. Discrepancy Indication Space
[illegible] Mark Rielly

FACILITY 20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross Com # 274348

Tare B/L 8919925

00 ID. NO.

08:19 AM 08/29/02

Net

Date 8-29-02

92740 lb GR Truck No.
40600 lb TR KEYED
52140 lb NT

401

Consignee MI 8919925

MAFL 5711

8919925

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109892 Manifest: MI8919923

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00164
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETIN DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI8919923
B. State Generator's ID GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Amrich Environmental Service
6. US EPA ID Number MI0000050595
C. State Transporter's ID MI0125MC
D. Transporter's Phone 517 438 9497

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
4000 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				16353	K	
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials listed above
APPROVAL: MANIFEST NO. [illegible] RCRA & DEBRIS WITH PCBS <50PPM MAGAR #: [illegible]
STORAGE START DATE: [illegible]
LICENSE CONTAINER NO: [illegible]
RI STAGE DOCS FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/686-1111; EQ: 800/839-3975
ENG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 29 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Edward Hoature
Signature: [signature]
Date: Month 08 Day 29 Year 02

18 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Sturrell
Signature: [signature]
Date: Month 08 Day 29 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SMITH
Signature: [signature]
Date: Month 09 Day 09 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

76320 lb GR

Gross

12:50 PM 08/29/02
00 ID: NO:
76340 lb GR
40360 lb TR KEYED
35980 lb NT

Tare

Net

Date	Truck No.

Consignee

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type

Form Approved OMB No. 2050-0039 975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 001165
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919922
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
Amrtech Environmental Service
6. US EPA ID Number MIP000050595
C. State Transporter's ID
D. Transporter's Phone 207 435 9449

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD981820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☐	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16.23	K	PCB1
b.	☐						
c.	☐				14.12		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TBAH 9520
STORAGE START DATE: 5-26-02
UNIQUE CONTAINER ID#
RI STATE CODE FOR PCB MORE THAN 50PPM

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EC: 800/539-3975
ERG #171

[illegible] 8/29/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: Mark J Rielly
Date: Month 08 Day 29 Year 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY
19. Discrepancy Indication Space
amend B a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 09 Day 04 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

77620 lb GR

Gross Car# 274331

02:05 PM 08/29/02
00 ID. NO.
77600 lb GR
40600 lb TR KEYED
37000 lb NT

Tare BK 8919922

Net

Date	Truck No.
8-29-02	401

Consignee TWN 9500

MT 8919922

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 001107
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT N8N), ONE SIMON PIETRI DRIVE, NEWPORT, RI 02841
4. Generator's Phone ( ) 401 841-1791

A. State Manifest Document Number MI8919932
B. State Generator's ID 4317963

5. Transporter 1 Company Name: Americh Environmental Service
6. US EPA ID Number: MDU000505595
C. State Transporter's ID
D. Transporter's Phone 607 436 9849

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL, 49350 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,565 (ton)	K	PCB1
b.				~~14,769~~ 16533		
c						
d						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL # DESCRIPT (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # MWEX 3711
STORAGE START DATE: 9.19.02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL [illegible]

K. Handling Codes
a
b
c
d

out of service 8/20/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860/565-1111; EQ 800/639-3975
ERG #171

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY
Signature: [signature]
Date: Month 08 Day 29 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month 08 Day 30 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space
OK IS CHANGE PER MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: BRIAN SCHULTZ
Signature: [signature]
Date: Month 09 Day 06 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-1660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

72960 lb GR

Gross Cert # 200470 09:35 AM 08/30/02
00 ID: MD:
72960 lb GR
Tare BIL 89/9932 40600 lb TR KEYED
32360 lb NT

Net

Date	Truck No.
8-30-02	401

Consignee MUFF 5711

89/9932

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110099 Manifest: MI8919927

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

118

Please print or type — Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIP000021309
Manifest Document No: 001165
2. Page 1 of 52
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number: MI8919927
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Animal Waste Services
6. US EPA ID Number: MI0000050555
C. State Transporter's ID: 56691
D. Transporter's Phone: 317 935 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MND000820034
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,[illegible]	K	PCB1
b.	☐						
c.	☐						
d	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PDT30051
STORAGE START DATE: 8-26-02
UNIQUE CONTAINER ID#: 879349
RI STATE CODE FOR PCB MATERIAL: N00

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

out of service 8/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: Job A. Palaya Date: Month 08 Day 30 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 08 Day 30 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stovall Signature: [illegible] Date: Month 08 Day 30 Year 02

19. Discrepancy Indication Space
Amend 13a per MARK HILLY

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month 09 Day 19 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 3/96) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

11:00 AM 08/30/02
00 ID- NO.
74500 lb GR
35500 lb TR KEYED
39000 lb NT

Tare

Net

Date	Truck No.
8/30/02	

Consignee MT 891997

PW 30031

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109894 Manifest: MI8919928

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

975

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI[illegible]021309
Manifest Document No. 00169
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: [illegible] DIVISION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number: MI8919928
B. State Generator's ID: [illegible] ISLAND

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MI[illegible]0005555
C. State Transporter's ID: 901231 MA
D. Transporter's Phone: 617 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD[illegible]20834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: [illegible], INC., SITE #2 LANDFILL
4339 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: [illegible]

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46,363	K	PCB1
b.				14,273	K	
c.						
d.						

J. Additional Descriptions for Materials Listed Above: [illegible] IN MARINE CODE FOR [illegible]

out of service 5/30/02

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: PEW F.D. [illegible]-1111; EQ: [illegible]-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A PALAYA
Signature: Job A Palaya
Date: Month 05 Day 30 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Jones
Signature:
Date: Month 05 Day 30 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Powell
Signature:
Date: Month 05 Day 30 Year 02

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month 05 Day 06 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

11:45 AM 08/30/02
00 ID. NO.
66900 lb GR
35500 lb TR KEYED
31400 lb NT

Tare

Net

Date	Truck No.
8/30/02	R6

Consignee MI 891 9928
TKEN 9520

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014206 Receipt ID: 1109890 Manifest: MI8919929

70

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00170
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI8919929
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amrich Environmental Service
6. US EPA ID Number MI1000050595
C. State Transporter's ID A3901251MC
D. Transporter's Phone 267 758 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	001	DT	16,363 / 15300	K	PCB1
b.	☐					
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL: [illegible] PAGCAR #
[illegible]
NO STATE CODE FOR PCB MATERIAL

K. Handling Codes
a
b
c
d

out of service 9/30/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/655-1111; EC: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: JOB A. PALAYA
Signature: Job A. Palaya
Date: Month 08 Day 30 Year 92

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stowell
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHULTZ
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

44620 lb GR

Gross

09:29 AM 08/30/02
34360 lb GR

Tare

34880 TARE
34100 NET

Net

Date	Truck No.
8/30/02	403

Consignee

THRN 9305
MI 8719929

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110050 Manifest: MI8919943

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 of Act 451.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00171
2. Page 1 of 92 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number MI8919943

4. Generator's Phone (401 841-1791

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name American Environmental Service

6. US EPA ID Number MID000505595

C. State Transporter's ID 436783MC

D. Transporter's Phone 207 938 9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD059020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	~~16,363~~	K	PCB1
b.		☐			18045	K	
c.		☐			16,402		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# 050302PBF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30001
STORAGE START DATE: 5-2002
UNIQUE CONTAINER ID#: 300390
RI STATE CODE FOR PCB MATERIAL: N00

K. Handling Codes
a
b
c
d

out of service 9/3/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: Date (Month Day Year): 09 03 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Signature: Date (Month Day Year): 09 03 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shrall Signature: Date (Month Day Year): 09 03 02

19. Discrepancy Indication Space
OK to change 13 per Mark Willy

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Don Sen Signature: Date (Month Day Year): 09 19 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

80320 lb GR

Gross Cart# 200250 08:16 AM 09/03/02

DO ID. NO.

80300 lb GR

Tare BIL 891943

40600 lb TR KEYED

39700 lb NT

Net

Date	Truck No.
9-3-02	401

Consignee PW 30001

ME 891943

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110048 Manifest: MI8919944

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994 as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00472
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 03841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919944
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name: Allied Fresh Environmental Service
6. US EPA ID Number MID000050595
C. State Transporter's ID
D. Transporter's Phone 207 935 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,585	K	PCB1
b. ☐				26,527	K	
c. ☐				14,986	K	
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL # [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # Lw 30001
STORAGE START DATE 8-26-02
UNIQUE CONTAINER ID# [illegible]
TO STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

out of service 7/3/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ. 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAMA Signature: [signature] Date: Month 09 Day 03 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Strom Signature: [signature] Date: Month 09 Day 03 Year 02

FACILITY

19. Discrepancy Indication Space
Ok to charge 132 per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: [illegible] Signature: [signature] Date: Month 09 Day 11 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY TDF 5110 Rev. 5/96

NOT VALID UNLESS IMPRINTED

Gross 08:22 AM 09/03/02
11040 lb GR

Tare 08:23 AM 09/03/02
75870 lb GR

86160 lbs. Gross
11700 Tare

Net

Date 9-3-02 | 85160 | Truck No. 402

Consignee AMETITECH PO 30001
MI 8915544

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110084 Manifest: MI8919942

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. 616776

Failure to properly complete may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved. OMB No. 2050-0039 118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible]000021309
Manifest Document No. 601173
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBM)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI8919942
B. State Generator's ID GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name
Ameritech Environmental Service
6. US EPA ID Number MID000550595
C. State Transporter's ID 56691 MA
D. Transporter's Phone 207 935 9019

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID059620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,367	K	PCB1
b.				1,0		
				16,218	K	
c.				12,916		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCB >50PPM) RAILCAR # THEN 9513
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID# [illegible]
R STATE CODE FOR PCB MATERIAL [illegible] 16' out of service 9/12/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 860/695-1111; EQ: 800/839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Jose A. Palaya Signature: [signature] Date Month Day Year: 09 19 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date Month Day Year: 09 12 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory O'Macale Signature: Gregory O'Macale Date Month Day Year: 09 12 02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date Month Day Year: 09 19 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

03:46 PM 09/12/02
00 ID: NO:
71180 lb GR
35500 lb TR KEYED
35680 lb NT

Tare

Net

Date	Truck No.
9/12/02	R6

Consignee MT 591 9942

TKEN 9513

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110061 Manifest: MI8919952

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to comply may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000213039 Manifest Document No. 00174
2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NBN), ONE SIMON PETRE DRIVE, NEWPORT, RI 02841, 401 841-1791

4. Generator's Phone ( )

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MAD000050595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: RID000820834

9. Designated Facility Name and Site Address: WASTE MANAGEMENT, INC., SITE #2 LANDFILL, 49350 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI8919952
B. State Generator's ID: GOULD ISLAND
C. State Transporter's ID: 56691 MA
D. Transporter's Phone: 401 438 9149
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	~~16,363~~ 14864	K	PCB1
b.		☐					
c.		☐					
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002POF (OIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TILX 2511
STORAGE START DATE: 9-6-02
UNIQUE CONTAINER ID#: 0-20-261
RI STATE CODE FOR PCB MATERIAL: 250
out of service 9/12/02

K. Handling Codes: a, b, c, d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Jose M. Alaya Signature: Date: Month 09 Day 03 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Date: Month 09 Day 11 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Stovall Signature: Date: Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: BRIAN SCHULTZ Signature: Date: Month 09 Day 18 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

02:35 PM 09/11/02
00 ID. NO.
67700 lb GR
35000 lb TR KEYED
32700 lb NT

Tare

Net

Date	Truck No.
9/11/02	

Consignee MT 8919952

TREM 8571

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110115 Manifest: MI8919946

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00175
2. Page 1 of 48
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NRN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone

A. State Manifest Document Number MI8919946
B. State Generator's ID 60UU[illegible]
C. State Transporter's ID 207 435 9449
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name American Environmental Services
6. US EPA ID Number MI1 000[illegible]
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]20834

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16363	K	PCB1
b.	☐			13073	K	
c.	☐			2440	lbs	
d.	☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] (SOIL & DEBRIS WITH PCB >50PPM) RAILCAR # PWW 30031
STORAGE START DATE 7-2-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MARINE: NRP1

K. Handling Codes
a.
b.
c.
d.

out of service 9/11/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860/565-1111; EQ 800/639-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name PETE LAVOIE Signature [signature] Date Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE TO PG2 [signature]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name Kelly Clark Signature [signature] Date Month 09 Day 11 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

69400 lb GR

Gross Car # 200354

01:12 PM 09/11/02
00 ID. NO.
69360 lb GR
40600 lb TR KEYED
28760 lb NT

Tare B/L 8919946

Net

Date	Truck No.
9-11-02	401

Consignee PW 30031

MI 8919946

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110097 Manifest: MI8919948

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Section 324.11115 or 324.12118 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 10011
2. Page 1 of 42
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919948
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Amtech Environmental Svcs
6. US EPA ID Number: MEL000005195
C. State Transporter's ID
D. Transporter's Phone 207 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD058820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	11,[illegible]	K	PCB1
b.	☐				75405	K	
c.	☐				13173		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# DESCRIPTION (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #: Per 3005
STORAGE START DATE: 9-6-02
UNIQUE CONTAINER ID#: 2006-66
RI STATE CODE FOR PCB DISPOSAL: N/A
out of service 9/11/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Rene LADE Signature: Rene Lade Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT STILLSBY Signature: Robert A. Stillsby Date: Month 09 Day 11 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Shuell Signature: Date: Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13a per MARK Willey

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month 09 Day 19 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 4110 Rev 3/98

NOT VALID UNLESS IMPRINTED

10600 lb GR

Gross 01:10 PM 09/11/02
97520 lb GR

78120 Gross

Tare 44880 Tare

33240 Net

Net

Date	Truck No.
9/11/02	403

Consignee PO 30031

MI 891 9948

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110119 Manifest: MI8919951

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIN000021309
Manifest Document No. 00177
2. Page 1 of 42
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8919951
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Ameritech Environmental Services
6. US EPA ID Number MAD000505555
C. State Transporter's ID 94/731MA
D. Transporter's Phone 207 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID049090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				10351		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS DESCRIPTION (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30031
STORAGE START DATE:
UNIQUE CONTAINER ID#:
RI STATE CODE FOR PCB MATERIAL: R00
out of service 9/11/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/535-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee LADE Signature Renee Lade Date Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name David Sewell Signature Date Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Anna Marie Fallon Signature Anna Marie Fallon Date Month 09 Day 19 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 01:05 PM 09/11/02
78740 lb GR

Tare 46360 Tare

Net 29,380 NET

Date	Truck No.
9/11/02	K6

Consignee Rx 30031
MZ 891 8951

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110098 Manifest: MI8919939

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type

Form Approved. OMB No. 2050-0039

118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 001 16

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919939

B. State Generator's ID GOULD INLAND

5. Transporter 1 Company Name American Environmental Services

6. US EPA ID Number MAD000050575

C. State Transporter's ID 45 99557 MA

D. Transporter's Phone 207-488 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD059820834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	~~15 362~~ 16 362	K	PCB1
b.		☐			~~15 22~~ 13836	K	
c.		☐					
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL 0000000F (OIL & DEBRIS WITH PCB'S - GEPUA) RAILCAR # PW 30031
STORAGE START DATE 7-6-02
UNIQUE CONTAINER ID# 400-367
RI STATE CODE FOR PCB MATERIAL: N007

K. Handling Codes
a.
b.
c.
d.

out of service 9/11/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EC: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Lance Lavoie Signature Date Month 01 Day 9 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Daniel Stewart Signature Date Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Anna Marie Fallon Signature Anna Marie Fallon Date Month 09 Day 19 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 3/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 01:06 PM 09/11/02
10620 lb GR

Tare 01:08 PM 09/11/02
61560 lb TR

72140 Gross
41100 Tare
30440 NET

Net

Date	Truck No.
9/11/02	402

Consignee PW 30031

MI 891939

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110055 Manifest: MI8919938

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

162 560 ÷ 3

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

54186 925

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00119

2. Page 1 of 2 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NON) ONE SIMON PETRI DRIVE NEWPORT, RI 02841

4. Generator's Phone: 401 841-1791

A. State Manifest Document Number: MI 8919938

B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: American Environmental Services

6. US EPA ID Number: MAD000050095

C. State Transporter's ID: 901 231 MA

D. Transporter's Phone: 617 428 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number: MAD059820634

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL 49350 NORTH I94 SERVICE DRIVE BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID:

H. Facility's Phone: 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	001	DT	16 363	K	PCB1
b. ☐			34 [illegible]	K	
c. ☐			14 313		
d. ☐					

J. Additional Descriptions for Materials Listed Above: APPROVAL# [illegible] DESCRIPTION: SOIL & DEBRIS WITH PCBS >50PPM RAILCAR #: PW 32001 STORAGE START DATE: 9-6-02 UNIQUE CONTAINER ID#: [illegible] RI STATE CODE FOR PCB MARINE: [illegible]

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: P&W F.D. 860/666-1111; EQ: 800/639-3975 ERG #171 Cost of Service 9/11/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Dave LaVoie Signature: [signature] Date: Month 09 Day 11 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name: [illegible] Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: Derek Stowell Signature: [signature] Date: Month [illegible] Day [illegible] Year 02

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: [illegible] Signature: [signature] Date: Month [illegible] Day [illegible] Year 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 08:12 AM 09/11/02
77980 lb GR S
46360 Tare

Tare 08:13 AM 09/11/02
00 lb GR

Net 31,620 NET

Date	Truck No.
9/11/02	R-6

Consignee PW 30001
891938

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110049 Manifest: MI8919950

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309 Manifest Document No. 001180

2. Page 1 of 42

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number: MI8919950

B. State Generator's ID: RHOLD ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Service

6. US EPA ID Number: MID000505595

C. State Transporter's ID: A 270 125 MI-A

D. Transporter's Phone: 517 439 7149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number: MID000820834

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address: WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID:

H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ NO, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	40,000	K/C	PCB1
b.						
c.						
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/865-1111; EQ: 800/839-3375
ERG #171

Bill of Lading 9/11/02.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: RENEE INDIE Signature: Renee Indie Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY Signature: Robert A. Sillsby Date: Month 09 Day 11 Year 02

18 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shrum Signature: [illegible] Date: Month 09 Day 11 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lori Beasen Signature: [illegible] Date: Month 09 Day 11 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TRUE COPY

NOT VALID UNLESS IMPRINTED

44160 lb GR

Gross 08:07 AM 09/11/02
31300 lb GR

75460 Gross

Tare 44880 Tare

30580 NET

Net

Date	Truck No.
9/11/02	403

Consignee PW 30001

ME 8919950

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110053 Manifest: MI8919947

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

54187 975

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 0018

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919947

B. State Generator's ID RHODE ISLAND A 367863

5. Transporter 1 Company Name: Antilch Environmental Service

6. US EPA ID Number: MID000050595

C. State Transporter's ID

D. Transporter's Phone 227 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number: MND059820834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	14,573	K	PCB1
b.	☐				14,573	K	
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS# 0100089F (SOIL & DEBRIS WITH PCBS-SOPPS) RAILCAR # Rec 30061
STORAGE START DATE 07/25/02
UNIQUE CONTAINER ID#
RI STATE CODE FOR PCB MATERIAL: N/A

K. Handling Codes
a
b
c
d

out of service

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie Signature: Renee Lavoie Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Dunne Signature: [illegible] Date: Month 09 Day 11 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stoman Signature: [illegible] Date: Month Day Year

19. Discrepancy Indication Space 091102

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Deborah Rice Signature: Deborah Rice Date: Month 09 Day 18 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

72640 lb GR

Gross Con#247353

BK

Tare 8919947

08:19 AM 09/11/02
00 ID. NO.
72660 lb GR
40600 lb TR KEYED
32060 lb NT

Net

Date	Truck No.
9-11-02	401

Consignee PW 30001

MZ 8919947

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110054 Manifest: MI8919949

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00182
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919949
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Pyramitech Environmental Service
6. US EPA ID Number MCD000083595
C. State Transporter's ID
D. Transporter's Phone 617 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,562	K	PCB1
b.				14591 K		
c.						
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30001
STORAGE START DATE:
UNIQUE CONTAINER ID# 26-07
RI STATE CODE FOR PCB MATERIAL R051
out of service 9/11/02.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/695-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Gene Landis Signature: [signature] Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M. Schiavoni Signature: [signature] Date: Month 09 Day 11 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Stovall Signature: [signature] Date: Month 09 Day 11 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: [illegible] Signature: [signature] Date: Month 09 Day 11 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 08:06 AM 09/11/02 10640 lb GR

Tare 08:10 AM 09/11/02 53160 lb GR

Net 417 80

23 000G
41700T

Date 9-11-02

Truck No. 32 100 N

402

Consignee PW 30001

MI 8919949

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110082 Manifest: MI8919957

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type. Form Approved OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00183
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N8N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8919957
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Amerisch Environmental Services
6. US EPA ID Number: MID000050595
C. State Transporter's ID: 901231 MA
D. Transporter's Phone: 207 439 9144

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD039620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐					
c.	☐			12916		
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000029PF (SOIL & DEBRIS WITH PCBs >50PPM) RAILCAR# TK EAC 9513
STORAGE START DATE: 9-1-02
UNIQUE CONTAINER ID#
RI STATE CODE FOR PCB DISPOSAL: out of service 9/12/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie Signature: Renee LaVoie Date: Month 09 Day 11 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarzio Signature: Gregory Dimarzio Date: 09 Month Day Year

19. Discrepancy Indication Space
Amend Bill per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month 09 Day 19 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY BDP 8116 Rev. 5/98

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross

04:25 PM 09/12/02
00 ID. NO.
71940 lb GR
35000 lb TR KEYED
36940 lb NT

Tare

Net

Date	Truck No.
9/12/02	R5

Consignee MI 8919957

TREM 9513

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110083 Manifest: MI8919959

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

19221

118

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00184
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919959
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amerotech Environmental Svcs
6. US EPA ID Number MID000505595
C. State Transporter's ID AB90125 MC
D. Transporter's Phone 907 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000920834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,263~~	K	PCB1
b.	☐				17,79		
c.	☐				12918		
d.	☐						

GENERATOR

Tf

J. Additional Descriptions for Materials Listed Above
APPROVAL# DROSDEF (SOIL & DEBRIS WITH PCBS >50PPM) RAIL CAR # TMEK 9513
STORAGE START DATE: 6-5-01
UNIQUE CONTAINER ID# 20-32 216
RI STATE CODE FOR PCB MATERIAL: N007
out of service 6/12/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: F&W F.D. 860/666-1111; EC: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaBoie
Signature:
Date: Month 09 Day 11 Year 2002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SELISBY
Signature:
Date: Month 09 Day 11 Year 2002

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaccale
Signature: Gregory Dimaccale
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name:
Signature:
Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

10360 lb GR

Gross 02:59 PM 09/12/02
70100 lb GR

Tare 80460
44880

Net 35580

Date	Truck No.
9/12/02	403

Consignee MJ 6910959

TKEN 9513

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110070 Manifest: MI8919954

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00185
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NEN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8919954
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: Atlantic Environmental Services
6. US EPA ID Number: MEC000505025
C. State Transporter's ID: 25599 55/MA
D. Transporter's Phone: 207 438 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD050620834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII		001	DT	11,363	K	PCB1
b.						
c.						
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID#: [illegible]
IN STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pierre Lavoie Signature: [signature] Date: Month 09 Day 12 Year 07

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavi Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaiale Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space
[illegible] Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Ryan Schultz Signature: [signature] Date: Month 09 Day 18 Year 07

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 02:55 PM 09/12/02 40330 lb GR 76110

Tare 02:56 PM 09/12/02 55080 lb GR 41700

Net 34410

Date	Truck No.
9/12/02	402

Consignee MI 80190 S 4

TREK 9511

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110074 Manifest: MI8919956

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11515 or 324.12115 MC...

118

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309

Manifest Document No. 0026

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919956

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name American Environmental Services

6. US EPA ID Number MID000724565

C. State Transporter's ID A362863 MI

D. Transporter's Phone 800 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number RID059020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49360 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	001	DT	16,363	K	PCB1
b.						
c.						
d.						

a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] SOIL & DEBRIS WITH PCBS >50PPM RAILCAR #
STORAGE START DATE: 9-1-02
UNIQUE CONTAINER ID# 224 375
RI STATE CODE FOR PCB MATERIAL 1000

K. Handling Codes
a.
b.
c.
d.

THENCE

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111, EQ: 800/535-3975
ERG #171

out of service

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LAVOIE Signature: Renee Lavoie Date: Month Day Year 09 17 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 17 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

19. Discrepancy Indication Space [illegible] 091202
[illegible] Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: [illegible] Signature: Date: Month Day Year 09 19 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 5110 Rev. 5/98

NOT VALID UNLESS IMPRINTED

80320 lb GR

Gross Cont# 274378 03:01 PM 09/12/02
00 ID. NO.
80260 lb GR
Tare BL 8919956 40600 lb TR KEYED
39660 lb NT

Net

Date	Truck No.
9-12-02	401

Consignee MJ 8919956

TKFM GSH

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110073 Manifest: MI8919955

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type

Form Approved OMB No. 2050-0039

118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309

Manifest Document No. 00187

2. Page 1 of 32

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 03841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919955

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Allied Tech Environmental Services

6. US EPA ID Number MID000505595

C. State Transporter's ID 56691 MA

D. Transporter's Phone 800 428 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD039020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b. ☐				15345 K		
c. ☐				11842 K		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000000PBF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TAEW 5513
STORAGE START DATE: 8/14/02
UNIQUE CONTAINER ID#: 8/14/02
RI STATE CODE FOR PCB MATERIAL: R007
out of service 9/12/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/639-3976
ERG #171

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie Signature: Renee LaVoie Date: Month Day Year 091202

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month Day Year 091202

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Thorp Signature: [illegible] Date: Month Day Year 09 12 02

FACILITY

19. Discrepancy Indication Space
ok 10 drums 13.2 p- Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 19 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 5110 Rev. 8/98

NOT VALID UNLESS IMPRINTED

Gross

09:27 AM 09/12/02
00 IB. NO.
68760 lb GR
35000 lb TR KEYED
33760 lb NT

Tare

Net

Date	Truck No.
9/12/02	R5

Consignee 7 NEW 5515

MI 89198535

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110072 Manifest: MI8919941

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 324 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 M.C.L.

Please print or type. Form Approved. OMB No. 2050-0039 118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00188 2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919941

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amertech Environmental Service

6. US EPA ID Number MI0000050595

C. State Transporter's ID 901231MA

D. Transporter's Phone 207 939 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number RID059820034

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒ HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16363~~	K	PCB1
b. ☐				~~15229~~ 11842K		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000000POF (BOIL & DEBRIS WITH PCBS-SOPPIM) RAILCAR # TEGU 8513
STORAGE START DATE 9-10-92
UNIQUE CONTAINER ID# 000267
RI STATE CODE FOR PCB MATERIAL 1600

K. Handling Codes a b c d

out of service 9/11/92

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/686-1111; EQ: 800/638-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Roger Landie Signature Date Month Day Year 09 11 2002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 09 11 2002

FACILITY

19. Discrepancy Indication Space
ok to change 13 A Dr Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year 09 19 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross

10:19 AM 09/12/02
00 ID: NO.
69000 lb GR
35500 lb TR KEYED
33500 lb NT

Tare

Net

Date	Truck No.
9/12/02	R6

Consignee TCEW 9513

MTE 8919941

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110062 Manifest: MI8919940

DEQ WASTE MANAGEMENT DIVISION, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended. 51040
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

925

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00189
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N0N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI8919940
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name: American Environmental Services
6. US EPA ID Number: MID000505595
C. State Transporter's ID: A599557 MC
D. Transporter's Phone: 817 438 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD980620934
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol.	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				17278 13815	K	
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000SOP OF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TAGW 9211
STORAGE START DATE: 9-7-02
UNIQUE CONTAINER ID# 274 272
RI STATE CODE FOR PCB MATERIAL: 1000

K. Handling Codes
a
b
c
d

out of service 9/11/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D 860/565-1111; EQ: 800/639-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Landis
Signature: Renee Landis
Date: Month Day Year 09 11 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl Ng Schwartz
Signature: Carl Ng Schwartz
Date: Month Day Year 09 11 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Donald Stovall
Signature: [illegible]
Date: Month Day Year 09 12 02

FACILITY

19. Discrepancy Indication Space
OK 13 CHARGE PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [illegible]
Date: Month Day Year 09 13 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

Gross

08:37 AM 09/12/02
104200 lb GR

Tare

08:38 AM 09/12/02
66460 lb GR

Tare 41700

795800
417 00
378800

Net

Date	Truck No.
9-12-02	AMERITECH 902

Consignee TREE 9511

MT 89199910

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110069 Manifest: MI8919960

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00190
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N8N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8919960
B. State Generator's ID SOULD BLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Ameritech Environmental Services
6. US EPA ID Number MNR000015555
C. State Transporter's ID A2902125MC
D. Transporter's Phone 937 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059820934
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	☒	001	DT	16367	K	PCB1
b.		☐			16464		
c.		☐			23985		
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS W/D: PCB3 <50PPM) RAILCAR # TRAIL 5511
STORAGE START DATE: 9-10-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: N/A

K. Handling Codes
a.
b.
c.
d.

part of service 9/12/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EDI: 800/839-3978
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Landry Signature: [signature] Date: Month 09 Day 12 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Stilsey Signature: [signature] Date: Month 09 Day 12 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Powell Signature: [signature] Date: Month 09 Day 12 Year 02

FACILITY

19. Discrepancy Indication Space
OK B CHANGE PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Bryan Schultz Signature: [signature] Date: Month 09 Day 18 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/86) TSDF COPY

NOT VALID UNLESS IMPRINTED

44920 lb GR

Gross 08:41 AM 09/12/02
35720 lb GR

80,700 Gross
44,480 Tare
36,220 NET

Tare

Net

Date	Truck No.
9/12/02	403

Consignee JLAN 9511
MI 891896 0

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110060 Manifest: MI8919958

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☑ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 324 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.19109

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00191
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI8919958
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name AMERITECH Environmental Services
6. US EPA ID Number MEL000005595
C. State Transporter's ID A3078630E
D. Transporter's Phone 207 435 9199

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND055820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☑	001	DT	16363	K	PCB1
b.		☐			168815	K	
c.		☐					
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS DESCRIPTION OF SOIL & DEBRIS WITH PCBS >50PPM RAILCAR # [illegible]
STORAGE START DATE: 9-5-02
LINGLE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: R02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111, EQ: 800/839-3675
ERG #171

Dept. of Service 9/18/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee Lavoie Signature Renee Lavoie Date Month Day Year 09 11 2002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year 09 12 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Stowell Signature [illegible] Date Month Day Year 09 12 02

FACILITY

19. Discrepancy Indication Space
ON 13 CHANGE PER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name BRYAN SCHULZ Signature [illegible] Date Month Day Year 09 18 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

77620 lb GR

Gross GAH274356

08:33 AM 09/12/02
00 ID. NO.
77620 lb GR
40600 lb TR KEYED
37020 lb NT

Tare BL 8919958

Net

Date	Truck No.
9-12-02	401

Consignee TRUCK 8511
ME 891958

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110091 Manifest: MI8895853

Required under authority of Part 111 and Part 121 of Act 451 1994 as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324 11151 or 324 12116 MCL

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 02512
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N8N)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone: 401 841-1791

A. State Manifest Document Number MI 8895853
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID 201432-5117
D. Transporter's Phone 617

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD039820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	J. Waste No.
a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐			29636		
c.	☐			8,770		
d.	☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #
STORAGE START DATE: 01-05-02
UNIQUE CONTAINER ID#: 274 33 2
RI STATE CODE FOR POB MATERIAL: 1000
TREN 9513

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW P.O 800565-1111; EC: 800639-3975
ERG #171
of service 4/12/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Rick Landis Signature: [signature] Date: Month 09 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK to change Paper

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

12:24 PM 09/13/02
00 ID. NO.
Tare 76160 lb GR
35000 lb TR (KEYED)
41160 lb NT

Net

Date 9/13/02

Truck No. RC

Consignee TKEN 9513

MI 8895853

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110182 Manifest: MI8919953

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIP000021309
Manifest Document No: 10195
2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number: MI8919953

B. State Generator's ID: GOULD ISLAND

4. Generator's Phone: (401) 841-1791

5. Transporter 1 Company Name: AMERICAN ENVIRONMENTAL
6. US EPA ID Number: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone:

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD053620834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT		K	PCB1
b.		☐					
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PCF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #
STORAGE START DATE: 7-8-[illegible]
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 800665-1111; EQ: 800639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 09 Day 30 Year [illegible]

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month [illegible] Day [illegible] Year [illegible]

GENERATOR / TRANSPORTER / FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY EQP 3110 Rev. 6/98

NOT VALID UNLESS IMPRINTED

Gross 08:17 AM 09/13/02
10720 lb GR

Tare 08:18 AM 09/13/02
64820 lb GR

Net 41700

Date 9-13-02

Truck No. AmeriTech 4/02

Consignee PW 30017

MI 8919053

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110190 **Manifest: MI8895857**

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 — Manifest Document No. 0044
2. Page 1 of 2 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895857
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Auto-tech Environmental — 6. US EPA ID Number: NER000560595
C. State Transporter's ID: A 302563
D. Transporter's Phone: 207 488-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: MAD039020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,765~~ 15	K	PCB1
b.	☐				13 ~~227~~		
c.	☐				15448		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS DISCREPAN (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #: PW 20017
STORAGE START DATE: 9-6-02
CIRCLE CONTAINER ID#: [illegible]
IN STATE CODE FOR PCB MATERIAL: NOF
out of service 9/13/0

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EC: 800/839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee Landie — Signature: [signature] — Date: Month 09 Day 13 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Gregory Dinardo — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Jimmo — Signature: [signature] — Date: Month 09 Day 13 Year 02

19. Discrepancy Indication Space
CHANGE 13 PCB — Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
FACILITY — Printed/Typed Name: Kelly Clark — Signature: [signature] — Date: Month 09 Day 25 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TOP COPY

NOT VALID UNLESS IMPRINTED

69740 lb GR

Gross

01:23 PM 09/13/02
00 ID- NO.
69700 lb GR
40600 lb TR RECVED
29100 lb NT

PNL 8895857

Tare

Car # 274333

Net

Date	Truck No.
9-13-02	401

Consignee PW 30017

MI 8895857

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110184 **Manifest: MI8895858**

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00195
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PETRO DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791)

A. State Manifest Document Number: MI 8895858
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: AMERITECH
6. US EPA ID Number: MER000500595
C. State Transporter's ID: A29012S MI
D. Transporter's Phone: 207/438-9145

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: USRAD[illegible]0634
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: WASTE MANAGEMENT INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	4654	K	PCB1
b.				13936		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
[illegible]
NO STATE CODE FOR PCB CONTAINING [illegible]
out of service 9/18/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PSAV P.O. 800/555-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Peter Lavoie
Signature: [signature]
Date: Month 09 Day 11 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: TROTTON STILLEY
Signature: [signature]
Date: Month 09 Day 11 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaculo
Signature: [signature]
Date: Month 09 Day 13 Year 02

TRANSPORTER

19. Discrepancy Indication Space
OK TO Dump C 13 [illegible]

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Dudley Prum
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

EPA Form 8700-22 (Rev. 9-88)

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

64500 lb GR

Gross 08:23 AM 08/13/02
10700 lb GR

80 200

Tare 44 880

Net 35 320

Date	Truck No.
8/13/02	403

Consignee PW 3001D

MJ 8895858

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110117 Manifest: MI8895856

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended
43540
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved: OMB No. 2050-0039 118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 00446
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895856
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Lucas Environmental
6. US EPA ID Number MIEKC050545
C. State Transporter's ID 829125 MI
D. Transporter's Phone 207 438 9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RIADW000020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC. SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.						
c.				10351		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS DISPOSAL OIL & DEBRIS WITH PCBS -SHIPPING RAILCAR # 843003 1
STORAGE START DATE 9/1/02
UNIQUE CONTAINER ID# 00 2342
RI STATE CODE FOR PCB MATERIAL: NSF
out of service 9/3/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ. 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie Signature: Renee Lavoie Date: Month 09 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Stilsby Signature: Robert A Stilsby Date: Month 09 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dionne Signature: [illegible] Date: Month 09 Day 13 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month 09 Day 19 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

10700 lb GR

Gross 01:18 PM 09/13/02
62500 lb GR

Tare 73200
44800

Net 27700

Date	Truck No.
9/13/02	403

Consignee PW 300 3J

MJ 889 585 6

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110189 Manifest: MI8895855

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00197
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895855
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name. Ambitrak Environmental
6. US EPA ID Number MER000500595
G. State Transporter's ID
D. Transporter's Phone 207 438 9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD000620634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 50	K	PCB1
b.				14,154		
c.				18648		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] 36017
Out of service 9/10/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: R&W F.D. [illegible]-1111; EQ: 800[illegible]-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: [signature]
Date: Month 09 Day 13 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavon
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarcale
Signature: [signature]
Date: Month 09 Day 13 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK PHILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Kelly Clark
Signature: [signature]
Date: Month 09 Day 17 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

Gross 01:14 PM 09/13/02 10540 lb GR 72840

Tare 01:15 PM 09/13/02 62300 lb GR 31140

Net 41700

Date	Truck No.
9-13-02	AmeriTech 408

Consignee MI 889 5855

PW 300 17

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014271 Receipt ID: 1110118 Manifest: MI8895854

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended
43540
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved OMB No. 2050-0039 118

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 02199
2. Page 1 of 2 — Information in the shaded areas is not required by Federal law.

3. Generators Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N84)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841 -
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895854
B. State Generator's ID [illegible]

5. Transporter 1 Company Name — 6. US EPA ID Number
7. PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number MAD986920834
C. State Transporter's ID 56695 mA
D. Transporter's Phone 207-435-9149
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	RQ	001	DT	46530	K	PCB1
b.		☐			12,891		
c.		☐			10351		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVALS: DREDGEDEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30031
STORAGE START DATE: 9-7-02
UNIQUE CONTAINER ID#: [illegible]
N STATE CODE FOR PCB MATERIAL: [illegible]
out of Service 9-13-02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; FC: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kyle Lavoie Signature: [signature] Date: Month 09 Day 13 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 09 Day 13 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarco Signature: Gregory Dimarco Date: Month Day Year

19. Discrepancy Indication Space
Amend 13a per [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Anna Marie Fallon Signature: Anna Marie Fallon Date: Month Day Year

TSDF COPY

EPA Form 8700-22 (Rev. 3/05)

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross

11:54 AM 09/13/02
00 ID. NO.
Tare 63360 lb GR
35500 lb TR KEYED
28360 lb NT

Net

Date	Truck No.
9/13/02	R5

Consignee PW 30031

MI 8895854

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110183 Manifest: MI8895849

[redacted]

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 NCL.

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI9000021309
Manifest Document No. 010200
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NEN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895849
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: American Environmental
6. US EPA ID Number: MER000505595
C. State Transporter's ID: A3278.5 ME
D. Transporter's Phone: (207) 938-9119

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059023834
E. State Transporter's ID: [redacted]
F. Transporter's Phone: [redacted]

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID: 160
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE, (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16091	K	PCB1
b.	☐				13130		
c.	☐						
d.	☐						

GENERATOR

[redacted]

9/13/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: [redacted]; EC: [redacted]
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month Day Year 09 13 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Lynn
Signature: Greg Lynn
Date: Month Day Year 09 13 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinacale
Signature: Gregory Dinacale
Date: Month Day Year 09 13 02

FACILITY

19. Discrepancy Indication Space
OK to change 13c Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

DEQ Form 5100-39 (Rev. 2/97)

NOT VALID UNLESS IMPRINTED

760200 lb GR

Gross Cont 20265

08:23 AM 09/13/02

B/L [redacted]

00 ID+ NO.

760000 lb GR

8595849

408600 lb TR KEYED

Tare

354000 lb NT

Net

Date	Truck No.
9-13-02	401

Consignee PW 3000

MI 8595849

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110168 Manifest: MI8895852

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002281
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895852
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
Ameritech Environmental
6. US EPA ID Number MER000500595
C. State Transporter's ID [illegible]
D. Transporter's Phone 207-438-9149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD[illegible]0834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	11. US DOT Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				16418		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PCF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR #
STORAGE START DATE: 9-5-02 PW 30029
UNIQUE CONTAINER ID#
RI STATE CODE FOR PCB MATERIAL: N/A
out of Service 9-16-02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 11 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 11 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory D. Marale Signature: [illegible] Date: Month Day Year 09 16 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 24 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

76700 lb GR

Gross

07:56 AM 09/16/02
00 ID. NO.
76720 lb GR
40600 lb TR KEYED
36120 lb NT

Can# 27434

Tare 8855852

Net

Date	Truck No.
9-16-02	401

Consignee MI 8895852

PL 30029

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110167 Manifest: MI8895860

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civ penalties under Sections 324.11151 or 324.12116 NCL.

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No.
2. Page 1 of 3
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone

A. State Manifest Document Number MI 8895860
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Ameritech Environmental
6. US EPA ID Number MFR000500595
C. State Transporter's ID
D. Transporter's Phone 207-438-9149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD000201834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address SITE #2 LANDFILL
49350 NORTH 94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

GENERATOR

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	76363	K	PCB1
b. ☐				14,991		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000 OF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30029
STORAGE START DATE: 9-9-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: R08
OUT OF SERVICE 9/16/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Reine LeNoe
Signature:
Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature:
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarale
Signature: Gregory Dimarale
Date: Month 09 Day 19 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Beatrice Vleatrice
Signature: Vleatrice
Date: Month 09 Day 23 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

10740 lb SR

Gross 07:54 AM 09/16/02
67120 lb SR

77860

Tare 44880

Net 32980

Date	Truck No.
9/16/02	403

Consignee PW 30029

Acct 8895860

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110166 Manifest: MI8895859

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐

ad under authority of Part 111 and 21 of Act 451, 1994, as amended

Olde

ailure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309

Manifest Document No. 00002

Page 1 of 72

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895859

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Ameritech Environmental

6. US EPA ID Number MER000050059 5

C. State Transporter's ID AS-17-01

D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD059020634

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				15 345		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002F (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible] 30029
STORAGE START DATE: 10/15/02 9-9-02
UNIQUE CONTAINER ID# [illegible] 200257
RI STATE CODE FOR PCB MATERIAL: N00
out of Service Date 9-16-02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kane Knue Signature: [signature] Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinacale Signature: Gregory Dinacale Date: Month 09 Day 16 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Dlec Price Signature: [signature] Date: Month 09 Day 25 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 07:50 AM 09/16/02 10720 lb GR 75480

41700

Tare 07:51 AM 09/16/02 64740 lb GR 33780

41700

Net

Date	Truck No.
9-16-02	407 AMCI

Consignee MI FR95859

PW 30029

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110174 Manifest: MI8895840

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309

Manifest Document No. 002 01

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone 401 841-1791

5. Transporter 1 Company Name

6. US EPA ID Number

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD059020834

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC. SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

A. State Manifest Document Number MI 8895840
B. State Generator's ID
C. State Transporter's ID RI 267563 MC
D. Transporter's Phone 401 738 9149
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

GENERATOR

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,163	K	PCB1
b.	☐				15,463		
c.	☐				13,160		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS 000002PSF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible] 3029
STORAGE START DATE: 9/1/02
UNIQUE CONTAINER ID: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

Cost of Service 9/16/02.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860835-1111; EQ: 800839-3975
ERG #171

16 GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kevin Lynch Signature: [signature] Date: Month 09 Day 11 Year 02

TRANSPORTER

17 Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 09 Day 16 Year 02

18 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 09 Day 16 Year 02

19. Discrepancy Indication Space
OK IS CHANGE PAR

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRYAN SCHULTZ Signature: [signature] Date: Month 09 Day 25 Year [illegible]

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

74620 lb GR

Gross B/L 88955940 01:32 PM 09/16/02
00 ID. NO.
74620 lb GR
Tare Car # 200391 40600 lb TR (KEYED)
34020 lb NT

Net

Date	Truck No.
9-16-02	401

Consignee PW 30029
88955940

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110175 Manifest: MI8895843

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00005
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895843
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~14,365~~	K	PCB1
b.	☐			~~75,300~~ 13460	K	
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002POF (SOIL & DEBRIS WITH PCB'S-SUPPA) RAILCAR # PW 30039
STORAGE START DATE: 9-16-02
UNIQUE CONTAINER ID#: 200-026
RI STATE CODE FOR POR MATERIAL: N07
out of service 9/16/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kenice Lavoie Signature: Kenice Lavoie Date: Month 09 Day 16 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavo Signature: Carl M Schiavo Date: Month 09 Day 16 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stovall Signature: Derek Stovall Date: Month 09 Day 16 Year 02

19. Discrepancy Indication Space
UK 13 CHANGE PAR Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Terry Senuta Signature: [illegible] Date: Month 09 Day 25 Year 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 01:33 PM 09/16/02 10620 lb GR 75400

Tare 01:34 PM 09/16/02 64960 lb GR 41700

41700

Net 33780

Date 9-16-02

Truck No. 402 AMERITECH

Consignee PO 300229

MT 8895843

Weigher

Weighed on the Scales of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110194 Manifest: MI8895846

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 003040
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NSN) ONE SIMON-PIETRI DRIVE NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895846
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Apex Environmental Services
6. US EPA ID Number: MID 000 505 5
C. State Transporter's ID: A250 125 MC
D. Transporter's Phone: 517 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD 980921834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC., SITE #2 LANDFILL, 49350 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,367~~	K	PCB1
b. ☐				15645		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above: [illegible] K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: P&W F.D. 800-[illegible]-1111; EC: 800-[illegible]-3875 ERG #171

9/17/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date: Month 09 Day 17 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: ROBERT SELLSBY — Signature: [illegible] — Date: Month 09 Day 17 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek G Shurey — Signature: [illegible] — Date: Month Day Year

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark — Signature: [illegible] — Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

46680 lb GR

Gross

07:57 AM 09/17/02
32620 lb GR

71300 Gross
- 44680 Tare
34,620 lbs net

Tare

Net

Date	Truck No.
9/17/02	403

Consignee PL 30033
MI 8895846

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110193 Manifest: MI8895845

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00207
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895845
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MPL000005058
C. State Transporter's ID: A 362863 m
D. Transporter's Phone: 617 439 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16365	K	PCB1
b.	☐				15409		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVED: [illegible] STATE STATE [illegible] UNDER CONTRACT [illegible] IN STATE CODE FOR POB [illegible] end of service 9/17/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800-835-1311; EC: 800-535-5375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 09 Day 10 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gary Smith
Signature: Gary Smith
Date: Month 09 Day 17 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stanell
Signature: Derek Stanell
Date: Month 09 Day 17 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature: Kelly Clark
Date: Month 09 Day 26 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88)

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

74500 lb GR

Gross CM# 200455

07:59 AM 09/17/02
00 ID. NO.
74500 lb GR
40600 lb TR KEYED
33900 lb NT

Tare

Net

Date	Truck No.
9-17-02	401

Consignee PW 30033
889 5845

889 5845

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110191 Manifest: MI8895844

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00008
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1781)

A. State Manifest Document Number MI 8895844
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Hamitech Environmental Services
6. US EPA ID Number MID005050595
C. State Transporter's ID
D. Transporter's Phone 207 439 9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD980820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49300 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,312	K	PCB1
b.	☐			50		
c.	☐			15,409		
d.	☐					

J. Additional Descriptions for Materials listed Above
APPROVED [illegible] PER STATE [illegible]
[illegible] STORAGE START DATE
[illegible] CONTAINER [illegible]
IN STATE CODE FOR PCB MATERIAL [illegible]
Date of Service 9/12/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800685-1111; EQ: 800639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Landis
Signature: [signature]
Date: Month Day Year 09 11 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Stott
Signature: [signature]
Date: Month Day Year 09 11 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaggio
Signature: Gregory Dimaggio
Date: Month Day Year 09 11 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature: [signature]
Date: Month Day Year 09 12 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) PDF COPY

NOT VALID UNLESS IMPRINTED

10560 lb GR

Gross 12:07 PM 09/17/02
68440 lb GR

79000

Tare 44880

34120

Net

Date 9/17/02

Truck No. 403

Consignee M.E. 88 95844

PW 50033

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110196 Manifest: MI8895848

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00004 2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895848
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MPD000650595
C. State Transporter's ID
D. Transporter's Phone 207 435-9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD055020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐				14982		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS: [illegible] PAGE # PV 30033
STORAGE START DATE: [illegible]
UNITS CONTAINED IN [illegible]
IN STATE CODE FOR PCB STORAGE: [illegible]
out of service

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ. 800/638-3975
[illegible]
9/17/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Peter Lavoie Signature: [signature] Date: Month Day Year 09 17 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 17 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinacale Signature: Gregory Dinacale Date: Month Day Year 09 17 02

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 09 17 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

73560 lb GR

Gross

12:10 PM 09/17/02
001 ID. NO.
73560 lb GR
40600 lb TR KEYED
32960 lb NT

Tare Cont
200459

Net

Date	Truck No.
9-17-02	401

Consignee PW 30033
MI 8895848

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110274 Manifest: MI8895847

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.
51953
Failure to file may subject you to criminal and/or civil penalties under Sections 324.13151 or 324.12116 MCL.
294

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00210
2. Page 1 of 42
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895847
B. State Generator's ID: RHODE ISLAND

5. Transporter 1 Company Name: Allied Tech Environmental Service
6. US EPA ID Number: MEX000805595
C. State Transporter's ID: A 267562 MIE
D. Transporter's Phone: 801 935 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD058020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16265	K	PCB
b. ☐				15045	K	
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL: [illegible] DOL & [illegible] PCB [illegible] ANALYSIS: Tech 2534
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
K Handling Codes: a. b. c. d.

out of service 9/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/666-1111; EQ: 800/639-3975
ERG #171

15. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: MIKE LAVOIE
Signature: [signature]
Date: Month Day Year 09 19 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year 09 19 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year 09 19 02

FACILITY
19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [illegible]
Date: Month Day Year 09 20 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible]) TEAL COPY

NOT VALID UNLESS IMPRINTED

73680 lb GR

Gross

08:21 AM 09/19/02
00 ID. NO.
73700 lb GR
~~73600 lb TR WEIGHT~~
~~73600 lb NT~~

Tare Tare 40600

33,100 NET

Net

Date	Truck No.
9/19/02	401

Consignee THGM 9536

MI 8895847

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00111
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895923
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID 901 231 MA
D. Transporter's Phone 207 436 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,543	K	PCB1
b.		☐			~~[illegible]~~ 20209	K	
c.		☐					
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS: DEG002PDF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30023
STORAGE START DATE: 9-17-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: R07

K. Handling Codes
a.
b.
c.
d.

out of service 9/16/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F O 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pete Lynde
Signature: [signature]
Date: Month 09 Day 18 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shurtleff
Signature: [signature]
Date: Month 09 Day 18 Year 02

FACILITY

19. Discrepancy Indication Space
OK IS CHANGE PER MARK Brilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: BRIAN SCHULTZ
Signature: [signature]
Date: Month 09 Day 26 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

02:18 PM 09/18/02
001 ID. NO.
60980 lb GR
35500 lb TR KEYED
25480 lb NT

Tare

Net

Date	Truck No.
9/18/02	RG

Consignee MZ 8895923

PW 30023

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110261 Manifest: MI8892927

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Tracking No. 000126
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETIN DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895927
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5488

5. Transporter 1 Company Name
6. US EPA ID Number
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD055020834

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	45000	K	PCB1
b.	☐				13524	K	
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] RAILCAR # [illegible] 30031
STORAGE START DATE: 9-12-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB [illegible]
out of service 9/18/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 800/595-1111; CO: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kate Lavoie Signature: [signature] Date: Month 09 Day 18 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 09 Day 18 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stovall Signature: [signature] Date: Month 09 Day 18 Year 02

19. Discrepancy Indication Space
OK to change BSPC Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Dave Beson Signature: [signature] Date: Month 09 Day 18 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) 1ST COPY

NOT VALID UNLESS IMPRINTED

Gross

01:51 PM 09/18/02
OD ID. NO.
68560 lb GR
35500 lb TR KEYED
33060 lb NT

Tare

Net

Date	Truck No.
9/18/02	RS

Consignee Pw 30055
MI 8895937

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110262 Manifest: MI8895925

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00015

2. Page 1 of 12

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N9N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895925

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Allwaste Environmental Service

6. US EPA ID Number MID000080595

C. State Transporter's ID 4367863 ME

D. Transporter's Phone 207 438 9145

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD059020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,365~~	K	PCB1
b.	☐				13,600	K	
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 050002PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PA 30035
STORAGE START DATE: 9-6-02
UNIQUE CONTAINER ID# 300 467
RI STATE CODE FOR PCB MATERIAL: R09

K. Handling Codes
a
b
c
d

out of service 9/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 850/665-1111; EQ 800/839-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Prince L Hoie Signature Prince Hoie Date Month Day Year 09 19 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg Simmo Signature Greg Simmo Date Month Day Year 09 19 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Howell Signature Date Month Day Year 09 19 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year 10 01 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSD/RECEIVER COPY

NOT VALID UNLESS IMPRINTED

70540 lb GR

Gross

Car# 200417

12:33 PM 09/18/02
00 ID. NO.
70520 lb GR
40600 lb TR KEYED
29920 lb NT

Tare

Net

Date	Truck No.
9-18-02	401

Consignee

PL 30035
BL 88895925

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110203 Manifest: MI8895928

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI 000021309
Manifest Document No. 00214
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895928
B. State Generator's ID [illegible]

4. Generator's Phone ( )

5. Transporter 1 Company Name Apex Tech Environmental Service
6. US EPA ID Number MI 0000 5695
C. State Transporter's ID [illegible]
D. Transporter's Phone 207 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD 000620634
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
45360 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	4,369	K	PCB1
b. ☐				17,618		
c. ☐				3,181		
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000000 SOIL & DEBRIS WITH PCBS <50PPM. RAILCAR # [illegible] Seal # [illegible]
STORAGE START DATE: 9-17-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
K. Handling Codes

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/638-3975
ERG #171

out of service 9/18/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Bruce Lupoli
Signature: [illegible]
Date: Month 09 Day 18 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavoni
Signature: Carl M Schiavoni
Date: Month 09 Day 18 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month 09 Day 18 Year 02

TRANSPORTER

19. Discrepancy Indication Space
CHANGE TO PCB Mark Reilly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clear
Signature: [illegible]
Date: Month Day Year

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 12:29 PM 09/18/02 10600 lb GR 80800

Tare 12:30 PM 09/18/02 70100 lb GR 41700

41700 39200

Net

Date	Truck No.
9-18-02	Ameri 462

Consignee PW 30033

WD 889528

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended
80410
Failure to do so may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021389
Manifest Document No. 00015
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address: NEWPORT (ENV DEPT NEN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

5. Transporter 1 Company Name: Advanced Environmental Services
6. US EPA ID Number: MAD005005595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD069020834

9. Designated Facility Name and Site Address: [illegible] INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI 8895926
B. State Generator's ID: GOULD ISLAND
C. State Transporter's ID: 5669 MA
D. Transporter's Phone: 617 458 9149
E. State Transporter's ID: [illegible]
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16303	K	PCB1
b.				12691		
c.				2252		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible] 30023
STORAGE START DATE: 9-12-02
LINGLE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes: a b c d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111, EQ: 800/639-3876
ERG #171

out of service 9/11/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Denise LaVoie — Signature: [signature] — Date: Month 09 Day 18 Year 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose — Signature: [signature] — Date: Month 09 Day 18 Year 02
18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shuell — Signature: [signature] — Date: Month 09 Day 18 Year 02

FACILITY
19. Discrepancy Indication Space
CHANGE 13. PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clem — Signature: [signature] — Date: Month 09 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) 1 OF COPY

NOT VALID UNLESS IMPRINTED

Gross

08:56 AM 09/15/02
OPT ID. NO.
60560 lb GR
35000 lb TR KEYED
30560 lb NT

Tare

Net

Date	Truck No.
9/15/02	R5

Consignee PW 30023
MI 8895926

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110188 Manifest: MI8895924

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00611

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895924

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Environmental Service

6. US EPA ID Number MILANOC 505 95

C. State Transporter's ID 911231

D. Transporter's Phone 802 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number MAD039020634

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b. ☐				1,791		
c. ☐				150		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000000DF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30017
STORAGE START DATE: 9-17-02
UNIQUE CONTAINER ID#: 000 335
RI STATE CODE FOR PCB MATERIAL: R001

K. Handling Codes
a
b
c
d

end of service 9/18/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 860/565-1111; EQ 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Terence LAVOIE Signature Date Month Day Year 09 18 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Shaw Signature Date Month Day Year 09 18 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name Kelly Clare Signature Date Month Day Year 09 25 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSCA COPY

NOT VALID UNLESS IMPRINTED

30500 lb GR

Gross 10:42 AM 09/18/02
36160 lb GR
86 660 lbs

Tare 44 880

Net 41,780 lbs.

Date	Truck No.
9/18/02	403

Consignee PW 30017
MI 8895524

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110173 Manifest: MI8895922

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RI0000021309
Manifest Document No.: 00017
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895922
B. State Generator's ID: 001L0 ISLAND

5. Transporter 1 Company Name: Appleton Environmental Services
6. US EPA ID Number: [illegible]
C. State Transporter's ID: A290125 MI
D. Transporter's Phone: 810 488 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-6489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 9 RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	4,500 lbs	K	PCB1
b. ☐				19,818 13,460		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W T.D. 800/835-1111; EQ: 800/592-6489
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LAVOIE
Signature: [signature]
Date: Month 09 Day 18 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY
Signature: [signature]
Date: Month 09 Day 18 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Stumpp
Signature: [signature]
Date: Month 09 Day 18 Year 02

19. Discrepancy Indication Space
OK B CONTRPER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [signature]
Date: Month 09 Day 19 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSCA EXPORT

NOT VALID UNLESS IMPRINTED

53040 lb GR

Gross 08:09 AM 09/18/02
33440 lb GR

88480 lbs

Tare 44880 Tare

Net 43600 NET

Date	Truck No.
9/18/02	403

Consignee PW 30029

8555922

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 100318
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (EMV DEPT N66)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone 401 841-1791

A. State Manifest Document Number MI 8895850
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Aquatech Environmental Service
6. US EPA ID Number MDD000820595
C. State Transporter's ID 367563 mc
D. Transporter's Phone 517 436 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.	☐			15,604		
c.	☐			2252		
d.	☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000302FET (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30023
STORAGE START DATE 9.12.02
UNIQUE CONTAINER ID# 9.12.02
RI STATE CODE FOR PCB MATERIAL: N/A
out of service 9/11/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W P.D. 860568-1111, EQ: 800839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Kelly Lavoie
Signature [signature]
Date Month Day Year 09 18 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible]
Signature [signature]
Date Month Day Year 09 18 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Shedd
Signature [signature]
Date Month Day Year 09 18 02

19. Discrepancy Indication Space
CHANGE 13 PER MARK KELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clark
Signature [signature]
Date Month Day Year 09 26 02

GENERATOR

TRANSPORTER

FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

74940 lb GR

Gross Cont# 20342

08:04 AM 09/18/02
00 ID. NO.
74940 lb GR
40600 lb TR KEYED
34340 lb NT

Tare

Net

Date	Truck No.
9-18-02	401

Consignee PW 30023
BL 8595850

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014309 Receipt ID: 1110195 Manifest: MI8895851

Berner #63

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00219
2. Page 1 of 3 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895851
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amtech Environmental Service
6. US EPA ID Number MAD000505985
C. State Transporter's ID 4575 TLS MT
D. Transporter's Phone 607 658 9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059120834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	63	K	PCB1
b.	☐				16445		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible] SALES # Lu 30033
STORAGE START DATE [illegible]
UNIQUE CONTAINER ID# [illegible]
IN STATE DOES FOR FOR EXTERNAL USE
Load of Service 9/18/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Reitte Lavoie
Signature: [signature]
Date: Month 09 Day 11 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavoni
Signature: Carl M Schiavoni
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shuell
Signature: [signature]
Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Deanna Rice
Signature: [signature]
Date: Month [illegible] Day [illegible] Year 04

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 07:59 AM 09/18/02 106200 lb GR 77880

Tare 08:00 AM 09/18/02 67060 lb GR 41700

41700 36180

Net

Date	Truck No.
9-18-02	AMer 402

Consignee PW 30033

MI 8895851

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 — Manifest Document No. 120220
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N6N)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895861
B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: [illegible]
6. US EPA ID Number: [illegible]
C. State Transporter's ID: A367863ME
D. Transporter's Phone: 617 435 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16563	K	PCB1
b.				2018		
c.				10527		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 980808PCB (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 3003
STORAGE START DATE: 9-15-
UNIQUE CONTAINER ID#: 000251
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of service 7/18/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.O. 850666-1111; EQ. 800839-3075
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENE LAVOIE — Signature: [signature] — Date: Month 09 Day 19 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month 09 Day 19 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month 09 Day 19 Year 02

FACILITY

19. Discrepancy Indication Space
ON 12 CHANGEPAN MARK [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHUTZ — Signature: [signature] — Date: Month [illegible] Day 26 Year [illegible]

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

85080 lb GR

Gross

02:02 PM 09/19/02
00 ID. NO.
85080 lb GR
40600 lb TR KEYED
44480 lb NT

Cantt

Tare 200381

Net

Date	Truck No.
9-19-02	401

PW 30003

Consignee

B/L 8595861

8895861

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 0221
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NNN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1721

A. State Manifest Document Number MI 8895862
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID
D. Transporter's Phone
7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD089002834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	[illegible]	K	PCB1
b. ☐						
c. ☐				~~16236~~ 20209		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30023
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

out of service 9/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111, EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MIKE LANDIE Signature [signature] Date Month Day Year 09/16/02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Thomas A. Kelly Signature [signature] Date Month Day Year 09/16/02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Daniel Morrell Signature [signature] Date Month Day Year 09/19/02

FACILITY

19. Discrepancy Indication Space
OK 13 CHANGE PER [signature]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRIAN SCHULTZ Signature [signature] Date Month Day Year 09/24/02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS

78040 lb GR

Gross 01:57 PM 09/19/02
00 ID. NO.
78020 lb GR
40760 lb TR KEYED
Tare 37260 lb NT

1863 Ton

Net

Date	Truck No.
9-19-02	Tufts 3

Consignee Pw 30023

Mar # 8895862

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309 — Manifest Document No. 100722

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: [illegible]
6. US EPA ID Number: [illegible]

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI 8895865
B. State Generator's ID: BOULD ISLAND
C. State Transporter's ID: 429125 MC
D. Transporter's Phone: 207 455 9149
E. State Transporter's ID: [illegible]
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone: 800-592-5499

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	~~16,363~~	K	PCB1
b.		☐			~~10,094~~ 10527		
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (OIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30023
STORAGE START DATE: 9-15-07
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes: a. b. c. d.

Out of Service 9/19/12

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; ECI 800-839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: [signature] — Date (Month Day Year): 09 19 12

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date (Month Day Year): 09 19 12

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Morath — Signature: [signature] — Date (Month Day Year): 09 19 12

FACILITY
19. Discrepancy Indication Space
OK IS CHANGE PAR Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Bryan Scouten — Signature: [signature] — Date (Month Day Year): 09 20 12

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

88780 lb GR

Gross 01:59 PM 09/19/02
00 ID. NO.
88780 lb GR
44580 lb TR KEYED

Tare 44200 lb NT

Net

Date	Truck No.
9/19/02	4

Consignee Per 30023

8695665

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110276 Manifest: MI8895863

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended. 48460
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

975

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0025
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895863
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Wheelabrator Environmental Services
6. US EPA ID Number MID000505195
C. State Transporter's ID A290 125 ME
D. Transporter's Phone 207 878 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16365	K	PCB1
b.	☐				16015 13804		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVED TRANSPORT [illegible]
UNITED CONTAINER [illegible]
IN STATE CODE FOR PCB [illegible]
[illegible] 9/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860565-1111; EQ: 800039-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARC LAVOIE Signature: [signature] Date: Month Day Year 09 19 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Timothy Sawyer Signature: [signature] Date: Month Day Year 09 19 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Donald Thrall Signature: [signature] Date: Month Day Year 09 19 02

FACILITY

19. Discrepancy Indication Space
OK TO CHANGE PER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: ROSA SCHULTZ Signature: [signature] Date: Month Day Year 09 01 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross 08:26 AM 09/19/02
09:[illegible] 09/19/02 79802 Gross
44580 lb GR

Tare 35240 NET

17.62

Net

Date	Truck No.
9/19/02	4

Consignee TCRU 9536

MT 8895863

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110273 Manifest: MI8895864

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

51953

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

294

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00224
2. Page 1 of 2 — Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NIM)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895864
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Allied Technical Services
6. US EPA ID Number MDI000050595
C. State Transporter's ID [illegible]
D. Transporter's Phone 202 638 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD[illegible]
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address WAYNE DISPOSAL INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16593 K		PCB1
b.	☐				15591		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible]
[illegible] WHAT DATE [illegible]
LINGLE CONTAINER [illegible]
RI STATE CODE FOR PCB [illegible]

K. Handling Codes a. b. c. d.

out of service 9/19/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee LAVOIE — Signature: [signature] — Date: Month 09 Day 19 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month 09 Day 19 Year 02

19. Discrepancy Indication Space
FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
FACILITY — Printed/Typed Name: BRYAN SCHMITZ — Signature: [signature] — Date: Month 09 Day 01 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [illegible] — DO NOT COPY

NOT VALID UNLESS IMPRINTED

75060 Lb GR

Gross 09:32 AM 09/19/02 ~~75720 Lb GR~~

Tare 09:32 AM 09/19/02 ~~40760 Lb GR~~ TARE

Net 34,300 NET

Date	Truck No.
7/19/02	

Consignee TREM 9536

MTE 8835864

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110284 Manifest: MI8895867

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest No. 00225
2. Page 1 of 3 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

MI 8895867
B. State Generator's ID RHODE ISLAND
C. State Transporter's ID 56691 MA
D. Transporter's Phone 617 338 9449
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-6488

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MCD000505 95
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD139020834
9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49200 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16563	K	PCB1
b.	☐				16563 21577		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL # [illegible] RAILCAR #: TTGX 2536
STORAGE EXPIRY DATE: 9/18/02
UNION CONTAINER ICC [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
K. Handling Codes a b c d

out of service 9/20/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 800-555-1111; EQ: 800-839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LANDIE Signature: Renee Landie Date: Month 09 Day 20 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 09 Day 20 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shorah Signature: [illegible] Date: Month 09 Day 20 Year 02

FACILITY

19. Discrepancy Indication Space
BK 13 CHANGE PTR2 Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN J SCHULTZ Signature: [illegible] Date: Month 10 Day 10 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT CENTER AT 1-800-292-4706 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross

12:53 PM 09/20/02
DO ID. NO.
71620 lb GR
35300 lb TR KEYED
36320 lb NT

Tare

Net

Date	Truck No.
9/20/02	R5

Consignee MI 1895867
TRR 9536

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110294 Manifest: MI8895868

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under subpart of Part 173 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.16146 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00240
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895868
B. State Generator's ID [redacted]

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MID000050595
C. State Transporter's ID A36763 MI
D. Transporter's Phone 517 438 9149

7. Transporter 2 Company Name [redacted] WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM ☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16365	R	PCB1
b. ☐				12564	K	
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible]
SHIPMENT START DATE: 7-7-02
LICENSE CONTAINER #: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 860/555-1111; EC: 800/839-3875
ERG #171

end of service 9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaNoie Signature: [signature] Date: Month 09 Day 2 Year 002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Zino Signature: Greg Zino Date: Month 09 Day 20 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shuff Signature: [signature] Date: Month Day Year 072002

FACILITY

19. Discrepancy Indication Space
OK 12 CHANGE PER Mark Milly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRIAN SCHULTZ Signature: [signature] Date: Month 10 Day 01 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

Gross

Carth

Tare 200409

12:37 PM 09/20/02
00 ID. NO.
91860 lb GR
40600 lb TR KEYED
51260 lb NT

Net

Date	Truck No.
9-20-02	401

Consignee

BL 85755868

~~Trans 8536~~

PW 30030

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110277 Manifest: MI8895994

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
48460
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

975

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI 000021309
Manifest Document No. 00227
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]NEWPORT (ENV DEPT NM)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone [redacted] 401 841-1791

A. State Manifest Document Number: MI 8895994
B. State Generator's ID: [redacted]

5. Transporter 1 Company Name: American Environmental Services
6. US EPA ID Number: MEC000 [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 207 438 9149

7. T[redacted] PROVIDENCE & WORCESTER RAILROAD
8. US [redacted]AD[redacted]0834
E. State Transporter's ID: [redacted]
F. Transporter's Phone:

9. Designated Fac[redacted] INC., SITE #2 LANDFILL
46350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID: [redacted]
H. Facility's Phone: [redacted]

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.	☐				12,504		
c.	☐				16,327		
d.	☐						

[redacted]

14. Additional Descriptions for Materials Listed Above
[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; E.C. 800/839-3373 9/17/02
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOB A. PALAYA — Signature: [signature] — Date: Month Day Year 09 12 02

TRANSPORTER — 17. Transporter 1 Acknowledgment of Receipt of Materials — Printed/Typed Name: Thomas A. Kelly — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials — Printed/Typed Name: Gregory Ouimette — Signature: [signature] — Date: Month Day Year

FACILITY — 19. Discrepancy Indication Space
OK TO CHANGE PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRIAN SCHULTZ — Signature: [signature] — Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/94) 130[illegible]

NOT VALID UNLESS IMPRINTED

76420 lb GR

Gross

12:28 PM 09/20/02
00 ID: NO.
76440 lb GR
40740 lb TR KEYED
35700 lb NT

Tare

Net

Date: 9-20-02

Truck No.: Tufts #5

Consignee: Man # 8595994

TKFN 9536

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110288 Manifest: MI8895995

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. S3453

Failure to do so may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

975

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021389 Manifest Document No. 00228
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895995
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Atlantic Tech Environmental Services
6. US EPA ID Number MAD000505955
C. State Transporter's ID [illegible]
D. Transporter's Phone 203 [illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD039020634
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-6488

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,173~~ 30	K	PCB1
b.	☐				16,173		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[illegible]
UNIQUE DOCUMENT [illegible]
RI STATE CODE FOR PCB [illegible]
9/23/02

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: John A. Palazzo Signature: [signature] Date: Month 09 Day 23 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Immo Signature: [signature] Date: Month 09 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaculo Signature: Gregory Dimaculo Date: Month 09 Day 23 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Kelly Clay Signature: [signature] Date: Month 10 Day 10 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

765000 lb GR

Gross Cmft GT2-07

12:02 PM 09/23/02
00 ID. NO.
76400 lb GR
40600 lb TR KEYED
35800 lb NT

Tare

Net

Date	Truck No.
9-23-02	401

Consignee THEN 9530
BL 8895995
MI 8895995

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110260 Manifest: MI8895992

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Act 451, 1994, as amended, Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 002229
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]
[redacted] ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791)

A. State Manifest Document Number MI 8895992
B. State Generator's ID [redacted]

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MID000080595
C. State Transporter's ID 25125 ME
D. Transporter's Phone 207 438 9149

7. [redacted] PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	[redacted], POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16205	K	PCB1
b.	☐				18409	K	
c.	☐				12602	K	
d.	☐						

[redacted]
out of service 9/20/02

J. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY CONTACT: [redacted] P.D. 800/645-1111; EQ: 800/638-3675
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JUTS A. PALAYA — Signature: [signature] — Date: Month Day Year 09 20 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Tim Sarville — Signature: [signature] — Date: Month Day Year 09 20 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Sherrill — Signature: [signature] — Date: Month Day Year 09 20 02

19. Discrepancy Indication Space
FACILITY — ok to change 13 to [illegible] Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month Day Year 09 20 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

DEQ Form 5000-2 (Rev. May 1994) TSDF COPY

NOT VALID UNLESS IMPRINTED

85030 lb GR

Gross

07:48 AM 09/20/02
00 ID. NO.
85020 lb GR
44520 lb TR KEYED
40500 lb NT

Tare

Net

Date	Truck No.
9/20/02	3

Consignee PW 30035

8895992

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110275 Manifest: MI8895991

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

51953
294

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00230
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895991
B. State Generator's ID ROUND ISLAND

5. Transporter 1 Company Name Allied Tech Environmental Service
6. US EPA ID Number MI21000050595
C. State Transporter's ID 56691 MA
D. Transporter's Phone 207 438 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16305	K	PCB1
b.	☐				15580		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[illegible] MANIFEST # Lw 30035
[illegible]
out of service 9/20/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860565-1111; EQ: 800633-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: [signature] Date: Month 09 Day 20 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 09 Day 20 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Marcel Shrall Signature: [signature] Date: Month 09 Day 20 Year 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Brian Schultz Signature: [signature] Date: Month 09 Day 21 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-1660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

Gross

Tare

08:29 AM 09/20/02
00 ID. NO.
69290 lb GR
35000 lb TR KEYED
34290 lb NT

Net

Date	Truck No.
9/20/02	R5

Consignee PW 30035
MI 8825991

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110265 Manifest: MI8895990

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 of NRCL.

Form Approved. OMB No. 2050-0039

Please print or type

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No. 00731
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone 401 841-1791

A. State Manifest Document Number MI 8895990
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone 401 738 9149
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name Allied Environmental Services
6. US EPA ID Number MMD000505595
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD000000834

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b. ☐				16918		
c. ☐				8493		
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible]
[illegible]
IN STATE CODE FOR [illegible]
out of service 9/22/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 800/835-1111; EC: 800/633-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA
Signature: Job A. Palaya
Date: Month 09 Day 20 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Simmo
Signature: Greg Simmo
Date: Month 09 Day 20 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Sewell
Signature: Derek Sewell
Date: Month 09 Day 20 Year 02

19. Discrepancy Indication Space
CHANGE 13 PER Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Cha
Signature: [illegible]
Date: Month 09 Day 20 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

77820 lb GR

Gross Cant 200566

07:55 AM 09/20/02
00 ID. NO.
77820 lb GR
40600 lb TR KEYED
37220 lb NT

Tare

Net

Date	Truck No.
9-20-02	401

Consignee PW 30035
BL 5895990

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110266 Manifest: MI8895993

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Print or type. Form Approved. OMB No. 2050-0039

925

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000021309
Manifest Document No.: 00232
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895993
B. State Generator's ID: [illegible]

5. Transporter 1 Company Name: Allied Tech Environmental Service
6. US EPA ID Number: MDT000650595
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 517-373-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: [illegible]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16 ~~16~~	K	PCBI
b.	☐			18500		
c.	☐			8494		
d.	☐					

J. Additional Descriptions for Materials Listed Above
[illegible] out of service 9/20/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEAV P.O. 800/666-1111; EQ: 800/639-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOS A. PALAYA — Signature: [signature] — Date: Month 1 Day 6 Year 2

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Thomas A Kelley — Signature: [signature] — Date: Month 1 Day 6 Year 2

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Shrodt — Signature: [signature] — Date: Month 09 Day 06 Year 2

19. Discrepancy Indication Space
FACILITY — CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark — Signature: [signature] — Date: Month 09 Day 01 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible]) TEAR COPY

NOT VALID UNLESS IMPRINTED

81440 lb GR

Gross

07:53 AM 09/20/02
00 ID. NO.
81440 lb GR
40740 lb TR KEYED

Tare

40700 lb NT

Net

Date 9-20

Truck No. Tufts # 3

Consignee M # 8895993

Pac 300 3 s

8895993

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110298 Manifest: MI8895988

Required labels authority of Part 111 and Part 121 of Act 451 of 1994, as amended.

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00234
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895988
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Amerilech Environmental Service
6. US EPA ID Number MEL000050596
C. State Transporter's ID [redacted]
D. Transporter's Phone 517 439-9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5488

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	40363	K	PCB1
b.	☐			1369		
c.	☐			22591		
d.	☐					

J. Additional Descriptions for Materials Listed Above [redacted] out of service 9/23/02
K. Handling Codes for Wastes Listed Above a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: JOB A. PALAYA
Signature: Job A. Palaya
Date: Month 09 Day 23 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT STINSON
Signature: Robert Stinson
Date: Month 09 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shaw
Signature: [illegible]
Date: Month 09 Day 23 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13A per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: AnnaMarie Fallon
Signature: AnnaMarie Fallon
Date: Month 10 Day 02 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

USDOT COPY

NOT VALID UNLESS IMPRINTED

44600 lb GR

Gross 12:31 PM 09/23/02
31220 lb GR

75820

Tare 44880

Net 29940

Date	Truck No.
9/23/02	409

Consignee MI 889 5988

PW 30030

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110290 Manifest: MI8895989

DEQ WASTE MANAGEMENT DIVISION, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

S3453

Failure to do so may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12138 MCL

925

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00235
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NDM)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895989
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Allwaste Environmental Service
6. US EPA ID Number MI 10000505 95
C. State Transporter's ID [illegible]
D. Transporter's Phone 207 938 9999

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000920634
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	11. US DOT Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, NA2315, PGIII	001	DT	16363	K	PCB1
					17050		
b.	☐						
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL: [illegible] Date 9-23-02
[illegible] Date of Service 9/23/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/635-1111; EC: 800/424-9300
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: JOB A. PALAYA
Signature: [signature]
Date: Month Day Year 09 23 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas Kill
Signature: [signature]
Date: Month Day Year 09 23 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Thrall
Signature: [signature]
Date: Month Day Year 09 23 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clare
Signature: [signature]
Date: Month Day Year 11 04 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

78260 lb GR

Gross

12:39 PM 09/23/02
00 ID. NO.
78260 lb GR
40740 lb TR KEYED
37520 lb NT

Tare

Net

Date	Truck No.
9-23-02	Tufts #3

Consignee Mar # 8895989

TCKT 9530

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110297 Manifest: MI8895987

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. ILR000021309 Manifest Tracking No. 190236
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895987
B. State Generator's ID: [illegible]

5. Transporter 1 Company Name: Amritech Environmental Services
6. US EPA ID Number: MID000505095
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 231 938 9799

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-2808

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	BCB1
b.	☐				18,000		
c.	☐				22591		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS: [illegible] MANIFEST # 190230
STORAGE START DATE: 9/19/02
UNIQUE CONTAINER ID: [illegible]
IN STATE CODE FOR PCB MATERIAL: [illegible]
out of service 9/23/02

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111; EQ: 800/839-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: Job A. Palaya Date: Month 09 Day 23 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month 09 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarale Signature: Gregory Dimarale Date: Month 09 Day 23 Year 02

FACILITY

19. Discrepancy Indication Space
amend 13a per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Anne Marie Fallon Signature: Anne Marie Fallon Date: Month 09 Day 24 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

Gross

Tare

12:21 PM 09/23/02
00 ID. NO.
75060 lb GR
35000 lb TR KEYED
40060 lb NT

Net

Date	Truck No.
9/23/02	R5

Consignee RI 589585

PW 30030

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110295 Manifest: MI8895986

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
52533
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039 975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00237
2. Page 1 of 3 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL UNDERSEA WARFARE CENTER NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895986
B. State Generator's ID: [illegible]

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MLD000725656
C. State Transporter's ID
D. Transporter's Phone: 607 435 9449

7. Transporter 2 Company Name: TRANSMERIDIAN & WORCESTER RAILROAD
8. US EPA ID Number: US MAD056620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone: 800-592-5488

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46263 GS	K	PCB1
b. ☐				15621		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above: [illegible] STORAGE START DATE: [illegible] UNIQUE COMPANY ID: [illegible] RI STATE CODE FOR [illegible]
K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24 HOUR EMERGENCY CONTACT: P&W F.D. 860655-1111; EQ: 800/828-3875
ERG #171

out of service 9/23/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYO Signature: [signature] Date: Month 09 Day 23 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stowell Signature: [signature] Date: Month Day Year

19. Discrepancy Indication Space
01 13 GMAX2 PBR MARK RILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ Signature: [signature] Date: Month 09 Day 10 Year 02

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

69520 lb GR

Gross

07:58 AM 09/23/02
90 IN. NO.
69520 lb GR
40740 lb TR KEYED

Tare

28780 lb NT

Net

Date	Truck No.
9-23-02	Tufts #3

Consignee Mon# 8895986

PL 30930

MI 8895986

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110285 Manifest: MI8895985

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

78370

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 000258
2. Page 1 of 32
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NON)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8895985
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Ambitech Environmental Service
6. US EPA ID Number MID000505595
C. State Transporter's ID
D. Transporter's Phone 207 938 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number NRD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16365	K	PCB1
b.	☐				~~16365~~ 21577		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
[illegible] 2534
J. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EC: 800-839-3575
ERG #171
9/23/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: JOB A. PALAYO
Signature: [signature]
Date: Month 09 Day 23 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

TRANSPORTER

Printed/Typed Name: GREG JIMMO
Signature: [signature]
Date: Month 09 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: DAVID STEWART
Signature: [signature]
Date: Month 09 Day 23 Year 02

19. Discrepancy Indication Space
OK B CHANGE PER MARK REILLY

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BRYAN SCHULTZ
Signature: [signature]
Date: Month 09 Day 01 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

76360 lb GR

Gross Cart 200465

08:04 AM 09/23/02
00 ID. NO.
76360 lb GR
40600 lb TR KEYED
35760 lb NT

Tare

Net

Date	Truck No.
9-23-02	401

Consignee Tran 9536
BL 88935985

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110289 Manifest: MI8895984

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
53453
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.
975

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00234
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NEWPORT (ENV DEPT NBN) ONE SIMON PETRI DRIVE NEWPORT, RI 02841
4. Generator's Phone (401 841-1791)

A. State Manifest Document Number: MI 8895984
B. State Generator's ID: [redacted]

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MEL000060595
7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD055921834

C. State Transporter's ID: [redacted]
D. Transporter's Phone: 207 438 9[redacted]
E. State Transporter's ID: [redacted]
F. Transporter's Phone:

9. Designated Facility Name and Site Address: WASTE MANAGEMENT OF MICHIGAN, INC., SITE #2 LANDFILL, 46300 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633

G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16500	K	PCB1
b.	☐				21882		
c.	☐				11020		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVED [redacted]
[redacted]
end of course
9/23/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/535-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Joe A. Palay Signature: Joe A Palay Date: Month 09 Day 23 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 09 Day 23 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stowell Signature: [illegible] Date: Month 09 Day 23 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark Signature: [illegible] Date: Month 10 Day 01 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22, Rev. 9/88 TRUCK COPY

NOT VALID UNLESS IMPRINTED

55360 lb GR

Gross 08:02 AM 09/23/02
37660 lb GR

93020 lbs.

Tare 44880

Net 48,140 lbs.

Date	Truck No.
9/23/02	403

Consignee TMW 9530
8895984

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110302 Manifest: MI8895938

DEQ WASTE MANAGEMENT DIVISION, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 NRE Part 121 of Act 451, 1994, as amended.

975

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

76530

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI080021309
Manifest Document No. 00240
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895938
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Allegheny Transportation
6. US EPA ID Number MA [illegible]
C. State Transporter's ID [illegible]
D. Transporter's Phone [illegible] 9149
7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD069020834
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	4509	K	PCB1
b.	☐				4509 20 763		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] 30032
EMERGENCY RESPONSE PHONE [illegible]
TRANSPORT REF. [illegible]
UNIQUE MANIFEST NO. [illegible]
IN STATE CODE FOR PCB DISPOSAL [illegible]

K. Handling Codes
a.
b.
c.
d.

out of service 9/24/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: [signature]
Date: Month Day Year 09 24 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLETY
Signature: [signature]
Date: Month Day Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Sherrill
Signature: [signature]
Date: Month Day Year [illegible]

FACILITY

19. Discrepancy Indication Space
QL to change 13 up [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible])

NOT VALID UNLESS IMPRINTED

43020 lb GR

Gross 02:07 PM 09/24/02
34140 lb GR

Tare 77460 Gross
44880 Tare

Net 32580 Net

Date	Truck No.
9/24/02	403

Consignee PU 30030

889938

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110303 Manifest: MI8895940

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ: ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to fill may subject you to criminal and/or civil penalties under Sections 324.11151(6), 324.12115(4).

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI000021309
Manifest Document No. 100211
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NEN)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895940
B. State Generator's ID [illegible]

5. Transporter 1 Company Name American Environmental Service
6. US EPA ID Number MID000650595
C. State Transporter's ID 4262763 MI
D. Transporter's Phone 287 435 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD000620634
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
46300 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☐	001	DT	14363	K	PCB1
b.		☐		DT	14136	K	
c.		☐		DT	20763		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible]
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID: [illegible]
RI STATE CODE FOR POLYCHLORINATED BIPHENYL [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/639-3875
ERG #171
part of service 9/24/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 09 Day 24 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

TRANSPORTER

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

19. Discrepancy Indication Space
QL to change 13 copies
Mark Reilly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

71700 lb GR

Gross Car# 200342

02:06 PM 09/24/02
001 ID. NO.
71700 lb GR
40900 lb TR KEYED
Tare 31100 lb NT

Net

Date	Truck No.
9-24-02	401

Consignee PW 30030
DL 8895940

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110296 Manifest: MI8895939

[redacted]EMENT DIVISION
[redacted] DEPARTMENT OF
[redacted]MENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

52533

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

925

Form Approved. OMB No. 2050-0039

[redacted]M HAZARDOUS [redacted] WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00342
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NRM)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone (

A. State Manifest Document Number MI 8895939
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Apple Tech Environmental Service
6. US EPA ID Number MID020505595
C. State Transporter's ID
D. Transporter's Phone

7. PROVIDENCE & WORCESTER RAILROAD
8. US [redacted]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49300 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	45 ~~4273~~	K	PCB1
b. ☐				15218		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL: [redacted] Manifest of Service

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W T.D. 800[redacted]-1111; EQ: 800[redacted]-3975
ERG #171

9/24/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 09 Day 24 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

TRANSPORTER

Printed/Typed Name: Thomas Affitry
Signature
Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: Derek Thrall
Signature
Date: Month 09 Day 24 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: RYAN SCHULTZ
Signature
Date: Month 10 Day 11 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [redacted] (Rev. [redacted])

TSDF COPY

NOT VALID UNLESS IMPRINTED

74340 lb GR

Gross 01:12 PM 09/24/02
00 ID: HO-
74220 lb GR
40740 lb TR KEYED

Tare 33480 lb NT

Net

Date	Truck No.
9-24-02	Tufts #3

Consignee Mar# 8895939

TKEN 9530

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110292 Manifest: MI8895999

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00295
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895999
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Apollo Environmental Service
6. US EPA ID Number: MCI000050545
C. State Transporter's ID: A29012 5 MI
D. Transporter's Phone: 509 438 5149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #4 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	[illegible]	K	PCB1
b.	☐				~~[illegible]~~ 20731		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL: [illegible]
end of service 9/24/02

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date: Month 09 Day 24 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY
Signature: Robert A Sillsby
Date: Month 09 Day 24 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stroll
Signature: [illegible]
Date: Month 09 Day 24 Year 02

FACILITY

19. Discrepancy Indication Space
OK BOMBER DRL [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BRYAN SCHULTZ
Signature: [illegible]
Date: Month 09 Day 24 Year 02

EPA Form 8700-22 (Rev. 9-88)

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

10500 lb GR

Gross 07:56 AM 09/24/02
66920 lb GR

77320 Gross

Tare 44880 Tare

32440 NET

Net

Date	Truck No.
9/24/02	403

Consignee TRUN 3530

869 5999

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110309 Manifest: MI8895998

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
975
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.
52286
Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI000021309 Manifest Document No. 00044
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NNI)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895998
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amtech Environmental Service
6. US EPA ID Number MID000850055
C. State Transporter's ID 459355745
D. Transporter's Phone 8074359449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD069020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16385	K	PCB1
b.				17527		
c.				19918		
d.						

J. Additional Descriptions for Materials

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 800/565-1111; EQ: 800/839-3975
ENG #171

Part of Shipment
9/24/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Peter Lavoie Signature Date Month Day Year 09 24 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Thomas A Kelley Signature Date Month Day Year 9 24 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Thrall Signature Date Month Day Year 9 24 02

FACILITY

19. Discrepancy Indication Space
ok to change 13A per Mark Kelley

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year 10 02 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

79320 lb GR

Gross

07:51 AM 09/24/02
00 ID. NO.
79300 lb GR
40740 lb TR KEYED

Tare

38560 lb NT

Net

Date 9-24-02

Truck No. Tufts #3

Consignee Man # 8895998

Tuan 5549

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110293 Manifest: MI8895997

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00245
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895997
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Apex Environmental Service
6. US EPA ID Number MED000050585
C. State Transporter's ID 13786345
D. Transporter's Phone 207 438 9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000000834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol.	J. Waste No.
a.	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16305	K	PCB1
b.		☐			13822 20731		
c.		☐					
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible] PAGAN # [illegible]
[illegible] 49 STATE CODE FOR PCB MATERIAL: [illegible]
out of service 9/24/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/530-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie Signature: [signature] Date: Month Day Year 09 24 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Jimmo Signature: Greg Jimmo Date: Month Day Year 09 24 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Shuall Signature: [signature] Date: Month Day Year 09 24 02

FACILITY

19. Discrepancy Indication Space
OK BY PAUL HEILIG

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] SCHULTZ Signature: [signature] Date: Month Day Year 10 01 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

NOT VALID UNLESS IMPRINTED

71160 lb GR

Gross

Car# 200530

07:53 AM 09/24/02
00 ID. NO.
71140 lb GR
40600 lb TR KEYED
30540 lb NT

Tare

Net

Date	Truck No.
9-24-02	401

Consignee

Tkt # 9530

BL 8895997

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110308 Manifest: MI8895996

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
975
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.
52786

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No. 00446
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895996
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone 800 435 9149
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name Amerisafe Environmental Service
6. US EPA ID Number MEN000005495
7. PROVIDENCE & WORCESTER RAILROAD
8. US MAD980620634

9. Designated Facility Name and Site Address WASTE MANAGEMENT, SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	11. US DOT Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	001	DT	4,[illegible]	K	PCB1
b.	☐				1,229		
c.	☐				4442		
d.	☐						

J. Additional Descriptions for Materials Listed Above
[illegible]
EMERGENCY CONTACT [illegible]
UNIFORM COMPONENT NO. [illegible]
RI STATE CODE FOR PCB TRANSPORT [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.D. 800-565-1111; ICC: 800-535-5053
ERG #171
out of service 9/25/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie Signature: Renee LaVoie Date: Month Day Year 10 2 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas A. [illegible] Signature: [illegible] Date: Month Day Year 10 2 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shaw Signature: [illegible] Date: Month Day Year 10 2 02

FACILITY

19. Discrepancy Indication Space
OK to dump 13 pc Mark Rilley

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lori Berg Signature: [illegible] Date: Month Day Year 10 9 02

DEQ Form [illegible] (Rev. [illegible])

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

80260 lb GR

Gross 07:59 AM 09/25/02
003 10: MO.
80340 lb GR
40740 lb TR KEYED

Tare 40100 lb NT

Net

Date	Truck No.
9-25-02	Tufts #3

Consignee Man# 8895996

Tier 9549

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110310 Manifest: MI8895974

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. 975
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL 5228

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0054
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895974
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Allwaste Environmental Services
6. US EPA ID Number MIL010050549
C. State Transporter's ID 476263 MI
D. Transporter's Phone 207 435 949

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD064020834
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID [redacted]
H. Facility's Phone 800-592-5489

HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☐	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16315~~ 14900	K	PCB1
b. ☐						
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [redacted] (SOIL & DEBRIS WITH PCB >50PPM) RAILCAR #: TCBU 2545
STORAGE START DATE: 9-25-02
UNIQUE CONTAINER ID# [redacted]
RI STATE CODE FOR PCB MATERIAL: [redacted]

K. Handling Codes
a
b
c
d

out of service 9/25/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Landie
Signature:
Date: Month 09 Day 25 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month 09 Day 25 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name:
Signature:
Date: Month 10 Day 02 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

73400 lb GR

Gross

08:01 AM 09/25/02
00 ID. NO.
73380 lb GR
40600 lb TR KEYED
32780 lb NT

Can #
200352

Tare

Net

Date	Truck No.
9-25-02	401

Consignee

B/L 88995974

Turn 9549

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110312 Manifest: MI8896000

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0510
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT MBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8896000
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Ambitech Environmental Service
6. US EPA ID Number: MLD000050555
C. State Transporter's ID [illegible]
D. Transporter's Phone [illegible] 9149

7. TRANSPORTER: WORCESTER RAILROAD
8. US EPA ID Number: USMAD000020834
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address: [illegible], INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID049090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	[illegible]	K	PCB1
b.		☐			~~12636~~ 9309		
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
[illegible]
K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800-565-1111; EC: 800-839-3973
ERG #171

out of service 9/25/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee LaVoie — Signature: Renee LaVoie — Date: Month 09 Day 25 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: ROBERT SULLSPY — Signature: Robert A. [illegible] — Date: Month 09 Day 25 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: [illegible] — Signature: [illegible] — Date: Month [illegible] Day [illegible] Year [illegible]

19. Discrepancy Indication Space
DUE TO CHANGE PRE [illegible] Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
FACILITY — Printed/Typed Name: BRIAN SCHULTZ — Signature: [illegible] — Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible])

NOT VALID UNLESS IMPRINTED

44180 lb GR

Gross 08:04 AM 09/25/02
31140 lb GR

75,320

Tare 44,880

30,440

Net

Date	Truck No.
9/25/02	403

Consignee TREW 2548

2896000

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110316 Manifest: MI8892983

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

975

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 100044
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8895983
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Rollins Environmental Service
6. US EPA ID Number MID000505595
C. State Transporter's ID A256135-6
D. Transporter's Phone 207 436 9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND059000834
E. State Transporter's ID
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	46503	K	PCB1
b.		☐			46009 19,424 K		
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
[illegible]
IN BOXES CODE FOR PCB MATERIAL [illegible]
end of service 9/25/02

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/638-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: WAYNE LANDIE — Signature: [signature] — Date: Month 09 Day 25 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: ROBERT STILSTEY — Signature: [signature] — Date: Month 09 Day 25 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Shaw — Signature: [signature] — Date: Month 09 Day 25 Year 02

19. Discrepancy Indication Space
FACILITY — ok to change 13a [illegible] Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible]) TRIF COPY

NOT VALID UNLESS IMPRINTED

46820 lb GR

Gross 12:41 PM 09/25/02
33200 lb GR
80,100

Tare 44880

Net 35,220

Date	Truck No.
9/25/02	403

Consignee TEEW 8527
889583

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110314 Manifest: MI8895942

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00010
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NEWPORT (ENV DEPT NIN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-4791)

A. State Manifest Document Number: MI 8895942
B. State Generator's ID: [illegible]

5. Transporter 1 Company Name: American Environmental Services
6. US EPA ID Number: MOD000505 95
C. State Transporter's ID: [illegible]
D. Transporter's Phone: [illegible] 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD[illegible]0834
E. State Transporter's ID: [illegible]
F. Transporter's Phone:

9. Designated Facility Name and Site Address: [illegible] INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5480

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16383	K	PCB1
b.		☐			16383 R 9309		
c.		☐					
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) [illegible]
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID: [illegible]
RI STATE CODE FOR PCB DISPOSAL: [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/505-1111; EQ: 800/639-3875
ERG #171

out of service 9/25/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: [illegible] LYNOE
Signature: [illegible]
Date: Month 09 Day 25 Year 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month 09 Day 25 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Shaw
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year 02

FACILITY
19. Discrepancy Indication Space
OK 13 CHARGE PER MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: BRIAN SCHULTZ
Signature: [illegible]
Date: Month 10 Day 09 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88)

NOT VALID UNLESS IMPRINTED

75660 lb GR

Gross

Con#
274354

12:27 PM 09/25/02
00 ID. NO.
75540 lb GR
40600 lb TR KEYED
Tare
36040 lb NT

Net

Date	Truck No.
9-25-02	401

Consignee TKSP 9545

BL 8595942

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110313 Manifest: MI8895941

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0001
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895941
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: American Environmental Service
6. US EPA ID Number: MEL000050595
C. State Transporter's ID [illegible]
D. Transporter's Phone: 207 938 6479

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD039820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-6488

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16367	K	PCB1
b.	☐				~~4237~~ 9309		
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS: DESCRIPTION: [illegible] STORAGE SUPPLY LOCATION: [illegible] LANDFILL CONTAINER [illegible] RI STATE CODE FOR PCB [illegible]
K. Handling Codes a. b. c. d.
out of service 9/25/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/406-1111; EQ: 800/639-3073
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee LaVoie
Signature: [signature]
Date: Month Day Year 09 25 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year 09 25 02

TRANSPORTER

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year 09 25 02

19. Discrepancy Indication Space
OK 13 CONTR. PRE [illegible] Mark Reilly

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: RYAN SCHULTZ
Signature: [signature]
Date: Month Day Year 09 25 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) [illegible]

NOT VALID UNLESS IMPRINTED

76460 lb GR

Gross

12:16 PM 09/25/02
00 ID: NO.
76480 lb GR
40740 lb TR KEYED
35720 lb NT

Tare

Net

Date	Truck No.
9-25-02	Lifts #3

Consignee Man # 8895941

Tran # 8549
8895941

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110320 Manifest: MI8895937

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12715 MCL

Please print or type*

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00252
2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895937
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Ambient Environmental Service
6. US EPA ID Number MID000505495
C. State Transporter's ID [illegible]
D. Transporter's Phone 207 438 9199

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD069020834
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	46365	K	PCB1
b.	☐				18455		
c.	☐				14590		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible]
IN STATE CODE FOR PCB [illegible]
[illegible] of Service 9/20/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Jos A. Palaya Signature [illegible] Date Month Day Year 09 26 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name ROBERT SILLSBY Signature [illegible] Date Month Day Year 09 26 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year 09 26 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name Kelly Clark Signature [illegible] Date Month Day Year 10 03 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88)

NOT VALID UNLESS IMPRINTED

48340 lb GR

Gross 01:14 PM 09/26/02 37580 lb GR

85920

Tare 44880

41040 lbs

Net

Date	Truck No.
9/26/02	403

Consignee TERL 5527

~~[illegible]~~

8895537

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110319 Manifest: MI8895933

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 001252
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8895933
B. State Generator's ID SOLID ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number
C. State Transporter's ID
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059820834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 339 RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16353	K	PCB1
b.				15309		
c.						
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEAN F.D. [redacted]-1111; EQ: [redacted]
[redacted] 9/26/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. ALAYO Signature: Job A. Alayo Date: Month Day Year 09 26 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Signature: Greg Date: Month Day Year 09 26 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Signature: Date: Month Day Year

19. Discrepancy Indication Space
092603

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Kelly Clark Signature: Date: Month Day Year 11 00 3 52

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

TSD[illegible]

NOT VALID UNLESS IMPRINTED

74280 lb GR

Gross Cant 274187

01:16 PM 09/26/02
00 ID. NO.
74280 lb GR
40600 lb TR KEYED
33680 lb NT

Tare

Net

Date	Truck No.
9-26-02	401

Consignee

TKGN 5527

BL# 8895933

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110322 Manifest: MI8895932

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to identify subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12316 MCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00254
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895932
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Allied Environmental Services
6. US EPA ID Number MID000050595
C. State Transporter's ID
D. Transporter's Phone

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.				14055		
c.						
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. [redacted]; EQ: [redacted]
ERG #171

Bill of Service
9/26/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Jos A. Palaya
Signature: Jos A. Palaya
Date: Month Day Year 09 26 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas A Mellen
Signature: [signature]
Date: Month Day Year 09 26 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Ashell
Signature: [signature]
Date: Month Day Year 09 26 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Kelly Clark
Signature: [signature]
Date: Month Day Year 10 02 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 IN HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) [redacted]

NOT VALID UNLESS IMPRINTED

71680 lb GR

Gross 12:19 PM 09/26/02
00 ID. NO.
71680 lb GR
40740 lb TR KEYED

Tare 30940 lb NT

Net

Date 9-26-02

Truck No. Tufts #3

Consignee Man #8895932

Tran 9527

Weigher 8895932

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110371 Manifest: MI8895934

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11115 or 324.12116 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00255
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT N6N)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone 401 841-1791

A. State Manifest Document Number MI 8895934
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name [illegible]
6. US EPA ID Number [illegible]
C. State Transporter's ID [illegible]
D. Transporter's Phone [illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address [illegible], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16563	K	PCB1
b.	☐			19973		
c.	☐					
d.	☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # [illegible]
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of service 9/26/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111, EQ 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYA Signature [illegible] Date Month Day Year 09 26 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name ROBERT SILLSBY Signature [illegible] Date Month Day Year 09 26 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year 09 26 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clark Signature [illegible] Date Month Day Year 10 08 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

52020 lb GR

Gross 08:00 AM 09/25/02
36000 lb GR

88 020

Tare 44 080

43,940

Net

Date 9/24/02

Truck No. 403

Consignee TKEH 95535

8895934

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110315 Manifest: MI8895935

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021399
Manifest Document No. 00256
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791)

A. State Manifest Document Number MI 8895935
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
6. US EPA ID Number MPL000050555
C. State Transporter's ID
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059920834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.	☐				1582		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible]
STORAGE START DATE [illegible]
UNION CONTAINER [illegible]
RI STATE CODE FOR PCB MATERIAL [illegible]

Waste Codes: a. b. c. d.

out of service 9/26/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYA Signature [signature] Date Month Day Year 09/26/02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 09 24 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 10 02

TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

79420 lb GR

Gross

07:57 AM 09/26/02
00 ID. NO.
79420 lb GR
40740 lb TR KEYED

Tare

39680 lb NT

Net

Date	Truck No.
9-26-02	Tufts #3

Consignee Mew # 8895935

Trk # 9527

8895935

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014338 Receipt ID: 1110317 Manifest: MI8895936

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal/civil penalties under Sections 324.11151 or 324.12118 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 08257
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number MI 8895936

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

B. State Generator's ID

4. Generator's Phone ( )

5. Transporter 1 Company Name Hydrochem Industrial Services
6. US EPA ID Number MAD000052595
C. State Transporter's ID
D. Transporter's Phone 734 439 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD980620634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID049090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b.				16363	K	
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible] Dept of Services 9/26/02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3075
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYA Signature Job A. Palaya Date Month Day Year 09 26 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 09 26 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Stovall Signature Date Month Day Year 09 26 02

FACILITY

19. Discrepancy Indication Space
ok to change 13a R MAK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [illegible] (Rev. 4/99) BOX COPY

NOT VALID UNLESS IMPRINTED

77260 lb GR

Gross CGA#

08:02 AM 09/25/02
00 ID. NO.
77260 lb GR
40600 lb TR KEYED
35660 lb NT

Tare 20056

Net

Date	Truck No.
9-26-02	401

Consignee

Blk 889936

TREN 9507

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110380 Manifest: MI8895930

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00258
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT MSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895930
B. State Generator's ID [redacted]

5. Transporter 1 Company Name: Allwaste Environmental Services
6. US EPA ID Number: MEC000050595
C. State Transporter's ID 436563 MC
D. Transporter's Phone 207 439-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: USD[redacted]0634
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16313	K	PCB1
b.	☐				17164		
c.	☐				11815		
d.	☐						

J. Additional Descriptions for Materials Listed Above
[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3875
ERG #171
end of service 9/27/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOE A. PALAYA
Signature: Joe A. Palaya
Date (Month Day Year): 09 27 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: GREG J. MIND
Signature: GREG J. MIND
Date (Month Day Year): 09 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stovall
Signature: [signature]
Date (Month Day Year): 09 27 02

19. Discrepancy Indication Space
CHANGE B PER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clam
Signature: [signature]
Date (Month Day Year): 10 08 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) [illegible]

NOT VALID UNLESS IMPRINTED

79020 lb GR

Gross

Car# 274348

01:28 PM 09/27/02
00 ID. NO.
79020 lb GR
40800 lb TR KEYED
38420 lb NT

Tare

Net

Date	Truck No.
9-27-02	401

Consignee

TRENS535
BL 8895930

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110375 Manifest: MI8895866

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 3211 (1) or 324.12116 MCL.

1436

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP100021309 Manifest Document No. 00259

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted] NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number: MI 8895866

B. State Generator's ID: [redacted]

5. Transporter 1 Company Name: American Environmental Services

6. US EPA ID Number: MEW000[illegible]

C. State Transporter's ID: [redacted]

D. Transporter's Phone: [illegible]

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number: MAD055620634

E. State Transporter's ID: [redacted]

F. Transporter's Phone:

9. Designated Facility Name and Site Address: [redacted], INC., SITE #2 LANDFILL
46300 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID:

H. Facility's Phone: [redacted]

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED DIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	CT	16 [illegible]	K	PCB1
b.				1745		
c.				2845		
d.						

J. Additional Descriptions for Materials Listed Above
[redacted]

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; BO: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOE A. PALAGA Signature: [signature] Date: Month 10 Day 9 Year 2002

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name: ROBERT WILSEY Signature: [signature] Date: Month 10 Day 9 Year 2002

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name: [signature] Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

19. Discrepancy Indication Space

CHANGE 13. PER MARK NEILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name: Kelly Clark Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

GENERATOR

TRANSPORTER

FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form [illegible] (Rev. [illegible]) PROP COPY

NOT VALID UNLESS IMPRINTED

45340 lb GR

Gross 01:23 PM 09/27/02 88 320

38980 lb GR 44 880

Tare 43 440

Net 43 440

Date	Truck No.
9/27/02	403

Consignee Thom 95 35

88 95866

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110347 Manifest: MI8895981

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00250
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895981
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Amerifech Environmental Service
6. US EPA ID Number: MIR000050545
C. State Transporter's ID: [illegible]
D. Transporter's Phone: 607 438 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD058020634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~14,565~~	K	PCB1
b. ☐				14,415		
c. ☐				2205		
d. ☐						

[redacted]

out of service 9/27/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W T.D. 800/835-1111; CC: 800/639-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOB A. PALAYA — Signature: [signature] — Date: Month 09 Day 27 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Carl M Sa[illegible] — Signature: [signature] — Date: Month 09 Day 27 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Stowell — Signature: [signature] — Date: Month 10 Day 2 Year 02

19. Discrepancy Indication Space
FACILITY — CHANGE 13 PER MARK MOILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: KELLY CLARK — Signature: [signature] — Date: Month 11 Day 00 Year PM

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) DOT Copy

NOT VALID UNLESS IMPRINTED

Gross 01:18 PM 09/27/02
11080 lb GR

Tare 01:19 PM 09/27/02
61520 lb GR

72600

Net 41 700

Date 9/27/02

30900

Truck No. 402

Consignee Turn 2510

869 5981

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110370 Manifest: MI8895982

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No. 00261
2. Page 1 of 2n
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895982
B. State Generator's ID [redacted]

4. Generator's Phone ( )

5. Transporter 1 Company Name [illegible] Environmental Group
6. US EPA ID Number [illegible]
C. State Transporter's ID [illegible]
D. Transporter's Phone [illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [illegible], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16363	K	PCB1
b. ☐			16736		
c. ☐			19881		
d. ☐					

J. Additional Descriptions [redacted]

Back of invoice
9/28/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: NEW P.D. 800/535-1111; EQ: 800/839-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOB A. PALAYA — Signature: [signature] — Date: Month Day Year 09 27 02

17. Transporter 1 Acknowledgment of Receipt of Materials
TRANSPORTER — Printed/Typed Name: [illegible] — Signature — Date: Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month Day Year

19. Discrepancy Indication Space
FACILITY — CHANGE 13 PER Mark Neilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clam — Signature: [signature] — Date: Month Day Year 11 08 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) PAGE COPY

NOT VALID UNLESS IMPRINTED

Gross 08:15 AM 09/27/02
11060 lb GR

Tare 08:16 AM 09/27/02
67940 lb GR

78 520 lbs.
91 700

Net

Date 9/27/02

~~34 [illegible]~~ 36800 Truck No. 500

Consignee TRANS BS 35
889582

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110373 Manifest: MI8895970

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309
Manifest Document No. 00262
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted] (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895970
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Amy Tech Environmental Service
6. US EPA ID Number [illegible]
C. State Transporter's ID A290125ME
D. Transporter's Phone 9174386149
7. [redacted] WORCESTER RAILROAD
8. US [redacted]0834
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. [redacted], POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	~~1165~~	K	PCB1
b.	☐			11745		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above [redacted] IN STATE CODE FOR PCB [redacted]
K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: [redacted]
ERG #171

Part of Service 9/27/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Job A. Palaya
Signature: Job A. Palaya
Date: Month 09 Day 27 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT STUPPY
Signature: Robert Stuppy
Date: Month 09 Day 27 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shade
Signature: [illegible]
Date: Month 10 Day 1 Year 02

TRANSPORTER

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature: [illegible]
Date: Month 10 Day 08 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible]) TSDF COPY

NOT VALID UNLESS IMPRINTED

43220 lb GR

Gross

08:19 AM 09/27/02
27500 lb GR

Tare

70 720
44 880

25840

Net

Date	Truck No.
9/27/02	403

Consignee

TRKIN 9535
PP959770

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110374 Manifest: MI8895929

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI9000021309
Manifest Tracking No. 00283
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895929
B. State Generator's ID BOULD ISLAND

5. Transporter 1 Company Name
Quantum Environmental Services
6. US EPA ID Number
MEL000050095
C. State Transporter's ID A 30 863 MIE
D. Transporter's Phone 412 938 9149

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number
MAD059020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number
MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16363	K	PCB1
b.	☐			13955		
c.	☐					
d.	☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
[illegible]
NO DRAIN CODE FOR PERSONNEL [illegible]
K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.O. 860/565-1111; EQ: 800/669-3575
ERG #171

Part of Service 9/27/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYA Signature Job A. Palaya Date Month Day Year 09 27 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 09 27 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 09 27 02

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name Kelly Clark Signature Date Month Day Year 10 08 02

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

71300 lb GR

Gross Cont 20361

08:21 AM 09/27/02
DD ID. NO.
71300 lb GR
40400 lb TR KEYED
30700 lb NT

Tare

Net

Date	Truck No.
9-27-02	401

Consignee TKRW 9535
BK 5895929

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110361 Manifest: MI8895980

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI000021309
Manifest Document No. 00214
2. Page 1 of 1 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted] NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895980
B. State Generator's ID [redacted] ISLAND

5. Transporter 1 Company Name Amerotech Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 367863 ME
D. Transporter's Phone 207-451-9400

7. T[redacted] PROVIDENCE & WORCESTER RAILROAD
8. US [redacted]0834
E. State Transporter's ID [redacted]
F. Transporter's Phone [redacted]

9. Designated Fac[redacted] INC., SITE #2 LANDFILL
46300 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID [redacted]
H. Facility's Phone 800-592-5489

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. [redacted] RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.			16664		
c.			8080		
d.					

[redacted]

15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EC: 800/839-3376
ERG #171

9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name Renee Lavoie / Renee Lavoie Signature Renee Lavoie Date Month Day Year 09/30/02

17. Transporter 1 Acknowledgment of Receipt of Materials

TRANSPORTER

Printed/Typed Name Greg Mino Signature Greg Mino Date Month Day Year 09/30/02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year 09/30/02

19. Discrepancy Indication Space

FACILITY

CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name Kelly Clam Signature [illegible] Date Month Day Year 10/01/02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. [illegible])

NOT VALID UNLESS IMPRINTED

77260 lb GR

Gross Car # 27352

01:46 PM 09/30/02
00 ID. NO.
77260 lb GR
40800 lb TR KEYED
36460 lb NT

Tare

Net

Date	Truck No.
9-30-02	401

Consignee TNEW 5510
BL 5895980

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110353 Manifest: MI8895977

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002165
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895977
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Auto Tech Environmental Inc
6. US EPA ID Number MER000005515
C. State Transporter's ID
D. Transporter's Phone 269-945-7960

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]20834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-6489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,395~~ 16,309	K	PCB1
b.	☐						
c.	☐						
d.	☐						

J. Additional Descriptions [redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EC: 800/633-3875
ERG #171

end of Section 9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lape
Signature: [signature]
Date: Month 09 Day 30 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schaar
Signature: [signature]
Date: Month 09 Day 30 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Ferrara
Signature: [signature]
Date: Month 09 Day 30 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK DELILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Chan
Signature: [signature]
Date: Month 11 Day 07 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) Previous Editions Are Obsolete. Page 1 of 5

NOT VALID UNLESS IMPRINTED

Gross 01:40 PM 09/30/02
105600 lb GR

Tare 01:41 PM 09/30/02
67000 lb GR

77580
- 41700

Net 35880

Date 9/30/02

Truck No. 102

Consignee TEEW 8510
8895977

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110360 Manifest: MI8895975

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ RES. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002069
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE BIDDLE-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895975
B. State Generator's ID RHODE ISLAND
C. State Transporter's ID A2901 25 MF
D. Transporter's Phone 207-451-9400
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MER000500595
7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16500~~	K	PCB1
b. ☐				17182		
c. ☐				8084		
d. ☐						

[illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW P.O. 800/835-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: Lance LaNoie
Signature: [signature]
Date: Month 09 Day 30 Year 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY
Signature: [signature]
Date: Month 09 Day 30 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 09 Day 30 Year 02

FACILITY
19. Discrepancy Indication Space
CHANGE 13 PER MANUFACTURER

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month Day Year

EPA Form 8700-22 (Rev. [illegible]) [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

48960 lb GR

Gross 01:44 PM 09/30/02 82680

Tare 44880

Net 37800

Date	Truck No.
9/30/02	403

Consignee TRAN 8510

8895925

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110352 Manifest: MI8895976

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to do so may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0020
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted] (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895976
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Alyes Tech
6. US EPA ID Number MIR000000595
C. State Transporter's ID 362863 MI
D. Transporter's Phone 207 438 9146

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND000020634
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM 90 [redacted], POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	18/55 20531	K	PCB1
b.						
c.						
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 800/835-1111; EQ: 800/839-3575
ERG #171
end of section 9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee LAVOIE
Signature: [signature]
Date: Month 09 Day 30 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gary Jimmo
Signature: [signature]
Date: Month 09 Day 30 Year 02

18 Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Harwell
Signature: [signature]
Date: Month 10 Day 3 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clam
Signature: [signature]
Date: Month 10 Day 07 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) [illegible]

NOT VALID UNLESS IMPRINTED

81200 lb GR

Gross Car # 27439

05:43 AM 09/30/02
00 IN. NO.
81200 lb GR
40600 lb TR KEYED
40600 lb NT

Tare

Net

Date	Truck No.
9-30-02	401

Consignee TREN 9510 DYC 889 5976

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110381 Manifest: MI8895978

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00268
2. Page 1 of 3 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NSM)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791)

A. State Manifest Document Number MI 8895978
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name AMERITECH
6. US EPA ID Number MED005005945
C. State Transporter's ID A3-90125 ME
D. Transporter's Phone 207/458-9149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD058020634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE DISPOSAL INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5490

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~12877~~	K	PCB1
b.				12936		
c.						
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800585-1111; EC: 800839-3075
ERG #171

Bill of Lading 9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lavoie
Signature: Renee Lavoie
Date (Month Day Year): 093002

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SELLERY
Signature: Robert A. Sellery
Date (Month Day Year): 093002

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Powell
Signature: [illegible]
Date (Month Day Year): 093002

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature: [illegible]
Date (Month Day Year): 100802

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

43360 lb GR

Gross 09:03 AM 09/30/02
29980 lb GR

73340 lbs

Tare 44880 lbs

28460 NET

Net

Date	Truck No.
9/30/02	403

Consignee Tech Strip

2895978

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110348 Manifest: MI8895979

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 11 Part 121 of Act 451, 1994, as amend

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 & 324.12116 M

Please print or type

UNIFORM HAZARDOUS WASTE MANIFEST

Form Approved. OMB No. 2050-0039

1. Generator's US EPA ID No. RIP000021309
Manifest Tracking No. 00210
2. Page 1 of 32
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895979
B. State Generator's ID SOLID WASTE
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name
AMC Tech Environmental Inc
6. US EPA ID Number MID000000033
7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RID000000834

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I-94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16991	K	PCB1
b.	☐						
c.	☐				22050		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/639-3975
ERG #171
end of service 9/30/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Lance LaVoie
Signature: [signature]
Date: Month Day Year 09 30 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schanne
Signature: [signature]
Date: Month Day Year 09 30 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Short
Signature: [signature]
Date: Month Day Year 09 30 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER [signature]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature: [signature]
Date: Month Day Year 10 07 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

Gross 07:59 AM 09/30/02
10680 lb GR

Tare 08:01 AM 09/30/02
6940 lb GR

79 080 lbs.
41700

Net 37,380

Date 9/30/02

Truck No. 402

Consignee Tulsa 5570
885579

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110393 Manifest: MI8895945

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 008 10
2. Page 1 of 12
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (SWV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895945
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Allen Tech Environmental Inc.
6. US EPA ID Number: MER000500595
C. State Transporter's ID
D. Transporter's Phone 207-451-9400
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD000620834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-682-5469

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit WT/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	16,363	K	PCB1
b. ☐				10,113		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; EQ: 800-828-3578
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LAVOIE
Signature: Renee Lavoie
Date: Month 11 Day 01 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Dimmo
Signature: Greg Dimmo
Date: Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaggio
Signature: Gregory Dimaggio
Date: Month 11 Day 09 Year 02

FACILITY

19. Discrepancy Indication Space
OK to change BOL - Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) DEQ COPY

NOT VALID UNLESS IMPRINTED

79160 lb GR

Gross Cart 274538

02:00 PM 10/01/02
001 ID. NO.
79160 lb GR
40600 lb TR KEYED
38560 lb NT

Tare

Net

Date	Truck No.
10-1-02	401

Consignee THEN 95 rd

manifest 8895945

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110388 Manifest: MI8895946

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

143C
91260

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00211
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895946
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amer. tech Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 57-555-1M
D. Transporter's Phone 207-451-9440
7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	001	DT	4,313	K	PCB1
b. ☐				4,118		
c. ☐				2,726		
d. ☐						

J. Additional Descriptions for Materials Listed Above
[illegible] out of service 10/1/02

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: NSW P.D. 860/366-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Kate LaVoie
Signature: [signature]
Date: Month Day Year 10/01/02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M. Schramm
Signature: [signature]
Date: Month Day Year 10/01/02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarco
Signature: [signature]
Date: Month Day Year 10/01/02

19. Discrepancy Indication Space
OK to change BR per Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Deborah Price
Signature: [signature]
Date: Month Day Year 10/08/02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 01:56 PM 10/01/02 10680 lb GR 72760

Tare 01:57 PM 10/01/02 62080 lb GR 31060

Net 41700

Date 10/01/02

Truck No. 402

Consignee TREN 9518

MI 2895946

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110392 Manifest: MI8895947

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00272
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NIN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895947
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Hamilton Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 290125 Hc
D. Transporter's Phone 207 451-9400

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	4,33	K	PCB1
b. ☐						
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVED [illegible]
UNIQUE CONTAINER OF [illegible]
RI STATE CODE FOR PCB [illegible]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PBW F.D. 860585-1111; EQ: 800839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LANDIE Signature: [signature] Date: Month Day Year 11 01 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas A Kelly Signature: [signature] Date: Month Day Year 10 01 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaria Signature: [signature] Date: Month Day Year 10 01 02

19. Discrepancy Indication Space
OK to chng. 13 to Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lori Bean Signature: [signature] Date: Month Day Year 10 01 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) [illegible]

NOT VALID UNLESS IMPRINTED

92340 lb GR

Gross

01:59 PM 10/01/02
DO ID. NO.
92340 lb GR
44740 lb TR (KEYED)
37600 lb NT

Tare

Net

Date	Truck No.
10-01-02	TAS #31

Consignee Mar #8895947

THEN 95/8

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: .30014378 Receipt ID: 1110415 Manifest: MI8895948

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 NCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible]1309
Manifest Document No. 00272
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [illegible] NAVAL WEAPONS STATION NEWPORT (ENV DEPT R01)
ONE SIMON POTTER DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 889594
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MED005005595
C. State Transporter's ID [illegible]
D. Transporter's Phone 207 451-[illegible]

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address [illegible] SITE #3 LANDFILL
43930 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [illegible]

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. NA [illegible], POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (AROCLOR POLYCHLORI), 9, UN2315, PGII		001	DT	16,363	K	PCB1
b.	☐			536		
c.	☐					
d.	☐					

[illegible] RETURN SERVICE

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. [illegible]-1111; 24: [illegible]
ERG #171

10/1/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Invoie
Signature: Renee Invoie
Date: Month Day Year 10 01 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinocco
Signature: Gregory Dinocco
Date: Month Day Year [illegible]

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month Day Year [illegible]

GENERATOR / TRANSPORTER / FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

85540 lb GR

Gross 08:05 AM 10/01/02
00 ID. NO.
85520 lb GR
44740 lb TR KEYED
Tare 40780 lb NT

Net

Date	Truck No.
10-1-02	Tufts #3

Consignee Man # 8895948

~~[illegible]~~

Pu 30032

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110379 Manifest: MI8895949

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended. Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI0000021309
Manifest Document No. 052714
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895949
B. State Generator's ID [redacted]

5. Transporter 1 Company Name American Environmental Inc
6. US EPA ID Number MER 000500595
C. State Transporter's ID [illegible] ME
D. Transporter's Phone 207-451-7400

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	J. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,362 K		PCB1
b. ☐				18,645		
c. ☐				11815		
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL [redacted]
STATE CODE FOR [redacted]
Pub. Cf. Serv. 101, 102

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/865-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee Lynoie Signature [signature] Date Month Day Year 1 01 07

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year 1 01 07

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dinorale Signature [signature] Date Month Day Year 1 01 07

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clark Signature [signature] Date Month Day Year 1 10 08 07

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 6/06) ISDF COPY 2

NOT VALID UNLESS IMPRINTED

81400 lb GR

Gross

06:00 AM 10/01/02
00 ID. NO.
81400 lb GR
40600 lb TR (KEYED)
40800 lb NT

Can #
200299

Tare

Net

Date	Truck No.
10-1-02	401

Consignee TREM 9515

BL 3895949

AT 8895949

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014354 Receipt ID: 1110387 Manifest: MI8895931

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 0026
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895931
B. State Generator's ID SOLID SLAB
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 800-592-5489

5. Transporter 1 Company Name
Apprentice Environmental Inc
US EPA ID Number MER000500515
6. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
US EPA ID Number [illegible]

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	3. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	16,363	K	PCB1
b.		☐			18,269		
c.		☐			24,546		
d.		☐					

[illegible] 10/10/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Jorge Lavoie Signature: [illegible] Date: Month Day Year 10 01 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Carl M Schiavone Signature: [illegible] Date: Month Day Year 10 10 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dinacola Signature: [illegible] Date: Month Day Year 10 10 02

19. Discrepancy Indication Space
ok to change 13 + [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year 10 10 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

DEQ-20 (Rev. 9/98) TSDF COPY

NOT VALID UNLESS IMPRINTED

Gross 08:01 AM 10/01/02 106220 lb GR 81880

41700

Tare 08:05 AM 10/01/02 71250 lb GR 40180

41000

Net

Date	Truck No.
10-1-02	Ame. Tech 402

Consignee MT 8895931

TAEN 9518

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014378 Receipt ID: 1110416 Manifest: MI8895943

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and civil penalties under Sections 324.11151 or 324.12116 MCL

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Tracking No. 102716
2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT 1SW)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895943

B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name American Environmental Inc

6. US EPA ID Number MIR000155825

C. State Transporter's ID A367863 MI

D. Transporter's Phone 248-359-9119

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number RID013820834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 734-697-7417

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Container No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	☒	NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN3151, PGIII	001	DT	16,363	K	PCB1
b.	☐				18,555	K	
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVALS DESCRIPTION (SOIL & DEBRIS WITH PCBS <50PPM) PAINT & Rust 3003a
STORAGE START DATE: 9-30-02
UNIQUE CONTAINER ID#: 1-16
RI STATE CODE FOR POLYCHLORINATED: 1000

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860-565-1111; FOX 860/860-1875
ERG #171

end of service 10/2/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOE A. PALAYA Signature Date Month Day Year 100202

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 100202

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year 10/2/02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year 10/2/02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ON SPILLS OR ACCIDENTS INVOLVING THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

NOT VALID UNLESS IMPRINTED

81420 lb GR

Gross Cont# 200465

06:08 AM 10/02/02
00 ID. NO.
81420 lb GR
40500 lb TR KEYED
40520 lb NT

Tare

Net

Date	Truck No.
10-2-02	401

Consignee

Manifest 8895943

Pa 30032

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: ,30014378 Receipt ID: 1110414 Manifest: MI8395944

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

75623

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible]1308
Manifest Document No. 60274
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [illegible] (299/ DEPT NEW)
[illegible] SNOW-PETIN DRIVE
NEWPORT, MI [illegible]
4. Generator's Phone (419) 241-1791

A. State Manifest Document Number MI 8395944
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: MED005[illegible]
C. State Transporter's ID 0548557
D. Transporter's Phone 207-454-9400

7. Transporter 2 Company Name: [illegible] WORCESTER FAULK
8. US EPA ID Number: US[illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: [illegible], INC., SITE 82 LANDFILL
[illegible] NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048[illegible]533
G. State Facility's ID
H. Facility's Phone 734-[illegible]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	NA, POLYCHLORINATED BIPHENYLS, LIQUID MIXTURE (MARINE POLLUTANT), 9, NA3082, PG	001	DT	46,[illegible]	K	P021
b. ☐				21,809		
c. ☐						
d. ☐						

J. Additional Descriptions for Materials Listed Above

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. [illegible]-1111; EC: [illegible]
ERG #171

10/2/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Joe A. Palaya
Signature
Date: Month 10 Day 2 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials

TRANSPORTER

Printed/Typed Name: Timothy Sarville
Signature
Date: Month 10 Day 2 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name
Signature
Date: Month 10 Day 2 Year 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: [illegible]
Signature
Date: Month [illegible] Day [illegible] Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

DNR 542 (Rev. 4/93) TSDF COPY

NOT VALID UNLESS IMPRINTED

87680 lb GR

Gross

08:06 AM 10/02/02
00: ID. NO.
87680 lb GR
39700 lb TR KEYED
47980. lb NT

Tare

Net

Date	Truck No.
10/2/02	2

Consignee PW 30032
889-5944

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014378 Receipt ID: 1110426 Manifest: MI8895959

Required under authority of Part 111 and Part 121 of Act 451 1994 as amended

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00278
2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895959

B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Ameri Tech Environmental Inc
6. US EPA ID Number MER000500295
C. State Transporter's ID

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD059820834
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,[illegible]	K	PCB1
b.	☐				14,955		
c.	☐						
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 080902PSF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TEMU 652 5
STORAGE START DATE [illegible]
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL [illegible]

K. Handling Codes
a
b
c
d

out of service 10/2/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT. P&W F.O. 860/565-1111; EQ. 800/639-3975
ERG #171

18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYP Signature Job A. Palay Date Month Day Year 10 02 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Sturdi Signature Date Month Day Year 10 02 02

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Signature Date Month Day Year 10 02 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

77640 lb GR

Gross

08:11 AM 10/02/02
00 ID. NO.
77640 lb GR
44740 lb TR KEYED
32900 lb NT

Tare

Net

Date	Truck No.
10-2-02	Kits #3

Consignee Acct # 889559

Ticket 8525
889559

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014378 Receipt ID: 1110417 Manifest: MI8895971

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to do this may subject you to criminal and/or civil penalties under Sections 324.11115 and 324.12115 MCL

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039 925

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI9000021309 Manifest Tracking Number 00279
2. Page 1 of 12

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NEW)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8895971
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Mark Tech Environmental Inc
6. US EPA ID Number MER000500295
C. State Transporter's ID 205125 Mc
D. Transporter's Phone

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD039001834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE D-2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 313-942-3400

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a. HM ☒ NA, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (BARIUM POLYMER), 9, UN2315, PG-	001	DT	1.75	K	PCB1
b. ☐			16836		
c. ☐					
d. ☐					

J. Additional Descriptions for Materials Listed Above
APPROVAL# DISPOSAL (SOIL & DEBRIS WITH PCBS <50 PPM) RAILCAR # Per 3223
STORAGE START DATE 9-30-02
UNIQUE CONTAINER ID# 2004
TS STATE CODE FOR NON-HAZARDOUS WASTE
end of service 1-14-02

K. Handling Codes a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 860/565-1111; EQ: 800/888-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name JOB A. PALAYA Signature Date Month Day Year 10 02 02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Thomas A. Kelly Signature Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

19. Discrepancy Indication Space

FACILITY
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Lou Beer Signature Lou Beer Date Month Day Year 10 10 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

81780 lb GR

Gross

01:25 PM 10/02/02
00 ID. NO.
81780 lb GR
44740 lb TR KEYED
37040 lb NT

Tare

Net

Date	Truck No.
02	Tufts #3

Consignee Mc # 8895971

Pu 30032
8895971

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014373 Receipt ID: 1110418 Manifest: MI8895972

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ FR. ☐

Required under authority of Act 451, 1994, Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.12115 or 324.12116 of Act 451.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. [illegible]
Manifest [illegible]
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [illegible] (F&W DEPT NOW)
[illegible] DRIVE
NEWPORT, MI 48141
401 641-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895972
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: Aramtech Environmental Inc
6. US EPA ID Number: MEB0250002915
C. State Transporter's ID [illegible]
D. Transporter's Phone:
7. Transporter 2 Company Name: [illegible] WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address: [illegible], SITE #2 LANDFILL
[illegible] NORTH - 34 SEWAGE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone [illegible]

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM ☒ NA, PG. - NON-REGULATED [illegible] - SOLID MATRIX (PARTIAL POLLUTANT), 9, [illegible], PGIII	001	DT	46,565	K	PCB1
b.	☐			22,400	K	
c.	☐			46,72		
d.	☐					

J. Additional Descriptions for Materials Listed Above
[illegible]
PROFILE NUMBER [illegible]
K. Handling Codes for Wastes Listed Above
a. b. c. d.

end of manifest 10/2/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: F&W F.D. [illegible]-1111; EPA [illegible]
ERG 171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year [illegible]

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year [illegible]

19. Discrepancy Indication Space
ok to close Bay Mark [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year [illegible]

GENERATOR
TRANSPORTER
FACILITY

ALL BILLS MUST BE ACCOMPANIED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 & REPORT PER DAY.

NOT VALID UNLESS IMPRINTED

[illegible]
84580 lb GR

Gross

01:30 PM 10/02/02
00 ID: NO:
84580 lb GR
39700 lb TR (KEYED)
44880 lb NT

Tare

22.44 tons

Net

Date	Truck No.
10/2/02	72

Consignee

PW 300032
MCP225772

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994 as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 100291
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N8N)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895973
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name
American Environmental Inc
6. US EPA ID Number MER000500295
C. State Transporter's ID A367863
D. Transporter's Phone (201) 48-5149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MPD059020034
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5490

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16	K	PCB1
b. ☐						
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL [illegible] (RQ, & DEBRIS WITH PCBS >50PPM) RAILCAR #: [illegible]
STORAGE START DATE: 9-20-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/565-1111; EQ: 800/532-3975
ERG #171
out of service 10/2/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Joe A. Palazzo
Signature: Joe A. Palazzo
Date: Month 10 Day 02 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Simo
Signature: Greg Simo
Date: Month 10 Day 02 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Thomas
Signature: [illegible]
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
OK to change 15 yd [illegible] Mark Reilly
10/2/02

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [illegible]
Date: Month 10 Day 02 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

NOT VALID UNLESS IMPRINTED

94760 lb GR

Gross Cont# 20417

01:32 PM 10/02/02
00 ID. NO.
94760 lb GR
40600 lb TR KEYED
44160 lb NT

Tare

Net

Date	Truck No.
10-2-02	401

Consignee TGCU 8525 T
MCA. EST 5895973

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014378 Receipt ID: 1110433 Manifest: MI8895957

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.
Failure to file may subject you to criminal and/or civil penalties under Sections 324.1115 or 324.12116 MCL.

Please print or type. Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002912
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401 841-1791

A. State Manifest Document Number MI 8895957
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name. Ameritech Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD059091834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	4,545	K	PCB1
b.		☐			16/09		
c.		☐			1126		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVALS: 600639PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TEMP 525
STORAGE START DATE: 9-30-02
UNIQUE CONTAINER ID# 20 3 4 12
RI STATE CODE FOR PCB MATERIAL: NEP 1
out of service 10/3/02

K. Handling Codes a b c d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 800/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOB A. PALAYA — Signature: Job A. Palaya — Date: Month 10 Day 03 Year 02

TRANSPORTER — 17. Transporter 1 Acknowledgment of Receipt of Materials — Printed/Typed Name: Tim Sawyer — Signature: [illegible] — Date: Month 10 Day 03 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials — Printed/Typed Name: Derek Pittard — Signature: [illegible] — Date: Month 10 Day 03 Year 02

19. Discrepancy Indication Space
OK TO CHANGE 13 PER MARK NEILLY

FACILITY — 20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark — Signature: [illegible] — Date: Month 10 Day 10 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

73540 lb GR

Gross 01:03 PM 10/03/02
00 ID# NO.
73540 lb GR
39700 lb TR SERVED
Tare 33840 lb NT
19.92 tons

Net

Date	Truck No.
10/3/02	2

Consignee Tean 5505
WI 6895957

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110481 Manifest: MI8895958

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
49626
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's U.S. EPA ID No. RI0000021309 Manifest Document No. 00203
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name [redacted]NEWPORT (ENV DEPT NEN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895958
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Aquatic Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 4501863
D. Transporter's Phone 207-439-9149
7. [redacted] & WORCESTER RAILROAD
8. US [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address [redacted], SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone [redacted]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	☒	001	DT	~~16,365~~	K	PCB1
b.		☐			13224	K	
c.		☐			15527	K	
d.		☐					

J. Additional Descriptions for Materials Listed Above
[redacted]
out of service 10/3/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/805-1111; ECC 800/638-3675
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: Job A. Palaya Date: Month Day Year 10 03 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Greg Signature: Greg Date: Month Day Year 10 03 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Dennis Shuff Signature: [signature] Date: Month Day Year 10 03 02

FACILITY

19. Discrepancy Indication Space
ok to change 13A per Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year 10 15 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) Previous Editions Are Obsolete

NOT VALID UNLESS IMPRINTED

74760 lb GR

Gross

Con#

200342

01100 PM 10/03/02
00 ID. NO.
74760 lb GR
40600 lb TR KEYED
34160 lb NT

Tare

Net

Date	Truck No.
10-3-02	401

Consignee

PW 50024

Mat.Cert# 3595953

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: .30014378 Receipt ID: 1110429 **Manifest: MI8895956**

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

DEQ WASTE MANAGEMENT DIVISION MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00284
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name ~~Mailing Address~~ NEWPORT (ENV DEPT NBM)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895956
B. State Generator's ID GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Atlantic Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 209-125-Me
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RIAD[illegible]0834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 3, UN2315, PGIII	☒	001	DT	16,375	K	PCB1
b.		☐			12,891		
c.		☐			2468		
d.		☐					

J. Additional Descriptions for Materials Listed Above
APPROVALS [illegible] (OIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TTUX 3525
STORAGE START DATE 9-30-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a.
b.
c.
d.

out of service 10/3/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: [illegible] Date: Month Day Year 11 00 3 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas A. Mills Signature: [illegible] Date: Month Day Year 10 01 [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shewell Signature: [illegible] Date: Month Day Year 10 03 02

19. Discrepancy Indication Space

FACILITY

CHANGE 13 PER MARK MILLER

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name: Kelly Clark Signature: [illegible] Date: Month Day Year 11 10 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM. IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

71780 lb GR

Gross 12:40 PM 10/03/02
00 ID. NO.
71780 lb GR
44740 lb TR VEHSD
Tare 27040 lb NT

Net

Date	Truck No.
10-3-02	Tufts #3

Consignee Mon # 8895956

Tare 85225

NET 8895956

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110482 Manifest: MI8895954

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
49626
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.121 16 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 | Manifest Document No. 00285 | 2. Page 1 of 3/2 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895954
B. State Generator's ID [redacted]

5. Transporter 1 Company Name Aquatech Environmental Inc | 6. US EPA ID Number MER000500295
C. State Transporter's ID 259557
D. Transporter's Phone 207-797-9149

7. INNOVIDENCE & WORCESTER RAILROAD | 8. US EPA ID Number [redacted]
E. State Transporter's ID [redacted]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WASTE MANAGEMENT, INC., SITE #2 LANDFILL,
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5488

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,343	K	PCB1
b.				22,000 R,224		
c.						
d.						

[redacted]

out of service 10/3/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PEW F.D. 860/535-1111; EC: 800/839-3875
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR
Printed/Typed Name: JOB A. PALAYA | Signature: [signature] | Date: Month Day Year 10/03/02

TRANSPORTER
17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Tim Sample | Signature: [signature] | Date: Month Day Year 10/03/02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Daniel Sherrill | Signature: [signature] | Date: Month Day Year 10/03/02

FACILITY
19. Discrepancy Indication Space
OK to Change 13A on [signature]

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lou Bosco | Signature: [signature] | Date: Month Day Year 10/15/02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

NOT VALID UNLESS IMPRINTED

Gross

Tare

Net

Date

Truck No.

Consignee

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014376 Receipt ID: 1110425 Manifest: MI8895955

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

57780

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI9800021308 Manifest [illegible]
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
CASE [illegible] DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1781

A. State Manifest Document Number MI 8895955
B. State Generator's ID [illegible]

5. Transporter 1 Company Name: American Environmental Inc.
6. US EPA ID Number: MER000502595
C. State Transporter's ID: 09635
D. Transporter's Phone: 217-[illegible]

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD[illegible]
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., DITE 93 LANDFILL
4890 NORTH 3M SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048080933
G. State Facility's ID:
H. Facility's Phone: [illegible]

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, 9, UN2315, PGIII (PCBs, FULL DRUM), 9, UN2315, PGIII	001	DT	[illegible]	K	[illegible]
b.				15445		
c.						
d.						

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PBW F.D. 800/505-1111; EQ. 800/255-5175
ERG 171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOE A. PALAYA Signature: [signature] Date: Month 11 Day 03 Year 12

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Thomas A Kelley Signature: [signature] Date: Month 11 Day 03 Year 12

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month 11 Day 03 Year 12

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] Signature: [signature] Date: Month 11 Day 19 Year 12

GENERATOR TRANSPORTER FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94)

NOT VALID UNLESS IMPRINTED

79720 lb GR

Gross 07:55 AM 10/03/02
00 ID. NO.
79720 lb GR
44740 lb TR KEYED

Tare 35980 lb NT

Net

Date	Truck No.
10-3-02	Tufts #3

Consignee Man # 889 5955

TUFTS 8555
889 5955

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014378 Receipt ID: 1110430 Manifest: MI8895953

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002-87
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT N00)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895953
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Amertech Environmental Inc
6. US EPA ID Number MER000500545
C. State Transporter's ID A36782 ME
D. Transporter's Phone 207-482-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD055820634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~14,363~~	K	PCB1
b.				16,900		
c.				21463		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVALS DEBRIDEF (BOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # Tcar 205
STORAGE START DATE: 10-1-02
UNIQUE CONTAINER ID#: 21463
RI STATE CODE FOR PCB MATERIAL: N00

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/839-3975
ERG #171

out of service 11/3/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALMA Signature: [signature] Date: Month 11 Day 03 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 11 Day 04 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Thrall Signature: [signature] Date: Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space
CHANGE IN PCB [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark Signature: [signature] Date: Month 11 Day 01 Year [illegible]

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

76680 lb GR

Gross Cart

274187

08:01 AM 10/03/02
DO ID: NO.
76680 lb GR
40600 lb TR KEYED
36080 lb NT

Tare

Net

Date	Truck No.
10-3-02	401

Consignee Tarm 8525
Manifest # 5895953

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110464 Manifest: MI8895950

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type

Form Approved—OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 100226
2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895950
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Amerite Environmental Inc
6. US EPA ID Number MERC050055 5
C. State Transporter's ID 429125 MI
D. Transporter's Phone 267-438-9149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD088020834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

GENERATOR

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☐	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~4,363~~ 50	K	PCB1
b.	☐				12,454		
c.	☐				14509		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000804PF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PLW 30031
STORAGE START DATE: 9/25/02
UNIQUE CONTAINER ID# 200 468
RI STATE CODE FOR PCB MATERIAL: R007
out of service 10/7/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: KEVIN LAVINE
Signature:
Date: Month 10 Day 07 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SELLSTEY
Signature:
Date: Month 10 Day 07 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaculo
Signature:
Date: Month 10 Day 07 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clark
Signature:
Date: Month 10 Day 15 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

43420 lb GR

Gross 07:51 AM 10/07/02 72280

29860 lb GR 44880

Tare 27400

Net

Date	Truck No.
10/7/02	403

Consignee MI 8945950

PW 30031

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110476 Manifest: MI8895951

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

957

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 02239
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895951
B. State Generator's ID RHODE ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MERCC0500595
C. State Transporter's ID A32863
D. Transporter's Phone 317-438-9149

7. PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number NNDDD000020834
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	X	001	DT	~~14,583~~	K	PCB1
b.		☐			~~19,055~~		
c.		☐			15839		
d.		☐					

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000302PEP (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TEGU 95702
STORAGE START DATE: 10-1-02
UNIQUE CONTAINER ID# 200 [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of service 10/21/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Steve Lance Signature Date Month Day Year 10 09 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature Date Month Day Year 10 09 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Derek Powell Signature Date Month Day Year 10 09 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name Kelly Clam Signature Date Month Day Year 10 15 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

80760 lb GR

Gross Cont 20329

12:38 PM 10/04/02
00 ID. NO.
80760 lb GR
40600 lb TR KEYED
40160 lb NT

Tare

Net

Date	Truck No.
10-4-02	401

Consignee Tech 2503
Pan. Wst # 8895951

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110475 Manifest: MI8895952

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
482
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 100240
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number: MI 8895952
B. State Generator's ID: WOULD BLAND

5. Transporter 1 Company Name: Ameritech Environmental Inc
6. US EPA ID Number: MER000500595
C. State Transporter's ID: A29402 INC
D. Transporter's Phone: 906 743-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD055820834
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: [illegible] INC., SITE #2 LANDFILL, 49350 NORTH I94 SERVICE DRIVE, BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-582-5499

GENERATOR

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,575~~ 1,575	K	PCB1
b.	☐				17,500		
c.	☐				15635		
d.	☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TECW 9202
STORAGE START DATE: 10-1-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

out of service 10/4/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: KAYE LAVOIE Signature: [signature] Date: Month Day Year 110904 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY Signature: [signature] Date: Month Day Year 10 04 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Storoll Signature: [signature] Date: Month Day Year 10/04/02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK KELLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Cam Signature: [signature] Date: Month Day Year 10 11 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

NOT VALID UNLESS IMPRINTED

72880 lb GR

Gross 12:35 PM 10/04/02
10720 lb GR

83380

Tare 44880

38,500

Net

Date	Truck No.
10/4/02	403

Consignee TUEN 9502

8P95552

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110474 Manifest: MI8895960

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 of Act Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11115 or 324.12115 MCL

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI-0000021309
Manifest Document No. 00241
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895960
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MEN010560515
C. State Transporter's ID 099557 MI
D. Transporter's Phone 207-438-9149

7. Transporter 2 PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD000000834
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048009633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,365	K	PCB1
b.				16255		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000302PDF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TEMP 9602
STORAGE START DATE: 10-3-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR PCB MATERIAL 108

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.B. 860/565-1111; FQ: 800/638-3675
ERG #171

out of service 10/4/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Peter J. Hvorle
Signature:
Date: Month Day Year 10 04 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Tim Sawyer
Signature:
Date: Month Day Year 10 04 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: David Howell
Signature:
Date: Month Day Year 10/04/02

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clare
Signature:
Date: Month Day Year 10/4/02

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

75460 lb GR

Gross 11:53 AM 10/04/02
00 ID. NO.
75460 lb GR

Tare 39700 lb TR-KEYED
35760 lb NT

Net

Date	Truck No.

Consignee Turn 9502
MC 889596 0

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110469 Manifest: MI8895961

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL.

Please print or type. Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 85742
2. Page 1 of 1 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 03841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895961
B. State Generator's ID RHODE ISLAND

5. Transporter 1 Company Name Mark Tech Environmental Inc
6. US EPA ID Number MER000500515
C. State Transporter's ID 56694 MA
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MND006020634
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DF	16,360	K	PCB1
b.				15,880		
c.				14,640		
d.						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000029PF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TKCB9502
STORAGE START DATE: 10/1/02
UNIQUE CONTAINER ID# 6556-07
RI STATE CODE FOR PCB MATERIAL: R09
out of service 10/4/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W P.O. 860/655-1111, PQ: 800/839-2975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LANCIE Signature: [signature] Date: Month Day Year 10/04/02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Randy Rose Signature: Randy Rose Date: Month Day Year 10/09/02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarale Signature: Gregory Dimarale Date: Month Day Year 10/09/02

FACILITY

19. Discrepancy Indication Space
CHANGE IN PCB Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clam Signature: Kelly Date: Month Day Year 10/15/02

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross

Tare

Net

Date	Truck No.
10/4/02	R5

Consignee MI 8895961

TKEN 9502

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110485 Manifest: MI8895962

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 NCL

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 100412
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895962
B. State Generator's ID GOULD ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Liberty Environmental Inc
6. US EPA ID Number MERC005005515
C. State Transporter's ID
D. Transporter's Phone 207 438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD980620334
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,565	K	PCB1
b. ☐				22255		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0000GOPCF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 30026
STORAGE START DATE: [illegible]
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]

K. Handling Codes
a
b
c
d

out of service 10/4/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3976
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAVOIE Signature: [signature] Date: Month Day Year 10 04 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year [illegible]

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year [illegible]

19. Discrepancy Indication Space

FACILITY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year [illegible]

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

NOT VALID UNLESS IMPRINTED

[illegible]
88680 lb GR

Gross

07:45 AM 10/04/02
00 ID. NO.
88660 lb GR
39700 lb TR KEYED
48960 lb NT

Tare

Net

Date	Truck No.
9/10/4/02	2

Consignee

for 30024
889 5962

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110484 Manifest: MI8895963

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12146 NCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309 Manifest Document No. 00294

2. Page 1 of 3

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NIM)
ONE SIMON-PETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number: MI 8895963

B. State Generator's ID: RHODE ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name: Antech Environmental Inc

6. US EPA ID Number: MER000500595

C. State Transporter's ID: A 362803 MI

D. Transporter's Phone: 207 456-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD

8. US EPA ID Number: MNR000000834

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID:

H. Facility's Phone: 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,500	K	PCB1
b. ☐				16,200 22181		
c. ☐						
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[redacted]
Acct of Service
10/4/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PBW F.D. 800/655-1111; EQ: 800/631-3075
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pete LaVoie Signature: [signature] Date: Month 10 Day 04 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: G. Jamo Signature: [signature] Date: Month 10 Day 04 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Derek Shrock Signature: [signature] Date: Month 10 Day 04 Year 02

FACILITY

19. Discrepancy Indication Space
QL ID change 13 as per availability

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Dodie Prim Signature: [signature] Date: Month Day Year

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-88)

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

80360 lb GR

Gross Car# 274356

07:47 AM 10/04/02
DO ID: NO:
80360 Lb GR
40620 Lb TR KEYED
Tare 40360 Lb NT

Net

Date	Truck No.
10-4-02	401

Consignee

manifest # 3895403
PW 30024

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110470 Manifest: MI8895964

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451 1994, as amended

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00215
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791
4. Generator's Phone ( )

A. State Manifest Document Number MI 8895964
B. State Generator's ID GOULD ISLAND

5. Transporter 1 Company Name Antech Environmental Inc
6. US EPA ID Number MED005005515
C. State Transporter's ID A7381255MB
D. Transporter's Phone 207-438-9449

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD000820034
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address WASTE MANAGEMENT, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~14,363~~ 14653	K	PCB1
b.	☐						
c.	☐						
d	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL # 00030PCB (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # TBOX 5502
STORAGE START DATE: 9/26/02
UNIQUE CONTAINER ID: 7743248
IN STATE CODE FOR PCB MATERIAL: K02

K. Handling Codes
a
b
c
d

out of service 10/4/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W T.D. 800/565-1111; EC 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: PAUL LAVOIE Signature: [signature] Date: Month Day Year 10 04 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: ROBERT SILLSBY Signature: [signature] Date: Month Day Year 10 04 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [signature] Date: Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19
Printed/Typed Name: Kelly Clare Signature: [signature] Date: Month Day Year 10 10 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) 13DF COPY

NOT VALID UNLESS IMPRINTED

43560 lb GR

Gross 08:23 AM 10/04/02
33560 lb GR

77120

Tare 44880

32,240

Net

Date	Truck No.
10/4/02	W103

Consignee TREM 9502
8895968

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110483 Manifest: MI8895967

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.
49626
Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 00246
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895967
B. State Generator's ID [illegible] ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Inc
6. US EPA ID Number: MER000500595
C. State Transporter's ID [illegible]
D. Transporter's Phone 207-439-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: [illegible]
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,362~~ 13,224.4	K	PCBH
b.	☐						
c.	☐						
d.	☐						

J. Additional Descriptions for Materials Listed Above
[illegible] out of service 10/7/02

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; BQ: 800/638-3278
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Peter LaVoie
Signature: [signature]
Date: Month 10 Day 07 Year 02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Jim Sawyer
Signature: [signature]
Date: Month 10 Day 07 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimarsle
Signature: Gregory Dimarsle
Date: Month 10 Day 07 Year 02

19. Discrepancy Indication Space
OK to change 13 a.m. MARK Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 10 Day 15 Year 02

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-1696 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9-94) Previous Editions Are Obsolete

NOT VALID UNLESS IMPRINTED

Gross 78000 lb GR

07:48 AM 10/07/02
00 ID. NO.
77980 lb GR
40740 lb TR RECEIVED
37240 lb NT

Tare

Net

Date	Truck No.
10/7/02	4

Consignee Fxrv 9502

MI 8895967

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110489 Manifest: MI8895966

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

975

Form Approved. OMB No. 2050-0039 118320

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RI-000021309
Manifest Document No. 00597
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8895966
B. State Generator's ID [illegible]

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID [illegible]
D. Transporter's Phone 207 [illegible]
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number RAD[illegible]0834
E. State Transporter's ID [illegible]
F. Transporter's Phone
9. Designated Facility Name and Site Address
WASTE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b.				25,745		
c.				20,991		
d.						

[redacted]

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: PAW P.D. 800/665-1111; EQ: 800/639-3675
ERG #171
10/7/02

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RENEE LANOIE Signature [signature] Date Month Day Year 10/01/02

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 10/07/02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimecale Signature [signature] Date Month Day Year 10/07/02

19. Discrepancy Indication Space

[illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name BRYAN SCHULTZ Signature [signature] Date Month Day Year 10/15/02

GENERATOR

TRANSP

...E MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN ... AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE ... PER DAY.

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

[illegible] 10/07/02
[illegible] lb GR

Gross Cwt

07:53 AM 10/07/02
001 ID# NO.
[illegible] lb GR
40800 lb TR KEYED
46180 lb NT

Tare 20453

Net

Date	Truck No.
10-7-02	401

Consignee PW 30024

Part Lot #
3855966

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110465 Manifest: MI8895968

required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000021309
Manifest Document No. 002485
2. Page 1 of 2
Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NDN)
ONE SIMON PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

4. Generator's Phone ( )

A. State Manifest Document Number MI 8895968
B. State Generator's ID [illegible] ISLAND

5. Transporter 1 Company Name
Ameritech Environmental Inc
6. US EPA ID Number MER000500595
C. State Transporter's ID 250105
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MAD[illegible]020034
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address [illegible], SITE #2 LANDFILL
49330 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. ☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 50	K	PCB1
b. ☐				16,545		
c. ☐				14509		
d. ☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# [illegible] (SOIL & DEBRIS WITH PCBS -50PPM) RAILCAR # PW 30031
STORAGE START DATE 5-30-02
UNIQUE CONTAINER ID# [illegible]
RI STATE CODE FOR POB MANAGE [illegible]
out of service 10/7/02

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860/565-1111; EQ: 800/639-3575
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RENE E. HVOIE Signature [signature] Date Month Day Year 10 07 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimaccale Signature Gregory Dimaccale Date Month Day Year 10 07 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name Kelly Clan Signature [signature] Date Month Day Year 10 01 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

WEIGH SLIP 200269

NOT VALID UNLESS IMPRINTED

45000 lb GR

Gross 01:12 PM 10/07/02
81280 lb GR

Tare 44880

Net 36400

Date	Truck No.
10/7/02	403

Consignee M2 Sky Sysf

PW 30037

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110466 Manifest: MI8895969

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 184 of Act 451, 1994, as amended.

Failure to do so may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 NCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP00021309
Manifest Document No. 002-17
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
401 841-1791

A. State Manifest Document Number MI 8895969
B. State Generator's ID RHODE ISLAND

4. Generator's Phone ( )

5. Transporter 1 Company Name Ameritech Environmental Inc
6. US EPA ID Number MER000500545
C. State Transporter's ID [illegible]
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number [illegible]
E. State Transporter's ID [illegible]
F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone 800-592-5489

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM SOLID, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	16,363	K	PCB1
b. ☐				27,268 K		
c. ☐				10,400		
d. ☐						

J. Additional Descriptions for Materials Listed Above
APPROVAL# 0020021PCF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PW 36031
STORAGE START DATE: 9-30-02
UNIQUE CONTAINER ID#: [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
end of service 10/7/03

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT PSW F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name DEVEE LANDIS Signature [illegible] Date Month 10 Day 9 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name Greg Jimmo Signature [illegible] Date Month 10 Day 10 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name Gregory Dimaente Signature [illegible] Date Month [illegible] Day [illegible] Year [illegible]

FACILITY

19. Discrepancy Indication Space
Ok to change 13 on Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name [illegible] Signature [illegible] Date Month 10 Day 15 Year 02

EPA Form 8700-22 (Rev. 3/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

01100 lb GR

Gross Cart

01:15 PM 10/07/02
00 lb. WD.
51080 lb GR
40980 lb TR KEYED
40480 lb NT

200361

Tare

Net

Date	Truck No.
10-7-02	401

Consignee PW 30031

Manifest # 8895969

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110463 Manifest: MI8895965

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11115 or 324.12116 MCL.

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIP000021309
Manifest Document No: 100500
2. Page 1 of 1 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8895965
B. State Generator's ID: 90LLD NILAND

5. Transporter 1 Company Name: Ameritech Environmental Inc
6. US EPA ID Number: MERCC500515
C. State Transporter's ID: 45455 Inc
D. Transporter's Phone: 207-438-9141

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: USD059020634
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	HM	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	☒	RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 5E	K	PCB1
b.	☐				19,436		
c.	☐				1400		
d.	☐						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVAL# 000002PBF (SOIL & DEBRIS WITH PCB'S >50PPM) RAILCAR # PW 30031
STORAGE START DATE: 10-1-02
UNIQUE CONTAINER ID#: 202-344
RI STATE CODE FOR PCB MATERIAL: N007
out of service 10/7/02

K. Handling Codes
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 860/565-1111; EQ: 800/839-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAIDIE
Signature: Renee Laidie
Date: Month 10 Day 07 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Jim Smith
Signature:
Date: Month 10 Day 07 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimascale
Signature: Gregory Dimascale
Date: Month 10 Day 07 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE 13 PER MARK REILLY

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Kelly Clare
Signature:
Date: Month 10 Day 15 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

94620 lb GR

Gross

01:08 PM 10/07/02
00 ID. NO.
84600 lb GR
40740 lb TR KEYED

Tare

43860 lb NT

Net

Date	Truck No.
10/7/02	4

Consignee ME 8875965

PW 30031

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110467 Manifest: MI8894724

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to properly complete may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIR000021309 Manifest Document No. 002301

2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NSN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number MI 8894724

B. State Generator's ID RHODE ISLAND

4. Generator's Phone ( ) 401 841-1791

5. Transporter 1 Company Name Ameritech Environmental Inc — 6. US EPA ID Number MIR000500515

C. State Transporter's ID 29012250 5

D. Transporter's Phone 207 498-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number MAD059020834

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE #2 LANDFILL
49350 NORTH I94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111 — 10. US EPA ID Number MID048090633

G. State Facility's ID

H. Facility's Phone 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM ☒ RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,365~~	K	PCB1
b.	☐			~~16,445~~ 21,068		
c.	☐					
d.	☐					

J. Additional Descriptions for Materials Listed Above

K. Handling Codes a b c d

APPROVALS 000002PCB (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # Pac 30021
STORAGE START DATE: 7-30-02
UNIQUE CONTAINER ID# 7-30-02
RI STATE CODE FOR PCB MATERIAL: N00
end of service 10/5/02

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT: P&W F.D. 800/365-1111; EQ. 800/639-3975
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Joe A Palaya — Signature: Joe A. Palaya — Date: Month Day Year 10 08 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: Robert Sellers — Signature: Robert A Sellers — Date: Month Day Year 10 08 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Dave Shorell — Signature: [illegible] — Date: Month Day Year 10 08 02

FACILITY

19. Discrepancy Indication Space
ok to chnge 13 to 20 Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Lori Bean — Signature: [illegible] — Date: Month Day Year 10 15 02

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

WEIGH SLIP 274344

NOT VALID UNLESS IMPRINTED

45000 lb GR

Gross 07:54 AM 10/08/02
38000 lb GR

Tare 59,800 Gross
19,880 ~~Net~~ Tare

Net 39,920 lbs net

Date	Truck No.
10/8/02	403

Consignee Pac 30431
SF9 8724

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Invoice ID: 30014395 Receipt ID: 1110471 **Manifest: MI8894725**

Required under authority of Part 111 and Part 121 of Act 451, 1994 as amended

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12118 MCL

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: RIP000021309
Manifest Document No: 00302
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV DEPT NBN)
ONE SIMON-PIETRI DRIVE
NEWPORT, RI 02841

A. State Manifest Document Number: MI 8894725

4. Generator's Phone: ( ) 401 841-1791

B. State Generator's ID: GOULD ISLAND

5. Transporter 1 Company Name: Ameritech Environmental Inc
6. US EPA ID Number: MERCO500595
C. State Transporter's ID: 230 MSPC
D. Transporter's Phone: 207-438-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020834
E. State Transporter's ID:
F. Transporter's Phone: 800-759-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC., SITE # 2 LANDFILL
49350 NORTH I-94 SERVICE DRIVE
BELLEVILLE, MICHIGAN 48111
10. US EPA ID Number: MID048090633
G. State Facility's ID:
H. Facility's Phone: 800-592-5489

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE (MARINE POLLUTANT), 9, UN2315, PGIII	001	DT	~~16,363~~ 50	K	PCB1
b.				11,364		
c.				14,768		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
APPROVALS 080802PEF (SOIL & DEBRIS WITH PCBS >50PPM) RAILCAR # PN 30031
STORAGE START DATE: 8-1-02
UNIQUE CONTAINER ID: 1 [illegible]
RI STATE CODE FOR PCB MATERIAL: [illegible]
out of service 10/Flc2

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY CONTACT P&W F.D. 860/565-1111, EQ 800/839-3375
ERG #171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: Job A. Palaya Date: Month 10 Day 08 Year 02

TRANSPORTER

17. Transporter 1 Acknowledgment of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month 10 Day 08 Year 02

18. Transporter 2 Acknowledgment of Receipt of Materials
Printed/Typed Name: Gregory Dimaccio Signature: Gregory Dimaccio Date: Month 10 Day 08 Year 02

FACILITY

19. Discrepancy Indication Space
CHANGE TO PCB Mark Reilly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Kelly Clare Signature: [illegible] Date: Month 10 Day 15 Year 02

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOUR PER DAY.

EPA Form 8700-22 (Rev. 9/88) TSDF COPY

WEIGH SLIP 200455

NOT VALID UNLESS IMPRINTED

41400 lb GR

Gross 12:56 PM 10/08/02
28400 lb GR

69800 gross

Tare 44800 tare

Net 25000 net

Date	Truck No.
10/8/02	403

Consignee MI 88947725

PW 30031

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

NYB9596142

Please type or print. Do not staple.

DIVISION OF SOLID & HAZARDOUS MATERIALS

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

CWMI

(Hazardous Waste Manifest 5400)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. R I P 0 0 0 0 2 1 3 0 9 — Manifest Doc. No. 0 0 3 0 3

2. Page 1 of 1

Information within heavy bold line is not required by Federal Law.

A. NYB9596142

B. Generator's ID: GOULD ISLAND NEWPORT RI 02841

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. N8N)
1 Simonpietri Drive
Newport, RI 02841

4. Generator's Telephone Number (401) 841-1791

5. Transporter 1 (Company Name): AmeriTech Environmental Inc

6. US EPA ID Number: MER000500595

C. State Transporter's ID: A494-374 MF

D. Transporter's Telephone: (207 451-9441

7. Transporter 2 (Company Name)

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Telephone ( )

9. Designated Facility Name and Site Address
CWM CHEMICAL SERVICES, LLC.
1550 BALMER RD.
MODEL CITY NY 14107

10. US EPA ID Number: N Y D 0 4 9 8 3 6 6 7 9

G. State Facility ID

H. Facility Telephone (716) 754-8231

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE, 9, UN2315, III (Marine Pollutant)	001	CM	1450	K	EPA / STATE B007
b.					EPA / STATE
c.					EPA / STATE
d.					EPA / STATE

J. Additional Descriptions for Materials listed Above
CR0831 (R007)
a. c.
b. d.

K. Handling Codes for Wastes Listed Above
a. L c.
b. d.

15. Special Handling Instructions and Additional Information
CHEMTREC Emergency Response Number (800)424-9300 WMI Contract ERG#171
PCB OOS DATE 10/15/02
SERVICE REQUEST # 658211 Can#300470 8156670

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: MARK J. RIELLY — Signature: Mark Rielly — Mo. Day Year: 10 15 02

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials — Printed/Typed Name: Carl M Schiavone — Signature: Carl M Schiavone — Mo. Day Year: 10 15 02

18. Transporter 2 Acknowledgement of Receipt of Materials — Printed/Typed Name — Signature — Mo. Day Year

FACILITY — 19. Discrepancy Indication Space: PCB WASTE ID = PCB cont. concrete/soil
Act. Rec. 11358K Item 13. weight was estimated by generator. Resolved

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Michelle Flea — Signature: Michelle Flea — Mo. Day Year: 10 16 02

COPY 1-DISPOSER STATE - MAILED BY TSD FACILITY

CWM Chemical Services, Inc.
Model City, NY

(34) _____ Cubic Yards

8566470 — Receipt #
A 494374 ME — Trailer License Plate # and State
65827 — Service Req. #
CR0831 — Profile #
MK017 — Permit #
Con # 300470
Ameritech Environmental — Transporter Name
404 RTG — Tractor/Trailer/Roll-off #
Carl M Schiavone — Driver's Name
Newport Naval Station RI — Generator

03:53 66520 LB G 2
10/16/02
12:12 41480 LB G 1
10/16/02

25040P
11358K
12.52 TONS

Scheduled Arrival: _____ Date _____ Time

Actual Arrival: _____ Date 904 Time In 1223 Time Out

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: MF Initials _____ Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify _____

☑ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory
Time In | Time Out | Initials | Comments

Stabilization
Time In | Time Out | Initials | Gross Wt. | Comments

Landfill
Time In | Time Out | Initials | Comments

Other
Time In | Time Out | Initials | Comments

Aqueous Treatment
Time In | Time Out | Signature (NO Initials) | Comments

Facility Personnel (please initial)

_____ Smoking or eating in prohibited areas
_____ Failure to obey instructions of facility personnel
_____ Failure to wear appropriate PPE
_____ Unsafe driving practices
_____ Other (specify) _____
_____ Leaving truck unattended
_____ Failure to display overweight flag
_____ Improper tarping or detarpin
_____ Overweight upon arrival

Security Guard Initials: _____
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver

NYB9596151

Please type or print. Do not staple.

DIVISION OF SOLID & HAZARDOUS MATERIALS

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. R I P 0 0 0 0 2 1 3 0 9 — Manifest Doc. No. 00304

2. Page 1 of 1

Information within heavy bold line is not required by Federal Law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. N8N)
1 Simonpietri Drive
Newport, RI 02841

4. Generator's Telephone Number (401) 841-1791

A. NYB9596151

B. Generator's ID
GOULD ISLAND
NEWPORT, RI 02841

5. Transporter 1 (Company Name) AmeriTech Environment Inc

6. US EPA ID Number MER000080555

C. State Transporter's ID 4494370 ME

D. Transporter's Telephone 207 945-9400

7. Transporter 2 (Company Name)

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Telephone ( )

9. Designated Facility Name and Site Address
CWM CHEMICAL SERVICES, LLC
1550 Balmer Road
Model City, NY 14107

10. US EPA ID Number NYD049836679

G. State Facility ID

H. Facility Telephone ( ) 716-754-8231

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE, 9, UN2315, III (Marine Pollutant)	001	CM	16000	K	EPA / STATE B007
b.					EPA / STATE
c.					EPA / STATE
d.					EPA / STATE

J. Additional Descriptions for Materials listed Above
a. CR0831 (R007) c.
b. d.

K. Handling Codes for Wastes Listed Above
a. c.
b. d.

15. Special Handling Instructions and Additional Information
CHEMTREC Emergency Response Number (800) 424-9300 WMI Contract ERG#171
PCB OOS DATE 10-17-02
SERVICE REQUEST # 658218 can# 200377 81566609

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Mo. Day Year: 10 17 02

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Carl M Schiavone — Signature: Carl M Schiavone — Mo. Day Year: 10 17 02

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: — Signature: — Mo. Day Year:

FACILITY

19. Discrepancy Indication Space PCB waste ID = concrete & soil Item K = 1L
Actual pick 8100K - Item 13. was estimated per generator Resolved

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: SHELLEY RWOPP — Signature: Shelley Rwopp — Mo. Day Year: 10 18 02

COPY 1-DISPOSER STATE - MAILED BY TSD FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7454

Transporter Log
CWM Chemical Services, Inc.
Model City, NY

(7)

20
Cubic Yards

81566609
Receipt #

A494374 MF
Trailer License Plate # and State

658218
Service Req. #

CR0531
Profile #

ME017
Permit #

AmeriTech Environmental
Transporter Name

402 RT6 #208377
Tractor/Trailer/Roll-off #

Michey Schaoone
Driver's Name

Newport Naval Station
Generator

60720 LB G 2
06:04
10/18/02
41540 LB G 1
08:10
10/18/02
19180 P
9.59 TONS
8700 K

Scheduled Arrival: Date ____ Time ____

Actual Arrival: Date ____ Time In 541 Time Out 928

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: Initials ____ Comments ____

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify) ____

☒ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory
Time In ____ Time Out ____ Initials GS Comments ____

Stabilization
Time In ____ Time Out ____ Initials ____ Gross Wt. ____ Comments ____

Landfill
Time In ____ Time Out ____ Initials MJ Comments ____

Other
Time In ____ Time Out ____ Initials ____ Comments ____

Aqueous Treatment
Time In ____ Time Out ____ Signature (NO Initials) ____ Comments ____

Facility Personnel (please initial)

____ Smoking or eating in prohibited areas
____ Failure to obey instructions of facility personnel
____ Failure to wear appropriate PPE
____ Unsafe driving practices
____ Other (specify) ____
____ Leaving truck unattended
____ Failure to display overweight flag
____ Improper tarping or detarpin
____ Overweight upon arrival

Security Guard Initials: ____
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver

NYB9596169

Please type or print. Do not staple.

DIVISION OF SOLID & HAZARDOUS MATERIALS

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. R I P 0 0 0 0 2 1 3 0 9 Manifest Doc. No. 0 0 3 2 7

2. Page 1 of 1

Information within heavy bold line is not required by Federal Law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. N8N)
1 Simonpietri Drive
Newport, RI 02841

4. Generator's Telephone Number (401) 841-1791

A. NYB9596169

B. Generator's ID
GOULD ISLAND
NEWPORT, RI 02841

5. Transporter 1 (Company Name) AMERITECH ENVIRONMENTAL

6. US EPA ID Number MER 0 0 0 5 0 0 5 9 1 5

C. State Transporter's ID A290125ME

D. Transporter's Telephone 207/438-9149

7. Transporter 2 (Company Name)

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Telephone ( )

9. Designated Facility Name and Site Address
CWM CHEMICAL SERVICES, LLC
1550 BALMER ROAD
MODEL CITY, NY 14107

10. US EPA ID Number N Y D 0 4 9 8 3 6 6 7 9

G. State Facility ID

H. Facility Telephone (716) 754-8231

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE, 9, UN2315, III (Marine Pollutant)	0 0 1	C M	est. 1 8 1 8 1	K	EPA / STATE B007
b.					EPA / STATE
c.					EPA / STATE
d.					EPA / STATE

J. Additional Descriptions for Materials listed Above
a. CR0831 (R007)
b.
c.
d.

K. Handling Codes for Wastes Listed Above
a. c.
b. d.

15. Special Handling Instructions and Additional Information
CHEMTREC Emergency Response Number (800) 424-9300 WMI Contract ERG#171
PCB OOS DATE: 10/30/02
SERVICE REQUEST # 659693
8156 7313

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA — Signature: Job A. Palaya — Mo. Day Year 10 30 02

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: ROBERT STILSBY — Signature: Robert A. Stilsby — Mo. Day Year 10 30 02

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Mo. Day Year

19. Discrepancy Indication Space
Actual rec'd 17672K
Item 11(a) = L
PCB Waste ID = concrete + soil

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Gilbert Carter — Signature: Gilbert Carter — Mo. Day Year 10 30 02

GENERATOR

TRANSPORTER

FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

COPY 1-DISPOSER STATE - MAILED BY TSD FACILITY

CWM Chemical Services, Inc.
Model City, NY

7

20 Cubic Yards

Receipt # 81567313

Trailer License Plate # and State A29.0125 ME

83620 LB G 2
06:22
10/31/02

Service Req. # 659693

Profile # CR0831

Permit # ME-017

Transporter Name AMERITECH

Tractor/Trailer/Roll-off # 403/TR2/274336

Driver's Name ROBERT SELLSBY

Generator U.S. NAVY

44660 LB G 1
08:48
10/31/02

38960P
17672K
19.48 TONS

Scheduled Arrival: Date ____ Time ____

Actual Arrival: Date ____ Time In 610 Time Out 911

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: Initials ____ Comments ____

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify ____

☒ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory

Time In	Time Out	Initials	Comments
		GS	

Stabilization

Time In	Time Out	Initials	Gross Wt.	Comments

Landfill

Time In	Time Out	Initials	Comments

Other

Time In	Time Out	Initials	Comments

Aqueous Treatment

Time In	Time Out	Signature (NO Initials)	Comments

Facility Personnel (please initial)

____ Smoking or eating in prohibited areas

____ Failure to obey instructions of facility personnel

____ Failure to wear appropriate PPE

____ Unsafe driving practices

____ Other (specify) ____

____ Leaving truck unattended

____ Failure to display overweight flag

____ Improper tarping or detarpin

____ Overweight upon arrival

Security Guard Initials: ____
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 300101
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSN) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone (401) 841-1791

State Manifest Document Number: MI 8693858
8. State Generator's ID: GOULD ISLAND,

5. Transporter 1 Company Name: Meritech Env. Services — 6. US EPA ID Number: MEB000500595
C. State Transporter's ID: 76054 MA
D. Transporter's Phone: 207-438-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE Pollutant)	X	0 0 1	C	M ~~16,000~~ 16336	K	P C B 1 R 0 0 7
b.							
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. (S) SOIL & DEBRIS WITH PCB, APPROVAL #080902PRP
b. c. d.

PW 30005 ~~FREE 9504~~ out of service 8/26/03

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/19/03 CONTAINER# 200556 RAILCAR# ~~FREE~~ ~~9504~~ (DS) b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Bance LAVOIE — Signature: [signature] — Date (Month Day Year): 08 26 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: [signature] — Date (Month Day Year): 08 26 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Daniel Stovall — Signature: [signature] — Date (Month Day Year): 08 26 03

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: ESTHER MERCHANT — Signature: E. R. Carrion — Date (Month Day Year): 09 04 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 8110 Rev. 5/00

TSDF COPY

08:51 AM 08/26/03

WEIGH SLIP No.

NOT VALID UNLESS IMPRINTED

Gross 75820
43200
35940

Tare

17.97 TONS

Net

Date	Truck No.
8/26/03	R-6

Consignee TRUCK 9504
MT 869387

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30011
2. Page 1 of 1 — Information in the shaded areas is not required by Federal law.
State Manifest Document Number: MI 8693856

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSP) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone: (401) 841-1791
B. State Generator's ID: GOULD ISLAND,

5. Transporter 1 Company Name: Ameritech Environmental — 6. US EPA ID Number: MER000500595
C. State Transporter's ID: 95-7889
D. Transporter's Phone: (207) 432-9191

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 8
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE POLLUTANT)	0 0 1	C M	EST 16,800	K	P C B 1 R 0 0 7
b.				17691		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (X) SOIL & DEBRIS WITH PCB, c.
APPROVAL #0880902PEF
b. d.
PO 30005 end of

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 08/19/03 CONTAINER# 30035-1 RAILCAR# b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY — Signature: Mark Rielly — Date (Month Day Year): 08 26 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Peter Burnum — Signature: Peter Burnum — Date (Month Day Year): 08 26 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [illegible] — Date (Month Day Year): [illegible]

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] — Signature: [illegible] — Date (Month Day Year): [illegible]

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — TSDF COPY — EQP 5110 Rev. 5/00

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 08:20 AM 08/26/03
78300 lb GR

Tare 08:20 AM 08/26/03
00 ID. NO.
78300 lb GR
36000 lb TR KEYED
42300 lb NT

Net 21.15 TONS

Date	Truck No.
8/26/03	~~4007~~ 5253

Consignee THEL 9504

MT 669356

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 9 Manifest Document No. 130123
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.NPW)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03841

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8693857

B. State Generator's ID GOULD ISLAND,

5. Transporter 1 Company Name AmeriTech Environmental
6. US EPA ID Number MEC000500595
C. State Transporter's ID A599557ME
D. Transporter's Phone 207-438-9144

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE POLLUTANT)	X	001	C	16000	K	PCB1 R007
b.					1 K 391		
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. (S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 271188 RAILCAR# b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Renee Lavoie Signature Date Month Day Year 08 26 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name Carl M Schiavone Signature Date Month Day Year 08 26 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name Signature Date Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name ESTHER CARLONE Signature E. R. Carlone Date Month Day Year 09 08 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) ECP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 08:16 AM 08/26/03
10220 lb GR

Gross

Tare 08:16 AM 08/26/03
71700 lb GR

~~39930~~
~~42600~~
~~3330~~

19.66 TONS

Net 08:17 AM 08/26/03
00 lb TR

Date 8/26/03

71800 lb GR
42600 lb TR KEYED
~~29200 lb NT~~

Truck No. 404

~~7400~~

Consignee TICKL 9504

MT 8693557

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 Manifest Document No. 330018
2. Page 1 of 2
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.NCR)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

State Manifest Document Number
MI 8693861

B. State Generator's ID
GOULD ISLAND

5. Transporter 1 Company Name
Ameritech Environmental
6. US EPA ID Number
MER000500545

C. State Transporter's ID 952889MF
D. Transporter's Phone 207-438-91

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number
M A 0 0 5 9 0 2 0 8 3

E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number
M I D 0 4 8 0 9 0 6 3 8

G. State Facility's ID
H. Facility's Phone (734) 697-2200

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	001	CM	~~16800~~ 237	K	PCB1 R007
b.					~~16700~~ 22,786	K	
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 27500 RAILCAR# 30005 b. c. d.
[illegible] 3/26/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaJoie | Signature: [illegible] | Date (Month Day Year): 08 26 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Peter Karavan | Signature: [illegible] | Date (Month Day Year): 08 26 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Derek [illegible] | Signature: [illegible] | Date (Month Day Year): [illegible] 03

FACILITY

19. Discrepancy Indication Space
Unauthorized Shipment Belleville Plant Site Newport 9/9/03 [illegible]

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] | Signature: [illegible] | Date (Month Day Year): 09 09 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

EPA Form 8700-22 (Rev. 9/88)

EQP 6110 Rev. 5/00

TSDF COPY

T-503

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 01:47 PM 08/26/03
71700 lb GR

Tare 01:47 PM 08/26/03
00 lb. NO.
71700 lb GR
34900 lb TR KEYED
36800 lb NT

18.40 Tons

Net

Date	Truck No.
8-26-03	Amplech 503

Consignee Pw 30005
ME 8693861

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

MI8693859, Page 1

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 9 Manifest Document No. 30014
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSN) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone: 401 , 841-1791
5. Transporter 1 Company Name: ENVIROCARE
6. US EPA ID Number: UTD000505095
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3

A. State Manifest Document Number: MI 8693859
B. State Generator's ID: GOULD ISLAND,
C. State Transporter's ID: ASC7145 IMF
D. Transporter's Phone: 267-138-2777
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE Pollutant)	X	001	C	EST 16500	K	PCB1 R007
b.					24564	K	
					22,786	K	
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. (S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902FEF
b. d.

K. Handling Codes: a. b. c. d.

end of service 5/26/03

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:800-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/26/03 CONTAINER# 214 RAILCAR# 5000 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Pete LANDIE — Signature: [signature] — Date: Month 08 Day 21 Year 03

17. Transporter 1 Acknowledgement of Receipt of Materials
TRANSPORTER — Printed/Typed Name: Carl M Schiavoni — Signature: [signature] — Date: Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: [illegible] — Signature: [signature] — Date: Month 8 Day 27 Year 03

19. Discrepancy Indication Space
FACILITY — [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Lol Beaux — Signature: [signature] — Date: Month 09 Day 02 Year 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) EQP 8110 Rev. 8/00

TSDF COPY

Z 404

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 01:39 PM 08/26/03 76820 lb GR

Split weigh

Tare 01:42 PM 08/26/03 9990 lb GR Gross

Net 86708 Tare 22.62 TONS

Date 8/26/03 - 4140 Truck No. 45,240 NET 404

Consignee MHF (Global / navy shipyard)

PW 30005

MI 8693859

Weigher JB

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 3 — Manifest Document No. 330051
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NAVY) ONE SIMON PETRI DRIVE NEWPORT, RI 03941

A. State Manifest Document Number: MI 8693863

B. State Generator's ID: GOULD ISLAND,

4. Generator's Phone: (401) 841-1791

5. Transporter 1 Company Name: AmeriTech Environmental — 6. US EPA ID Number: MER000500495

C. State Transporter's ID: A59957MI

D. Transporter's Phone: 207-828-7149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

E. State Transporter's ID:

F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3

G. State Facility's ID:

H. Facility's Phone: (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X — RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE Pollutant)	001	C	M ~~16500~~ ~~17310~~ 13812	K	PCB1 R007
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/2/03 CONTAINER# 200446 RAILCAR# TEAM 8547 b. c. d.
end of service 8/27/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Renee Lowe — Signature: [signature] — Date: Month 08 Day 27 Year 03

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials — Printed/Typed Name: Carl M Schiavone — Signature: [signature] — Date: Month 08 Day 27 Year 03

18. Transporter 2 Acknowledgement of Receipt of Materials — Printed/Typed Name: Derek Shaw — Signature: [signature] — Date: Month 08 Day 27 Year 03

FACILITY — 19. Discrepancy Indication Space: OK to Manage Per — Mark Kielly Enviro Staff Engr 8/29/03

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. — Printed/Typed Name: Esther Corcoran — Signature: [signature] — Date: Month 09 Day 05 Year 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 07:44 AM 08/27/03 69860 lb GR
9630 lb GR
Gross
79560

Tare
41460 Tare

Net
38,100 NET
19.05 TONS

Date	Truck No.
8-27-03	404

Consignee TKEN 5547
MF 869 3863

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30816
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NEW) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone: 401 841-1791

A. State Manifest Document Number: MI 8693862
B. State Generator's ID: GOULD ISLAND,

5. Transporter 1 Company Name: Ameritech Environmental — 6. US EPA ID Number: MER000500595
C. State Transporter's ID: 95289MF
D. Transporter's Phone: 207-438-9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
E. State Transporter's ID:
F. Transporter's Phone: ~~(508) 755-4000~~

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	0 0 1	C M	~~16800~~ Est	K	P C B 1 R 0 0 7
b.				~~16275~~ 15262		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 774336 RAILCAR# 7642 b. c. d.
out of service 8/29/03 2547

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Bance Livoie — Signature: [signature] — Date (Month Day Year): 08 27 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Peter Barnum — Signature: [signature] — Date (Month Day Year): 08 27 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Derek Shaw — Signature: [signature] — Date (Month Day Year): 08 27 03

19. Discrepancy Indication Space
Mark Kelly C Rev Stallcupt 9/9/03
Mark Kelly

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] — Signature: [illegible] — Date (Month Day Year): 09 09 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross [redacted]

Tare 07:50 AM 08/27/03
00 ID. NO.
70720 lb GR
34980 lb TR KEYED
35740 lb NT

Net 17.87 TONS

Date	Truck No.
8-27	Atech 503

Consignee MT TREN 9547

MI 8653862

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12115 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024385 Manifest Document No. 30017
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

State Manifest Document Number MI 8693864

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.NGB) ONE SIMON PETRI DRIVE NEWPORT, RI 03941

B. State Generator's ID GOULD ISLAND,

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name Amarotech Environmental Svcs
6. US EPA ID Number MDR000500595
C. State Transporter's ID A689026
D. Transporter's Phone 207 418 7049

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number MA0059020833
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111
10. US EPA ID Number MID048090633
G. State Facility's ID
H. Facility's Phone (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	001	CM	~~16000~~ Ext	K	PCB1 R007
b.				16036 13812		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (S) SOIL & DEBRIS WITH PCB, APPROVAL #080902PBF
b.
c.
d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 300324 RAILCAR# TEMP ESTIMATE c. d.
out of service 8/27/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Peter LAVOIE Signature [signature] Date Month Day Year 08 27 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name Donald Hoak Signature [signature] Date Month Day Year 08 27 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 08 27 03

19. Discrepancy Indication Space
OK to Change Per Mark Kelly@NavStaNewport 9/9/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name [illegible] Signature [signature] Date Month Day Year 09 09 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88)

EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

07:47 AM 08/27/03
402 ID. NO.
77220 lb GR
41940
35280

Gross

Tare

17.64 TONS

Net

Date	Truck No.
8/27/03	402

Consignee TUKN 9547
MI 8693864

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30018
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
A. State Manifest Document Number MI 8693867
3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.NSN) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
B. State Generator's ID GOULD ISLAND
4. Generator's Phone (401) 841-1791
5. Transporter 1 Company Name Ameritech Environmental — 6. US EPA ID Number MER000500191
C. State Transporter's ID 85287ME
D. Transporter's Phone 207 438 9149
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000
9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111 — 10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone (734) 697-2200

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	X	001	CM	45T 45000	K	PCB1 R007
b.				4641 18645		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 275022 RAILCAR# 7 1547 b. c. d.
End of Storage 8/27/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY — Signature — Date Month Day Year 08 27 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name Peter Barnum — Signature — Date Month Day Year 08 27 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name David Thomas — Signature — Date Month Day Year 08 27 03

19. Discrepancy Indication Space
OK to Charge Mark Reilly@NavSta Newport 9/9/03

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name ESTHER CARCIONE — Signature — Date Month Day Year 09 09 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 6/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 02:01 PM 08/27/03
72340 lb GR

Tare 02:02 PM 08/27/03
00 ID. NO.
72360 lb GR
34980 lb TR KEYED
37380 lb NT

18.69 TONS

Net

Date 8-27-03

Truck No. A-Tech 503

Consignee Tech 3547
MI 869 3867

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30019
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.NGB) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone (401) 841-1791
5. Transporter 1 Company Name [illegible]
6. US EPA ID Number [illegible]
7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3 6
9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111
10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3

A. State Manifest Document Number MI 8693866
B. State Generator's ID GOULD ISLAND.
C. State Transporter's ID A 859026
D. Transporter's Phone [illegible]
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000
G. State Facility's ID
H. Facility's Phone (734) 697-2200

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	X	001	CM	EST 16600	K	PCB1 R007
b.				16918	K	
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBP
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;RQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 074276 RAILCAR# TTCP 9540 b. c. d.
out of service 7/22/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: MARK J. RIELLY — Signature: [signature] — Date (Month Day Year): 08 18 03

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials — Printed/Typed Name: David Hurte — Signature: [signature] — Date (Month Day Year): 08 18 03

TRANSPORTER — 18. Transporter 2 Acknowledgement of Receipt of Materials — Printed/Typed Name: Derek Shaw — Signature: [signature] — Date (Month Day Year): 08 21 03

FACILITY — 19. Discrepancy Indication Space
Other change 13 yr Mark Rielly @ Nav Sta Newport 9/9/03 [illegible]

FACILITY — 20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Esther Carcone — Signature: E. R. Carcone — Date (Month Day Year): 09 09 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 02:09 PM 08/27/03
79360 lb GR

Tare 02:09 PM 08/27/03
00 ID. NO.
79160 lb GR
41940 lb TR KEYED
37220 lb NT

Net 18.61 TONS

Date	Truck No.
8/27/03	902

Consignee TKF W 9590
MI 869 3666

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30020
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
A. State Manifest Document Number: MI 8693865

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSN) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
B. State Generator's ID: GOULD ISLAND.
4. Generator's Phone (401) 841-1791
5. Transporter 1 Company Name: Ameritech Environmental — 6. US EPA ID Number: MIR000050595
C. State Transporter's ID: 594557-MC
D. Transporter's Phone: 207 438 9147
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (MARINE Pollutant)	001	CM	~~1,909~~ 157	X	PCB1 R007
b.				~~1,909~~ 18645		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, APPROVAL #080902PRF
b. c. d.

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 2 0074 RAILCAR# TWCX 9547 b. c. d.
end of service 9/27/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY — Signature: M J Rielly — Date: Month 09 Day 27 Year 03

TRANSPORTER
17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Carl M Schlaugh — Signature: Carl M Schlaugh — Date: Month 09 Day 27 Year 03
18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Derek Shuah — Signature: Derek C Shuah — Date: Month 09 Day 27 Year 03

FACILITY
19. Discrepancy Indication Space
OK to Change per Mark Reilly @ NavSta Newport 9/9/03
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. CARCIONE — Signature: E. R. Carcione — Date: Month 09 Day 25 Year 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 02:04 PM 08/27/03
101000 lb GR

Tare 02:04 PM 08/27/03
~~68560 lb GR~~
78660
41,460

Net 37200 lbs. 18.60 TONS

Date	Truck No.
8/27/03	404

Consignee TRAN 85477
MTI 8693865

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

DEQ WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30021
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8693869
B. State Generator's ID GOULD ISLAND.

5. Transporter 1 Company Name: Hinkley Tech Environmental
6. US EPA ID Number: MER000500595
C. State Transporter's ID: 95 1102 ME
D. Transporter's Phone: 207-428-3449

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	001	CM	EST. 20,000 ~~18,000~~	K	PCB1 R007
b.					17418		
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. (S) SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes
a.
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; RQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 200274 RAILCAR# TKEN 8540 b. c. d.
out of service 8/28/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. ALAYA — Signature: [signature] — Date: Month Day Year 082803

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Thomas Daley Jr — Signature: Thomas Daley Jr — Date: Month Day Year 082803

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Derek Shaver — Signature: [signature] — Date: Month Day Year 082803

FACILITY

19. Discrepancy Indication Space
Quantity Shipped 17,418 Marine Pollutant Kelly C Naval St. Newport 8/15/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Frank Carcione — Signature: [signature] — Date: Month Day Year 09 05 03

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) EQP 5110 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 09:20 AM 08/28/03 75960 lb GR

Tare 09:20 AM 08/28/03 ~~GR ID. NO.~~ 75960 lb ~~GR~~ Gross ~~[illegible]~~ ~~[illegible]~~ 37540 Tare

Net 38320 NET 19.16 TONS

Date	Truck No.
8/28/03	500

Consignee TREW 9540

8693869

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: RIP000024385 — Manifest Document No.: 30022
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NCNS) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone: (401) 841-1791
5. Transporter 1 Company Name: Aquatech Environmental
6. US EPA ID Number: MER000500795
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: NA0059020834
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111
10. US EPA ID Number: MID048090633

A. State Manifest Document Number: MI 8693868
B. State Generator's ID: GOULD ISLAND.
C. State Transporter's ID: A687046
D. Transporter's Phone: 207 773 7129
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	X	001	CM	Est ~~8800~~	K	PCB1 R007
b.					16,773		
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, APPROVAL #080902PBF
b.
c. out of service
d. 8/28/03

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 5/20/03 CONTAINER# 00442 RAILCAR# TAEX 9590 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA — Signature: Job A. Palaya — Date: Month 08 Day 28 Year 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Donald Hart — Signature: [illegible] — Date: Month 08 Day 28 Year 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: — Signature: Gregory Quinlan — Date: Month 08 Day 28 Year 03

19. Discrepancy Indication Space
[illegible] 9/9/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: ESTHER CRUZ — Signature: E. R. Cruz — Date: Month 09 Day 05 Year 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQP 5110 Rev. 5/00

FSDF COPY

Gross

09:15 AM 08/28/03
79060 lb GR

Tare

09:16 AM 08/28/03
00 ID. NO.
78840 lb GR
41940 lb TR KEYED
36900 lb NT

18.45 Tons

Net

Date	Truck No.
7/28/03	402

Consignee MI869868

TKEN 9540

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30023
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.NGA)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 8693870
B. State Generator's ID: GOULD ISLAND,

5. Transporter 1 Company Name: Amrivtech Environmental
6. US EPA ID Number: MER025000595
C. State Transporter's ID: 76054 MA
D. Transporter's Phone: 207 438 9149

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 8
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	X	0 0 1	C M	Est ~~18600~~	K	P C B 1 R 0 0 7
b.					73645 16 343		
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. (S) SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes: a. b. c. d.

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 871188 RAILCAR# 7KEW 9540 b. c. d.
end of service 8/28/03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA — Signature: Job A. Palaya — Date (Month Day Year): 08 28 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: James Martin — Date (Month Day Year): 08 28 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Daniel Howard — Signature: [illegible] — Date (Month Day Year): 08 28 03

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: ESTHER [illegible] — Signature: [illegible] — Date (Month Day Year): 09 03 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — EQF 5118 Rev. 5/00

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 09:21 AM 08/28/03
72520 lb GR

Tare 09:22 AM 08/28/03
00 ID. NO.
72520 lb GR
42500 lb TR KEYED
30020 lb NT

15.01 TONS

Net

Date	Truck No.
8/28/03	R6

Consignee THEW 95740
8653570

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 Manifest Document No. 30024
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

A. State Manifest Document Number MI 8693873

B. State Generator's ID GOULD ISLAND,

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name Ameritech Environmental
6. US EPA ID Number MCR000500595
C. State Transporter's ID 76054MA
D. Transporter's Phone 207-438-9749

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	0 0 1	C M	~~1,000~~ Est	K	P C B 1 R 0 0 7
b.				TSDF		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (S) SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBY
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;RQ:800-839-3975
a. ERG#171; STORAGE START DATE: 8/24/03 CONTAINER# GS-05 RAILCAR# TILX 7547 b. c. d.
and [illegible]

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY Signature [signature] Date Month Day Year 08 28 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name James Martin Signature [signature] Date Month Day Year 08 28 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name Derek Thrall Signature [signature] Date Month Day Year 08 28 03

19. Discrepancy Indication Space
[illegible] Mark Reilly @ Naval Sta. Newport 9/8/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name [illegible] Signature [illegible] Date Month Day Year [illegible]

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88)

TSDF COPY

EQP 6110 Rev. 5/00

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 03:03 PM 08/28/03
75760 lb GR

Tare 03:03 PM 08/28/03
00 TD. NO.
75760 lb GR
42300 lb TR KEYED
33480 lb NT

Net 16.74 TONS

Date	Truck No.
8/28/03	R-6

Consignee TMCH 8547

MI 869 3873

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 Manifest Document No. 320025
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.NGB) ONE SIMON PETRI DRIVE NEWPORT, RI 03941
4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8693871
B. State Generator's ID GOULD ISLAND,

5. Transporter 1 Company Name AmeriTech Environmental
6. US EPA ID Number MER000500595
C. State Transporter's ID 951102 ME
D. Transporter's Phone 207-438-9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address WAYNE DISPOSAL, INC 49350 N. I-94 SERVICE DRIVE BELLEVILLE MI 48111
10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone (734) 697-2200

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	X	001	CM	1,200	K	PCB1 R007
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PRF
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 274214 RAILCAR# 76255 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name | Signature | Date Month Day Year 08 28 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name Thomas Daley JR | Signature Thomas Daley | Date Month Day Year 08 28 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Date Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name | Signature | Date Month Day Year 09 05 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88)

TSDF COPY

EQP 5110 Rev. 5/00

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 03:17 PM 08/28/03
75120 lb GR

Tare 03:17 PM 08/28/03
00 ID. NO.
75120 lb GR
37300 lb TR KEYED
37820 lb NT

Net 18.91 TONS

Date	Truck No.
8/28/03	500

Consignee TKEN 9540
MI 8693571

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 300210
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.N00)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 8693872
B. State Generator's ID GOULD ISLAND,

5. Transporter 1 Company Name Amerisb Environmental — 6. US EPA ID Number MER000020595
C. State Transporter's ID A 689 026
D. Transporter's Phone 201 [illegible] 9149

7. Transporter 2 Company Name PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number M A 0 0 5 9 0 2 0 8 3 4
E. State Transporter's ID
F. Transporter's Phone (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number M I D 0 4 8 0 9 0 6 3 3
G. State Facility's ID
H. Facility's Phone (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III (Marine Pollutant)	001	CM	~~18600~~ 854	K	PCB1 R007
b.				~~13891~~ 16,374		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a.(S)SOIL & DEBRIS WITH PCB, c.
APPROVAL #080902PBF
b. d.

K. Handling Codes
a
b
c
d

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# GTS-11 RAILCAR# [illegible] b. c. d.
end of service 8/28/03 F540

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name MARK J. RIELLY — Signature [signature] — Date Month Day Year 08 28 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name Donald Hawk — Signature [signature] — Date Month Day Year 08 28 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name Donald Shroll — Signature [signature] — Date Month Day Year 08 28 03

FACILITY

19. Discrepancy Indication Space
[illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name BRYAN SCHULTZ — Signature [signature] — Date Month Day Year 09 09 03

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88)

TSDF COPY

EQP 5110 Rev. 5/00

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross 03:15 PM 08/28/03
72540 lb GR

Tare 03:15 PM 08/28/03
00 ID. NO.
72560 lb GR
42000 lb TR KEYED
30560 lb NT

15.28 TONS

Net

Date	Truck No.
8/28/03	402

Consignee TKEN 85340
MI 869 3872

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12118 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I F 0 0 0 0 2 4 3 8 Manifest Document No. 3002
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENVSEPT.)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 9011717
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: ME1000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111

10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	X	001	CM	15,873	K	[illegible]
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
[illegible] end of Sec. 9 [illegible]

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: PAW: 800-383-1111; RQ: 800-853-3975
a. ERG#171; STORAGE START DATE: 8/29/03 CONTAINER# 200361 RAILCAR# PC 30034 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAVOIE — Signature: Renee Lavoie — Date (Month Day Year): 09 02 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Thomas F. Daley Jr — Signature: Thomas F. Daley Jr — Date (Month Day Year): 09 02 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarale — Signature: Gregory Dimarale — Date (Month Day Year): 09 02 03

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. CARCIONE — Signature: E. R. Carcione — Date (Month Day Year): 09 09 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — 1 OF 5 COPY — Form Approved

WEIGHT SLIP

NOT VALID UNLESS IMPRINTED

Ameritech

Gross

10:04 AM 09/02/03
500 ID. NO.
72920 lb GR
38000 lb TR KEYED
34920 lb NT

Tare

17.46 TONS

Net

Date	Truck No.
9/2/03	500

Consignee PW 30034

MT 9011717

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I F 0 0 0 0 2 4 3 8 5
Manifest Document No. 2528
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (SHV.DERT.NCR)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: American Environmental
6. US EPA ID Number: M A D 0 0 6 5 0 2 5 9 5

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: N A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

A. State Manifest Document Number: MI 9011716
B. State Generator's ID: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone: [illegible]
E. State Transporter's ID
F. Transporter's Phone: (508) 753-[illegible]
G. State Facility's ID
H. Facility's Phone: (734) 697-[illegible]

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER). HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. X	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	C	~~[illegible]~~ ESP	K	P 2 8 1 X 0 0 7
b.				25091	K	
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (8) SOIL & DEBRIS WITH PCB. b.
APPROVAL #[illegible] c. 400 # of Steel Drums
d.

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; RQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# [illegible] RAILCAR# PW 30034 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.
Printed/Typed Name: Renee Lancie
Signature: Renee Lancie
Date: Month Day Year 09 02 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Donald Hoch
Signature: [illegible]
Date: Month Day Year 09 02 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarale
Signature: Gregory Dimarale
Date: Month Day Year 09 02 03

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. Carcione
Signature: E. R. Carcione
Date: Month Day Year 09 02 03

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 6-98) Previous Editions Are Obsolete. EQP 4110 Rev. 10/98

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross Ameritech

10:01 AM 09/02/03
402 ID. NO.
41940 lb TR KEYED
33200 lb NT

Tare

10:01 AM 09/02/03
402 ID. NO.
75140 lb GR

Net 17.5 16.60 TONSTONS

10:01 AM 09/02/03
402 ID. NO.
75140 lb GR
41940 lb TR KEYED
33200 lb NT

Date 9/2/03

Truck No. 402

Consignee MI 901176

PW 30034

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12118, MCL

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 30031
2. Page 1 of 1 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.,N
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

State Manifest Document Number: MI - 9011718
B. State Generator's ID: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone: [illegible]
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-4000
G. State Facility's ID:
H. Facility's Phone: (734) 697-2206

5. Transporter 1 Company Name: Amerotech Environmental
6. US EPA ID Number: MER 000500 595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
GENERATOR a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	0 0 1	C M	Est ~~18000~~ 30	K	[illegible]
b.				16,191		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (B)SOIL & DEBRIS WITH PCB, c.
ARMORAL #0089027FEV
b. [illegible] 9/2/03

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111:RQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 27437 RAILCAR# PC 30031 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date: Month Day Year 09 02 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: James Martin — Date: Month Day Year 09 02 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimaccio — Signature: Gregory Dimaccio — Date: Month Day Year 09 02 03

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. Freeman — Signature: E. R. Freeman — Date: Month Day Year 09 12 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — Page 1 of 15 — Rev. 10/02

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Americech

Gross

10:06 AM 09/02/03
06 ID. NO.
78120 lb GR
42500 lb TR KEYED
35620 lb NT

Tare

Net

Date	Truck No.
9/2/03	6

Consignee PW 300 34

MI 9011718

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 00029 — 2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. 2000)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401 841-1791)

A. State Manifest Document Number MI 9011720

B. State Generator's ID

5. Transporter 1 Company Name: AmeriTech Environmental — 6. US EPA ID Number: MER000500595

C. State Transporter's ID

D. Transporter's Phone

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

E. State Transporter's ID (508) 755-4000

F. Transporter's Phone

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111

10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

G. State Facility's ID

H. Facility's Phone (734) 697-2200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	H. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	0 0 1	C M	054 18605 LB	K	
b.				16,254		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (2) BOXES WITH PCB [illegible] APPROVAL #[illegible] — Exp. Date 02/03
EMERGENCY CONTACT: [illegible] 365-1111; RQ: 800-859-5[illegible]

15. Special Handling Instructions and Additional Information
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 200265 RAILCAR# PW 30034 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaNoie — Signature: Renee LaNoie — Date: Month Day Year 09 02 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: James Martin — Date: Month Day Year 09 02 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarco — Signature: Gregory Dimarco — Date: Month Day Year 09 02 03

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. Taccone — Signature: E. R. Taccone — Date: Month Day Year 09 2 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — TSDF COPY — EQP 5110 Rev. 11-02

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

04:02 PM 09/02/03
06 ID. NO.

Gross 78260 lb GR
42500 lb TR KEYED
35760 lb NT

Tare 17.88 TONS

Net

Date	Truck No.
9/2/03	American #6

Consignee PW 30034

MT 01011 720

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 Manifest Document No. 30035
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (NAVY DEPT.)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 9011719
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone (734) 697-1200

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC.
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est ~~[illegible]~~ 5	K	B091
b.				15,382		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. [illegible] WITH PCB, [illegible]
b. [illegible] Solids

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: PER: 800-365-1111; EQ: 800-839-5975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 200569 RAILCAR# PW 30034 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: RENEE LAVOIE Signature: Renee Lavoie Date: Month 09 Day 02 Year 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Thomas F. Daley JR Signature: Thomas F. Daley Jr Date: Month 09 Day 02 Year 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarale Signature: Gregory Dimarale Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. CARCIONE Signature: E. R. Carcione Date: Month 09 Day 02 Year 03

GENERATOR / TRANSPORTER / FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) Page 1 of 2

TEDF COPY

NOT VALID UNLESS IMPRINTED

03:17 PM 09/02/03

500 ID. NO. 3:15 pm
71840 lb GR
38000 lb TR KEYED
33840 lb NT

Gross

Tare

16.92 TONS

Net

Date	Truck No.
9/2/03	Ameritech 500

Consignee MI 9011719

PW 30034

Weigher

Weighed on the Scales

of

Providence & Worcester Railroad Co.

382 Southbridge St.

Worcester, Mass. 01610

(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8
Manifest Document No.
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSN)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 9011721
B. State Generator's ID: RHODE ISLAND
C. State Transporter's ID: 04 639 028 [illegible]
D. Transporter's Phone: 978 7147
E. State Transporter's ID
F. Transporter's Phone: (508) 755-4000
G. State Facility's ID
H. Facility's Phone: (734) 697-2208

5. Transporter 1 Company Name: American Environmental
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	0 0 1	C	EST ~~10000~~ 5 8	K	F C 3 1 E 0 0 7
b.				16,009		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. [illegible] & DEBRIS WITH PCB, [illegible]
APPROVAL #[illegible]
b. [illegible] OUT OF SERVICE 7/2/03

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 200391 RAILCAR# PW 30034 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Gavoig
Signature: Renee Gavoig
Date: Month Day Year 09 10 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Donald Hyde
Signature: [illegible]
Date: Month Day Year 09 08 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarale
Signature: Gregory Dimarale
Date: Month Day Year 09 09 03

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. Carcione
Signature: E. R. Carcione
Date: Month Day Year 09 10 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross

Tare

03:47 PM 09/02/03
402 ID. NO.
77160 lb GR
41940 lb TR KEYED
35220 lb NT

Net

Date 9/2/03

Truck No. Amer. Ref 402

Consignee Pw 30034

MT 9011721

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024388 | Manifest Document No. 30033 | 2. Page 1 of 3 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NOB) ONE SIMON PETRI DRIVE NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: Ameritech Environmental | 6. US EPA ID Number: MEK000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD | 8. US EPA ID Number: MA0059020833

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC SITE#2 LANDFILL, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 | 10. US EPA ID Number: MID048090633

State Manifest Document Number: MI 9011723
F. State Generator's ID: PORT ISLAND
G. State Transporter's ID: 5669-ml
H. Transporter's Phone: (508) 728-2777
I. State Transporter's ID
J. Transporter's Phone: (508) 755-6000
K. State Facility's ID
L. Facility's Phone: (734) 697-1200

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est 40 ~~8600~~	K	
b.			11,773		
c.					
d.					

J. Additional Descriptions for Materials Listed Above
a. [illegible] APPROVAL [illegible]
b. [illegible]

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 20045 RAILCAR# PW b. c. d.
30026

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Pence LAVOIE | Signature: [signature] | Date: Month Day Year 09 03 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Randy Rose | Signature: [signature] | Date: Month Day Year 09 03 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dinardo | Signature: [signature] | Date: Month Day Year 09 03 03

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] | Signature: [signature] | Date: Month Day Year 09 03 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) | TSDF COPY | EQP-5160 Rev. 10/02

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

09:24 AM 09/03/03
00 ID. NO.

Gross 69200 lb GR
35600 lb TR KEYED
33600 lb NT

Tare

16.80 TONS

Net

Date	Truck No.
9/4/03	R5

Consignee MI 9011723

PW 30036

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8
Manifest Document No. 30054
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address NAVAL STATION NEWPORT (ENV.DEPT.BLDG.)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: MER000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC SITE #2 LANDFILL
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

A. State Manifest Document Number: MI 9011722
B. State Generator's ID: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone: [illegible]
E. State Transporter's ID: [illegible]
F. Transporter's Phone: (508) 755-4000
G. State Facility's ID: [illegible]
H. Facility's Phone: (734) 697-2200

	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est ~~[illegible]~~	P	PCB 31
b.				15,973		
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (6) DRUMS, 2 GAUGE STEEL FCR, 4 [illegible]
APPROVAL #[illegible]
b. [illegible]

K. Handling Codes for Wastes Listed Above
a. [illegible]
b.
c.
d.

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: PAW: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 275024 RAILCAR# PL 300226 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaMoie
Signature: Renee LaMoie
Date: Month Day Year 09 03 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin
Signature: James Martin
Date: Month Day Year 09 03 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimaculo
Signature: Gregory Dimaculo
Date: Month Day Year 09 03 03

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Cori Beck
Signature:
Date: Month Day Year 09 12 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22, Rev. 9/88 Page 1 of 3

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

*[illegible]:26 AM 09/03/03
06 ID. NO.

Gross 77640 lb GR
42500 lb TR KEYED
35140 lb NT

Tare

Net 17.57 TONS

Date	Truck No.
9/9/03	Ancitech R6

Consignee MI 9011722

PW 30036

Weigher

Weighed on the Scales
of:

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12118 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I F 0 0 0 0 2 4 3 8 5 Manifest Document No. 32235
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (NAVSTA NPT)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: Inovitech Environmental
6. US EPA ID Number: MER 000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

A. State Manifest Document Number: MI 9011724
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone (734) 254-6000
G. State Facility's ID
H. Facility's Phone (734) 697-2000

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ Polychlorinated Biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est ~~18600~~ 50 41700	K	
b.							
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. RINSE & DEBRIS WITH PCB, S.
Informal Hazardous
b. 9/2/03

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT:PEW1800-565-1111;RQ:800-839-3975
a.ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 274637 RAILCAR# PC 30026 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA Signature: [signature] Date: Month Day Year 09 03 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin Signature: [signature] Date: Month Day Year 09 03 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: [illegible] Signature: [illegible] Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: L. R. Carcione Signature: L. R. Carcione Date: Month Day Year 09 12 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-94) Previous editions are obsolete. EQP 5110 (Rev. 10/94)

TRUE COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

02:36 PM 09/03/03
06 ID. NO.

Gross 74860 lb GR
42500 lb TR KEYED
32360 lb NT

Tare

Net 16.18 Tons

Date	Truck No.
9/3/03	Auriemch RC

Consignee MI 9011724

PW 30036

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116, MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024388 | Manifest Document No. 30057 | 2. Page 1 of 7 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.NOB)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number: MI 9011726

B. State Generator's ID: [illegible]

5. Transporter 1 Company Name: Aseritech Environmental
6. US EPA ID Number: MER000500595

C. State Transporter's ID: [illegible]

D. Transporter's Phone: [illegible]

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MA0059020833

E. State Transporter's ID: [illegible]

F. Transporter's Phone: (508) 755-4000

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC 31182
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111

10. US EPA ID Number: MID048090633

G. State Facility's ID: [illegible]

H. Facility's Phone: (734) 697-1200

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Codes
GENERATOR a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est ~~18600~~ 50 14,254	K	[illegible]
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (8) DOL & DEBRIS WITH PCB, [illegible]
APPROVAL #[illegible]
b. [illegible]

K. Handling Codes for Wastes Listed Above
a. [illegible]
b. [illegible]

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-5975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 200356 RAILCAR# PA b. c. d.
300 [illegible]

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOB A. PALAYA | Signature: [signature] | Date: Month Day Year 09 03 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gerard Regis | Signature: [signature] | Date: Month Day Year 090303

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory D. Morar | Signature: [signature] | Date: Month Day Year 090303

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [illegible] | Signature: [signature] | Date: Month Day Year 09 12 03

EPA Form 8700-22 (Rev. 9-94) Previous editions are obsolete.

TSDF COPY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

02:25 PM 09/03/03
41200 lb GR

Gross

02:28 PM 09/03/03
32400 lb GR

> 73600

Tare

42,240 Tare

15.68 TONS

Net

31 360 net

Date	Truck No.
9-3-03	408

Consignee Ameritech PW 30035

MI 9011726

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

#148

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 — Manifest Document No. 30038
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.N
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

State Manifest Document Number: MI 9011725
B. State Generator's ID: [illegible]
C. State Transporter's ID: [illegible]
D. Transporter's Phone: [illegible]
E. State Transporter's ID:
F. Transporter's Phone: (508) 755-[illegible]0
G. State Facility's ID:
H. Facility's Phone: (734) 697-7200

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: MEL000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	11. US DOT Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CM	Est 18600	K	[illegible]
b.					16,623		[illegible]
c.					23218		[illegible]
d.							

J. Additional Descriptions for Materials Listed Above
[illegible] 4/3/93

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;KQ:800-839-3975
a.EEG#171; STORAGE START DATE: 8/20/92 CONTAINER# 27733 RAILCAR# PW b. c. d.
675-08 J.M 300 gc

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JOE A. PALAYA — Signature: [signature] — Date: Month Day Year 09 10 3 0 3

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Randy Rose — Signature: [signature] — Date: Month Day Year 09 03 93

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimaca — Signature: [signature] — Date: Month Day Year 9 9 3 9 3

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E.R. Checone — Signature: E.R. Checone — Date: Month Day Year 09 20 3

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 3/93) — TSDF COPY — OMB No. 2050-0039 Rev. 10/92

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

Gross

02:34 PM 09/03/03
00 ID. NO.
72180 lb GR
35500 lb TR KEYED
36680 lb NT

Tare

18.34

Net

Date	Truck No.
9/3/03	R5

Consignee MT 9011725

PW 30036

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024385 — Manifest Document Number 38039
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.
State Manifest Document Number MI 9011727

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.N
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

5. Transporter 1 Company Name: Ameritech Environmental — 6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: MA0059020833
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: MID048090633

8. State Generator's ID
9. State Transporter's ID
10. Transporter's Phone
11. State Transporter's ID
12. Transporter's Phone (508) 753-6880
13. State Facility's ID
14. Facility's Phone (734) 697-2208

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	P. Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	C	~~18600~~ Est 13868	K	PCB
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above
a. (R) SOIL & DEBRIS WITH PCB, 15-
APPROVAL CONTROL
b.

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT: P&W: 860-565-1111; RQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/29/03 CONTAINER# 800399 RAILCAR# PA 30026 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date: Month Day Year 09 04 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: James Martin — Date: Month Day Year 09 04 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory D. Macale — Signature: Gregory D. Macale — Date: Month Day Year 09 04 03

19. Discrepancy Indication Space
OK to Change Rec Manifest Wayne 9/17/03 PBULK

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E.R. Corcione — Signature: E.R. Corcione — Date: Month Day Year 09 12 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — TSDF COPY — EPA Form 8700-22A Rev. 1-82

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

10:37 AM 09/04/03
06 ID. NO.

Gross 85980 lb GR
42500 lb TR KEYED
43480 lb NT

Tare

Net 21.74 Tons

Date	Truck No.
9/4/03	Amirch R6

Consignee MT 90 11727

PW 30036

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024388
Manifest Document No. 130040
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

A. State Manifest Document Number MI 9011728
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone (304) 755-4000
G. State Facility's ID
H. Facility's Phone (734) 697-9200

5. Transporter 1 Company Name: Amerifech Environmental
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: MAD059020833
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: MID048090633

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	H. Waste No.
a.	X RQ Polychlorinated Biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	C	Est ~~10690~~ 50	K	
b.				~~10,990~~		
c.				12506		
d.						

GENERATOR

J. Additional Descriptions for Materials Listed Above
[illegible]
K. Handling Codes for Wastes Listed Above
[illegible]

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; RR: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 00027 RAILCAR# TREX 5511 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Landie
Signature: Renee Landie
Date: Month Day Year 09 04 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Thomas F. Daley JR
Signature: Thomas F. Daley Jr
Date: Month Day Year 09 04 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Ormacale
Signature: Gregory Ormacale
Date: Month Day Year 09 04 03

FACILITY

19. Discrepancy Indication Space
OK to Charge A per Mark Kelly e Mail 9/17/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. CARCONE
Signature: E. R. Carcone
Date: Month Day Year 09 15 03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) TRUE COPY EQP 5110 Rev. 10/02

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

10:42 AM 09/04/03
01 ID. NO.

Gross 75200 lb GR
38000 lb TR KEYED
37200 lb NT

Tare

18.60 TONS

Net

Date	Truck No.
9-4-03	500

Consignee Ameritech TREN 9511

MI 9011728

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: R I P 0 0 0 0 2 4 3 8
Manifest Document No.: 30041
2. Page 1 of 31
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NEW)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

State Manifest Document Number: MI 9011729
State Generator's ID: [illegible]
G. State Transporter's ID: [illegible]
H. Transporter's Phone: [illegible]
E. State Transporter's ID: [illegible]
F. Transporter's Phone: (508) 755-[illegible]
G. State Facility's ID: [illegible]
H. Facility's Phone: (734) 697-[illegible]

5. Transporter 1 Company Name: Ameritech Environmental
6. US EPA ID Number: MER000500595
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	X	001	CM	~~16600~~ 5 CY	P	
b.					~~16,523~~ 12506		
c.							
d.							

J. Additional Descriptions for Materials Listed Above
a. [illegible] SOIL & DEBRIS WITH PCB, [illegible]
DISPOSAL [illegible]
b. [illegible]

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT:P&W:860-565-1111;EQ:800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# [illegible] RAILCAR# PW 200877 200877 J.M 30036 TRIN 9511 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee LaVoie
Signature: Renee LaVoie
Date: Month Day Year 09 04 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gerard Regis
Signature: [illegible]
Date: Month Day Year 09 04 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory D. Daraie
Signature: [illegible]
Date: Month Day Year 09 04 03

19. Discrepancy Indication Space
OK to Change per Mark Kelly @ Navy 9/17/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. Cercone
Signature: E. R. Cercone
Date: Month Day Year 09 15 03

GENERATOR
TRANSPORTER
FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88)

TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

10:38 AM 09/04/03
01 ID. NO.

Gross 42160 lb GR

10:40 AM 09/04/03
02 ID. NO.

Tare 38580 lb GR

80470 gross
44120 tare
36 350 net

Gross 80740
Tare 44190

Net

Date	Truck No.
9-4-03	403

~~Pw 30~~ 28

Consignee Ameritech TKEM 9511

MI 9011729

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 3
Manifest Document ID. 90478
2. Page 1 of 3
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.
ONE SIMON PETRI DRIVE
NEWPORT, RI 03841

4. Generator's Phone (401) 841-1791

State Manifest Document Number MI 9011731
A. State Generator's ID
B. State Transporter's ID
C. State Transporter's Phone
D. Transporter's Phone
E. State Transporter's ID
F. Transporter's Phone (508) 785-4000
G. State Facility's ID
H. Facility's Phone (734) 697-2200

5. Transporter 1 Company Name: Amvitech Environmental
6. US EPA ID Number: MFR000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3 8

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	C	Est ~~16,000~~ 28	K	
b.				~~46,000~~		
c.				012516		
d.						

J. Additional Descriptions for Materials Listed Above
a. (8) SOIL CONTAINS WITH PCB, ...
APPROVAL ...
b.

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/20/03 CONTAINER# 274814 RAILCAR# TKEN 9511 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date: Month Day Year 09 04 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: James Martin — Signature: James Martin — Date: Month Day Year 09 05 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory D'imarcale — Signature: Gregory D'imarcale — Date: Month Day Year 09 15 03

19. Discrepancy Indication Space
OK to Change Per Mark Kelly C Navy 9/17/03 O Buck

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E. R. CARLONE — Signature: E. R. Carlone — Date: Month Day Year 09 15 03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — TSDF COPY — EQ 5144 Rev. 10/02

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

03:12 PM 09/04/03
06 ID. NO.

Gross 78140 lb GR
42500 lb TR KEYED
35640 lb NT

Tare

17.82 TONS

Net

Date	Truck No.
9/4/03	R6 Amitech

Consignee TREN 9511

MI 9011731

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024388
Manifest Document No. 15003
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV.DEPT.MCB)
ONE SIMON PETRI DRIVE
NEWPORT, RI 03941

4. Generator's Phone (401 841-1791)

State Manifest Document Number MI 9011732
A. State Generator's ID
B. State Transporter's ID
C. Transporter's Phone
D. State Transporter's ID
E. Transporter's Phone (586) 735-4000
F. State Facility's ID
G. Facility's Phone (734) 697-7706

5. Transporter 1 Company Name
Ameritech Environmental
6. US EPA ID Number
MER000500595

7. Transporter 2 Company Name
PROVIDENCE & WORCESTER RAILROAD
8. US EPA ID Number
MA0059020833

9. Designated Facility Name and Site Address
WAYNE DISPOSAL, INC
49350 N. I-94 SERVICE DRIVE
BELLEVILLE MI 48111
10. US EPA ID Number
MID048090633

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a.	X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CF	~~18690~~ 63	K	PCB
b.				~~14,391~~		
c.				20450		
d.						

GENERATOR

Additional Descriptions for Materials Listed Above
a. (1) SOIL & DEBRIS WITH PCB, ...
APPROVAL #0000021787
b. ... 4 of 5 ... 9/12/03

15. Special Handling Instructions and Additional Information EMERGENCY CONTACT: P&W: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 9/12/03 CONTAINER# NVRU 200556 RAILCAR# TKEN 9511 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Cadot
Signature: Renee Cadot
Date: Month Day Year 09/04/03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Thomas F. Daley Jr
Signature: Thomas F. Daley Jr
Date: Month Day Year 09/04/03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarcale
Signature: Gregory Dimarcale
Date: Month Day Year 09/04/03

FACILITY

19. Discrepancy Indication Space
Amend 13a per Mark Reilly @ Navy 9/17/03 J. Buckner

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon
Signature: Anna Marie Fallon
Date: Month Day Year 09/15/03

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) TSDF COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

03:09 PM 09/04/03
500 ID. NO.

Gross 69660 lb GR
38000 lb TR KEYED

Tare 31660 lb NT

Net 15.83 TONS

#0

Date 9/4/03

Truck No. 500

Consignee MI 9011732

AMERITECH TREN 9511

Weigher

Weighed on the Scales of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. RIP000024385 — Manifest Document No. 8044
2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NCU), ONE SIMON PETRI DRIVE, NEWPORT, RI 03941
4. Generator's Phone: 401 841-1791

State Manifest Document Number: MI 9011733
B. State Generator's ID: CODE ISLAND
C. State Transporter's ID: 9/3 9/ 10C
D. Transporter's Phone: 201 939 9110
E. State Transporter's ID:
F. Transporter's Phone: (508) 753-4000
G. State Facility's ID:
H. Facility's Phone: (734) 697-2200

5. Transporter 1 Company Name: Amcwitech Environmental — 6. US EPA ID Number: MI 0000005 95
7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: MA0059020833
9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: MID048090633

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	HM X RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	CF	Est ~~18600~~ 2	K	PCB 11 K097
b.				~~17,582~~		
c.				20450		
d.						

J. Additional Descriptions for Materials Listed Above
a. CONTAINERS WITH PCB, c.
APPROVAL: F00502CAP
b. 4 - 40 yd Sealed Roll Offs

K. Handling Codes for Wastes Listed Above: a. b. c. d.

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT: PEW: 860-565-1111; EQ: 800-839-3975
a. ERG#171; STORAGE START DATE: 8/29/03 CONTAINER# 27435 RAILCAR# TREN b. c. d.
9511

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date: Month Day Year 09/04/03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gerard Regis — Signature: Gerard Regis — Date: Month Day Year 09/04/03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Dimarco — Signature: Gregory Dimarco — Date: Month Day Year 09/05/03

19. Discrepancy Indication Space
Amend 13a per Mark Kelly @ Navy 9/17/03

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Anna Marie Fallon — Signature: Anna Marie Fallon — Date: Month Day Year 09/15/03

GENERATOR — TRANSPORTER — FACILITY

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9/88) — Previous Editions Are Obsolete

FSDF COPY

03:04 PM 09/04/03
WEIGH SLIP ID. NO.
42800 lb GR
NOT VALID UNLESS IMPRINTED
640 lb NT

Gross 82800 Gross
44120 tare

Tare 03:06 PM 09/04/03 38680 net
02 ID. NO.
39200 lb GR
~~[illegible] lb TR RECALLED~~
620 lb NT
Net 82,800 19.34 TONS

Date 9-4-03 | 44,120 Truck No. 403

Consignee Ameritech

TKEN 9511

MI 9011733

Weigher

Weighed on the Scales
of
Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

WASTE AND HAZARDOUS MATERIALS DIVISION
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Section 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Document No. 3005 — 2. Page 1 of 3 — Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: NAVAL STATION NEWPORT (ENV.DEPT.NSB) ONE SIMON PETRI DRIVE NEWPORT, RI 03941

4. Generator's Phone (401) 841-1791

State Manifest Document Number: MI 9011734

B. State Generator's ID: RHODE ISLAND

C. State Transporter's ID: [illegible]

D. Transporter's Phone: [illegible]

E. State Transporter's ID: [illegible]

F. Transporter's Phone: [illegible]

G. State Facility's ID: [illegible]

H. Facility's Phone: (734) 697-2280

5. Transporter 1 Company Name: Ameritech Environmental Services — 6. US EPA ID Number: MER000500595

7. Transporter 2 Company Name: PROVIDENCE & WORCESTER RAILROAD — 8. US EPA ID Number: M A 0 0 5 9 0 2 0 8 3

9. Designated Facility Name and Site Address: WAYNE DISPOSAL, INC, 49350 N. I-94 SERVICE DRIVE, BELLEVILLE MI 48111 — 10. US EPA ID Number: M I D 0 4 8 0 9 0 6 3

	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a.	X	RQ Polychlorinated biphenyls, Solid Mixture, 9, UN2315, PG III, (Marine Pollutant)	001	C	EST ~~19,600~~	K	PCB1 RQ,9,7
b.					~~6875~~		
c.					27812 K		
d.							

Additional Descriptions for Materials Listed Above: a. (K)SOIL, [illegible] WITH PCB, APPROVAL NUMBER [illegible] 4/1/03

15. Special Handling Instructions and Additional Information: EMERGENCY CONTACT: PH: 860-565-1111; FX: 800-839-3975
a. ERG#171; STORAGE START DATE: 8-28-03 CONTAINER# 200446 RAILCAR# 9511 b. c. d.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Renee Lavoie — Signature: Renee Lavoie — Date (Month Day Year): 09 05 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Randy Rose — Signature: Randy Rose — Date (Month Day Year): 09 05 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gregory Director — Signature: [illegible] — Date (Month Day Year): [illegible]

FACILITY

19. Discrepancy Indication Space
OK to Change Per Mark Reilly @ Navy 9/14/03 [illegible]

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: E.R. Carcone — Signature: E.R. Carcone — Date (Month Day Year): 09 15 03

GENERATOR

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

EPA Form 8700-22 (Rev. 9-88) — ESP 516 Rev. 10/02

INSIDE COPY

WEIGH SLIP

NOT VALID UNLESS IMPRINTED

09:59 AM 09/05/03
00 ID. NO.

Gross 72620 lb GR
35500 lb TR KEYED
37120 lb NT

Tare

18.56 TONS

Net

Date 9-5-03

Truck No. R5 Amritech

Consignee TKEN 9511

MI 9011734

Weigher

Weighed on the Scales
of

Providence & Worcester Railroad Co.
382 Southbridge St.
Worcester, Mass. 01610
(508) 755-4000 Ext. 410

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS

NYB9779958

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple.

(Hazardous Waste Manifest 5/00)

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. R I P 0 0 0 0 2 4 3 8 5 — Manifest Doc. No. 310046

2. Page 1 of

Information within heavy bold line is not required by Federal Law.

A. 1 NYB9779958

B. Generator's ID

3. Generator's Name and Mailing Address

NAVAL STATION NEWPORT (ENV. DEPT NSN)
ONE SIMONPETRI DRIVE

4. Generator's Telephone Number (401) 841-1791

5. Transporter 1 (Company Name) — 6. US EPA ID Number

7. Transporter 2 (Company Name) Services, Inc. — 8. US EPA ID Number

9. Designated Facility Name and Site Address

CWM CHEMICAL SERVICES, LLC
1550 BALMER ROAD
MODEL CITY, NY 14107

10. US EPA ID Number N Y D 0 4 9 8 3 6 6 7 9

C. State Transporter's ID COULD ISLAND

D. Transporter's Telephone 76057-INA

E. State Transporter's ID 617 364-0012

F. Transporter's Telephone ( )

G. State Facility ID

H. Facility Telephone ( )

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE 9, UN2315, PGIII (Marine Pollutant)	0 0 1	C X	1 0 0 0 0	K	EPA / STATE
b.			EST.		EPA R007 / STATE
c.					EPA / STATE
d.					EPA / STATE

J. Additional Descriptions for Materials listed Above

a. CR0831 Soil w/PCB's — c.

b. — d.

K. Handling Codes for Wastes Listed Above

a. — c.

b. — d.

15. Special Handling Instructions and Additional Information

Cn# 275007

PCB OUt of Service Date: 8/19/03 — Service Request # 693541 - 2

CHEMTREC Emergency Response Number (800) 424-9300 WMI Contract 81576926

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Job A. Pelayo — Signature: Job A. Pelayo — Mo. Day Year: 09 10 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Tom Martin — Signature: James Martin — Mo. Day Year: 09 10 03

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name — Signature — Mo. Day Year

FACILITY

19. Discrepancy Indication Space

Actual Recv'd 32260 P

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Angela Cadwallader — Signature: Angela Cadwallader — Mo. Day Year: 09 11 03

COPY 7-TRANSPORTER COPY - RETAINED BY TRANSPORTER

113639

Transporter Log

CWM Chemical Services, Inc.
Model City, NY

Cubic Yards

81576926 — Receipt #
76059-MA — Trailer License Plate # and State
69341-2 — Service Req. #
Profile #
MA138 — Permit #
Global — Transporter Name
RG — Tractor/Trailer/Roll-off #
James Martin — Driver's Name
Naval Station Newport RI — Generator

75200 LB G 2
06:40
09/11/03
06:33 42340 LB G 1
09/11/03

Scheduled Arrival: 9/11/03 — Date / 0635 — Time

32200 P 16.43 TONS

Actual Arrival: Date / Time In 5 of 4 / Time Out

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: AC — Initials / Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory — Time In / Time Out / Initials / Comments

Stabilization — Time In / Time Out / Initials / Gross Wt. / Comments

Landfill — Time In / Time Out / Initials / Comments

Other — Time In / Time Out / Initials / Comments

Aqueous Treatment — Time In / Time Out / Signature (NO Initials) / Comments

Facility Personnel (please initial)

- ☐ Smoking or eating in prohibited areas
- ☐ Failure to obey instructions of facility personnel
- ☐ Failure to wear appropriate PPE
- ☐ Unsafe driving practices
- ☐ Leaving truck unattended
- ☐ Failure to display overweight flag
- ☐ Improper tarping or detarpin
- ☐ Overweight upon arrival
- ☐ Other (specify)

Security Guard Initials:
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver

DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS

NYB9779967

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple.

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. NYP000024365 Manifest Doc. No. 30047

2. Page 1 of 1

Information within heavy bold line is not required by Federal Law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. NSN)
ONE SIMONPETRI DRIVE
NEWPORT, RI 02841

4. Generator's Telephone Number (401) 841-1791

A. NYB9779967

B. Generator's ID GOULD ISLAND

5. Transporter 1 (Company Name) Ameritech Env. Services, Inc.

6. US EPA ID Number NYD015015915

C. State Transporter's ID A367763ME

D. Transporter's Telephone (207) 438-9149

7. Transporter 2 (Company Name)

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Telephone ( )

9. Designated Facility Name and Site Address
CWM CHEMICAL SERVICES, LLC
1550 BALMER ROAD
MODEL CITY, NY 14107

10. US EPA ID Number NYD049836719

G. State Facility ID

H. Facility Telephone (716-754-8231)

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLY CHLORINATED BIPHENYLS, SOLID MIXTURE 9, UN2315, PGIII, (Marine Pollutant)	001	CM	EST. 16800	K	EPA / STATE R007
b.					EPA / STATE
c.					EPA / STATE
d.					EPA / STATE

J. Additional Descriptions for Materials listed Above
a. CR0831 Soil w/PCB's
b.
c.
d.

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
PCB Out of Service Date: 8/14/03 Can# 200412
Service Request# 693541 - 1
CHEMTREC Emergency Response Number (800)424-9300 WMI Contract 81576923

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: JOB A. PALAYA — Signature: [signature] — Mo. Day Year 09 1 03

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gerard Regis — Signature: [signature] — Mo. Day Year 09 1 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Mo. Day Year

FACILITY — 19. Discrepancy Indication Space
Full REC 30 100 P

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Angela Cadwalader — Signature: [signature] — Mo. Day Year 9 11 03

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

COPY 7-TRANSPORTER COPY - RETAINED BY TRANSPORTER

113638

Transporter Log

CWM Chemical Services, Inc.
Model City, NY

75860 LB G 2
06 Cubic Yards
09/11/03

Receipt # 81576923
Trailer License Plate # and State A367863 ME
Service Req. # 68354-1
Profile # ME-017
Permit # #403
Transporter Name Ameritech
Tractor/Trailer/Roll-off # Naval Sta. Newport
Driver's Name Jerry Regis
Generator

42960 LB G 1
08:24
09/11/03

Scheduled Arrival: Date 9-11-03 Time
Actual Arrival: Date 9-11-03 Time In 543 Time Out

16.45 TONS
32900 P

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: Initials Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation
☐ Other (specify)

☐ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory
Time In | Time Out | Initials | Comments

Stabilization
Time In | Time Out | Initials | Gross Wt. | Comments

Landfill
Time In | Time Out | Initials | Comments

Other
Time In | Time Out | Initials | Comments

Aqueous Treatment
Time In | Time Out | Signature (NO Initials) | Comments

Facility Personnel (please initial)

_____ Smoking or eating in prohibited areas
_____ Failure to obey instructions of facility personnel
_____ Failure to wear appropriate PPE
_____ Unsafe driving practices
_____ Other (specify)
_____ Leaving truck unattended
_____ Failure to display overweight flag
_____ Improper tarping or detarpin
_____ Overweight upon arrival

Security Guard Initials: _____
(Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS

NYB9779949

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple. (Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA No. R I D 0 0 0 0 2 4 3 8 1 Manifest Doc. No. 30048
2. Page 1 of 1

Information within heavy bold line is not required by Federal Law.

3. Generator's Name and Mailing Address
NAVAL STATION NEWPORT (ENV. DEPT. N8N1
ONE SIMONPIETRI DRIVE
NEWPORT, RI 02841

4. Generator's Telephone Number (401) 841-1791

A. NYB9779949
B. Generator's ID GOULD ISLAND

5. Transporter 1 (Company Name) Ameritech Environmental Services
6. US EPA ID Number R I R 0 0 0 1 5 0 0 5 9 5
C. State Transporter's ID 75 10 79 MF
D. Transporter's Telephone (207) 438-9149

7. Transporter 2 (Company Name)
8. US EPA ID Number
E. State Transporter's ID
F. Transporter's Telephone ( )

9. Designated Facility Name and Site Address
CWM CHEMICAL SERVICES, LLC
1350 BALMER ROAD
MODEL CITY, NY 14107

10. US EPA ID Number N Y D 0 4 9 8 3 6 6 7 9
G. State Facility ID
H. Facility Telephone ( ) 716-754-8231

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, POLYCHLORINATED BIPHENYLS, SOLID MIXTURE 9, UN2315, PGIII (Marine Pollutant)	001	CF	16000	K	EPA / STATE R007
b.					EPA / STATE
c.					EPA / STATE
d.					EPA / STATE

GENERATOR

J. Additional Descriptions for Materials Listed Above
a. CR0831 Soil w/PCB's
b. c. d.

K. Handling Codes for Wastes Listed Above
a. c. b. d.

15. Special Handling Instructions and Additional Information
PCB Out of Service Date: 9/25/03 Service Request: [illegible]
CHEMTREC Emergency Response Number (800) 424-9300 WMI Contract 85776645

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.

If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: MARK J. RIELLY Signature: [signature] Mo. 09 Day 25 Year 03

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Peter Barnum Signature: [signature] Mo. 09 Day 25 Year 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Mo. Day Year

FACILITY

19. Discrepancy Indication Space
Ind Rec 10378 K
Item I = B051
Item K = L

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Michelle Fleck Signature: [signature] Mo. 09 Day 25 Year 03

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

COPY 7-TRANSPORTER COPY - RETAINED BY TRANSPORTER

114350

Transporter Log

CWM Chemical Services, Inc.
Model City, NY

20 Cubic Yards

Receipt: 85771146
Trailer License Plate # and State: 852589 NE

57760 LB G 2
06:15
09/30/03
34880 LB G 1
11:43
09/30/03

Service Req. #: 685421
Profile #: C10831
Permit #: NE07
Transporter Name: Ameritech
Tractor/Trailer/Roll-off #: 503/275022
Driver's Name: Eric Barnum
Generator: US Navy Sea

Scheduled Arrival: Date 9-30-03 Time
Actual Arrival: Date 9-30-03 Time In 519 Time Out

22880P
10378K
11.44 TONS

Arrived during Blackout? Y / N Notified DEC? Y / N

Receiving: MF
Initials Comments

☐ Leaker ☐ Permit Violation ☐ Placarding/Veh. I.D. Violation

☐ Other (specify)

☑ Bulk to Landfill ☐ No wet line ☐ Flatbed ☐ Stabilization ☐ Drums ☐ Tanker ☐ Transformers

Laboratory: GS LCKD LCD4
Time In | Time Out | Initials | Comments

Stabilization
Time In | Time Out | Initials | Gross Wt. | Comments

Landfill
Time In | Time Out | Initials | Comments

Other
Time In | Time Out | Initials | Comments

Aqueous Treatment
Time In | Time Out | Signature (NO Initials) | Comments

Facility Personnel (please initial)

- ____ Smoking or eating in prohibited areas
- ____ Failure to obey instructions of facility personnel
- ____ Failure to wear appropriate PPE
- ____ Unsafe driving practices
- ____ Other (specify) ____
- ____ Leaving truck unattended
- ____ Failure to display overweight flag
- ____ Improper tarping or delarpin
- ____ Overweight upon arrival

Security Guard Initials: ____
(indicating receipt of Wash Bay pass, if necessary)

Driver's Comments

White: Records Green & Canary: Accts Rec. Pink: Environmental Goldenrod: Driver