

N00102.AR.002324  
NSY PORTSMOUTH  
5090.3a

LETTER REGARDING U S EPA REGION I REVIEW COMMENTS ON DRAFT ENGINEERING  
ESTIMATE/COST ANALYSIS FOR SITE 30 NSY PORTSMOUTH ME

6/26/2002

U S EPA REGION I



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1

1 CONGRESS STREET, SUITE 1100  
BOSTON, MASSACHUSETTS 02114-2023

June 26, 2002

Mr. Frederick J. Evans, P.E.  
Remedial Project Manager  
Engineering Field Activity Northeast  
10 Industrial Hwy., Mail Stop #82  
Lester, PA 19113-2090

Re: Draft Engineering Evaluation/Cost Analysis (EE/CA)  
Site 30 (Building 184)  
Portsmouth Naval Shipyard  
Kittery, Maine

Dear Mr. Evans:

The United States Environmental Protection Agency (EPA) has reviewed the draft document entitled "Engineering Evaluation/Cost Analysis (EE/CA), Site 30 (Building 184), Portsmouth Naval Shipyard, Kittery, Maine". This report is dated May 2002.

EPA's comments on the above-mentioned document are provided in Attachment I to this letter.

If you have any questions regarding this matter, please contact me at (617)918-1387.

Sincerely,

*Meghan F. Cassidy*  
Meghan F. Cassidy  
Remedial Project Manager

Enclosure

cc: Marty Raymond/PNS  
Iver McLeod/ME DEP  
Carolyn Lepage/Lepage Environmental  
Deb Cohen/Tetra Tech NUS  
John Beling/EPA  
RAB Members

Toll Free • 1-888-372-7341

Internet Address (URL) • <http://www.epa.gov/region1>

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on Recycled Paper (Minimum 30% Postconsumer)

## ATTACHMENT I

The following are EPA's comments on the draft document entitled "Engineering Evaluation/Cost Analysis (EE/CA), Site 30 (Building 184), Portsmouth Naval Shipyard, Kittery, Maine". This report is dated May 2002.

1. Page 3-4, Section 3.4: In the first sentence, insert "completed" after "be" and before "within".
2. Page 3-6, Table 3-2: The section of the National Historic Preservation Act (NHPA) cited is applicable (rather than potentially applicable) since the act will be implicated in all cases.