

N60200.AR.008884  
NAS CECIL FIELD  
5090.3a

TRANSMITTAL LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION APPROVAL OF ALTERNATIVE PROCEDURE REQUEST FOR PHASE I  
REMEDICATION NORTH FUEL FARM NAS CECIL FIELD FL  
6/28/1995  
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY

SOUTHERN DIVISION  
NAVAL FACILITIES ENGINEERING COMMAND  
P.O. BOX 190010  
2155 EAGLE DRIVE  
NORTH CHARLESTON, S.C. 29419-9010

5090/14  
Code 1842  
28 June 1995

ABB Environmental Services, Inc.  
2590 Executive Center Circle East  
Berkeley Building  
Tallahassee, FL 32301

Subj: APPROVAL OF THE ALTERNATE PROCEDURE REQUEST FOR THE PHASE I  
REMEDIATION AT THE NORTH FUEL FARM, NAS CECIL FIELD, JACKSONVILLE,  
FL

Dear Mr. Angara:

Enclosure (1) is forwarded to you for your information. If you have any questions, please  
contact me at (803) 743-0896.

Sincerely,

A handwritten signature in black ink, appearing to read "Bryan Kizer", written over a faint, larger version of the same signature.

BRYAN KIZER, EIT  
Remedial Project Manager

Encl:

(1) FDEP Letter Dated 26 May 1995

FILE



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

May 26, 1995

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Commanding Officer  
Mr. Bryan Kizer, Code 1842  
SOUTHNAVFACENGCOM  
Post Office Box 190010  
North Charleston, SC 29419-0068

RE: Alternate Procedure and Requirements  
North Fuel Farm, Naval Air Station Cecil Field Florida  
File No. AP-PC0075

Dear Mr. Kizer:

The Department has reviewed the request for an alternate procedure to Chapter 62-770, Florida Administrative Code (F.A.C.), for the planned Initial Remedial Action at the North Fuel Farm dated May 11, 1995 (received May 11, 1995). The specific exception is to Rule 62-770.300(2), F.A.C., that prohibits free product recovery which requires dewatering or groundwater extraction that causes groundwater table depression without Department approval. The Department concurs with this request and an executed copy of the Approval of Alternate Procedures is enclosed.

If you have any concerns regarding this letter, please contact me at (904) 921-9991.

Sincerely,

Michael J. Deliz, P.G.  
Remedial Project Manager

cc: Greg M. Brown, FDEP  
John Mitchell, FDEP Natural Resource Trustee  
Brian Cheary, FDEP Northeast District  
Bart Reedy, USEPA - Atlanta  
Jerry Young, City of Jacksonville  
Steve Wilson, SOUTHNAVFACENGCOM  
Ursula Klimas, N.A.S. Cecil Field

Mr. Bryan Kizer  
May 26, 1995  
Page Two

Lynn Sims, Bechtel Environmental, Inc.

TJB *pe* JJC *pe* ESN *ESN*

Enclosures (2)