N00216.AR.000424
NAS CORPUS CHRISTI
5090.3a

FINAL FACILITY INVESTIGATION REPORT SITES 1, 3 AND 4 APPENDICES NAS CORPUS CHRISTI TX

2/15/1994

ENSAFE/ALLEN & HONSHALL

(8)



FINAL

FACILITY INVESTIGATION REPORT INSTALLATION RESTORATION SITES 1, 3 AND 4 APPENDICES

NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

CONTRACT
CTO-069

Submitted to:

SOUTHNAVFACENGCOM

Submitted by:

EnSafe/Allen & Hoshall
5720 Summer Trees Drive, Suite 8
Memphis, Tennessee 38134

February 15, 1994

EnSafe / Allen & Hoshall
a joint venture for professional services

5720 Summer Trees Dr. Suite 8 Memphis, TN 38134
(901) 383-9115 Fax (901) 383-1743

February 15, 1994

Commanding Officer
Attn: Mr. Mark Craig/Code 1867
SOUTHNAVFACENGCOM
2155 Eagle Drive
North Charleston, South Carolina 29418

Re: Final Facility Investigation Report for Contract N62467-89-D-0318/CTO 069

Dear Mr. Craig:

EnSafe/Allen & Hoshall is pleased to submit the Final Facility Investigation Report for IR Sites 1, 3 and 4 at NAS Corpus Christi. Eight copies of the report have been forwarded to Mr. Dilip Shaw at the activity.

If you have any questions, please do not hesitate to call.

Sincerely,

EnSafe/Allen & Hoshall

Greg Temple
Environmental Scientist

Jeff Bennett
Task Order Manager

Enclosure

cc: Mr. Dilip Shaw, NAS Corpus Christi





FINAL

FACILITY INVESTIGATION REPORT INSTALLATION RESTORATION SITES 1, 3 AND 4 APPENDICES

NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

CONTRACT
CTO-069

Submitted to:

SOUTHNAVFACENGCOM

Submitted by:

EnSafe/Allen & Hoshall
5720 Summer Trees Drive, Suite 8
Memphis, Tennessee 38134

February 15, 1994

Table of Contents

1.0 INTRODUCTION 1
1.1 Facility Description and Background 1
1.2 Project Objective 6
1.3 Site Description 6
1.3.1 Site 1 — Defense Property Disposal Office Landfill 6
1.3.2 Site 3 — Corpus Christi Army Depot Landfill 8
1.3.3 Site 4 — Aircraft Fire Fighting Training Area 9

2.0 SITE HISTORY 10
2.1 Previous Investigations 10
2.1.1 Initial Assessment Study - 1984 10
2.1.2 Confirmation Study - 1984 10
2.1.3 Site Characterization Study - 1986 11
2.1.4 Remedial Response Evaluation - 1987 12
2.1.5 Groundwater Sampling and Analysis of Site 1 - 1988 13
2.1.6 McClelland Consultants - 1988 13
2.1.7 Evaluation of Groundwater Sampling Data - 1990 14
2.1.8 Fugro-McClelland, Inc. - 1991 14
2.1.9 Groundwater Sampling - 1992 16

3.0 ENVIRONMENTAL SETTING 18
3.1 Regional Geology 18
3.2 Topography 18
3.3 Site Stratigraphy and Hydrogeology 18
3.4 Hydrology 20

4.0 ASSESSMENT OF FIELD ACTIVITIES 28
4.1 Monitoring Well Installation 28
4.1.1 Monitoring Well Construction 30
4.1.2 Well Development 33
4.2 Groundwater Sampling 33
4.2.1 Purging Methodology 36
4.2.2 Sample Collection 36
4.2.3 Sample Preservation, Handling, and Shipping 37
4.2.4 Decontamination 37
4.3 Soil Sampling 38
4.4 Waste Containment and Disposal 38
4.5 Quality Assurance and Safety 39
4.5.1 Field Team Organization 39
4.5.2 Sampling Protocol 39
4.5.3 Sample Designation System 39
4.5.4 Document and Sample Control 42
4.5.5 Custody Procedures 42
4.5.6 Health and Safety 43

5.0 ANALYTICAL RESULTS 44
5.1 Analytical Parameters and Specifications 44
5.2 Analytical Results for Soil 44
5.2.1 Hand-Auger Samples 44
5.2.2 Soil Boring Samples 49
5.3 Analytical Results for Groundwater 49
5.3.1 Initial Sampling Event 49
5.3.2 Second Sampling Event 49

6.0 CONCLUSIONS AND RECOMMENDATIONS 67
6.1 Soil 67
6.1.1 Hand Auger Borings 67
6.1.2 Soil Borings 67
6.2 Groundwater 68
6.2.1 Upper Aquifer 68
6.2.2 Lower Aquifer 70
6.3 Recommendations 70

List of Figures

Figure 1 Site Vicinity Map 2
Figure 2 Sites 1, 3, and 4 3
Figure 3 Site 1 Monitoring Well and Soil Boring Locations 4
Figure 4 Site 3 Monitoring Well and Soil Boring Locations 5
Figure 5 Site 4 7
Figure 6 Topographic Map Site 1, 3, and 4 19
Figure 7 Thickness of Upper Aquifer Sands 21
Figure 8 Thickness of (Intervening) Clay Separating Upper and Soil Boring Locations Aquifer from Lower Aquifer 22
Figure 9 Northwest Southwest Cross Section — Sites 1 and 3 23
Figure 10 Southwest Northeast Cross Section — Site 3 24
Figure 11 Potentiometric Map Upper Aquifer — Sites 1, 3, and Site 4 25
Figure 12 Potentiometric Map Lower Confined Aquifer — Sites 1, 3, and Site 4 . . 27
Figure 13 Sites 1, 3, and 4 Monitoring Well and Soil Boring Locations 29
Figure 14 Type II Monitoring Well Design 31
Figure 15 Type III Monitoring Well Design 32
Figure 16 Sites 1, 3 and 4 VOC Isopach Map 69

List of Tables

Table 1	Facility Investigation Groundwater Elevations — Existing Monitoring Wells July 7, 1993	34
Table 2	Facility Investigation Groundwater Elevations — New Monitoring Wells July 7, 1993	35
Table 3	Sample Containers, Preservation and Holding Times	41
Table 4	Volatile Organic Compounds (ppb) Soil Hits — Site 4 - Hand Auger Locations	45
Table 5	Semivolatile Organic Compounds (ppb) Soil Hits - Site 4 - Hand Auger Locations	46
Table 6	Inorganic Soil Hits - (ppm) Site 4 — Hand Auger Locations	47
Table 7	Volatile Organic Compounds (ppb) Soil Hits - Sites 1, 3 and 4 - Soil Boring Locations	50
Table 8	Semivolatile Organic Compounds (ppb) Soil Hits — Sites 1, 3, and 4 - Soil Boring Locations	51
Table 9	PCB — Soil Hits (ppb) Sites 1, 3, and 4 — Soil Boring Locations	51
Table 10	Inorganic Soil Hits (ppm) Sites 1, 3, & 4 - Boring Locations	52
Table 11	Volatile Organic Compounds (ppb) Water Hits — Sites 1, 3, and 4 Monitoring Wells	53
Table 12	Semivolatile Organic Compounds (ppb) Water Hits — Sites 1, 3, and 4 — Monitoring Wells	54
Table 13	PCBs/Pesticides (ppb) Water Hits — Sites 1 and 4 - Monitoring Wells	55
Table 14	PCBs/Pesticides (ppb) Water Hits — Sites 1 & 4 — Monitoring Wells Sampling Event	55
Table 14-A	Inorganic Water Hits (ppb) Sites 1, 3, and 4 — Monitoring Wells	56
Table 14-B	Inorganic Water Hits (ppb) Sites 1, 3, & 4 — Monitoring Wells	58
Table 15	Volatile Organic Compounds (ppb) Water Hits — Sites 1, 3, and 4 Monitoring Wells	60
Table 16	Semivolatile Organic Compounds (ppb) Water Hits — Sites 1, 3, and 4 — Monitoring Wells Second Sampling Event	61
Table 17	PCBs/Pesticides (ppb) Water Hits — Sites 1 and 4 — Monitoring Wells Second Sampling Event	62
Table 18-A	Inorganic Water Hits (ppb) Sites 1, 3, and 4 — Monitoring Wells Second Sampling Event	63
Table 18-B	Inorganic Water Hits (ppb) Sites 1, 3, & 4 — Monitoring Wells Second Sampling Event	65

Appendices

Appendix A	Boring Logs
Appendix B	Survey Data
Appendix C	Chain-of-Custodies
Appendix D	Existing Monitoring Well Data
Appendix E	Laboratory Report

1.0 INTRODUCTION

EnSafe/Allen & Hoshall (E/A&H) was retained by the Department of the Navy to perform a facility investigation to delineate the extent of contamination at Installation Restoration (IR) Sites 1, 3, and 4 at the Naval Air Station (NAS) Corpus Christi. A site vicinity map is included in Figure 1. Field activities began on June 1, 1993 and ended on October 26, 1993. The investigation included the Defense Property Disposal Office (DPDO) landfill (Site 1), the Corpus Christi Army Depot (CCAD) landfill (Site 3), and the Aircraft Fire Fighting Training area (Site 4). A site map is included in Figure 2. The investigation included the installation of 17 groundwater monitoring wells and the collection of groundwater and soil samples at Sites 1, 3, and 4. Two separate groundwater events were conducted approximately three months apart, one in July and the other in October, 1993. All plans for EnSafe's field investigations were approved by the Southern Division Naval Facilities Engineering Command, the Texas Water Commission and NAS Corpus Christi Public Works before field activities began.

1.1 Facility Description and Background

The Naval Air Station is located in South Texas on the Gulf of Mexico approximately 3 miles south of Corpus Christi, Texas. The facility is located on a peninsula surrounded by Laguna Madre to the east, Corpus Christi Bay to the north, and Cayo del Oso Bay to the west. The air station was commissioned in 1941 and is primarily used for Naval air training operations. Historically Sites 1 and 3 have been used as liquid waste disposal facilities for organic solvents, sulfuric and hydrochloric acid, paint remover, and thinner. Wastes were disposed of from approximately 1949 to the early 1960s with estimated quantities of disposal reportedly ranging from 2,000 to 5,000 gallons per week. General solid/municipal waste generated by the CCAD and NAS Corpus Christi was also disposed of at these sites. Extensive investigations have been conducted on both of these sites with most emphasis on the CCAD landfill. Individual site maps are included in Figures 3 and 4.

The Fire Fighting Training area (Site 4) immediately south of the CCAD landfill is a once active non-hazardous waste landfill. Prior to 1973, this area was unlined and fuel was dispensed



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 3
SITE 1
MONITORING WELL AND
SOIL BORING LOCATIONS
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 069SIT1

directly on the ground. A clay lined berm was constructed in 1973 to help contain the waste. The site is no longer active as a training area. A site map is included in Figure 5.

1.2 Project Objective

The primary objectives of this investigation were to determine the horizontal extent of contamination in the shallow aquifer and determine if the lower aquifer has been impacted by the contaminants in the shallow aquifer so that remedial alternatives can be developed. This objective was met by collecting soil samples from 17 borings and six hand auger locations, groundwater samples from 26 existing groundwater monitoring wells, and 17 monitoring wells installed by E/A&H. The site investigations concentrated on areas which had not been previously addressed. All samples selected for laboratory analysis were submitted to National Environmental Testing, Inc. in Bedford, Massachusetts.

1.3 Site Description

1.3.1 Site 1 — Defense Property Disposal Office Landfill

The DPDO landfill reportedly operated between 1949 and the early 1960s. Site 1 encompasses approximately 13 acres and is located 400 feet west-northwest of the CCAD landfill. A site map of the DPDO landfill is included in Figure 3. The landfill was reportedly used for disposal of bulk chemicals generated by overhaul operations (helicopter maintenance) conducted at the Corpus Christi Army Depot. Disposal practices included the use of four or five seepage pits for direct disposal of liquid waste. These materials included organic solvents, sulfuric and hydrochloric acids, paint remover and thinner, and plating waste. Estimated quantities of disposal range from 2,000 to 5,000 gallons per week. The site was also used to dispose of debris generated by the DPDO and the CCAD in open, shallow trenches. Exposed debris included wood, rubber, a small amount of asphalt material, brick fragments, tile, broken shingles, glass and melted aluminum. General solid waste generated by CCAD, NAS Corpus Christi and NAS Corpus Christi Housing was also disposed of in the area.



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 4
SITE 3
MONITORING WELL AND
SOIL BORING LOCATIONS
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 069SIT3


ES-45
HA-3
HA-4
HA-5
SITE 4
HA-6
HA-2
ES-47
HA-1
ES-46
N
LEGEND
– NEW MONITORING WELL
– HAND AUGER
– APPROXIMATE SITE BOUNDARIES
FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS
FIGURE 5
SITE 4
NAS CORPUS CHRISTI
DATE: 09/30/93
DWG NAME: 069SIT4

Releases to groundwater in the shallow aquifer of Site 1 have been confirmed in prior studies and recent sampling activities and are detailed in Section 4 of the E/A&H Preliminary Report (June 26, 1992) and the E/A&H Groundwater Sampling Report; (July 1992). Previous investigations at Site 1 identified the following constituents in groundwater: Volatile Organic Compounds (VOCs) in three of the six monitoring wells, PCBs in one well, and unfiltered metal concentrations in all wells. Trace levels of BNAs were also detected within the DPDO landfill.

1.3.2 Site 3 — Corpus Christi Army Depot Landfill

The CCAD landfill was reportedly active between 1960 and 1972. The landfill was the primary disposal area for bulk chemical waste generated at the CCAD. A site map of the CCAD landfill is included in Figure 4. Aerial photographs taken in 1967 show several pits (approximately 50 feet in diameter) located in the area which were reportedly used as seepage pits for chemicals collected in bowsers at CCAD. Estimated quantities ranged between 2,000 and 5,000 gallons per week. These materials included organic solvents, sulfuric and hydrochloric acids, paint remover and thinner, and plating waste. The area was also used to dispose of general solid waste such as shingles, cans, concrete pipe, reinforcement rods, sheet metal, and scrap lumber. The area is characterized by a series of parallel mounds and low areas which show a 2 to 3-foot elevation change between mounds and low areas.

Sixteen monitoring wells were present at Site 3 prior to this investigation and previous investigations found a floating petroleum hydrocarbon layer within the central portion of the site, specifically at monitoring wells REI-24 and MCC-12 (shown in Figure 4). Recent sampling activities (June 1992) found VOC concentrations elevated in the vicinity of these two wells, and exceeding the applicable maximum contaminant level (MCL) in five monitoring wells. Previous studies also found PCBs in excess of the MCL (REI, 1986) in one monitoring well (REI-24). Concentrations of total metals in excess of MCLs were found extensively throughout the site, primarily aluminum, antimony, cadmium, iron, lead, and manganese. Concentrations of metals were believed to be attributed to excessive suspended solid content and are not representative of actual dissolved metal concentrations. Low concentrations of BNAs were detected throughout

the site. Compound-specific VOC and BNA contamination is heterogeneous across Site 3 which may be attributed to the former disposal trenches being filled with a low permeable medium which contained the liquid waste in the vicinity of the original pits.

1.3.3 Site 4 — Aircraft Fire Fighting Training Area

The Aircraft Fire Fighting Training Area operated from the 1960s until 1991. This site is located adjacent to the southern portion of the CCAD landfill (Site 3) over a once active non-hazardous waste landfill. A map of Site 4 is included in Figure 5. The site was used to conduct training for five to six months each year. The training activities used approximately 3,000 gallons per month of waste fuel. The waste fuel, a mixture of jet fuel (JP-4) and aviation gasoline (AVGAS), was discharged to the ground and ignited for practice in extinguishing the blaze. Prior to 1973, the area was used unlined; however, in 1973 a clay liner and berm were reportedly added. Since the fuel mixture was ignited after being discharged to the ground, the site was not recommended for a confirmation investigation by NEESA. However, due to the close proximity to Site 3, the site is being investigated for possible remedial action. The major contamination threat at this site is from hazardous materials spilled or deposited before being burned. The site is no longer active.

2.0 SITE HISTORY

2.1 Previous Investigations

The following sections describe investigations conducted at Sites 1, 3, and 4 in chronological order.

2.1.1 Initial Assessment Study - 1984

Investigations at NAS Corpus Christi were initiated by the Navy under Navy Assessment and Control of Installation Pollutants in 1983. The NACIP is conducted in three phases: the Initial Assessment Study, the Confirmation Study, and the Remedial Action phase.

The Initial Assessment Study conducted by the NEESA focused on 15 sites located within NAS Corpus Christi. NEESA conducted initial onsite surveys at NAS Corpus Christi from April 18-22, 1983. Information obtained during the records search and subsequent onsite surveys was used in the Confirmation Study Ranking System (CSRS). The CSRS score is used to determine the need for a Confirmation Study or for immediate mitigating action. At NAS Corpus Christi, two sites were recommended for Confirmation Studies — the DPDO Landfill (Site 1) and the CCAD Liquid Waste Disposal Landfill (Site 3).

2.1.2 Confirmation Study - 1984

In July 1984, Geraghty and Miller, Inc. (GM) was retained by the Naval Facilities Engineering Command, Southern Division (SOUTHDIV) to provide hydrogeologic consulting at NAS Corpus Christi. The company assisted the Navy in performing the Confirmation Study of the NACIP program. The Confirmation Study was conducted in two phases: verification and characterization. The Verification Study consisted of the installation and subsequent sampling of six groundwater wells in the vicinity of Sites 1 and 3.

The data collected during the field investigation showed that low concentrations of VOCs in the shallow groundwater system were migrating radially away from the Site 3 area at a rate less than 50 feet per year. VOCs were detected in each of the GM wells and ranged from a low of 7.7

ppb total VOCs (GM-21) to a high of 104.5 ppb (GM-17). The contaminants identified at levels above 10 ppb included bromodichloromethane (13 ppb), dibromochloromethane (22 ppb), bromoform (39 ppb), and chlorobenzene (63 ppb).

Geraghty and Miller recommended the installation of additional monitoring well pairs in the landfill areas. The wells were installed during the Site Characterization Study as a deep and shallow pair tapping both the shallow groundwater and the deeper confined aquifer. These wells were designed to aid in defining horizontal and vertical hydraulic gradients and to delineate contaminant migration.

2.1.3 Site Characterization Study - 1986

In 1986, Resource Engineering, Inc. of Houston, Texas, conducted a Site Characterization Study of Sites 1 and 3 which included the installation and sampling of seven groundwater monitoring wells. In addition to the monitoring wells, REI installed three soil borings. The deepest (B-29), installed to a depth of 95 feet below land surface (bls), was in the vicinity of monitoring well REI-29. The two additional borings, B-28 and B-30, were installed to a depth of 28.0 ft. bls and 28.5 ft. bls, respectively.

Of the seven wells, four were installed as leachate collection wells. In the Site 1 area, REI-26 and REI-27 were installed in the center of the former landfill. Analysis by REI indicated the presence of trace organic contamination; however, downgradient wells GM-21 and REI-28 did not indicate contaminant migration at that time. Due to the groundwater mounding, a true "upgradient" and "downgradient" could not be determined, according to the REI report. Recommendations were made for further investigation to delineate contaminant and groundwater movement in the area.

In the Site 3 area, REI-24 and REI-25 were installed in the center of the former landfill. During REI's field work, a floating hydrocarbon layer was discovered in REI-24. The thickness of the hydrocarbon layer fluctuated between 6 and 30 inches during this phase of the field work.

Analysis of the hydrocarbon layer by the Texas Water Commission (TWC) showed the presence of PCB-1260 at a concentration of 2.2 parts per million (ppm).

Resource Engineering stated that the data collected during three field events was consistent enough to warrant discontinuing the monitoring well sampling program. It was their position that the hydrocarbon layer was isolated within portions of Site 3. A dewatering process was recommended with treatment of recovered liquids via an oil/water separator.

2.1.4 Remedial Response Evaluation - 1987

In May 1987, McClelland Consultants performed a Remedial Response Evaluation of the CCAD Landfill (Site 3) to define the areal extent of the hydrocarbon contamination discovered in the vicinity of REI-24. The results of the groundwater evaluation led McClelland Consultants to the following conclusions:

- No volatile priority pollutants were detected in groundwater samples collected from (REI-24) or a secondary, nearby well, MCC-5, believed to be screened in the same interval and downgradient from REI-24. Failure to detect pollutants suggested that no volatile priority pollutants from the oil had dissolved into the groundwater.

- A hydrocarbon layer was observed only in REI-24 and not in other nearby wells, suggesting that the hydrocarbon layer was not laterally extensive.

McClelland evaluated remedial options for Site 3, including pumping impacted groundwater, soil excavation, and slurry wall installation. Pumping and treating, combined with long-term monitoring of the site, was identified as the "most environmentally sound and cost effective remedial alternative" (McClelland, 1987).

During the May 1987 field investigation, McClelland installed four wells in the Site 3 area at a depth of 13.5 feet bls. Analysis of the groundwater from REI-24 showed high levels of volatile organics in the hydrocarbon layer with no contaminants detected in the groundwater.

Results of the analysis indicated that organics found in the hydrocarbon layer had not dissolved in the groundwater.

The McClelland field work also included a Vadose Zone Vapor (VZV) Survey. The results of the VZV probe survey indicated oil contamination in several trenches near REI-24. These results were characteristic of a floating hydrocarbon layer with contaminant levels measured by the gas chromatograph increasing with depth to the water table.

2.1.5 Groundwater Sampling and Analysis of Site 1 - 1988

In 1988, BMW Engineering engaged Finch Energy and Environmental Services to perform required sampling and analysis of groundwater wells at the DPDO Landfill (Site 1). The monitoring program was to continue on a semi-annual basis for two years beginning April 8, 1988. The wells monitored at Site 1 were REI-26, REI-27, REI-28, and GM-21.

During the monitoring program, the following organic compounds were detected with a degree of consistency: chlorobenzene, 1,2-dichlorobenzene, 1,4-dichlorobenzene, toluene, and naphthalene. The highest concentrations of these compounds were found in wells REI-26 and REI-27; the lowest concentrations found in REI-28.

2.1.6 McClelland Consultants - 1988

Upon completion of the Remedial Response Evaluation, McClelland installed one recovery well and seven monitoring wells in the Site 3 area. Except for MCC-10, a 12-inch recovery well, wells MCC-8 through MCC-15 were installed at a depth of 16 feet bls. MCC-10 was installed at 25 feet bls.

Fugro-McClelland (formerly McClelland Consultants) operated a pilot recovery system in December 1988 for seven days. The recovery pump was operated to determine various groundwater flow characteristics in the area of MCC-10. During the pilot recovery operation, approximately 3,000 gallons of groundwater were removed from the aquifer. However,

significant quantities of hydrocarbon were not recovered. Monitoring of the groundwater and the associated hydrocarbon layer continued monthly with annual reports.

In April 1989, McClelland wrote a chemical analysis report for Site 3. The results of the groundwater monitoring program indicated that the groundwater beneath Site 3 contained low concentrations of trace organic and inorganic chemical compounds. Benzene, 1,1-dichloroethane, 1,1-dichloroethene, vinyl chloride, and lead were identified at concentrations exceeding the *USEPA Interim Primary Drinking Water Standards* in some of the samples taken from the area.

2.1.7 Evaluation of Groundwater Sampling Data - 1990

Upon completion of the monitoring program at the DPDO Landfill (Site 1), Jones and Nuese, Inc. evaluated the groundwater sampling data. Based on a statistical analysis of the data, the following conclusions were made:

- Monitoring wells REI-26 and REI-27 were found to be representative of "upgradient" or "background" conditions. However, both wells exhibited the conditions at different times.

- More data are needed to determine any correlation between tidal influences and groundwater flow.

A "pump and treat" technology was recommended by Jones and Nuese as a potential remediation alternative for Site 1.

2.1.8 Fugro-McClelland, Inc. - 1991

Fugro-McClelland prepared a report summarizing the data collected from December 1988 to December 1990. During quarterly and semi annual sampling, groundwater samples were analyzed for priority pollutant volatile organic compounds, Base/Neutral and Acid extractable

organic compounds (BNAs), pesticide/PCB, and metals. MCC-10, the recovery well, was analyzed for only indicator parameters including total organic carbon (TOC), pH, temperature, and specific conductance. Groundwater samples from Site 3 exhibited elevated TOCs (>50 ppm) during each field event with the exception of MCC-15. MCC-15 TOC concentrations remained near background levels ranging from 3 to 11 ppm. Groundwater pH values were not indicative of acidic or basic waste releases to groundwater beneath Site 3. The following VOCs were consistently identified during each sampling event: benzene, chlorobenzene, ethylbenzene, toluene, and vinyl chloride. Each of these compounds were identified in the parts per billion (ppb) range. However, toluene was identified in the parts per million (ppm) range consistently in MCC-12 during the first five sampling events, dropping to the ppb range in the last two sampling events. Other VOCs were identified in low concentrations with little or no consistency. Naphthalene was the only BNA identified during the three annual sampling events. Pesticides were also detected in low concentrations and low frequency indicating that they are not present in significant concentrations in Site 3 groundwater. PCBs were not identified in any Site 3 sample. In the metals analysis, only lead was detected at a level exceeding *USEPA Interim Primary Drinking Water Standards* of 0.05 ppm.

Based on the Pilot Recovery Program, Fugro-McClelland concluded that recovery of floating hydrocarbon via a pumping well was not efficient due to low recovery well yield recommended continued monitoring of the hydrocarbon thickness in wells REI-24, MCC-10 and MCC-12. The company also recommended equipping the wells with intermittently operated oil skimming devices for hydrocarbon removal. On the basis of the contaminant concentrations found at Site 3, Fugro-McClelland recommended that the Navy further delineate the areal extent of the groundwater contamination beneath the site and consider conducting a risk assessment to determine if identified contaminant concentrations pose a risk to human health and the environment.

2.1.9 Groundwater Sampling - 1992

In April 1992, EnSafe/Allen and Hoshall conducted a sampling event:

- To measure water levels and sample the monitoring wells installed at Sites 1 and 3.
- To analyze groundwater samples from the wells for a more complete and current suite of groundwater contaminants, based on the large number of previous studies and site history.
- To evaluate the integrity and field dimensions of existing monitoring wells to determine those which are suitable or unsuitable for use in future investigations.
- To assess onsite conditions with respect to accessibility and health and safety considerations.
- To determine the extent of contamination at Sites 1 and 3.

Interpretation of the field data indicated a widespread petroleum hydrocarbon odor within between Sites 1 and 3. A persistent floating hydrocarbon phase remains beneath the center of Site 3, although it is apparently limited in extent and thickness. An observed 2 inches of hydrocarbon in REI-24 and a quarter-inch in MCC-12 represents a reduction from the condition before reported remediation efforts when several feet of hydrocarbon were reported in REI-24.

Analytical data indicated widespread VOC and BNA contamination throughout Sites 1 and 3. VOC compounds are somewhat concentrated toward site centers; with the exception of GM-21, VOC compounds drop to below detection limits in outlying wells. Targeted BNA compounds were less persistent or with no noticeable trend although the highest level concentration of was observed in centrally located REI-25, with 360 ppb naphthalene and 70 ppb 20-methyl

naphthalene. BNA Tentatively Identified Compounds, however, are very widespread and are reported in almost all outlying wells.

Compound specific VOA and BNA contamination is heterogeneous. One unique contamination fingerprint was from MCC-3 which contained the only detected concentrations of vinyl chloride, 1,2-dichloroethene, and trichloroethene and none of the other more generally distributed compounds. MCC-3 also yielded the only reported detection of PCBs, (Arochlor 1260).

Analytical results varied from well to well, as opposed to an areal differentiation. For example, the center of Site 3 yielded some of the highest contaminant concentrations; however, MCC-04, located within the central well cluster, yielded low level concentrations. The floating hydrocarbon phase observed in REI-24 and MCC-12 was not found in other adjacent wells.

3.0 ENVIRONMENTAL SETTING

3.1 Regional Geology

The Naval base is located on the Encinal Peninsula, where the subsurface sediments were formed by a complex interaction between erosional and depositional processes. The sequence of geologic sediments underlying NAS Corpus Christi consists of (in increasing age): the Beaumont Formation, the Montgomery Formation, the Lissie Formation and the Goliad Sand.

The Naval Air Station is immediately underlain by portions of the Beaumont Formation consisting of barrier island and beach deposits consisting of mostly fine-grained sand and shells. These deposits are typically less than 60 feet thick and are probably part of the Ingleside barrier island system.

3.2 Topography

Site 1, Site 3, and Site 4, are landfill sites topographically located atop small isolated highs (Figure 6). These highs are the result of natural and man-made activities. Some of the activities that reshaped the topography include trenching during burial of landfill material and redistribution and addition of sand to allow for drainage away from the central part of the landfills. This sand buildup most likely occurred during drainage ditch construction surrounding the landfills and other areas of the base. This additional material is hard to distinguish from the natural occurring lithologies, however, around the FFTA, gravel-like material has been found in the upper few feet of the surface which is not indigenous to the barrier island and beach deposits of the Beaumont Formation.

3.3 Site Stratigraphy and Hydrogeology

Three lithologic units of the Beaumont Formation were encountered during monitoring well drilling of Site 1, Site 3, and Site 4.

The first unit is a very fine to fine-grained sand with interbedded silt and silty-clay zones. The unit's thickness ranges from 17 to 26 feet from the surface (Figure 7). The thinner section corresponds to topographically low or eroded areas. The thicker areas are localized in the center of Sites 1 and 3, a position which is topographically high. The sands are tan, light gray, and greenish gray. The greenish-gray section generally contains more silty clay.

The second unit is the mottled, greenish-gray clay layer that varies in thickness from 5 to 13.5 feet across the sites (Figure 8). In general, the clay thins from east to west and south to north. Under Site 1 the clay is 5 to 7 feet thick; under Site 3, thickness ranges from 6 to 10 feet; and under Site 4, the clay is 10 to 11 feet thick.

The clay's boundary between the first unit is sharp with only a foot to half-foot transition. The lower contact with the third unit is more problematic due to a thicker transition zone of 5 to 7 feet (Cross Sections A-A' and B-B', Figures 9 and 10). For mapping purposes, the boundary was picked at the first indication of sand or silt. The clay is moist, stiff, and dense and holds together when rolled out between your palms.

The third unit is below the clay, and 23 to 33.5 feet below the surface. Six monitoring wells have penetrated this section and the lithology varies from very fine-grained, silty clays of the transition zone to very fine to fine-grained sands. As mentioned above, its contact with the clay is not sharp but transitional.

3.4 Hydrology

Upper Aquifer

The upper aquifer is an unconfined surfacial aquifer. The potentiometric surface generally follows the topography (Figure 11). The highest potentiometric surface, at approximately 19 feet above mean sea level (msl), occurs in the central portion of Site 3, where the topographic surface is at 23 feet msl. From this recharge area, flow lines radiate out 360^0 at hydraulic gradients varying from .005 feet per foot (0.315^0) to .002 feet per foot (0.14^0).

From previous work, horizontal hydraulic conductivities range from 10^{-3} to 10^{-4} cm/sec. Vertical hydraulic conductivities have been estimated to be 10^{-5} cm/sec. A pump test on MCC-10 at Site 3 maintained a sustained pumping rate of .125-.25 gallons per minute. These slow rates suggest that the upper aquifer sands contains interstitial clays that interferes with water's movement. At an estimated porosity of 25 percent, a hydraulic conductivity of 10^{-3} cm/sec, and a hydraulic gradient of .005 feet/foot, the estimated maximum velocities along the flow lines would be $2x10^{-5}$ cm/sec or approximately 20 feet/year in the southern portion of Site 3. The velocities would be slower in the other directions due to lower hydraulic gradients. The water's path would also be affected by natural barriers such as silt and clay facies which are interbedded within the upper aquifer sands. These barriers would divert or slow down the water's path.

The potentiometric map of the upper aquifer shows Site 1 and 3 to be hydraulically connected and is mapped that way. However, Site 1 could be partially isolated from Site 3 due to the influence of the drainage ditches between the two sites. This maybe the reason this portion of the site does not conform to topography.

Clay Aquitard and Lower Aquifer

The clay layer between the upper and lower aquifers acts as an effective aquitard. The lower aquifer is a confined unit, with a pressure head well above the clay layer but lower than the upper aquifer's potentiometric surface (Figures 9 and 10). This indicates the two surfaces are not in communication with each other across the sites. The potentiometric map for the lower aquifer (Figure 12) shows a sloping surface to the east-northeast toward Corpus Christi Bay.

4.0 ASSESSMENT OF FIELD ACTIVITIES

Field activities at Sites 1, 3, and 4 included the installation and sampling of 17 monitoring wells, sampling of 26 existing monitoring wells, and collection of 18 hand-auger samples. Two groundwater sampling events were conducted during field activities, one in July and the other in October, 1993. The following sections describe each activity.

4.1 Monitoring Well Installation

Field work for the Facility Investigation was conducted by E/A&H from June 1, 1993, to July 16, 1993. Seventeen monitoring wells were installed at Sites 1, 3, and 4. Eleven Type II shallow wells were installed; nine of which were completed in the unconfined aquifer and two were completed at the top of the clay unit. Six Type III deep monitoring wells were installed into the confined aquifer. The following describes monitoring well installation at each of the three sites. Monitoring well locations are shown in Figure 13.

Site 1 — DPDO Landfill

Three shallow Type II monitoring wells were installed in the unconfined aquifer on the north (ES-33), south (ES-36), and west (ES-31) boundaries of the landfill. A fourth Type II well (ES-44) was installed in the lower portion of the unconfined surficial aquifer at the top of the clay unit on the east boundary of the landfill. Three deep Type III monitoring wells were installed through the clay unit into the semi-confined aquifer on the north (ES-34), east (ES-35), and west (ES-32) boundaries of the landfill. A site map is shown in Figure 3.

Site 3 — CCAD Landfill

Two shallow Type II monitoring wells were installed into the unconfined aquifer on the north boundary next to the golf course (ES-37 and ES-38). Another shallow Type II well was installed along the south boundary (ES-42). A fourth Type II well (ES-40) was installed in the lower portion of the surficial aquifer at the top of the clay unit on the east boundary of the landfill. Three Type III wells were installed through the clay unit into the semi-confined aquifer on the

northeast (ES-39), southwest (ES-43), and southeast (ES-42) boundaries of the landfill. A site map is shown in Figure 4.

Site 4 — Aircraft Fire Fighting Training Area

Three shallow Type II monitoring wells were installed around the perimeter of the FFTA. Hand-auger samples were also collected inside the bermed area from six locations. Samples were collected from three different intervals at each location for a total of 18 soil samples. A site map is shown in Figure 5.

4.1.1 Monitoring Well Construction

Monitoring wells were constructed in conjunction with soil borings and constructed through the annular space of the 4.25-inch I.D. hollow-stem augers. Nine Type II monitoring wells were completed at depths between 9 and 13 feet below grade inside the unconfined surficial aquifer. Two Type II wells were completed at the bottom of the unconfined surficial aquifer at depths of 11 feet and 20 feet. Figure 6 illustrates a lithologic cross-section of the sediments beneath NAS Corpus Christi. Figure 14 illustrates a Type II monitoring well.

Type III deep monitoring wells were constructed inside 10-inch PVC outer protective casings set through the unconfined shallow aquifer and into the confining clay unit. These casings were set with the use of a pier drilling rig prior to the actual construction of the wells. Soil borings were then drilled inside the outer casings and wells were constructed inside the annular space of the augers. Six of the Type III wells were completed at depths between 30 and 42 feet below grade. Figure 15 illustrates a Type III monitoring well.

All monitoring wells were constructed with 2-inch diameter Schedule 40, PVC riser and 10 feet of 0.010 slotted well screen. The top of each well screen in the Type II wells was set between 2 and 5 feet above the first encountered water bearing unit. In the Type III wells, each well screen was set at least 5 feet into the confined aquifer. The annular space surrounding the monitoring well and the borehole was filled with a 20/40 silica sand pack from the bottom of

TYPICAL ILLUSTRATION OF MINIMUM SPECIFICATIONS
FOR MONITORING WELL CONSTRUCTION



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 14
TYPE II
MONITORING WELL DESIGN

DATE: 09/23/93 | DWG NAME: 069MWEL1

TYPICAL ILLUSTRATION OF MINIMUM SPECIFICATIONS
FOR MONITORING WELL CONSTRUCTION



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 15
TYPE III
MONITORING WELL DESIGN

DATE: 09/24/93 | DWG NAME: 069MWEL2

the borehole to 2 feet above the screened interval. A bentonite pellet seal, approximately 2 feet thick, was placed above each sand pack. The bentonite seal was hydrated with approximately 2 gallons of distilled water and allowed to hydrate for approximately 8 hours before the remaining borehole annulus was grouted to the surface. Each well was fitted with an expandable, lockable cap securing the PVC riser pipe, and an exterior lock securing the 2-foot steel standup protective casings. Steel protective posts were installed surrounding each well. Monitoring well construction data are provided in Appendix A.

4.1.2 Well Development

Each monitoring well was fully developed prior to sampling to ensure it functioned properly. New Type II monitoring wells and existing 2-inch monitoring wells were developed using 3-foot Teflon bailers. New Type III monitoring wells and existing 4-inch wells were developed using an electric Grundfos pump. Development continued until the purge water was not turbid and the pH, conductivity, and temperature stabilized. Wells which purged dry were bailed dry at least five times before being considered developed. Purged water was containerized in 55-gallon drums and placed in the drum storage area at the end of each day.

4.2 Groundwater Sampling

Two groundwater sampling events were conducted during the investigation. Groundwater samples were collected at the 17 new E/A&H monitoring wells and the 26 existing monitoring wells during each sampling event. One existing monitoring well, GM-18, has been damaged, therefore no samples could be collected from the well. Static water levels were measured with an oil/water interface probe prior to sampling to determine the presence of any floating product. Water level measurements and the description of any free floating products observed were recorded in the project field logbook. Figures 11 and 12 (shown previously) represent the piezometric surface maps generated from the water level data. The monitoring wells were surveyed horizontally and vertically by a surveyor registered in the State of Texas. Horizontal control was tied to the air base coordinate system and elevations were measured in reference to

mean sea level according to U.S. Navy benchmarks. Elevations were measured to the nearest 0.01 foot. The survey data are presented in Appendix B. Groundwater elevations did not fluctuate significantly between sampling events and are included in Tables 1 and 2.

EnSafe/Allen & Hoshall began sampling at wells with either upgradient (clean) wells or wells which are known or believed to be clean. Sampling then proceeded to wells which appeared to be increasingly contaminated and ended with the most contaminated well. This procedure helps to minimize the potential for cross contamination of wells, especially false positives in clean wells due to insufficient decontamination of field sampling equipment.

Table 1
Facility Investigation
Groundwater Elevations — Existing Monitoring Wells
July 7, 1993

Well I.D.	TOC Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)
MCC-1	22.24	5.95	16.29
MCC-2	19.38	3.14	16.24
MCC-3	18.87	2.75	16.12
MCC-4	24.15	5.95	18.2
MCC-5	25.09	6.43	18.66
MCC-6	23.30	5.60	17.7
MCC-7	24.16	5.85	18.31
MCC-8	23.85	5.84	18.01
MCC-9	21.17	6.08	15.09
MCC-11	20.67	5.55	15.12
MCC-12	26.35	7.92	18.43
MCC-13	21.70	4.97	16.73
MCC-14	20.25	4.82	15.43
MCC-15	24.21	7.32	16.89
GM-16	20.07	3.4	16.67
GM-17	18.32	3.1	15.22
GM-19	22.96	6.18	16.78

Table 1
Facility Investigation
Groundwater Elevations — Existing Monitoring Wells
July 7, 1993

Well I.D.	TOC Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)
GM-20	19.53	6.3	13.23
GM-21	19.56	5.32	14.24
REI-24	24.88	7.45	17.43
REI-25	24.91	6.05	18.86
REI-26	21.49	5.73	15.76
REI-27	22.04	6.89	15.15
REI-28	20.14	5.94	14.2
REI-29	18.22	5.68	12.54
REI-30	21.71	6.85	14.86

Table 2
Facility Investigation
Groundwater Elevations — New Monitoring Wells
July 7, 1993

Well I.D.	TOC Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)
ES-31	19.50	5.52	13.98
ES-32	19.12	8.98	10.14
ES-33	20.16	5.78	14.38
ES-34	19.67	9.78	9.89
ES-35	21.43	12.71	8.72
ES-36	23.48	7.54	15.94
ES-37	20.03	4.81	15.22
ES-38	18.64	4.9	13.74
ES-39	19.96	12.25	7.71
ES-40	20.21	9.2	11.01
ES-41	23.40	14.26	9.14
ES-42	22.71	8.29	14.42
ES-43	23.87	14.95	8.92
ES-44	19.20	7.45	11.75

Table 2
Facility Investigation
Groundwater Elevations — New Monitoring Wells
July 7, 1993

Well I.D.	TOC Elevation (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)
ES-45	23.86	5.53	18.33
ES-46	22.35	5.29	17.06
ES-47	23.37	6.02	17.35

4.2.1 Purging Methodology

Before sampling the monitoring wells, a minimum of three casing volumes of water were removed. Monitoring wells were purged with a Teflon bailer on 2-inch shallow wells and an electric Grundfos pump on 4-inch wells and deep wells. Removing three casing volumes eliminated any stagnant water and ensured that the water being sampled was representative of the aquifer immediately surrounding the well. Total well depths were measured with a stainless steel tape measure while water levels were measured with an oil-water interface probe to determine the presence of any floating product. The depth-to-water measurement subtracted from the total well depth equals the thickness of the water column in the well. This value multiplied by a conversion factor (0.174 gallons/ft. for a 2-inch well or 0.653 gallons/ft. for a 4-inch well) established the volume of water within the casing. Three times the casing volume served as the minimum evacuation required for sampling.

4.2.2 Sample Collection

After purging the appropriate volumes of water, the groundwater samples from the monitoring wells were collected with a clean Teflon bailer attached to clean nylon rope. Groundwater was transferred into the appropriate pre-cleaned containers immediately after being removed from the well. Samples were contained in the following manner:

- VOC Analysis — 3 40-m/L VOA Vials
- Filtered/Unfiltered Metal Analysis — 2 1-liter plastic bottles
- SVOC Analysis — 2 1-liter amber glass bottles

- PCB Analysis — 1 1-liter amber glass bottle each well
- Pesticide Analysis — 1 1-liter amber bottle at selected wells*

* ES-33, ES-34, ES-36, ES-42, ES-43, ES-44, ES-45, ES-46, ES-47

4.2.3 Sample Preservation, Handling, and Shipping

Immediately after collection, all samples were appropriately preserved. Samples collected for VOC analysis were preserved by adding hydrochloric acid until the pH of the sample was less than 2.0. The samples collected for the metals analysis were preserved by adding nitric acid until the pH of the samples was less than 2.0. After the appropriate preservation, the samples were then placed in a cooler filled with packaged ice and kept at 4°C.

Samples were handled as infrequently as possible and care was taken to ensure that the samples were not contaminated. All samples were shipped to the National Environmental Testing (NET) Incorporated laboratory in Bedford, Massachusetts the day of collection via an overnight express air courier.

To assure that the samples were maintained in a safe and reliable manner, a strict chain-of-custody (COC) procedure was followed. This procedure was implemented in the field and carried out during the entire analytical process. All parties handling the samples signed the COC form which became a part of the permanent records. Sample security seals were used for each individual shipping container. Completed COC forms became part of the laboratory reporting package for data validation. A copy of the COC form is shown in Appendix C.

4.2.4 Decontamination

All equipment that came in contact with soil was steam cleaned before being used and after each sample was collected. This process minimized potential cross contamination between samples. Decontamination consisted of the following steps:

1. High pressure, hot tap water and Alconox wash
2. Tap water rinse

3. Two rinses with isopropyl alcohol
4. Two rinses with deionized water

Additional scrubbing was sometimes required to remove encrusted materials.

4.3 Soil Sampling

Soil samples were collected from the 17 soil borings which were converted into monitoring wells. The samples were collected at 2-foot intervals through 2-foot split-spoon continuous samplers, which were pushed through the lead auger during drilling activities. One sample per boring was collected from the area just above the saturation zone. Additional samples were taken if the first sample exhibited high levels of contamination through visual appearance or high instrument readings. Soil samples from Sites 1 and 3 were analyzed for CLP VOCs, CLP Total Metals, CLP SVOCs, and PCBs. Soil samples from Site 4 were analyzed for CLP VOCs, CLP Total Metals, and CLP SVOCs. Samples submitted for VOC analysis were placed into two 2-ounce jars while samples submitted for SVOCs, PCBs, and metals were placed into one 16-ounce jar. Soil jars were labeled and kept at 4°C. Soil types, moisture content, and other relevant field information was recorded on individual boring logs. Soil boring logs are included in Appendix A.

Additional soil samples were collected with a hand auger at Site 4. Soil samples were collected at three intervals (0-12", 12-24", and 24-36") at six different locations inside the bermed area of the FFTA. These samples were submitted for the same analysis described above.

4.4 Waste Containment and Disposal

Auger spoils and well development and purge water were placed into steel 55-gallon drums and stored in a designated location on the base. Soil and groundwater analytical results will be forwarded to the activity for appropriate disposal of the contained waste.

4.5 Quality Assurance and Safety

The following measures were taken or planned to assure that the quality of data obtained in this sampling program matches the intended or required end use of the data.

4.5.1 Field Team Organization

All field work was completed under the direct supervision of an EnSafe geologist. Personnel who collected samples were fully trained in proper sampling protocol and were briefed about the plans prepared for this project.

4.5.2 Sampling Protocol

- Following the procedures outlined in Section 4.2.4, all sampling equipment was decontaminated before each sample was collected.

- Samplers donned a clean pair of surgical gloves before each sample was collected.

- Monitoring wells were sampled as outlined in Section 4.2.

- When the full bailer was extracted, samples were collected in the appropriate pre-cleaned containers mentioned in Table 3.

- Samples were immediately preserved with the chemicals outlined in Table 3 and placed in coolers at 4°C.

4.5.3 Sample Designation System

Samples were identified using specific information which included the following:

- Site number
- Sample type
- Well or boring location number
- Sample interval (when applicable)

The first two digits indicate the Contract Task Order (CTO) number, which is 69 for this specific investigation. The third digit represents the site number from which the sample was collected. The fourth and/or fifth digits represent the type sample such as soil or groundwater. The next four or five digits represent the well location from which the sample was collected. The last digit of a soil sample represents the interval at which the sample was collected. The following examples will explain the sample identification system.

Example: 693SMW31-2

CTO #	69
Site #	3
Sample Type	Soil
Sample Location	MW31
Sample Interval	2

Example: 691GWREI27

CTO #	69
Site #	1
Sample Type	Groundwater
Sample Location	REI27

Table 3
Sample Containers, Preservation and Holding Times

Analytical Method	Sample Matrix	Container Size/Material	Sample Preservation	Holding Time
CLP Volatile Organic Compounds	Soil	(2) 2 oz. glass jar with Teflon-lined septa	Chill, 4° C	10 days until analysis
	Water	(3) 40 ml. vials with Teflon-lined septa	Chill, 4° C pH <2,Hcl	10 days until analysis
CLP Semivolatile Organic Compounds	Soil	16 oz glass jar with Teflon-lined septa	Chill, 4° C	Extract within 10 days, analyze within 40 days
	Water	(2) One Liter Amber Glass Jars	Chill, 4° C	Extract within 5 days, analyze within 40 days
CLP PCBs/Pesticides - SW846 (8080)	Soil	16 oz glass jar	Chill, 4° C	Extract within 7 days (10 days for CLP), analyze within 40 days
	Water	One liter amber glass jar (1 liter for CLP)	Chill, 4° C, pH between 5 & 9	Extract within 7 days (5 days for CLP), analyze within 40 days
CLP Total Metals	Soil	16 oz glass jar	Chill, 4° C	180 days until analysis
	Water	(2) 1 liter polyethylene or glass container	pH <2HNO_3, Chill 4° C	180 days until analysis

Duplicate samples have the same sample identification but have the letter D as the last digit. Matrix spikes and matrix spike duplicates also have the same sample identification but have "ms/msd" as the last digits. Field blank samples were identified as 69-FB. Rinse blank samples were identified as 69-RB.

4.5.4 Document and Sample Control

Field personnel used bound logbooks for records of field activities. These records were maintained in the EnSafe/Allen & Hoshall project file and documented all visual observations, calculations and equipment adjustments. Every entry was dated, and the time for each entry was noted. The logbooks are accountable documents that will be properly maintained and retained as part of the project files.

4.5.5 Custody Procedures

To assure that the samples are maintained in a safe and reliable manner, a strict COC procedure was followed. This procedure was implemented in the field and carried out during the entire analytical process. All parties handling the samples signed the COC form and it became a part of the permanent records. Completed COC forms became a part of the laboratory reporting package and part of the data validation criteria. A copy of the COC form used for the samples is presented in Appendix C.

To assess analytical precision, field duplicates for water were obtained at monitoring wells ES-33, ES-42, MCC-6, and GM-19 during the initial sampling event and at ES-38, MCC-15, ES-31, and REI-28 during the second sampling event. Duplicate samples for soil were also taken from MW-42, MW-45, and HA-3. These duplicates were handled and analyzed along with all other samples. Further evaluation of precision and accuracy was obtained by analyzing matrix spike samples from the same location. Matrix spike and matrix spike duplicate samples for water were taken from MCC-7, MCC-11, and MCC-12 during the initial sampling event and from MCC-14, ES-32, and MCC-9 during the second sampling event. Matrix spike and matrix

spike duplicate samples for soil were taken from MW-32, MW-38, and HA-1. The duplicate and matrix spike samples were analyzed for the same parameters as the other samples.

To evaluate the adequacy of decontamination procedures, two rinsate blanks were collected during the investigation. One rinsate blank was obtained by passing organic free water through the oil-water interface probe and collecting the water. The other sample was collected by passing organic free water over soil sampling equipment and collecting the water. These samples were analyzed with the other samples. To ensure that extraneous sources had not contaminated the samples, one trip blank was handled and shipped with the other samples being shipped. The trip blank consisted of a 40-ml VOA sample container filled with organic-free water by the laboratory. The trip blank was analyzed for volatile organics only and was handled and shipped in the same manner as the other samples.

Five field blanks were collected during this investigation to check for contamination imparted to the samples by the sample containers or other extraneous sources. The field blanks were obtained by filling sample jars from the deionized water source and the potable water source used for decontamination. These blanks were handled, shipped, and analyzed with the rest of the samples.

4.5.6 Health and Safety

A formal plan for the protection of sampling team and third party health and safety was included in the work plan for this project. All field personnel have reviewed the Health and Safety Plan and followed it while in the field.

5.0 ANALYTICAL RESULTS

The following sections contain the analytical results for the constituents detected in samples collected from hand-auger samples, soil borings and monitoring wells installed during the facility investigation. Analytical results for constituents detected in groundwater samples collected from the existing wells at Sites 1 and 3 and a comparison of the data to the previous sampling event (April 1992) are presented in Appendix D. A complete laboratory data package for all samples collected during the facility investigation can be found in Appendix E.

5.1 Analytical Parameters and Specifications

All samples were analyzed for CLP VOCs, CLP SVOCs, CLP Total Metals, and PCBs (8080). Certain selected water samples were also analyzed for 8080 pesticides. Metals included aluminum, antimony, arsenic, barium, beryllium, cadmium, calcium, chromium, cobalt, copper, iron, lead, magnesium, manganese, mercury, nickel, potassium, selenium, silver, sodium, thallium, vanadium, and zinc. Table 3 lists these parameters and associated collection and preservation methods.

5.2 Analytical Results for Soil

The following sections present the analytical results of soil samples collected from the 17 soil borings which were later converted to monitoring wells and the 18 hand auger samples collected from the FFTA (Site 4).

5.2.1 Hand-Auger Samples

Eighteen soil samples were collected from six locations at three depths using a hand auger at the fire fighting training area. Tables 4, 5, and 6 present the volatile organic compounds, semivolatile organic compounds and metals detected in the samples. Reference concentrations, when available, are also presented for each compound detected. The reference concentrations are based upon the industrial groundwater protection concentrations found in Appendix II of 31 TAC 335.568.

Table 4
Volatile Organic Compounds (ppb)
Soil Hits — Site 4 - Hand Auger Locations

Parameter	Reference Concentrations*	HA1-1	HA1-2	HA1-3	HA2-1	HA2-2	HA2-3	HA3-1	HA3-2	HA3-3
Acetone	1,020,000	14,000	61,000		41,000	100,000				
2-Butanone	511,000	30	30		88			35	1,900	
Benzene	500	1	3		24	72		25	200	260
Toluene	100,000	3	10		34	29		18		
Xylene	1,000,000	9	150	550	4,500	5,200	9,400	2,300	23,000	25,000
1,2 Dichloromethene	7,000									
4-Methyl-2-Pentanone	N/A		3					41		
Chlorobenzene	10,000	2	14			23		590	2,200	1,600
Ethylbenzene	70,000	6	27	380	980	1,300	2,000	460	5,200	5,400
1,1 Dichloroethane	1,020,000					8				
2-Hexanone	N/A				210			63		

Parameter	Reference Concentrations*	HA4-1	HA4-2	HA4-3	HA5-1	HA5-2	HA5-3	HA6-1	HA6-2	HA6-3
Acetone	1,020,000		10,000	23,000	15,000					
2-Butanone	511,000	5								32
Benzene	500	11		240						
Toluene	100,000				71,000	60,000	73,000	1	3	2
Xylene	1,000,000	5		230	40,000	44,000	60,000			3
1,2 Dichloroethene	7,000				3,400			10	9	2
4-Methyl-2-Pentanone	N/A									9
Chlorobenzene	10,000	12	1,500	1,400						
Ethylbenzene	70,000	23	2,600	2,300	6,900	7,100	7,300			
1,1 Dichloroethane	1,020,000									
2-Hexanone	N/A									

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 which are considered protective of groundwater at an industrial site under Standard 2.
N/A means concentrations were not available.

Table 5
Semivolatile Organic Compounds (ppb)
Soil Hits - Site 4 - Hand Auger Locations

Parameter	Reference Concentrations*	HA1-1	HA1-2	HA1-3	HA2-1	HA2-2	HA2-3	HA3-1	HA3-2	HA3-3	HA4-1	HA4-2	HA4-3	HA5-1	HA5-2	HA5-3
Benzo(g,h,i)perylene	N/A							39	35		35			36		
Dibenzofuran	N/A									250			170		770	1,500
1,2 Dichlorobenzene	60,000			150				320	360	3,000		240				
1,4 Dichlorobenzene	7,500								62	570						
2,4 Dimethylphenol	204,000		52													
Fluorene	409,000									240		43	230		790	
Fluoranthene	409,000									140			180			
Hexachlorobenzene	100							110	74	330						
2-Methylnaphthalene	N/A				430	3,100	7,700		470	12,000	520	2,100	9,300	340	23,000	42,000
2-Methylphenol	N/A		79	180										100		
4-Methylphenol	N/A	130	170	270												
N-Nitrodiphelylamine	N/A									310					770	
Phenanthrene	N/A									500		41	640		1,200	2,000
Pyrene	310,000			160					44	150				56		
Naphthalene	409,000				1,100	4,400	9,800	120	840	12,000	490	2,200	8,200	510	13,000	38,000

Notes:

* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335,368 which are considered protective of groundwater at an industrial site under Standard 2.

N/A Means concentrations were not available.

Table 6
Inorganic Soil Hits - (ppm)
Site 4 — Hand Auger Locations

Parameter	Reference Concentrations*	HA1-1	HA1-2	HA1-3	HA2-1	HA2-2	HA2-3	HA3-1	HA3-2	HA3-3
Aluminum	N/A	2,530	2,110	1,300	5,830	1,310	821	2,580	2,180	1,410
Antimony	.6									
Arsenic	5				.78			7.3		
Barium	200	32.8	14.1	9.7	48	19.9	9.7	27.2	13.2	8.1
Beryllium	.4				.23					
Cadmium	.5	4.2	3.2	6.8	5.1	6.7	3.7	1.5		
Calcium	N/A	184,000	57,000	8,580	18,2000	34,800	23,100	116,000	43,800	13,200
Chromium	10	7.4	15.3	16.7	20.5	34.9	20.2	24.6	21.9	6.8
Cobalt	N/A									
Copper	N/A	7.3	11.7	7.9	6	5.3	3.8	4.7	2.5	1.8
Iron	N/A	1,720	1,200	1,130	3,640	749	484	1,560	840	612
Lead	1.5	48.4	95.1	123	51.3	88.8	101	61.4	25.2	9.3
Magnesium	N/A	2,650	876	204	3,450	614	246	1,220	536	228
Manganese	N/A	53.1	20	9.9	74.6	13.3	10	43.8	15.1	7.9
Nickel	10		5.7	8.7	4.5		5.8			
Potassium	N/A	714	426	188	1,730	254	141	549	305	181
Selenium	5	1.3		.58	1.3	.84	.39			
Sodium	N/A	605	182		352			452		
Vanadium	N/A	5.9	3.6	2.4	10.3	2.3	1.5	4.4	2.9	1.8
Zinc	N/A	23.5	44.1	28.5	27.7	34.1	15.3	21.6	10.3	5.8

Table 6
Inorganic Soil Hits - (ppm)
Site 4 — Hand Auger Locations

Parameter	Reference Concentrations*	HA4-1	HA4-2	HA4-3	HA5-1	HA5-2	HA5-3	HA6-1	HA6-2	HA6-3
Aluminum	N/A	3,620	4,920	3,020	4,200	1,790	1,080	10,200	8,130	6,910
Antimony	.6									
Arsenic	5				.92			1.3	1.1	1.2
Barium	200	56.3	33.3	19.5	93.8	24.9	12.2	223	234	156
Beryllium	.4							.42	.38	.36
Cadmium	.5	6.7	.84	1.5	6.7	12.4	6.2			
Calcium	N/A	184,000	90,900	29,700	72,300	13,400	6,540	90,800	135,000	114,000
Chromium	10	200	20.9	34.6	187	260	144	8.7	8.2	7.5
Cobalt	N/A	3						2.3	2.6	2.3
Copper	N/A	10.3	12.4	7	6.3	6.1	4.5	3.8	5	3.4
Iron	N/A	2,640	2,070	1,530	2,490	852	510	5,610	4,670	4,110
Lead	1.5	503	55.3	50.5	169	346	109	4.2	6.5	5.1
Magnesium	N/A	2,650	1,140	585	1,460	277	146	4,260	3,530	2,820
Manganese	N/A	129	42.4	24	67.2	41	22	94.9	197	135
Nickel	10				5.8	6.1			5.8	
Potassium	N/A	1,000	819	541	1,160	440	291	2,580	2,120	1,820
Selenium	5	.35			.23			.3	.37	
Sodium	N/A	539	394		212			304	318	280
Vanadium	N/A	6.5	5.7	4	7.1	2.1	1.2	15.6	16.4	11.8
Zinc	N/A	350	45.9	77.5	61.7	56.5	20.1	16.9	15.1	10.9

Note: * Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.368 which are considered protective of groundwater at an industrial site under Standard 2.
N/A means concentrations were not available.

5.2.2 Soil Boring Samples

At least two soil samples were collected from the seventeen soil borings installed during the facility investigation. Tables 7, 8, 9, and 10 present the VOCs, SVOCs, PCBs, and metals detected in the samples. Reference concentrations, when available, are also presented for each compound detected. The reference concentrations are based upon the industrial groundwater protection concentrations found in Appendix II of 31 TAC 335.568.

5.3 Analytical Results for Groundwater

Groundwater samples were collected from the 27 existing monitoring wells at Sites 1 and 3 and the 17 additional monitoring wells installed during the facility investigation. As stated previously, a summary of the data collected from the 27 existing wells can be found in Appendix D. Tables 11, 12, 13, 14-A and 14-B present the VOCs, SVOCs, Pesticides, PCBs, and metals detected in the groundwater samples collected from the 17 new wells during the initial sampling event and can be found in Section 5.3.1. Tables 15, 16, 17, 18-A and 18-B represent samples collected during the second sampling event and can be found in Section 5.3.2. Reference concentrations, when available, are also presented for each compound detected. The reference concentrations are based upon the maximum concentration allowed in groundwater for residential exposure conditions found in Appendix II of 31 TAC 335.568.

5.3.1 Initial Sampling Event

Tables 11, 12, 13, and 14 represent contaminants detected in groundwater samples collected during the initial sampling event.

5.3.2 Second Sampling Event

Tables 15, 16, 17, and 18 represent contaminants detected in groundwater samples collected during the second sampling event.

Table 7
Volatile Organic Compounds (ppb)
Soil Hits - Sites 1, 3 and 4 - Soil Boring Locations

Parameter	Reference Concentrations*	ES31-2	ES33-2	ES34-1	ES34-3	ES35-2	ES35-3	ES36-2	ES37-2
Acetone	1,020,000	15,000	89		5,600			810	
2-Butanone	511,000		6			120	1		5
Benzene	500		1		1				
Toluene	100,000			12					3
Xylene	1,000,000								3
4-Methyl-2-Pentanone	N/A								
Chlorobenzene	10,000				6			33	
Ethylbenzene	70,000								

Parameter	Reference Concentrations*	ES40-6	ES41-3	ES41-10	ES42-3	ES43-1	ES43-2	ES43-11	ES44-2	ES45-1	ES46-3	ES47-3
Acetone	1,020,000		2,800	3,200	3,500		11,000					82,000
2-Butanone	511,000	4			1,000						450	
Benzene	500							2				
Toluene	100,000					2			16	3		
Xylene	1,000,000								56			
4-Methyl-2-Pentanone	N/A					3						
Chlorobenzene	10,000	2							310		470	
Ethylbenzene	70,000								14			

Notes:

* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 which are considered protective of groundwater at an industrial site under Standard 2.

N/A means concentrations were not available.

Table 8
Semivolatile Organic Compounds (ppb)
Soil Hits — Sites 1, 3, and 4 - Soil Boring Locations

Parameter	Reference Concentrations*	ES34-1	ES34-3	ES36-2	ES44-2	ES46-3
Anthracene	3,070,000	46				
Benzo(a)anthracene	N/A	260	43			
Benzo(b)fluoranthene	N/A	430	47			
Benzo(g,h,i)perylene	N/A	140				
Benzo(a)pyrene	N/A	250				
Benzo(k)flouranthene	N/A	230				
Dibenzo(a,h)anthracene	N/A	70				
1,4 Dichlorobenzene	7,500					170
Indeno(1,2,3-cd)pyrene	N/A	200				
2-Methylnaphthalene	N/A			190	660	1,600
4-Methylphenol	N/A					
Chrysene	N/A	290	55			
Fluoranthene	409,000	420	61	43		
Pyrene	310,000	360	54		250	
Naphthalene	409,000			140		2,600
Phenanthrene	N/A	190		51		110

Notes:
* Concentrations are based on the Risk Reductions Standards in Appendix II of 31 TAC 335.368 which are considered protective of groundwater at an industrial site under Standard.
N/A means concentrations were not available.

Table 9
PCB — Soil Hits (ppb)
Sites 1, 3, and 4 — Soil Boring Locations

Parameters	Reference Concentrations*	ES34-1	ES36-2	ES43-1	ES43-2	ES45-1	ES46-3	ES47-3
Aroclor 1242	50		210					
Aroclor 1248	50						1,400	
Aroclor 1260	50	89	49	29	19	49	510	36

Notes:
* Concentrations are based on Risk Reduction Standards in Appendix II of 31 TAC 335.368 for Polychlorinated BiPhenyls, which are considered protective of groundwater at an industrial site under Standard 2.

Table 11
Volatile Organic Compounds (ppb)
Water Hits — Sites 1, 3, and 4 Monitoring Wells
Initial Sampling Event

Parameter	Reference Concentrations*	ES-33	ES-36	ES-37	ES-38	ES-40	ES-43	ES-44	ES-45	ES-46	ES-47
Acetone	3,650										1,100
Benzene	5		29			3				120	49
2-Butanone	1,830			110							
Chlorobenzene	100	14	490	32	1	55			3	320	270
Chloromethane	5						3				
1,1-Dichloroethane	3,650			5							
1,1-Dichloroethene	7			3							
1,2-Dichloroethene	70			1,500				2			
Trichloroethene	5		30					1			
Vinyl Chloride	2			2,400				6			
Toluene	100			1							

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.

Table 12
Semivolatile Organic Compounds (ppb)
Water Hits — Sites 1, 3, and 4 — Monitoring Wells

Parameter	Reference Concentrations*	ES-36	ES-37	ES-38	ES-39	ES-40	ES-45	ES-46	ES-47
1,2-Dichlorobenzene	600		15						8
1,3-Dichlorobenzene	600								1
1,4-Dichlorobenzene	75	21				13	1	30	27
2,4-Dimethylphenol	730							120	22
2-Chlorophenol	183	3							2
2-Methylnaphthalene	N/A	6						21	33
4-Methylphenol	N/A								5
Fluorene	1,460								1
Naphthalene	1,460	19				2	9	110	46
Penanthrene	N/A								1
Phenol	21,900								3
N-Nitrosodiphenylamine	N/A	2							
bis(2-Ethylhexy)phthalate	6.08			2					
Carbazole	N/A				2				

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2. N/A means concentrations were not available.

Table 13
PCBs/Pesticides (ppb)
Water Hits — Sites 1 and 4 - Monitoring Wells

Parameter	Reference Concentrations*	ES-36	ES-45	ES-46	ES-47
Aroclor 1248	.5	.85			
Aroclor 1254	.5				1.1
4,4'-DDD	.355	.044		.11	23
4,4'-DDT	.25			.29	.066
Dieldrin	.00532		.042		
Endosulfan I	1.83	.039	.045		.15
Endosulfan II	N/A				.043
gamma-Chlordane	2				.059

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available. Aroclor 1248 and Aroclor 1254 are PCB constituents.

Table 14
PCBs/Pesticides (ppb)
Water Hits — Sites 1 & 4 — Monitoring Wells
Sampling Event

Parameter	Reference Concentrations*	ES-36	ES-45	ES-46	ES-47
Aroclor 1248	.5	.85			
Aroclor 1254	.5				1.1
4,4'-DDD	.355	.044		.11	23
4,4'-DDT	.25			.29	.066
Dieldrin	.00532		.042		
Endosulfan I	1.83	.039	.045		.15
Endosulfan II	N/A				.043
gamma-Chlordane	2				.059

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2.

N/A means concentrations were not available. Aroclor 1248 and Aroclor 1254 are PCB constituents.

Table 15
Volatile Organic Compounds (ppb)
Water Hits — Sites 1, 3, and 4 Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	ES-32	ES-33	ES-35	ES-36	ES-37	ES-38	ES-39	ES-40	ES-41	ES-44	ES-45	ES-47
Acetone	3,650				12							11	
Benzene	5		1		19			9	3			12	10
2-Butanone	1,830								4				
Carbon Disulfide	3,650							3		3			
Chlorobenzene	100	9	46		270	28	2		55			9	180
Chloromethane	5												
1,1-Dichloroethane	3,650					6			5				
1,1-Dichloroethene	7					3							
1,2-Dichloroethene	70					880					41		1
Tetrachloroethene	5	160		92				37					
Trichloroethene	5	12		6							49		
Vinyl Chloride	2					2,200					13		
Toluene	100					2							
2-Hexanone	N/A		6										

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.

Table 16
Semivolatile Organic Compounds (ppb)
Water Hits — Sites 1, 3, and 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	ES-31	ES-32	ES-34	ES-36	ES-37	ES-40	ES-41	ES-45	ES-46	ES-47
1,2-Dichlorobenzene	600					21				9	
1,3-Dichlorobenzene	600										1
1,4-Dichlorobenzene	75				24	1	13			40	22
2,4-Dimethylphenol	730									89	
2-Chlorophenol	183				2						
2-Methylnaphthalene	N/A				9				2	17	33
4-Methylphenol	N/A									20	
Fluorene	1,460				1						2
Naphthalene	1,460				28				25	110	26
Penanthrene	N/A				1				2		2
Phenol	21,900										
N-Nitrosodiphenylamine	N/A										4
bis (2-Ethylhexy)phtate		2	1	3				5			
bis(2-Ethylhexy)phthalate	6.08				2				6	12	
Carbazole	N/A										

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2. N/A means concentrations were not available.

Table 17
PCBs/Pesticides (ppb)
Water Hits — Sites 1 and 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	ES-46	ES-47
Aldrin	.00501	.043	
Aroclor 1248	.5		
alpha-BHC	N/A	.037	
Aroclor 1254	.5		
4,4'-DDD	.355	.11	.43
4,4'-DDE	.25		.025
4,4'-DDT	.25	.29	
delta-BHC	N/A	.039	
Dieldrin	.00532		
Endosulfan I	1.83		
Endosulfan II	N/A		
gamma-Chlordane	2		
Heptachlor	.4	.039	

Notes:

* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.568 as maximum concentrations allowed in groundwater under Standard 2.

N/A means concentrations were not available. Aroclor 1248 and Aroclor 1254 are PCB constituents.

Table 18-A
Inorganic Water Hits (ppb)
Sites 1, 3, and 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-31	ES-32	ES-33	ES-34	ES-35	ES-36	ES-37	ES-38	ES-39
Aluminum	N/A	Filtered	1,170								
		Non-Filtered	38,600	21,300	33,800	42,200	12,800	1,220	18,300	65,000	1,040
Arsenic	50	Filtered	5	3.6	4.6	2.7	2	23.3	3.4	9.2	
		Non-Filtered			4.7	11.2	4.3	26.6	4.8	10.1	
Barium	2,000	Filtered		163	1,800	215	89.3	876	80.3	406	91.5
		Non-Filtered	924	311	2,000	368	266	1,060	233	801	76.4
Beryllium	4	Filtered									
		Non-Filtered	2.4	1.6	1.4	1.8			1.7	2.7	
Cadmium	5	Filtered									
		Non-Filtered									
Calcium	N/A	Filtered	24,300	137,000	241,000	131,000	100,000	127,000	69,100	118,000	78,700
		Non-Filtered	34,100	206,000	257,000	220,000	158,000	115,000	76,600	127,000	57,200
Chromium	100	Filtered	4.4	4.4							
		Non-Filtered	26.4	47	18.3	32.6	17.4	6.4	8.2	38.5	18.9
Cobalt	N/A	Filtered									
		No-Filtered	15.2	11.7	17.5	12.5	8.8	8.2	5.8	18.7	
Copper	N/A	Filtered		6.6			3.9				
		Non-Filtered	36.6	34.7		27				27	
Iron	N/A	Filtered	1,980	29.9	5,430			12,700	2,280	8,890	
		Non-Filtered	15,300	16,900	18,200	27,200		18,200	7,390	36,700	1,010
Lead	15	Filtered	2.8				10,700				
		Non-Filtered	44.5		34.6	21.9		116	11	24.1	2.6
Magnesium	N/A	Filtered	4,850	25,300	98,000	25,500	13,400	54,300	15,200	32,700	11,300
		Non-Filtered	8,010	32,300	100,000	35,900	18,900	53,000	17,300	38,200	13,000

Table 18-A
Inorganic Water Hits (ppb)
Sites 1, 3, and 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-31	ES-32	ES-33	ES-34	ES-35	ES-36	ES-37	ES-38	ES-39
Manganese	N/A	Filtered	375	375	687	287	47.9	285	40.2	356	147
		Non-Filtered	462	796	702	821	245	287	56.2	445	148
Mercury	2	Filtered									
		Non-Filtered									
Nickel	100	Filtered									
		Non-Filtered	16.8	42				15.8		26.6	
Potassium	N/A	Filtered	3,010	9,410	45,700	41,100	62,800	75,000	5,180	10,300	228,000
		Non-Filtered	8,320	15,500	49,900	50,000	66,300	71,500	6,840	17,200	276,000
Selenium	50	Filtered			2.4	3.1				2.6	
		Non-Filtered	2		3.8		2.4			5	
Sodium	N/A	Filtered	46,206	486,000	210,000	495,000	375,000	180,000	90,500	155,000	202,000
		Non-Filtered	47,100	47,700	217,000	488,000	379,000	168,000	90,600	154,000	211,000
Vanadium	N/A	Filtered				3.3					
		Non-Filtered	52.2	39.2	30.1	53.9	24.8		21.6	71	3.3
Zinc	N/A	Filtered									
		Non-Filtered	56.5	64.6	165	92.9		76.9		77.5	22.3

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.368 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.

Table 18-B
Inorganic Water Hits (ppb)
Sites 1, 3, & 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-40	ES-41	ES-42	ES-43	ES-44	ES-45	ES-46	ES-47
Aluminum	N/A	Filtered							23.5	
		Non-Filtered	2,210	7,290	11,500	23,000	7,190	33,100	15,800	5,350
Arsenic	50	Filtered	15.4	2.2			11.7	4.7	7.2	
		Non-Filtered	12	6.9	2.4	12.2	15.2	13.9	14.7	
Barium	2,000	Filtered	312	241	76.9		75.6	1,010	1,180	598
		Non-Filtered	284	276	156	640	103	2,290	1,260	648
Beryllium	4	Filtered								
		Non-Filtered				1.4		2.4		
Cadmium	5	Filtered								
		Non-Filtered						187	50.1	40.6
Calcium	N/A	Filtered	114,000	82,800	54,400		48,700	201,000	216,000	109,000
		Non-Filtered	111,000	87,300	58,800	268,000	51,200	432,000	237,000	123,000
Chromium	100	Filtered								
		Non-Filtered		4.3	5.5	18.2	5.4	67.2	51.1	23.6
Cobalt	N/A	Filtered								
		Non-Filtered	11	3.1	5	11.5	3.7	17.6	10.8	5.2
Copper	N/A	Filtered						4.5		
		Non-Filtered		13.1		21.2		346	96.5	45.2
Iron	N/A	Filtered	5,790				1,210	7,960	27,900	16,700
		Non-Filtered	7,700	5,920	3,220	18,200	6,750	60,100	44,600	29,700
Lead	15	Filtered								
		Non-Filtered	2.5	4.4	6.2	16.8	4.1			

Table 18-B
Inorganic Water Hits (ppb)
Sites 1, 3, & 4 — Monitoring Wells
Second Sampling Event

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-40	ES-41	ES-42	ES-43	ES-44	ES-45	ES-46	ES-47
Magnesium	N/A	Filtered	30,200	10,200	9,910	12,400		62,800	28,200	5,830
		Non-Filtered	28,700	11,700	10,400	25,900	13,900	71,900	28,400	6,260
Manganese	N/A	Filtered	211	299	503		81.3	1,210	3,150	372
		Non-Filtered	181	334	46.4	842	91.8	2,630	3,620	438
Mercury	2	Filtered								
		Non-Filtered						2.2	2.7	.4
Nickel	100	Filtered								
		Non-Filtered						52.5	23.4	23.7
Potassium	N/A	Filtered	22,600	5,400	9,410		5,700	40,200	30,100	6,620
		Non-Filtered	21,500	6,900	10,200	13,900	7,070	45,300	30,800	7,690
Selenium	50	Filtered			2.3				2.8	
		Non-Filtered	2.8						2.3	
Sodium	N/A	Filtered	134,000	134,000	47,900		196,000	145,000	60,500	18,200
		Non-Filtered	140,000	133,000	47,400	301,000	204,000	145,000	60,800	19,100
Vanadium	N/A	Filtered								
		Non-Filtered	4.1	13.4	10.8	36.3	14.4	56.4		
Zinc	N/A	Filtered							174	
		Non-Filtered		30.9		58.1		2,040	2,360	398

Notes:

* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.368 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.

6.0 CONCLUSIONS AND RECOMMENDATIONS

The primary objectives of the facility investigation were to delineate the horizontal extent of contamination in the shallow groundwater at IR Sites 1, 3, and 4 and determine if contaminants in the shallow groundwater at these sites have impacted the deeper, confined aquifer. Soil in the FFTA was also investigated to determine if remedial action is needed at this site. The following sections present the conclusions of the soil and groundwater investigations.

6.1 Soil

Soil samples were collected from soil borings that were converted to monitoring wells and hand auger borings from the FFTA.

6.1.1 Hand Auger Borings

VOC's and SVOC's were detected in all 18 soil samples collected at the FFTA. None of the organic contaminants detected at this site exceeded the groundwater protection standards for industrial use as published in the Risk Reduction Standards in Appendix II of 31 TAC 335.368; however, these contaminants have impacted the groundwater above the maximum contaminant level (MCL) in the vicinity of the FFTA.

High concentrations of cadmium, chromium and lead were also detected in the soil samples collected at this site. The concentration of these contaminants exceeded the applicable risk reduction standards in most of the samples.

6.1.2 Soil Borings

At least two soil samples were collected from each soil boring which was converted to a groundwater monitoring well. VOCs and SVOCs were detected in several of the soil samples collected from the borings; however, none of the contaminants exceeded the applicable risk reduction standards. Polyaromatic hydrocarbons (PAHs) were detected in the top 2 feet of the boring for monitoring well ES-34 (soil sample 34-1). No risk reduction standards are published

for several of these compounds, but the concentrations were well below the risk reduction standards for similar PAHs.

Significant concentrations of PCBs were detected in soil borings ES-34, ES-36, and ES-46. The concentration of these compounds greatly exceeded the risk reduction standard published for PCBs. Soil boring ES-34 also contained significant concentrations of metals, especially lead, in the top two feet of the boring; however, the concentrations of these metals were significantly lower at 5-6 feet.

6.2 Groundwater

During the facility investigation, monitoring wells were installed and sampled in the upper, surficial aquifer and the lower, confined aquifer. Two groundwater sampling events were conducted during the investigation. The following sections describe the results of the investigation of each aquifer.

6.2.1 Upper Aquifer

Shallow groundwater is present at Sites 1, 3 and 4 within 3 to 5 feet of the ground surface. EnSafe/Allen & Hoshall installed and sampled 11 monitoring wells in the upper aquifer. Twenty-six existing shallow monitoring wells were also sampled. Results of the second sampling event supported the results from the initial sampling event for the new shallow wells and for the existing wells. Sample analyses from the existing wells, as well as past sampling events indicated significant concentrations of VOCs in these wells. VOCs were also detected in several of the new shallow monitoring wells. MCLs for benzene, chlorobenzene, 1,2-dichloroethene, trichloroethene, and vinyl chloride were exceeded in five of the new wells. Four monitoring wells, ES-36, ES-45, ES-46, and ES-47, also contained pesticides and PCBs above the applicable MCLs. Figure 16 is an isopach map for Sites 1, 3 and 4 which shows the areas of the sites with VOC and pesticide/PCB contamination above current MCLs in the shallow aquifer.

No significant concentrations of metals were detected in the filtered groundwater samples from the upper aquifer. Some of the unfiltered groundwater samples collected from the upper aquifer contained metals above the MCL indicating the source of the metals is sediments that are suspended in the monitoring wells and the surrounding filter pack.

6.2.2 Lower Aquifer

Six Type III monitoring wells were installed in the lower, confined aquifer around the periphery of Sites 1 and 3. Results of sample analyses from these wells during the initial sampling event showed only two deep wells with any contamination of organic compounds. Groundwater from monitoring well ES-39 contained 2 parts per billion (ppb) of carbazole, a semivolatile organic compound and the groundwater sample from monitoring well ES-43 contained 3 ppb methylene chloride, which is below the MCL of 5 ppb. No other organic compounds were detected in the deep wells.

Significant concentrations of VOCs were discovered during the second sampling event indicating the migration of contaminants into the lower aquifer. MCLs for trichloroethene were exceeded in wells ES-32, ES-35, and ES-39. MCLs for tetrachloroethene were exceeded in wells ES-32, ES-35, and ES-39. The MCL for benzene was also exceeded in ES-39.

No significant concentrations of metals were detected in the filtered groundwater samples from the lower aquifer. Some of the unfiltered groundwater samples collected from the lower aquifer contained metals above the MCL indicating the source of the metals is sediments that are suspended in the monitoring wells and the surrounding filter pack.

6.3 Recommendations

Soil contamination at Sites 1, 3 and 4 has impacted groundwater in the surficial aquifer which is flowing radially from the center of Site 3 beyond the boundaries of the landfills. Significant contamination appears to have migrated and is present in the lower aquifer, so there does appear to be hydraulic communication between the two aquifers. EnSafe/Allen & Hoshall recommends

conducting a feasibility study to determine the best remedial alternative to prevent any further migration of contamination from the shallow soil into the upper and lower aquifers. Periodic sampling should also be conducted to detect any changes in the groundwater conditions at the sites.

APPENDIX A

BORING LOGS

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	83	1115	Tan, silty fine grained sand. Damp. A 1" layer of darker sand with organic matter at a depth of 6".
	SS	83	1120	Same as above saturated @ 3'
	SS	100		Same as above
	SS	100		Same as above
10	SS	100		Tan, silty fine grained sand. Encountered groundwater at 3'.
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-31
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES31

DESCRIPTION OF SUBSURFACE MATERIALS

Surface Conditions: Grass

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	
	SS	75	1425	3" – Top soil. 4" – Light tan, fine grained sand. 11" – Light brown sand.
	SS	71	1440	Tan fine grained sand. Encountered water table at 2.5 feet. Light grayish brown fine grained sand with dark inclusions.
	SS	83	1450	Light grayish brown fine grained sand with dark inclusions and grass and twigs.
	SS	42	1500	9" – Light grayish brown fine grained sand with dark inclusions and grass and twigs. 11.5" – Gray silty sand with clay content increasing with depth.
10	SS	83	1506	9" – Tan, fine grained sand. 11" – Blue gray, silty fine grained sand. 4" – Blue gray, clayey, silty, fine grained sand.
	SS	100	1515	13.5" – Tan, fine grained sand. 9.5" – Gray green very fine grained silty sand.
	SS	96	1526	15" – Tanish brown, fine grained sand. 5" – Green very stiff clay. 2" – Tanish brown fine grained sand.
	SS	92	1540	17" – Brownish tan fine grained sand. 7" – Gray green clayey silty sand.
	SS	100	1550	14" – Sand. 8" – Green and brown mottled clay with fine sand. 2" – Green and brown very stiff clay.
20	SS	100	1600	6" – clayey sand. 12" – Brown and green mottled clay with trace caliche.
	SS	75	1610	Green, very stiff, clay.
	SS	100	1620	Green very stiff clay, with trace fine sand.
	SS	67	1630	12" – Grayish green clay. 6" – Gray sand with clay. 6" – Fine sand.
	SS	100	1640	
30	SS	100		
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-32
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES32

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
	SS	83	1115	12" – Black silty clay, charred appearance. 0.25" – Fine silty sand.
	SS	83	1120	17" – Dark brown fine grained sand with burnt wood fragments. Encountered water table at 41" bgs.
	SKIPPED INTERVAL			
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES–33
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES33

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Condition: Grass
	SS	67	1340	7" – Dark brown soil with burned wood. 9" – oxidized sand with burned wood.
	SS	100	1345	12" – Gray black very fine grained sand with pebbles. 12" – gray black very fine grained sand with copper wire and burned wood.
	SS	75	1409	Dark gray fine grained sand with a band of shell and pebble fragments at 4'.
10				Missed interval
	SS	92	1425	5" – Gray sand. 2" – Green clay. 6" – silty sand with clay. 9" – sand with trace organics. Remaining sample – silty sand with clay. Petroleum odor.
	SS	92	1435	20" – Greenish gray fine grained silty sand with clay and trace organics. 2" – Whitish gray fine to medium grained sand.
	SS	100	1445	Alternating bands of greenish gray fine grained silty sand with clay and trace organics, and whitish gray fine to medium grained sand.
20	SS	100	1455	5" – Gray green silty sand. 19" – Green gray and olive mottled clay with shell fossils (hash). Clay at 19 feet.
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES–34
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93 | DWG NAME: 69ES34

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	71		17" – Silty sandy loam.
	SS	92		22" – Slightly silty very fine grained sand grading to clean very fine grained saturated sand.
10				
	SS	100		12" – Clean saturated sand. 8" – Blue sandy clay. 4" – Blue clay with orange striations. Hard.
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES–35
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES35

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	50	1420	Tan fine grained silty sand
	SS	83	1425	Brown and dark gray silty fine sand with a 2" band of terracotta debris. Dry.
	SS	100		Dark gray fine silty sand with a 1" band of charred wood at bottom of spoon. Encountered groundwater at 4'.
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-36
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES36

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	83		4" – Silty sand with grass. 20" – relatively clean very fine grained sand.
	SS	100		Relatively clean, very fine grained sand. Saturated.
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES–37
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES37

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	50	1410	6" – Topsoil, dark brown silty fine sand. 6" – Tan, silty fine sand. Damp.
	SS	100	1412	
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES–38
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES38

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	83		Slightly silty and organic, very fine grained sand grading to a relatively clean fine grained sand.
	SS	100		Very fine grained sand. Ranging from moist at top to wet at bottom of spoon.
	SS	25		Clean very fine grained sand. Saturated.
10				Drill without sampling to 15 feet.
	SS	71		10" Clean very fine grained sand. Saturated. 7" tan and blue intermixed. Clean very fine grained sand. Saturated.
	SS	100		Interbedded hard blue and brown clay sith sandy tan clay.
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-39
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES39

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	75		4" Silty very fine grained sand with some limestone gravel fragments. 14" Moist, relatively clean very fine grained sand.
	SS	75		18" Moist to wet clean very fine grained sand.
	SS	54		13" Saturated clean very fine grained sand.
10				Will drill to 15 feet without sampling.
	SS	100		7" Blue and orange striated, silty clayey bluish very fine grained sand. 7" interbedded clayey sand and sandy clay.
	SS	100		3" Slightly sandy blue clay with orange striations. 21" relatively clean very fine grained sand.
20	SS	100		12" relatively clean very fine grained sand. 12" hard blue clay with orange mottling and striations.
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-40
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES40

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	67		6" Slightly silty very fine grained sand. 5" Dark gray plastic clay. 5" Clean slightly moist very fine grained sand.
	SS	58		14" Clean very fine grained sand. Moist at bottom.
	SS	58		14" Clean very fine grained sand. Saturated.
	SS	71		17" Saturated clean very fine grained sand.
10	SS	100		24" Saturated clean very fine grained sand.
	SS	100		24" Saturated clean very fine grained sand.
	SS	100		24" Saturated clean very fine grained sand.
	SS	100		24" Saturated clean very fine grained sand.
	SS	100		24" Saturated clean very fine grained sand with a 1" blue clay seam 3" from bottom of spoon.
20	SS	100		13" Saturated clean very fine grained sand. 11" Alternating bands of sandy blue clay and clayey blue sand.
	SS	100		11" sandy blue clay and clayey blue sand. 13" hard blue clay.
	SS	100		24" hard blue clay with some orange, green and yellow mottling in lower portion of spoon.
	SS	100		24" hard blue clay with some orange streaking, with bands of clay with some sand.
	SS	100		24" hard blue clay, slightly sandy throughout.
30	SS	100		21" hard blue clay with minor orange streaking, slightly sandy. 3" hard blue slightly sandy clay intermixed with hard brown clay.
	SS	100		10" hard blue slightly sandy clay intermixed with hard brown clay. 14" relatively soft, slightly sandy blue clay.
	SS	100		20" relatively soft, slightly sandy blue clay. 4" slightly clayey blue loose sand.
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-41
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES41

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: Grass
	SS	71	1030	5" soil. 12" Tan fine grained sand.
	SS	50	1040	12" Tan fine grained sand.
	SS	42	1045	Tanish silty fine sand moist.
				Drill to 13.5' without sampling.
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-42
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES42

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface conditions: Grass
	SS	100		8" Brown to light brown fine grained sand with grass. 16" light tan fined grained sand.
	SS	33		8" light brown fine grained sand
10				Drill to 12 feet without sampling.
	SS	100	1000	10.5" Gray brown fine grained sand. 13.5" green gray fine grained silty sand with clay and clay stringers.
	SS	58	1010	4" Gray fined grained sand. 10" Gray green silty sand with clay and clay stringers.
	SS	63	1025	5" Tan fine grained sand. 10" Gray green silty sand with clay and trace organics. Wet.
20	SS	63	1030	2.5" Green sandy clay grading to sand.
	SS	83	1050	7" Grayish green very fine grained silty sandy clay with organics. 13" green clay with orangish brown mottling.
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-43
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES43

DESCRIPTION OF SUBSURFACE MATERIALS

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	
				Surface Conditions: Grass
	SS	42	1325	Brown to tan fined grained sand with pebbles and burnt fragments. 0.75" tar.
	SS	58	1330	Brown to tan fine grained sand with silt. Organic odor.
				Drill to 12 feet without sampling.
10				
	SS	75	1400	Gray green fine grained sand with silt and clay stringers. Saturated.
	SS	96	1415	Gray green fine grained sand with silt and clay stringers. Saturated.
	SS	100	1420	Gray green, clayey sandy silt. Saturated.
20	SS	100	1435	Green clay with trace sand.
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

ES-44
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69ES44

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	DESCRIPTION OF SUBSURFACE MATERIALS
				Surface Conditions: FIELD CONDITIONS
	SS	46		2" BROWN SILTY SANDY LOAM 2" WHITE L.S. GRAVEL 7" SLIGHTLY SILTY VERY FINE GRAINED SAND MOIST
	SS	83		SLIGHTLY SILTY TO CLEAN VERY FINE GRAINED SAND – MOIST
	SS	100		SPOON IS SATURATED. CAN'T GET RETURN AFTER 3 TRIES
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

MW–45
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69MW45

DESCRIPTION OF SUBSURFACE MATERIALS

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	
				Surface Conditions: FIELD CONDITIONS
	SS	83		4" Silty very fine grained sand 9" clean
				7" Same as above with some L.S. gravel intermixed
	SS	54		7" Clean very fine grained sand with some gravel
				6" Silty very fine grained sand
	SS	100		14" Same as above – spoon is saturated
				10" Black silty diesely sand with glass wood and metal
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

MW-46
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69MW46

DESCRIPTION OF SUBSURFACE MATERIALS

DEPTH (FEET)	SAMPLE TYPE	% RECOVERY	TIME	
				Surface Conditions: FIELD CONDITIONS
	SS	75		1" Grass 17" Clean very fine grained sand
	SS	83		18" Same as above 2" Black organic material with seashells
	SS	83		20" moist to wet clean very fine grained sand with some gravel and broken glass
10				
20				
30				
40				
50				

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

MW-47
SOIL BORING
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 69MW47

APPENDIX B

SURVEY DATA

APPENDIX C

CHAIN-OF-CUSTODIES

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 2

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr
TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. (901)-372-2454
MEDIA STATUS: (A, B, OR C) _____
SAMPLERS: (SIGNATURE) C. Temple, C. Pierce
Facility Investigation - N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP SVOCs	CLP Metals	PCBs	CLP VOCs	Temperature			REMARKS
1691SMW32-2	6/3/13	1440	Soil	2oz VOA/16oz jar	4°C	—	3	✓	✓	✓	✓				
1691SMW32-2MS/MSD	"	"	"	" "	"	—	3	✓	✓	✓	✓				
1693SMW41-3	6/3/13	1450	Soil	" "	"		3	✓	✓	✓	✓				
1693SMW41-3MS/MSD	"	"	"	" "	"		3	✓	✓	✓	✓				
		Hold													
1693SMW41-10	6/3/13	1630	Soil	" "	"		3	✓	✓	✓	✓				
Trip Blank							4				✓				
Temp Blank							1					✓			

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE C. Temple	6/4/13	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED C. Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. 7726734336
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 2 OF 2

CLIENT EnSafe/Allen + Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi, FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) E Temple, E Pierce
Facility Investigation - N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	CLP SVOCs	CLP Pesticides	PCBs	CLP VOCs				REMARKS
693SMW39-2	6/4/93	0955	Soil	2oz VOC/16oz jar	4°c		3	✓	✓	✓	✓				
693SMW39-4	6/4/93	1020	Soil	" "	"		3	✓	✓	✓	✓				
693SMW43-1	"	0920	Soil	" "	"		3	✓	✓	✓	✓				
693SMW43-2	"	0930	Soil	" "	"		3	✓	✓	✓	✓				
693SMW43-11	"	1050	Soil	" "	"		3	✓	✓	✓	✓				
693SMW35-2	"	1420	Soil	" "	"		3	✓	✓	✓	✓				
693SMW35-3	"	1500	Soil	" "	"		3	✓	✓	✓	✓				
691SMW34-1	"	1340	Soil	" "	"		3	✓	✓	✓	✓				
691SMW34-3	"	1409	Soil	" "	"		3	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE E Temple	6/4/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED E Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. 722673436
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN

ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 2

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation - N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP SVOCs	CLP Metals	PCBs	CLP VOCs	REMARKS
694SMW45-1	6/5/93	0810	Soil	2oz Vac/1 liter jar	4°c		3	✓	✓	✓	✓	
694SMW45-1D	"	0810	"	" "	4°c		3	✓	✓	✓	✓	
691SMW33-2	"	0825	"	" "	4°c		3	✓	✓	✓	✓	
694SMW47-3	"	1005	"	" "	4°c		3	✓	✓	✓	✓	
693SMW42-3	"	1045	"	" "	4°c		3	✓	✓	✓	✓	
693SMW42-3D	"	1045	"	" "	4°c		3	✓	✓	✓	✓	
694SMW46-3		1325	"	" "	4°c		3	✓	✓	✓	✓	
691SMW44-2	"	1330	"	" "	4°c		3	✓	✓	✓	✓	
691SMW44-9	"	1420	"	" "	4°c		3	✓	✓	✓	✓	
69-RB	"	1200	Water	1L Amber/4 vials 1L plastic	4°c	HCl/None	7	✓	✓	✓	✓	Rinsate Blank

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Guy Temple	6/7/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Guy Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen + Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5224 Summer Trees Dr TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) E Temple, C Peters
Facility Investigation - N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP SVOC	CLP Pesticides	PCBs	CLP VOC	Temperature			REMARKS
6915mw31-2	6/7/93	1120	Soil	2oz VOC/16oz jar	4°c		3	✓	✓	✓	✓				
6935mw40-2	"	0858	"	" "	4°c		3	✓	✓	✓	✓				
6935mw40-6	"	0953	"	" "	4°c		3	✓	✓	✓	✓				
6915mw26-2	"	1430	"	" "	4°c		3	✓	✓	✓	✓				
69-FB	"	1500	Water	40ml VOC/1L Plastic 1L Amber	4°c	HCl/HNO_3	7	✓	✓	✓	✓				
69-RB	"	1600	Water	" " "	4°c	" "	7	✓	✓	✓	✓				
Trip Blank			Water	40ml VOA	4°c		2				✓				
Trip Blank			Water	" "	4°c		1					✓			

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Ava Temple	6/7/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Ava Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

NAVY CLEAN

ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

CLIENT EnSafe/Allen+Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, C. Pierce
Facility Investigation - N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP SVOCs	CLP Metals	PCBs	CLP VOCs	Temperature			REMARKS
693SMW37-2	6/7/93	1617	Soil	2oz VOC/16oz jar	4°c		3	✓	✓	✓	✓				
693SMW38-2	"	1610	Soil	" "	4°c		3	✓	✓	✓	✓				
69-FB-P	6/10/93	0800	Water	40ml VOA/1L Plastic 1L Amber	4°c		7	✓	✓	✓	✓				
Trip Blank			Water	40ml VOC	4°c	HCl	3				✓				
Temp. Blank			Water	" "	4°c		1					✓			

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Erica Temple	6/10/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Erica Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 3

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) Facility Investigation - (N0069-C0102)
SAMPLERS: (SIGNATURE) G. Temple, G. Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	Temperature				REMARKS
6945HA1-1	6/20/93	0935	Soil	4oz jar/sss sleeve	4°c		2	✓	✓	✓					
6945HA1-2	"	0950	"	" "	"		2	✓	✓	✓					* These samples
6945HA1-3	"	1005	"	" "	"		2	✓	✓	✓					were taken with
6945HA2-1	"	1020	"	" "	"		2	✓	✓	✓					16oz jars and
6945HA2-2	"	1030	"	" "	"		2	✓	✓	✓					stainless steel
6945HA2-3	"	1045	"	" "	"		2	✓	✓	✓					sleeves for the
6945HA3-1	"	1055	"	" "	"		2	✓	✓	✓					VOCs.
6945HA3-1D	"	1055	"	" "	"		2	✓	✓	✓					
6945HA3-2	"	1105	"	" "	"		2	✓	✓	✓					
6945HA3-3	"	1110	"	" "	"		2	✓	✓	✓					

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Gina Temple	6/21/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Gina Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Federal Express
SHIPMENT NO.
SPECIAL INSTRUCTION:

COMMENTS:

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation (10069-C0102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP Ltocs	CLP SVOCs	CLP Metals	Temperature	REMARKS
6945HA4-1	6/20/03	1125	Soil	16oz jar / 5x5 sleeve	4°C		2	✓	✓	✓		
6945HA4-2	"	1130	"	" "	"		2	✓	✓	✓		
6945HA4-3	"	1140	"	" "	"		2	✓	✓	✓		
6945HA5-1	"	1210	"	16oz jar / 2oz VOC	"		3	✓	✓	✓		
6945HA5-2	"	1225	"	" "	"		3	✓	✓	✓		
6945HA5-3	"	1230	"	" "	"		3	✓	✓	✓		
6945HA6-1	"	1245	"	" "	"		3	✓	✓	✓		
6945HA6-2	"	1255	"	" "	"		3	✓	✓	✓		
6945HA6-3	"	1305	"	" "	"		3	✓	✓	✓		

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	6/21/03	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Ex
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 3 OF 3

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NHS Corpus Christi
FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C)
SAMPLERS: (SIGNATURE) E. Temple, G. Pierce

Facility Investigation (N0029 - C002)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	Temperature				REMARKS
69-RB4	6/20/93	1345	Water	1L Amber/40 mL VOA & Plastic	4°C	HCl/HNO3	5	✓	✓	✓					
69-FB	"	1355	"	" " "	"	" "	5	✓	✓	✓					
69-FB-P	"	1400	"	" " "	"	" "	5	✓	✓	✓					
Trip Blank							2	✓							*2 per cooler
Temp Blank							1				✓				*1 per cooler

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Anna Temple	6/21/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Anna Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Ex
SHIPMENT NO.
SPECIAL INSTRUCTION:

COMMENTS:

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

CLIENT EnSafe/Allen + Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation N0069-C002 (Landfills)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP HOCs	CLP Metals	CLP SVOCs	8080 PCBs	8080 Pesticides	REMARKS
694GWES46	7/9/93	1000	Water	1L Amber/40ml VOA 1L Plastic	4°C	HCl/HNO3	8	✓	✓	✓	✓	✓	
693GWES43	"	1045	"	" " "	4°C	" "	8	✓	✓	✓	✓	✓	
693GWMCC15	"	1450	"	" " "	4°C	" "	8	✓	✓	✓	✓		← No Pesticides
693GWES41	"	1515	"	" " "	4°C	" "	8	✓	✓	✓	✓		← on these 2.
694GWES45	"	1630	"	" " "	4°C	" "	8	✓	✓	✓	✓	✓	
694GWES47	"	1645	"	" " "	4°C	" "	8	✓	✓	✓	✓	✓	
69-RB	7/9/93	0800	Water	1L Amber/40ml VOC 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓	✓	
Trip Blank			Water	40ml VOC	4°C	HCl	2	✓					* 2 per Cooler
Temp Blank			"	"	4°C		1						* 1 per Cooler

RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME	RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
SIGNATURE Greg Temple	7/9/93		SIGNATURE			SIGNATURE			SIGNATURE		
PRINTED Greg Temple			PRINTED			PRINTED			PRINTED		
COMPANY EnSafe			COMPANY			COMPANY			COMPANY		
REASON Shipment			REASON			REASON			REASON		

METHOD OF SHIPMENT: Federal Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: 1 metals sample is filtered, and 1 is not.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 3

CLIENT EnSafe/Allen+Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation N0069-C0122

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	8080 PCBs	8080 Pesticides			REMARKS
693GWES39	7/10/93	0925	Water	40ml VOA/1L Amber 1L Plastic	4°C	HCl/HNO3	8	✓	✓	✓	✓				
693GWMCC14	"	0940	"	" " "	4°C	" "	8	✓	✓	✓	✓				
693GWMCC9	"	1115	"	" " "	4°C	" "	8	✓	✓	✓	✓				
693GWES35	"	1135	"	" " "	4°C	" "	8	✓	✓	✓	✓				
691GWMCC1	"	1420	"	" " "	4°C	" "	8	✓	✓	✓	✓				
691GWES34	"	1415	"	" " "	4°C	" "	8	✓	✓	✓	✓	✓			(Pesticides)
691GWMCC3	"	1605	"	" " "	4°C	" "	8	✓	✓	✓	✓				
691GWMCC2	"	1605	"	" " "	4°C	" "	8	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/12/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: 1 metals sample is filtered, 1 is not.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) E. Temple, G. Pierce
Facility Investigation N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	8080 PCBs	1080 Pesticides			REMARKS
693GWMCC11	7/11/93	1025	Water	40ml VOC/1L Amber 1L Plastic	4C	HCl/H2SO4	8	✓	✓	✓	✓				
693GWMCC11MS	"	1025	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWMCC11MSD	"	1025	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWES42	"	1050	"	" " "	"	" "	8	✓	✓	✓	✓	✓			Pesticides
693GWES42D	"	1050	"	" " "	"	" "	8	✓	✓	✓	✓	✓			Pesticides
693GWES40	"	1300	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWMCC8	"	1300	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWMCC13	"	1410	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWES33	"	1430	"	" " "	"	" "	8	✓	✓	✓	✓	✓			Pesticides
693GWES33D	"	1430	"	" " "	"	" "	8	✓	✓	✓	✓	✓			Pesticides

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/12/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: 1 Metals sample is filtered, and 1 is not.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 3 OF 3

CLIENT EnSafe/Allen & Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____
SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation N0069-C0102

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	8080 PCBs	8080 Pesticides	REMARKS
691GWREI28	7/12/93	1050	Water	40ml VOC/1L Amber 1L Plastic	4°C	HCl/HNO3	8	✓	✓	✓	✓		
691GWREI29	7/12/93	1035	"	" " "	"	" "	8	✓	✓	✓	✓		
691GWES31	"	1455	"	" " "	"	" "	8	✓	✓	✓	✓		
691GWES32	"	1425	"	" " "	"	" "	8	✓	✓	✓	✓		
691GWES36	"	1540	"	" " "	"	" "	7	✓	✓	✓	✓	✓	(Pesticides)
691GWREI26	"	1625	"	" " "	"	" "	8	✓	✓	✓	✓		
Trip Blank			Water	40ml VOC	4°C	HCl	2						*2 per cooler
Temp Blank			"	"	4°C		1						*1 per cooler

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/12/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: 1 metals sample is filtered, 1 is not.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF _____

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett

ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962

PROJECT NAME/NUMBER NAS Corpus Christi, FAX. NO. (901) 372-2454

MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce

Facility Investigation (N0069-C0102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	CLP VOCs	CLP SVOCs	CLP Metals	BORO PCBs	BORO Pesticides			REMARKS
							ANALYSIS REQUIRED								
691GWREI28	7/12/93	1050	Water	40ml VOA/1L Amber 1L Plastic	4c	HCl/HNO3	8	✓	✓	✓	✓				
691GWREI29	"	1035	"	" " "	"	" "	8	✓	✓	✓	✓				
691GWES31	"	1455	"	" " "	"	" "	8	✓	✓	✓	✓				
691GWES32	"	1425	"	" " "	"	" "	8	✓	✓	✓	✓				
691GWES36	"	1540	"	" " "	"	" "	7	✓	✓	✓	✓	✓			(Pesticides)
691GWREI26	"	1625	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWMCC4	7/13/93	1030	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWMCC5	"	1020	"	" " "	"	" "	8	✓	✓	✓	✓				
691GWGM21	"	1110	"	" " "	"	" "	8	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/13/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED (EnSafe Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Federal Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: metals sample is filtered, and is not.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 2 OF 2

CLIENT EnSafe/Allen & Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) Facility Investigation (N0069-C0102)
SAMPLERS: (SIGNATURE) G.Temple, G.Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	1050 PCBs	1050 Pesticides			REMARKS
693GWMCC6	7/13/93	1455	Water	40ml VOA/1L Plastic 1L Amber	4°C	HCl/HNO3	8	✓	✓	✓	✓				
693GWMCC6D	7/13/93	1455	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWGM16	"	1440	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWGM17	"	1515	"	" " "	"	" "	8	✓	✓	✓	✓				
693GWREI25	"	1610	"	" " "	"	" "	8	✓	✓	✓	✓				
Trip Blank			"	40ml VOA	4°C	HCl	2	✓							
Temp Blank			"	"	"		1								Temperature

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/13/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO.
SPECIAL INSTRUCTION:

COMMENTS: 1 metals sample is filtered, 1 is not

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 2

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce
Facility Investigation (N0069-C0102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOC	CLP SVOC	CLP Metals	8080 PCBs	8080 Pesticides	REMARKS
693GWBH20	7/14/93	0920	Water	40ml VOC/LP Teflon	4°C	HCl/HNO_3	8	✓	✓	✓	✓		
693GWREI30	"	0950	"	" " "	4°C	" "	8	✓	✓	✓	✓		
691GWES44	"	1025	"	" " "	4°C	" "	8	✓	✓	✓	✓	✓	(Pesticides)
691GWREI27	"	1040	"	" " "	4°C	" "	8	✓	✓	✓	✓		
69-FB	"	1105	"	" " "	4°C	" "	7	✓	✓	✓	✓		⇒ No Filtered Metals
69-FB-P	"	1115	"	" " "	4°C	" "	7	✓	✓	✓	✓		
693GWES37	"	1155	"	" " "	4°C	" "	8	✓	✓	✓	✓		
693GWES38	"	1155	"	" " "	4°C	" "	8	✓	✓	✓	✓		
~~TB~~													

G Temple
Greg Temple
Sole
Shipment
Fed Ex

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/14/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed. Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen & Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, G. Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP Metals	8080 PCBs				REMARKS
6936WREI24	7/14/93	1610	Water	40ml VOC/1L Plastic	4°C	HCl/HNO3	8	✓	✓	✓	✓				these samples are very oily See Comments
6936WMCC12	"	1600	"	" 1L Amber "	4°C	" "	8	✓	✓	✓	✓				
6936WMCC12MS	"	1600	"	" " "	4°C	" "	9	✓	✓	✓	✓				
6936WMCC12MSD	"	1600	"	" " "	4°C	" "	8	✓	✓	✓	✓				
Trip Blank	7/14/93		Water	40ml VOA	4°C	HCl	2								*Trip Blank sent in cooler which contains VOAs
Temp Blank			Water	40ml VOA	4°C		1								

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE		SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY		COMPANY		COMPANY		COMPANY	
REASON		REASON		REASON		REASON	

METHOD OF SHIPMENT: _____
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: These samples are very oily therefore the metals samples which read filtered were not filtered in the field, they need to be filtered in the lab.

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

CLIENT EnSafe/Allen + Hoshall PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr. TELEPHONE NO. (901) 372-7962
PROJECT NAME/NUMBER NAS Corpus Christi FAX. NO. (901) 372-2454
MEDIA STATUS: (A, B, OR C) _____ SAMPLERS: (SIGNATURE) G. Temple, C. Pierce
Facility Investigation (N00069-C0122)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	CLP metals	8080 PCBs			REMARKS
693GWGM19	7/15/93	1030	Water	40ml VOA/1L Plastic	4°C	HCl/HNO3	8	✓	✓	✓	✓			
693GWGM19D	"	1030	"	" " "	4°C	" "	8	✓	✓	✓	✓			
693GWMCC7	"	1050	"	" " "	4°C	" "	8	✓	✓	✓	✓			
693GWMCC7MS	"	1050	"	" " "	4°C	" "	7	✓	✓	✓	✓			
693GWMCC7MSD	"	1050	"	" " "	4°C	" "	7	✓	✓	✓	✓			
Temp. Blank			Water	40ml VOA	4°C		1							* 1 per cooler

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	7/15/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Federal Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: No trip blanks were sent, we ran out yesterday!

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

036CUST1

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 3

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. 901/372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. 901/372-2454
MEDIA STATUS: (A, B, OR C) Facility Investigation (N0069-00102)
SAMPLERS: (SIGNATURE) Temple, E. Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	CLP VOCs	CLP SVOCs	Total Metals	PCBs (8080)	Pesticides (8080)			REMARKS
691WMWE1121	10/23/93	0950	Water	4 oz VOA/1L Amber & 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
691WMWES32	10/23/93	1005	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES32MS	"	1005	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES32MSD	"	1005	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES31	"	1030	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES31D	"	1030	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES36	"	1110	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
691WMWES45	"	1225	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
691WMWREI26	"	1245	"	" " "	"	" "	7	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	10/25/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. # 908510 4182
SPECIAL INSTRUCTION:

COMMENTS: * Metals are both Filtered + Not Filtered

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen + Hoshall
ADDRESS 5724 Summer Trees Dr.
PROJECT NAME/NUMBER NAS Corpus Christi
MEDIA STATUS: (A, B, OR C) _____
PROJECT MANAGER Jeff Bennett
TELEPHONE NO. 901/372-7962
FAX. NO. 901/372-2454
SAMPLERS: (SIGNATURE) C Temple, C Pierce

Facility Investigation (NOU69-C0102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	Total Metals	PCBs (4080)	Pesticides (8080)			REMARKS
694WMWES46	10/23/93	1520	Water	40ml VOA/1L Amber 1L plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓	✓			- Pesticides
694WMWES47	"	1435	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
693WMWREI	"	1500	"	" " "	"	" "	7	✓	✓	✓	✓	** (cont)			
693WMWREI 11	"	1550	"	" " "	4°C	" "	7	✓	✓	✓	✓				
693WMWREI 29	10/25/93	0935	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWREI 30	"	1040	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWEW 14	"	0940	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWEW 14D	"	0940	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWEW 30	"	1020	"	" " "	"	" "	7	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	10/25/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. 208510 41812
SPECIAL INSTRUCTION: _____

COMMENTS: ** Metals are Filtered + Not Filtered

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 3 OF 3

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. 901/372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. 901/372-2454
MEDIA STATUS: (A, B, OR C) _____
SAMPLERS: (SIGNATURE) C. Temple, E. Pierce
Facility Investigation (N0069-0102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	CLP VOCs	CLP SVOCs	Total Metals	PCBs (4080)				REMARKS
693WMWMCC6	10/25/93	1210	Water	40ml VOA/1L Amber 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
693WMWMCC5	"	1215	"	" " "	"	" "	7	✓	✓	✓	✓				
69FI-FB	"	1300	"	" " "	"	" "	6	✓	✓	✓	✓				- No Filtered Metals
693WMWMCC7	"	1455	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWREI25	"	1500	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWMCC12	"	1635	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWREI24	"	1640	"	" " "	"	" "	7	✓	✓	✓	✓				

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Eng Temple	10/5/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Eng Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. 208510418
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

CLIENT EnSafe/Allen + Hoshall
ADDRESS 5724 Summer Trees Dr.
PROJECT NAME/NUMBER NAS Corpus Christi
MEDIA STATUS: (A, B, OR C) Facility Investigation (N0069-C0102)

PROJECT MANAGER Jeff Bennett
TELEPHONE NO. 901/372-7962
FAX. NO. 901/372-9454
SAMPLERS: (SIGNATURE) C. Temple, C. Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOC	CLP SVOC	TAL Metals	TCL PCB (8082)				REMARKS
693WMW11CC4	10/6/93	0910	Water	40ml VOC/1L Amber 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
693WMW11CC9	"	1000	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMW11CC9MS	"	1000	"	" " "	4°C	" "	7	✓	✓	✓	✓				
693WMW11CC9MSD	"	1000	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMW11RE198	"	"	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMW11RE198	"	"	"	" " "	"	" "	7	✓	✓	✓	✓				
Trip Blank															
Trip Blank															

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Chg Temple	10/6	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Chg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. 808510423 0
SPECIAL INSTRUCTION:

COMMENTS:

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Trees Dr.
TELEPHONE NO. 901/372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. 901/372-2454
MEDIA STATUS: (A, B, OR C) _____
SAMPLERS: (SIGNATURE) C. Tuffle, C. Preece
Facility Investigation (Nov 03 - 01 02)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: TPH 418.1	VOCs	Cd Pb Cr	PCBs (soil)	Pesticides (624)			REMARKS
6913WMWES41	10/22/03	0955	Water	40ml VOA/1L Amber 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
6913WMWMW15	"	1000	"	" " "	"	" "	7	✓	✓	✓	✓				
6913WMWMW15D	"	1290	"	" " "	"	" "	7	✓	✓	✓	✓				
6913WMWES43	"	1110	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
6913WMWMW18	"	1115	"	" " "	"	" "	7	✓	✓	✓	✓				
6911WMWES34	"	1615	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
6911WMWKET27	"	1625	"	" " "	"	" "	7	✓	✓	✓	✓				
Trip Blank			"	40ml VOA	"		1								
Temp Blank					4°C										1 per cooler

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE C. Tuffle	10/24/03	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED C. T. Tuffle	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. _____
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

PAGE 1 OF 2

CLIENT EnSafe/Allen + Hoshall
ADDRESS 5724 Summer Trees Dr.
PROJECT NAME/NUMBER NAS Corpus Christi
MEDIA STATUS: (A, B, OR C) Facility Investigation - (N0069-C0102)
PROJECT MANAGER Jeff Bennett
TELEPHONE NO. 901/372-7962
FAX. NO. 901/372-2454
SAMPLERS: (SIGNATURE) E. Temple, G. Pierce

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	CLP VOCs	CLP SVOCs	Total Metals	PCBs				REMARKS
693WMWES37	10/20/93	1030	Water	40ml VOA/1L Amber 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
693WMWES38	"	1145	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWES38D	"	1145	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWGM17	"	1035	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWMW14	"	1215	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWMW14MS	"	1215	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWMW14MSD	"	1215	"	" " "	"	" "	7	✓	✓	✓	✓				
Trip Blank	"		"	40ml VOA	"		1								
Temp Blank	"		"	"	"		1								

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE E. Temple	10/20	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED E. Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO.
SPECIAL INSTRUCTION:

COMMENTS:

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT EnSafe/Allen + Hoshall
PROJECT MANAGER Jeff Bennett
ADDRESS 5724 Summer Tree's Dr.
TELEPHONE NO. 901/372-7962
PROJECT NAME/NUMBER NAS Corpus Christi
FAX. NO. 901/372-2454
MEDIA STATUS: (A, B, OR C) _____
SAMPLERS: (SIGNATURE) G. Temple, E. Pierce
Facility Investigation (N0069-CO102)

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	Total Metals	PCBs (8080)	Pesticides (8080)			REMARKS
693WMWES39	10/21/93	0825	Water	40ml VOA/1L Amber 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
693WMWES40	"	0820	"	" " "	"	" "	7	✓	✓	✓	✓				
691WMWES33	"	0950	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
693WMWMCC13	"	1000	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWMCC2	"	1110	"	" " "	"	" "	7	✓	✓	✓	✓				
693WMWES44	"	1055	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE Greg Temple	10/21/93	SIGNATURE		SIGNATURE		SIGNATURE	
PRINTED Greg Temple	TIME	PRINTED	TIME	PRINTED	TIME	PRINTED	TIME
COMPANY EnSafe		COMPANY		COMPANY		COMPANY	
REASON Shipment		REASON		REASON		REASON	

METHOD OF SHIPMENT: Fed Express
SHIPMENT NO. 203510411160
SPECIAL INSTRUCTION: _____

COMMENTS: _____

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

NAVY CLEAN
ENSAFE/ALLEN & HOSHALL
(901) 383-9115

CHAIN OF CUSTODY RECORD

CLIENT: EnSafe/Allen + Hoshall
PROJECT MANAGER: Jeff Bennett
ADDRESS: 3724 Summer Trees Dr
TELEPHONE NO.: 901/372-7962
PROJECT NAME/NUMBER: NAS Corpus Christi
FAX. NO.: 901/372-9454
MEDIA STATUS: (A, B, OR C) Facility Investigation (NAVCC9-C0102)
SAMPLERS: (SIGNATURE) C. Temple, E. Price

FIELD SAMPLE NUMBER	DATE	TIME	SAMPLE TYPE	TYPE/SIZE OF CONTAINER	PRESERVATION TEMP.	PRESERVATION CHEMICAL	NO. OF CONTAINERS	ANALYSIS REQUIRED: CLP VOCs	CLP SVOCs	Total Metals	PCBs (8080)	Pesticides (8080)			REMARKS
693WIMWC1M16	10/21/93	1325	Water	40ml VOH/1L Haplas 1L Plastic	4°C	HCl/HNO3	7	✓	✓	✓	✓				
693WIMWES35	"	1330	"	" " "	"	" "	7	✓	✓	✓	✓				
693WIMWMCC3	"	1455	"	" " "	"	" "	7	✓	✓	✓	✓				
693WIMWES42	"	1430	"	" " "	"	" "	7	✓	✓	✓	✓	✓			- Pesticides
Trip Blank			"	40ml VOH	"		1								* Trip Blank contained air bubbles
Temp Blank															

RELINQUISHED BY:	DATE	RECEIVED BY:	DATE	RELINQUISHED BY:	DATE	RECEIVED BY:	DATE
SIGNATURE: C. Temple	10/21/93	SIGNATURE:		SIGNATURE:		SIGNATURE:	
PRINTED: C. Temple	TIME	PRINTED:	TIME	PRINTED:	TIME	PRINTED:	TIME
COMPANY: EnSafe		COMPANY:		COMPANY:		COMPANY:	
REASON: Shipment		REASON:		REASON:		REASON:	

METHOD OF SHIPMENT: Fed. Ex.
SHIPMENT NO.: 105 5104160
SPECIAL INSTRUCTION:

COMMENTS:

AFTER ANALYSIS, SAMPLES ARE TO BE:
- ☐ DISPOSED OF (ADDITIONAL FEE)
- ☐ STORED (90 DAYS MAX)
- ☐ STORED OVER 90 DAYS (ADDITIONAL FEE)
- ☐ RETURNED TO CUSTOMER

CLNCOCR

APPENDIX D

EXISTING MONITORING WELL DATA

SUMMARY OF EXISTING WELL DATA

Analytical data from June 1993 indicate little change over the previous sampling event of April 1992. Volatile organic compounds (VOC's) still remain concentrated toward the centers of Site 1 and Site 3. The highest concentration is in monitoring well REI-25. VOC concentrations decrease in outlying wells.

Targeted semi-volatile organic compounds (SVOC's) appear to be more prevalent during the latest sampling event. This is evident in monitoring wells REI-27, MCC-04, and MCC-07 which now contain detectable levels of Naphthalene. REI-25 is contains the highset concentrations of organic contaminants with 290 ppb Naphthalene and 97 ppb 2-Methyl Naphthalene.

MCC-03 still remains the only existing monitoring well with detectable levels of vinyl chloride and trichloroethene. 1,2 dichloroethene was not detected during this sampling event in MCC-03. MCC-03 did not yield detectable levels of PCB's durng this sampling event.

The following appendix contains a comparison of the data from the existing wells at Sites 1 and 3 from the April 1992 groundwater sampling event and the facility investigation sampling event.

WELL# MCC-01 x

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	664	17000		16336	2460.24
Antimony	0	0		0	
Arsenic	0	14.2		14.2	100.00
Barium	111	166		55	49.55
Cadmium	0	0		0	
Calcium		76100	new hit	76100	100.00
Chromium	80.4	126		45.6	56.72
Cobalt	0	8		8	100.00
Copper	26.8	18.1		-8.7	32.46
Cyanide	0	0		0	
Iron	2610	14300		11690	447.89
Lead	0	9.8		9.8	100.00
Magnesium		18500	new hit	18500	100.00
Manganese	606	497		-109	17.99
Mercury	0	0.2		0.2	100.00
Nickel	57.3	54.4		-2.9	5.06
Potassium		9560	new hit	9560	100.00
Selenium		0	new hit	0	
Sodium		147000	new hit	147000	100.00
Thallium		10	new hit	10	100.00
Vanadium		23.4	new hit	23.4	100.00
Zinc	49.4	0		-49.4	100.00
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	2 +	0		-2	100.00
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	3 +	0		-3	100.00
Acetone	9 +	0		-9	100.00
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	3	1		-2	66.67
Toluene	0	0		0	
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# MCC-02 x

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	2760	1040		-1720	62.32
Antimony	0	0		0	
Arsenic	7.5	20		12.5	166.67
Barium	47.9	46.6		-1.3	2.71
Cadmium	0	0		0	
Calcium	0	25200	new hit	25200	100.00
Chromium	5.7	11.4		5.7	100.00
Cobalt				0	
Copper	28.8	0		-28.8	100.00
Cyanide				0	
Iron	3440	3160		-280	8.14
Lead	14.1	11.7		-2.4	17.02
Magnesium		7860	new hit	7860	100.00
Manganese	36.2	45.2		9	24.86
Mercury	0	0.2		0.2	100.00
Nickel	8.8	0		-8.8	100.00
Potassium		4360	new hit	4360	100.00
Selenium				0	
Sodium		130000	new hit	130000	100.00
Thallium		2	new hit	2	100.00
Vanadium				0	
Zinc	74.2	0		-74.2	100.00
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ID EXTRACTABLES (ppb)					
Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole				0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	3	0		-3	100.00
Acetone	0	0		0	
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	0	0		0	
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# MCC-03 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	10500		6460		-4040	38.48
Antimony	0		0		0	
Arsenic	6.4		905		898.6	14040.63
Barium	118		89		-29	24.58
Cadmium	0		0		0	
Calcium			53800	new hit	53800	100.00
Chromium	8.5		12.8		4.3	50.59
Cobalt	0		10.1		10.1	100.00
Copper	35		19.6		-15.4	44.00
Cyanide	0		0		0	
Iron	7520		9050		1530	20.35
Lead	38.4		51.4		13	33.85
Magnesium			16400	new hit	16400	100.00
Manganese	76		62.6		-13.4	17.63
Mercury	0		0.2		0.2	100.00
Nickel	13.7		0		-13.7	100.00
Potassium			6460	new hit	6460	100.00
Selenium	0		0		0	
Sodium			216000		216000	100.00
Thallium			10	new hit	10	100.00
Vanadium			12.6	new hit	12.6	100.00
Zinc	68.5		0		-68.5	100.00
PCB/PESTICIDES (ppb)						
Arochlor 1254	0.94	above mcl	0		-0.94	100.00
SE/NEUTRAL and D EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	0		0		0	
1,2 Dichlorobenzene	0		0		0	
Napthalene	0		0		0	
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	0		13		13	100.00
Carbazole	0		0		0	
1,2 Dichloroethene			19	new hit	19	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	27		30		3	11.11
Chloroethane	0		0		0	
Methylene Chloride	5	+	0		-5	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	50		0		-50	100.00
Trichloroethene	97	above mcl	58	above mcl	-39	40.21
Benzene	0		2		2	100.00
Toluene	0		0		0	
Chlorobenzene	0		0		0	
Ethylbenzene	0		0		0	

WELL# MCC-04 x

INORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	560		500		-60	10.71
Antimony	15.1		0		-15.1	100.00
Arsenic	0		11		11	100.00
Barium	714		504		-210	29.41
Cadmium	7.4		0		-7.4	100.00
Calcium			179000	new hit	179000	100.00
Chromium	11.1		14		2.9	26.13
Cobalt	0		0		0	
Copper	60		22.5		-37.5	62.50
Cyanide	0		0		0	
Iron	47200		57000		9800	20.76
Lead	20.6		8.9		-11.7	56.80
Magnesium			10300	new hit	10300	100.00
Manganese	5960		1480		-4480	75.17
Mercury	0.34		0.2		-0.14	41.18
Nickel	27.5		16.5		-11	40.00
Potassium			11100	new hit	11100	100.00
Selenium			1	new hit	1	100.00
Sodium			19400	new hit	19400	100.00
Thallium			2	new hit	2	100.00
Vanadium			4.4	new hit	4.4	100.00
Zinc	39.5		119		79.5	201.27
PCB/PESTICIDES (ppb)	0		0		0	
SE/NEUTRAL and D EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	1		3		2	200.00
1,2 Dichlorobenzene	0		0		0	
Napthalene	0		8		8	100.00
2-Methyl Naphthalene	0		2		2	100.00
bis (2 ethylhexyl) Phthalate	3	+	0		-3	100.00
Carbazole	0		0		0	
2,4 Dimethylphenol			1	new hit	1	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	3	+	0		-3	100.00
Acetone	27	+	0		-27	100.00
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	0		1		1	100.00
Toluene	0		0		0	
Chlorobenzene	3		6		3	100.00
Ethylbenzene	0		0		0	

WELL# MCC-05 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	325		3770		3445	1060.00
Antimony	0		0		0	
Arsenic	9.2		10.8		1.6	17.39
Barium	266		210		-56	21.05
Cadmium	0		0		0	
Calcium			207000	new hit	207000	100.00
Chromium	28.2		34.4		6.2	21.99
Cobalt	0		5.5		5.5	100.00
Copper	7.8		24.7		16.9	216.67
Cyanide	0		0		0	
Iron	27200		18500		-8700	31.99
Lead	59.2		98.2		39	65.88
Magnesium			13300	new hit	13300	100.00
Manganese	1520		954		-566	37.24
Mercury	0		0		0	
Nickel	17.4		15.5		-1.9	10.92
Potassium			13100	new hit	13100	100.00
Selenium			1	new hit	1	100.00
Silver			6.9	new hit	6.9	100.00
Sodium			24200	new hit	24200	100.00
Thallium			2	new hit	2	100.00
Vanadium			10.1	new hit	10.1	100.00
Zinc	37.6		67.9		30.3	80.59
PCB/PESTICIDES (ppb)						
4,4 DDD			0.042	new hit	0.042	100.00
4,4 DDE			0.014	new hit	0.014	100.00
Alpha-Chlordane			0.011	new hit	0.011	100.00
Endosulfan Sulfate			0.0091	new hit	0.0091	100.00
Aroclor 1260			0.23	new hit	0.23	100.00
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	13		9		-4	30.77
1,2 Dichlorobenzene	2		0		-2	100.00
1,2,4 Trichlorobenzene			1	new hit	1	100.00
Napthalene	16		7		-9	56.25
2-Methyl Naphthalene	0		1		1	100.00
bis (2 ethylhexyl) Phthalate	11	+	0		-11	100.00
Carbazole	0		0		0	
2,4 Dimethylphenol					0	
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	4	+	0		-4	100.00
Acetone	51	+	0		-51	100.00
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	13	above mcl	9	above mcl	-4	30.77
Toluene	0		0		0	
Chlorobenzene	24		17		-7	29.17
Ethylbenzene	16		2		-14	87.50

WELL# MCC-06 x

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	5980	23900		17920	299.67
Antimony	0	0		0	
Arsenic	10.3	10.2		-0.1	0.97
Barium	423	470		47	11.11
Beryllium		1.9	new hit	1.9	100.00
Cadmium	0	0		0	
Calcium		271000	new hit	271000	100.00
Chromium	9.4	27.8		18.4	195.74
Cobalt	0	8.9		8.9	100.00
Copper	34.6	38.5		3.9	11.27
Cyanide	0	0		0	
Iron	39700	55200		15500	39.04
Lead	22.7	76.9		54.2	238.77
Magnesium		15200	new hit	15200	100.00
Manganese	401	2250		1849	461.10
Mercury	0	0		0	
Nickel	0	15.9		15.9	100.00
Potassium		14200	new hit	14200	100.00
Selenium		1	new hit	1	100.00
Sodium		26900	new hit	26900	100.00
Thallium		10	new hit	10	100.00
Vanadium		27.8	new hit	27.8	100.00
Zinc	82.4	116		33.6	40.78
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	4 +	0		-4	100.00
Acetone	0	0		0	
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	4		4	100.00
Toluene	0	0		0	
Chlorobenzene	0	11		11	100.00
Ethylbenzene	0	0		0	

WELL# MCC-07 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	3370		3080		-290	8.61
Antimony	0		0		0	
Arsenic	3.2		12.2		9	281.25
Barium	193		157		-36	18.65
Cadmium	0		0		0	
Calcium			111000	new hit	111000	100.00
Chromium	8		9.3		1.3	16.25
Cobalt	0		0		0	
Copper	34.6		21		-13.6	39.31
Cyanide	0		0		0	
Iron	7790		20400		12610	161.87
Lead	22.9		40.7		17.8	77.73
Magnesium			6890	new hit	6890	100.00
Manganese	343		639		296	86.30
Mercury	0		0.2		0.2	100.00
Nickel	9.8		12.8		3	30.61
Potassium			10200	new hit	10200	100.00
Selenium	0		0		0	
Sodium			20800	new hit	20800	100.00
Thallium			2	new hit	2	100.00
Vanadium	0		9.1		9.1	100.00
Zinc	56.9		65.6		8.7	15.29
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
Dichlorobenzene	0		0		0	
1,2 Dichlorobenzene	0		0		0	
1,3 Dichlorobenzene					0	
Napthalene	0		35		35	100.00
2-Methyl Naphthalene	0		17		17	100.00
Acenaphthene					0	
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole	0		0		0	
2 Chlorophenol					0	
2,4 Dimethylphenol			120	new hit	120	100.00
2 Methylphenol			2	new hit	2	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	2	+	0		-2	100.00
Acetone	30	+	0		-30	100.00
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	8	above mcl	44	above mcl	36	450.00
Toluene	0		0		0	
2 Butanone			10	new hit	10	100.00
Chlorobenzene	0		0		0	
Ethylbenzene	4		24		20	500.00
Xylene			4	new hit	4	100.00

WELL# MCC-08

.ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	6340		3680		-2660	41.96
Antimony	0		0		0	
Arsenic	4.8		3.2		-1.6	33.33
Barium	106		68.2		-37.8	35.66
Cadmium	2.2		0		-2.2	100.00
Calcium			77400	new hit	77400	100.00
Chromium	51.2		6.7		-44.5	86.91
Cobalt	0		5.5		5.5	100.00
Copper	5.9		0		-5.9	100.00
Cyanide	0		0		0	
Iron	11300		8030		-3270	28.94
Lead	27.6		3.1		-24.5	88.77
Magnesium			6140	new hit	6140	100.00
Manganese	160		179		19	11.88
Mercury	0		0		0	
Nickel	0		0		0	
Potassium			2990	new hit	2990	100.00
Selenium					0	
Sodium			23700	new hit	23700	100.00
Thallium			2	new hit	2	100.00
Vanadium			4.1	new hit	4.1	100.00
Zinc	198		0		-198	100.00
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and						
ID EXTRACTABLES (ppb)						
Dichlorobenzene	0		0		0	
1,2 Dichlorobenzene	0		0		0	
Napthalene	0		0		0	
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	3	+	0		-3	100.00
Carbazole	0		0		0	
Di-n-butyl phthalate	2		0		-2	100.00
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	2	+	0		-2	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	0		0		0	
Toluene	0		0		0	
Chlorobenzene	0		3		3	100.00
Ethylbenzene	0		0		0	

WELL# MCC-09

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	7220		4220		-3000	41.55
Antimony	0		0		0	
Arsenic	0		6.2		6.2	100.00
Barium	212		222		10	4.72
Cadmium	0		0		0	
Calcium			126000	new hit	126000	100.00
Chromium	7.8		0		-7.8	100.00
Cobalt	0		0		0	
Copper	26.2		0		-26.2	100.00
Cyanide	0		0		0	
Iron	24400		17400		-7000	28.69
Lead	10.2		3.8		-6.4	62.75
Magnesium			25100	new hit	25100	100.00
Manganese	160		243		83	51.88
Mercury	0		0.2		0.2	100.00
Nickel	0		0		0	
Potassium			17600	new hit	17600	100.00
Selenium					0	
Sodium			69200	new hit	69200	100.00
Thallium			10	new hit	10	100.00
Vanadium			7.3	new hit	7.3	100.00
Zinc	62.5		24.2		-38.3	61.28
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	8		11		3	37.50
1,2 Dichlorobenzene	0		0		0	
Napthalene	3		1		-2	66.67
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole	0		1	new hit	1	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	3	+	0		-3	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	0		2		2	100.00
Toluene	0		0		0	
Chlorobenzene	12		32		20	166.67
Ethylbenzene	0		0		0	

WELL# MCC-11

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	1350	567		-783	58.00
Antimony	0	0		0	
Arsenic	0	0		0	
Barium	185	260		75	40.54
Cadmium	0	0		0	
Calcium		160000	new hit	160000	100.00
Chromium	6.8	6.2		-0.6	8.82
Cobalt	0	0		0	
Copper	18.2	0		-18.2	100.00
Cyanide	0	0		0	
Iron	21400	22800		1400	6.54
Lead	0	0		0	
Magnesium		32400	new hit	32400	100.00
Manganese	926	687		-239	25.81
Mercury	0	0.2		0.2	100.00
Nickel	0	0		0	
Potassium		27200	new hit	27200	100.00
Selenium		0	new hit	0	
Sodium		101000	new hit	101000	100.00
Thallium		10	new hit	10	100.00
Vanadium				0	
Zinc	44.8	19.4		-25.4	56.70
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene	23	13		-10	43.48
1,2 Dichlorobenzene	1	0		-1	100.00
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	1	0		-1	100.00
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	3 +	0		-3	100.00
Acetone	0	0		0	
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	5	7	above mcl	2	40.00
Toluene	0	0		0	
Chlorobenzene	10	26		16	160.00
Ethylbenzene	0	0		0	

WELL# MCC-12

ORGANIC ANALYSIS (ppb)	APRIL 1992(**)	JUNE 1993		CHANGE	% change
Aluminum		132		132	
Antimony		0		0	
Arsenic		7.6		7.6	
Barium		127		127	
Cadmium		0		0	
Calcium		142000		142000	
Chromium		15.4		15.4	
Cobalt		5.6		5.6	
Copper		5.9		5.9	
Cyanide		0		0	
Iron		49700		49700	
Lead		42.2		42.2	
Magnesium		5600		5600	
Manganese		430		430	
Mercury		0		0	
Nickel		10.4		10.4	
Potassium		7100		7100	
Selenium		0		0	
Sodium		10800		10800	
Thallium		0		0	
Vanadium		0		0	
Zinc		8.8		8.8	
PCB/PESTICIDES (ppb)					
alpha-BHC		0.023			
alpha-Chlordane		0.03			
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
1,4 Dichlorobenzene		0		0	
1,2 Dichlorobenzene		0		0	
Napthalene		94		94	
2-Methyl Naphthalene		38		38	
bis (2 ethylhexyl) Phthalate		0		0	
Carbazole		0		0	
Phenol		6		6	
2,4 Dimethylphenol		250			
Di-n-butyl phthalate		0		0	
VOCs (ppb)					
Vinyl Chloride		54		54	
Chloroethane		0		0	
Methylene Chloride		0		0	
Acetone		0		0	
Carbon Disulfide		0		0	
1,2 Dichloroethene (total)		18		18	
Trichloroethene		4		4	
Benzene		160	above mcl	160	
Toluene		36		36	
Chlorobenzene		4		4	
Ethylbenzene		110		110	
1,1 Dichloroethene		5			
Xylene		510			

** Not sampled due to floating hydrocarbon phase

WELL# MCC-13

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	5180	724		-4456	86.02
Antimony	0	0		0	
Arsenic	7.8	7.7		-0.1	1.28
Barium	334	78.1		-255.9	76.62
Cadmium	0	0		0	
Calcium		87200	new hit	87200	100.00
Chromium	6.4	0		-6.4	100.00
Cobalt	0	0		0	
Copper	24.2	0		-24.2	100.00
Cyanide	0	0		0	
Iron	17300	2760		-14540	84.05
Lead	10.5	0		-10.5	100.00
Magnesium		16000	new hit	16000	100.00
Manganese	238	224		-14	5.88
Mercury	0	0.2		0.2	100.00
Nickel	0	0		0	
Potassium		10800	new hit	10800	100.00
Selenium		0	new hit	0	
Sodium		61400	new hit	61400	100.00
Thallium		2	new hit	2	100.00
Vanadium		3.2	new hit	3.2	100.00
Zinc	94.1	0		-94.1	100.00
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	5 +	0		-5	100.00
Acetone	16 +	0		-16	100.00
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	0	0		0	
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# MCC-14

ORGANIC ANALYSIS (ppb)	APRIL 1992(**)	JUNE 1993		CHANGE	% change
Aluminum		12100		12100	
Antimony		0		0	
Arsenic		6.8		6.8	
Barium		787		787	
Cadmium		0		0	
Calcium		242000		242000	
Chromium		13.1		13.1	
Cobalt		0		0	
Copper		0		0	
Cyanide		0		0	
Iron		32600		32600	
Lead		7.2		7.2	
Magnesium		46300		46300	
Manganese		529		529	
Mercury		0.2		0.2	
Nickel		0		0	
Potassium		25100		25100	
Selenium		0		0	
Sodium		146000		146000	
Thallium		10		10	
Vanadium		15.3		15.3	
Zinc		0		0	
PCB/PESTICIDES (ppb)		0			
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene		6		6	
Dichlorobenzene		0		0	
Napthalene		3		3	
2-Methyl Naphthalene		0		0	
bis (2 ethylhexyl) Phthalate		0		0	
Carbazole		0		0	
Phenol		0		0	
2,4 Dimethylphenol		0			
Di-n-butyl phthalate		0		0	
VOCs (ppb)					
Vinyl Chloride		0		0	
Chloroethane		0		0	
Methylene Chloride		0		0	
Acetone		0		0	
Carbon Disulfide		0		0	
1,2 Dichloroethene (total)		0		0	
Trichloroethene		0		0	
Benzene		7	above mcl	7	
Toluene		1		1	
Chlorobenzene		21		21	
Ethylbenzene		0		0	
1,1 Dichloroethene		0			
Xylene		0			

** Not sampled-adjacent to well with similar w.level/depth

WELL# MCC-15

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	6750		1120		-5630	83.41
Antimony	0		0		0	
Arsenic	3.2		8		4.8	150.00
Barium	202		71.8		-130.2	64.46
Cadmium	0		0		0	
Calcium			201000	new hit	201000	100.00
Chromium	6.8		0		-6.8	100.00
Cobalt	0		0		0	
Copper	22.8		0		-22.8	100.00
Cyanide	0		0		0	
Iron	6170		6120		-50	0.81
Lead	6.3		0		-6.3	100.00
Magnesium			21700	new hit	21700	100.00
Manganese	446		431		-15	3.36
Mercury	0		0.2		0.2	100.00
Nickel	0		0		0	
Potassium			9230	new hit	9230	100.00
Selenium			0	new hit	0	
Sodium			34700	new hit	34700	100.00
Thallium			2	new hit	2	100.00
Vanadium			6.8	new hit	6.8	100.00
Zinc	66		0		-66	100.00
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
Dichlorobenzene	7		4		-3	42.86
1,2 Dichlorobenzene	3		0		-3	100.00
Napthalene	1		1		0	0.00
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole	0		0		0	
Phenol			6	new hit	6	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	9	+	0		-9	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	39	above mcl	39	above mcl	0	0.00
Toluene	5		0		-5	100.00
Chlorobenzene	69		70		1	1.45
Ethylbenzene	0		0		0	

NAS CORPUS CHRISTI
GROUNDWATER SAMPLES

'RRENT LEVEL = 06/93

WELL# GM-17 x

INORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	1180		7040		5860	496.61
Antimony	0		0		0	
Arsenic	0		3.4		3.4	100.00
Barium	883		952		69	7.81
Cadmium	0		0		0	
Calcium	0		129000	new hit	129000	100.00
Chromium	0		9.4		9.4	100.00
Cobalt			6.6	new hit	6.6	100.00
Copper	32.4		15		-17.4	53.70
Cyanide			0	new hit	0	
Iron	10500		13900		3400	32.38
Lead	0		4		4	100.00
Magnesium			79200	new hit	79200	100.00
Manganese	220		210		-10	4.55
Mercury	0		0		0	
Nickel	11.6		14		2.4	20.69
Potassium			23700	new hit	23700	100.00
Selenium			1	new hit	1	100.00
Sodium			236000	new hit	236000	100.00
Thallium			10	new hit	10	100.00
Vanadium			11.2	new hit	11.2	100.00
Zinc	71.5		64		-7.5	10.49
^B/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	6		6		0	0.00
1,2 Dichlorobenzene	2		0		-2	100.00
Napthalene	6		13		7	116.67
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole			2	new hit	2	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	4	+	0		-4	100.00
Acetone	0		0		0	
Carbon Disulfide	7		0		-7	100.00
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	20	above mcl	22	above mcl	2	10.00
Toluene	59		0		-59	100.00
Chlorobenzene	0		66		66	100.00
Ethylbenzene	0		0		0	

WELL# GM-19

'ORGANIC ANALYSIS (ppb)	APRIL 1992(**)	JUNE 1993		CHANGE	% change
ɹminum		3690		3690	
Antimony		0		0	
Arsenic		4.7		4.7	
Barium		176		176	
Cadmium		0		0	
Calcium		234000		234000	
Chromium		0		0	
Cobalt		0		0	
Copper		10.4		10.4	
Cyanide		0		0	
Iron		6680		6680	
Lead		7		7	
Magnesium		285000		285000	
Manganese		639		639	
Mercury		0.2		0.2	
Nickel		0		0	
Potassium		16600		16600	
Selenium		0		0	
Sodium		32900		32900	
Thallium		10		10	
Vanadium		4.1		4.1	
Zinc		52.5		52.5	
PCB/PESTICIDES (ppb)		0			
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
4 Dichlorobenzene		6		6	
Dichlorobenzene		0		0	
ıvapthalene		0		0	
2-Methyl Naphthalene		0		0	
bis (2 ethylhexyl) Phthalate		0		0	
Carbazole		0		0	
Phenol		0		0	
2,4 Dimethylphenol		0			
Di-n-butyl phthalate		0		0	
VOCs (ppb)					
Vinyl Chloride		0		0	
Chloroethane		0		0	
Methylene Chloride		0		0	
Acetone		0		0	
Carbon Disulfide		0		0	
1,2 Dichloroethene (total)		0		0	
Trichloroethene		0		0	
Benzene		44	above mcl	44	
Toluene		0		0	
Chlorobenzene		68		68	
Ethylbenzene		0		0	
1,1 Dichloroethene		0			
Xylene		0			

** Not sampled-adjacent to well with similar w.level/depth

WELL# GM-20 x

INORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	6950	6810		-140	2.01
Antimony	0	0		0	
Arsenic	3.6	24.6		21	583.33
Barium	56.5	323		266.5	471.68
Cadmium	0	0		0	
Calcium		93400	new hit	93400	100.00
Chromium	6.6	0		-6.6	100.00
Cobalt	0	0		0	
Copper	25.4	6.7		-18.7	73.62
Cyanide	0	0		0	
Iron	5970	21400		15430	258.46
Lead	2.4	0		-2.4	100.00
Magnesium		62400	new hit	62400	100.00
Manganese	236	191		-45	19.07
Mercury	0	0.2		0.2	100.00
Nickel	0	0		0	
Potassium		16000	new hit	16000	100.00
Selenium	0	0		0	
Sodium		1050000	new hit	1050000	100.00
Thallium		10	new hit	10	100.00
Vanadium		12.2	new hit	12.2	100.00
Zinc	49.8	24.6		-25.2	50.60
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	11 +	0		-11	100.00
Acetone	0	0		0	
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	8	0		-8	100.00
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

ELL# GM-21 x

INORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	14800	2620		-12180	82.30
Antimony	16.5	0		-16.5	100.00
Arsenic	1.3	9.8		8.5	653.85
Barium	140	128		-12	8.57
Cadmium	0	0		0	
Calcium		63200	new hit	63200	100.00
Chromium	11.5	6.3		-5.2	45.22
Cobalt	0	0		0	
Copper	29	11.4		-17.6	60.69
Cyanide	0	0		0	
Iron	9390	6940		-2450	26.09
Lead	5.8	3		-2.8	48.28
Magnesium		29800	new hit	29800	100.00
Manganese	248	165		-83	33.47
Mercury	0	0.2		0.2	100.00
Nickel	9.5	10		0.5	5.26
Potassium		9210	new hit	9210	100.00
Selenium		1.4	new hit	1.4	100.00
Sodium		299000	new hit	299000	100.00
Thallium		10	new hit	10	100.00
Vanadium		10.1	new hit	10.1	100.00
Zinc	78.5	25.5		-53	67.52
PCB/PESTICIDES (ppb)	0	0		0	
SE/NEUTRAL and D EXTRACTABLES (ppb)					
1,4 Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	0	1		1	100.00
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	3 +	0		-3	100.00
Acetone	0	0		0	
Carbon Disulfide	9	0		-9	100.00
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	5	0		-5	100.00
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# REI-24

ORGANIC ANALYSIS (ppb)	APRIL 1992(**)	JUNE 1993		CHANGE	% change
Aluminum		690		690	
Antimony		0		0	
Arsenic		5.1		5.1	
Barium		186		186	
Cadmium		0		0	
Calcium		139000		139000	
Chromium		12.2		12.2	
Cobalt		0		0	
Copper		9		9	
Cyanide		0		0	
Iron		59600		59600	
Lead		22.2		22.2	
Magnesium		8720		8720	
Manganese		424		424	
Mercury		0.2		0.2	
Nickel		0		0	
Potassium		7560		7560	
Selenium		0		0	
Sodium		20300		20300	
Thallium		2		2	
Vanadium		5.4		5.4	
Zinc		30.1		30.1	
PCB/PESTICIDES (ppb)					
4,4-DDD		0.11			
4,4-DDE		0.056			
Aroclor 1254		1.2			
Endosulfan I		0.035			
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
1,4 Dichlorobenzene		0		0	
1,2 Dichlorobenzene		0		0	
Napthalene		95		95	
2-Methyl Naphthalene		80		80	
bis (2 ethylhexyl) Phthalate		0		0	
Carbazole		0		0	
Phenol		0		0	
2,4 Dimethylphenol		34			
Di-n-butyl phthalate		0		0	
VOCs (ppb)					
Vinyl Chloride		2		2	
Chloroethane		0		0	
Methylene Chloride		0		0	
Acetone		0		0	
Carbon Disulfide		0		0	
1,2 Dichloroethene (total)		0		0	
Trichloroethene		0		0	
Benzene		27	above mcl	27	
Toluene		1		1	
Chlorobenzene		8		8	
Ethylbenzene		66		66	
1,1 Dichloroethene		0			
2-Butanone		3			
Xylene		7			

(**)Not sampled due to floating hydrocarbon phase

WELL# REI-25 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	1020		1420		400	39.22
Antimony	0		0		0	
Arsenic	13		10.5		-2.5	19.23
Barium	361		526		165	45.71
Cadmium	0		0		0	
Calcium			95900	new hit	95900	
Chromium	21.5		34		12.5	58.14
Cobalt	0		0		0	
Copper	5.7		12.1		6.4	112.28
Cyanide	0		0		0	
Iron	24100		13200		-10900	45.23
Lead	34.9		11		-23.9	68.48
Magnesium			18200	new hit	18200	100.00
Manganese	413		265		-148	35.84
Mercury	0		0		0	
Nickel	10.7		12.7		2	18.69
Potassium			7170	new hit	7170	100.00
Selenium			1	new hit	1	100.00
Sodium			112000	new hit	112000	100.00
Thallium			10	new hit	10	100.00
Vanadium			5.8	new hit	5.8	100.00
Zinc	215		152		-63	29.30
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
1 Dichlorobenzene	0		0		0	
Dichlorobenzene	0		0		0	
Naphthalene	360		290		-70	19.44
2-Methyl Naphthalene	70		97		27	38.57
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole	0		0		0	
2,4 Dimethylphenol			15	new hit	15	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	5	+	0		-5	100.00
Acetone	32	+	0		-32	100.00
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	82	above mcl	270	above mcl	188	229.27
Toluene	0		0		0	
Chlorobenzene	0		0		0	
Ethylbenzene	3		8		5	166.67

WELL# REI-26 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	199		689		490	246.23
Antimony	0		0		0	
Arsenic	2.4		6.4		4	166.67
Barium	565		417		-148	26.19
Cadmium	0		0		0	
Calcium			184000	new hit	184000	100.00
Chromium	27.4		30.5		3.1	11.31
Cobalt	0		8.5		8.5	100.00
Copper	38.2		9.6		-28.6	74.87
Cyanide	0		0		0	
Iron	7490		9290		1800	24.03
Lead	1.2		4.3		3.1	258.33
Magnesium			35000	new hit	35000	100.00
Manganese	849		686		-163	19.20
Mercury	0		0		0	
Nickel	10.7		0		-10.7	100.00
Potassium			38000	new hit	38000	100.00
Selenium			3.3	new hit	3.3	100.00
Sodium			545000	new hit	545000	100.00
Thallium			10	new hit	10	100.00
Vanadium			7.8	new hit	7.8	100.00
Zinc	59.3		10.5		-48.8	82.29
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
1,4 Dichlorobenzene	17		18		1	5.88
1,2 Dichlorobenzene	7		10		3	42.86
Naphthalene	2		0		-2	100.00
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	170	+	0		-170	100.00
Carbazole	0		0		0	
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	10	+	0		-10	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		1		1	100.00
Benzene	14	above mcl	17	above mcl	3	21.43
Toluene	0		0		0	
Chlorobenzene	410		330		-80	19.51
Ethylbenzene	0		0		0	

WELL# REI-27 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	389		367		-22	5.66
Antimony	0		0		0	
Arsenic	0		5.4		5.4	100.00
Barium	1210		1530		320	26.45
Cadmium	0		0		0	
Calcium			466000	new hit	466000	100.00
Chromium	25.6		45		19.4	75.78
Cobalt	0		0		0	
Copper	19.8		6.1		-13.7	69.19
Cyanide	0		0		0	
Iron	2970		19700		16730	563.30
Lead	2.9		0		-2.9	100.00
Magnesium			68700	new hit	68700	100.00
Manganese	654		839		185	28.29
Mercury	0		0.2		0.2	100.00
Nickel	0		0		0	
Potassium			49900	new hit	49900	100.00
Selenium	0		0		0	
Sodium			158000	new hit	158000	100.00
Thallium			10	new hit	10	100.00
Vanadium	0		0		0	
Zinc	62.8		13		-49.8	79.30
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ID EXTRACTABLES (ppb)						
Dichlorobenzene	13		33		20	153.85
1,2 Dichlorobenzene	7		16		9	128.57
1,3 Dichlorobenzene			5	new hit	5	100.00
Napthalene	0		24		24	100.00
2-Methyl Naphthalene	0		1		1	100.00
Acenaphthene			1	new hit	1	100.00
bis (2 ethylhexyl) Phthalate	0		0		0	
Carbazole	0		0		0	
2 Chlorophenol			2	new hit	2	100.00
2,4 Dimethylphenol			27	new hit	27	100.00
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	6		0		-6	100.00
Methylene Chloride	4	+	0		-4	100.00
Acetone	0		0		0	
Carbon Disulfide	16		0		-16	100.00
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	12	above mcl	39	above mcl	27	225.00
Toluene	0		1		1	100.00
Chlorobenzene	360		620		260	72.22
Ethylbenzene	0		3		3	100.00
Xylene			3	new hit	3	100.00

WELL# REI-28 x

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	709	4140		3431	483.92
Antimony	0	0		0	
Arsenic	6.7	44.1		37.4	558.21
Barium	94.8	160		65.2	68.78
Cadmium	0	0		0	
Calcium		75900	new hit	75900	100.00
Chromium	0	12.6		12.6	100.00
Cobalt	0	5.5		5.5	100.00
Copper	2.1	12.9		10.8	514.29
Cyanide	0	0		0	
Iron	9980	49000		39020	390.98
Lead	1.2	5.4		4.2	350.00
Magnesium		36000	new hit	36000	100.00
Manganese	130	92.5		-37.5	28.85
Mercury	0	0		0	
Nickel	9.5	0		-9.5	100.00
Potassium		13100	new hit	13100	100.00
Selenium		4.6	new hit	4.6	100.00
Sodium		273000	new hit	273000	100.00
Thallium		10	new hit	10	100.00
Vanadium		25.4	new hit	25.4	100.00
Zinc	20.1	22.3		2.2	10.95
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
1,4 Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	7 +	0		-7	100.00
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	6 +	0		-6	100.00
Acetone	9 +	0		-9	100.00
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	0	0		0	
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# REI-29 x

ORGANIC ANALYSIS (ppb)	APRIL 1992	JUNE 1993		CHANGE	% change
Aluminum	857	871		14	1.63
Antimony	0	0		0	
Arsenic	25.1	58.8		33.7	134.26
Barium	220	187		-33	15.00
Cadmium	0	0		0	
Calcium		56300	new hit	56300	100.00
Chromium	0	7.8		7.8	100.00
Cobalt	0	9.1		9.1	100.00
Copper	28.4	10		-18.4	64.79
Cyanide	0	0		0	
Iron	25300	37400		12100	47.83
Lead	0	0		0	
Magnesium		24900	new hit	24900	100.00
Manganese	85.2	70.5		-14.7	17.25
Mercury	0	0		0	
Nickel	0	0		0	
Potassium		4640	new hit	4640	100.00
Selenium		1	new hit	1	100.00
Sodium		126000	new hit	126000	100.00
Thallium		2	new hit	2	100.00
Vanadium		10.4	new hit	10.4	100.00
Zinc	50.1	15.9		-34.2	68.26
PCB/PESTICIDES (ppb)	0	0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)					
1,4 Dichlorobenzene	0	0		0	
1,2 Dichlorobenzene	0	0		0	
Napthalene	0	0		0	
2-Methyl Naphthalene	0	0		0	
bis (2 ethylhexyl) Phthalate	0	0		0	
Carbazole	0	0		0	
Di-n-butyl phthalate	0	0		0	
VOCs (ppb)					
Vinyl Chloride	0	0		0	
Chloroethane	0	0		0	
Methylene Chloride	13 +	0		-13	100.00
Acetone	0	0		0	
Carbon Disulfide	0	0		0	
1,2 Dichloroethene (total)	0	0		0	
Trichloroethene	0	0		0	
Benzene	0	0		0	
Toluene	0	0		0	
Chlorobenzene	0	0		0	
Ethylbenzene	0	0		0	

WELL# REI-30 x

ORGANIC ANALYSIS (ppb)	APRIL 1992		JUNE 1993		CHANGE	% change
Aluminum	31		2460		2429	7835.48
Antimony	0		0		0	
Arsenic	0		5.3		5.3	100.00
Barium	0		124		124	100.00
Cadmium	0		0		0	
Calcium			275000	new hit	275000	100.00
Chromium	0		0		0	
Cobalt	0		41.3		41.3	100.00
Copper	0		5.3		5.3	100.00
Cyanide	0		0		0	
Iron	281		67200		66919	23814.59
Lead	0		0		0	
Magnesium			169000	new hit	169000	100.00
Manganese	1.5		218		216.5	14433.33
Mercury	0		0.2		0.2	100.00
Nickel	0		10.9		10.9	100.00
Potassium			31400	new hit	31400	100.00
Selenium			0	new hit	0	
Sodium			1280000	new hit	1280000	100.00
Thallium			10	new hit	10	100.00
Vanadium			25.4	new hit	25.4	100.00
Zinc	10.5		13.1		2.6	24.76
PCB/PESTICIDES (ppb)	0		0		0	
BASE/NEUTRAL and ACID EXTRACTABLES (ppb)						
Dichlorobenzene	0		0		0	
1,2 Dichlorobenzene	0		0		0	
Napthalene	0		0		0	
2-Methyl Naphthalene	0		0		0	
bis (2 ethylhexyl) Phthalate	5	+	0		-5	100.00
Carbazole	0		0		0	
Di-n-butyl phthalate	0		0		0	
VOCs (ppb)						
Vinyl Chloride	0		0		0	
Chloroethane	0		0		0	
Methylene Chloride	15	+	0		-15	100.00
Acetone	0		0		0	
Carbon Disulfide	0		0		0	
1,2 Dichloroethene (total)	0		0		0	
Trichloroethene	0		0		0	
Benzene	0		0		0	
Toluene	0		0		0	
Chlorobenzene	0		0		0	
Ethylbenzene	0		0		0	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES44DISS		SAMPLE ID ------> 691GWESS33D		SAMPLE ID ------> 691GWGM21	
	LAB SAMPLE ID--->		85241		84997		85109	
	RECEIPT DATE---->		07/15/93		07/13/93		07/14/93	
I	Aluminum	UG/L					2620	J
I	Arsenic	UG/L	9.9	J			9.8	J
I	Barium	UG/L					128	J
I	Calcium	UG/L	56900				63200	
I	Chromium	UG/L					6.3	J
I	Copper	UG/L					11.4	J
I	Cyanide	UG/L	.				.	
I	Iron	UG/L	933				6940	
I	Lead	UG/L					3	
I	Magnesium	UG/L	11800				29800	
I	Manganese	UG/L	93.2				165	
I	Mercury	UG/L					0.2	UJ
I	Nickel	UG/L					10	J
I	Potassium	UG/L	5150				9210	
I	Selenium	UG/L					1.4	UJ
I	Sodium	UG/L	192000				299000	
I	Thallium	UG/L					10	UJ
I	Vanadium	UG/L					10.1	J
I	Zinc	UG/L	19.6	UJ			25.5	
S	Di-n-butylphthalate	UG/L					1	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWGM21DISS		691GWMCC1		691GWMCC2	
			LAB SAMPLE ID---> 85124		84986		84989	
			RECEIPT DATE----> 07/14/93		07/13/93		07/13/93	
I	Aluminum	UG/L	.		17000		1040	
I	Arsenic	UG/L	4.5	J	14.2		20	
I	Barium	UG/L	103	J	166	J	46.6	J
I	Calcium	UG/L	67800		76100		25200	
I	Chromium	UG/L			126		11.4	
I	Cobalt	UG/L			8	J		
I	Copper	UG/L			18.1	J		
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	2010		14300		3160	
I	Lead	UG/L	2	UJ	9.8	J	11.7	J
I	Magnesium	UG/L	31000		18500		7860	
I	Manganese	UG/L	163		497		45.2	
I	Mercury	UG/L			0.2	UJ	0.2	UJ
I	Nickel	UG/L			54.4			
I	Potassium	UG/L	8760		9560		4360	J
I	Selenium	UG/L	5	UJ				
I	Sodium	UG/L	308000		147000		130000	
	Thallium	UG/L	10	UJ	10	UJ	2	UJ
	Vanadium	UG/L			23.4	J		
I	Zinc	UG/L	17.2	J				
V	Benzene	UG/L			1	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWMCC2DISS		691GWMCC3		691GWMCC3DIS	
	LAB SAMPLE ID--->		85014		84988		85013	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	.		6460		.	
I	Arsenic	UG/L	13.8	J	9.5	J	9.5	J
I	Barium	UG/L	42.4	J	89	J	58.6	J
I	Calcium	UG/L	25000		53800		53900	
I	Chromium	UG/L			12.8			
I	Cobalt	UG/L			10.1	J		
I	Copper	UG/L			19.6	J		
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	979	J	9050		1300	J
I	Lead	UG/L	15.9		51.4	J		
I	Magnesium	UG/L	7960		16400		16100	
I	Manganese	UG/L	28.5		62.6		53.3	
I	Mercury	UG/L			0.2	UJ		
I	Potassium	UG/L	4210	J	6460		5640	
I	Silver	UG/L	4	UJ			4	UJ
I	Sodium	UG/L	130000		216000		230000	
I	Thallium	UG/L	10	R	10	UJ	10	R
	Vanadium	UG/L			12.6	J		
	Zinc	UG/L	14.9	J			14	J
S	bis(2-Ethlyhexy)phthalate	UG/L			13	J		
V	1,2-Dichloroethene (total)	UG/L			19			
V	Benzene	UG/L			2	J		
V	Trichloroethene	UG/L			58			
V	Vinyl Chloride	UG/L			30	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI26		691GWREI26DISS		691GWREI26DL	
			LAB SAMPLE ID---> 85106		85121		85106DL	
			RECEIPT DATE----> 07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	689	J				
I	Arsenic	UG/L	6.4	J				
I	Barium	UG/L	417		339			
I	Calcium	UG/L	184000		179000			
I	Chromium	UG/L	30.5		25.8			
I	Cobalt	UG/L	8.5	J	6.2	J		
I	Copper	UG/L	9.6	J				
I	Cyanide	UG/L						
I	Iron	UG/L	9290		5140			
I	Lead	UG/L	4.3		10	UJ		
I	Magnesium	UG/L	35000		31800			
I	Manganese	UG/L	686		642			
I	Nickel	UG/L			13.7	J		
I	Potassium	UG/L	38000		34300			
I	Selenium	UG/L	3.3	UJ	2.6	UJ		
I	Sodium	UG/L	545000		515000			
I	Thallium	UG/L	10	UJ	10	UJ		
	Vanadium	UG/L	7.8	J	5.7	J		
	Zinc	UG/L	10.5	J	12.7	J		
S	1,2-Dichlorobenzene	UG/L	10					
S	1,4-Dichlorobenzene	UG/L	18					
V	Benzene	UG/L	17				18	J
V	Chlorobenzene	UG/L	330	J			350	J
V	Trichloroethene	UG/L	1	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI27		691GWREI27DISS		691GWREI27DL	
			LAB SAMPLE ID---> 85229		85242		85229DL	
			RECEIPT DATE----> 07/15/93		07/15/93		07/15/93	
I	Aluminum	UG/L	367	UJ				
I	Arsenic	UG/L	5.4	J	7.3	J		
I	Barium	UG/L	1530		1480			
I	Calcium	UG/L	466000		467000			
I	Chromium	UG/L	45		41.3			
I	Copper	UG/L	6.1	J				
I	Cyanide	UG/L						
I	Iron	UG/L	19700		4600			
I	Magnesium	UG/L	68700		65300			
I	Manganese	UG/L	839		840			
I	Mercury	UG/L	0.2	UJ				
I	Nickel	UG/L			10.3	J		
I	Potassium	UG/L	49900		48600			
I	Sodium	UG/L	158000		156000			
I	Thallium	UG/L	10	UJ				
I	Zinc	UG/L	13	J	8.1	UJ		
S	1,2-Dichlorobenzene	UG/L	16					
S	1,3-Dichlorobenzene	UG/L	5	J				
S	1,4-Dichlorobenzene	UG/L	33	J				
S	2,4-Dimethylphenol	UG/L	27					
S	2-Chlorophenol	UG/L	2	J				
S	2-Methylnaphthalene	UG/L	1	J				
S	Acenaphthene	UG/L	1	J				
S	Naphthalene	UG/L	24					
V	Acetone	UG/L					30	J
V	Benzene	UG/L	39	J			33	J
V	Chlorobenzene	UG/L	620	J			700	J
V	Ethylbenzene	UG/L	3	J				
V	Toluene	UG/L	1	J				
V	Xylene (total)	UG/L	3	J			8	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI28 LAB SAMPLE ID---> 85101 RECEIPT DATE----> 07/14/93		SAMPLE ID ------> 691GWREI28DISS LAB SAMPLE ID---> 85116 RECEIPT DATE----> 07/14/93		SAMPLE ID ------> 691GWREI29 LAB SAMPLE ID---> 85102 RECEIPT DATE----> 07/14/93	
I	Aluminum	UG/L	4140	J			871	J
I	Arsenic	UG/L	44.1	J			58.8	J
I	Barium	UG/L	160	J	86	J	187	J
I	Calcium	UG/L	75900		76500		56300	
I	Chromium	UG/L	12.6				7.8	J
I	Cobalt	UG/L	5.5	J			9.1	J
I	Copper	UG/L	12.9	J			10	J
I	Cyanide	UG/L						
I	Iron	UG/L	49000		4450		37400	
I	Lead	UG/L	5.4		2	UJ		
I	Magnesium	UG/L	36000		36500		24900	
I	Manganese	UG/L	92.5		80.4		70.5	
I	Potassium	UG/L	13100		13000		4640	J
I	Selenium	UG/L	4.6	UJ	3.8	UJ	1	UJ
I	Sodium	UG/L	273000		293000		126000	
I	Thallium	UG/L	10	UJ	10	UJ	2	UJ
I	Vanadium	UG/L	25.4	J			10.4	J
I	Zinc	UG/L	22.3		11.6	J	15.9	J
	2-Butanone	UG/L					27	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI29DISS		693GWES33		693GWES33DIS	
	LAB SAMPLE ID--->		85117		84996		85021S	
	RECEIPT DATE---->		07/14/93		07/13/93		07/13/93	
I	Arsenic	UG/L	7.7	J			6.9	J
I	Barium	UG/L	138	J			756	
I	Calcium	UG/L	55800				286000	
I	Cobalt	UG/L	7.6	J				
I	Cyanide	UG/L	.					
I	Iron	UG/L	13700				2830	J
I	Lead	UG/L	2	UJ				
I	Magnesium	UG/L	24000				102000	
I	Manganese	UG/L	67.4				946	
I	Potassium	UG/L	4310	J			42700	
I	Selenium	UG/L	1	UJ				
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	118000				210000	
I	Thallium	UG/L	2	UJ			10	R
I	Zinc	UG/L	10.9	J			26.9	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM17		693GWGM17DISS		693GWGM19	
	LAB SAMPLE ID--->		85113		85128		85245	
	RECEIPT DATE---->		07/14/93		07/14/93		07/16/93	
I	Aluminum	UG/L	7040	J			3690	J
I	Arsenic	UG/L	3.4	J	4	J	4.7	J
I	Barium	UG/L	952		821		176	J
I	Calcium	UG/L	129000		121000		234000	
I	Chromium	UG/L	9.4	J				
I	Cobalt	UG/L	6.6	J				
I	Copper	UG/L	15	J			10.4	J
I	Cyanide	UG/L						
I	Iron	UG/L	13900		9850		6680	
I	Lead	UG/L	4		2	UJ	7	
I	Magnesium	UG/L	79200		74300		28500	
I	Manganese	UG/L	210		190		639	
I	Mercury	UG/L					0.2	UJ
I	Nickel	UG/L	14	J	15	J		
I	Potassium	UG/L	23700		20900		16600	
I	Selenium	UG/L	1	UJ	1	UJ		
I	Sodium	UG/L	236000		214000		32900	
	Thallium	UG/L	10	UJ	10	UJ	10	UJ
	Vanadium	UG/L	11.2	J			4.1	J
I	Zinc	UG/L	64		16.8	J	52.5	
S	1,4-Dichlorobenzene	UG/L	6	J			6	J
S	Carbazole	UG/L	2	J				
S	Naphthalene	UG/L	13					
V	Benzene	UG/L	22				44	J
V	Chlorobenzene	UG/L	66				68	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM19D LAB SAMPLE ID---> 85246 RECEIPT DATE----> 07/16/93		693GWGM19DDISS 85249 07/16/93		693GWGM19DIS 85248 07/16/93	
			.		.		.	
I	Aluminum	UG/L	4170	J				
I	Arsenic	UG/L	4.9	J	4.6	J	4.2	J
I	Barium	UG/L	178	J	153	J	156	J
I	Calcium	UG/L	239000		233000		244000	
I	Copper	UG/L	10.2	J				
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	6690		4950		4830	
I	Lead	UG/L	7.1					
I	Magnesium	UG/L	28900		28200		29100	
I	Manganese	UG/L	657		630		657	
I	Mercury	UG/L	0.2	UJ				
I	Potassium	UG/L	16800		15600		16100	
I	Sodium	UG/L	33100		32100		32800	
I	Thallium	UG/L	2	UJ				
I	Vanadium	UG/L	3.4	J				
I	Zinc	UG/L	32.4		124	J	22	UJ
S	1,2-Dichlorobenzene	UG/L	2	J				
	1,4-Dichlorobenzene	UG/L	7	J				
	1,1,2,2-Tetrachloroethane	UG/L	1	J				
V	Benzene	UG/L	31	J				
V	Chlorobenzene	UG/L	54	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM20		SAMPLE ID ------> 693GWGM20DISS		SAMPLE ID ------> 693GWMC13DIS	
	LAB SAMPLE ID--->		85226		85239		85020	
	RECEIPT DATE---->		07/15/93		07/15/93		07/13/93	
I	Aluminum	UG/L	6810	J				
I	Arsenic	UG/L	24.6		7.4	J	6.2	J
I	Barium	UG/L	323		280		68.2	J
I	Calcium	UG/L	93400		94200		85800	
I	Copper	UG/L	6.7	J			3.1	J
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	21400		11000		1150	J
I	Magnesium	UG/L	62400		62900		16000	
I	Manganese	UG/L	191		189		225	
I	Mercury	UG/L	0.2	UJ			0.21	
I	Potassium	UG/L	16000		15400		11200	
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	1050000		1060000		61100	
I	Thallium	UG/L	10	UJ			10	R
I	Vanadium	UG/L	12.2	J				
I	Zinc	UG/L	24.6		22.5	UJ		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMC35		693GWMC35DL		693GWMCC11	
	LAB SAMPLE ID--->		84985		84985DL		84990	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	26800				567	
I	Arsenic	UG/L	7.6	J				
I	Barium	UG/L	512				260	
I	Beryllium	UG/L	1.4	J				
I	Calcium	UG/L	164000				160000	
I	Chromium	UG/L	27.6				6.2	J
I	Cobalt	UG/L	9.6	J				
I	Copper	UG/L	22.1	J				
I	Cyanide	UG/L						
I	Iron	UG/L	21500				22800	
I	Lead	UG/L	14.5	J				
I	Magnesium	UG/L	21100				32400	
I	Manganese	UG/L	398				687	
I	Mercury	UG/L	0.2	UJ			0.2	UJ
I	Potassium	UG/L	91300				27200	
I	Sodium	UG/L	369000				101000	
I	Thallium	UG/L	10	UJ			10	UJ
I	Vanadium	UG/L	53.5					
I	Zinc	UG/L					19.4	J
S	1,4-Dichlorobenzene	UG/L					13	
V	Acetone	UG/L	220	J	210	J		
V	Benzene	UG/L					7	J
V	Chlorobenzene	UG/L					26	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC11		693GWMCC12		693GWMCC13	
			LAB SAMPLE ID---> 85015		85235		84995	
			RECEIPT DATE----> 07/13/93		07/15/93		07/13/93	
I	Aluminum	UG/L	.		.		.	
I	Arsenic	UG/L	3.8	J	7.6	J	7.7	J
I	Barium	UG/L	275		127	J	78.1	J
I	Calcium	UG/L	171000		142000		87200	
I	Chromium	UG/L			15.4			
I	Cobalt	UG/L			5.6	J		
I	Copper	UG/L	3.3	J	5.9	J		
I	Cyanide	UG/L	.				.	
I	Iron	UG/L	21400	J	49700		2760	
I	Lead	UG/L	2.7	J	42.2			
I	Magnesium	UG/L	35100		5600		16000	
I	Manganese	UG/L	723		430		224	
I	Mercury	UG/L					0.2	UJ
I	Nickel	UG/L			10.4	J		
I	Potassium	UG/L	29200		7100		10800	
I	Silver	UG/L	4	UJ				
I	Sodium	UG/L	110000		10800		61400	
	Thallium	UG/L	10	R			2	UJ
	Vanadium	UG/L					3.2	J
I	Zinc	UG/L	15.7	J	8.8	J		
P	alpha-BHC	UG/L			0.023	J		
P	alpha-Chlordane	UG/L			0.03	J		
S	2,4-Dimethylphenol	UG/L			250			
S	2-Methylnaphthalene	UG/L			38	J		
S	Naphthalene	UG/L			94	J		
V	1,1-Dichloroethene	UG/L			5	J		
V	1,2-Dichloroethene (total)	UG/L			18	J		
V	Benzene	UG/L			160	J		
V	Chlorobenzene	UG/L			4	J		
V	Ethylbenzene	UG/L			110			
V	Toluene	UG/L			36	J		
V	Trichloroethene	UG/L			4	J		
V	Vinyl Chloride	UG/L			54			
V	Xylene (total)	UG/L			510	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC14 LAB SAMPLE ID---> 84983 RECEIPT DATE----> 07/13/93		693GWMCC14DISS 85008 07/13/93		693GWMCC15 84867 07/10/93	
I	Aluminum	UG/L	12100				1120	J
I	Arsenic	UG/L	6.8	J	3.1	J	8	J
I	Barium	UG/L	787		664		71.8	J
I	Calcium	UG/L	242000		244000		201000	
I	Chromium	UG/L	13.1					
I	Cyanide	UG/L						
I	Iron	UG/L	32600		10100	J	6120	
I	Lead	UG/L	7.2	J				
I	Magnesium	UG/L	46300		46800		21700	
I	Manganese	UG/L	529		510		431	
I	Mercury	UG/L	0.2	UJ			0.2	UJ
I	Nickel	UG/L			10.3	J		
I	Potassium	UG/L	25100		24400		9230	
I	Silver	UG/L			4	UJ	4	R
I	Sodium	UG/L	146000		150000		34700	
I	Thallium	UG/L	10	UJ	10	R	2	UJ
I	Vanadium	UG/L	15.3	J			6.8	J
	Zinc	UG/L			15.7	J		
	1,4-Dichlorobenzene	UG/L	6	J			4	J
S	Naphthalene	UG/L	3	J			1	J
S	Phenol	UG/L					6	J
V	Benzene	UG/L	7	J			39	
V	Chlorobenzene	UG/L	21				70	
V	Toluene	UG/L	1	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC15DISS LAB SAMPLE ID---> 84877 RECEIPT DATE----> 07/10/93		SAMPLE ID ------> 693GWMCC1DISS LAB SAMPLE ID---> 85011 RECEIPT DATE----> 07/13/93		SAMPLE ID ------> 693GWMCC4 LAB SAMPLE ID---> 85107 RECEIPT DATE----> 07/14/93	
I	Aluminum	UG/L	.		.		.	
I	Arsenic	UG/L	4.1	J	11	J	500	J
I	Barium	UG/L	76.2	J	102	J	11	J
I	Calcium	UG/L	221000		71700		504	
I	Chromium	UG/L					179000	
I	Copper	UG/L			6.2	J	14	
I	Cyanide	UG/L	.		.		22.5	J
I	Iron	UG/L	2810	J	3720	J	.	
I	Lead	UG/L	3.8				57000	
I	Magnesium	UG/L	22300		16700		8.9	
I	Manganese	UG/L	439		419		10300	
I	Nickel	UG/L			33.2	J	1480	
I	Potassium	UG/L	10100		7490		16.5	J
I	Selenium	UG/L					11100	
I	Silver	UG/L	4	UJ	4	UJ	1	UJ
I	Sodium	UG/L	33800		153000			
I	Thallium	UG/L	2	R	10	R	19400	
-	Vanadium	UG/L					2	UJ
	Zinc	UG/L	16.8	J	17	J	4.4	J
S	1,4-Dichlorobenzene	UG/L					119	
S	2,4-Dimethylphenol	UG/L					3	J
S	2-Methylnaphthalene	UG/L					1	J
S	Naphthalene	UG/L					2	J
V	Benzene	UG/L					8	J
V	Chlorobenzene	UG/L					1	J
							6	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC4DISS		693GWMCC5		693GWMCC5	
			LAB SAMPLE ID---> 85122		85108		85108S	
			RECEIPT DATE----> 07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L			3770	J		
I	Arsenic	UG/L	5.4	J	10.8	J		
I	Barium	UG/L	474		210			
I	Calcium	UG/L	173000		207000			
I	Chromium	UG/L	7.8	J	34.4			
I	Cobalt	UG/L			5.5	J		
I	Copper	UG/L			24.7	J		
I	Cyanide	UG/L						
I	Iron	UG/L	48200		18500			
I	Lead	UG/L	2	UJ	98.2			
I	Magnesium	UG/L	10600		13300			
I	Manganese	UG/L	1340		954			
I	Nickel	UG/L	19.5	J	15.5	J		
I	Potassium	UG/L	14700		13100			
I	Selenium	UG/L	1	UJ	1	UJ		
I	Silver	UG/L			6.9	J		
I	Sodium	UG/L	22800		24200			
I	Thallium	UG/L	2	UJ	2	UJ		
I	Vanadium	UG/L			10.1	J		
I	Zinc	UG/L	21.8		67.9			
P	4,4'-DDD	UG/L			0.042	J		
P	4,4'-DDE	UG/L			0.014	J		
P	Aroclor 1260	UG/L					0.23	J
P	Endosulfan sulfate	UG/L			0.0091	J		
P	alpha-Chlordane	UG/L			0.011	J		
S	1,2,4-Trichlorobenzene	UG/L			1	J		
S	1,4-Dichlorobenzene	UG/L			9	J		
S	2-Methylnaphthalene	UG/L			1	J		
S	Naphthalene	UG/L			7	J		
V	Benzene	UG/L			9	J		
V	Chlorobenzene	UG/L			17			
V	Ethylbenzene	UG/L			2	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC5DISS		693GWMCC6		693GWMCC6D	
			LAB SAMPLE ID---> 85123		85110		85111	
			RECEIPT DATE----> 07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	.		.		.	
I	Arsenic	UG/L	5	J	10.2	J	8.5	J
I	Barium	UG/L	172	J	470		458	
I	Beryllium	UG/L			1.9	J	1.9	J
I	Calcium	UG/L	206000		271000		271000	
I	Chromium	UG/L	6.6	J	27.8		27.3	
I	Cobalt	UG/L			8.9	J	7.8	J
I	Copper	UG/L			38.5		35.1	
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	12400		55200		55200	
I	Lead	UG/L	2.6	J	76.9		73.4	
I	Magnesium	UG/L	13100		15200		14900	
I	Manganese	UG/L	892		2250		2280	
I	Nickel	UG/L			15.9	J	10.6	J
I	Potassium	UG/L	12500		14200		14000	
I	Selenium	UG/L	1	UJ	1	UJ	1	UJ
I	Sodium	UG/L	23400		26900		26100	
I	Thallium	UG/L	2	UJ	10	UJ	10	UJ
I	Vanadium	UG/L	3.1	J	27.8	J	27.4	J
I	Zinc	UG/L	29.5		116		112	
S	1,2-Dichlorobenzene	UG/L					2	J
S	Naphthalene	UG/L					1	J
V	Benzene	UG/L			4	J	3	J
V	Chlorobenzene	UG/L			11		9	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC6DDISS		693GWMCC6DISS		693GWMCC7	
			LAB SAMPLE ID---> 85126		85125		85247	
			RECEIPT DATE----> 07/14/93		07/14/93		07/16/93	
I	Aluminum	UG/L	.		.		3080	J
I	Arsenic	UG/L	4.6	J	4.2	J	12.2	
I	Barium	UG/L	319		346		157	J
I	Calcium	UG/L	248000		259000		111000	
I	Chromium	UG/L	6.4	J			9.3	J
I	Cobalt	UG/L	5.4	J	5.2	J		
I	Copper	UG/L					21	J
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	23600		24300		20400	
I	Lead	UG/L	2	UJ	2	UJ	40.7	
I	Magnesium	UG/L	14300		15500		6890	
I	Manganese	UG/L	1860		1930		639	
I	Mercury	UG/L					0.2	UJ
I	Nickel	UG/L					12.8	J
I	Potassium	UG/L	13200		14300		10200	
I	Selenium	UG/L	1	UJ	1	UJ		
I	Sodium	UG/L	29900		32200		20800	
	Thallium	UG/L	2	UJ	10	UJ	2	UJ
	Vanadium	UG/L					9.1	J
I	Zinc	UG/L	13.1	J	26.3		65.6	
S	2,4-Dimethylphenol	UG/L					120	J
S	2-Methylnaphthalene	UG/L					17	
S	2-Methylphenol	UG/L					2	J
S	Naphthalene	UG/L					35	
V	2-Butanone	UG/L					10	
V	Benzene	UG/L					44	
V	Ethylbenzene	UG/L					24	
V	Xylene (total)	UG/L					4	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC7DISS		693GWMCC8		693GWMCC8DIS	
			LAB SAMPLE ID---> 85250		84994		85019	
			RECEIPT DATE----> 07/16/93		07/13/93		07/13/93	
I	Aluminum	UG/L			3680			
I	Arsenic	UG/L	13.5	J	3.2	J		
I	Barium	UG/L	159	J	68.2	J	71.6	J
I	Calcium	UG/L	123000		77400		85500	
I	Chromium	UG/L			6.7	J		
I	Cyanide	UG/L						
I	Iron	UG/L	22800		8030		2240	J
I	Lead	UG/L			3.1	J		
I	Magnesium	UG/L	8810		6140		7630	
I	Manganese	UG/L	677		179		201	
I	Potassium	UG/L	9000		2990	J	3230	J
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	27600		23700		30500	
I	Thallium	UG/L			2	UJ	10	R
I	Vanadium	UG/L			4.1	J		
I	Zinc	UG/L	24.8	UJ			9	J
V	Chlorobenzene	UG/L			3	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC9 LAB SAMPLE ID---> 4984S RECEIPT DATE----> 07/13/93		SAMPLE ID ------> 693GWMCC9 LAB SAMPLE ID---> 84984 RECEIPT DATE----> 07/13/93		SAMPLE ID ------> 693GWMCC9DIS LAB SAMPLE ID---> 85009 RECEIPT DATE----> 07/13/93	
I	Aluminum	UG/L	4220					
I	Arsenic	UG/L	6.2	J			3.4	J
I	Barium	UG/L	222				213	
I	Calcium	UG/L	126000				134000	
I	Cyanide	UG/L	.				.	
I	Iron	UG/L	17400				5650	J
I	Lead	UG/L	3.8	J				
I	Magnesium	UG/L	25100				27100	
I	Manganese	UG/L	243				252	
I	Mercury	UG/L	0.2	UJ				
I	Potassium	UG/L	17600				18700	
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	69200				76100	
I	Thallium	UG/L	10	UJ			10	R
I	Vanadium	UG/L	7.3	J				
I	Zinc	UG/L	24.2	UJ			21.7	
S	1,4-Dichlorobenzene	UG/L			11			
S	Carbazole	UG/L			1	J		
S	Naphthalene	UG/L			1	J		
V	Benzene	UG/L			2	J		
V	Chlorobenzene	UG/L			32			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI24		693GWREI25		693GWREI25DI	
	LAB SAMPLE ID--->		85234		85114		85129	
	RECEIPT DATE---->		07/15/93		07/14/93		07/14/93	
I	Aluminum	UG/L	690		1420	J		
I	Arsenic	UG/L	5.1	J	10.5	J	7.7	J
I	Barium	UG/L	186	J	526		463	
I	Calcium	UG/L	139000		95900		98100	
I	Chromium	UG/L	12.2		34		28.5	
I	Copper	UG/L	9	J	12.1	J		
I	Cyanide	UG/L						
I	Iron	UG/L	59600		13200		14000	
I	Lead	UG/L	22.2		11		2	UJ
I	Magnesium	UG/L	8720		18200		18100	
I	Manganese	UG/L	424		265		273	
I	Mercury	UG/L	0.2	UJ				
I	Nickel	UG/L			12.7	J		
I	Potassium	UG/L	7560		7170		6970	
I	Selenium	UG/L			1	UJ	3	UJ
I	Sodium	UG/L	20300		112000		94000	
I	Thallium	UG/L	2	UJ	10	UJ	10	UJ
I	Vanadium	UG/L	5.4	J	5.8	J		
I	Zinc	UG/L	30.1		152		9.7	J
P	4,4'-DDD	UG/L	0.11	J				
P	4,4'-DDE	UG/L	0.056	J				
P	Aroclor 1254	UG/L	1.2	J				
P	Endosulfan I	UG/L	0.035	J				
S	2,4-Dimethylphenol	UG/L	34	J	15	J		
S	2-Methylnaphthalene	UG/L	80	J	97			
S	Naphthalene	UG/L	95	J	290			
V	2-Butanone	UG/L	3	J				
V	Benzene	UG/L	27	J	270	J		
V	Chlorobenzene	UG/L	8	J				
V	Ethylbenzene	UG/L	66		8	J		
V	Toluene	UG/L	1	J				
V	Vinyl Chloride	UG/L	2	J				
V	Xylene (total)	UG/L	7	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI25DL		693GWREI30		693GWREI30DI	
	LAB SAMPLE ID--->		85114DL		85227		85240	
	RECEIPT DATE---->		07/14/93		07/15/93		07/15/93	
I	Aluminum	UG/L			2460	J	1410	
I	Arsenic	UG/L			5.3	J	5.7	J
I	Barium	UG/L			124	J	137	J
I	Calcium	UG/L			275000		292000	
I	Cobalt	UG/L			41.3	J	41.8	J
I	Copper	UG/L			5.3	J		
I	Cyanide	UG/L						
I	Iron	UG/L			67200		52700	
I	Magnesium	UG/L			169000		175000	
I	Manganese	UG/L			218		226	
I	Mercury	UG/L			0.2	UJ		
I	Nickel	UG/L			10.9	J		
I	Potassium	UG/L			31400		32100	
I	Sodium	UG/L			1280000		1320000	
I	Thallium	UG/L			10	UJ		
I	Vanadium	UG/L			25.4	J		
I	Zinc	UG/L			13.1	J	17.9	UJ
V	Benzene	UG/L	270	J				
V	Ethylbenzene	UG/L	9	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

APPENDIX E

LABORATORY RESULTS — INITIAL SAMPLING EVENT

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW312		691SMW312DL		691SMW322	
			LAB SAMPLE ID---> 82902		82902DL		82839	
			RECEIPT DATE----> 06/08/93		06/08/93		06/05/93	
I	Aluminum	MG/KG	234	J			357	
I	Antimony	MG/KG	11.2	U			11.5	U
I	Arsenic	MG/KG	0.5	U			0.51	U
I	Barium	MG/KG	2.7	J			4	J
I	Beryllium	MG/KG	0.25	U			0.26	U
I	Cadmium	MG/KG	0.75	U			0.77	U
I	Calcium	MG/KG	59.7	U			77.3	J
I	Chromium	MG/KG	1.2	U			4.5	J
I	Cobalt	MG/KG	2	U			2.1	U
I	Copper	MG/KG	0.83	J			0.89	J
I	Cyanide	MG/KG						
I	Iron	MG/KG	160	J			446	
I	Lead	MG/KG	0.56	U			1.2	
I	Magnesium	MG/KG	14.8	U			24.9	J
I	Manganese	MG/KG	0.86	J			2.2	J
I	Mercury	MG/KG	0.12	U			0.13	U
I	Nickel	MG/KG	5	U			5.1	U
I	Potassium	MG/KG	87	U			89.7	U
	Selenium	MG/KG	0.25	U			0.26	U
	Silver	MG/KG	1.7	U			1.8	U
I	Sodium	MG/KG	32.9	U			41	U
I	Thallium	MG/KG	0.5	U			0.51	U
I	Vanadium	MG/KG	0.75	U			1.4	J
I	Zinc	MG/KG	1.2	U			1.9	U
P	4,4'-DDD	UG/KG	4.1	U				
P	4,4'-DDE	UG/KG	4.1	U				
P	4,4'-DDT	UG/KG	4.1	U				
P	Aldrin	UG/KG	2.1	U				
P	Aroclor 1016	UG/KG	41	U			37	U
P	Aroclor 1221	UG/KG	84	U			75	U
P	Aroclor 1232	UG/KG	41	U			37	U
P	Aroclor 1242	UG/KG	41	U			37	U
P	Aroclor 1248	UG/KG	41	U			37	U
P	Aroclor 1254	UG/KG	41	U			37	U
P	Aroclor 1260	UG/KG	41	U			37	U
P	Dieldrin	UG/KG	4.1	U				
P	Endosulfan I	UG/KG	2.1	U				
P	Endosulfan II	UG/KG	4.1	U				
P	Endosulfan sulfate	UG/KG	4.1	U				
P	Endrin	UG/KG	4.1	U				
P	Endrin aldehyde	UG/KG	4.1	U				
P	Endrin ketone	UG/KG	4.1	U				
P	Heptachlor	UG/KG	2.1	U				
P	Heptachlor epoxide	UG/KG	2.1	U				
	Methoxychlor	UG/KG	21	U				

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW312		691SMW312DL		691SMW322	
			LAB SAMPLE ID---> 82902		82902DL		82839	
			RECEIPT DATE----> 06/08/93					
P	Toxaphene	UG/KG	210	U				
P	alpha-BHC	UG/KG	2.1	U				
P	alpha-Chlordane	UG/KG	2.1	U				
P	beta-BHC	UG/KG	2.1	U				
P	delta-BHC	UG/KG	2.1	U				
P	gamma-BHC (Lindane)	UG/KG	2.1	U				
P	gamma-Chlordane	UG/KG	2.1	U				
S	1,2,4-Trichlorobenzene	UG/KG	380	U			420	U
S	1,2-Dichlorobenzene	UG/KG	380	U			420	U
S	1,3-Dichlorobenzene	UG/KG	380	U			420	U
S	1,4-Dichlorobenzene	UG/KG	380	U			420	U
S	2,4,5-Trichlorophenol	UG/KG	920	U			1000	U
S	2,4,6-Trichlorophenol	UG/KG	380	U			420	U
S	2,4-Dichlorophenol	UG/KG	380	U			420	U
S	2,4-Dimethylphenol	UG/KG	380	U			420	U
S	2,4-Dinitrophenol	UG/KG	920	U			1000	U
S	2,4-Dinitrotoluene	UG/KG	380	U			420	U
S	2,6-Dinitrotoluene	UG/KG	380	U			420	U
S	2-Chloronaphthalene	UG/KG	380	U			420	U
S	2-Chlorophenol	UG/KG	380	U			420	U
S	2-Methylnaphthalene	UG/KG	380	U			420	U
S	2-Methylphenol	UG/KG	380	U			420	U
S	2-Nitroaniline	UG/KG	920	U			1000	U
S	2-Nitrophenol	UG/KG	380	U			420	U
S	3,3'-Dichlorobenzidine	UG/KG	380	U			420	U
S	3-Nitroaniline	UG/KG	920	U			1000	U
S	4,6-Dinitro-2-methylphenol	UG/KG	920	U			1000	U
S	4-Bromophenyl-phenylether	UG/KG	380	U			420	U
S	4-Chloro-3-methylphenol	UG/KG	380	U			420	U
S	4-Chloroaniline	UG/KG	380	U			420	U
S	4-Chlorophenyl-phenylether	UG/KG	380	U			420	U
S	4-Methylphenol	UG/KG	380	U			420	U
S	4-Nitroaniline	UG/KG	920	U			1000	U
S	4-Nitrophenol	UG/KG	920	U			1000	U
S	Acenaphthene	UG/KG	380	U			420	U
S	Acenaphthylene	UG/KG	380	U			420	U
S	Anthracene	UG/KG	380	U			420	U
S	Benzo(a)anthracene	UG/KG	380	U			420	U
S	Benzo(a)pyrene	UG/KG	380	U			420	U
S	Benzo(b)fluoranthene	UG/KG	380	U			420	U
S	Benzo(g,h,i)perylene	UG/KG	380	U			420	U
S	Benzo(k)fluoranthene	UG/KG	380	U			420	U
S	Butylbenzylphthalate	UG/KG	380	U			420	U
S	Carbazole	UG/KG	380	U			420	U
S	Chrysene	UG/KG	380	U			420	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW312		691SMW312DL		691SMW322	
	LAB SAMPLE ID--->		82902		82902DL		82839	
	RECEIPT DATE---->		06/08/93				06/05/93	
S	Di-n-butylphthalate	UG/KG	380	U			420	U
S	Di-n-octylphthalate	UG/KG	380	U			420	U
S	Dibenz(a,h)anthracene	UG/KG	380	U			420	U
S	Dibenzofuran	UG/KG	380	U			420	U
S	Diethylphthalate	UG/KG	380	U			420	U
S	Dimethylphthalate	UG/KG	380	U			420	U
S	Fluoranthene	UG/KG	380	U			420	U
S	Fluorene	UG/KG	380	U			420	U
S	Hexachlorobenzene	UG/KG	380	U			420	U
S	Hexachlorobutadiene	UG/KG	380	U			420	U
S	Hexachlorocyclopentadiene	UG/KG	380	U			420	U
S	Hexachloroethane	UG/KG	380	U			420	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	380	U			420	U
S	Isophorone	UG/KG	380	U			420	U
S	N-Nitroso-di-n-propylamine	UG/KG	380	U			420	U
S	N-Nitrosodiphenylamine	UG/KG	380	U			420	U
S	Naphthalene	UG/KG	380	U			420	U
S	Nitrobenzene	UG/KG	380	U			420	U
	Pentachlorophenol	UG/KG	920	U			1000	U
	Phenanthrene	UG/KG	380	U			420	U
S	Phenol	UG/KG	380	U			420	U
S	Pyrene	UG/KG	380	U			420	U
S	bis(2-Chloroethoxy)methane	UG/KG	380	U			420	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	38	U			130	U
S	bis(2-chloroethyl)ether	UG/KG	380	U			420	U
S	bis(2-chloroisopropyl)ether	UG/KG	380	U			420	U
V	1,1,1-Trichloroethane	UG/KG	61	U	1500	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG	61	U	1500	U	12	U
V	1,1,2-Trichloroethane	UG/KG	61	U	1500	U	12	U
V	1,1-Dichloroethane	UG/KG	61	U	1500	U	12	U
V	1,1-Dichloroethene	UG/KG	61	U	1500	U	12	U
V	1,2-Dichloroethane	UG/KG	61	U	1500	U	12	U
V	1,2-Dichloroethene (total)	UG/KG	61	U	1500	U	12	U
V	1,2-Dichloropropane	UG/KG	61	U	1500	U	12	U
V	2-Butanone	UG/KG	12	U	1500	U	12	U
V	2-Hexanone	UG/KG	61	U	1500	U	12	U
V	4-Methyl-2-Pentanone	UG/KG	61	U	1500	U	12	U
V	Acetone	UG/KG	3500	J	15000	J	43	U
V	Benzene	UG/KG	61	U	1500	U	12	U
V	Bromodichloromethane	UG/KG	61	U	1500	U	12	U
V	Bromoform	UG/KG	61	U	1500	U	12	U
V	Bromomethane	UG/KG	61	U	1500	U	12	U
V	Carbon Disulfide	UG/KG	61	U	1500	U	12	U
V	Carbon Tetrachloride	UG/KG	61	U	1500	U	12	U
	Chlorobenzene	UG/KG	61	U	1500	U	12	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW312 LAB SAMPLE ID---> 82902 RECEIPT DATE----> 06/08/93		SAMPLE ID ------> 691SMW312DL LAB SAMPLE ID---> 82902DL RECEIPT DATE----> 06/08/93		SAMPLE ID ------> 691SMW322 LAB SAMPLE ID---> 82839 RECEIPT DATE----> 06/05/93	
V	Chloroethane	UG/KG	61	U	1500	U	12	U
V	Chloroform	UG/KG	61	U	1500	U	12	U
V	Chloromethane	UG/KG	61	U	1500	U	12	U
V	Dibromochloromethane	UG/KG	61	U	1500	U	12	U
V	Ethylbenzene	UG/KG	61	U	1500	U	12	U
V	Methylene Chloride	UG/KG	61	U	150	U	2	U
V	Styrene	UG/KG	61	U	1500	U	12	U
V	Tetrachloroethene	UG/KG	61	U	1500	U	12	U
V	Toluene	UG/KG	61	U	1500	U	12	U
V	Trichloroethene	UG/KG	61	U	1500	U	12	U
V	Vinyl Chloride	UG/KG	61	U	1500	U	12	U
V	Xylene (total)	UG/KG	61	U	1500	U	12	U
V	cis-1,3-Dichloropropene	UG/KG	61	U	1500	U	12	U
V	trans-1,3-Dichloropropene	UG/KG	61	U	1500	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW332		691SMW341		691SMW341RE
	LAB SAMPLE ID--->		82893		82837		82837RE
	RECEIPT DATE---->		06/08/93		06/05/93		06/05/93
I	Aluminum	MG/KG	711		4650		
I	Antimony	MG/KG	10.4	U	10.2	U	
I	Arsenic	MG/KG	1.3	U	6.7	J	
I	Barium	MG/KG	7.5	J	136		
I	Beryllium	MG/KG	0.23	U	0.23	U	
I	Cadmium	MG/KG	0.69	U	2.4		
I	Calcium	MG/KG	37300		64000		
I	Chromium	MG/KG	3.1	J	27.6	J	
I	Cobalt	MG/KG	1.8	U	3.1	J	
I	Copper	MG/KG	3.1	J	147		
I	Iron	MG/KG	575		5940		
I	Lead	MG/KG	17.2		1020		
I	Magnesium	MG/KG	514	J	2030		
I	Manganese	MG/KG	30.6		123		
I	Mercury	MG/KG	0.12	U	0.11	U	
I	Nickel	MG/KG	4.6	U	11		
I	Potassium	MG/KG	192	J	862	J	
	Selenium	MG/KG	0.23	U	0.58	J	
	Silver	MG/KG	1.6	U	1.6	U	
I	Sodium	MG/KG	378	J	309	J	
I	Thallium	MG/KG	0.46	U	0.45	U	
I	Vanadium	MG/KG	1.8	J	7.9	J	
I	Zinc	MG/KG	11.2	J	757		
P	Aroclor 1016	UG/KG	39	U	35	U	
P	Aroclor 1221	UG/KG	79	U	70	U	
P	Aroclor 1232	UG/KG	39	U	35	U	
P	Aroclor 1242	UG/KG	39	U	35	U	
P	Aroclor 1248	UG/KG	39	U	35	U	
P	Aroclor 1254	UG/KG	39	U	35	U	
P	Aroclor 1260	UG/KG	39	U	89	J	
S	1,2,4-Trichlorobenzene	UG/KG	400	U	390	U	
S	1,2-Dichlorobenzene	UG/KG	400	U	390	U	
S	1,3-Dichlorobenzene	UG/KG	400	U	390	U	
S	1,4-Dichlorobenzene	UG/KG	400	U	390	U	
S	2,4,5-Trichlorophenol	UG/KG	970	U	940	U	
S	2,4,6-Trichlorophenol	UG/KG	400	U	390	U	
S	2,4-Dichlorophenol	UG/KG	400	U	390	U	
S	2,4-Dimethylphenol	UG/KG	400	U	390	U	
S	2,4-Dinitrophenol	UG/KG	970	U	940	U	
S	2,4-Dinitrotoluene	UG/KG	400	U	390	U	
S	2,6-Dinitrotoluene	UG/KG	400	U	390	U	
S	2-Chloronaphthalene	UG/KG	400	U	390	U	
S	2-Chlorophenol	UG/KG	400	U	390	U	
	2-Methylnaphthalene	UG/KG	400	U	390	U	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW332		691SMW341		691SMW341RE
			LAB SAMPLE ID---> 82893		82837		82837RE
			RECEIPT DATE----> 06/08/93		06/05/93		
S	2-Methylphenol	UG/KG	400	U	390	U	
S	2-Nitroaniline	UG/KG	970	U	940	U	
S	2-Nitrophenol	UG/KG	400	U	390	U	
S	3,3'-Dichlorobenzidine	UG/KG	400	U	390	U	
S	3-Nitroaniline	UG/KG	970	U	940	U	
S	4,6-Dinitro-2-methylphenol	UG/KG	970	U	940	U	
S	4-Bromophenyl-phenylether	UG/KG	400	U	390	U	
S	4-Chloro-3-methylphenol	UG/KG	400	U	390	U	
S	4-Chloroaniline	UG/KG	400	U	390	U	
S	4-Chlorophenyl-phenylether	UG/KG	400	U	390	U	
S	4-Methylphenol	UG/KG	400	U	390	U	
S	4-Nitroaniline	UG/KG	970	U	940	U	
S	4-Nitrophenol	UG/KG	970	U	940	U	
S	Acenaphthene	UG/KG	400	U	390	U	
S	Acenaphthylene	UG/KG	400	U	390	U	
S	Anthracene	UG/KG	400	U	46	J	
S	Benzo(a)anthracene	UG/KG	400	U	260	J	
S	Benzo(a)pyrene	UG/KG	400	UJ	250	J	
S	Benzo(b)fluoranthene	UG/KG	400	UJ	430	J	
S	Benzo(g,h,i)perylene	UG/KG	400	UJ	140	J	
S	Benzo(k)fluoranthene	UG/KG	400	UJ	230	J	
S	Butylbenzylphthalate	UG/KG	400	U	390	U	
S	Carbazole	UG/KG	400	U	390	U	
S	Chrysene	UG/KG	400	U	290	J	
S	Di-n-butylphthalate	UG/KG	400	U	390	U	
S	Di-n-octylphthalate	UG/KG	400	U	390	U	
S	Dibenz(a,h)anthracene	UG/KG	400	UJ	70	J	
S	Dibenzofuran	UG/KG	400	U	390	U	
S	Diethylphthalate	UG/KG	400	U	390	U	
S	Dimethylphthalate	UG/KG	400	U	390	U	
S	Fluoranthene	UG/KG	400	U	420		
S	Fluorene	UG/KG	400	U	390	U	
S	Hexachlorobenzene	UG/KG	400	U	390	U	
S	Hexachlorobutadiene	UG/KG	400	U	390	U	
S	Hexachlorocyclopentadiene	UG/KG	400	U	390	U	
S	Hexachloroethane	UG/KG	400	U	390	U	
S	Indeno(1,2,3-cd)pyrene	UG/KG	400	UJ	200	J	
S	Isophorone	UG/KG	400	U	390	U	
S	N-Nitroso-di-n-propylamine	UG/KG	400	U	390	U	
S	N-Nitrosodiphenylamine	UG/KG	400	U	390	U	
S	Naphthalene	UG/KG	400	U	390	U	
S	Nitrobenzene	UG/KG	400	U	390	U	
S	Pentachlorophenol	UG/KG	970	U	940	U	
S	Phenanthrene	UG/KG	400	U	190	J	
S	Phenol	UG/KG	400	U	390	U	

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	691SMW332		691SMW341		691SMW341RE	
			LAB SAMPLE ID--->	82893		82837		82837RE	
			RECEIPT DATE---->	06/08/93		06/05/93			
	PARAMETER	UNITS							
S	Pyrene	UG/KG		400	U	390			
S	bis(2-Chloroethoxy)methane	UG/KG		400	U	390	U		
S	bis(2-Ethlyhexy)phthalate	UG/KG		140	U	110	U		
S	bis(2-chloroethyl)ether	UG/KG		400	U	390	U		
S	bis(2-chloroisopropyl)ether	UG/KG		400	U	390	U		
V	1,1,1-Trichloroethane	UG/KG		11	U	11	U	11	U
V	1,1,2,2-Tetrachloroethane	UG/KG		11	U	11	U	11	UJ
V	1,1,2-Trichloroethane	UG/KG		11	U	11	U	11	U
V	1,1-Dichloroethane	UG/KG		11	U	11	U	11	U
V	1,1-Dichloroethene	UG/KG		11	U	11	U	11	U
V	1,2-Dichloroethane	UG/KG		11	U	11	U	11	U
V	1,2-Dichloroethene (total)	UG/KG		11	U	11	U	11	U
V	1,2-Dichloropropane	UG/KG		11	U	11	U	11	U
V	2-Butanone	UG/KG		6	J	11	U	11	U
V	2-Hexanone	UG/KG		11	U	11	U	11	UJ
V	4-Methyl-2-Pentanone	UG/KG		11	U	11	U	11	UJ
V	Acetone	UG/KG		89		26	U	22	U
V	Benzene	UG/KG		1	J	4	U	2	U
	Bromodichloromethane	UG/KG		11	U	11	U	11	U
	Bromoform	UG/KG		11	U	11	U	11	U
V	Bromomethane	UG/KG		11	U	11	U	11	U
V	Carbon Disulfide	UG/KG		11	U	11	U	11	U
V	Carbon Tetrachloride	UG/KG		11	U	11	U	11	U
V	Chlorobenzene	UG/KG		11	U	11	U	11	UJ
V	Chloroethane	UG/KG		11	U	11	U	11	U
V	Chloroform	UG/KG		11	U	11	U	11	U
V	Chloromethane	UG/KG		11	U	11	U	11	U
V	Dibromochloromethane	UG/KG		11	U	11	U	11	U
V	Ethylbenzene	UG/KG		11	U	11	U	11	UJ
V	Methylene Chloride	UG/KG		3	U	16	U	19	U
V	Styrene	UG/KG		11	U	11	U	11	UJ
V	Tetrachloroethene	UG/KG		11	U	11	U	11	UJ
V	Toluene	UG/KG		11	U	12		10	J
V	Trichloroethene	UG/KG		11	U	3	J	11	U
V	Vinyl Chloride	UG/KG		11	U	11	U	11	U
V	Xylene (total)	UG/KG		11	U	11	U	11	UJ
V	cis-1,3-Dichloropropene	UG/KG		11	U	11	U	11	U
V	trans-1,3-Dichloropropene	UG/KG		11	U	11	U	11	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW343		691SMW343DL		691SMW362	
			LAB SAMPLE ID---> 82838		82838DL		82905	
			RECEIPT DATE----> 06/05/93		06/05/93		06/08/93	
I	Aluminum	MG/KG	742				1230	J
I	Antimony	MG/KG	10.6	U			12.9	U
I	Arsenic	MG/KG	0.64	U			3.1	
I	Barium	MG/KG	7.6	J			38.7	J
I	Beryllium	MG/KG	0.24	U			0.29	U
I	Cadmium	MG/KG	0.71	U			46	
I	Calcium	MG/KG	6060				3480	
I	Chromium	MG/KG	2.6	J			5.4	
I	Cobalt	MG/KG	1.9	U			2.3	U
I	Copper	MG/KG	2.5	J			7.8	
I	Cyanide	MG/KG						
I	Iron	MG/KG	721				2710	J
I	Lead	MG/KG	7.1				14.8	
I	Magnesium	MG/KG	240	J			220	J
I	Manganese	MG/KG	13.2				32.1	
I	Mercury	MG/KG	0.12	U			0.14	U
I	Nickel	MG/KG	4.7	U			5.7	U
I	Potassium	MG/KG	209	J			118	J
I	Selenium	MG/KG	0.24	U			0.29	U
I	Silver	MG/KG	1.7	U			2	U
I	Sodium	MG/KG	142	U			129	U
I	Thallium	MG/KG	0.47	U			0.57	U
I	Vanadium	MG/KG	1.8	J			2.1	J
I	Zinc	MG/KG	5.4	U			90	
P	4,4'-DDD	UG/KG					4.3	U
P	4,4'-DDE	UG/KG					4.3	U
P	4,4'-DDT	UG/KG					4.3	U
P	Aldrin	UG/KG					2.2	U
P	Aroclor 1016	UG/KG	38	U			43	U
P	Aroclor 1221	UG/KG	77	U			88	U
P	Aroclor 1232	UG/KG	38	U			43	U
P	Aroclor 1242	UG/KG	38	U			210	
P	Aroclor 1248	UG/KG	38	U			43	U
P	Aroclor 1254	UG/KG	38	U			43	U
P	Aroclor 1260	UG/KG	38	U			49	J
P	Dieldrin	UG/KG					4.3	U
P	Endosulfan I	UG/KG					2.2	U
P	Endosulfan II	UG/KG					4.3	U
P	Endosulfan sulfate	UG/KG					4.3	U
P	Endrin	UG/KG					4.3	U
P	Endrin aldehyde	UG/KG					4.3	U
P	Endrin ketone	UG/KG					4.3	U
P	Heptachlor	UG/KG					2.2	U
P	Heptachlor epoxide	UG/KG					2.2	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW343 LAB SAMPLE ID---> 82838 RECEIPT DATE----> .		SAMPLE ID ------> 691SMW343DL LAB SAMPLE ID---> 82838DL RECEIPT DATE----> .		SAMPLE ID ------> 691SMW362 LAB SAMPLE ID---> 82905 RECEIPT DATE----> 06/08/93	
P	Methoxychlor	UG/KG					22	U
P	Toxaphene	UG/KG					220	U
P	alpha-BHC	UG/KG					2.2	U
P	alpha-Chlordane	UG/KG					2.2	U
P	beta-BHC	UG/KG					2.2	U
P	delta-BHC	UG/KG					2.2	U
P	gamma-BHC (Lindane)	UG/KG					2.2	U
P	gamma-Chlordane	UG/KG					2.2	U
S	1,2,4-Trichlorobenzene	UG/KG	390	U			440	U
S	1,2-Dichlorobenzene	UG/KG	390	U			440	U
S	1,3-Dichlorobenzene	UG/KG	390	U			440	U
S	1,4-Dichlorobenzene	UG/KG	390	U			440	U
S	2,4,5-Trichlorophenol	UG/KG	940	U			1100	U
S	2,4,6-Trichlorophenol	UG/KG	390	U			440	U
S	2,4-Dichlorophenol	UG/KG	390	U			440	U
S	2,4-Dimethylphenol	UG/KG	390	U			440	U
S	2,4-Dinitrophenol	UG/KG	940	U			1100	U
S	2,4-Dinitrotoluene	UG/KG	390	U			440	U
	2,6-Dinitrotoluene	UG/KG	390	U			440	U
	2-Chloronaphthalene	UG/KG	390	U			440	U
S	2-Chlorophenol	UG/KG	390	U			440	U
S	2-Methylnaphthalene	UG/KG	390	U			190	J
S	2-Methylphenol	UG/KG	390	U			440	U
S	2-Nitroaniline	UG/KG	940	U			1100	U
S	2-Nitrophenol	UG/KG	390	U			440	U
S	3,3'-Dichlorobenzidine	UG/KG	390	U			440	U
S	3-Nitroaniline	UG/KG	940	U			1100	U
S	4,6-Dinitro-2-methylphenol	UG/KG	940	U			1100	U
S	4-Bromophenyl-phenylether	UG/KG	390	U			440	U
S	4-Chloro-3-methylphenol	UG/KG	390	U			440	U
S	4-Chloroaniline	UG/KG	390	U			440	U
S	4-Chlorophenyl-phenylether	UG/KG	390	U			440	U
S	4-Methylphenol	UG/KG	390	U			440	U
S	4-Nitroaniline	UG/KG	940	U			1100	U
S	4-Nitrophenol	UG/KG	940	U			1100	U
S	Acenaphthene	UG/KG	390	U			440	U
S	Acenaphthylene	UG/KG	390	U			440	U
S	Anthracene	UG/KG	390	U			440	U
S	Benzo(a)anthracene	UG/KG	43	J			440	U
S	Benzo(a)pyrene	UG/KG	390	U			440	U
S	Benzo(b)fluoranthene	UG/KG	47	J			440	U
S	Benzo(g,h,i)perylene	UG/KG	390	U			440	U
S	Benzo(k)fluoranthene	UG/KG	390	U			440	U
S	Butylbenzylphthalate	UG/KG	390	U			440	U
	Carbazole	UG/KG	390	U			440	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW343		691SMW343DL		691SMW362	
	LAB SAMPLE ID--->		82838		82838DL		82905	
	RECEIPT DATE---->		06/05/93		.		06/08/93	
S	Chrysene	UG/KG	55	J			440	U
S	Di-n-butylphthalate	UG/KG	390	U			440	U
S	Di-n-octylphthalate	UG/KG	390	U			440	U
S	Dibenz(a,h)anthracene	UG/KG	390	U			440	U
S	Dibenzofuran	UG/KG	390	U			440	U
S	Diethylphthalate	UG/KG	390	U			440	U
S	Dimethylphthalate	UG/KG	390	U			440	U
S	Fluoranthene	UG/KG	61	J			43	J
S	Fluorene	UG/KG	390	U			440	U
S	Hexachlorobenzene	UG/KG	390	U			440	U
S	Hexachlorobutadiene	UG/KG	390	U			440	U
S	Hexachlorocyclopentadiene	UG/KG	390	U			440	U
S	Hexachloroethane	UG/KG	390	U			440	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	390	U			440	U
S	Isophorone	UG/KG	390	U			440	U
S	N-Nitroso-di-n-propylamine	UG/KG	390	U			440	U
S	N-Nitrosodiphenylamine	UG/KG	390	U			440	U
S	Naphthalene	UG/KG	390	U			140	J
S	Nitrobenzene	UG/KG	390	U			440	U
S	Pentachlorophenol	UG/KG	940	U			1100	U
S	Phenanthrene	UG/KG	390	U			51	J
S	Phenol	UG/KG	390	U			440	U
S	Pyrene	UG/KG	54	J			440	U
S	bis(2-Chloroethoxy)methane	UG/KG	390	U			440	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	91	U			180	U
S	bis(2-chloroethyl)ether	UG/KG	390	U			440	U
S	bis(2-chloroisopropyl)ether	UG/KG	390	U			440	U
V	1,1,1-Trichloroethane	UG/KG	12	U	1500	U	58	U
V	1,1,2,2-Tetrachloroethane	UG/KG	12	U	1500	U	58	U
V	1,1,2-Trichloroethane	UG/KG	12	U	1500	U	58	U
V	1,1-Dichloroethane	UG/KG	12	U	1500	U	58	U
V	1,1-Dichloroethene	UG/KG	12	U	1500	U	58	U
V	1,2-Dichloroethane	UG/KG	12	U	1500	U	58	U
V	1,2-Dichloroethene (total)	UG/KG	12	U	1500	U	58	U
V	1,2-Dichloropropane	UG/KG	12	U	1500	U	58	U
V	2-Butanone	UG/KG	12	U	1500	U	58	U
V	2-Hexanone	UG/KG	12	U	1500	U	58	U
V	4-Methyl-2-Pentanone	UG/KG	12	U	1500	U	58	U
V	Acetone	UG/KG	5600	J	4900	J	810	J
V	Benzene	UG/KG	1	J	1500	U	58	U
V	Bromodichloromethane	UG/KG	12	U	1500	U	58	U
V	Bromoform	UG/KG	12	U	1500	U	58	U
V	Bromomethane	UG/KG	12	U	1500	U	58	U
V	Carbon Disulfide	UG/KG	12	U	1500	U	58	U
V	Carbon Tetrachloride	UG/KG	12	U	1500	U	58	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW343		SAMPLE ID ------> 691SMW343DL		SAMPLE ID ------> 691SMW362	
	LAB SAMPLE ID--->		82838		82838DL		82905	
	RECEIPT DATE---->		06/05/93		06/05/93		06/08/93	
V	Chlorobenzene	UG/KG	6	J	1500	U	33	J
V	Chloroethane	UG/KG	12	U	1500	U	58	U
V	Chloroform	UG/KG	12	U	1500	U	58	U
V	Chloromethane	UG/KG	12	U	1500	U	58	U
V	Dibromochloromethane	UG/KG	12	U	1500	U	58	U
V	Ethylbenzene	UG/KG	12	U	1500	U	58	U
V	Methylene Chloride	UG/KG	4	U	180	U	58	U
V	Styrene	UG/KG	12	U	1500	U	58	U
V	Tetrachloroethene	UG/KG	12	U	1500	U	58	U
V	Toluene	UG/KG	12	U	1500	U	58	U
V	Trichloroethene	UG/KG	12	U	1500	U	58	U
V	Vinyl Chloride	UG/KG	12	U	1500	U	58	U
V	Xylene (total)	UG/KG	12	U	1500	U	58	U
V	cis-1,3-Dichloropropene	UG/KG	12	U	1500	U	58	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	1500	U	58	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW442		691SMW449		693SMW352	
	LAB SAMPLE ID--->		82898		82901		82835	
	RECEIPT DATE---->		06/08/93		06/08/93		06/05/93	
I	Aluminum	MG/KG	339		4590	J	289	
I	Antimony	MG/KG	10.8	U	12.9	U	11.4	U
I	Arsenic	MG/KG	0.48	U	0.58	U	0.49	U
I	Barium	MG/KG	3.5	J	45.3	J	2.1	J
I	Beryllium	MG/KG	0.24	U	0.42	J	0.25	U
I	Cadmium	MG/KG	0.72	U	1.4	J	0.76	U
I	Calcium	MG/KG	99.2	J	5650		123	J
I	Chromium	MG/KG	1.2	J	3.6		1.7	J
I	Cobalt	MG/KG	1.9	U	2.3	U	2	U
I	Copper	MG/KG	0.78	J	2.8	J	1.2	J
I	Cyanide	MG/KG						
I	Iron	MG/KG	92		4240	J	134	
I	Lead	MG/KG	2.1		3.1		0.61	J
I	Magnesium	MG/KG	25.5	J	1220	J	24.6	J
I	Manganese	MG/KG	0.87	J	39.9		0.78	J
I	Mercury	MG/KG	0.12	U	0.14	U	0.13	U
I	Nickel	MG/KG	4.8	U	5.8	U	5.1	U
I	Potassium	MG/KG	83.6	U	1310	J	88.4	U
I	Selenium	MG/KG	0.24	U	0.29	U	0.25	U
I	Silver	MG/KG	1.7	U	2	U	1.8	U
I	Sodium	MG/KG	76	U	359	J	41.6	U
I	Thallium	MG/KG	0.48	U	0.58	U	0.49	U
I	Vanadium	MG/KG	0.72	U	6.8	J	0.9	J
I	Zinc	MG/KG	1.2	U	13.4		3	U
P	4,4'-DDD	UG/KG			4.1	U		
P	4,4'-DDE	UG/KG			4.1	U		
P	4,4'-DDT	UG/KG			4.1	U		
P	Aldrin	UG/KG			2.1	U		
P	Aroclor 1016	UG/KG	39	U	41	U	39	U
P	Aroclor 1221	UG/KG	80	U	83	U	79	U
P	Aroclor 1232	UG/KG	39	U	41	U	39	U
P	Aroclor 1242	UG/KG	39	U	41	U	39	U
P	Aroclor 1248	UG/KG	39	U	41	U	39	U
P	Aroclor 1254	UG/KG	39	U	41	U	39	U
P	Aroclor 1260	UG/KG	39	U	41	U	39	U
P	Dieldrin	UG/KG			4.1	U		
P	Endosulfan I	UG/KG			2.1	U		
P	Endosulfan II	UG/KG			4.1	U		
P	Endosulfan sulfate	UG/KG			4.1	U		
P	Endrin	UG/KG			4.1	U		
P	Endrin aldehyde	UG/KG			4.1	U		
P	Endrin ketone	UG/KG			4.1	U		
P	Heptachlor	UG/KG			2.1	U		
P	Heptachlor epoxide	UG/KG			2.1	U		

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	691SMW442		691SMW449		693SMW352	
			LAB SAMPLE ID--->	82898		82901		82835	
			RECEIPT DATE---->	.		06/08/93		.	
	PARAMETER	UNITS							
P	Methoxychlor	UG/KG				21	U		
P	Toxaphene	UG/KG				210	U		
P	alpha-BHC	UG/KG				2.1	U		
P	alpha-Chlordane	UG/KG				2.1	U		
P	beta-BHC	UG/KG				2.1	U		
P	delta-BHC	UG/KG				2.1	U		
P	gamma-BHC (Lindane)	UG/KG				2.1	U		
P	gamma-Chlordane	UG/KG				2.1	U		
S	1,2,4-Trichlorobenzene	UG/KG	2000	U	410	U	420	U	
S	1,2-Dichlorobenzene	UG/KG	2000	U	410	U	420	U	
S	1,3-Dichlorobenzene	UG/KG	2000	U	410	U	420	U	
S	1,4-Dichlorobenzene	UG/KG	2000	U	410	U	420	U	
S	2,4,5-Trichlorophenol	UG/KG	4800	U	980	U	1000	U	
S	2,4,6-Trichlorophenol	UG/KG	2000	U	410	U	420	U	
S	2,4-Dichlorophenol	UG/KG	2000	U	410	U	420	U	
S	2,4-Dimethylphenol	UG/KG	2000	U	410	U	420	U	
S	2,4-Dinitrophenol	UG/KG	4800	U	980	U	1000	U	
S	2,4-Dinitrotoluene	UG/KG	2000	U	410	U	420	U	
	2,6-Dinitrotoluene	UG/KG	2000	U	410	U	420	U	
	2-Chloronaphthalene	UG/KG	2000	U	410	U	420	U	
S	2-Chlorophenol	UG/KG	2000	U	410	U	420	U	
S	2-Methylnaphthalene	UG/KG	660	J	410	U	420	U	
S	2-Methylphenol	UG/KG	2000	U	410	U	420	U	
S	2-Nitroaniline	UG/KG	4800	U	980	U	1000	U	
S	2-Nitrophenol	UG/KG	2000	U	410	U	420	U	
S	3,3'-Dichlorobenzidine	UG/KG	2000	U	410	U	420	U	
S	3-Nitroaniline	UG/KG	4800	U	980	U	1000	U	
S	4,6-Dinitro-2-methylphenol	UG/KG	4800	U	980	U	1000	U	
S	4-Bromophenyl-phenylether	UG/KG	2000	U	410	U	420	U	
S	4-Chloro-3-methylphenol	UG/KG	2000	U	410	U	420	U	
S	4-Chloroaniline	UG/KG	2000	U	410	U	420	U	
S	4-Chlorophenyl-phenylether	UG/KG	2000	U	410	U	420	U	
S	4-Methylphenol	UG/KG	2000	U	410	U	420	U	
S	4-Nitroaniline	UG/KG	4800	U	980	U	1000	U	
S	4-Nitrophenol	UG/KG	4800	U	980	U	1000	U	
S	Acenaphthene	UG/KG	2000	U	410	U	420	U	
S	Acenaphthylene	UG/KG	2000	U	410	U	420	U	
S	Anthracene	UG/KG	2000	U	410	U	420	U	
S	Benzo(a)anthracene	UG/KG	2000	U	410	U	420	U	
S	Benzo(a)pyrene	UG/KG	2000	U	410	U	420	U	
S	Benzo(b)fluoranthene	UG/KG	2000	U	410	U	420	U	
S	Benzo(g,h,i)perylene	UG/KG	2000	U	410	U	420	U	
S	Benzo(k)fluoranthene	UG/KG	2000	U	410	U	420	U	
S	Butylbenzylphthalate	UG/KG	2000	U	410	U	420	U	
	Carbazole	UG/KG	2000	U	410	U	420	U	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW442 LAB SAMPLE ID---> 82898 RECEIPT DATE----> 06/08/93		691SMW449 82901 06/08/93		693SMW352 82835 06/05/93	
S	Chrysene	UG/KG	2000	U	410	U	420	U
S	Di-n-butylphthalate	UG/KG	2000	U	410	U	420	U
S	Di-n-octylphthalate	UG/KG	2000	U	410	U	420	U
S	Dibenz(a,h)anthracene	UG/KG	2000	U	410	U	420	U
S	Dibenzofuran	UG/KG	2000	U	410	U	420	U
S	Diethylphthalate	UG/KG	2000	U	410	U	420	U
S	Dimethylphthalate	UG/KG	2000	U	410	U	420	U
S	Fluoranthene	UG/KG	2000	U	410	U	420	U
S	Fluorene	UG/KG	2000	U	410	U	420	U
S	Hexachlorobenzene	UG/KG	2000	U	410	U	420	U
S	Hexachlorobutadiene	UG/KG	2000	U	410	U	420	U
S	Hexachlorocyclopentadiene	UG/KG	2000	U	410	U	420	U
S	Hexachloroethane	UG/KG	2000	U	410	U	420	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	2000	U	410	U	420	U
S	Isophorone	UG/KG	2000	U	410	U	420	U
S	N-Nitroso-di-n-propylamine	UG/KG	2000	U	410	U	420	U
S	N-Nitrosodiphenylamine	UG/KG	2000	U	410	U	420	U
S	Naphthalene	UG/KG	2000	U	410	U	420	U
S	Nitrobenzene	UG/KG	2000	U	410	U	420	U
S	Pentachlorophenol	UG/KG	4800	U	980	U	1000	U
S	Phenanthrene	UG/KG	2000	U	410	U	420	U
S	Phenol	UG/KG	2000	U	410	U	420	U
S	Pyrene	UG/KG	250	J	410	U	420	U
S	bis(2-Chloroethoxy)methane	UG/KG	2000	U	410	U	420	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	360	U	130	U	98	U
S	bis(2-chloroethyl)ether	UG/KG	2000	U	410	U	420	U
S	bis(2-chloroisopropyl)ether	UG/KG	2000	U	410	U	420	U
V	1,1,1-Trichloroethane	UG/KG	58	U	12	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG	58	U	12	U	12	U
V	1,1,2-Trichloroethane	UG/KG	58	U	12	U	12	U
V	1,1-Dichloroethane	UG/KG	58	U	12	U	12	U
V	1,1-Dichloroethene	UG/KG	58	U	12	U	12	U
V	1,2-Dichloroethane	UG/KG	58	U	12	U	12	U
V	1,2-Dichloroethene (total)	UG/KG	58	U	12	U	12	U
V	1,2-Dichloropropane	UG/KG	58	U	12	U	12	U
V	2-Butanone	UG/KG	58	U	8	U	120	
V	2-Hexanone	UG/KG	58	U	12	U	12	U
V	4-Methyl-2-Pentanone	UG/KG	58	U	12	U	12	U
V	Acetone	UG/KG	37	U	240	U	57	U
V	Benzene	UG/KG	58	U	12	U	12	U
V	Bromodichloromethane	UG/KG	58	U	12	U	12	U
V	Bromoform	UG/KG	58	U	12	U	12	U
V	Bromomethane	UG/KG	58	U	12	U	12	U
V	Carbon Disulfide	UG/KG	58	U	12	U	12	U
V	Carbon Tetrachloride	UG/KG	58	U	12	U	12	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691SMW442		691SMW449		693SMW352	
	LAB SAMPLE ID--->		82898		82901		82835	
	RECEIPT DATE---->		06/08/93		06/08/93		06/05/93	
V	Chlorobenzene	UG/KG	310		12	U	12	U
V	Chloroethane	UG/KG	58	U	12	U	12	U
V	Chloroform	UG/KG	58	U	12	U	12	U
V	Chloromethane	UG/KG	58	U	12	U	12	U
V	Dibromochloromethane	UG/KG	58	U	12	U	12	U
V	Ethylbenzene	UG/KG	14	J	12	U	12	U
V	Methylene Chloride	UG/KG	7	U	3	U	3	U
V	Styrene	UG/KG	58	U	12	U	12	U
V	Tetrachloroethene	UG/KG	58	U	12	U	12	U
V	Toluene	UG/KG	16	J	12	U	12	U
V	Trichloroethene	UG/KG	58	U	12	U	12	U
V	Vinyl Chloride	UG/KG	58	U	12	U	12	U
V	Xylene (total)	UG/KG	56	J	12	U	12	U
V	cis-1,3-Dichloropropene	UG/KG	58	U	12	U	12	U
V	trans-1,3-Dichloropropene	UG/KG	58	U	12	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW353		693SMW372		693SMW382	
			LAB SAMPLE ID---> 82836		83295		83296	
			RECEIPT DATE----> 06/05/93		06/11/93		06/11/93	
I	Aluminum	MG/KG	2810		297	J	349	J
I	Antimony	MG/KG	11.2	U	11.4	U	11.1	U
I	Arsenic	MG/KG	0.62	U	2.7		0.49	U
I	Barium	MG/KG	47.8	J	1.2	J	3.7	J
I	Beryllium	MG/KG	0.35	J	0.25	U	0.25	U
I	Cadmium	MG/KG	0.75	U	0.76	U	0.74	U
I	Calcium	MG/KG	1180	J	145	J	344	J
I	Chromium	MG/KG	2.8	J	1.3	U	1.2	U
I	Cobalt	MG/KG	2	U	2	U	2	U
I	Copper	MG/KG	2.6	J	0.76	U	0.74	U
I	Cyanide	MG/KG						
I	Iron	MG/KG	1520		73.7	J	533	J
I	Lead	MG/KG	3		1.2	U	1.4	U
I	Magnesium	MG/KG	551	J	26.1	U	53.8	U
I	Manganese	MG/KG	5		0.46	J	2.9	J
I	Mercury	MG/KG	0.12	U	0.13	U	0.12	U
I	Nickel	MG/KG	5	U	5.1	U	4.9	U
I	Potassium	MG/KG	707	J	88.5	U	224	J
I	Selenium	MG/KG	0.26	J	0.25	U	0.25	U
I	Silver	MG/KG	1.7	U	1.8	U	1.7	U
I	Sodium	MG/KG	256	J	43.5	U	55.5	U
I	Thallium	MG/KG	0.5	U	0.51	U	0.49	U
I	Vanadium	MG/KG	6.5	J	0.77	J	1.7	J
I	Zinc	MG/KG	6.7	U	1.5	J	3.9	J
P	4,4'-DDD	UG/KG			4.3	U	4.1	U
P	4,4'-DDE	UG/KG			4.3	U	4.1	U
P	4,4'-DDT	UG/KG			4.3	U	4.1	U
P	Aldrin	UG/KG			2.2	U	2.1	U
P	Aroclor 1016	UG/KG	39	U	43	U	41	U
P	Aroclor 1221	UG/KG	80	U	87	U	84	U
P	Aroclor 1232	UG/KG	39	U	43	U	41	U
P	Aroclor 1242	UG/KG	39	U	43	U	41	U
P	Aroclor 1248	UG/KG	39	U	43	U	41	U
P	Aroclor 1254	UG/KG	39	U	43	U	41	U
P	Aroclor 1260	UG/KG	39	U	43	U	41	U
P	Dieldrin	UG/KG			4.3	U	4.1	U
P	Endosulfan I	UG/KG			2.2	U	2.1	U
P	Endosulfan II	UG/KG			4.3	U	4.1	U
P	Endosulfan sulfate	UG/KG			4.3	U	4.1	U
P	Endrin	UG/KG			4.3	U	4.1	U
P	Endrin aldehyde	UG/KG			4.3	U	4.1	U
P	Endrin ketone	UG/KG			4.3	U	4.1	U
P	Heptachlor	UG/KG			2.2	U	2.1	U
P	Heptachlor epoxide	UG/KG			2.2	U	2.1	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW353		693SMW372		693SMW382	
	LAB SAMPLE ID--->		82836		83295		83296	
	RECEIPT DATE---->				06/11/93		06/11/93	
P	Methoxychlor	UG/KG			22	U	21	U
P	Toxaphene	UG/KG			220	U	210	U
P	alpha-BHC	UG/KG			2.2	U	2.1	U
P	alpha-Chlordane	UG/KG			2.2	U	2.1	U
P	beta-BHC	UG/KG			2.2	U	2.1	U
P	delta-BHC	UG/KG			2.2	U	2.1	U
P	gamma-BHC (Lindane)	UG/KG			2.2	U	2.1	U
P	gamma-Chlordane	UG/KG			2.2	U	2.1	U
S	1,2,4-Trichlorobenzene	UG/KG	400	U	400	U	380	U
S	1,2-Dichlorobenzene	UG/KG	400	U	400	U	380	U
S	1,3-Dichlorobenzene	UG/KG	400	U	400	U	380	U
S	1,4-Dichlorobenzene	UG/KG	400	U	400	U	380	U
S	2,4,5-Trichlorophenol	UG/KG	960	U	960	U	910	U
S	2,4,6-Trichlorophenol	UG/KG	400	U	400	U	380	U
S	2,4-Dichlorophenol	UG/KG	400	U	400	U	380	U
S	2,4-Dimethylphenol	UG/KG	400	U	400	U	380	U
S	2,4-Dinitrophenol	UG/KG	960	U	960	U	910	U
S	2,4-Dinitrotoluene	UG/KG	400	U	400	U	380	U
	2,6-Dinitrotoluene	UG/KG	400	U	400	U	380	U
	2-Chloronaphthalene	UG/KG	400	U	400	U	380	U
S	2-Chlorophenol	UG/KG	400	U	400	U	380	U
S	2-Methylnaphthalene	UG/KG	400	U	400	U	380	U
S	2-Methylphenol	UG/KG	400	U	400	U	380	U
S	2-Nitroaniline	UG/KG	960	U	960	U	910	U
S	2-Nitrophenol	UG/KG	400	U	400	U	380	U
S	3,3'-Dichlorobenzidine	UG/KG	400	U	400	U	380	U
S	3-Nitroaniline	UG/KG	960	U	960	U	910	U
S	4,6-Dinitro-2-methylphenol	UG/KG	960	U	960	U	910	U
S	4-Bromophenyl-phenylether	UG/KG	400	U	400	U	380	U
S	4-Chloro-3-methylphenol	UG/KG	400	U	400	U	380	U
S	4-Chloroaniline	UG/KG	400	U	400	U	380	U
S	4-Chlorophenyl-phenylether	UG/KG	400	U	400	U	380	U
S	4-Methylphenol	UG/KG	400	U	400	U	380	U
S	4-Nitroaniline	UG/KG	960	U	960	U	910	U
S	4-Nitrophenol	UG/KG	960	U	960	U	910	U
S	Acenaphthene	UG/KG	400	U	400	U	380	U
S	Acenaphthylene	UG/KG	400	U	400	U	380	U
S	Anthracene	UG/KG	400	U	400	U	380	U
S	Benzo(a)anthracene	UG/KG	400	U	400	U	380	U
S	Benzo(a)pyrene	UG/KG	400	U	400	U	380	U
S	Benzo(b)fluoranthene	UG/KG	400	U	400	U	380	U
S	Benzo(g,h,i)perylene	UG/KG	400	U	400	U	380	U
S	Benzo(k)fluoranthene	UG/KG	400	U	400	U	380	U
S	Butylbenzylphthalate	UG/KG	400	U	400	U	380	U
	Carbazole	UG/KG	400	U	400	U	380	U

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	693SMW353		693SMW372		693SMW382	
			LAB SAMPLE ID--->	82836		83295		83296	
			RECEIPT DATE---->	06/05/93		06/11/93		06/11/93	
	PARAMETER	UNITS							
S	Chrysene	UG/KG		400	U	400	U	380	U
S	Di-n-butylphthalate	UG/KG		400	U	400	U	380	U
S	Di-n-octylphthalate	UG/KG		400	U	400	U	380	U
S	Dibenz(a,h)anthracene	UG/KG		400	U	400	U	380	U
S	Dibenzofuran	UG/KG		400	U	400	U	380	U
S	Diethylphthalate	UG/KG		400	U	400	U	380	U
S	Dimethylphthalate	UG/KG		400	U	400	U	380	U
S	Fluoranthene	UG/KG		400	U	400	U	380	U
S	Fluorene	UG/KG		400	U	400	U	380	U
S	Hexachlorobenzene	UG/KG		400	U	400	U	380	U
S	Hexachlorobutadiene	UG/KG		400	U	400	U	380	U
S	Hexachlorocyclopentadiene	UG/KG		400	U	400	U	380	U
S	Hexachloroethane	UG/KG		400	U	400	U	380	U
S	Indeno(1,2,3-cd)pyrene	UG/KG		400	U	400	U	380	U
S	Isophorone	UG/KG		400	U	400	U	380	U
S	N-Nitroso-di-n-propylamine	UG/KG		400	U	400	U	380	U
S	N-Nitrosodiphenylamine	UG/KG		400	U	400	U	380	U
S	Naphthalene	UG/KG		400	U	400	U	380	U
S	Nitrobenzene	UG/KG		400	U	400	U	380	U
S	Pentachlorophenol	UG/KG		960	U	960	U	910	U
S	Phenanthrene	UG/KG		400	U	400	U	380	U
S	Phenol	UG/KG		400	U	400	U	380	U
S	Pyrene	UG/KG		400	U	400	U	380	U
S	bis(2-Chloroethoxy)methane	UG/KG		400	U	400	U	380	U
S	bis(2-Ethlyhexy)phthalate	UG/KG		48	U	110	U	130	U
S	bis(2-chloroethyl)ether	UG/KG		400	U	400	U	380	U
S	bis(2-chloroisopropyl)ether	UG/KG		400	U	400	U	380	U
V	1,1,1-Trichloroethane	UG/KG		12	U	13	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG		12	U	13	U	12	U
V	1,1,2-Trichloroethane	UG/KG		12	U	13	U	12	U
V	1,1-Dichloroethane	UG/KG		12	U	13	U	12	U
V	1,1-Dichloroethene	UG/KG		12	U	13	U	12	U
V	1,2-Dichloroethane	UG/KG		12	U	13	U	12	U
V	1,2-Dichloroethene (total)	UG/KG		12	U	13	U	12	U
V	1,2-Dichloropropane	UG/KG		12	U	13	U	12	U
V	2-Butanone	UG/KG		1	J	5	J	12	U
V	2-Hexanone	UG/KG		12	U	13	U	12	U
V	4-Methyl-2-Pentanone	UG/KG		12	U	13	U	12	U
V	Acetone	UG/KG		32	U	27	U	21	U
V	Benzene	UG/KG		1	U	13	U	12	U
V	Bromodichloromethane	UG/KG		12	U	13	U	12	U
V	Bromoform	UG/KG		12	U	13	U	12	U
V	Bromomethane	UG/KG		12	U	13	U	12	U
V	Carbon Disulfide	UG/KG		12	U	13	U	12	U
V	Carbon Tetrachloride	UG/KG		12	U	13	U	12	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW353 LAB SAMPLE ID---> 82836 RECEIPT DATE----> 06/05/93		693SMW372 83295 06/11/93		693SMW382 83296 06/11/93	
V	Chlorobenzene	UG/KG	12	U	13	U	12	U
V	Chloroethane	UG/KG	12	U	13	U	12	U
V	Chloroform	UG/KG	12	U	13	U	12	U
V	Chloromethane	UG/KG	12	U	13	U	12	U
V	Dibromochloromethane	UG/KG	12	U	13	U	12	U
V	Ethylbenzene	UG/KG	12	U	13	U	12	U
V	Methylene Chloride	UG/KG	2	U	3	U	12	U
V	Styrene	UG/KG	12	U	13	U	12	U
V	Tetrachloroethene	UG/KG	12	U	13	U	12	U
V	Toluene	UG/KG	12	U	3	J	12	U
V	Trichloroethene	UG/KG	12	U	13	U	12	U
V	Vinyl Chloride	UG/KG	12	U	13	U	12	U
V	Xylene (total)	UG/KG	12	U	3	J	12	U
V	cis-1,3-Dichloropropene	UG/KG	12	U	13	U	12	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	13	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW392		693SMW394		693SMW402	
	LAB SAMPLE ID--->		82830		82831		82903	
	RECEIPT DATE---->		06/05/93		06/05/93		06/08/93	
I	Aluminum	MG/KG	355		5090		438	J
I	Antimony	MG/KG	11	U	10.4	U	10.9	U
I	Arsenic	MG/KG	0.49	U	0.46	U	0.49	U
I	Barium	MG/KG	2.2	J	16.9	J	3.5	J
I	Beryllium	MG/KG	0.25	U	0.51	J	0.24	U
I	Cadmium	MG/KG	0.74	U	1	J	0.73	U
I	Calcium	MG/KG	126	J	2410		1870	
I	Chromium	MG/KG	2.5	J	5.9	J	1.4	J
I	Cobalt	MG/KG	2	U	4.4	J	1.9	U
I	Copper	MG/KG	1.3	J	5.5	J	1.4	J
I	Cyanide	MG/KG						
I	Iron	MG/KG	173		2810		261	J
I	Lead	MG/KG	0.74		8.6		0.72	U
I	Magnesium	MG/KG	27.8	J	1060	J	51.1	U
I	Manganese	MG/KG	1.3	J	15.7		3.1	J
I	Mercury	MG/KG	0.12	U	0.12	U	0.12	U
I	Nickel	MG/KG	4.9	U	4.6	U	4.9	U
I	Potassium	MG/KG	85.9	U	1280		85	U
I	Selenium	MG/KG	0.25	U	0.36	J	0.24	U
I	Silver	MG/KG	1.7	U	1.6	U	1.7	U
I	Sodium	MG/KG	41.2	U	299	J	51.8	U
I	Thallium	MG/KG	0.49	U	0.46	U	0.49	U
I	Vanadium	MG/KG	0.84	J	6.6	J	0.8	J
I	Zinc	MG/KG	1.6	U	242	J	3.8	J
P	4,4'-DDD	UG/KG					4	U
P	4,4'-DDE	UG/KG					4	U
P	4,4'-DDT	UG/KG					4	U
P	Aldrin	UG/KG					2.1	U
P	Aroclor 1016	UG/KG	40	U	40	U	40	U
P	Aroclor 1221	UG/KG	81	U	81	U	82	U
P	Aroclor 1232	UG/KG	40	U	40	U	40	U
P	Aroclor 1242	UG/KG	40	U	40	U	40	U
P	Aroclor 1248	UG/KG	40	U	40	U	40	U
P	Aroclor 1254	UG/KG	40	U	40	U	40	U
P	Aroclor 1260	UG/KG	40	U	40	U	40	U
P	Dieldrin	UG/KG					4	U
P	Endosulfan I	UG/KG					2.1	U
P	Endosulfan II	UG/KG					4	U
P	Endosulfan sulfate	UG/KG					4	U
P	Endrin	UG/KG					4	U
P	Endrin aldehyde	UG/KG					4	U
P	Endrin ketone	UG/KG					4	U
P	Heptachlor	UG/KG					2.1	U
P	Heptachlor epoxide	UG/KG					2.1	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW392		SAMPLE ID ------> 693SMW394		SAMPLE ID ------> 693SMW402	
	LAB SAMPLE ID--->		82830		82831		82903	
	RECEIPT DATE---->		.		.		06/08/93	
P	Methoxychlor	UG/KG					21	U
P	Toxaphene	UG/KG					210	U
P	alpha-BHC	UG/KG					2.1	U
P	alpha-Chlordane	UG/KG					2.1	U
P	beta-BHC	UG/KG					2.1	U
P	delta-BHC	UG/KG					2.1	U
P	gamma-BHC (Lindane)	UG/KG					2.1	U
P	gamma-Chlordane	UG/KG					2.1	U
S	1,2,4-Trichlorobenzene	UG/KG	420	U	420	U	400	U
S	1,2-Dichlorobenzene	UG/KG	420	U	420	U	400	U
S	1,3-Dichlorobenzene	UG/KG	420	U	420	U	400	U
S	1,4-Dichlorobenzene	UG/KG	420	U	420	U	400	U
S	2,4,5-Trichlorophenol	UG/KG	1000	U	1000	U	970	U
S	2,4,6-Trichlorophenol	UG/KG	420	U	420	U	400	U
S	2,4-Dichlorophenol	UG/KG	420	U	420	U	400	U
S	2,4-Dimethylphenol	UG/KG	420	U	420	U	400	U
S	2,4-Dinitrophenol	UG/KG	1000	U	1000	U	970	U
S	2,4-Dinitrotoluene	UG/KG	420	U	420	U	400	U
	2,6-Dinitrotoluene	UG/KG	420	U	420	U	400	U
	2-Chloronaphthalene	UG/KG	420	U	420	U	400	U
S	2-Chlorophenol	UG/KG	420	U	420	U	400	U
S	2-Methylnaphthalene	UG/KG	420	U	420	U	400	U
S	2-Methylphenol	UG/KG	420	U	420	U	400	U
S	2-Nitroaniline	UG/KG	1000	U	1000	U	970	U
S	2-Nitrophenol	UG/KG	420	U	420	U	400	U
S	3,3'-Dichlorobenzidine	UG/KG	420	U	420	U	400	U
S	3-Nitroaniline	UG/KG	1000	U	1000	U	970	U
S	4,6-Dinitro-2-methylphenol	UG/KG	1000	U	1000	U	970	U
S	4-Bromophenyl-phenylether	UG/KG	420	U	420	U	400	U
S	4-Chloro-3-methylphenol	UG/KG	420	U	420	U	400	U
S	4-Chloroaniline	UG/KG	420	U	420	U	400	U
S	4-Chlorophenyl-phenylether	UG/KG	420	U	420	U	400	U
S	4-Methylphenol	UG/KG	420	U	420	U	400	U
S	4-Nitroaniline	UG/KG	1000	U	1000	U	970	U
S	4-Nitrophenol	UG/KG	1000	U	1000	U	970	U
S	Acenaphthene	UG/KG	420	U	420	U	400	U
S	Acenaphthylene	UG/KG	420	U	420	U	400	U
S	Anthracene	UG/KG	420	U	420	U	400	U
S	Benzo(a)anthracene	UG/KG	420	U	420	U	400	U
S	Benzo(a)pyrene	UG/KG	420	U	420	U	400	U
S	Benzo(b)fluoranthene	UG/KG	420	U	420	U	400	U
S	Benzo(g,h,i)perylene	UG/KG	420	U	420	U	400	U
S	Benzo(k)fluoranthene	UG/KG	420	U	420	U	400	U
S	Butylbenzylphthalate	UG/KG	420	U	420	U	400	U
	Carbazole	UG/KG	420	U	420	U	400	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW392		693SMW394		693SMW402	
			LAB SAMPLE ID---> 82830		82831		82903	
			RECEIPT DATE----> 06/05/93		06/05/93		06/08/93	
S	Chrysene	UG/KG	420	U	420	U	400	U
S	Di-n-butylphthalate	UG/KG	420	U	420	U	400	U
S	Di-n-octylphthalate	UG/KG	420	U	420	U	400	U
S	Dibenz(a,h)anthracene	UG/KG	420	U	420	U	400	U
S	Dibenzofuran	UG/KG	420	U	420	U	400	U
S	Diethylphthalate	UG/KG	420	U	420	U	400	U
S	Dimethylphthalate	UG/KG	420	U	420	U	400	U
S	Fluoranthene	UG/KG	420	U	420	U	400	U
S	Fluorene	UG/KG	420	U	420	U	400	U
S	Hexachlorobenzene	UG/KG	420	U	420	U	400	U
S	Hexachlorobutadiene	UG/KG	420	U	420	U	400	U
S	Hexachlorocyclopentadiene	UG/KG	420	U	420	U	400	U
S	Hexachloroethane	UG/KG	420	U	420	U	400	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	420	U	420	U	400	U
S	Isophorone	UG/KG	420	U	420	U	400	U
S	N-Nitroso-di-n-propylamine	UG/KG	420	U	420	U	400	U
S	N-Nitrosodiphenylamine	UG/KG	420	U	420	U	400	U
S	Naphthalene	UG/KG	420	U	420	U	400	U
S	Nitrobenzene	UG/KG	420	U	420	U	400	U
S	Pentachlorophenol	UG/KG	1000	U	1000	U	970	U
S	Phenanthrene	UG/KG	420	U	420	U	400	U
S	Phenol	UG/KG	420	U	420	U	400	U
S	Pyrene	UG/KG	420	U	420	U	400	U
S	bis(2-Chloroethoxy)methane	UG/KG	420	U	420	U	400	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	99	U	130	U	120	U
S	bis(2-chloroethyl)ether	UG/KG	420	U	420	U	400	U
S	bis(2-chloroisopropyl)ether	UG/KG	420	U	420	U	400	U
V	1,1,1-Trichloroethane	UG/KG	12	U	12	U	61	U
V	1,1,2,2-Tetrachloroethane	UG/KG	12	U	12	U	61	U
V	1,1,2-Trichloroethane	UG/KG	12	U	12	U	61	U
V	1,1-Dichloroethane	UG/KG	12	U	12	U	61	U
V	1,1-Dichloroethene	UG/KG	12	U	12	U	61	U
V	1,2-Dichloroethane	UG/KG	12	U	12	U	61	U
V	1,2-Dichloroethene (total)	UG/KG	12	U	12	U	61	U
V	1,2-Dichloropropane	UG/KG	12	U	12	U	61	U
V	2-Butanone	UG/KG	12	U	12	U	61	U
V	2-Hexanone	UG/KG	12	U	12	U	61	U
V	4-Methyl-2-Pentanone	UG/KG	12	U	12	U	61	U
V	Acetone	UG/KG	12	U	43	U	260	U
V	Benzene	UG/KG	12	U	12	U	61	U
V	Bromodichloromethane	UG/KG	12	U	12	U	61	U
V	Bromoform	UG/KG	12	U	12	U	61	U
V	Bromomethane	UG/KG	12	U	12	U	61	U
V	Carbon Disulfide	UG/KG	12	U	12	U	61	U
V	Carbon Tetrachloride	UG/KG	12	U	12	U	61	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW392		693SMW394		693SMW402	
	LAB SAMPLE ID--->		82830		82831		82903	
	RECEIPT DATE---->		06/05/03		06/05/93		06/08/93	
V	Chlorobenzene	UG/KG	12	U	12	U	61	U
V	Chloroethane	UG/KG	12	U	12	U	61	U
V	Chloroform	UG/KG	12	U	12	U	61	U
V	Chloromethane	UG/KG	12	U	12	U	61	U
V	Dibromochloromethane	UG/KG	12	U	12	U	61	U
V	Ethylbenzene	UG/KG	12	U	12	U	61	U
V	Methylene Chloride	UG/KG	3	U	12	U	21	U
V	Styrene	UG/KG	12	U	12	U	61	U
V	Tetrachloroethene	UG/KG	12	U	12	U	61	U
V	Toluene	UG/KG	12	U	12	U	61	U
V	Trichloroethene	UG/KG	12	U	12	U	61	U
V	Vinyl Chloride	UG/KG	12	U	12	U	61	U
V	Xylene (total)	UG/KG	12	U	12	U	61	U
V	cis-1,3-Dichloropropene	UG/KG	12	U	12	U	61	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	12	U	61	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW406		SAMPLE ID ------> 693SMW4110		SAMPLE ID ------> 693SMW411UDL
	LAB SAMPLE ID--->		82904		82841		82841DL
	RECEIPT DATE---->		06/08/93		06/05/93		06/05/93
I	Aluminum	MG/KG	1630	J	2590		
I	Antimony	MG/KG	11.1	U	10.8	U	
I	Arsenic	MG/KG	0.49	U	0.68	U	
I	Barium	MG/KG	10	J	11.8	J	
I	Beryllium	MG/KG	0.25	U	0.24	U	
I	Cadmium	MG/KG	0.74	U	0.72	U	
I	Calcium	MG/KG	424	J	317	J	
I	Chromium	MG/KG	1.3	J	3.7	J	
I	Cobalt	MG/KG	2	U	1.9	U	
I	Copper	MG/KG	0.99	J	2	J	
I	Cyanide	MG/KG					
I	Iron	MG/KG	498	J	1080		
I	Lead	MG/KG	1.6	U	2.2		
I	Magnesium	MG/KG	213	J	265	J	
I	Manganese	MG/KG	2.2	J	4.5		
I	Mercury	MG/KG	0.12	U	0.12	U	
I	Nickel	MG/KG	4.9	U	4.8	U	
I	Potassium	MG/KG	219	U	325	J	
I	Selenium	MG/KG	0.25	U	0.24	U	
I	Silver	MG/KG	1.7	U	1.7	U	
I	Sodium	MG/KG	96.1	U	89.5	U	
I	Thallium	MG/KG	0.49	U	0.48	U	
I	Vanadium	MG/KG	2.7	J	3.6	J	
I	Zinc	MG/KG	5.6		6.4	U	
P	4,4'-DDD	UG/KG	4.1	U			
P	4,4'-DDE	UG/KG	4.1	U			
P	4,4'-DDT	UG/KG	4.1	U			
P	Aldrin	UG/KG	2.1	U			
P	Aroclor 1016	UG/KG	41	U	40	U	
P	Aroclor 1221	UG/KG	83	U	80	U	
P	Aroclor 1232	UG/KG	41	U	40	U	
P	Aroclor 1242	UG/KG	41	U	40	U	
P	Aroclor 1248	UG/KG	41	U	40	U	
P	Aroclor 1254	UG/KG	41	U	40	U	
P	Aroclor 1260	UG/KG	41	U	40	U	
P	Dieldrin	UG/KG	4.1	U			
P	Endosulfan I	UG/KG	2.1	U			
P	Endosulfan II	UG/KG	4.1	U			
P	Endosulfan sulfate	UG/KG	4.1	U			
P	Endrin	UG/KG	4.1	U			
P	Endrin aldehyde	UG/KG	4.1	U			
P	Endrin ketone	UG/KG	4.1	U			
P	Heptachlor	UG/KG	2.1	U			
P	Heptachlor epoxide	UG/KG	2.1	U			

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW406		693SMW4110		693SMW4110DL	
	LAB SAMPLE ID--->		82904		82841		82841DL	
	RECEIPT DATE---->		06/08/93					
P	Methoxychlor	UG/KG	21	U				
P	Toxaphene	UG/KG	210	U				
P	alpha-BHC	UG/KG	2.1	U				
P	alpha-Chlordane	UG/KG	2.1	U				
P	beta-BHC	UG/KG	2.1	U				
P	delta-BHC	UG/KG	2.1	U				
P	gamma-BHC (Lindane)	UG/KG	2.1	U				
P	gamma-Chlordane	UG/KG	2.1	U				
S	1,2,4-Trichlorobenzene	UG/KG	400	U	400	U		
S	1,2-Dichlorobenzene	UG/KG	400	U	400	U		
S	1,3-Dichlorobenzene	UG/KG	400	U	400	U		
S	1,4-Dichlorobenzene	UG/KG	400	U	400	U		
S	2,4,5-Trichlorophenol	UG/KG	970	U	960	U		
S	2,4,6-Trichlorophenol	UG/KG	400	U	400	U		
S	2,4-Dichlorophenol	UG/KG	400	U	400	U		
S	2,4-Dimethylphenol	UG/KG	400	U	400	U		
S	2,4-Dinitrophenol	UG/KG	970	U	960	U		
S	2,4-Dinitrotoluene	UG/KG	400	U	400	U		
	2,6-Dinitrotoluene	UG/KG	400	U	400	U		
	2-Chloronaphthalene	UG/KG	400	U	400	U		
S	2-Chlorophenol	UG/KG	400	U	400	U		
S	2-Methylnaphthalene	UG/KG	400	U	400	U		
S	2-Methylphenol	UG/KG	400	U	400	U		
S	2-Nitroaniline	UG/KG	970	U	960	U		
S	2-Nitrophenol	UG/KG	400	U	400	U		
S	3,3'-Dichlorobenzidine	UG/KG	400	U	400	U		
S	3-Nitroaniline	UG/KG	970	U	960	U		
S	4,6-Dinitro-2-methylphenol	UG/KG	970	U	960	U		
S	4-Bromophenyl-phenylether	UG/KG	400	U	400	U		
S	4-Chloro-3-methylphenol	UG/KG	400	U	400	U		
S	4-Chloroaniline	UG/KG	400	U	400	U		
S	4-Chlorophenyl-phenylether	UG/KG	400	U	400	U		
S	4-Methylphenol	UG/KG	400	U	400	U		
S	4-Nitroaniline	UG/KG	970	U	960	U		
S	4-Nitrophenol	UG/KG	970	U	960	U		
S	Acenaphthene	UG/KG	400	U	400	U		
S	Acenaphthylene	UG/KG	400	U	400	U		
S	Anthracene	UG/KG	400	U	400	U		
S	Benzo(a)anthracene	UG/KG	400	U	400	U		
S	Benzo(a)pyrene	UG/KG	400	U	400	U		
S	Benzo(b)fluoranthene	UG/KG	400	U	400	U		
S	Benzo(g,h,i)perylene	UG/KG	400	U	400	U		
S	Benzo(k)fluoranthene	UG/KG	400	U	400	U		
S	Butylbenzylphthalate	UG/KG	400	U	400	U		
	Carbazole	UG/KG	400	U	400	U		

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW406		693SMW4110		693SMW4110DL	
	LAB SAMPLE ID--->		82904		82841		82841DL	
	RECEIPT DATE---->		06/08/93		06/05/93			
S	Chrysene	UG/KG	400	U	400	U		
S	Di-n-butylphthalate	UG/KG	400	U	400	U		
S	Di-n-octylphthalate	UG/KG	400	U	400	U		
S	Dibenz(a,h)anthracene	UG/KG	400	U	400	U		
S	Dibenzofuran	UG/KG	400	U	400	U		
S	Diethylphthalate	UG/KG	400	U	400	U		
S	Dimethylphthalate	UG/KG	400	U	400	U		
S	Fluoranthene	UG/KG	400	U	400	U		
S	Fluorene	UG/KG	400	U	400	U		
S	Hexachlorobenzene	UG/KG	400	U	400	U		
S	Hexachlorobutadiene	UG/KG	400	U	400	U		
S	Hexachlorocyclopentadiene	UG/KG	400	U	400	U		
S	Hexachloroethane	UG/KG	400	U	400	U		
S	Indeno(1,2,3-cd)pyrene	UG/KG	400	U	400	U		
S	Isophorone	UG/KG	400	U	400	U		
S	N-Nitroso-di-n-propylamine	UG/KG	400	U	400	U		
S	N-Nitrosodiphenylamine	UG/KG	400	U	400	U		
S	Naphthalene	UG/KG	400	U	400	U		
S	Nitrobenzene	UG/KG	400	U	400	U		
S	Pentachlorophenol	UG/KG	970	U	960	U		
S	Phenanthrene	UG/KG	400	U	400	U		
S	Phenol	UG/KG	400	U	400	U		
S	Pyrene	UG/KG	400	U	400	U		
S	bis(2-Chloroethoxy)methane	UG/KG	400	U	400	U		
S	bis(2-Ethlyhexy)phthalate	UG/KG	400	U	95	U		
S	bis(2-chloroethyl)ether	UG/KG	400	U	400	U		
S	bis(2-chloroisopropyl)ether	UG/KG	400	U	400	U		
V	1,1,1-Trichloroethane	UG/L	13	U	12	U	1500	U
V	1,1,2,2-Tetrachloroethane	UG/L	13	U	12	U	1500	U
V	1,1,2-Trichloroethane	UG/L	13	U	12	U	1500	U
V	1,1-Dichloroethane	UG/L	13	U	12	U	1500	U
V	1,1-Dichloroethene	UG/L	13	U	12	U	1500	U
V	1,2-Dichloroethane	UG/L	13	U	12	U	1500	U
V	1,2-Dichloroethene (total)	UG/L	13	U	12	U	1500	U
V	1,2-Dichloropropane	UG/L	13	U	12	U	1500	U
V	2-Butanone	UG/L	4	J	12	U	1500	U
V	2-Hexanone	UG/L	13	U	12	U	1500	U
V	4-Methyl-2-Pentanone	UG/L	13	U	12	U	1500	U
V	Acetone	UG/L	42	U	3200	J	2000	J
V	Benzene	UG/L	13	U	12	U	1500	U
V	Bromodichloromethane	UG/L	13	U	12	U	1500	U
V	Bromoform	UG/L	13	U	12	U	1500	U
V	Bromomethane	UG/L	13	U	12	U	1500	U
V	Carbon Disulfide	UG/L	13	U	12	U	1500	U
V	Carbon Tetrachloride	UG/L	13	U	12	U	1500	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW406		693SMW4110		693SMW4110DL	
	LAB SAMPLE ID--->		82904		82841		82841DL	
	RECEIPT DATE---->		06/08/93		06/05/93		06/05/93	
V	Chlorobenzene	UG/L	2	J	12	U	1500	U
V	Chloroethane	UG/L	13	U	12	U	1500	U
V	Chloroform	UG/L	13	U	12	U	1500	U
V	Chloromethane	UG/L	13	U	12	U	1500	U
V	Dibromochloromethane	UG/L	13	U	12	U	1500	U
V	Ethylbenzene	UG/L	13	U	12	U	1500	U
V	Methylene Chloride	UG/L	1	U	3	U	180	U
V	Styrene	UG/L	13	U	12	U	1500	U
V	Tetrachloroethene	UG/L	13	U	12	U	1500	U
V	Toluene	UG/L	13	U	12	U	1500	U
V	Trichloroethene	UG/L	13	U	12	U	1500	U
V	Vinyl Chloride	UG/L	13	U	12	U	1500	U
V	Xylene (total)	UG/L	13	U	12	U	1500	U
V	cis-1,3-Dichloropropene	UG/L	13	U	12	U	1500	U
V	trans-1,3-Dichloropropene	UG/L	13	U	12	U	1500	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW413		SAMPLE ID ------> 693SMW413DL		SAMPLE ID ------> 693SMW423	
	LAB SAMPLE ID--->		82840		82840DL		82895	
	RECEIPT DATE---->		06/05/93		06/05/93		06/08/93	
I	Aluminum	MG/KG	638				382	
I	Antimony	MG/KG	10.8	U			10.2	U
I	Arsenic	MG/KG	0.49	U			0.45	U
I	Barium	MG/KG	3.3	J			2.1	J
I	Beryllium	MG/KG	0.24	U			0.23	U
I	Cadmium	MG/KG	0.72	U			0.68	U
I	Calcium	MG/KG	204	J			98	J
I	Chromium	MG/KG	1.4	J			1.1	U
I	Cobalt	MG/KG	1.9	U			1.8	U
I	Copper	MG/KG	0.87	J			0.68	U
I	Iron	MG/KG	364				130	
I	Lead	MG/KG	1.1				0.7	
I	Magnesium	MG/KG	70.2	J			35.9	J
I	Manganese	MG/KG	6.3				0.87	J
I	Mercury	MG/KG	0.12	U			0.11	U
I	Nickel	MG/KG	4.8	U			4.5	U
I	Potassium	MG/KG	83.6	U			79.1	U
I	Selenium	MG/KG	0.24	U			0.23	U
I	Silver	MG/KG	1.7	U			1.6	U
I	Sodium	MG/KG	60.7	U			50	U
I	Thallium	MG/KG	0.49	U			0.45	U
I	Vanadium	MG/KG	1.1	J			0.68	U
I	Zinc	MG/KG	3.4	U			1.1	U
P	Aroclor 1016	UG/KG	41	U			37	U
P	Aroclor 1221	UG/KG	84	U			76	U
P	Aroclor 1232	UG/KG	41	U			37	U
P	Aroclor 1242	UG/KG	41	U			37	U
P	Aroclor 1248	UG/KG	41	U			37	U
P	Aroclor 1254	UG/KG	41	U			37	U
P	Aroclor 1260	UG/KG	41	U			37	U
S	1,2,4-Trichlorobenzene	UG/KG	420	U			380	U
S	1,2-Dichlorobenzene	UG/KG	420	U			380	U
S	1,3-Dichlorobenzene	UG/KG	420	U			380	U
S	1,4-Dichlorobenzene	UG/KG	420	U			380	U
S	2,4,5-Trichlorophenol	UG/KG	1000	U			920	U
S	2,4,6-Trichlorophenol	UG/KG	420	U			380	U
S	2,4-Dichlorophenol	UG/KG	420	U			380	U
S	2,4-Dimethylphenol	UG/KG	420	U			380	U
S	2,4-Dinitrophenol	UG/KG	1000	U			920	U
S	2,4-Dinitrotoluene	UG/KG	420	U			380	U
S	2,6-Dinitrotoluene	UG/KG	420	U			380	U
S	2-Chloronaphthalene	UG/KG	420	U			380	U
S	2-Chlorophenol	UG/KG	420	U			380	U
S	2-Methylnaphthalene	UG/KG	420	U			380	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW413 LAB SAMPLE ID---> 82840 RECEIPT DATE----> 06/05/93		SAMPLE ID ------> 693SMW413DL LAB SAMPLE ID---> 82840DL		SAMPLE ID ------> 693SMW423 LAB SAMPLE ID---> 82895 RECEIPT DATE----> 06/08/93	
S	2-Methylphenol	UG/KG	420	U			380	U
S	2-Nitroaniline	UG/KG	1000	U			920	U
S	2-Nitrophenol	UG/KG	420	U			380	U
S	3,3'-Dichlorobenzidine	UG/KG	420	U			380	U
S	3-Nitroaniline	UG/KG	1000	U			920	U
S	4,6-Dinitro-2-methylphenol	UG/KG	1000	U			920	U
S	4-Bromophenyl-phenylether	UG/KG	420	U			380	U
S	4-Chloro-3-methylphenol	UG/KG	420	U			380	U
S	4-Chloroaniline	UG/KG	420	U			380	U
S	4-Chlorophenyl-phenylether	UG/KG	420	U			380	U
S	4-Methylphenol	UG/KG	420	U			380	U
S	4-Nitroaniline	UG/KG	1000	U			920	U
S	4-Nitrophenol	UG/KG	1000	U			920	U
S	Acenaphthene	UG/KG	420	U			380	U
S	Acenaphthylene	UG/KG	420	U			380	U
S	Anthracene	UG/KG	420	U			380	U
S	Benzo(a)anthracene	UG/KG	420	U			380	U
S	Benzo(a)pyrene	UG/KG	420	U			380	U
	Benzo(b)fluoranthene	UG/KG	420	U			380	U
	Benzo(g,h,i)perylene	UG/KG	420	U			380	U
S	Benzo(k)fluoranthene	UG/KG	420	U			380	U
S	Butylbenzylphthalate	UG/KG	420	U			380	U
S	Carbazole	UG/KG	420	U			380	U
S	Chrysene	UG/KG	420	U			380	U
S	Di-n-butylphthalate	UG/KG	420	U			380	U
S	Di-n-octylphthalate	UG/KG	420	U			380	U
S	Dibenz(a,h)anthracene	UG/KG	420	U			380	U
S	Dibenzofuran	UG/KG	420	U			380	U
S	Diethylphthalate	UG/KG	420	U			380	U
S	Dimethylphthalate	UG/KG	420	U			380	U
S	Fluoranthene	UG/KG	420	U			380	U
S	Fluorene	UG/KG	420	U			380	U
S	Hexachlorobenzene	UG/KG	420	U			380	U
S	Hexachlorobutadiene	UG/KG	420	U			380	U
S	Hexachlorocyclopentadiene	UG/KG	420	U			380	U
S	Hexachloroethane	UG/KG	420	U			380	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	420	U			380	U
S	Isophorone	UG/KG	420	U			380	U
S	N-Nitroso-di-n-propylamine	UG/KG	420	U			380	U
S	N-Nitrosodiphenylamine	UG/KG	420	U			380	U
S	Naphthalene	UG/KG	420	U			380	U
S	Nitrobenzene	UG/KG	420	U			380	U
S	Pentachlorophenol	UG/KG	1000	U			920	U
S	Phenanthrene	UG/KG	420	U			380	U
	Phenol	UG/KG	420	U			380	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW413		693SMW413DL		693SMW423	
	LAB SAMPLE ID--->		82840		82840DL		82895	
	RECEIPT DATE---->		06/05/93		.		06/08/93	
S	Pyrene	UG/KG	420	U			380	U
S	bis(2-Chloroethoxy)methane	UG/KG	420	U			380	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	110	U			110	U
S	bis(2-chloroethyl)ether	UG/KG	420	U			380	U
S	bis(2-chloroisopropyl)ether	UG/KG	420	U			380	U
V	1,1,1-Trichloroethane	UG/KG	12	U	1600	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG	12	U	1600	U	12	U
V	1,1,2-Trichloroethane	UG/KG	12	U	1600	U	12	U
V	1,1-Dichloroethane	UG/KG	12	U	1600	U	12	U
V	1,1-Dichloroethene	UG/KG	12	U	1600	U	12	U
V	1,2-Dichloroethane	UG/KG	12	U	1600	U	12	U
V	1,2-Dichloroethene (total)	UG/KG	12	U	1600	U	12	U
V	1,2-Dichloropropane	UG/KG	12	U	1600	U	12	U
V	2-Butanone	UG/KG	12	U	1600	U	12	U
V	2-Hexanone	UG/KG	12	U	1600	U	12	U
V	4-Methyl-2-Pentanone	UG/KG	12	U	1600	U	12	U
V	Acetone	UG/KG	2800	J	450	J	710	J
V	Benzene	UG/KG	12	U	1600	U	12	U
V	Bromodichloromethane	UG/KG	12	U	1600	U	12	U
V	Bromoform	UG/KG	12	U	1600	U	12	U
V	Bromomethane	UG/KG	12	U	1600	U	12	U
V	Carbon Disulfide	UG/KG	12	U	1600	U	12	U
V	Carbon Tetrachloride	UG/KG	12	U	1600	U	12	U
V	Chlorobenzene	UG/KG	12	U	1600	U	12	U
V	Chloroethane	UG/KG	12	U	1600	U	12	U
V	Chloroform	UG/KG	12	U	1600	U	12	U
V	Chloromethane	UG/KG	12	U	1600	U	12	U
V	Dibromochloromethane	UG/KG	12	U	1600	U	12	U
V	Ethylbenzene	UG/KG	12	U	1600	U	12	U
V	Methylene Chloride	UG/KG	4	U	160	U	3	U
V	Styrene	UG/KG	12	U	1600	U	12	U
V	Tetrachloroethene	UG/KG	12	U	1600	U	12	U
V	Toluene	UG/KG	12	U	1600	U	12	U
V	Trichloroethene	UG/KG	12	U	1600	U	12	U
V	Vinyl Chloride	UG/KG	12	U	1600	U	12	U
V	Xylene (total)	UG/KG	12	U	1600	U	12	U
V	cis-1,3-Dichloropropene	UG/KG	12	U	1600	U	12	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	1600	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW423D		693SMW423DDL	693SMW423DL
			LAB SAMPLE ID---> 82896		82896DL	82895DL
			RECEIPT DATE----> 06/08/93		06/08/93	06/08/93
I	Aluminum	MG/KG	295			
I	Antimony	MG/KG	11.1	U		
I	Arsenic	MG/KG	0.49	U		
I	Barium	MG/KG	2.8	J		
I	Beryllium	MG/KG	0.25	U		
I	Cadmium	MG/KG	0.74	U		
I	Calcium	MG/KG	98.6	J		
I	Chromium	MG/KG	1.2	U		
I	Cobalt	MG/KG	2	U		
I	Copper	MG/KG	0.74	U		
I	Iron	MG/KG	115			
I	Lead	MG/KG	0.78			
I	Magnesium	MG/KG	22.3	J		
I	Manganese	MG/KG	0.81	J		
I	Mercury	MG/KG	0.12	U		
I	Nickel	MG/KG	4.9	U		
I	Potassium	MG/KG	86.4	U		
	Selenium	MG/KG	0.25	U		
	Silver	MG/KG	1.7	U		
I	Sodium	MG/KG	31.1	U		
I	Thallium	MG/KG	0.49	U		
I	Vanadium	MG/KG	0.74	U		
I	Zinc	MG/KG	1.2	U		
P	Aroclor 1016	UG/KG	42	U		
P	Aroclor 1221	UG/KG	85	U		
P	Aroclor 1232	UG/KG	42	U		
P	Aroclor 1242	UG/KG	42	U		
P	Aroclor 1248	UG/KG	42	U		
P	Aroclor 1254	UG/KG	42	U		
P	Aroclor 1260	UG/KG	42	U		
S	1,2,4-Trichlorobenzene	UG/KG	420	U		
S	1,2-Dichlorobenzene	UG/KG	420	U		
S	1,3-Dichlorobenzene	UG/KG	420	U		
S	1,4-Dichlorobenzene	UG/KG	420	U		
S	2,4,5-Trichlorophenol	UG/KG	1000	U		
S	2,4,6-Trichlorophenol	UG/KG	420	U		
S	2,4-Dichlorophenol	UG/KG	420	U		
S	2,4-Dimethylphenol	UG/KG	420	U		
S	2,4-Dinitrophenol	UG/KG	1000	U		
S	2,4-Dinitrotoluene	UG/KG	420	U		
S	2,6-Dinitrotoluene	UG/KG	420	U		
S	2-Chloronaphthalene	UG/KG	420	U		
S	2-Chlorophenol	UG/KG	420	U		
	2-Methylnaphthalene	UG/KG	420	U		

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	693SMW423D	693SMW423DDL	693SMW423DL
			LAB SAMPLE ID--->	82896	82896DL	82895DL
			RECEIPT DATE---->	06/08/93	.	.
	PARAMETER	UNITS				
S	2-Methylphenol	UG/KG		420	U	
S	2-Nitroaniline	UG/KG		1000	U	
S	2-Nitrophenol	UG/KG		420	U	
S	3,3'-Dichlorobenzidine	UG/KG		420	U	
S	3-Nitroaniline	UG/KG		1000	U	
S	4,6-Dinitro-2-methylphenol	UG/KG		1000	U	
S	4-Bromophenyl-phenylether	UG/KG		420	U	
S	4-Chloro-3-methylphenol	UG/KG		420	U	
S	4-Chloroaniline	UG/KG		420	U	
S	4-Chlorophenyl-phenylether	UG/KG		420	U	
S	4-Methylphenol	UG/KG		420	U	
S	4-Nitroaniline	UG/KG		1000	U	
S	4-Nitrophenol	UG/KG		1000	U	
S	Acenaphthene	UG/KG		420	U	
S	Acenaphthylene	UG/KG		420	U	
S	Anthracene	UG/KG		420	U	
S	Benzo(a)anthracene	UG/KG		420	U	
S	Benzo(a)pyrene	UG/KG		420	U	
S	Benzo(b)fluoranthene	UG/KG		420	U	
S	Benzo(g,h,i)perylene	UG/KG		420	U	
S	Benzo(k)fluoranthene	UG/KG		420	U	
S	Butylbenzylphthalate	UG/KG		420	U	
S	Carbazole	UG/KG		420	U	
S	Chrysene	UG/KG		420	U	
S	Di-n-butylphthalate	UG/KG		420	U	
S	Di-n-octylphthalate	UG/KG		420	U	
S	Dibenz(a,h)anthracene	UG/KG		420	U	
S	Dibenzofuran	UG/KG		420	U	
S	Diethylphthalate	UG/KG		420	U	
S	Dimethylphthalate	UG/KG		420	U	
S	Fluoranthene	UG/KG		420	U	
S	Fluorene	UG/KG		420	U	
S	Hexachlorobenzene	UG/KG		420	U	
S	Hexachlorobutadiene	UG/KG		420	U	
S	Hexachlorocyclopentadiene	UG/KG		420	U	
S	Hexachloroethane	UG/KG		420	U	
S	Indeno(1,2,3-cd)pyrene	UG/KG		420	U	
S	Isophorone	UG/KG		420	U	
S	N-Nitroso-di-n-propylamine	UG/KG		420	U	
S	N-Nitrosodiphenylamine	UG/KG		420	U	
S	Naphthalene	UG/KG		420	U	
S	Nitrobenzene	UG/KG		420	U	
S	Pentachlorophenol	UG/KG		1000	U	
S	Phenanthrene	UG/KG		420	U	
S	Phenol	UG/KG		420	U	

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	693SMW423D		693SMW423DDL		693SMW423DL	
			LAB SAMPLE ID--->	82896		82896DL		82895DL	
			RECEIPT DATE---->	06/08/93					
	PARAMETER	UNITS							
S	Pyrene	UG/KG		420	U				
S	bis(2-Chloroethoxy)methane	UG/KG		420	U				
S	bis(2-Ethlyhexy)phthalate	UG/KG		130	U				
S	bis(2-chloroethyl)ether	UG/KG		420	U				
S	bis(2-chloroisopropyl)ether	UG/KG		420	U				
V	1,1,1-Trichloroethane	UG/L		12	U	61	U	1400	U
V	1,1,2,2-Tetrachloroethane	UG/L		12	U	61	U	1400	U
V	1,1,2-Trichloroethane	UG/L		12	U	61	U	1400	U
V	1,1-Dichloroethane	UG/L		12	U	61	U	1400	U
V	1,1-Dichloroethene	UG/L		12	U	61	U	1400	U
V	1,2-Dichloroethane	UG/L		12	U	61	U	1400	U
V	1,2-Dichloroethene (total)	UG/L		12	U	61	U	1400	U
V	1,2-Dichloropropane	UG/L		12	U	61	U	1400	U
V	2-Butanone	UG/L		12	U	1000	J	530	J
V	2-Hexanone	UG/L		12	U	61	U	1400	U
V	4-Methyl-2-Pentanone	UG/L		12	U	61	U	1400	U
V	Acetone	UG/L		1300	J	2100	J	3500	J
V	Benzene	UG/L		12	U	61	U	1400	U
"	Bromodichloromethane	UG/L		12	U	61	U	1400	U
	Bromoform	UG/L		12	U	61	U	1400	U
V	Bromomethane	UG/L		12	U	61	U	1400	U
V	Carbon Disulfide	UG/L		12	U	61	U	1400	U
V	Carbon Tetrachloride	UG/L		12	U	61	U	1400	U
V	Chlorobenzene	UG/L		12	U	61	U	1400	U
V	Chloroethane	UG/L		12	U	61	U	1400	U
V	Chloroform	UG/L		12	U	61	U	1400	U
V	Chloromethane	UG/L		12	U	61	U	1400	U
V	Dibromochloromethane	UG/L		12	U	61	U	1400	U
V	Ethylbenzene	UG/L		12	U	61	U	1400	U
V	Methylene Chloride	UG/L		2	U	61	U	190	U
V	Styrene	UG/L		12	U	61	U	1400	U
V	Tetrachloroethene	UG/L		12	U	61	U	1400	U
V	Toluene	UG/L		12	U	61	U	1400	U
V	Trichloroethene	UG/L		12	U	61	U	1400	U
V	Vinyl Chloride	UG/L		12	U	61	U	1400	U
V	Xylene (total)	UG/L		12	U	61	U	1400	U
V	cis-1,3-Dichloropropene	UG/L		12	U	61	U	1400	U
V	trans-1,3-Dichloropropene	UG/L		12	U	61	U	1400	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW431		693SMW4311		693SMW432	
	LAB SAMPLE ID--->		82832		82834		82833	
	RECEIPT DATE---->		06/05/93		06/05/93		06/05/93	
I	Aluminum	MG/KG	909		3380		741	
I	Antimony	MG/KG	10.1	U	10.3	U	10.7	U
I	Arsenic	MG/KG	0.45	U	0.71	U	0.47	U
I	Barium	MG/KG	6.9	J	34	J	4.9	J
I	Beryllium	MG/KG	0.22	U	0.31	J	0.24	U
I	Cadmium	MG/KG	0.67	U	0.69	U	0.71	U
I	Calcium	MG/KG	1240		1500		871	J
I	Chromium	MG/KG	2.9	J	4.2	J	4	J
I	Cobalt	MG/KG	1.8	U	1.8	U	1.9	U
I	Copper	MG/KG	3.3	J	6.3		1.3	J
I	Iron	MG/KG	500		2160		390	
I	Lead	MG/KG	17		3.7		1.7	
I	Magnesium	MG/KG	118	J	511	J	63.2	J
I	Manganese	MG/KG	10.1		12.7		5.3	
I	Mercury	MG/KG	0.11	U	0.11	U	0.12	U
I	Nickel	MG/KG	4.5	U	4.6	U	4.7	U
I	Potassium	MG/KG	141	J	785	J	88.9	J
I	Selenium	MG/KG	0.22	U	0.22	U	0.23	U
I	Silver	MG/KG	1.6	U	1.6	U	1.7	U
I	Sodium	MG/KG	37.5	U	144	U	50.5	U
I	Thallium	MG/KG	0.45	U	0.45	U	0.47	U
I	Vanadium	MG/KG	1.3	J	6.3	J	1.2	J
I	Zinc	MG/KG	14.9	J	8	U	2.6	U
P	Aroclor 1016	UG/KG	34	U	36	U	38	U
P	Aroclor 1221	UG/KG	69	U	73	U	78	U
P	Aroclor 1232	UG/KG	34	U	36	U	38	U
P	Aroclor 1242	UG/KG	34	U	36	U	38	U
P	Aroclor 1248	UG/KG	34	U	36	U	38	U
P	Aroclor 1254	UG/KG	34	U	36	U	38	U
P	Aroclor 1260	UG/KG	29	J	36	U	19	J
S	1,2,4-Trichlorobenzene	UG/KG	380	U	380	U	410	U
S	1,2-Dichlorobenzene	UG/KG	380	U	380	U	410	U
S	1,3-Dichlorobenzene	UG/KG	380	U	380	U	410	U
S	1,4-Dichlorobenzene	UG/KG	380	U	380	U	410	U
S	2,4,5-Trichlorophenol	UG/KG	920	U	920	U	990	U
S	2,4,6-Trichlorophenol	UG/KG	380	U	380	U	410	U
S	2,4-Dichlorophenol	UG/KG	380	U	380	U	410	U
S	2,4-Dimethylphenol	UG/KG	380	U	380	U	410	U
S	2,4-Dinitrophenol	UG/KG	920	U	920	U	990	U
S	2,4-Dinitrotoluene	UG/KG	380	U	380	U	410	U
S	2,6-Dinitrotoluene	UG/KG	380	U	380	U	410	U
S	2-Chloronaphthalene	UG/KG	380	U	380	U	410	U
S	2-Chlorophenol	UG/KG	380	U	380	U	410	U
S	2-Methylnaphthalene	UG/KG	380	U	380	U	410	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW431		693SMW4311		693SMW432	
	LAB SAMPLE ID--->		82832		82834		82833	
	RECEIPT DATE---->		06/05/93		06/05/93		06/05/93	
S	2-Methylphenol	UG/KG	380	U	380	U	410	U
S	2-Nitroaniline	UG/KG	920	U	920	U	990	U
S	2-Nitrophenol	UG/KG	380	U	380	U	410	U
S	3,3'-Dichlorobenzidine	UG/KG	380	U	380	U	410	U
S	3-Nitroaniline	UG/KG	920	U	920	U	990	U
S	4,6-Dinitro-2-methylphenol	UG/KG	920	U	920	U	990	U
S	4-Bromophenyl-phenylether	UG/KG	380	U	380	U	410	U
S	4-Chloro-3-methylphenol	UG/KG	380	U	380	U	410	U
S	4-Chloroaniline	UG/KG	380	U	380	U	410	U
S	4-Chlorophenyl-phenylether	UG/KG	380	U	380	U	410	U
S	4-Methylphenol	UG/KG	380	U	380	U	410	U
S	4-Nitroaniline	UG/KG	920	U	920	U	990	U
S	4-Nitrophenol	UG/KG	920	U	920	U	990	U
S	Acenaphthene	UG/KG	380	U	380	U	410	U
S	Acenaphthylene	UG/KG	380	U	380	U	410	U
S	Anthracene	UG/KG	380	U	380	U	410	U
S	Benzo(a)anthracene	UG/KG	380	U	380	U	410	U
S	Benzo(a)pyrene	UG/KG	380	U	380	U	410	U
	Benzo(b)fluoranthene	UG/KG	380	U	380	U	410	U
	Benzo(g,h,i)perylene	UG/KG	380	U	380	U	410	U
S	Benzo(k)fluoranthene	UG/KG	380	U	380	U	410	U
S	Butylbenzylphthalate	UG/KG	380	U	380	U	410	U
S	Carbazole	UG/KG	380	U	380	U	410	U
S	Chrysene	UG/KG	380	U	380	U	410	U
S	Di-n-butylphthalate	UG/KG	380	U	380	U	410	U
S	Di-n-octylphthalate	UG/KG	380	U	380	U	410	U
S	Dibenz(a,h)anthracene	UG/KG	380	U	380	U	410	U
S	Dibenzofuran	UG/KG	380	U	380	U	410	U
S	Diethylphthalate	UG/KG	380	U	380	U	410	U
S	Dimethylphthalate	UG/KG	380	U	380	U	410	U
S	Fluoranthene	UG/KG	380	U	380	U	410	U
S	Fluorene	UG/KG	380	U	380	U	410	U
S	Hexachlorobenzene	UG/KG	380	U	380	U	410	U
S	Hexachlorobutadiene	UG/KG	380	U	380	U	410	U
S	Hexachlorocyclopentadiene	UG/KG	380	U	380	U	410	U
S	Hexachloroethane	UG/KG	380	U	380	U	410	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	380	U	380	U	410	U
S	Isophorone	UG/KG	380	U	380	U	410	U
S	N-Nitroso-di-n-propylamine	UG/KG	380	U	380	U	410	U
S	N-Nitrosodiphenylamine	UG/KG	380	U	380	U	410	U
S	Naphthalene	UG/KG	380	U	380	U	410	U
S	Nitrobenzene	UG/KG	380	U	380	U	410	U
S	Pentachlorophenol	UG/KG	920	U	920	U	990	U
S	Phenanthrene	UG/KG	380	U	380	U	410	U
	Phenol	UG/KG	380	U	380	U	410	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW431		693SMW4311		693SMW432	
	LAB SAMPLE ID--->		82832		82834		82833	
	RECEIPT DATE---->		06/05/93		06/05/93		06/05/93	
S	Pyrene	UG/KG	380	U	380	U	410	U
S	bis(2-Chloroethoxy)methane	UG/KG	380	U	380	U	410	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	87	U	210	U	78	U
S	bis(2-chloroethyl)ether	UG/KG	380	U	380	U	410	U
S	bis(2-chloroisopropyl)ether	UG/KG	380	U	380	U	410	U
V	1,1,1-Trichloroethane	UG/KG	12	U	12	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG	12	U	12	U	12	U
V	1,1,2-Trichloroethane	UG/KG	12	U	12	U	12	U
V	1,1-Dichloroethane	UG/KG	12	U	12	U	12	U
V	1,1-Dichloroethene	UG/KG	12	U	12	U	12	U
V	1,2-Dichloroethane	UG/KG	12	U	12	U	12	U
V	1,2-Dichloroethene (total)	UG/KG	12	U	12	U	12	U
V	1,2-Dichloropropane	UG/KG	12	U	12	U	12	U
V	2-Butanone	UG/KG	12	U	12	U	12	U
V	2-Hexanone	UG/KG	12	U	12	U	12	U
V	4-Methyl-2-Pentanone	UG/KG	3	J	12	U	12	U
V	Acetone	UG/KG	64	U	92	U	11000	J
V	Benzene	UG/KG	12	U	2	J	12	U
V	Bromodichloromethane	UG/KG	12	U	12	U	12	U
V	Bromoform	UG/KG	12	U	12	U	12	U
V	Bromomethane	UG/KG	12	U	12	U	12	U
V	Carbon Disulfide	UG/KG	12	U	12	U	12	U
V	Carbon Tetrachloride	UG/KG	12	U	12	U	12	U
V	Chlorobenzene	UG/KG	12	U	12	U	12	U
V	Chloroethane	UG/KG	12	U	12	U	12	U
V	Chloroform	UG/KG	12	U	12	U	12	U
V	Chloromethane	UG/KG	12	U	12	U	12	U
V	Dibromochloromethane	UG/KG	12	U	12	U	12	U
V	Ethylbenzene	UG/KG	12	U	12	U	12	U
V	Methylene Chloride	UG/KG	5	U	2	U	3	U
V	Styrene	UG/KG	12	U	12	U	12	U
V	Tetrachloroethene	UG/KG	12	U	12	U	12	U
V	Toluene	UG/KG	2	J	12	U	12	U
V	Trichloroethene	UG/KG	12	U	12	U	12	U
V	Vinyl Chloride	UG/KG	12	U	12	U	12	U
V	Xylene (total)	UG/KG	12	U	12	U	12	U
V	cis-1,3-Dichloropropene	UG/KG	12	U	12	U	12	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	12	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW432DL LAB SAMPLE ID---> 82833DL RECEIPT DATE----> 06/05/93	694SHA11 83801 06/22/93		694SHA11DL 83801DL 06/22/93
I	Aluminum	MG/KG		2530	J	
I	Antimony	MG/KG		9.7	UJ	
I	Arsenic	MG/KG		0.65	U	
I	Barium	MG/KG		32.8	J	
I	Beryllium	MG/KG		0.22	U	
I	Cadmium	MG/KG		4.2	J	
I	Calcium	MG/KG		184000	J	
I	Chromium	MG/KG		7.4	J	
I	Cobalt	MG/KG		1.7	U	
I	Copper	MG/KG		7.3		
I	Cyanide	MG/KG				
I	Iron	MG/KG		1720	J	
I	Lead	MG/KG		48.4	J	
I	Magnesium	MG/KG		2650		
I	Manganese	MG/KG		53.1		
I	Mercury	MG/KG		0.11	U	
I	Nickel	MG/KG		4.3	U	
	Potassium	MG/KG		714	J	
	Selenium	MG/KG		1.3		
I	Silver	MG/KG		1.5	U	
I	Sodium	MG/KG		605	J	
I	Thallium	MG/KG		0.43	UJ	
I	Vanadium	MG/KG		5.9	J	
I	Zinc	MG/KG		23.5		
S	1,2,4-Trichlorobenzene	UG/KG		360	U	
S	1,2-Dichlorobenzene	UG/KG		360	U	
S	1,3-Dichlorobenzene	UG/KG		360	U	
S	1,4-Dichlorobenzene	UG/KG		360	U	
S	2,4,5-Trichlorophenol	UG/KG		870	U	
S	2,4,6-Trichlorophenol	UG/KG		360	U	
S	2,4-Dichlorophenol	UG/KG		360	U	
S	2,4-Dimethylphenol	UG/KG		360	U	
S	2,4-Dinitrophenol	UG/KG		870	U	
S	2,4-Dinitrotoluene	UG/KG		360	U	
S	2,6-Dinitrotoluene	UG/KG		360	U	
S	2-Chloronaphthalene	UG/KG		360	U	
S	2-Chlorophenol	UG/KG		360	U	
S	2-Methylnaphthalene	UG/KG		360	U	
S	2-Methylphenol	UG/KG		360	U	
S	2-Nitroaniline	UG/KG		870	U	
S	2-Nitrophenol	UG/KG		360	U	
S	3,3'-Dichlorobenzidine	UG/KG		360	U	
S	3-Nitroaniline	UG/KG		870	U	
	4,6-Dinitro-2-methylphenol	UG/KG		870	U	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693SMW432DL		SAMPLE ID ------> 694SHA11		SAMPLE ID ------> 694SHA11DL	
	LAB SAMPLE ID--->		82833DL		83801		83801DL	
	RECEIPT DATE---->		.		06/22/93		.	
S	4-Bromophenyl-phenylether	UG/KG			360	U		
S	4-Chloro-3-methylphenol	UG/KG			360	U		
S	4-Chloroaniline	UG/KG			360	U		
S	4-Chlorophenyl-phenylether	UG/KG			360	U		
S	4-Methylphenol	UG/KG			130	J		
S	4-Nitroaniline	UG/KG			870	U		
S	4-Nitrophenol	UG/KG			870	U		
S	Acenaphthene	UG/KG			360	U		
S	Acenaphthylene	UG/KG			360	U		
S	Anthracene	UG/KG			360	U		
S	Benzo(a)anthracene	UG/KG			360	U		
S	Benzo(a)pyrene	UG/KG			360	U		
S	Benzo(b)fluoranthene	UG/KG			360	U		
S	Benzo(g,h,i)perylene	UG/KG			360	U		
S	Benzo(k)fluoranthene	UG/KG			360	U		
S	Butylbenzylphthalate	UG/KG			360	U		
S	Carbazole	UG/KG			360	U		
S	Chrysene	UG/KG			360	U		
S	Di-n-butylphthalate	UG/KG			360	U		
S	Di-n-octylphthalate	UG/KG			360	U		
S	Dibenz(a,h)anthracene	UG/KG			360	U		
S	Dibenzofuran	UG/KG			360	U		
S	Diethylphthalate	UG/KG			360	U		
S	Dimethylphthalate	UG/KG			360	U		
S	Fluoranthene	UG/KG			360	U		
S	Fluorene	UG/KG			360	U		
S	Hexachlorobenzene	UG/KG			360	U		
S	Hexachlorobutadiene	UG/KG			360	U		
S	Hexachlorocyclopentadiene	UG/KG			360	U		
S	Hexachloroethane	UG/KG			360	U		
S	Indeno(1,2,3-cd)pyrene	UG/KG			360	U		
S	Isophorone	UG/KG			360	U		
S	N-Nitroso-di-n-propylamine	UG/KG			360	U		
S	N-Nitrosodiphenylamine	UG/KG			360	U		
S	Naphthalene	UG/KG			360	U		
S	Nitrobenzene	UG/KG			360	U		
S	Pentachlorophenol	UG/KG			870	U		
S	Phenanthrene	UG/KG			360	U		
S	Phenol	UG/KG			360	U		
S	Pyrene	UG/KG			360	U		
S	bis(2-Chloroethoxy)methane	UG/KG			360	U		
S	bis(2-Ethlyhexy)phthalate	UG/KG			70	U		
S	bis(2-chloroethyl)ether	UG/KG			360	U		
S	bis(2-chloroisopropyl)ether	UG/KG			360	U		
V	1,1,1-Trichloroethane	UG/KG	1500	U	11	U	2700	U

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	693SMW432DL		694SHA11		694SHA11DL	
			LAB SAMPLE ID--->	82833DL		83801		83801DL	
			RECEIPT DATE---->	06/05/93		06/22/93		06/22/93	
	PARAMETER	UNITS							
V	1,1,2,2-Tetrachloroethane	UG/KG	1500	U	11	U	2700	U
V	1,1,2-Trichloroethane	UG/KG	1500	U	11	U	2700	U
V	1,1-Dichloroethane	UG/KG	1500	U	11	U	2700	U
V	1,1-Dichloroethene	UG/KG	1500	U	11	U	2700	U
V	1,2-Dichloroethane	UG/KG	1500	U	11	U	2700	U
V	1,2-Dichloroethene (total)	UG/KG	1500	U	11	U	2700	U
V	1,2-Dichloropropane	UG/KG	1500	U	11	U	2700	U
V	2-Butanone	UG/KG	1500	U	30		2700	U
V	2-Hexanone	UG/KG	1500	U	11	U	2700	U
V	4-Methyl-2-Pentanone	UG/KG	1500	U	11	U	2700	U
V	Acetone	UG/KG	5000	J	14000	J	13000	J
V	Benzene	UG/KG	1500	U	1	J	2700	U
V	Bromodichloromethane	UG/KG	1500	U	11	U	2700	U
V	Bromoform	UG/KG	1500	U	11	U	2700	U
V	Bromomethane	UG/KG	1500	U	11	U	2700	U
V	Carbon Disulfide	UG/KG	1500	U	11	U	2700	U
V	Carbon Tetrachloride	UG/KG	1500	U	11	U	2700	U
V	Chlorobenzene	UG/KG	1500	U	2	J	2700	U
"	Chloroethane	UG/KG	1500	U	11	U	2700	U
	Chloroform	UG/KG	1500	U	11	U	2700	U
V	Chloromethane	UG/KG	1500	U	11	U	2700	U
V	Dibromochloromethane	UG/KG	1500	U	11	U	2700	U
V	Ethylbenzene	UG/KG	1500	U	6	J	2700	U
V	Methylene Chloride	UG/KG	150	U	11	U	430	U
V	Styrene	UG/KG	1500	U	11	U	2700	U
V	Tetrachloroethene	UG/KG	1500	U	11	U	2700	U
V	Toluene	UG/KG	1500	U	3	J	2700	U
V	Trichloroethene	UG/KG	1500	U	11	U	2700	U
V	Vinyl Chloride	UG/KG	1500	U	11	U	2700	U
V	Xylene (total)	UG/KG	1500	U	9	J	2700	U
V	cis-1,3-Dichloropropene	UG/KG	1500	U	11	U	2700	U
V	trans-1,3-Dichloropropene	UG/KG	1500	U	11	U	2700	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA12		694SHA12DL		694SHA13	
			LAB SAMPLE ID---> 83802		83802DL		83803	
			RECEIPT DATE----> 06/22/93		06/22/93		06/22/93	
I	Aluminum	MG/KG	2110	J			1300	J
I	Antimony	MG/KG	9.5	UJ			9.5	UJ
I	Arsenic	MG/KG	0.64	U			0.64	U
I	Barium	MG/KG	14.1	J			9.7	J
I	Beryllium	MG/KG	0.21	U			0.21	U
I	Cadmium	MG/KG	3.2	J			6.8	J
I	Calcium	MG/KG	57000	J			8580	J
I	Chromium	MG/KG	15.3	J			16.7	J
I	Cobalt	MG/KG	1.7	U			1.7	U
I	Copper	MG/KG	11.7				7.9	
I	Cyanide	MG/KG	.				.	
I	Iron	MG/KG	1200	J			1130	J
I	Lead	MG/KG	95.1	J			123	J
I	Magnesium	MG/KG	876	J			204	J
I	Manganese	MG/KG	20				9.9	
I	Mercury	MG/KG	0.11	U			0.11	U
I	Nickel	MG/KG	5.7	J			8.7	
I	Potassium	MG/KG	426	J			188	J
I	Selenium	MG/KG	0.21	U			0.58	J
I	Silver	MG/KG	1.5	U			1.5	U
I	Sodium	MG/KG	182	J			84.4	U
I	Thallium	MG/KG	0.42	UJ			0.42	UJ
I	Vanadium	MG/KG	3.6	J			2.4	J
I	Zinc	MG/KG	44.1				28.5	
S	1,2,4-Trichlorobenzene	UG/KG	350	U			1400	U
S	1,2-Dichlorobenzene	UG/KG	350	U			150	J
S	1,3-Dichlorobenzene	UG/KG	350	U			1400	U
S	1,4-Dichlorobenzene	UG/KG	350	U			1400	U
S	2,4,5-Trichlorophenol	UG/KG	850	U			3400	U
S	2,4,6-Trichlorophenol	UG/KG	350	U			1400	U
S	2,4-Dichlorophenol	UG/KG	350	U			1400	U
S	2,4-Dimethylphenol	UG/KG	52	J			1400	U
S	2,4-Dinitrophenol	UG/KG	850	U			3400	U
S	2,4-Dinitrotoluene	UG/KG	350	U			1400	U
S	2,6-Dinitrotoluene	UG/KG	350	U			1400	U
S	2-Chloronaphthalene	UG/KG	350	U			1400	U
S	2-Chlorophenol	UG/KG	350	U			1400	U
S	2-Methylnaphthalene	UG/KG	350	U			1400	U
S	2-Methylphenol	UG/KG	79	J			180	J
S	2-Nitroaniline	UG/KG	850	U			3400	U
S	2-Nitrophenol	UG/KG	350	U			1400	U
S	3,3'-Dichlorobenzidine	UG/KG	350	U			1400	U
S	3-Nitroaniline	UG/KG	850	U			3400	U
S	4,6-Dinitro-2-methylphenol	UG/KG	850	U			3400	U

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	694SHA12		694SHA12DL		694SHA13	
			LAB SAMPLE ID--->	83802		83802DL		83803	
			RECEIPT DATE---->	06/22/93				06/22/93	
	PARAMETER	UNITS							
S	4-Bromophenyl-phenylether	UG/KG		350	U			1400	U
S	4-Chloro-3-methylphenol	UG/KG		350	U			1400	U
S	4-Chloroaniline	UG/KG		350	U			1400	U
S	4-Chlorophenyl-phenylether	UG/KG		350	U			1400	U
S	4-Methylphenol	UG/KG		170	J			270	J
S	4-Nitroaniline	UG/KG		850	U			3400	U
S	4-Nitrophenol	UG/KG		850	U			3400	U
S	Acenaphthene	UG/KG		350	U			1400	U
S	Acenaphthylene	UG/KG		350	U			1400	U
S	Anthracene	UG/KG		350	U			1400	U
S	Benzo(a)anthracene	UG/KG		350	U			1400	U
S	Benzo(a)pyrene	UG/KG		350	U			1400	U
S	Benzo(b)fluoranthene	UG/KG		350	U			1400	U
S	Benzo(g,h,i)perylene	UG/KG		350	U			1400	U
S	Benzo(k)fluoranthene	UG/KG		350	U			1400	U
S	Butylbenzylphthalate	UG/KG		350	U			1400	U
S	Carbazole	UG/KG		350	U			1400	U
S	Chrysene	UG/KG		350	U			1400	U
	Di-n-butylphthalate	UG/KG		350	U			1400	U
	Di-n-octylphthalate	UG/KG		350	U			1400	U
S	Dibenz(a,h)anthracene	UG/KG		350	U			1400	U
S	Dibenzofuran	UG/KG		350	U			1400	U
S	Diethylphthalate	UG/KG		350	U			1400	U
S	Dimethylphthalate	UG/KG		350	U			1400	U
S	Fluoranthene	UG/KG		350	U			1400	U
S	Fluorene	UG/KG		350	U			1400	U
S	Hexachlorobenzene	UG/KG		350	U			1400	U
S	Hexachlorobutadiene	UG/KG		350	U			1400	U
S	Hexachlorocyclopentadiene	UG/KG		350	U			1400	U
S	Hexachloroethane	UG/KG		350	U			1400	U
S	Indeno(1,2,3-cd)pyrene	UG/KG		350	U			1400	U
S	Isophorone	UG/KG		350	U			1400	U
S	N-Nitroso-di-n-propylamine	UG/KG		350	U			1400	U
S	N-Nitrosodiphenylamine	UG/KG		350	U			1400	U
S	Naphthalene	UG/KG		350	U			1400	U
S	Nitrobenzene	UG/KG		350	U			1400	U
S	Pentachlorophenol	UG/KG		850	U			3400	U
S	Phenanthrene	UG/KG		350	U			1400	U
S	Phenol	UG/KG		350	U			1400	U
S	Pyrene	UG/KG		350	U			160	J
S	bis(2-Chloroethoxy)methane	UG/KG		350	U			1400	U
S	bis(2-Ethlyhexy)phthalate	UG/KG		320	U			3300	U
S	bis(2-chloroethyl)ether	UG/KG		350	U			1400	U
S	bis(2-chloroisopropyl)ether	UG/KG		350	U			1400	U
	1,1,1-Trichloroethane	UG/KG		11	U	1300	U	2700	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA12		694SHA12DL		694SHA13	
	LAB SAMPLE ID--->		83802		83802DL		83803	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	11	U	1300	U	2700	U
V	1,1,2-Trichloroethane	UG/KG	11	U	1300	U	2700	U
V	1,1-Dichloroethane	UG/KG	11	U	1300	U	2700	U
V	1,1-Dichloroethene	UG/KG	11	U	1300	U	2700	U
V	1,2-Dichloroethane	UG/KG	11	U	1300	U	2700	U
V	1,2-Dichloroethene (total)	UG/KG	11	U	1300	U	2700	U
V	1,2-Dichloropropane	UG/KG	11	U	1300	U	2700	U
V	2-Butanone	UG/KG	30		1300	U	2700	U
V	2-Hexanone	UG/KG	11	U	1300	U	2700	U
V	4-Methyl-2-Pentanone	UG/KG	3	J	1300	U	2700	U
V	Acetone	UG/KG	23000	J	61000	J	9100	U
V	Benzene	UG/KG	3	J	1300	U	2700	U
V	Bromodichloromethane	UG/KG	11	U	1300	U	2700	U
V	Bromoform	UG/KG	11	U	1300	U	2700	U
V	Bromomethane	UG/KG	11	U	1300	U	2700	U
V	Carbon Disulfide	UG/KG	11	U	1300	U	2700	U
V	Carbon Tetrachloride	UG/KG	11	U	1300	U	2700	U
V	Chlorobenzene	UG/KG	14		1300	U	2700	U
V	Chloroethane	UG/KG	11	U	1300	U	2700	U
V	Chloroform	UG/KG	11	U	1300	U	2700	U
V	Chloromethane	UG/KG	11	U	1300	U	2700	U
V	Dibromochloromethane	UG/KG	11	U	1300	U	2700	U
V	Ethylbenzene	UG/KG	27		1300	U	380	J
V	Methylene Chloride	UG/KG	11	U	230	U	280	U
V	Styrene	UG/KG	11	U	1300	U	2700	U
V	Tetrachloroethene	UG/KG	11	U	1300	U	2700	U
V	Toluene	UG/KG	10	J	1300	U	2700	U
V	Trichloroethene	UG/KG	11	U	1300	U	2700	U
V	Vinyl Chloride	UG/KG	11	U	1300	U	2700	U
V	Xylene (total)	UG/KG	50		150	J	550	J
V	cis-1,3-Dichloropropene	UG/KG	11	U	1300	U	2700	U
V	trans-1,3-Dichloropropene	UG/KG	11	U	1300	U	2700	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA21 LAB SAMPLE ID---> 83804 RECEIPT DATE----> 06/22/93		694SHA21DL 83804DL 06/22/93		694SHA22 83805 06/22/93	
			.		.		.	
I	Aluminum	MG/KG	5830	J			1310	J
I	Antimony	MG/KG	10	UJ			9.6	UJ
I	Arsenic	MG/KG	0.78	J			0.64	U
I	Barium	MG/KG	48				19.9	J
I	Beryllium	MG/KG	0.23	J			0.21	U
I	Cadmium	MG/KG	5.1	J			6.7	J
I	Calcium	MG/KG	182000	J			34800	J
I	Chromium	MG/KG	20.5	J			34.9	J
I	Cobalt	MG/KG	1.8	U			1.7	U
I	Copper	MG/KG	6				5.3	J
I	Cyanide	MG/KG	.				.	
I	Iron	MG/KG	3640	J			749	J
I	Lead	MG/KG	51.3	J			88.8	J
I	Magnesium	MG/KG	3450				614	J
I	Manganese	MG/KG	74.6				13.3	
I	Mercury	MG/KG	0.11	U			0.11	U
I	Nickel	MG/KG	4.5	J			4.3	U
	Potassium	MG/KG	1730				254	J
	Selenium	MG/KG	1.3				0.84	J
I	Silver	MG/KG	1.6	U			1.5	U
I	Sodium	MG/KG	352	J			84.5	U
I	Thallium	MG/KG	0.45	UJ			0.43	UJ
I	Vanadium	MG/KG	10.3	J			2.3	J
I	Zinc	MG/KG	27.7				34.1	
S	1,2,4-Trichlorobenzene	UG/KG	1900	U			3500	U
S	1,2-Dichlorobenzene	UG/KG	1900	U			3500	U
S	1,3-Dichlorobenzene	UG/KG	1900	U			3500	U
S	1,4-Dichlorobenzene	UG/KG	1900	U			3500	U
S	2,4,5-Trichlorophenol	UG/KG	4500	U			8500	U
S	2,4,6-Trichlorophenol	UG/KG	1900	U			3500	U
S	2,4-Dichlorophenol	UG/KG	1900	U			3500	U
S	2,4-Dimethylphenol	UG/KG	1900	U			3500	U
S	2,4-Dinitrophenol	UG/KG	4500	U			8500	U
S	2,4-Dinitrotoluene	UG/KG	1900	U			3500	U
S	2,6-Dinitrotoluene	UG/KG	1900	U			3500	U
S	2-Chloronaphthalene	UG/KG	1900	U			3500	U
S	2-Chlorophenol	UG/KG	1900	U			3500	U
S	2-Methylnaphthalene	UG/KG	430	J			3100	J
S	2-Methylphenol	UG/KG	1900	U			3500	U
S	2-Nitroaniline	UG/KG	4500	U			8500	U
S	2-Nitrophenol	UG/KG	1900	U			3500	U
S	3,3'-Dichlorobenzidine	UG/KG	1900	U			3500	U
S	3-Nitroaniline	UG/KG	4500	U			8500	U
	4,6-Dinitro-2-methylphenol	UG/KG	4500	U			8500	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA21		694SHA21DL		694SHA22	
	LAB SAMPLE ID--->		83804		83804DL		83805	
	RECEIPT DATE---->		06/22/93		.		06/22/93	
S	4-Bromophenyl-phenylether	UG/KG	1900	U			3500	U
S	4-Chloro-3-methylphenol	UG/KG	1900	U			3500	U
S	4-Chloroaniline	UG/KG	1900	U			3500	U
S	4-Chlorophenyl-phenylether	UG/KG	1900	U			3500	U
S	4-Methylphenol	UG/KG	1900	U			3500	U
S	4-Nitroaniline	UG/KG	4500	U			8500	U
S	4-Nitrophenol	UG/KG	4500	U			8500	U
S	Acenaphthene	UG/KG	1900	U			3500	U
S	Acenaphthylene	UG/KG	1900	U			3500	U
S	Anthracene	UG/KG	1900	U			3500	U
S	Benzo(a)anthracene	UG/KG	1900	U			3500	U
S	Benzo(a)pyrene	UG/KG	1900	U			3500	U
S	Benzo(b)fluoranthene	UG/KG	1900	U			3500	U
S	Benzo(g,h,i)perylene	UG/KG	1900	U			3500	U
S	Benzo(k)fluoranthene	UG/KG	1900	U			3500	U
S	Butylbenzylphthalate	UG/KG	1900	U			3500	U
S	Carbazole	UG/KG	1900	U			3500	U
S	Chrysene	UG/KG	1900	U			3500	U
S	Di-n-butylphthalate	UG/KG	1900	U			3500	U
S	Di-n-octylphthalate	UG/KG	1900	U			3500	U
S	Dibenz(a,h)anthracene	UG/KG	1900	U			3500	U
S	Dibenzofuran	UG/KG	1900	U			3500	U
S	Diethylphthalate	UG/KG	1900	U			3500	U
S	Dimethylphthalate	UG/KG	1900	U			3500	U
S	Fluoranthene	UG/KG	1900	U			3500	U
S	Fluorene	UG/KG	1900	U			3500	U
S	Hexachlorobenzene	UG/KG	1900	U			3500	U
S	Hexachlorobutadiene	UG/KG	1900	U			3500	U
S	Hexachlorocyclopentadiene	UG/KG	1900	U			3500	U
S	Hexachloroethane	UG/KG	1900	U			3500	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	1900	U			3500	U
S	Isophorone	UG/KG	1900	U			3500	U
S	N-Nitroso-di-n-propylamine	UG/KG	1900	U			3500	U
S	N-Nitrosodiphenylamine	UG/KG	1900	U			3500	U
S	Naphthalene	UG/KG	1100	J			4400	
S	Nitrobenzene	UG/KG	1900	U			3500	U
S	Pentachlorophenol	UG/KG	4500	U			8500	U
S	Phenanthrene	UG/KG	1900	U			3500	U
S	Phenol	UG/KG	1900	U			3500	U
S	Pyrene	UG/KG	1900	U			3500	U
S	bis(2-Chloroethoxy)methane	UG/KG	1900	U			3500	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	360	U			3500	U
S	bis(2-chloroethyl)ether	UG/KG	1900	U			3500	U
S	bis(2-chloroisopropyl)ether	UG/KG	1900	U			3500	U
V	1,1,1-Trichloroethane	UG/KG	56	U	1400	U	53	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA21		694SHA21DL		694SHA22	
	LAB SAMPLE ID--->		83804		83804DL		83805	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	56	U	1400	U	53	U
V	1,1,2-Trichloroethane	UG/KG	56	U	1400	U	53	U
V	1,1-Dichloroethane	UG/KG	56	U	1400	U	8	J
V	1,1-Dichloroethene	UG/KG	56	U	1400	U	53	U
V	1,2-Dichloroethane	UG/KG	56	U	1400	U	53	U
V	1,2-Dichloroethene (total)	UG/KG	56	U	1400	U	53	U
V	1,2-Dichloropropane	UG/KG	56	U	1400	U	53	U
V	2-Butanone	UG/KG	88		1400	U	53	U
V	2-Hexanone	UG/KG	210		1400	U	53	U
V	4-Methyl-2-Pentanone	UG/KG	56	U	1400	U	53	U
V	Acetone	UG/KG	41000	J	28000	U	49000	J
V	Benzene	UG/KG	24	J	1400	U	72	
V	Bromodichloromethane	UG/KG	56	U	1400	U	53	U
V	Bromoform	UG/KG	56	U	1400	U	53	U
V	Bromomethane	UG/KG	56	U	1400	U	53	U
V	Carbon Disulfide	UG/KG	56	U	1400	U	53	U
V	Carbon Tetrachloride	UG/KG	56	U	1400	U	53	U
V	Chlorobenzene	UG/KG	56	U	1400	U	23	J
	Chloroethane	UG/KG	56	U	1400	U	53	U
	Chloroform	UG/KG	56	U	1400	U	53	U
V	Chloromethane	UG/KG	56	U	1400	U	53	U
V	Dibromochloromethane	UG/KG	56	U	1400	U	53	U
V	Ethylbenzene	UG/KG	330		980	J	510	
V	Methylene Chloride	UG/KG	56	U	180	U	53	U
V	Styrene	UG/KG	56	U	1400	U	53	U
V	Tetrachloroethene	UG/KG	56	U	1400	U	53	U
V	Toluene	UG/KG	34	J	1400	U	29	J
V	Trichloroethene	UG/KG	56	U	1400	U	53	U
V	Vinyl Chloride	UG/KG	56	U	1400	U	53	U
V	Xylene (total)	UG/KG	1700	J	4500	J	2200	J
V	cis-1,3-Dichloropropene	UG/KG	56	U	1400	U	53	U
V	trans-1,3-Dichloropropene	UG/KG	56	U	1400	U	53	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA22DL LAB SAMPLE ID---> 83805DL RECEIPT DATE----> 06/22/93	694SHA23 83806 06/22/93		694SHA23RE 83806RE 06/22/93
I	Aluminum	MG/KG		821	J	
I	Antimony	MG/KG		9.7	UJ	
I	Arsenic	MG/KG		0.65	U	
I	Barium	MG/KG		9.7	J	
I	Beryllium	MG/KG		0.22	U	
I	Cadmium	MG/KG		3.7	J	
I	Calcium	MG/KG		23100	J	
I	Chromium	MG/KG		20.2	J	
I	Cobalt	MG/KG		1.7	U	
I	Copper	MG/KG		3.8	J	
I	Cyanide	MG/KG				
I	Iron	MG/KG		484	J	
I	Lead	MG/KG		101	J	
I	Magnesium	MG/KG		246	J	
I	Manganese	MG/KG		10		
I	Mercury	MG/KG		0.11	U	
I	Nickel	MG/KG		5.8	J	
I	Potassium	MG/KG		141	J	
I	Selenium	MG/KG		0.39	J	
I	Silver	MG/KG		1.5	U	
I	Sodium	MG/KG		91.2	U	
I	Thallium	MG/KG		0.43	UJ	
I	Vanadium	MG/KG		1.5	J	
I	Zinc	MG/KG		15.3		
S	1,2,4-Trichlorobenzene	UG/KG		7100	U	
S	1,2-Dichlorobenzene	UG/KG		7100	U	
S	1,3-Dichlorobenzene	UG/KG		7100	U	
S	1,4-Dichlorobenzene	UG/KG		7100	U	
S	2,4,5-Trichlorophenol	UG/KG		17000	U	
S	2,4,6-Trichlorophenol	UG/KG		7100	U	
S	2,4-Dichlorophenol	UG/KG		7100	U	
S	2,4-Dimethylphenol	UG/KG		7100	U	
S	2,4-Dinitrophenol	UG/KG		17000	U	
S	2,4-Dinitrotoluene	UG/KG		7100	U	
S	2,6-Dinitrotoluene	UG/KG		7100	U	
S	2-Chloronaphthalene	UG/KG		7100	U	
S	2-Chlorophenol	UG/KG		7100	U	
S	2-Methylnaphthalene	UG/KG		7700		
S	2-Methylphenol	UG/KG		7100	U	
S	2-Nitroaniline	UG/KG		17000	U	
S	2-Nitrophenol	UG/KG		7100	U	
S	3,3'-Dichlorobenzidine	UG/KG		7100	U	
S	3-Nitroaniline	UG/KG		17000	U	
S	4,6-Dinitro-2-methylphenol	UG/KG		17000	U	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA22DL LAB SAMPLE ID---> 83805DL RECEIPT DATE----> .		SAMPLE ID ------> 694SHA23 LAB SAMPLE ID---> 83806 RECEIPT DATE----> 06/22/93		SAMPLE ID ------> 694SHA23RE LAB SAMPLE ID---> 83806RE RECEIPT DATE----> .	
S	4-Bromophenyl-phenylether	UG/KG			7100	U		
S	4-Chloro-3-methylphenol	UG/KG			7100	U		
S	4-Chloroaniline	UG/KG			7100	U		
S	4-Chlorophenyl-phenylether	UG/KG			7100	U		
S	4-Methylphenol	UG/KG			7100	U		
S	4-Nitroaniline	UG/KG			17000	U		
S	4-Nitrophenol	UG/KG			17000	U		
S	Acenaphthene	UG/KG			7100	U		
S	Acenaphthylene	UG/KG			7100	U		
S	Anthracene	UG/KG			7100	U		
S	Benzo(a)anthracene	UG/KG			7100	U		
S	Benzo(a)pyrene	UG/KG			7100	U		
S	Benzo(b)fluoranthene	UG/KG			7100	U		
S	Benzo(g,h,i)perylene	UG/KG			7100	U		
S	Benzo(k)fluoranthene	UG/KG			7100	U		
S	Butylbenzylphthalate	UG/KG			7100	U		
S	Carbazole	UG/KG			7100	U		
S	Chrysene	UG/KG			7100	U		
	Di-n-butylphthalate	UG/KG			7100	U		
	Di-n-octylphthalate	UG/KG			7100	U		
S	Dibenz(a,h)anthracene	UG/KG			7100	U		
S	Dibenzofuran	UG/KG			7100	U		
S	Diethylphthalate	UG/KG			7100	U		
S	Dimethylphthalate	UG/KG			7100	U		
S	Fluoranthene	UG/KG			7100	U		
S	Fluorene	UG/KG			7100	U		
S	Hexachlorobenzene	UG/KG			7100	U		
S	Hexachlorobutadiene	UG/KG			7100	U		
S	Hexachlorocyclopentadiene	UG/KG			7100	U		
S	Hexachloroethane	UG/KG			7100	U		
S	Indeno(1,2,3-cd)pyrene	UG/KG			7100	U		
S	Isophorone	UG/KG			7100	U		
S	N-Nitroso-di-n-propylamine	UG/KG			7100	U		
S	N-Nitrosodiphenylamine	UG/KG			7100	U		
S	Naphthalene	UG/KG			9800			
S	Nitrobenzene	UG/KG			7100	U		
S	Pentachlorophenol	UG/KG			17000	U		
S	Phenanthrene	UG/KG			7100	U		
S	Phenol	UG/KG			7100	U		
S	Pyrene	UG/KG			7100	U		
S	bis(2-Chloroethoxy)methane	UG/KG			7100	U		
S	bis(2-Ethlyhexy)phthalate	UG/KG			8200	U		
S	bis(2-chloroethyl)ether	UG/KG			7100	U		
S	bis(2-chloroisopropyl)ether	UG/KG			7100	U		
	1,1,1-Trichloroethane	UG/KG	5300	U	5400	U	5400	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA22DL		694SHA23		694SHA23RE	
	LAB SAMPLE ID--->		83805DL		83806		83806RE	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	5300	U	5400	U	5400	U
V	1,1,2-Trichloroethane	UG/KG	5300	U	5400	U	5400	U
V	1,1-Dichloroethane	UG/KG	5300	U	5400	U	5400	U
V	1,1-Dichloroethene	UG/KG	5300	U	5400	U	5400	U
V	1,2-Dichloroethane	UG/KG	5300	U	5400	U	5400	U
V	1,2-Dichloroethene (total)	UG/KG	5300	U	5400	U	5400	U
V	1,2-Dichloropropane	UG/KG	5300	U	5400	U	5400	U
V	2-Butanone	UG/KG	5300	U	5400	U	5400	U
V	2-Hexanone	UG/KG	5300	U	5400	U	5400	U
V	4-Methyl-2-Pentanone	UG/KG	5300	U	5400	U	5400	U
V	Acetone	UG/KG	100000	J	58000	U	79000	U
V	Benzene	UG/KG	5300	U	5400	U	5400	U
V	Bromodichloromethane	UG/KG	5300	U	5400	U	5400	U
V	Bromoform	UG/KG	5300	U	5400	U	5400	U
V	Bromomethane	UG/KG	5300	U	5400	U	5400	U
V	Carbon Disulfide	UG/KG	5300	U	5400	U	5400	U
V	Carbon Tetrachloride	UG/KG	5300	U	5400	U	5400	U
V	Chlorobenzene	UG/KG	5300	U	5400	U	5400	U
V	Chloroethane	UG/KG	5300	U	5400	U	5400	U
V	Chloroform	UG/KG	5300	U	5400	U	5400	U
V	Chloromethane	UG/KG	5300	U	5400	U	5400	U
V	Dibromochloromethane	UG/KG	5300	U	5400	U	5400	U
V	Ethylbenzene	UG/KG	1300	J	2000	J	1900	J
V	Methylene Chloride	UG/KG	860	U	670	U	560	U
V	Styrene	UG/KG	5300	U	5400	U	5400	U
V	Tetrachloroethene	UG/KG	5300	U	5400	U	5400	U
V	Toluene	UG/KG	5300	U	5400	U	5400	U
V	Trichloroethene	UG/KG	5300	U	5400	U	5400	U
V	Vinyl Chloride	UG/KG	5300	U	5400	U	5400	U
V	Xylene (total)	UG/KG	5200	J	9200	J	9400	J
V	cis-1,3-Dichloropropene	UG/KG	5300	U	5400	U	5400	U
V	trans-1,3-Dichloropropene	UG/KG	5300	U	5400	U	5400	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA31		694SHA31D		694SHA31DL
	LAB SAMPLE ID--->		83807		83808		83807DL
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93
I	Aluminum	MG/KG	1530	J	2580	J	
I	Antimony	MG/KG	9.6	UJ	9.6	UJ	
I	Arsenic	MG/KG	0.64	U	0.73	J	
I	Barium	MG/KG	12.3	J	27.2	J	
I	Beryllium	MG/KG	0.21	U	0.21	U	
I	Cadmium	MG/KG	0.86	J	1.5	J	
I	Calcium	MG/KG	44200	J	116000	J	
I	Chromium	MG/KG	8.1	J	24.6	J	
I	Cobalt	MG/KG	1.7	U	1.7	U	
I	Copper	MG/KG	2.3	J	4.7	J	
I	Cyanide	MG/KG					
I	Iron	MG/KG	702	J	1560	J	
I	Lead	MG/KG	28.3	J	61.4	J	
I	Magnesium	MG/KG	431	J	1220		
I	Manganese	MG/KG	13.9		43.8		
I	Mercury	MG/KG	0.11	U	0.11	U	
I	Nickel	MG/KG	4.3	U	4.3	U	
	Potassium	MG/KG	256	J	549	J	
	Selenium	MG/KG	0.21	U	0.21	U	
I	Silver	MG/KG	1.5	U	1.5	U	
I	Sodium	MG/KG	126	U	452	J	
I	Thallium	MG/KG	0.43	UJ	0.43	UJ	
I	Vanadium	MG/KG	2.5	J	4.4	J	
I	Zinc	MG/KG	10.6		21.6		
S	1,2,4-Trichlorobenzene	UG/KG	350	U	350	U	
S	1,2-Dichlorobenzene	UG/KG	210	J	320	J	
S	1,3-Dichlorobenzene	UG/KG	350	U	350	U	
S	1,4-Dichlorobenzene	UG/KG	350	U	350	U	
S	2,4,5-Trichlorophenol	UG/KG	840	U	850	U	
S	2,4,6-Trichlorophenol	UG/KG	350	U	350	U	
S	2,4-Dichlorophenol	UG/KG	350	U	350	U	
S	2,4-Dimethylphenol	UG/KG	350	U	350	U	
S	2,4-Dinitrophenol	UG/KG	840	U	850	U	
S	2,4-Dinitrotoluene	UG/KG	350	U	350	U	
S	2,6-Dinitrotoluene	UG/KG	350	U	350	U	
S	2-Chloronaphthalene	UG/KG	350	U	350	U	
S	2-Chlorophenol	UG/KG	350	U	350	U	
S	2-Methylnaphthalene	UG/KG	350	U	350	U	
S	2-Methylphenol	UG/KG	350	U	350	U	
S	2-Nitroaniline	UG/KG	840	U	850	U	
S	2-Nitrophenol	UG/KG	350	U	350	U	
S	3,3'-Dichlorobenzidine	UG/KG	350	U	350	U	
S	3-Nitroaniline	UG/KG	840	U	850	U	
	4,6-Dinitro-2-methylphenol	UG/KG	840	U	850	U	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA31 LAB SAMPLE ID---> 83807 RECEIPT DATE----> 06/22/93		694SHA31D 83808 06/22/93		694SHA31DL 83807DL	
S	4-Bromophenyl-phenylether	UG/KG	350	U	350	U		
S	4-Chloro-3-methylphenol	UG/KG	350	U	350	U		
S	4-Chloroaniline	UG/KG	350	U	350	U		
S	4-Chlorophenyl-phenylether	UG/KG	350	U	350	U		
S	4-Methylphenol	UG/KG	350	U	350	U		
S	4-Nitroaniline	UG/KG	840	U	850	U		
S	4-Nitrophenol	UG/KG	840	U	850	U		
S	Acenaphthene	UG/KG	350	U	350	U		
S	Acenaphthylene	UG/KG	350	U	350	U		
S	Anthracene	UG/KG	350	U	350	U		
S	Benzo(a)anthracene	UG/KG	350	U	350	U		
S	Benzo(a)pyrene	UG/KG	350	U	350	U		
S	Benzo(b)fluoranthene	UG/KG	350	U	350	U		
S	Benzo(g,h,i)perylene	UG/KG	350	U	39	J		
S	Benzo(k)fluoranthene	UG/KG	350	U	350	U		
S	Butylbenzylphthalate	UG/KG	350	U	350	U		
S	Carbazole	UG/KG	350	U	350	U		
S	Chrysene	UG/KG	350	U	350	U		
S	Di-n-butylphthalate	UG/KG	350	U	350	U		
S	Di-n-octylphthalate	UG/KG	350	U	350	U		
S	Dibenz(a,h)anthracene	UG/KG	350	U	350	U		
S	Dibenzofuran	UG/KG	350	U	350	U		
S	Diethylphthalate	UG/KG	350	U	350	U		
S	Dimethylphthalate	UG/KG	350	U	350	U		
S	Fluoranthene	UG/KG	350	U	350	U		
S	Fluorene	UG/KG	350	U	350	U		
S	Hexachlorobenzene	UG/KG	350	U	110	J		
S	Hexachlorobutadiene	UG/KG	350	U	350	U		
S	Hexachlorocyclopentadiene	UG/KG	350	U	350	U		
S	Hexachloroethane	UG/KG	350	U	350	U		
S	Indeno(1,2,3-cd)pyrene	UG/KG	350	U	350	U		
S	Isophorone	UG/KG	350	U	350	U		
S	N-Nitroso-di-n-propylamine	UG/KG	350	U	350	U		
S	N-Nitrosodiphenylamine	UG/KG	350	U	350	U		
S	Naphthalene	UG/KG	92	J	120	J		
S	Nitrobenzene	UG/KG	350	U	350	U		
S	Pentachlorophenol	UG/KG	840	U	850	U		
S	Phenanthrene	UG/KG	350	U	350	U		
S	Phenol	UG/KG	350	U	350	U		
S	Pyrene	UG/KG	350	U	350	U		
S	bis(2-Chloroethoxy)methane	UG/KG	350	U	350	U		
S	bis(2-Ethlyhexy)phthalate	UG/KG	120	U	200	U		
S	bis(2-chloroethyl)ether	UG/KG	350	U	350	U		
S	bis(2-chloroisopropyl)ether	UG/KG	350	U	350	U		
V	1,1,1-Trichloroethane	UG/KG	10	U	1300	U	1300	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA31		694SHA31D		694SHA31DL	
	LAB SAMPLE ID--->		83807		83808		83807DL	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	10	U	1300	U	1300	U
V	1,1,2-Trichloroethane	UG/KG	10	U	1300	U	1300	U
V	1,1-Dichloroethane	UG/KG	10	U	1300	U	1300	U
V	1,1-Dichloroethene	UG/KG	10	U	1300	U	1300	U
V	1,2-Dichloroethane	UG/KG	10	U	1300	U	1300	U
V	1,2-Dichloroethene (total)	UG/KG	10	U	1300	U	1300	U
V	1,2-Dichloropropane	UG/KG	10	U	1300	U	1300	U
V	2-Butanone	UG/KG	35	J	1300	U	1300	U
V	2-Hexanone	UG/KG	63	J	1300	U	1300	U
V	4-Methyl-2-Pentanone	UG/KG	41	J	1300	U	1300	U
V	Acetone	UG/KG	1100	U	380	U	1300	U
V	Benzene	UG/KG	25	J	1300	U	1300	U
V	Bromodichloromethane	UG/KG	10	U	1300	U	1300	U
V	Bromoform	UG/KG	10	U	1300	U	1300	U
V	Bromomethane	UG/KG	10	U	1300	U	1300	U
V	Carbon Disulfide	UG/KG	10	U	1300	U	1300	U
V	Carbon Tetrachloride	UG/KG	10	U	1300	U	1300	U
V	Chlorobenzene	UG/KG	84	J	1300	U	590	J
"	Chloroethane	UG/KG	10	U	1300	U	1300	U
	Chloroform	UG/KG	10	U	1300	U	1300	U
V	Chloromethane	UG/KG	10	U	1300	U	1300	U
V	Dibromochloromethane	UG/KG	10	U	1300	U	1300	U
V	Ethylbenzene	UG/KG	92	J	1300	U	460	J
V	Methylene Chloride	UG/KG	10	U	140	U	1300	U
V	Styrene	UG/KG	10	U	1300	U	1300	U
V	Tetrachloroethene	UG/KG	10	U	1300	U	1300	U
V	Toluene	UG/KG	18	J	1300	U	1300	U
V	Trichloroethene	UG/KG	10	U	1300	U	1300	U
V	Vinyl Chloride	UG/KG	10	U	1300	U	1300	U
V	Xylene (total)	UG/KG	260	J	470	J	2300	J
V	cis-1,3-Dichloropropene	UG/KG	10	U	1300	U	1300	U
V	trans-1,3-Dichloropropene	UG/KG	10	U	1300	U	1300	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA32		SAMPLE ID ------> 694SHA33		SAMPLE ID ------> 694SHA41	
	LAB SAMPLE ID--->		83809		83810		83811	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
I	Aluminum	MG/KG	2180	J	1410	J	3620	J
I	Antimony	MG/KG	9.5	UJ	9.6	UJ	9.9	UJ
I	Arsenic	MG/KG	0.64	U	0.64	U	0.66	U
I	Barium	MG/KG	13.2	J	8.1	J	56.3	
I	Beryllium	MG/KG	0.21	U	0.21	U	0.22	U
I	Cadmium	MG/KG	0.64	UJ	0.64	UJ	6.7	J
I	Calcium	MG/KG	43800	J	13200	J	184000	J
I	Chromium	MG/KG	21.9	J	6.8	J	200	J
I	Cobalt	MG/KG	1.7	U	1.7	U	3	J
I	Copper	MG/KG	2.5	J	1.8	J	10.3	
I	Cyanide	MG/KG						
I	Iron	MG/KG	840	J	612	J	2640	J
I	Lead	MG/KG	25.2	J	9.3	J	503	J
I	Magnesium	MG/KG	536	J	228	J	2650	
I	Manganese	MG/KG	15.1		7.9		129	
I	Mercury	MG/KG	0.11	U	0.11	U	0.11	U
I	Nickel	MG/KG	4.2	U	4.3	U	4.4	U
I	Potassium	MG/KG	305	J	181	J	1000	J
I	Selenium	MG/KG	0.21	U	0.21	U	0.35	J
I	Silver	MG/KG	1.5	U	1.5	U	1.5	U
I	Sodium	MG/KG	179	U	94	U	539	J
I	Thallium	MG/KG	0.42	UJ	0.43	UJ	0.44	UJ
I	Vanadium	MG/KG	2.9	J	1.8	J	6.5	J
I	Zinc	MG/KG	10.3		5.8		350	
S	1,2,4-Trichlorobenzene	UG/KG	350	U	1400	U	370	U
S	1,2-Dichlorobenzene	UG/KG	360		3000		370	U
S	1,3-Dichlorobenzene	UG/KG	350	U	1400	U	370	U
S	1,4-Dichlorobenzene	UG/KG	62	J	570	J	370	U
S	2,4,5-Trichlorophenol	UG/KG	850	U	3400	U	890	U
S	2,4,6-Trichlorophenol	UG/KG	350	U	1400	U	370	U
S	2,4-Dichlorophenol	UG/KG	350	U	1400	U	370	U
S	2,4-Dimethylphenol	UG/KG	350	U	1400	U	370	U
S	2,4-Dinitrophenol	UG/KG	850	U	3400	U	890	U
S	2,4-Dinitrotoluene	UG/KG	350	U	1400	U	370	U
S	2,6-Dinitrotoluene	UG/KG	350	U	1400	U	370	U
S	2-Chloronaphthalene	UG/KG	350	U	1400	U	370	U
S	2-Chlorophenol	UG/KG	350	U	1400	U	370	U
S	2-Methylnaphthalene	UG/KG	470		12000	J	520	
S	2-Methylphenol	UG/KG	350	U	1400	U	370	U
S	2-Nitroaniline	UG/KG	850	U	3400	U	890	U
S	2-Nitrophenol	UG/KG	350	U	1400	U	370	U
S	3,3'-Dichlorobenzidine	UG/KG	350	U	1400	U	370	U
S	3-Nitroaniline	UG/KG	850	U	3400	U	890	U
S	4,6-Dinitro-2-methylphenol	UG/KG	850	U	3400	U	890	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA32		694SHA33		694SHA41	
	LAB SAMPLE ID--->		83809		83810		83811	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
S	4-Bromophenyl-phenylether	UG/KG	350	U	1400	U	370	U
S	4-Chloro-3-methylphenol	UG/KG	350	U	1400	U	370	U
S	4-Chloroaniline	UG/KG	350	U	1400	U	370	U
S	4-Chlorophenyl-phenylether	UG/KG	350	U	1400	U	370	U
S	4-Methylphenol	UG/KG	350	U	1400	U	370	U
S	4-Nitroaniline	UG/KG	850	U	3400	U	890	U
S	4-Nitrophenol	UG/KG	850	U	3400	U	890	U
S	Acenaphthene	UG/KG	350	U	1400	U	370	U
S	Acenaphthylene	UG/KG	350	U	1400	U	370	U
S	Anthracene	UG/KG	350	U	1400	U	370	U
S	Benzo(a)anthracene	UG/KG	350	U	1400	U	370	U
S	Benzo(a)pyrene	UG/KG	350	U	1400	U	370	U
S	Benzo(b)fluoranthene	UG/KG	350	U	1400	U	370	U
S	Benzo(g,h,i)perylene	UG/KG	35	J	1400	U	35	J
S	Benzo(k)fluoranthene	UG/KG	350	U	1400	U	370	U
S	Butylbenzylphthalate	UG/KG	350	U	1400	U	370	U
S	Carbazole	UG/KG	350	U	1400	U	370	U
S	Chrysene	UG/KG	350	U	1400	U	370	U
	Di-n-butylphthalate	UG/KG	350	U	1400	U	370	U
	Di-n-octylphthalate	UG/KG	350	U	1400	U	370	U
S	Dibenz(a,h)anthracene	UG/KG	350	U	1400	U	370	U
S	Dibenzofuran	UG/KG	350	U	250	J	370	U
S	Diethylphthalate	UG/KG	350	U	1400	U	370	U
S	Dimethylphthalate	UG/KG	350	U	1400	U	370	U
S	Fluoranthene	UG/KG	350	U	140	J	370	U
S	Fluorene	UG/KG	350	U	240	J	370	U
S	Hexachlorobenzene	UG/KG	74	J	330	J	370	U
S	Hexachlorobutadiene	UG/KG	350	U	1400	U	370	U
S	Hexachlorocyclopentadiene	UG/KG	350	U	1400	U	370	U
S	Hexachloroethane	UG/KG	350	U	1400	U	370	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	350	U	1400	U	370	U
S	Isophorone	UG/KG	350	U	1400	U	370	U
S	N-Nitroso-di-n-propylamine	UG/KG	350	U	1400	U	370	U
S	N-Nitrosodiphenylamine	UG/KG	350	U	310	J	370	U
S	Naphthalene	UG/KG	840		12000	J	490	
S	Nitrobenzene	UG/KG	350	U	1400	U	370	U
S	Pentachlorophenol	UG/KG	850	U	3400	U	890	U
S	Phenanthrene	UG/KG	350	U	500	J	370	U
S	Phenol	UG/KG	350	U	1400	U	370	U
S	Pyrene	UG/KG	44	J	150	J	370	U
S	bis(2-Chloroethoxy)methane	UG/KG	350	U	1400	U	370	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	1800	U	11000	U	140	U
S	bis(2-chloroethyl)ether	UG/KG	350	U	1400	U	370	U
S	bis(2-chloroisopropyl)ether	UG/KG	350	U	1400	U	370	U
	1,1,1-Trichloroethane	UG/KG	1300	U	2700	U	11	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA32		694SHA33		694SHA41	
	LAB SAMPLE ID--->		83809		83810		83811	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	1300	U	2700	U	11	U
V	1,1,2-Trichloroethane	UG/KG	1300	U	2700	U	11	U
V	1,1-Dichloroethane	UG/KG	1300	U	2700	U	11	U
V	1,1-Dichloroethene	UG/KG	1300	U	2700	U	11	U
V	1,2-Dichloroethane	UG/KG	1300	U	2700	U	11	U
V	1,2-Dichloroethene (total)	UG/KG	1300	U	2700	U	11	U
V	1,2-Dichloropropane	UG/KG	1300	U	2700	U	11	U
V	2-Butanone	UG/KG	1900		2700	U	5	J
V	2-Hexanone	UG/KG	1300	U	2700	U	11	U
V	4-Methyl-2-Pentanone	UG/KG	1300	U	2700	U	11	U
V	Acetone	UG/KG	9400	U	32000	U	19000	U
V	Benzene	UG/KG	200	J	260	J	11	J
V	Bromodichloromethane	UG/KG	1300	U	2700	U	11	U
V	Bromoform	UG/KG	1300	U	2700	U	11	U
V	Bromomethane	UG/KG	1300	U	2700	U	11	U
V	Carbon Disulfide	UG/KG	1300	U	2700	U	11	U
V	Carbon Tetrachloride	UG/KG	1300	U	2700	U	11	U
V	Chlorobenzene	UG/KG	2200		1600	J	12	
V	Chloroethane	UG/KG	1300	U	2700	U	11	U
V	Chloroform	UG/KG	1300	U	2700	U	11	U
V	Chloromethane	UG/KG	1300	U	2700	U	11	U
V	Dibromochloromethane	UG/KG	1300	U	2700	U	11	U
V	Ethylbenzene	UG/KG	5200		5400		23	
V	Methylene Chloride	UG/KG	140	U	270	U	11	U
V	Styrene	UG/KG	1300	U	2700	U	11	U
V	Tetrachloroethene	UG/KG	1300	U	2700	U	11	U
V	Toluene	UG/KG	1300	U	2700	U	11	U
V	Trichloroethene	UG/KG	1300	U	2700	U	11	U
V	Vinyl Chloride	UG/KG	1300	U	2700	U	11	U
V	Xylene (total)	UG/KG	23000	J	25000	J	5	J
V	cis-1,3-Dichloropropene	UG/KG	1300	U	2700	U	11	U
V	trans-1,3-Dichloropropene	UG/KG	1300	U	2700	U	11	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA41DL LAB SAMPLE ID---> 83811DL RECEIPT DATE----> 06/22/93		694SHA42 83812 06/22/93		694SHA43 83813 06/22/93	
I	Aluminum	MG/KG	4920	J	3020	J
I	Antimony	MG/KG	10.3	UJ	10.5	UJ
I	Arsenic	MG/KG	0.69	U	0.7	U
I	Barium	MG/KG	33.3	J	19.5	J
I	Beryllium	MG/KG	0.23	U	0.23	U
I	Cadmium	MG/KG	0.84	J	1.5	J
I	Calcium	MG/KG	90900	J	29700	J
I	Chromium	MG/KG	20.9	J	34.6	J
I	Cobalt	MG/KG	1.8	U	1.9	U
I	Copper	MG/KG	12.4		7	
I	Cyanide	MG/KG				
I	Iron	MG/KG	2070	J	1530	J
I	Lead	MG/KG	55.3	J	50.5	J
I	Magnesium	MG/KG	1140	J	585	J
I	Manganese	MG/KG	42.4		24	
I	Mercury	MG/KG	0.11	U	0.12	U
I	Nickel	MG/KG	4.6	U	4.7	U
	Potassium	MG/KG	819	J	541	J
	Selenium	MG/KG	0.23	U	0.23	U
I	Silver	MG/KG	1.6	U	1.6	U
I	Sodium	MG/KG	394	J	167	U
I	Thallium	MG/KG	0.46	UJ	0.47	UJ
I	Vanadium	MG/KG	5.7	J	4	J
I	Zinc	MG/KG	45.9		77.5	
S	1,2,4-Trichlorobenzene	UG/KG	370	U	1500	U
S	1,2-Dichlorobenzene	UG/KG	240	J	1500	U
S	1,3-Dichlorobenzene	UG/KG	370	U	1500	U
S	1,4-Dichlorobenzene	UG/KG	370	U	1500	U
S	2,4,5-Trichlorophenol	UG/KG	890	U	3700	U
S	2,4,6-Trichlorophenol	UG/KG	370	U	1500	U
S	2,4-Dichlorophenol	UG/KG	370	U	1500	U
S	2,4-Dimethylphenol	UG/KG	370	U	1500	U
S	2,4-Dinitrophenol	UG/KG	890	U	3700	U
S	2,4-Dinitrotoluene	UG/KG	370	U	1500	U
S	2,6-Dinitrotoluene	UG/KG	370	U	1500	U
S	2-Chloronaphthalene	UG/KG	370	U	1500	U
S	2-Chlorophenol	UG/KG	370	U	1500	U
S	2-Methylnaphthalene	UG/KG	2100		9300	
S	2-Methylphenol	UG/KG	370	U	1500	U
S	2-Nitroaniline	UG/KG	890	U	3700	U
S	2-Nitrophenol	UG/KG	370	U	1500	U
S	3,3'-Dichlorobenzidine	UG/KG	370	U	1500	U
S	3-Nitroaniline	UG/KG	890	U	3700	U
	4,6-Dinitro-2-methylphenol	UG/KG	890	U	3700	U

CORPUS CHRISTI
SOIL SAMPLES

	SAMPLE ID ------>		694SHA41DL		694SHA42		694SHA43	
	LAB SAMPLE ID--->		83811DL		83812		83813	
	RECEIPT DATE---->		.		06/22/93		06/22/93	
	PARAMETER	UNITS						
S	4-Bromophenyl-phenylether	UG/KG			370	U	1500	U
S	4-Chloro-3-methylphenol	UG/KG			370	U	1500	U
S	4-Chloroaniline	UG/KG			370	U	1500	U
S	4-Chlorophenyl-phenylether	UG/KG			370	U	1500	U
S	4-Methylphenol	UG/KG			370	U	1500	U
S	4-Nitroaniline	UG/KG			890	U	3700	U
S	4-Nitrophenol	UG/KG			890	U	3700	U
S	Acenaphthene	UG/KG			370	U	1500	U
S	Acenaphthylene	UG/KG			370	U	1500	U
S	Anthracene	UG/KG			370	U	1500	U
S	Benzo(a)anthracene	UG/KG			370	U	1500	U
S	Benzo(a)pyrene	UG/KG			370	U	1500	U
S	Benzo(b)fluoranthene	UG/KG			370	U	1500	U
S	Benzo(g,h,i)perylene	UG/KG			370	U	1500	U
S	Benzo(k)fluoranthene	UG/KG			370	U	1500	U
S	Butylbenzylphthalate	UG/KG			370	U	1500	U
S	Carbazole	UG/KG			370	U	1500	U
S	Chrysene	UG/KG			370	U	1500	U
S	Di-n-butylphthalate	UG/KG			370	U	1500	U
S	Di-n-octylphthalate	UG/KG			370	U	1500	U
S	Dibenz(a,h)anthracene	UG/KG			370	U	1500	U
S	Dibenzofuran	UG/KG			370	U	170	J
S	Diethylphthalate	UG/KG			370	U	1500	U
S	Dimethylphthalate	UG/KG			370	U	1500	U
S	Fluoranthene	UG/KG			370	U	180	J
S	Fluorene	UG/KG			43	J	230	J
S	Hexachlorobenzene	UG/KG			370	U	1500	U
S	Hexachlorobutadiene	UG/KG			370	U	1500	U
S	Hexachlorocyclopentadiene	UG/KG			370	U	1500	U
S	Hexachloroethane	UG/KG			370	U	1500	U
S	Indeno(1,2,3-cd)pyrene	UG/KG			370	U	1500	U
S	Isophorone	UG/KG			370	U	1500	U
S	N-Nitroso-di-n-propylamine	UG/KG			370	U	1500	U
S	N-Nitrosodiphenylamine	UG/KG			370	U	1500	U
S	Naphthalene	UG/KG			2200		8200	
S	Nitrobenzene	UG/KG			370	U	1500	U
S	Pentachlorophenol	UG/KG			890	U	3700	U
S	Phenanthrene	UG/KG			41	J	640	J
S	Phenol	UG/KG			370	U	1500	U
S	Pyrene	UG/KG			370	U	1500	U
S	bis(2-Chloroethoxy)methane	UG/KG			370	U	1500	U
S	bis(2-Ethlyhexy)phthalate	UG/KG			530	U	5500	U
S	bis(2-chloroethyl)ether	UG/KG			370	U	1500	U
S	bis(2-chloroisopropyl)ether	UG/KG			370	U	1500	U
V	1,1,1-Trichloroethane	UG/KG	2800	U	2800	U	1500	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA41DL LAB SAMPLE ID---> 83811DL RECEIPT DATE----> 06/22/93		694SHA42 83812 06/22/93		694SHA43 83813 06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	2800	U	2800	U	1500	U
V	1,1,2-Trichloroethane	UG/KG	2800	U	2800	U	1500	U
V	1,1-Dichloroethane	UG/KG	2800	U	2800	U	1500	U
V	1,1-Dichloroethene	UG/KG	2800	U	2800	U	1500	U
V	1,2-Dichloroethane	UG/KG	2800	U	2800	U	1500	U
V	1,2-Dichloroethene (total)	UG/KG	2800	U	2800	U	1500	U
V	1,2-Dichloropropane	UG/KG	2800	U	2800	U	1500	U
V	2-Butanone	UG/KG	2800	U	2800	U	1500	U
V	2-Hexanone	UG/KG	2800	U	2800	U	1500	U
V	4-Methyl-2-Pentanone	UG/KG	2800	U	2800	U	1500	U
V	Acetone	UG/KG	21000	U	10000	J	23000	J
V	Benzene	UG/KG	2800	U	2800	U	240	J
V	Bromodichloromethane	UG/KG	2800	U	2800	U	1500	U
V	Bromoform	UG/KG	2800	U	2800	U	1500	U
V	Bromomethane	UG/KG	2800	U	2800	U	1500	U
V	Carbon Disulfide	UG/KG	2800	U	2800	U	1500	U
V	Carbon Tetrachloride	UG/KG	2800	U	2800	U	1500	U
V	Chlorobenzene	UG/KG	2800	U	1500	J	1400	J
	Chloroethane	UG/KG	2800	U	2800	U	1500	U
	Chloroform	UG/KG	2800	U	2800	U	1500	U
V	Chloromethane	UG/KG	2800	U	2800	U	1500	U
V	Dibromochloromethane	UG/KG	2800	U	2800	U	1500	U
V	Ethylbenzene	UG/KG	2800	U	2600	J	2300	
V	Methylene Chloride	UG/KG	330	U	310	U	170	U
V	Styrene	UG/KG	2800	U	2800	U	1500	U
V	Tetrachloroethene	UG/KG	2800	U	2800	U	1500	U
V	Toluene	UG/KG	2800	U	2800	U	1500	U
V	Trichloroethene	UG/KG	2800	U	2800	U	1500	U
V	Vinyl Chloride	UG/KG	2800	U	2800	U	1500	U
V	Xylene (total)	UG/KG	2800	U	2800	U	230	J
V	cis-1,3-Dichloropropene	UG/KG	2800	U	2800	U	1500	U
V	trans-1,3-Dichloropropene	UG/KG	2800	U	2800	U	1500	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA51		694SHA52		694SHA53	
	LAB SAMPLE ID--->		83814		83815		83816	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
I	Aluminum	MG/KG	4200	J	1790	J	1080	J
I	Antimony	MG/KG	9.9	UJ	9.5	UJ	9.5	UJ
I	Arsenic	MG/KG	0.92	J	0.63	U	0.63	U
I	Barium	MG/KG	93.8		24.9	J	12.2	J
I	Beryllium	MG/KG	0.22	U	0.21	U	0.21	U
I	Cadmium	MG/KG	6.7	J	12.4	J	6.2	J
I	Calcium	MG/KG	72300	J	13400	J	6540	J
I	Chromium	MG/KG	187	J	260	J	144	J
I	Cobalt	MG/KG	1.8	U	1.7	U	1.7	U
I	Copper	MG/KG	6.3		6.1		4.5	J
I	Cyanide	MG/KG						
I	Iron	MG/KG	2490	J	852	J	510	J
I	Lead	MG/KG	169	J	346	J	109	J
I	Magnesium	MG/KG	1460		277	J	146	
I	Manganese	MG/KG	67.2		41		22	
I	Mercury	MG/KG	0.11	U	0.11	U	0.11	U
I	Nickel	MG/KG	5.8	J	6.1	J	4.2	U
I	Potassium	MG/KG	1160		440	J	291	
I	Selenium	MG/KG	0.23	J	0.21	U	0.21	U
I	Silver	MG/KG	1.5	U	1.5	U	1.5	U
I	Sodium	MG/KG	212	J	131	U	95.6	U
I	Thallium	MG/KG	0.44	UJ	0.42	UJ	0.42	UJ
I	Vanadium	MG/KG	7.1	J	2.1	J	1.2	J
I	Zinc	MG/KG	61.7		56.5		20.1	
S	1,2,4-Trichlorobenzene	UG/KG	360	U	3500	U	14000	U
S	1,2-Dichlorobenzene	UG/KG	360	U	3500	U	14000	U
S	1,3-Dichlorobenzene	UG/KG	360	U	3500	U	14000	U
S	1,4-Dichlorobenzene	UG/KG	360	U	3500	U	14000	U
S	2,4,5-Trichlorophenol	UG/KG	870	U	8500	U	34000	U
S	2,4,6-Trichlorophenol	UG/KG	360	U	3500	U	14000	U
S	2,4-Dichlorophenol	UG/KG	360	U	3500	U	14000	U
S	2,4-Dimethylphenol	UG/KG	360	U	3500	U	14000	U
S	2,4-Dinitrophenol	UG/KG	870	U	8500	U	34000	U
S	2,4-Dinitrotoluene	UG/KG	360	U	3500	U	14000	U
S	2,6-Dinitrotoluene	UG/KG	360	U	3500	U	14000	U
S	2-Chloronaphthalene	UG/KG	360	U	3500	U	14000	U
S	2-Chlorophenol	UG/KG	360	U	3500	U	14000	U
S	2-Methylnaphthalene	UG/KG	340	J	23000		42000	
S	2-Methylphenol	UG/KG	100	J	3500	U	14000	U
S	2-Nitroaniline	UG/KG	870	U	8500	U	34000	U
S	2-Nitrophenol	UG/KG	360	U	3500	U	14000	U
S	3,3'-Dichlorobenzidine	UG/KG	360	U	3500	U	14000	U
S	3-Nitroaniline	UG/KG	870	U	8500	U	34000	U
S	4,6-Dinitro-2-methylphenol	UG/KG	870	U	8500	U	34000	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA51 LAB SAMPLE ID---> 83814 RECEIPT DATE----> 06/22/93		694SHA52 83815 06/22/93		694SHA53 83816 06/22/93	
S	4-Bromophenyl-phenylether	UG/KG	360	U	3500	U	14000	U
S	4-Chloro-3-methylphenol	UG/KG	360	U	3500	U	14000	U
S	4-Chloroaniline	UG/KG	360	U	3500	U	14000	U
S	4-Chlorophenyl-phenylether	UG/KG	360	U	3500	U	14000	U
S	4-Methylphenol	UG/KG	360	U	3500	U	14000	U
S	4-Nitroaniline	UG/KG	870	U	8500	U	34000	U
S	4-Nitrophenol	UG/KG	870	U	8500	U	34000	U
S	Acenaphthene	UG/KG	360	U	3500	U	14000	U
S	Acenaphthylene	UG/KG	360	U	3500	U	14000	U
S	Anthracene	UG/KG	360	U	3500	U	14000	U
S	Benzo(a)anthracene	UG/KG	360	U	3500	U	14000	U
S	Benzo(a)pyrene	UG/KG	360	U	3500	U	14000	U
S	Benzo(b)fluoranthene	UG/KG	360	U	3500	U	14000	U
S	Benzo(g,h,i)perylene	UG/KG	36	J	3500	U	14000	U
S	Benzo(k)fluoranthene	UG/KG	360	U	3500	U	14000	U
S	Butylbenzylphthalate	UG/KG	360	U	3500	U	14000	U
S	Carbazole	UG/KG	360	U	3500	U	14000	U
S	Chrysene	UG/KG	360	U	3500	U	14000	U
	Di-n-butylphthalate	UG/KG	360	U	560	U	14000	U
	Di-n-octylphthalate	UG/KG	360	U	3500	U	14000	U
S	Dibenz(a,h)anthracene	UG/KG	360	U	3500	U	14000	U
S	Dibenzofuran	UG/KG	360	U	770	J	1500	J
S	Diethylphthalate	UG/KG	360	U	3500	U	14000	U
S	Dimethylphthalate	UG/KG	360	U	3500	U	14000	U
S	Fluoranthene	UG/KG	360	U	3500	U	14000	U
S	Fluorene	UG/KG	360	U	790	J	14000	U
S	Hexachlorobenzene	UG/KG	360	U	3500	U	14000	U
S	Hexachlorobutadiene	UG/KG	360	U	3500	U	14000	U
S	Hexachlorocyclopentadiene	UG/KG	360	U	3500	U	14000	U
S	Hexachloroethane	UG/KG	360	U	3500	U	14000	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	360	U	3500	U	14000	U
S	Isophorone	UG/KG	360	U	3500	U	14000	U
S	N-Nitroso-di-n-propylamine	UG/KG	360	U	3500	U	14000	U
S	N-Nitrosodiphenylamine	UG/KG	360	U	770	J	14000	U
S	Naphthalene	UG/KG	510		13000		38000	
S	Nitrobenzene	UG/KG	360	U	3500	U	14000	U
S	Pentachlorophenol	UG/KG	870	U	8500	U	34000	U
S	Phenanthrene	UG/KG	360	U	1200	J	2000	J
S	Phenol	UG/KG	360	U	3500	U	14000	U
S	Pyrene	UG/KG	56	J	3500	U	14000	U
S	bis(2-Chloroethoxy)methane	UG/KG	360	U	3500	U	14000	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	380	U	4800	U	7000	U
S	bis(2-chloroethyl)ether	UG/KG	360	U	3500	U	14000	U
S	bis(2-chloroisopropyl)ether	UG/KG	360	U	3500	U	14000	U
	1,1,1-Trichloroethane	UG/KG	27000	U	27000	U	27000	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA51		694SHA52		694SHA53	
	LAB SAMPLE ID--->		83814		83815		83816	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	27000	U	27000	U	27000	U
V	1,1,2-Trichloroethane	UG/KG	27000	U	27000	U	27000	U
V	1,1-Dichloroethane	UG/KG	27000	U	27000	U	27000	U
V	1,1-Dichloroethene	UG/KG	27000	U	27000	U	27000	U
V	1,2-Dichloroethane	UG/KG	27000	U	27000	U	27000	U
V	1,2-Dichloroethene (total)	UG/KG	3400	J	27000	U	27000	U
V	1,2-Dichloropropane	UG/KG	27000	U	27000	U	27000	U
V	2-Butanone	UG/KG	27000	U	27000	U	27000	U
V	2-Hexanone	UG/KG	27000	U	27000	U	27000	U
V	4-Methyl-2-Pentanone	UG/KG	27000	U	27000	U	27000	U
V	Acetone	UG/KG	15000	J	27000	U	27000	U
V	Benzene	UG/KG	27000	U	27000	U	27000	U
V	Bromodichloromethane	UG/KG	27000	U	27000	U	27000	U
V	Bromoform	UG/KG	27000	U	27000	U	27000	U
V	Bromomethane	UG/KG	27000	U	27000	U	27000	U
V	Carbon Disulfide	UG/KG	27000	U	27000	U	27000	U
V	Carbon Tetrachloride	UG/KG	27000	U	27000	U	27000	U
V	Chlorobenzene	UG/KG	27000	U	27000	U	27000	U
V	Chloroethane	UG/KG	27000	U	27000	U	27000	U
V	Chloroform	UG/KG	27000	U	27000	U	27000	U
V	Chloromethane	UG/KG	27000	U	27000	U	27000	U
V	Dibromochloromethane	UG/KG	27000	U	27000	U	27000	U
V	Ethylbenzene	UG/KG	6900	J	7100	J	7300	J
V	Methylene Chloride	UG/KG	3100	U	27000	U	27000	U
V	Styrene	UG/KG	27000	U	27000	U	27000	U
V	Tetrachloroethene	UG/KG	27000	U	27000	U	27000	U
V	Toluene	UG/KG	71000		60000		73000	J
V	Trichloroethene	UG/KG	27000	U	27000	U	27000	U
V	Vinyl Chloride	UG/KG	27000	U	27000	U	27000	U
V	Xylene (total)	UG/KG	40000	J	44000	J	60000	J
V	cis-1,3-Dichloropropene	UG/KG	27000	U	27000	U	27000	U
V	trans-1,3-Dichloropropene	UG/KG	27000	U	27000	U	27000	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA61		694SHA62		694SHA63	
	LAB SAMPLE ID--->		83817		83818		83819	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
I	Aluminum	MG/KG	10200	J	8130	J	6910	J
I	Antimony	MG/KG	10.6	UJ	10.5	UJ	10.4	UJ
I	Arsenic	MG/KG	1.3	J	1.1	J	1.2	J
I	Barium	MG/KG	223		234		156	
I	Beryllium	MG/KG	0.42	J	0.38	J	0.36	J
I	Cadmium	MG/KG	0.71	UJ	0.7	UJ	0.69	UJ
I	Calcium	MG/KG	90800	J	135000	J	114000	J
I	Chromium	MG/KG	8.7	J	8.2	J	7.5	J
I	Cobalt	MG/KG	2.3	J	2.6	J	2.3	J
I	Copper	MG/KG	3.8	J	5	J	3.4	J
I	Cyanide	MG/KG						
I	Iron	MG/KG	5610	J	4670	J	4110	J
I	Lead	MG/KG	4.2	J	6.5	J	5.1	J
I	Magnesium	MG/KG	4260		3530		2820	
I	Manganese	MG/KG	94.9		197		135	
I	Mercury	MG/KG	0.12	U	0.12	U	0.12	U
I	Nickel	MG/KG	4.7	U	5.8	J	4.6	U
	Potassium	MG/KG	2580		2120		1820	
	Selenium	MG/KG	0.3	J	0.37	J	0.23	U
I	Silver	MG/KG	1.7	U	1.6	U	1.6	U
I	Sodium	MG/KG	304	J	318	J	280	J
I	Thallium	MG/KG	0.47	UJ	0.47	UJ	0.46	UJ
I	Vanadium	MG/KG	15.6		16.4		11.8	
I	Zinc	MG/KG	16.9		15.1		10.9	
S	1,2,4-Trichlorobenzene	UG/KG	800	U	770	U	770	U
S	1,2-Dichlorobenzene	UG/KG	800	U	770	U	770	U
S	1,3-Dichlorobenzene	UG/KG	800	U	770	U	770	U
S	1,4-Dichlorobenzene	UG/KG	800	U	770	U	770	U
S	2,4,5-Trichlorophenol	UG/KG	1900	U	1900	U	1900	U
S	2,4,6-Trichlorophenol	UG/KG	800	U	770	U	770	U
S	2,4-Dichlorophenol	UG/KG	800	U	770	U	770	U
S	2,4-Dimethylphenol	UG/KG	800	U	770	U	770	U
S	2,4-Dinitrophenol	UG/KG	1900	U	1900	U	1900	U
S	2,4-Dinitrotoluene	UG/KG	800	U	770	U	770	U
S	2,6-Dinitrotoluene	UG/KG	800	U	770	U	770	U
S	2-Chloronaphthalene	UG/KG	800	U	770	U	770	U
S	2-Chlorophenol	UG/KG	800	U	770	U	770	U
S	2-Methylnaphthalene	UG/KG	800	U	770	U	770	U
S	2-Methylphenol	UG/KG	800	U	770	U	770	U
S	2-Nitroaniline	UG/KG	1900	U	1900	U	1900	U
S	2-Nitrophenol	UG/KG	800	U	770	U	770	U
S	3,3'-Dichlorobenzidine	UG/KG	800	U	770	U	770	U
S	3-Nitroaniline	UG/KG	1900	U	1900	U	1900	U
	4,6-Dinitro-2-methylphenol	UG/KG	1900	U	1900	U	1900	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA61		694SHA62		694SHA63	
	LAB SAMPLE ID--->		83817		83818		83819	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
S	4-Bromophenyl-phenylether	UG/KG	800	U	770	U	770	U
S	4-Chloro-3-methylphenol	UG/KG	800	U	770	U	770	U
S	4-Chloroaniline	UG/KG	800	U	770	U	770	U
S	4-Chlorophenyl-phenylether	UG/KG	800	U	770	U	770	U
S	4-Methylphenol	UG/KG	800	U	770	U	770	U
S	4-Nitroaniline	UG/KG	1900	U	1900	U	1900	U
S	4-Nitrophenol	UG/KG	1900	U	1900	U	1900	U
S	Acenaphthene	UG/KG	800	U	770	U	770	U
S	Acenaphthylene	UG/KG	800	U	770	U	770	U
S	Anthracene	UG/KG	800	U	770	U	770	U
S	Benzo(a)anthracene	UG/KG	800	U	770	U	770	U
S	Benzo(a)pyrene	UG/KG	800	U	770	U	770	U
S	Benzo(b)fluoranthene	UG/KG	800	U	770	U	770	U
S	Benzo(g,h,i)perylene	UG/KG	800	U	770	U	770	U
S	Benzo(k)fluoranthene	UG/KG	800	U	770	U	770	U
S	Butylbenzylphthalate	UG/KG	800	U	770	U	770	U
S	Carbazole	UG/KG	800	U	770	U	770	U
S	Chrysene	UG/KG	800	U	770	U	770	U
S	Di-n-butylphthalate	UG/KG	800	U	770	U	770	U
S	Di-n-octylphthalate	UG/KG	800	U	770	U	770	U
S	Dibenz(a,h)anthracene	UG/KG	800	U	770	U	770	U
S	Dibenzofuran	UG/KG	800	U	770	U	770	U
S	Diethylphthalate	UG/KG	800	U	770	U	770	U
S	Dimethylphthalate	UG/KG	800	U	770	U	770	U
S	Fluoranthene	UG/KG	800	U	770	U	770	U
S	Fluorene	UG/KG	800	U	770	U	770	U
S	Hexachlorobenzene	UG/KG	800	U	770	U	770	U
S	Hexachlorobutadiene	UG/KG	800	U	770	U	770	U
S	Hexachlorocyclopentadiene	UG/KG	800	U	770	U	770	U
S	Hexachloroethane	UG/KG	800	U	770	U	770	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	800	U	770	U	770	U
S	Isophorone	UG/KG	800	U	770	U	770	U
S	N-Nitroso-di-n-propylamine	UG/KG	800	U	770	U	770	U
S	N-Nitrosodiphenylamine	UG/KG	800	U	770	U	770	U
S	Naphthalene	UG/KG	800	U	770	U	770	U
S	Nitrobenzene	UG/KG	800	U	770	U	770	U
S	Pentachlorophenol	UG/KG	1900	U	1900	U	1900	U
S	Phenanthrene	UG/KG	800	U	770	U	770	U
S	Phenol	UG/KG	800	U	770	U	770	U
S	Pyrene	UG/KG	800	U	770	U	770	U
S	bis(2-Chloroethoxy)methane	UG/KG	800	U	770	U	770	U
S	bis(2-Ethlyhexy)phthalate	UG/KG	800	U	770	U	770	U
S	bis(2-chloroethyl)ether	UG/KG	800	U	770	U	770	U
S	bis(2-chloroisopropyl)ether	UG/KG	800	U	770	U	770	U
V	1,1,1-Trichloroethane	UG/KG	12	U	12	U	11	U

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SHA61		694SHA62		694SHA63	
	LAB SAMPLE ID--->		83817		83818		83819	
	RECEIPT DATE---->		06/22/93		06/22/93		06/22/93	
V	1,1,2,2-Tetrachloroethane	UG/KG	12	U	12	U	11	U
V	1,1,2-Trichloroethane	UG/KG	12	U	12	U	11	U
V	1,1-Dichloroethane	UG/KG	12	U	12	U	11	U
V	1,1-Dichloroethene	UG/KG	12	U	12	U	11	U
V	1,2-Dichloroethane	UG/KG	12	U	12	U	11	U
V	1,2-Dichloroethene (total)	UG/KG	10	J	9	J	2	J
V	1,2-Dichloropropane	UG/KG	12	U	12	U	11	U
V	2-Butanone	UG/KG	12	U	12	U	32	
V	2-Hexanone	UG/KG	12	U	12	U	11	U
V	4-Methyl-2-Pentanone	UG/KG	12	U	12	U	9	J
V	Acetone	UG/KG	130	U	92	U	200	U
V	Benzene	UG/KG	12	U	12	U	11	U
V	Bromodichloromethane	UG/KG	12	U	12	U	11	U
V	Bromoform	UG/KG	12	U	12	U	11	U
V	Bromomethane	UG/KG	12	U	12	U	11	U
V	Carbon Disulfide	UG/KG	12	U	12	U	11	U
V	Carbon Tetrachloride	UG/KG	12	U	12	U	11	U
V	Chlorobenzene	UG/KG	12	U	12	U	11	U
V	Chloroethane	UG/KG	12	U	12	U	11	U
V	Chloroform	UG/KG	12	U	12	U	11	U
V	Chloromethane	UG/KG	12	U	12	U	11	U
V	Dibromochloromethane	UG/KG	12	U	12	U	11	U
V	Ethylbenzene	UG/KG	12	U	12	U	3	J
V	Methylene Chloride	UG/KG	2	U	4	U	2	U
V	Styrene	UG/KG	12	U	12	U	11	U
V	Tetrachloroethene	UG/KG	12	U	12	U	11	U
V	Toluene	UG/KG	1	J	3	J	2	J
V	Trichloroethene	UG/KG	12	U	12	U	11	U
V	Vinyl Chloride	UG/KG	12	U	12	U	11	U
V	Xylene (total)	UG/KG	12	U	12	U	3	J
V	cis-1,3-Dichloropropene	UG/KG	12	U	12	U	11	U
V	trans-1,3-Dichloropropene	UG/KG	12	U	12	U	11	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SMW451		694SMW451D		694SMW463	
			LAB SAMPLE ID---> 82891		82892		82897	
			RECEIPT DATE----> 06/08/93		06/08/93		06/08/93	
I	Aluminum	MG/KG	1520		1280		596	
I	Antimony	MG/KG	10.2	U	10.4	U	11.5	U
I	Arsenic	MG/KG	1.1	U	0.97	U	0.51	U
I	Barium	MG/KG	20.4	J	15.4	J	5.7	J
I	Beryllium	MG/KG	0.23	U	0.23	U	0.26	U
I	Cadmium	MG/KG	3.7		0.84	J	2.6	
I	Calcium	MG/KG	22900		16600		4660	
I	Chromium	MG/KG	7	J	13.5	J	5.5	J
I	Cobalt	MG/KG	1.8	U	1.8	U	2	U
I	Copper	MG/KG	6.1		4.1	J	6.6	
I	Iron	MG/KG	969		829		508	
I	Lead	MG/KG	15.7		21.8		45.1	
I	Magnesium	MG/KG	669	J	420	J	109	J
I	Manganese	MG/KG	24.9		33.3		4.7	
I	Mercury	MG/KG	0.12		0.12	U	0.14	
I	Nickel	MG/KG	4.5	U	6.4	J	5.1	U
I	Potassium	MG/KG	371	J	323	J	89.6	U
I	Selenium	MG/KG	0.23	U	0.23	U	0.26	U
I	Silver	MG/KG	1.6	U	1.6	U	1.8	U
I	Sodium	MG/KG	90.9	U	87.6	U	63.7	U
I	Thallium	MG/KG	0.45	U	0.46	U	0.51	U
I	Vanadium	MG/KG	3.1	J	2.9	J	1.1	J
I	Zinc	MG/KG	25.1	J	8.6	J	27.4	J
P	Aroclor 1016	UG/KG	38	U	37	U		
P	Aroclor 1221	UG/KG	77	U	76	U		
P	Aroclor 1232	UG/KG	38	U	37	U		
P	Aroclor 1242	UG/KG	38	U	37	U		
P	Aroclor 1248	UG/KG	38	U	37	U		
P	Aroclor 1254	UG/KG	38	U	37	U		
P	Aroclor 1260	UG/KG	38	J	49	J		
S	1,2,4-Trichlorobenzene	UG/KG	760	U	380	U	810	U
S	1,2-Dichlorobenzene	UG/KG	760	U	380	U	810	U
S	1,3-Dichlorobenzene	UG/KG	760	U	380	U	810	U
S	1,4-Dichlorobenzene	UG/KG	760	U	380	U	170	J
S	2,4,5-Trichlorophenol	UG/KG	1800	U	920	U	2000	U
S	2,4,6-Trichlorophenol	UG/KG	760	U	380	U	810	U
S	2,4-Dichlorophenol	UG/KG	760	U	380	U	810	U
S	2,4-Dimethylphenol	UG/KG	760	U	380	U	810	U
S	2,4-Dinitrophenol	UG/KG	1800	U	920	U	2000	U
S	2,4-Dinitrotoluene	UG/KG	760	U	380	U	810	U
S	2,6-Dinitrotoluene	UG/KG	760	U	380	U	810	U
S	2-Chloronaphthalene	UG/KG	760	U	380	U	810	U
S	2-Chlorophenol	UG/KG	760	U	380	U	810	U
S	2-Methylnaphthalene	UG/KG	760	U	380	U	1600	

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SMW451		694SMW451D		694SMW463	
	LAB SAMPLE ID--->		82891		82892		82897	
	RECEIPT DATE---->		06/08/93		06/08/93		06/08/93	
S	2-Methylphenol	UG/KG	760	U	380	U	810	U
S	2-Nitroaniline	UG/KG	1800	U	920	U	2000	U
S	2-Nitrophenol	UG/KG	760	U	380	U	810	U
S	3,3'-Dichlorobenzidine	UG/KG	760	U	380	U	810	U
S	3-Nitroaniline	UG/KG	1800	U	920	U	2000	U
S	4,6-Dinitro-2-methylphenol	UG/KG	1800	U	920	U	2000	U
S	4-Bromophenyl-phenylether	UG/KG	760	U	380	U	810	U
S	4-Chloro-3-methylphenol	UG/KG	760	U	380	U	810	U
S	4-Chloroaniline	UG/KG	760	U	380	U	810	U
S	4-Chlorophenyl-phenylether	UG/KG	760	U	380	U	810	U
S	4-Methylphenol	UG/KG	760	U	380	U	810	U
S	4-Nitroaniline	UG/KG	1800	U	920	U	2000	U
S	4-Nitrophenol	UG/KG	1800	U	920	U	2000	U
S	Acenaphthene	UG/KG	760	U	380	U	810	U
S	Acenaphthylene	UG/KG	760	U	380	U	810	U
S	Anthracene	UG/KG	760	U	380	U	810	U
S	Benzo(a)anthracene	UG/KG	760	U	380	U	810	U
S	Benzo(a)pyrene	UG/KG	760	U	380	U	810	U
	Benzo(b)fluoranthene	UG/KG	760	U	380	U	810	U
	Benzo(g,h,i)perylene	UG/KG	760	U	380	U	810	U
S	Benzo(k)fluoranthene	UG/KG	760	U	380	U	810	U
S	Butylbenzylphthalate	UG/KG	760	U	380	U	810	U
S	Carbazole	UG/KG	760	U	380	U	810	U
S	Chrysene	UG/KG	760	U	380	U	810	U
S	Di-n-butylphthalate	UG/KG	760	U	380	U	810	U
S	Di-n-octylphthalate	UG/KG	760	U	380	U	810	U
S	Dibenz(a,h)anthracene	UG/KG	760	U	380	U	810	U
S	Dibenzofuran	UG/KG	760	U	380	U	810	U
S	Diethylphthalate	UG/KG	760	U	380	U	810	U
S	Dimethylphthalate	UG/KG	760	U	380	U	810	U
S	Fluoranthene	UG/KG	760	U	380	U	810	U
S	Fluorene	UG/KG	760	U	380	U	810	U
S	Hexachlorobenzene	UG/KG	760	U	380	U	810	U
S	Hexachlorobutadiene	UG/KG	760	U	380	U	810	U
S	Hexachlorocyclopentadiene	UG/KG	760	U	380	U	810	U
S	Hexachloroethane	UG/KG	760	U	380	U	810	U
S	Indeno(1,2,3-cd)pyrene	UG/KG	760	U	380	U	810	U
S	Isophorone	UG/KG	760	U	380	U	810	U
S	N-Nitroso-di-n-propylamine	UG/KG	760	U	380	U	810	U
S	N-Nitrosodiphenylamine	UG/KG	760	U	380	U	810	U
S	Naphthalene	UG/KG	760	U	380	U	2600	
S	Nitrobenzene	UG/KG	760	U	380	U	810	U
S	Pentachlorophenol	UG/KG	1800	U	920	U	2000	U
S	Phenanthrene	UG/KG	760	U	380	U	110	J
	Phenol	UG/KG	760	U	380	U	810	U

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	694SMW451		694SMW451D		694SMW463	
			LAB SAMPLE ID--->	82891		82892		82897	
			RECEIPT DATE---->	06/08/93		06/08/93		06/08/93	
	PARAMETER	UNITS							
S	Pyrene	UG/KG		760	U	380	U	810	U
S	bis(2-Chloroethoxy)methane	UG/KG		760	U	380	U	810	U
S	bis(2-Ethlyhexy)phthalate	UG/KG		250	U	79	U	4700	U
S	bis(2-chloroethyl)ether	UG/KG		760	U	380	U	810	U
S	bis(2-chloroisopropyl)ether	UG/KG		760	U	380	U	810	U
V	1,1,1-Trichloroethane	UG/KG		12	U	12	U	14	U
V	1,1,2,2-Tetrachloroethane	UG/KG		12	U	12	U	14	U
V	1,1,2-Trichloroethane	UG/KG		12	U	12	U	14	U
V	1,1-Dichloroethane	UG/KG		12	U	12	U	14	U
V	1,1-Dichloroethene	UG/KG		12	U	12	U	14	U
V	1,2-Dichloroethane	UG/KG		12	U	12	U	14	U
V	1,2-Dichloroethene (total)	UG/KG		12	U	12	U	14	U
V	1,2-Dichloropropane	UG/KG		12	U	12	U	14	U
V	2-Butanone	UG/KG		12	U	12	U	16	
V	2-Hexanone	UG/KG		12	U	12	U	14	U
V	4-Methyl-2-Pentanone	UG/KG		12	U	12	U	14	U
V	Acetone	UG/KG		12	U	12	U	82	U
V	Benzene	UG/KG		1	U	12	U	12	U
V	Bromodichloromethane	UG/KG		12	U	12	U	14	U
V	Bromoform	UG/KG		12	U	12	U	14	U
V	Bromomethane	UG/KG		12	U	12	U	14	U
V	Carbon Disulfide	UG/KG		12	U	12	U	14	U
V	Carbon Tetrachloride	UG/KG		12	U	12	U	14	U
V	Chlorobenzene	UG/KG		12	U	12	U	360	J
V	Chloroethane	UG/KG		12	U	12	U	14	U
V	Chloroform	UG/KG		12	U	12	U	14	U
V	Chloromethane	UG/KG		12	U	12	U	14	U
V	Dibromochloromethane	UG/KG		12	U	12	U	14	U
V	Ethylbenzene	UG/KG		12	U	12	U	14	U
V	Methylene Chloride	UG/KG		2	U	12	U	14	U
V	Styrene	UG/KG		12	U	12	U	14	U
V	Tetrachloroethene	UG/KG		12	U	12	U	14	U
V	Toluene	UG/KG		3	J	2	J	14	U
V	Trichloroethene	UG/KG		12	U	12	U	14	U
V	Vinyl Chloride	UG/KG		12	U	12	U	14	U
V	Xylene (total)	UG/KG		12	U	12	U	14	U
V	cis-1,3-Dichloropropene	UG/KG		12	U	12	U	14	U
V	trans-1,3-Dichloropropene	UG/KG		12	U	12	U	14	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694SMW463 LAB SAMPLE ID---> 82897_10 RECEIPT DATE----> 06/08/93		694SMW463DL 82897DL 06/08/93		694SMW473 82894 06/08/93	
I	Aluminum	MG/KG					821	
I	Antimony	MG/KG					10.9	U
I	Arsenic	MG/KG					0.57	U
I	Barium	MG/KG					5.6	J
I	Beryllium	MG/KG					0.24	U
I	Cadmium	MG/KG					2.9	
I	Calcium	MG/KG					321	J
I	Chromium	MG/KG					7.6	J
I	Cobalt	MG/KG					1.9	U
I	Copper	MG/KG					5	J
I	Iron	MG/KG					377	
I	Lead	MG/KG					25.8	
I	Magnesium	MG/KG					54.1	J
I	Manganese	MG/KG					3.2	J
I	Mercury	MG/KG					0.12	U
I	Nickel	MG/KG					4.9	U
I	Potassium	MG/KG					105	J
	Selenium	MG/KG					0.24	U
	Silver	MG/KG					1.7	U
I	Sodium	MG/KG					55.6	U
I	Thallium	MG/KG					0.49	U
I	Vanadium	MG/KG					1.3	J
I	Zinc	MG/KG					18.4	J
P	Aroclor 1016	UG/KG	430	U			41	U
P	Aroclor 1221	UG/KG	880	U			83	U
P	Aroclor 1232	UG/KG	430	U			41	U
P	Aroclor 1242	UG/KG	430	U			41	U
P	Aroclor 1248	UG/KG	1400	J			41	U
P	Aroclor 1254	UG/KG	430	U			41	U
P	Aroclor 1260	UG/KG	510	J			36	J
S	1,2,4-Trichlorobenzene	UG/KG					410	U
S	1,2-Dichlorobenzene	UG/KG					410	U
S	1,3-Dichlorobenzene	UG/KG					410	U
S	1,4-Dichlorobenzene	UG/KG					410	U
S	2,4,5-Trichlorophenol	UG/KG					980	U
S	2,4,6-Trichlorophenol	UG/KG					410	U
S	2,4-Dichlorophenol	UG/KG					410	U
S	2,4-Dimethylphenol	UG/KG					410	U
S	2,4-Dinitrophenol	UG/KG					980	U
S	2,4-Dinitrotoluene	UG/KG					410	U
S	2,6-Dinitrotoluene	UG/KG					410	U
S	2-Chloronaphthalene	UG/KG					410	U
S	2-Chlorophenol	UG/KG					410	U
	2-Methylnaphthalene	UG/KG					410	U

CORPUS CHRISTI
SOIL SAMPLES

			SAMPLE ID ------>	694SMW463	694SMW463DL	694SMW473	
			LAB SAMPLE ID--->	82897_10	82897DL	82894	
			RECEIPT DATE---->	.	.	06/08/93	
	PARAMETER	UNITS					
S	2-Methylphenol	UG/KG				410	U
S	2-Nitroaniline	UG/KG				980	U
S	2-Nitrophenol	UG/KG				410	U
S	3,3'-Dichlorobenzidine	UG/KG				410	U
S	3-Nitroaniline	UG/KG				980	U
S	4,6-Dinitro-2-methylphenol	UG/KG				980	U
S	4-Bromophenyl-phenylether	UG/KG				410	U
S	4-Chloro-3-methylphenol	UG/KG				410	U
S	4-Chloroaniline	UG/KG				410	U
S	4-Chlorophenyl-phenylether	UG/KG				410	U
S	4-Methylphenol	UG/KG				410	U
S	4-Nitroaniline	UG/KG				980	U
S	4-Nitrophenol	UG/KG				980	U
S	Acenaphthene	UG/KG				410	U
S	Acenaphthylene	UG/KG				410	U
S	Anthracene	UG/KG				410	U
S	Benzo(a)anthracene	UG/KG				410	U
S	Benzo(a)pyrene	UG/KG				410	U
S	Benzo(b)fluoranthene	UG/KG				410	U
S	Benzo(g,h,i)perylene	UG/KG				410	U
S	Benzo(k)fluoranthene	UG/KG				410	U
S	Butylbenzylphthalate	UG/KG				410	U
S	Carbazole	UG/KG				410	U
S	Chrysene	UG/KG				410	U
S	Di-n-butylphthalate	UG/KG				410	U
S	Di-n-octylphthalate	UG/KG				410	U
S	Dibenz(a,h)anthracene	UG/KG				410	U
S	Dibenzofuran	UG/KG				410	U
S	Diethylphthalate	UG/KG				410	U
S	Dimethylphthalate	UG/KG				410	U
S	Fluoranthene	UG/KG				410	U
S	Fluorene	UG/KG				410	U
S	Hexachlorobenzene	UG/KG				410	U
S	Hexachlorobutadiene	UG/KG				410	U
S	Hexachlorocyclopentadiene	UG/KG				410	U
S	Hexachloroethane	UG/KG				410	U
S	Indeno(1,2,3-cd)pyrene	UG/KG				410	U
S	Isophorone	UG/KG				410	U
S	N-Nitroso-di-n-propylamine	UG/KG				410	U
S	N-Nitrosodiphenylamine	UG/KG				410	U
S	Naphthalene	UG/KG				410	U
S	Nitrobenzene	UG/KG				410	U
S	Pentachlorophenol	UG/KG				980	U
S	Phenanthrene	UG/KG				410	U
S	Phenol	UG/KG				410	U

CORPUS CHRISTI
SOIL SAMPLES

		SAMPLE ID ------>	694SMW463		694SMW463DL		694SMW473	
		LAB SAMPLE ID--->	82897_10		82897DL		82894	
		RECEIPT DATE---->	.		.		06/08/93	
	PARAMETER	UNITS						
S	Pyrene	UG/KG					410	U
S	bis(2-Chloroethoxy)methane	UG/KG					410	U
S	bis(2-Ethlyhexy)phthalate	UG/KG					160	U
S	bis(2-chloroethyl)ether	UG/KG					410	U
S	bis(2-chloroisopropyl)ether	UG/KG					410	U
V	1,1,1-Trichloroethane	UG/KG			68	U	12	U
V	1,1,2,2-Tetrachloroethane	UG/KG			68	U	12	U
V	1,1,2-Trichloroethane	UG/KG			68	U	12	U
V	1,1-Dichloroethane	UG/KG			68	U	12	U
V	1,1-Dichloroethene	UG/KG			68	U	12	U
V	1,2-Dichloroethane	UG/KG			68	U	12	U
V	1,2-Dichloroethene (total)	UG/KG			68	U	12	U
V	1,2-Dichloropropane	UG/KG			68	U	12	U
V	2-Butanone	UG/KG			450	J	12	U
V	2-Hexanone	UG/KG			68	U	12	U
V	4-Methyl-2-Pentanone	UG/KG			68	U	12	U
V	Acetone	UG/KG			210	U	34000	J
V	Benzene	UG/KG			14	U	1	U
V	Bromodichloromethane	UG/KG			68	U	12	U
V	Bromoform	UG/KG			68	U	12	U
V	Bromomethane	UG/KG			68	U	12	U
V	Carbon Disulfide	UG/KG			68	U	12	U
V	Carbon Tetrachloride	UG/KG			68	U	12	U
V	Chlorobenzene	UG/KG			470	J	12	U
V	Chloroethane	UG/KG			68	U	12	U
V	Chloroform	UG/KG			68	U	12	U
V	Chloromethane	UG/KG			68	U	12	U
V	Dibromochloromethane	UG/KG			68	U	12	U
V	Ethylbenzene	UG/KG			68	U	12	U
V	Methylene Chloride	UG/KG			68	U	12	U
V	Styrene	UG/KG			68	U	12	U
V	Tetrachloroethene	UG/KG			68	U	12	U
V	Toluene	UG/KG			68	U	12	U
V	Trichloroethene	UG/KG			68	U	12	U
V	Vinyl Chloride	UG/KG			68	U	12	U
V	Xylene (total)	UG/KG			68	U	12	U
V	cis-1,3-Dichloropropene	UG/KG			68	U	12	U
V	trans-1,3-Dichloropropene	UG/KG			68	U	12	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
SOIL SAMPLES

SAMPLE ID ------> 694SMW473DL
LAB SAMPLE ID---> 82894DL
RECEIPT DATE----> 06/08/93

	PARAMETER	UNITS		
V	1,1,1-Trichloroethane	UG/L	5900	U
V	1,1,2,2-Tetrachloroethane	UG/L	5900	U
V	1,1,2-Trichloroethane	UG/L	5900	U
V	1,1-Dichloroethane	UG/L	5900	U
V	1,1-Dichloroethene	UG/L	5900	U
V	1,2-Dichloroethane	UG/L	5900	U
V	1,2-Dichloroethene (total)	UG/L	5900	U
V	1,2-Dichloropropane	UG/L	5900	U
V	2-Butanone	UG/L	5900	U
V	2-Hexanone	UG/L	5900	U
V	4-Methyl-2-Pentanone	UG/L	5900	U
V	Acetone	UG/L	82000	J
V	Benzene	UG/L	5900	U
V	Bromodichloromethane	UG/L	5900	U
V	Bromoform	UG/L	5900	U
V	Bromomethane	UG/L	5900	U
V	Carbon Disulfide	UG/L	5900	U
V	Carbon Tetrachloride	UG/L	5900	U
V	Chlorobenzene	UG/L	5900	U
V	Chloroethane	UG/L	5900	U
V	Chloroform	UG/L	5900	U
V	Chloromethane	UG/L	5900	U
V	Dibromochloromethane	UG/L	5900	U
V	Ethylbenzene	UG/L	5900	U
V	Methylene Chloride	UG/L	660	U
V	Styrene	UG/L	5900	U
V	Tetrachloroethene	UG/L	5900	U
V	Toluene	UG/L	5900	U
V	Trichloroethene	UG/L	5900	U
V	Vinyl Chloride	UG/L	5900	U
V	Xylene (total)	UG/L	5900	U
V	cis-1,3-Dichloropropene	UG/L	5900	U
V	trans-1,3-Dichloropropene	UG/L	5900	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES31		691GWES31DISS		691GWES32	
			LAB SAMPLE ID---> 85103		85118		85104	
			RECEIPT DATE----> 07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	30200	J	150	J	75000	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	7.6	J	3.8	J	11	J
I	Barium	UG/L	766		45.3	J	458	
I	Beryllium	UG/L	1.3	J	1	U	3.7	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	26600		21400		250000	
I	Chromium	UG/L	22.8		6	U	68	
I	Cobalt	UG/L	9.6	J	5	U	28.1	J
I	Copper	UG/L	19.3	J	4	U	53.4	
I	Cyanide	UG/L						
I	Iron	UG/L	13100		1520		53000	
I	Lead	UG/L	23.2		2	UJ	32.6	
I	Magnesium	UG/L	6710		4270	J	43000	
I	Manganese	UG/L	372		303		1130	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	11	J	10	U	51.4	
	Potassium	UG/L	7360		2380	J	26500	
	Selenium	UG/L	1.8	U	1	UJ	1	UJ
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	41800		44700		499000	
I	Thallium	UG/L	2	UJ	2	UJ	10	UJ
I	Vanadium	UG/L	34.3	J	4	J	103	
I	Zinc	UG/L	40.8		9.9	J	167	
P	4,4'-DDD	UG/L	0.05	U			0.05	U
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.05	U
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	0.99	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.05	U			0.05	U
P	Endosulfan I	UG/L	0.025	U			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES31 LAB SAMPLE ID---> 85103 RECEIPT DATE----> 07/14/93		691GWES31DISS 85118 .		691GWES32 85104 07/14/93	
P	Methoxychlor	UG/L	0.25	U			0.25	U
P	Toxaphene	UG/L	2.5	U			2.5	U
P	alpha-BHC	UG/L	0.025	U			0.025	U
P	alpha-Chlordane	UG/L	0.025	U			0.025	U
P	beta-BHC	UG/L	0.025	U			0.025	U
P	delta-BHC	UG/L	0.025	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.025	U
P	gamma-Chlordane	UG/L	0.025	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			10	U
S	2,4,5-Trichlorophenol	UG/L	24	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	24	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	24	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	24	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	24	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	24	U			24	U
S	4-Nitrophenol	UG/L	24	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES31		691GWES31DISS		691GWES32	
			LAB SAMPLE ID--->	85103		85118		85104	
			RECEIPT DATE---->	07/14/93		.		07/14/93	
	PARAMETER	UNITS							
S	Chrysene	UG/L		10	U			10	U
S	Di-n-butylphthalate	UG/L		10	U			1	U
S	Di-n-octylphthalate	UG/L		10	U			10	U
S	Dibenz(a,h)anthracene	UG/L		10	U			10	U
S	Dibenzofuran	UG/L		10	U			10	U
S	Diethylphthalate	UG/L		10	U			10	U
S	Dimethylphthalate	UG/L		10	U			10	U
S	Fluoranthene	UG/L		10	U			10	U
S	Fluorene	UG/L		10	U			10	U
S	Hexachlorobenzene	UG/L		10	U			10	U
S	Hexachlorobutadiene	UG/L		10	U			10	U
S	Hexachlorocyclopentadiene	UG/L		10	U			10	U
S	Hexachloroethane	UG/L		10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U			10	U
S	Isophorone	UG/L		10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U			10	U
S	N-Nitrosodiphenylamine	UG/L		10	U			10	U
S	Naphthalene	UG/L		10	U			10	U
	Nitrobenzene	UG/L		10	U			10	U
	Pentachlorophenol	UG/L		24	U			24	U
S	Phenanthrene	UG/L		10	U			10	U
S	Phenol	UG/L		10	U			10	U
S	Pyrene	UG/L		10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		54	U			10	U
S	bis(2-chloroethyl)ether	UG/L		10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U			10	U
V	1,1,1-Trichloroethane	UG/L		10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U			10	U
V	1,1,2-Trichloroethane	UG/L		10	U			10	U
V	1,1-Dichloroethane	UG/L		10	U			10	U
V	1,1-Dichloroethene	UG/L		10	U			10	U
V	1,2-Dichloroethane	UG/L		10	U			10	U
V	1,2-Dichloroethene (total)	UG/L		10	U			10	U
V	1,2-Dichloropropane	UG/L		10	U			10	U
V	2-Butanone	UG/L		10	U			10	U
V	2-Hexanone	UG/L		10	U			10	U
V	4-Methyl-2-Pentanone	UG/L		10	U			10	U
V	Acetone	UG/L		10	U			10	U
V	Benzene	UG/L		10	U			10	U
V	Bromodichloromethane	UG/L		10	U			10	U
V	Bromoform	UG/L		10	U			10	U
V	Bromomethane	UG/L		10	U			10	U
V	Carbon Disulfide	UG/L		10	U			10	U
	Carbon Tetrachloride	UG/L		10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES31		691GWES31DISS		691GWES32	
			LAB SAMPLE ID--->	85103		85118		85104	
			RECEIPT DATE---->	07/14/93				07/14/93	
	PARAMETER	UNITS							
V	Chlorobenzene	UG/L		10	U			10	U
V	Chloroethane	UG/L		10	U			10	U
V	Chloroform	UG/L		10	U			10	U
V	Chloromethane	UG/L		10	U			10	U
V	Dibromochloromethane	UG/L		10	U			10	U
V	Ethylbenzene	UG/L		10	U			10	U
V	Methylene Chloride	UG/L		10	U			10	U
V	Styrene	UG/L		10	U			10	U
V	Tetrachloroethene	UG/L		10	U			10	U
V	Toluene	UG/L		10	U			10	U
V	Trichloroethene	UG/L		10	U			10	U
V	Vinyl Chloride	UG/L		10	U			10	U
V	Xylene (total)	UG/L		10	U			10	U
V	cis-1,3-Dichloropropene	UG/L		10	U			10	U
V	trans-1,3-Dichloropropene	UG/L		10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES32DISS		691GWES33		691GWES33D	
	LAB SAMPLE ID--->		85119		84996		84997	
	RECEIPT DATE---->		07/14/93		07/13/93		07/13/93	
I	Aluminum	UG/L	20	U	30400		30200	
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3	U	10		9.8	J
I	Barium	UG/L	149	J	1310		1340	
I	Beryllium	UG/L	1	U	1.1	J	1	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	130000		292000		282000	
I	Chromium	UG/L	6	U	20.4		21.3	
I	Cobalt	UG/L	5	U	8	J	8.3	J
I	Copper	UG/L	6.9	U	31.3		33.7	
I	Cyanide	UG/L						
I	Iron	UG/L	6	U	13700		13900	
I	Lead	UG/L	2	UJ	35.4	J	38.9	J
I	Magnesium	UG/L	25700		101000		97900	
I	Manganese	UG/L	423		1020		992	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	UJ
I	Nickel	UG/L	10	U	23.3	J	21.9	U
	Potassium	UG/L	8400		46000		44800	
	Selenium	UG/L	1.2	UJ	2.6	J	3	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	476000		202000		197000	
I	Thallium	UG/L	10	UJ	2	UJ	10	UJ
I	Vanadium	UG/L	3.3	J	26	J	26	J
I	Zinc	UG/L	10.2	J	197	J	197	J
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES32DISS		691GWES33		691GWES33D	
	LAB SAMPLE ID--->		85119		84996		84997	
	RECEIPT DATE---->		.		07/13/93		.	
P	Methoxychlor	UG/L			0.25	U		
P	Toxaphene	UG/L			2.5	U		
P	alpha-BHC	UG/L			0.025	U		
P	alpha-Chlordane	UG/L			0.025	U		
P	beta-BHC	UG/L			0.025	U		
P	delta-BHC	UG/L			0.025	U		
P	gamma-BHC (Lindane)	UG/L			0.025	U		
P	gamma-Chlordane	UG/L			0.025	U		
S	1,2,4-Trichlorobenzene	UG/L					10	U
S	1,2-Dichlorobenzene	UG/L					10	U
S	1,3-Dichlorobenzene	UG/L					10	U
S	1,4-Dichlorobenzene	UG/L					10	U
S	2,4,5-Trichlorophenol	UG/L					24	U
S	2,4,6-Trichlorophenol	UG/L					10	U
S	2,4-Dichlorophenol	UG/L					10	U
S	2,4-Dimethylphenol	UG/L					10	U
S	2,4-Dinitrophenol	UG/L					24	U
S	2,4-Dinitrotoluene	UG/L					10	U
S	2,6-Dinitrotoluene	UG/L					10	U
S	2-Chloronaphthalene	UG/L					10	U
S	2-Chlorophenol	UG/L					10	U
S	2-Methylnaphthalene	UG/L					10	U
S	2-Methylphenol	UG/L					10	U
S	2-Nitroaniline	UG/L					24	U
S	2-Nitrophenol	UG/L					10	U
S	3,3'-Dichlorobenzidine	UG/L					10	U
S	3-Nitroaniline	UG/L					24	U
S	4,6-Dinitro-2-methylphenol	UG/L					24	U
S	4-Bromophenyl-phenylether	UG/L					10	U
S	4-Chloro-3-methylphenol	UG/L					10	U
S	4-Chloroaniline	UG/L					10	U
S	4-Chlorophenyl-phenylether	UG/L					10	U
S	4-Methylphenol	UG/L					10	U
S	4-Nitroaniline	UG/L					24	U
S	4-Nitrophenol	UG/L					24	U
S	Acenaphthene	UG/L					10	U
S	Acenaphthylene	UG/L					10	U
S	Anthracene	UG/L					10	U
S	Benzo(a)anthracene	UG/L					10	U
S	Benzo(a)pyrene	UG/L					10	U
S	Benzo(b)fluoranthene	UG/L					10	U
S	Benzo(g,h,i)perylene	UG/L					10	U
S	Benzo(k)fluoranthene	UG/L					10	U
S	Butylbenzylphthalate	UG/L					10	U
S	Carbazole	UG/L					10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES32DISS LAB SAMPLE ID---> 85119 RECEIPT DATE----> .		SAMPLE ID ------> 691GWES33 LAB SAMPLE ID---> 84996 RECEIPT DATE----> .		SAMPLE ID ------> 691GWES33D LAB SAMPLE ID---> 84997 RECEIPT DATE----> 07/13/93	
S	Chrysene	UG/L					10	U
S	Di-n-butylphthalate	UG/L					10	U
S	Di-n-octylphthalate	UG/L					10	U
S	Dibenz(a,h)anthracene	UG/L					10	U
S	Dibenzofuran	UG/L					10	U
S	Diethylphthalate	UG/L					10	U
S	Dimethylphthalate	UG/L					10	U
S	Fluoranthene	UG/L					10	U
S	Fluorene	UG/L					10	U
S	Hexachlorobenzene	UG/L					10	U
S	Hexachlorobutadiene	UG/L					10	U
S	Hexachlorocyclopentadiene	UG/L					10	U
S	Hexachloroethane	UG/L					10	U
S	Indeno(1,2,3-cd)pyrene	UG/L					10	U
S	Isophorone	UG/L					10	U
S	N-Nitroso-di-n-propylamine	UG/L					10	U
S	N-Nitrosodiphenylamine	UG/L					10	U
S	Naphthalene	UG/L					10	U
	Nitrobenzene	UG/L					10	U
	Pentachlorophenol	UG/L					24	U
S	Phenanthrene	UG/L					10	U
S	Phenol	UG/L					10	U
S	Pyrene	UG/L					10	U
S	bis(2-Chloroethoxy)methane	UG/L					10	U
S	bis(2-Ethlyhexy)phthalate	UG/L					10	U
S	bis(2-chloroethyl)ether	UG/L					10	U
S	bis(2-chloroisopropyl)ether	UG/L					10	U
V	1,1,1-Trichloroethane	UG/L			10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L			10	U	10	U
V	1,1,2-Trichloroethane	UG/L			10	U	10	U
V	1,1-Dichloroethane	UG/L			10	U	10	U
V	1,1-Dichloroethene	UG/L			10	U	10	U
V	1,2-Dichloroethane	UG/L			1	U	10	U
V	1,2-Dichloroethene (total)	UG/L			10	U	10	U
V	1,2-Dichloropropane	UG/L			10	U	10	U
V	2-Butanone	UG/L			10	U	10	U
V	2-Hexanone	UG/L			10	U	10	U
V	4-Methyl-2-Pentanone	UG/L			10	U	10	U
V	Acetone	UG/L			9	U	10	U
V	Benzene	UG/L			10	U	10	U
V	Bromodichloromethane	UG/L			10	U	10	U
V	Bromoform	UG/L			10	U	10	U
V	Bromomethane	UG/L			10	U	10	U
V	Carbon Disulfide	UG/L			10	U	10	U
	Carbon Tetrachloride	UG/L			10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES32DISS	691GWES33		691GWES33D	
			LAB SAMPLE ID--->	85119	84996		84997	
			RECEIPT DATE---->	.	07/13/93		07/13/93	
	PARAMETER	UNITS						
V	Chlorobenzene	UG/L			12		14	
V	Chloroethane	UG/L			10	U	10	U
V	Chloroform	UG/L			10	U	10	U
V	Chloromethane	UG/L			10	U	10	U
V	Dibromochloromethane	UG/L			10	U	10	U
V	Ethylbenzene	UG/L			10	U	10	U
V	Methylene Chloride	UG/L			1	U	10	U
V	Styrene	UG/L			10	U	10	U
V	Tetrachloroethene	UG/L			10	U	10	U
V	Toluene	UG/L			10	U	10	U
V	Trichloroethene	UG/L			10	U	10	U
V	Vinyl Chloride	UG/L			10	U	10	U
V	Xylene (total)	UG/L			10	U	10	U
V	cis-1,3-Dichloropropene	UG/L			10	U	10	U
V	trans-1,3-Dichloropropene	UG/L			10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES33DDISS		691GWES34		691GWES36	
	LAB SAMPLE ID--->		85022		84987		85105	
	RECEIPT DATE---->		07/13/93		07/13/93		07/14/93	
I	Aluminum	UG/L	20	U	37300		18800	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	7.8	J	9.8	J	33.3	J
I	Barium	UG/L	796		330		1660	
I	Beryllium	UG/L	1	U	1.7	J	1.2	J
I	Cadmium	UG/L	3	U	3	U	10.5	
I	Calcium	UG/L	302000		183000		148000	
I	Chromium	UG/L	6	U	32.1		28.8	
I	Cobalt	UG/L	5	U	12.1	J	14.4	J
I	Copper	UG/L	19.2	J	28.9		49.9	
I	Cyanide	UG/L						
I	Iron	UG/L	1980	J	25500		32700	
I	Lead	UG/L	2	U	26	J	116	
I	Magnesium	UG/L	110000		33800		49900	
I	Manganese	UG/L	1050		746		719	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	U
I	Nickel	UG/L	10	U	25.9	U	19.2	J
	Potassium	UG/L	42900		75100		57500	
	Selenium	UG/L	5	U	2.4	U	1.8	UJ
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	225000		461000		128000	
I	Thallium	UG/L	10	R	10	UJ	10	UJ
I	Vanadium	UG/L	3	U	47.4	J	26.2	J
I	Zinc	UG/L	50.8		89.4	J	309	
P	4,4'-DDD	UG/L			0.05	U	0.044	J
P	4,4'-DDE	UG/L			0.05	U	0.05	U
P	4,4'-DDT	UG/L			0.05	U	0.05	U
P	Aldrin	UG/L			0.025	U	0.025	U
P	Aroclor 1016	UG/L			0.5	U	0.5	U
P	Aroclor 1221	UG/L			1	U	1	U
P	Aroclor 1232	UG/L			0.5	U	0.5	U
P	Aroclor 1242	UG/L			0.5	U	0.5	U
P	Aroclor 1248	UG/L			0.5	U	0.85	J
P	Aroclor 1254	UG/L			0.5	U	0.5	U
P	Aroclor 1260	UG/L			0.5	U	0.5	U
P	Dieldrin	UG/L			0.05	U	0.05	U
P	Endosulfan I	UG/L			0.025	U	0.039	J
P	Endosulfan II	UG/L			0.05	U	0.05	U
P	Endosulfan sulfate	UG/L			0.05	U	0.05	U
P	Endrin	UG/L			0.05	U	0.05	U
P	Endrin aldehyde	UG/L			0.05	U	0.05	U
P	Endrin ketone	UG/L			0.05	U	0.05	U
P	Heptachlor	UG/L			0.025	U	0.025	U
	Heptachlor epoxide	UG/L			0.025	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES33DDISS		691GWES34		691GWES36	
			LAB SAMPLE ID---> 85022		84987		85105	
			RECEIPT DATE----> .		07/13/93		07/14/93	
P	Methoxychlor	UG/L	0.25	U	0.25	U		
P	Toxaphene	UG/L	2.5	U	2.5	U		
P	alpha-BHC	UG/L	0.025	U	0.025	U		
P	alpha-Chlordane	UG/L	0.025	U	0.025	U		
P	beta-BHC	UG/L	0.025	U	0.025	U		
P	delta-BHC	UG/L	0.025	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U		
P	gamma-Chlordane	UG/L	0.025	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U		
S	1,2-Dichlorobenzene	UG/L	10	U	10	U		
S	1,3-Dichlorobenzene	UG/L	10	U	10	U		
S	1,4-Dichlorobenzene	UG/L	10	U	21			
S	2,4,5-Trichlorophenol	UG/L	26	U	26	U		
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U		
S	2,4-Dichlorophenol	UG/L	10	U	10	U		
S	2,4-Dimethylphenol	UG/L	10	U	10	U		
S	2,4-Dinitrophenol	UG/L	26	U	26	U		
S	2,4-Dinitrotoluene	UG/L	10	U	10	U		
S	2,6-Dinitrotoluene	UG/L	10	U	10	U		
S	2-Chloronaphthalene	UG/L	10	U	10	U		
S	2-Chlorophenol	UG/L	10	U	3	J		
S	2-Methylnaphthalene	UG/L	10	U	6	J		
S	2-Methylphenol	UG/L	10	U	10	U		
S	2-Nitroaniline	UG/L	26	U	26	U		
S	2-Nitrophenol	UG/L	10	U	10	U		
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U		
S	3-Nitroaniline	UG/L	26	U	26	U		
S	4,6-Dinitro-2-methylphenol	UG/L	26	U	26	U		
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U		
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U		
S	4-Chloroaniline	UG/L	10	U	10	U		
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U		
S	4-Methylphenol	UG/L	10	U	10	U		
S	4-Nitroaniline	UG/L	26	U	26	U		
S	4-Nitrophenol	UG/L	26	U	26	U		
S	Acenaphthene	UG/L	10	U	10	U		
S	Acenaphthylene	UG/L	10	U	10	U		
S	Anthracene	UG/L	10	U	10	U		
S	Benzo(a)anthracene	UG/L	10	U	10	U		
S	Benzo(a)pyrene	UG/L	10	U	10	U		
S	Benzo(b)fluoranthene	UG/L	10	U	10	U		
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U		
S	Benzo(k)fluoranthene	UG/L	10	U	10	U		
S	Butylbenzylphthalate	UG/L	10	U	10	U		
S	Carbazole	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES33DDISS		691GWES34		691GWES36	
			LAB SAMPLE ID--->	85022		84987		85105	
			RECEIPT DATE---->	.		07/13/93		07/14/93	
	PARAMETER	UNITS							
S	Chrysene	UG/L				10	U	10	U
S	Di-n-butylphthalate	UG/L				10	U	10	U
S	Di-n-octylphthalate	UG/L				10	U	10	U
S	Dibenz(a,h)anthracene	UG/L				10	U	10	U
S	Dibenzofuran	UG/L				10	U	10	U
S	Diethylphthalate	UG/L				10	U	10	U
S	Dimethylphthalate	UG/L				10	U	10	U
S	Fluoranthene	UG/L				10	U	10	U
S	Fluorene	UG/L				10	U	10	U
S	Hexachlorobenzene	UG/L				10	U	10	U
S	Hexachlorobutadiene	UG/L				10	U	10	U
S	Hexachlorocyclopentadiene	UG/L				10	U	10	U
S	Hexachloroethane	UG/L				10	U	10	U
S	Indeno(1,2,3-cd)pyrene	UG/L				10	U	10	U
S	Isophorone	UG/L				10	U	10	U
S	N-Nitroso-di-n-propylamine	UG/L				10	U	10	U
S	N-Nitrosodiphenylamine	UG/L				10	U	2	J
S	Naphthalene	UG/L				10	U	19	
	Nitrobenzene	UG/L				10	U	10	U
	Pentachlorophenol	UG/L				26	U	26	U
S	Phenanthrene	UG/L				10	U	10	U
S	Phenol	UG/L				10	U	10	U
S	Pyrene	UG/L				10	U	10	U
S	bis(2-Chloroethoxy)methane	UG/L				10	U	10	U
S	bis(2-Ethlyhexy)phthalate	UG/L				1	U	10	U
S	bis(2-chloroethyl)ether	UG/L				10	U	10	U
S	bis(2-chloroisopropyl)ether	UG/L				10	U	10	U
V	1,1,1-Trichloroethane	UG/L				10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L				10	U	10	U
V	1,1,2-Trichloroethane	UG/L				10	U	10	U
V	1,1-Dichloroethane	UG/L				10	U	10	U
V	1,1-Dichloroethene	UG/L				10	U	10	U
V	1,2-Dichloroethane	UG/L				10	U	10	U
V	1,2-Dichloroethene (total)	UG/L				10	U	10	U
V	1,2-Dichloropropane	UG/L				10	U	10	U
V	2-Butanone	UG/L				10	U	10	U
V	2-Hexanone	UG/L				10	U	10	U
V	4-Methyl-2-Pentanone	UG/L				10	U	10	U
V	Acetone	UG/L				11	U	10	U
V	Benzene	UG/L				10	U	27	
V	Bromodichloromethane	UG/L				10	U	10	U
V	Bromoform	UG/L				10	U	10	U
V	Bromomethane	UG/L				10	U	10	U
V	Carbon Disulfide	UG/L				10	U	10	U
	Carbon Tetrachloride	UG/L				10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	691GWES33DDISS		691GWES34		691GWES36	
	LAB SAMPLE ID--->	85022		84987		85105	
	RECEIPT DATE---->			07/13/93		07/14/93	
	PARAMETER	UNITS					
V	Chlorobenzene	UG/L		10	U	370	J
V	Chloroethane	UG/L		10	U	10	U
V	Chloroform	UG/L		10	U	10	U
V	Chloromethane	UG/L		10	U	10	U
V	Dibromochloromethane	UG/L		10	U	10	U
V	Ethylbenzene	UG/L		10	U	10	U
V	Methylene Chloride	UG/L		10	U	10	U
V	Styrene	UG/L		10	U	10	U
V	Tetrachloroethene	UG/L		10	U	10	U
V	Toluene	UG/L		10	U	10	U
V	Trichloroethene	UG/L		10	U	30	
V	Vinyl Chloride	UG/L		10	U	10	U
V	Xylene (total)	UG/L		10	U	10	U
V	cis-1,3-Dichloropropene	UG/L		10	U	10	U
V	trans-1,3-Dichloropropene	UG/L		10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES36DISS		LAB SAMPLE ID---> 85120		RECEIPT DATE----> 07/14/93		SAMPLE ID ------> 691GWES36DL		LAB SAMPLE ID---> 85105DL		RECEIPT DATE----> 07/14/93		SAMPLE ID ------> 691GWES44		LAB SAMPLE ID---> 85228		RECEIPT DATE----> 07/15/93
			.												.				
I	Aluminum	UG/L	20	U											14900	J			
I	Antimony	UG/L	30	U											30	U			
I	Arsenic	UG/L	20.2												11.9				
I	Barium	UG/L	1300												127	J			
I	Beryllium	UG/L	1	U											1.2	J			
I	Cadmium	UG/L	3	U											3	U			
I	Calcium	UG/L	148000												56300				
I	Chromium	UG/L	6	U											12.1				
I	Cobalt	UG/L	9.2	J											6.2	J			
I	Copper	UG/L	5.5	U											12.9	J			
I	Cyanide	UG/L	.												.				
I	Iron	UG/L	18900												11000				
I	Lead	UG/L	2	UJ											6.2				
I	Magnesium	UG/L	48700												13900				
I	Manganese	UG/L	637												127				
I	Mercury	UG/L	0.2	U											0.2	UJ			
I	Nickel	UG/L	10	U											11.6	J			
	Potassium	UG/L	55400												7950				
	Selenium	UG/L	1	UJ											1	U			
I	Silver	UG/L	4	U											4	U			
I	Sodium	UG/L	123000												187000				
I	Thallium	UG/L	10	UJ											10	UJ			
I	Vanadium	UG/L	5.6	J											27.1	J			
I	Zinc	UG/L	13.9	J											40.9				
P	4,4'-DDD	UG/L													0.048	U			
P	4,4'-DDE	UG/L													0.048	U			
P	4,4'-DDT	UG/L													0.048	U			
P	Aldrin	UG/L													0.024	U			
P	Aroclor 1016	UG/L													0.48	U			
P	Aroclor 1221	UG/L													0.97	U			
P	Aroclor 1232	UG/L													0.48	U			
P	Aroclor 1242	UG/L													0.48	U			
P	Aroclor 1248	UG/L													0.48	U			
P	Aroclor 1254	UG/L													0.48	U			
P	Aroclor 1260	UG/L													0.48	U			
P	Dieldrin	UG/L													0.048	U			
P	Endosulfan I	UG/L													0.024	U			
P	Endosulfan II	UG/L													0.048	U			
P	Endosulfan sulfate	UG/L													0.048	U			
P	Endrin	UG/L													0.048	U			
P	Endrin aldehyde	UG/L													0.048	U			
P	Endrin ketone	UG/L													0.048	U			
P	Heptachlor	UG/L													0.024	U			
	Heptachlor epoxide	UG/L													0.024	U			

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES36DISS LAB SAMPLE ID---> 85120 RECEIPT DATE----> .		SAMPLE ID ------> 691GWES36DL LAB SAMPLE ID---> 85105DL RECEIPT DATE----> .		SAMPLE ID ------> 691GWES44 LAB SAMPLE ID---> 85228 RECEIPT DATE----> 07/15/93	
P	Methoxychlor	UG/L					0.24	U
P	Toxaphene	UG/L					2.4	U
P	alpha-BHC	UG/L					0.024	U
P	alpha-Chlordane	UG/L					0.024	U
P	beta-BHC	UG/L					0.024	U
P	delta-BHC	UG/L					0.024	U
P	gamma-BHC (Lindane)	UG/L					0.024	U
P	gamma-Chlordane	UG/L					0.024	U
S	1,2,4-Trichlorobenzene	UG/L					10	U
S	1,2-Dichlorobenzene	UG/L					10	U
S	1,3-Dichlorobenzene	UG/L					10	U
S	1,4-Dichlorobenzene	UG/L					10	U
S	2,4,5-Trichlorophenol	UG/L					25	U
S	2,4,6-Trichlorophenol	UG/L					10	U
S	2,4-Dichlorophenol	UG/L					10	U
S	2,4-Dimethylphenol	UG/L					10	U
S	2,4-Dinitrophenol	UG/L					25	U
S	2,4-Dinitrotoluene	UG/L					10	U
S	2,6-Dinitrotoluene	UG/L					10	U
S	2-Chloronaphthalene	UG/L					10	U
S	2-Chlorophenol	UG/L					10	U
S	2-Methylnaphthalene	UG/L					10	U
S	2-Methylphenol	UG/L					10	U
S	2-Nitroaniline	UG/L					25	U
S	2-Nitrophenol	UG/L					10	U
S	3,3'-Dichlorobenzidine	UG/L					10	U
S	3-Nitroaniline	UG/L					25	U
S	4,6-Dinitro-2-methylphenol	UG/L					25	U
S	4-Bromophenyl-phenylether	UG/L					10	U
S	4-Chloro-3-methylphenol	UG/L					10	U
S	4-Chloroaniline	UG/L					10	U
S	4-Chlorophenyl-phenylether	UG/L					10	U
S	4-Methylphenol	UG/L					10	U
S	4-Nitroaniline	UG/L					25	U
S	4-Nitrophenol	UG/L					25	U
S	Acenaphthene	UG/L					10	U
S	Acenaphthylene	UG/L					10	U
S	Anthracene	UG/L					10	U
S	Benzo(a)anthracene	UG/L					10	U
S	Benzo(a)pyrene	UG/L					10	U
S	Benzo(b)fluoranthene	UG/L					10	U
S	Benzo(g,h,i)perylene	UG/L					10	U
S	Benzo(k)fluoranthene	UG/L					10	U
S	Butylbenzylphthalate	UG/L					10	U
S	Carbazole	UG/L					10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES36DISS LAB SAMPLE ID---> 85120 RECEIPT DATE----> .		SAMPLE ID ------> 691GWES36DL LAB SAMPLE ID---> 85105DL RECEIPT DATE----> .		SAMPLE ID ------> 691GWES44 LAB SAMPLE ID---> 85228 RECEIPT DATE----> 07/15/93	
S	Chrysene	UG/L					10	U
S	Di-n-butylphthalate	UG/L					10	U
S	Di-n-octylphthalate	UG/L					10	U
S	Dibenz(a,h)anthracene	UG/L					10	U
S	Dibenzofuran	UG/L					10	U
S	Diethylphthalate	UG/L					10	U
S	Dimethylphthalate	UG/L					10	U
S	Fluoranthene	UG/L					10	U
S	Fluorene	UG/L					10	U
S	Hexachlorobenzene	UG/L					10	U
S	Hexachlorobutadiene	UG/L					10	U
S	Hexachlorocyclopentadiene	UG/L					10	U
S	Hexachloroethane	UG/L					10	U
S	Indeno(1,2,3-cd)pyrene	UG/L					10	U
S	Isophorone	UG/L					10	U
S	N-Nitroso-di-n-propylamine	UG/L					10	U
S	N-Nitrosodiphenylamine	UG/L					10	U
S	Naphthalene	UG/L					10	U
	Nitrobenzene	UG/L					10	U
	Pentachlorophenol	UG/L					25	U
S	Phenanthrene	UG/L					10	U
S	Phenol	UG/L					10	U
S	Pyrene	UG/L					10	U
S	bis(2-Chloroethoxy)methane	UG/L					10	U
S	bis(2-Ethlyhexy)phthalate	UG/L					3	U
S	bis(2-chloroethyl)ether	UG/L					10	U
S	bis(2-chloroisopropyl)ether	UG/L					10	U
V	1,1,1-Trichloroethane	UG/L			50	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L			50	U	10	U
V	1,1,2-Trichloroethane	UG/L			50	U	10	U
V	1,1-Dichloroethane	UG/L			50	U	10	U
V	1,1-Dichloroethene	UG/L			50	U	10	U
V	1,2-Dichloroethane	UG/L			50	U	10	U
V	1,2-Dichloroethene (total)	UG/L			50	U	2	J
V	1,2-Dichloropropane	UG/L			50	U	10	U
V	2-Butanone	UG/L			50	U	10	U
V	2-Hexanone	UG/L			50	U	10	U
V	4-Methyl-2-Pentanone	UG/L			50	U	10	U
V	Acetone	UG/L			50	U	8	U
V	Benzene	UG/L			29	J	10	U
V	Bromodichloromethane	UG/L			50	U	10	U
V	Bromoform	UG/L			50	U	10	U
V	Bromomethane	UG/L			50	U	10	U
V	Carbon Disulfide	UG/L			50	U	10	U
	Carbon Tetrachloride	UG/L			50	U	10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES36DISS		691GWES36DL		691GWES44	
			LAB SAMPLE ID--->	85120		85105DL		85228	
			RECEIPT DATE---->	.		07/14/93		07/15/93	
	PARAMETER	UNITS							
V	Chlorobenzene	UG/L				490	J	10	U
V	Chloroethane	UG/L				50	U	10	U
V	Chloroform	UG/L				50	U	10	U
V	Chloromethane	UG/L				50	U	10	U
V	Dibromochloromethane	UG/L				50	U	10	U
V	Ethylbenzene	UG/L				50	U	10	U
V	Methylene Chloride	UG/L				16	U	10	U
V	Styrene	UG/L				50	U	10	U
V	Tetrachloroethene	UG/L				50	U	10	U
V	Toluene	UG/L				50	U	10	U
V	Trichloroethene	UG/L				50	U	1	J
V	Vinyl Chloride	UG/L				50	U	6	J
V	Xylene (total)	UG/L				50	U	10	U
V	cis-1,3-Dichloropropene	UG/L				50	U	10	U
V	trans-1,3-Dichloropropene	UG/L				50	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES44DISS		691GWESS33D		691GWGM21	
			LAB SAMPLE ID---> 85241		84997		85109	
			RECEIPT DATE----> 07/15/93		07/13/93		07/14/93	
I	Aluminum	UG/L	20	U			2620	J
I	Antimony	UG/L	30	U			30	U
I	Arsenic	UG/L	9.9	J			9.8	J
I	Barium	UG/L	68.9	U			128	J
I	Beryllium	UG/L	1	U			1	U
I	Cadmium	UG/L	3	U			3	U
I	Calcium	UG/L	56900				63200	
I	Chromium	UG/L	6	U			6.3	J
I	Cobalt	UG/L	5	U			5	U
I	Copper	UG/L	4.1	U			11.4	J
I	Cyanide	UG/L	.				.	
I	Iron	UG/L	933				6940	
I	Lead	UG/L	2	U			3	
I	Magnesium	UG/L	11800				29800	
I	Manganese	UG/L	93.2				165	
I	Mercury	UG/L	0.2	U			0.2	UJ
I	Nickel	UG/L	10	U			10	J
	Potassium	UG/L	5150				9210	
	Selenium	UG/L	1	U			1.4	UJ
I	Silver	UG/L	4	U			4	U
I	Sodium	UG/L	192000				299000	
I	Thallium	UG/L	2	U			10	UJ
I	Vanadium	UG/L	3	U			10.1	J
I	Zinc	UG/L	19.6	UJ			25.5	
P	4,4'-DDD	UG/L			0.05	U	0.05	U
P	4,4'-DDE	UG/L			0.05	U	0.05	U
P	4,4'-DDT	UG/L			0.05	U	0.05	U
P	Aldrin	UG/L			0.025	U	0.025	U
P	Aroclor 1016	UG/L			0.5	U	0.5	U
P	Aroclor 1221	UG/L			1	U	0.99	U
P	Aroclor 1232	UG/L			0.5	U	0.5	U
P	Aroclor 1242	UG/L			0.5	U	0.5	U
P	Aroclor 1248	UG/L			0.5	U	0.5	U
P	Aroclor 1254	UG/L			0.5	U	0.5	U
P	Aroclor 1260	UG/L			0.5	U	0.5	U
P	Dieldrin	UG/L			0.05	U	0.05	U
P	Endosulfan I	UG/L			0.025	U	0.025	U
P	Endosulfan II	UG/L			0.05	U	0.05	U
P	Endosulfan sulfate	UG/L			0.05	U	0.05	U
P	Endrin	UG/L			0.05	U	0.05	U
P	Endrin aldehyde	UG/L			0.05	U	0.05	U
P	Endrin ketone	UG/L			0.05	U	0.05	U
P	Heptachlor	UG/L			0.025	U	0.025	U
	Heptachlor epoxide	UG/L			0.025	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWES44DISS		691GWESS33D		691GWGM21	
	LAB SAMPLE ID--->		85241		84997		85109	
	RECEIPT DATE---->				07/13/93		07/14/93	
P	Methoxychlor	UG/L			0.25	U	0.25	U
P	Toxaphene	UG/L			2.5	U	2.5	U
P	alpha-BHC	UG/L			0.025	U	0.025	U
P	alpha-Chlordane	UG/L			0.025	U	0.025	U
P	beta-BHC	UG/L			0.025	U	0.025	U
P	delta-BHC	UG/L			0.025	U	0.025	U
P	gamma-BHC (Lindane)	UG/L			0.025	U	0.025	U
P	gamma-Chlordane	UG/L			0.025	U	0.025	U
S	1,2,4-Trichlorobenzene	UG/L					10	U
S	1,2-Dichlorobenzene	UG/L					10	U
S	1,3-Dichlorobenzene	UG/L					10	U
S	1,4-Dichlorobenzene	UG/L					10	U
S	2,4,5-Trichlorophenol	UG/L					24	U
S	2,4,6-Trichlorophenol	UG/L					10	U
S	2,4-Dichlorophenol	UG/L					10	U
S	2,4-Dimethylphenol	UG/L					10	U
S	2,4-Dinitrophenol	UG/L					24	U
S	2,4-Dinitrotoluene	UG/L					10	U
S	2,6-Dinitrotoluene	UG/L					10	U
S	2-Chloronaphthalene	UG/L					10	U
S	2-Chlorophenol	UG/L					10	U
S	2-Methylnaphthalene	UG/L					10	U
S	2-Methylphenol	UG/L					10	U
S	2-Nitroaniline	UG/L					24	U
S	2-Nitrophenol	UG/L					10	U
S	3,3'-Dichlorobenzidine	UG/L					10	U
S	3-Nitroaniline	UG/L					24	U
S	4,6-Dinitro-2-methylphenol	UG/L					24	U
S	4-Bromophenyl-phenylether	UG/L					10	U
S	4-Chloro-3-methylphenol	UG/L					10	U
S	4-Chloroaniline	UG/L					10	U
S	4-Chlorophenyl-phenylether	UG/L					10	U
S	4-Methylphenol	UG/L					10	U
S	4-Nitroaniline	UG/L					24	U
S	4-Nitrophenol	UG/L					24	U
S	Acenaphthene	UG/L					10	U
S	Acenaphthylene	UG/L					10	U
S	Anthracene	UG/L					10	U
S	Benzo(a)anthracene	UG/L					10	U
S	Benzo(a)pyrene	UG/L					10	U
S	Benzo(b)fluoranthene	UG/L					10	U
S	Benzo(g,h,i)perylene	UG/L					10	U
S	Benzo(k)fluoranthene	UG/L					10	U
S	Butylbenzylphthalate	UG/L					10	U
S	Carbazole	UG/L					10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWES44DISS	691GWESS33D	691GWGM21	
			LAB SAMPLE ID--->	85241	84997	85109	
			RECEIPT DATE---->			07/14/93	
	PARAMETER	UNITS					
S	Chrysene	UG/L				10	U
S	Di-n-butylphthalate	UG/L				1	J
S	Di-n-octylphthalate	UG/L				10	U
S	Dibenz(a,h)anthracene	UG/L				10	U
S	Dibenzofuran	UG/L				10	U
S	Diethylphthalate	UG/L				10	U
S	Dimethylphthalate	UG/L				10	U
S	Fluoranthene	UG/L				10	U
S	Fluorene	UG/L				10	U
S	Hexachlorobenzene	UG/L				10	U
S	Hexachlorobutadiene	UG/L				10	U
S	Hexachlorocyclopentadiene	UG/L				10	U
S	Hexachloroethane	UG/L				10	U
S	Indeno(1,2,3-cd)pyrene	UG/L				10	U
S	Isophorone	UG/L				10	U
S	N-Nitroso-di-n-propylamine	UG/L				10	U
S	N-Nitrosodiphenylamine	UG/L				10	U
S	Naphthalene	UG/L				10	U
	Nitrobenzene	UG/L				10	U
	Pentachlorophenol	UG/L				24	U
S	Phenanthrene	UG/L				10	U
S	Phenol	UG/L				10	U
S	Pyrene	UG/L				10	U
S	bis(2-Chloroethoxy)methane	UG/L				10	U
S	bis(2-Ethlyhexy)phthalate	UG/L				5	U
S	bis(2-chloroethyl)ether	UG/L				10	U
S	bis(2-chloroisopropyl)ether	UG/L				10	U
V	1,1,1-Trichloroethane	UG/L				10	U
V	1,1,2,2-Tetrachloroethane	UG/L				10	U
V	1,1,2-Trichloroethane	UG/L				10	U
V	1,1-Dichloroethane	UG/L				10	U
V	1,1-Dichloroethene	UG/L				10	U
V	1,2-Dichloroethane	UG/L				10	U
V	1,2-Dichloroethene (total)	UG/L				10	U
V	1,2-Dichloropropane	UG/L				10	U
V	2-Butanone	UG/L				10	U
V	2-Hexanone	UG/L				10	U
V	4-Methyl-2-Pentanone	UG/L				10	U
V	Acetone	UG/L				8	U
V	Benzene	UG/L				10	U
V	Bromodichloromethane	UG/L				10	U
V	Bromoform	UG/L				10	U
V	Bromomethane	UG/L				10	U
V	Carbon Disulfide	UG/L				10	U
	Carbon Tetrachloride	UG/L				10	U

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	691GWES44DISS	691GWESS33D	691GWGM21	
	LAB SAMPLE ID--->	85241	84997	85109	
	RECEIPT DATE---->	.	.	07/14/93	
PARAMETER	UNITS				
V Chlorobenzene	UG/L			10	U
V Chloroethane	UG/L			10	U
V Chloroform	UG/L			10	U
V Chloromethane	UG/L			10	U
V Dibromochloromethane	UG/L			10	U
V Ethylbenzene	UG/L			10	U
V Methylene Chloride	UG/L			10	U
V Styrene	UG/L			10	U
V Tetrachloroethene	UG/L			10	U
V Toluene	UG/L			10	U
V Trichloroethene	UG/L			10	U
V Vinyl Chloride	UG/L			10	U
V Xylene (total)	UG/L			10	U
V cis-1,3-Dichloropropene	UG/L			10	U
V trans-1,3-Dichloropropene	UG/L			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWGM21DISS		691GWMCC1		691GWMCC2	
	LAB SAMPLE ID--->		85124		84986		84989	
	RECEIPT DATE---->		07/14/93		07/13/93		07/13/93	
I	Aluminum	UG/L	20	U	17000		1040	
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	4.5	J	14.2		20	
I	Barium	UG/L	103	J	166	J	46.6	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	67800		76100		25200	
I	Chromium	UG/L	6	U	126		11.4	
I	Cobalt	UG/L	5	U	8	J	5	U
I	Copper	UG/L	5.6	U	18.1	J	8.7	U
I	Cyanide	UG/L						
I	Iron	UG/L	2010		14300		3160	
I	Lead	UG/L	2	UJ	9.8	J	11.7	J
I	Magnesium	UG/L	31000		18500		7860	
I	Manganese	UG/L	163		497		45.2	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	UJ
I	Nickel	UG/L	10	U	54.4		12.6	U
	Potassium	UG/L	8760		9560		4360	J
	Selenium	UG/L	5	UJ	1.9	U	1	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	308000		147000		130000	
I	Thallium	UG/L	10	UJ	10	UJ	2	UJ
I	Vanadium	UG/L	3	U	23.4	J	3	U
I	Zinc	UG/L	17.2	J	55.6	U	26.6	U
P	4,4'-DDD	UG/L			0.05	U	0.05	U
P	4,4'-DDE	UG/L			0.05	U	0.05	U
P	4,4'-DDT	UG/L			0.05	U	0.05	U
P	Aldrin	UG/L			0.025	U	0.025	U
P	Aroclor 1016	UG/L			0.5	U	0.5	U
P	Aroclor 1221	UG/L			1	U	1	U
P	Aroclor 1232	UG/L			0.5	U	0.5	U
P	Aroclor 1242	UG/L			0.5	U	0.5	U
P	Aroclor 1248	UG/L			0.5	U	0.5	U
P	Aroclor 1254	UG/L			0.5	U	0.5	U
P	Aroclor 1260	UG/L			0.5	U	0.5	U
P	Dieldrin	UG/L			0.05	U	0.05	U
P	Endosulfan I	UG/L			0.025	U	0.025	U
P	Endosulfan II	UG/L			0.05	U	0.05	U
P	Endosulfan sulfate	UG/L			0.05	U	0.05	U
P	Endrin	UG/L			0.05	U	0.05	U
P	Endrin aldehyde	UG/L			0.05	U	0.05	U
P	Endrin ketone	UG/L			0.05	U	0.05	U
P	Heptachlor	UG/L			0.025	U	0.025	U
	Heptachlor epoxide	UG/L			0.025	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWGM21DISS		691GWMCC1		691GWMCC2	
	LAB SAMPLE ID--->		85124		84986		84989	
	RECEIPT DATE---->				07/13/93		07/13/93	
P	Methoxychlor	UG/L	0.25	U	0.25	U		
P	Toxaphene	UG/L	2.5	U	2.5	U		
P	alpha-BHC	UG/L	0.025	U	0.025	U		
P	alpha-Chlordane	UG/L	0.025	U	0.025	U		
P	beta-BHC	UG/L	0.025	U	0.025	U		
P	delta-BHC	UG/L	0.025	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U		
P	gamma-Chlordane	UG/L	0.025	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U		
S	1,2-Dichlorobenzene	UG/L	10	U	10	U		
S	1,3-Dichlorobenzene	UG/L	10	U	10	U		
S	1,4-Dichlorobenzene	UG/L	10	U	10	U		
S	2,4,5-Trichlorophenol	UG/L	26	U	25	U		
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U		
S	2,4-Dichlorophenol	UG/L	10	U	10	U		
S	2,4-Dimethylphenol	UG/L	10	U	10	U		
S	2,4-Dinitrophenol	UG/L	26	U	25	U		
S	2,4-Dinitrotoluene	UG/L	10	U	10	U		
S	2,6-Dinitrotoluene	UG/L	10	U	10	U		
S	2-Chloronaphthalene	UG/L	10	U	10	U		
S	2-Chlorophenol	UG/L	10	U	10	U		
S	2-Methylnaphthalene	UG/L	10	U	10	U		
S	2-Methylphenol	UG/L	10	U	10	U		
S	2-Nitroaniline	UG/L	26	U	25	U		
S	2-Nitrophenol	UG/L	10	U	10	U		
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U		
S	3-Nitroaniline	UG/L	26	U	25	U		
S	4,6-Dinitro-2-methylphenol	UG/L	26	U	25	U		
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U		
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U		
S	4-Chloroaniline	UG/L	10	U	10	U		
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U		
S	4-Methylphenol	UG/L	10	U	10	U		
S	4-Nitroaniline	UG/L	26	U	25	U		
S	4-Nitrophenol	UG/L	26	U	25	U		
S	Acenaphthene	UG/L	10	U	10	U		
S	Acenaphthylene	UG/L	10	U	10	U		
S	Anthracene	UG/L	10	U	10	U		
S	Benzo(a)anthracene	UG/L	10	U	10	U		
S	Benzo(a)pyrene	UG/L	10	U	10	U		
S	Benzo(b)fluoranthene	UG/L	10	U	10	U		
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U		
S	Benzo(k)fluoranthene	UG/L	10	U	10	U		
S	Butylbenzylphthalate	UG/L	10	U	10	U		
S	Carbazole	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWGM21DISS		691GWMCC1		691GWMCC2	
	LAB SAMPLE ID--->		85124		84986		84989	
	RECEIPT DATE---->				07/13/93		07/13/93	
S	Chrysene	UG/L			10	U	10	U
S	Di-n-butylphthalate	UG/L			10	U	10	U
S	Di-n-octylphthalate	UG/L			10	U	10	U
S	Dibenz(a,h)anthracene	UG/L			10	U	10	U
S	Dibenzofuran	UG/L			10	U	10	U
S	Diethylphthalate	UG/L			10	U	10	U
S	Dimethylphthalate	UG/L			10	U	10	U
S	Fluoranthene	UG/L			10	U	10	U
S	Fluorene	UG/L			10	U	10	U
S	Hexachlorobenzene	UG/L			10	U	10	U
S	Hexachlorobutadiene	UG/L			10	U	10	U
S	Hexachlorocyclopentadiene	UG/L			10	U	10	U
S	Hexachloroethane	UG/L			10	U	10	U
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	10	U
S	Isophorone	UG/L			10	U	10	U
S	N-Nitroso-di-n-propylamine	UG/L			10	U	10	U
S	N-Nitrosodiphenylamine	UG/L			10	U	10	U
S	Naphthalene	UG/L			10	U	10	U
	Nitrobenzene	UG/L			10	U	10	U
	Pentachlorophenol	UG/L			26	U	25	U
S	Phenanthrene	UG/L			10	U	10	U
S	Phenol	UG/L			10	U	10	U
S	Pyrene	UG/L			10	U	10	U
S	bis(2-Chloroethoxy)methane	UG/L			10	U	10	U
S	bis(2-Ethlyhexy)phthalate	UG/L			2	U	10	U
S	bis(2-chloroethyl)ether	UG/L			10	U	10	U
S	bis(2-chloroisopropyl)ether	UG/L			10	U	10	U
V	1,1,1-Trichloroethane	UG/L			10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L			10	U	10	U
V	1,1,2-Trichloroethane	UG/L			10	U	10	U
V	1,1-Dichloroethane	UG/L			10	U	10	U
V	1,1-Dichloroethene	UG/L			10	U	10	U
V	1,2-Dichloroethane	UG/L			10	U	10	U
V	1,2-Dichloroethene (total)	UG/L			10	U	10	U
V	1,2-Dichloropropane	UG/L			10	U	10	U
V	2-Butanone	UG/L			10	U	10	U
V	2-Hexanone	UG/L			10	U	10	U
V	4-Methyl-2-Pentanone	UG/L			10	U	10	U
V	Acetone	UG/L			10	U	10	U
V	Benzene	UG/L			1	J	10	U
V	Bromodichloromethane	UG/L			10	U	10	U
V	Bromoform	UG/L			10	U	10	U
V	Bromomethane	UG/L			10	U	10	U
V	Carbon Disulfide	UG/L			10	U	10	U
	Carbon Tetrachloride	UG/L			10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWGM21DISS LAB SAMPLE ID---> 85124 RECEIPT DATE---->		691GWMCC1 84986 07/13/93		691GWMCC2 84989 07/13/93	
V	Chlorobenzene	UG/L			10	U	10	U
V	Chloroethane	UG/L			10	U	10	U
V	Chloroform	UG/L			10	U	10	U
V	Chloromethane	UG/L			10	U	10	U
V	Dibromochloromethane	UG/L			10	U	10	U
V	Ethylbenzene	UG/L			10	U	10	U
V	Methylene Chloride	UG/L			10	U	1	U
V	Styrene	UG/L			10	U	10	U
V	Tetrachloroethene	UG/L			10	U	10	U
V	Toluene	UG/L			10	U	10	U
V	Trichloroethene	UG/L			10	U	10	U
V	Vinyl Chloride	UG/L			10	U	10	U
V	Xylene (total)	UG/L			10	U	10	U
V	cis-1,3-Dichloropropene	UG/L			10	U	10	U
V	trans-1,3-Dichloropropene	UG/L			10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWMCC2DISS		691GWMCC3		691GWMCC3DIS	
	LAB SAMPLE ID--->		85014		84988		85013	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	20	U	6460		20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	13.8	J	9.5	J	9.5	J
I	Barium	UG/L	42.4	J	89	J	58.6	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	25000		53800		53900	
I	Chromium	UG/L	6	U	12.8		6	U
I	Cobalt	UG/L	5	U	10.1	J	5	U
I	Copper	UG/L	3	U	19.6	J	3	U
I	Cyanide	UG/L						
I	Iron	UG/L	979	J	9050		1300	J
I	Lead	UG/L	15.9		51.4	J	2	U
I	Magnesium	UG/L	7960		16400		16100	
I	Manganese	UG/L	28.5		62.6		53.3	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	U
I	Nickel	UG/L	10	U	15.6	U	10	U
	Potassium	UG/L	4210	J	6460		5640	
	Selenium	UG/L	1	U	1.2	U	2.2	U
I	Silver	UG/L	4	UJ	4	U	4	UJ
I	Sodium	UG/L	130000		216000		230000	
I	Thallium	UG/L	10	R	10	UJ	10	R
I	Vanadium	UG/L	3	U	12.6	J	3	U
I	Zinc	UG/L	14.9	J	73.2	U	14	J
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWMCC2DISS LAB SAMPLE ID---> 85014 RECEIPT DATE----> .		691GWMCC3 84988 07/13/93		691GWMCC3DIS 85013 .	
P	Methoxychlor	UG/L			0.25	U		
P	Toxaphene	UG/L			2.5	U		
P	alpha-BHC	UG/L			0.025	U		
P	alpha-Chlordane	UG/L			0.025	U		
P	beta-BHC	UG/L			0.025	U		
P	delta-BHC	UG/L			0.025	U		
P	gamma-BHC (Lindane)	UG/L			0.025	U		
P	gamma-Chlordane	UG/L			0.025	U		
S	1,2,4-Trichlorobenzene	UG/L			10	U		
S	1,2-Dichlorobenzene	UG/L			10	U		
S	1,3-Dichlorobenzene	UG/L			10	U		
S	1,4-Dichlorobenzene	UG/L			10	U		
S	2,4,5-Trichlorophenol	UG/L			26	U		
S	2,4,6-Trichlorophenol	UG/L			10	U		
S	2,4-Dichlorophenol	UG/L			10	U		
S	2,4-Dimethylphenol	UG/L			10	U		
S	2,4-Dinitrophenol	UG/L			26	U		
S	2,4-Dinitrotoluene	UG/L			10	U		
S	2,6-Dinitrotoluene	UG/L			10	U		
S	2-Chloronaphthalene	UG/L			10	U		
S	2-Chlorophenol	UG/L			10	U		
S	2-Methylnaphthalene	UG/L			10	U		
S	2-Methylphenol	UG/L			10	U		
S	2-Nitroaniline	UG/L			26	U		
S	2-Nitrophenol	UG/L			10	U		
S	3,3'-Dichlorobenzidine	UG/L			10	U		
S	3-Nitroaniline	UG/L			26	U		
S	4,6-Dinitro-2-methylphenol	UG/L			26	U		
S	4-Bromophenyl-phenylether	UG/L			10	U		
S	4-Chloro-3-methylphenol	UG/L			10	U		
S	4-Chloroaniline	UG/L			10	U		
S	4-Chlorophenyl-phenylether	UG/L			10	U		
S	4-Methylphenol	UG/L			10	U		
S	4-Nitroaniline	UG/L			26	U		
S	4-Nitrophenol	UG/L			26	U		
S	Acenaphthene	UG/L			10	U		
S	Acenaphthylene	UG/L			10	U		
S	Anthracene	UG/L			10	U		
S	Benzo(a)anthracene	UG/L			10	U		
S	Benzo(a)pyrene	UG/L			10	U		
S	Benzo(b)fluoranthene	UG/L			10	U		
S	Benzo(g,h,i)perylene	UG/L			10	U		
S	Benzo(k)fluoranthene	UG/L			10	U		
S	Butylbenzylphthalate	UG/L			10	U		
S	Carbazole	UG/L			10	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWMCC2DISS LAB SAMPLE ID---> 85014 RECEIPT DATE----> .	691GWMCC3 84988 07/13/93		691GWMCC3DIS 85013 .
S	Chrysene	UG/L		10	U	
S	Di-n-butylphthalate	UG/L		10	U	
S	Di-n-octylphthalate	UG/L		10	U	
S	Dibenz(a,h)anthracene	UG/L		10	U	
S	Dibenzofuran	UG/L		10	U	
S	Diethylphthalate	UG/L		10	U	
S	Dimethylphthalate	UG/L		10	U	
S	Fluoranthene	UG/L		10	U	
S	Fluorene	UG/L		10	U	
S	Hexachlorobenzene	UG/L		10	U	
S	Hexachlorobutadiene	UG/L		10	U	
S	Hexachlorocyclopentadiene	UG/L		10	U	
S	Hexachloroethane	UG/L		10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	
S	Isophorone	UG/L		10	U	
S	N-Nitroso-di-n-propylamine	UG/L		10	U	
S	N-Nitrosodiphenylamine	UG/L		10	U	
S	Naphthalene	UG/L		10	U	
	Nitrobenzene	UG/L		10	U	
	Pentachlorophenol	UG/L		26	U	
S	Phenanthrene	UG/L		10	U	
S	Phenol	UG/L		10	U	
S	Pyrene	UG/L		10	U	
S	bis(2-Chloroethoxy)methane	UG/L		10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L		13	J	
S	bis(2-chloroethyl)ether	UG/L		10	U	
S	bis(2-chloroisopropyl)ether	UG/L		10	U	
V	1,1,1-Trichloroethane	UG/L		10	U	
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	
V	1,1,2-Trichloroethane	UG/L		10	U	
V	1,1-Dichloroethane	UG/L		10	U	
V	1,1-Dichloroethene	UG/L		10	U	
V	1,2-Dichloroethane	UG/L		10	U	
V	1,2-Dichloroethene (total)	UG/L		19		
V	1,2-Dichloropropane	UG/L		10	U	
V	2-Butanone	UG/L		10	U	
V	2-Hexanone	UG/L		10	U	
V	4-Methyl-2-Pentanone	UG/L		10	U	
V	Acetone	UG/L		7	U	
V	Benzene	UG/L		2	J	
V	Bromodichloromethane	UG/L		10	U	
V	Bromoform	UG/L		10	U	
V	Bromomethane	UG/L		10	U	
V	Carbon Disulfide	UG/L		10	U	
V	Carbon Tetrachloride	UG/L		10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	691GWMCC2DISS	691GWMCC3		691GWMCC3DIS
		LAB SAMPLE ID--->	85014	84988		85013
		RECEIPT DATE---->	.	07/13/93		.
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L		10	U	
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		58		
V	Vinyl Chloride	UG/L		30	J	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI26		691GWREI26DISS		691GWREI26DL
	LAB SAMPLE ID--->		85106		85121		85106DL
	RECEIPT DATE---->		07/14/93		07/14/93		07/14/93
I	Aluminum	UG/L	689	J	21.4	U	
I	Antimony	UG/L	30	U	30	U	
I	Arsenic	UG/L	6.4	J	3	U	
I	Barium	UG/L	417		339		
I	Beryllium	UG/L	1	U	1	U	
I	Cadmium	UG/L	3	U	3	U	
I	Calcium	UG/L	184000		179000		
I	Chromium	UG/L	30.5		25.8		
I	Cobalt	UG/L	8.5	J	6.2	J	
I	Copper	UG/L	9.6	J	4.2	U	
I	Cyanide	UG/L	.		.		
I	Iron	UG/L	9290		5140		
I	Lead	UG/L	4.3		10	UJ	
I	Magnesium	UG/L	35000		31800		
I	Manganese	UG/L	686		642		
I	Mercury	UG/L	0.2	U	0.2	U	
I	Nickel	UG/L	10	U	13.7	J	
I	Potassium	UG/L	38000		34300		
I	Selenium	UG/L	3.3	UJ	2.6	UJ	
I	Silver	UG/L	4	U	4	U	
I	Sodium	UG/L	545000		515000		
I	Thallium	UG/L	10	UJ	10	UJ	
I	Vanadium	UG/L	7.8	J	5.7	J	
I	Zinc	UG/L	10.5	J	12.7	J	
P	4,4'-DDD	UG/L	0.05	U			
P	4,4'-DDE	UG/L	0.05	U			
P	4,4'-DDT	UG/L	0.05	U			
P	Aldrin	UG/L	0.025	U			
P	Aroclor 1016	UG/L	0.5	U			
P	Aroclor 1221	UG/L	1	U			
P	Aroclor 1232	UG/L	0.5	U			
P	Aroclor 1242	UG/L	0.5	U			
P	Aroclor 1248	UG/L	0.5	U			
P	Aroclor 1254	UG/L	0.5	U			
P	Aroclor 1260	UG/L	0.5	U			
P	Dieldrin	UG/L	0.05	U			
P	Endosulfan I	UG/L	0.025	U			
P	Endosulfan II	UG/L	0.05	U			
P	Endosulfan sulfate	UG/L	0.05	U			
P	Endrin	UG/L	0.05	U			
P	Endrin aldehyde	UG/L	0.05	U			
P	Endrin ketone	UG/L	0.05	U			
P	Heptachlor	UG/L	0.025	U			
P	Heptachlor epoxide	UG/L	0.025	U			

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	691GWREI26	691GWREI26DISS	691GWREI26DL
		LAB SAMPLE ID--->	85106	85121	85106DL
		RECEIPT DATE---->	07/14/93		
	PARAMETER	UNITS			
P	Methoxychlor	UG/L	0.25	U	
P	Toxaphene	UG/L	2.5	U	
P	alpha-BHC	UG/L	0.025	U	
P	alpha-Chlordane	UG/L	0.025	U	
P	beta-BHC	UG/L	0.025	U	
P	delta-BHC	UG/L	0.025	U	
P	gamma-BHC (Lindane)	UG/L	0.025	U	
P	gamma-Chlordane	UG/L	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	10		
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	18		
S	2,4,5-Trichlorophenol	UG/L	25	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	25	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
	2,6-Dinitrotoluene	UG/L	10	U	
	2-Chloronaphthalene	UG/L	10	U	
S	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	25	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	25	U	
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	25	U	
S	4-Nitrophenol	UG/L	25	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
	Carbazole	UG/L	10	U	

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWREI26		691GWREI26DISS		691GWREI26DL	
			LAB SAMPLE ID--->	85106		85121		85106DL	
			RECEIPT DATE---->	07/14/93					
	PARAMETER	UNITS							
S	Chrysene	UG/L		10	U				
S	Di-n-butylphthalate	UG/L		10	U				
S	Di-n-octylphthalate	UG/L		10	U				
S	Dibenz(a,h)anthracene	UG/L		10	U				
S	Dibenzofuran	UG/L		10	U				
S	Diethylphthalate	UG/L		10	U				
S	Dimethylphthalate	UG/L		10	U				
S	Fluoranthene	UG/L		10	U				
S	Fluorene	UG/L		10	U				
S	Hexachlorobenzene	UG/L		10	U				
S	Hexachlorobutadiene	UG/L		10	U				
S	Hexachlorocyclopentadiene	UG/L		10	U				
S	Hexachloroethane	UG/L		10	U				
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U				
S	Isophorone	UG/L		10	U				
S	N-Nitroso-di-n-propylamine	UG/L		10	U				
S	N-Nitrosodiphenylamine	UG/L		10	U				
S	Naphthalene	UG/L		10	U				
S	Nitrobenzene	UG/L		10	U				
S	Pentachlorophenol	UG/L		25	U				
S	Phenanthrene	UG/L		10	U				
S	Phenol	UG/L		10	U				
S	Pyrene	UG/L		10	U				
S	bis(2-Chloroethoxy)methane	UG/L		10	U				
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U				
S	bis(2-chloroethyl)ether	UG/L		10	U				
S	bis(2-chloroisopropyl)ether	UG/L		10	U				
V	1,1,1-Trichloroethane	UG/L		10	U			50	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U			50	U
V	1,1,2-Trichloroethane	UG/L		10	U			50	U
V	1,1-Dichloroethane	UG/L		10	U			50	U
V	1,1-Dichloroethene	UG/L		10	U			50	U
V	1,2-Dichloroethane	UG/L		10	U			50	U
V	1,2-Dichloroethene (total)	UG/L		10	U			50	U
V	1,2-Dichloropropane	UG/L		10	U			50	U
V	2-Butanone	UG/L		10	U			50	U
V	2-Hexanone	UG/L		10	U			50	U
V	4-Methyl-2-Pentanone	UG/L		10	U			50	U
V	Acetone	UG/L		10	U			50	U
V	Benzene	UG/L		17				18	J
V	Bromodichloromethane	UG/L		10	U			50	U
V	Bromoform	UG/L		10	U			50	U
V	Bromomethane	UG/L		10	U			50	U
V	Carbon Disulfide	UG/L		10	U			50	U
V	Carbon Tetrachloride	UG/L		10	U			50	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI26 LAB SAMPLE ID---> 85106 RECEIPT DATE----> 07/14/93		691GWREI26DISS 85121		691GWREI26DL 85106DL 07/14/93	
V	Chlorobenzene	UG/L	330	J			350	J
V	Chloroethane	UG/L	10	U			50	U
V	Chloroform	UG/L	10	U			50	U
V	Chloromethane	UG/L	10	U			50	U
V	Dibromochloromethane	UG/L	10	U			50	U
V	Ethylbenzene	UG/L	10	U			50	U
V	Methylene Chloride	UG/L	10	U			50	U
V	Styrene	UG/L	10	U			50	U
V	Tetrachloroethene	UG/L	10	U			50	U
V	Toluene	UG/L	10	U			50	U
V	Trichloroethene	UG/L	1	J			50	U
V	Vinyl Chloride	UG/L	10	U			50	U
V	Xylene (total)	UG/L	10	U			50	U
V	cis-1,3-Dichloropropene	UG/L	10	U			50	U
V	trans-1,3-Dichloropropene	UG/L	10	U			50	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI27		691GWREI27DISS		691GWREI27DL
	LAB SAMPLE ID--->		85229		85242		85229DL
	RECEIPT DATE---->		07/15/93		07/15/93		07/15/93
I	Aluminum	UG/L	367	UJ	20	U	
I	Antimony	UG/L	30	U	30	U	
I	Arsenic	UG/L	5.4	J	7.3	J	
I	Barium	UG/L	1530		1480		
I	Beryllium	UG/L	1	U	1	U	
I	Cadmium	UG/L	3	U	3	U	
I	Calcium	UG/L	466000		467000		
I	Chromium	UG/L	45		41.3		
I	Cobalt	UG/L	5	U	5	U	
I	Copper	UG/L	6.1	J	3.6	U	
I	Cyanide	UG/L	.		.		
I	Iron	UG/L	19700		4600		
I	Lead	UG/L	2	U	2	U	
I	Magnesium	UG/L	68700		65300		
I	Manganese	UG/L	839		840		
I	Mercury	UG/L	0.2	UJ	0.2	U	
I	Nickel	UG/L	10	U	10.3	J	
I	Potassium	UG/L	49900		48600		
I	Selenium	UG/L	1	U	1	U	
I	Silver	UG/L	4	U	4	U	
I	Sodium	UG/L	158000		156000		
I	Thallium	UG/L	10	UJ	10	U	
I	Vanadium	UG/L	3	U	3	U	
I	Zinc	UG/L	13	J	8.1	UJ	
S	1,2,4-Trichlorobenzene	UG/L	10	U			
S	1,2-Dichlorobenzene	UG/L	16				
S	1,3-Dichlorobenzene	UG/L	5	J			
S	1,4-Dichlorobenzene	UG/L	33	J			
S	2,4,5-Trichlorophenol	UG/L	25	U			
S	2,4,6-Trichlorophenol	UG/L	10	U			
S	2,4-Dichlorophenol	UG/L	10	U			
S	2,4-Dimethylphenol	UG/L	27				
S	2,4-Dinitrophenol	UG/L	25	U			
S	2,4-Dinitrotoluene	UG/L	10	U			
S	2,6-Dinitrotoluene	UG/L	10	U			
S	2-Chloronaphthalene	UG/L	10	U			
S	2-Chlorophenol	UG/L	2	J			
S	2-Methylnaphthalene	UG/L	1	J			
S	2-Methylphenol	UG/L	10	U			
S	2-Nitroaniline	UG/L	25	U			
S	2-Nitrophenol	UG/L	10	U			
S	3,3'-Dichlorobenzidine	UG/L	10	U			
S	3-Nitroaniline	UG/L	25	U			
S	4,6-Dinitro-2-methylphenol	UG/L	25	U			

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	691GWREI27		691GWREI27DISS		691GWREI27DL	
		LAB SAMPLE ID--->	85229		85242		85229DL	
		RECEIPT DATE---->	07/15/93					
	PARAMETER	UNITS						
S	4-Bromophenyl-phenylether	UG/L	10	U				
S	4-Chloro-3-methylphenol	UG/L	10	U				
S	4-Chloroaniline	UG/L	10	U				
S	4-Chlorophenyl-phenylether	UG/L	10	U				
S	4-Methylphenol	UG/L	10	U				
S	4-Nitroaniline	UG/L	25	U				
S	4-Nitrophenol	UG/L	25	U				
S	Acenaphthene	UG/L	1	J				
S	Acenaphthylene	UG/L	10	U				
S	Anthracene	UG/L	10	U				
S	Benzo(a)anthracene	UG/L	10	U				
S	Benzo(a)pyrene	UG/L	10	U				
S	Benzo(b)fluoranthene	UG/L	10	U				
S	Benzo(g,h,i)perylene	UG/L	10	U				
S	Benzo(k)fluoranthene	UG/L	10	U				
S	Butylbenzylphthalate	UG/L	10	U				
S	Carbazole	UG/L	10	U				
S	Chrysene	UG/L	10	U				
	Di-n-butylphthalate	UG/L	10	U				
	Di-n-octylphthalate	UG/L	10	U				
S	Dibenz(a,h)anthracene	UG/L	10	U				
S	Dibenzofuran	UG/L	10	U				
S	Diethylphthalate	UG/L	10	U				
S	Dimethylphthalate	UG/L	10	U				
S	Fluoranthene	UG/L	10	U				
S	Fluorene	UG/L	10	U				
S	Hexachlorobenzene	UG/L	10	U				
S	Hexachlorobutadiene	UG/L	10	U				
S	Hexachlorocyclopentadiene	UG/L	10	U				
S	Hexachloroethane	UG/L	10	U				
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U				
S	Isophorone	UG/L	10	U				
S	N-Nitroso-di-n-propylamine	UG/L	10	U				
S	N-Nitrosodiphenylamine	UG/L	10	U				
S	Naphthalene	UG/L	24					
S	Nitrobenzene	UG/L	10	U				
S	Pentachlorophenol	UG/L	25	U				
S	Phenanthrene	UG/L	10	U				
S	Phenol	UG/L	10	U				
S	Pyrene	UG/L	10	U				
S	bis(2-Chloroethoxy)methane	UG/L	10	U				
S	bis(2-Ethlyhexy)phthalate	UG/L	2	U				
S	bis(2-chloroethyl)ether	UG/L	10	U				
S	bis(2-chloroisopropyl)ether	UG/L	10	U				
	1,1,1-Trichloroethane	UG/L	10	U			50	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWREI27		691GWREI27DISS		691GWREI2.DL	
			LAB SAMPLE ID--->	85229		85242		85229DL	
			RECEIPT DATE---->	07/15/93				07/15/93	
	PARAMETER	UNITS							
V	1,1,2,2-Tetrachloroethane	UG/L		10	U			50	U
V	1,1,2-Trichloroethane	UG/L		10	U			50	U
V	1,1-Dichloroethane	UG/L		10	U			50	U
V	1,1-Dichloroethene	UG/L		10	U			50	U
V	1,2-Dichloroethane	UG/L		10	U			50	U
V	1,2-Dichloroethene (total)	UG/L		10	U			50	U
V	1,2-Dichloropropane	UG/L		10	U			50	U
V	2-Butanone	UG/L		10	U			50	U
V	2-Hexanone	UG/L		10	U			50	U
V	4-Methyl-2-Pentanone	UG/L		10	U			50	U
V	Acetone	UG/L		16	U			30	J
V	Benzene	UG/L		39	J			33	J
V	Bromodichloromethane	UG/L		10	U			50	U
V	Bromoform	UG/L		10	U			50	U
V	Bromomethane	UG/L		10	U			50	U
V	Carbon Disulfide	UG/L		10	U			50	U
V	Carbon Tetrachloride	UG/L		10	U			50	U
V	Chlorobenzene	UG/L		620	J			700	J
V	Chloroethane	UG/L		10	U			50	U
V	Chloroform	UG/L		10	U			50	U
V	Chloromethane	UG/L		10	U			50	U
V	Dibromochloromethane	UG/L		10	U			50	U
V	Ethylbenzene	UG/L		3	J			50	U
V	Methylene Chloride	UG/L		1	U			5	U
V	Styrene	UG/L		10	U			50	U
V	Tetrachloroethene	UG/L		10	U			50	U
V	Toluene	UG/L		1	J			50	U
V	Trichloroethene	UG/L		10	U			50	U
V	Vinyl Chloride	UG/L		10	U			50	U
V	Xylene (total)	UG/L		3	J			8	J
V	cis-1,3-Dichloropropene	UG/L		10	U			50	U
V	trans-1,3-Dichloropropene	UG/L		10	U			50	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI28		691GWREI28DISS		691GWREI29	
	LAB SAMPLE ID--->		85101		85116		85102	
	RECEIPT DATE---->		07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	4140	J	20	U	871	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	44.1	J	3	U	58.8	J
I	Barium	UG/L	160	J	86	J	187	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	75900		76500		56300	
I	Chromium	UG/L	12.6		6	U	7.8	J
I	Cobalt	UG/L	5.5	J	5	U	9.1	J
I	Copper	UG/L	12.9	J	5.2	U	10	J
I	Cyanide	UG/L						
I	Iron	UG/L	49000		4450		37400	
I	Lead	UG/L	5.4		2	UJ	2	U
I	Magnesium	UG/L	36000		36500		24900	
I	Manganese	UG/L	92.5		80.4		70.5	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	10	U	10	U	10	U
I	Potassium	UG/L	13100		13000		4640	J
I	Selenium	UG/L	4.6	UJ	3.8	UJ	1	UJ
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	273000		293000		126000	
I	Thallium	UG/L	10	UJ	10	UJ	2	UJ
I	Vanadium	UG/L	25.4	J	3	U	10.4	J
I	Zinc	UG/L	22.3		11.6	J	15.9	J
P	4,4'-DDD	UG/L	0.05	U			0.05	U
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.05	U
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	0.99	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.05	U			0.05	U
P	Endosulfan I	UG/L	0.025	U			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
P	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI28		691GWREI28DISS		691GWREI[illegible]	
	LAB SAMPLE ID--->		85101		85116		85102	
	RECEIPT DATE---->		07/14/93				07/14/93	
P	Methoxychlor	UG/L	0.25	U			0.25	U
P	Toxaphene	UG/L	2.5	U			2.5	U
P	alpha-BHC	UG/L	0.025	U			0.025	U
P	alpha-Chlordane	UG/L	0.025	U			0.025	U
P	beta-BHC	UG/L	0.025	U			0.025	U
P	delta-BHC	UG/L	0.025	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.025	U
P	gamma-Chlordane	UG/L	0.025	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			10	U
S	2,4,5-Trichlorophenol	UG/L	26	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	26	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	26	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	26	U			24	U
S	4-Nitrophenol	UG/L	26	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	691GWREI28		691GWREI28DISS		691GWREI29	
			LAB SAMPLE ID--->	85101		85116		85102	
			RECEIPT DATE---->	07/14/93				07/14/93	
	PARAMETER	UNITS							
S	Chrysene	UG/L		10	U			10	U
S	Di-n-butylphthalate	UG/L		10	U			10	U
S	Di-n-octylphthalate	UG/L		10	U			10	U
S	Dibenz(a,h)anthracene	UG/L		10	U			10	U
S	Dibenzofuran	UG/L		10	U			10	U
S	Diethylphthalate	UG/L		10	U			10	U
S	Dimethylphthalate	UG/L		10	U			10	U
S	Fluoranthene	UG/L		10	U			10	U
S	Fluorene	UG/L		10	U			10	U
S	Hexachlorobenzene	UG/L		10	U			10	U
S	Hexachlorobutadiene	UG/L		10	U			10	U
S	Hexachlorocyclopentadiene	UG/L		10	U			10	U
S	Hexachloroethane	UG/L		10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U			10	U
S	Isophorone	UG/L		10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U			10	U
S	N-Nitrosodiphenylamine	UG/L		10	U			10	U
S	Naphthalene	UG/L		10	U			10	U
	Nitrobenzene	UG/L		10	U			10	U
	Pentachlorophenol	UG/L		26	U			24	U
S	Phenanthrene	UG/L		10	U			10	U
S	Phenol	UG/L		10	U			10	U
S	Pyrene	UG/L		10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		2	U			10	U
S	bis(2-chloroethyl)ether	UG/L		10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U			10	U
V	1,1,1-Trichloroethane	UG/L		10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U			10	U
V	1,1,2-Trichloroethane	UG/L		10	U			10	U
V	1,1-Dichloroethane	UG/L		10	U			10	U
V	1,1-Dichloroethene	UG/L		10	U			10	U
V	1,2-Dichloroethane	UG/L		10	U			10	U
V	1,2-Dichloroethene (total)	UG/L		10	U			10	U
V	1,2-Dichloropropane	UG/L		10	U			10	U
V	2-Butanone	UG/L		10	U			27	
V	2-Hexanone	UG/L		10	U			10	U
V	4-Methyl-2-Pentanone	UG/L		10	U			10	U
V	Acetone	UG/L		10	U			10	U
V	Benzene	UG/L		10	U			10	U
V	Bromodichloromethane	UG/L		10	U			10	U
V	Bromoform	UG/L		10	U			10	U
V	Bromomethane	UG/L		10	U			10	U
V	Carbon Disulfide	UG/L		10	U			10	U
	Carbon Tetrachloride	UG/L		10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI28		691GWREI28DISS		691GWREI2-	
	LAB SAMPLE ID--->		85101		85116		85102	
	RECEIPT DATE---->		07/14/93				07/14/93	
V	Chlorobenzene	UG/L	10	U			10	U
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691GWREI29DISS		693GWES33		693GWES33DIS	
	LAB SAMPLE ID--->		85117		84996		85021S	
	RECEIPT DATE---->		07/14/93		07/13/93		07/13/93	
I	Aluminum	UG/L	20	U			20	U
I	Antimony	UG/L	30	U			30	U
I	Arsenic	UG/L	7.7	J			6.9	J
I	Barium	UG/L	138	J			756	
I	Beryllium	UG/L	1	U			1	U
I	Cadmium	UG/L	3	U			3	U
I	Calcium	UG/L	55800				286000	
I	Chromium	UG/L	6	U			6	U
I	Cobalt	UG/L	7.6	J			5	U
I	Copper	UG/L	6.3	U			3	U
I	Cyanide	UG/L						
I	Iron	UG/L	13700				2830	J
I	Lead	UG/L	2	UJ			2	U
I	Magnesium	UG/L	24000				102000	
I	Manganese	UG/L	67.4				946	
I	Mercury	UG/L	0.2	U			0.2	U
I	Nickel	UG/L	10	U			10	U
-	Potassium	UG/L	4310	J			42700	
	Selenium	UG/L	1	UJ			5	U
I	Silver	UG/L	4	U			4	UJ
I	Sodium	UG/L	118000				210000	
I	Thallium	UG/L	2	UJ			10	R
I	Vanadium	UG/L	3	U			3	U
I	Zinc	UG/L	10.9	J			26.9	
S	1,2,4-Trichlorobenzene	UG/L			10	U		
S	1,2-Dichlorobenzene	UG/L			10	U		
S	1,3-Dichlorobenzene	UG/L			10	U		
S	1,4-Dichlorobenzene	UG/L			10	U		
S	2,4,5-Trichlorophenol	UG/L			24	U		
S	2,4,6-Trichlorophenol	UG/L			10	U		
S	2,4-Dichlorophenol	UG/L			10	U		
S	2,4-Dimethylphenol	UG/L			10	U		
S	2,4-Dinitrophenol	UG/L			24	U		
S	2,4-Dinitrotoluene	UG/L			10	U		
S	2,6-Dinitrotoluene	UG/L			10	U		
S	2-Chloronaphthalene	UG/L			10	U		
S	2-Chlorophenol	UG/L			10	U		
S	2-Methylnaphthalene	UG/L			10	U		
S	2-Methylphenol	UG/L			10	U		
S	2-Nitroaniline	UG/L			24	U		
S	2-Nitrophenol	UG/L			10	U		
S	3,3'-Dichlorobenzidine	UG/L			10	U		
S	3-Nitroaniline	UG/L			24	U		
	4,6-Dinitro-2-methylphenol	UG/L			24	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	691GWREI29DISS	693GWES33	693GWES3
		LAB SAMPLE ID--->	85117	84996	85021S
		RECEIPT DATE---->		07/13/93	
	PARAMETER	UNITS			
S	4-Bromophenyl-phenylether	UG/L		10	U
S	4-Chloro-3-methylphenol	UG/L		10	U
S	4-Chloroaniline	UG/L		10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U
S	4-Methylphenol	UG/L		10	U
S	4-Nitroaniline	UG/L		24	U
S	4-Nitrophenol	UG/L		24	U
S	Acenaphthene	UG/L		10	U
S	Acenaphthylene	UG/L		10	U
S	Anthracene	UG/L		10	U
S	Benzo(a)anthracene	UG/L		10	U
S	Benzo(a)pyrene	UG/L		10	U
S	Benzo(b)fluoranthene	UG/L		10	U
S	Benzo(g,h,i)perylene	UG/L		10	U
S	Benzo(k)fluoranthene	UG/L		10	U
S	Butylbenzylphthalate	UG/L		10	U
S	Carbazole	UG/L		10	U
S	Chrysene	UG/L		10	U
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		10	U
S	Nitrobenzene	UG/L		10	U
S	Pentachlorophenol	UG/L		24	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES35DISS		693GWES37		693GWES37DIS	
	LAB SAMPLE ID--->		85010		85232		85243	
	RECEIPT DATE---->		07/13/93		07/15/93		07/15/93	
I	Aluminum	UG/L	20	U	29600	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3.2	J	5.4	J	5.1	J
I	Barium	UG/L	258		349		82.4	U
I	Beryllium	UG/L	1	U	2.6	J	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	90600		89600		72000	
I	Chromium	UG/L	6	U	14.1		6	U
I	Cobalt	UG/L	5	U	7.1	J	5	U
I	Copper	UG/L	3.9	J	23.3	J	4.1	U
I	Cyanide	UG/L						
I	Iron	UG/L	25.7	U	7260		3150	
I	Lead	UG/L	2	U	47.5		6.4	
I	Magnesium	UG/L	14400		19300		15300	
I	Manganese	UG/L	86.7		200		146	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	U
I	Nickel	UG/L	10	U	10	U	10	U
	Potassium	UG/L	64800		6440		3850	J
	Selenium	UG/L	1.1	U	1.6	UJ	1	U
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	362000		74900		67800	
I	Thallium	UG/L	10	R	2	UJ	2	U
I	Vanadium	UG/L	4.7	J	34.4	J	3	U
I	Zinc	UG/L	28.1		25.5		9.6	UJ
P	4,4'-DDD	UG/L			0.049	U		
P	4,4'-DDE	UG/L			0.049	U		
P	4,4'-DDT	UG/L			0.049	U		
P	Aldrin	UG/L			0.024	U		
P	Aroclor 1016	UG/L			0.49	U		
P	Aroclor 1221	UG/L			0.98	U		
P	Aroclor 1232	UG/L			0.49	U		
P	Aroclor 1242	UG/L			0.49	U		
P	Aroclor 1248	UG/L			0.49	U		
P	Aroclor 1254	UG/L			0.49	U		
P	Aroclor 1260	UG/L			0.49	U		
P	Dieldrin	UG/L			0.049	U		
P	Endosulfan I	UG/L			0.024	U		
P	Endosulfan II	UG/L			0.049	U		
P	Endosulfan sulfate	UG/L			0.049	U		
P	Endrin	UG/L			0.049	U		
P	Endrin aldehyde	UG/L			0.049	U		
P	Endrin ketone	UG/L			0.049	U		
P	Heptachlor	UG/L			0.024	U		
	Heptachlor epoxide	UG/L			0.024	U		

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	693GWES35DISS	693GWES37	693GWES37DIS
	LAB SAMPLE ID--->	85010	85232	85243
	RECEIPT DATE---->	.	07/15/93	.
PARAMETER	UNITS			
P Methoxychlor	UG/L		0.24 U	
P Toxaphene	UG/L		2.4 U	
P alpha-BHC	UG/L		0.024 U	
P alpha-Chlordane	UG/L		0.024 U	
P beta-BHC	UG/L		0.024 U	
P delta-BHC	UG/L		0.024 U	
P gamma-BHC (Lindane)	UG/L		0.024 U	
P gamma-Chlordane	UG/L		0.024 U	
S 1,2,4-Trichlorobenzene	UG/L		10 U	
S 1,2-Dichlorobenzene	UG/L		15	
S 1,3-Dichlorobenzene	UG/L		10 U	
S 1,4-Dichlorobenzene	UG/L		10 U	
S 2,4,5-Trichlorophenol	UG/L		25 U	
S 2,4,6-Trichlorophenol	UG/L		10 U	
S 2,4-Dichlorophenol	UG/L		10 U	
S 2,4-Dimethylphenol	UG/L		10 U	
S 2,4-Dinitrophenol	UG/L		25 U	
S 2,4-Dinitrotoluene	UG/L		10 U	
S 2,6-Dinitrotoluene	UG/L		10 U	
S 2-Chloronaphthalene	UG/L		10 U	
S 2-Chlorophenol	UG/L		10 U	
S 2-Methylnaphthalene	UG/L		10 U	
S 2-Methylphenol	UG/L		10 U	
S 2-Nitroaniline	UG/L		25 U	
S 2-Nitrophenol	UG/L		10 U	
S 3,3'-Dichlorobenzidine	UG/L		10 U	
S 3-Nitroaniline	UG/L		25 U	
S 4,6-Dinitro-2-methylphenol	UG/L		25 U	
S 4-Bromophenyl-phenylether	UG/L		10 U	
S 4-Chloro-3-methylphenol	UG/L		10 U	
S 4-Chloroaniline	UG/L		10 U	
S 4-Chlorophenyl-phenylether	UG/L		10 U	
S 4-Methylphenol	UG/L		10 U	
S 4-Nitroaniline	UG/L		25 U	
S 4-Nitrophenol	UG/L		25 U	
S Acenaphthene	UG/L		10 U	
S Acenaphthylene	UG/L		10 U	
S Anthracene	UG/L		10 U	
S Benzo(a)anthracene	UG/L		10 U	
S Benzo(a)pyrene	UG/L		10 U	
S Benzo(b)fluoranthene	UG/L		10 U	
S Benzo(g,h,i)perylene	UG/L		10 U	
S Benzo(k)fluoranthene	UG/L		10 U	
S Butylbenzylphthalate	UG/L		10 U	
S Carbazole	UG/L		10 U	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES35DISS LAB SAMPLE ID---> 85010 RECEIPT DATE---->		693GWES37 85232 07/15/93		693GWES37DIS 85243	
S	Chrysene	UG/L			10	U		
S	Di-n-butylphthalate	UG/L			10	U		
S	Di-n-octylphthalate	UG/L			10	U		
S	Dibenz(a,h)anthracene	UG/L			10	U		
S	Dibenzofuran	UG/L			10	U		
S	Diethylphthalate	UG/L			10	U		
S	Dimethylphthalate	UG/L			10	U		
S	Fluoranthene	UG/L			10	U		
S	Fluorene	UG/L			10	U		
S	Hexachlorobenzene	UG/L			10	U		
S	Hexachlorobutadiene	UG/L			10	U		
S	Hexachlorocyclopentadiene	UG/L			10	U		
S	Hexachloroethane	UG/L			10	U		
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U		
S	Isophorone	UG/L			10	U		
S	N-Nitroso-di-n-propylamine	UG/L			10	U		
S	N-Nitrosodiphenylamine	UG/L			10	U		
S	Naphthalene	UG/L			10	U		
	Nitrobenzene	UG/L			10	U		
	Pentachlorophenol	UG/L			25	U		
S	Phenanthrene	UG/L			10	U		
S	Phenol	UG/L			10	U		
S	Pyrene	UG/L			10	U		
S	bis(2-Chloroethoxy)methane	UG/L			10	U		
S	bis(2-Ethlyhexy)phthalate	UG/L			10	U		
S	bis(2-chloroethyl)ether	UG/L			10	U		
S	bis(2-chloroisopropyl)ether	UG/L			10	U		
V	1,1,1-Trichloroethane	UG/L			10	U		
V	1,1,2,2-Tetrachloroethane	UG/L			10	U		
V	1,1,2-Trichloroethane	UG/L			10	U		
V	1,1-Dichloroethane	UG/L			5	J		
V	1,1-Dichloroethene	UG/L			3	J		
V	1,2-Dichloroethane	UG/L			10	U		
V	1,2-Dichloroethene (total)	UG/L			1000	J		
V	1,2-Dichloropropane	UG/L			10	U		
V	2-Butanone	UG/L			10	U		
V	2-Hexanone	UG/L			10	U		
V	4-Methyl-2-Pentanone	UG/L			10	U		
V	Acetone	UG/L			110	U		
V	Benzene	UG/L			10	U		
V	Bromodichloromethane	UG/L			10	U		
V	Bromoform	UG/L			10	U		
V	Bromomethane	UG/L			10	U		
V	Carbon Disulfide	UG/L			10	U		
	Carbon Tetrachloride	UG/L			10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES35DISS	693GWES37		693GWES37DIS
		LAB SAMPLE ID--->	85010	85232		85243
		RECEIPT DATE---->	.	07/15/93		.
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L		21	J	
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		1	J	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		2100	J	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES37DL LAB SAMPLE ID---> 85232DL RECEIPT DATE----> 07/15/93		693GWES38 85233 07/15/93		693GWES38DIS 85244 07/15/93	
I	Aluminum	UG/L			10700	J	20	U
I	Antimony	UG/L			30	U	30	U
I	Arsenic	UG/L			9.2	J	9.2	J
I	Barium	UG/L			419		321	
I	Beryllium	UG/L			1	U	1	U
I	Cadmium	UG/L			3	U	3	U
I	Calcium	UG/L			98500		102000	
I	Chromium	UG/L			8.6	J	6	U
I	Cobalt	UG/L			5.5	J	5	U
I	Copper	UG/L			9.4	J	6.4	U
I	Cyanide	UG/L						
I	Iron	UG/L			11400		7040	
I	Lead	UG/L			5.8		17.2	
I	Magnesium	UG/L			27400		26600	
I	Manganese	UG/L			412		325	
I	Mercury	UG/L			0.2	UJ	0.2	U
I	Nickel	UG/L			10	U	10	U
I	Potassium	UG/L			10300		8630	
I	Selenium	UG/L			2	UJ	1	U
I	Silver	UG/L			4	U	4	U
I	Sodium	UG/L			149000		131000	
I	Thallium	UG/L			10	UJ	2	U
I	Vanadium	UG/L			15.5	J	3	U
I	Zinc	UG/L			19.7	J	9.5	UJ
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			0.99	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES37DL	693GWES38	693GWES3[illegible]S
		LAB SAMPLE ID--->	85232DL	85233	85244
		RECEIPT DATE---->	.	07/15/93	.
	PARAMETER	UNITS			
P	Methoxychlor	UG/L		0.25	U
P	Toxaphene	UG/L		2.5	U
P	alpha-BHC	UG/L		0.025	U
P	alpha-Chlordane	UG/L		0.025	U
P	beta-BHC	UG/L		0.025	U
P	delta-BHC	UG/L		0.025	U
P	gamma-BHC (Lindane)	UG/L		0.025	U
P	gamma-Chlordane	UG/L		0.025	U
S	1,2,4-Trichlorobenzene	UG/L		10	U
S	1,2-Dichlorobenzene	UG/L		10	U
S	1,3-Dichlorobenzene	UG/L		10	U
S	1,4-Dichlorobenzene	UG/L		10	U
S	2,4,5-Trichlorophenol	UG/L		25	U
S	2,4,6-Trichlorophenol	UG/L		10	U
S	2,4-Dichlorophenol	UG/L		10	U
S	2,4-Dimethylphenol	UG/L		10	U
S	2,4-Dinitrophenol	UG/L		25	U
S	2,4-Dinitrotoluene	UG/L		10	U
S	2,6-Dinitrotoluene	UG/L		10	U
S	2-Chloronaphthalene	UG/L		10	U
S	2-Chlorophenol	UG/L		10	U
S	2-Methylnaphthalene	UG/L		10	U
S	2-Methylphenol	UG/L		10	U
S	2-Nitroaniline	UG/L		25	U
S	2-Nitrophenol	UG/L		10	U
S	3,3'-Dichlorobenzidine	UG/L		10	U
S	3-Nitroaniline	UG/L		25	U
S	4,6-Dinitro-2-methylphenol	UG/L		25	U
S	4-Bromophenyl-phenylether	UG/L		10	U
S	4-Chloro-3-methylphenol	UG/L		10	U
S	4-Chloroaniline	UG/L		10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U
S	4-Methylphenol	UG/L		10	U
S	4-Nitroaniline	UG/L		25	U
S	4-Nitrophenol	UG/L		25	U
S	Acenaphthene	UG/L		10	U
S	Acenaphthylene	UG/L		10	U
S	Anthracene	UG/L		10	U
S	Benzo(a)anthracene	UG/L		10	U
S	Benzo(a)pyrene	UG/L		10	U
S	Benzo(b)fluoranthene	UG/L		10	U
S	Benzo(g,h,i)perylene	UG/L		10	U
S	Benzo(k)fluoranthene	UG/L		10	U
S	Butylbenzylphthalate	UG/L		10	U
S	Carbazole	UG/L		10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES37DL LAB SAMPLE ID---> 85232DL RECEIPT DATE----> .		SAMPLE ID ------> 693GWES38 LAB SAMPLE ID---> 85233 RECEIPT DATE----> 07/15/93		SAMPLE ID ------> 693GWES38DIS LAB SAMPLE ID---> 85244 RECEIPT DATE----> .	
S	Chrysene	UG/L			10	U		
S	Di-n-butylphthalate	UG/L			10	U		
S	Di-n-octylphthalate	UG/L			10	U		
S	Dibenz(a,h)anthracene	UG/L			10	U		
S	Dibenzofuran	UG/L			10	U		
S	Diethylphthalate	UG/L			10	U		
S	Dimethylphthalate	UG/L			10	U		
S	Fluoranthene	UG/L			10	U		
S	Fluorene	UG/L			10	U		
S	Hexachlorobenzene	UG/L			10	U		
S	Hexachlorobutadiene	UG/L			10	U		
S	Hexachlorocyclopentadiene	UG/L			10	U		
S	Hexachloroethane	UG/L			10	U		
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U		
S	Isophorone	UG/L			10	U		
S	N-Nitroso-di-n-propylamine	UG/L			10	U		
S	N-Nitrosodiphenylamine	UG/L			10	U		
S	Naphthalene	UG/L			10	U		
S	Nitrobenzene	UG/L			10	U		
S	Pentachlorophenol	UG/L			25	U		
S	Phenanthrene	UG/L			10	U		
S	Phenol	UG/L			10	U		
S	Pyrene	UG/L			10	U		
S	bis(2-Chloroethoxy)methane	UG/L			10	U		
S	bis(2-Ethlyhexy)phthalate	UG/L			2	J		
S	bis(2-chloroethyl)ether	UG/L			10	U		
S	bis(2-chloroisopropyl)ether	UG/L			10	U		
V	1,1,1-Trichloroethane	UG/L	200	U	10	U		
V	1,1,2,2-Tetrachloroethane	UG/L	200	U	10	U		
V	1,1,2-Trichloroethane	UG/L	200	U	10	U		
V	1,1-Dichloroethane	UG/L	200	U	10	U		
V	1,1-Dichloroethene	UG/L	200	U	10	U		
V	1,2-Dichloroethane	UG/L	200	U	10	U		
V	1,2-Dichloroethene (total)	UG/L	1500	J	10	U		
V	1,2-Dichloropropane	UG/L	200	U	10	U		
V	2-Butanone	UG/L	110	J	10	U		
V	2-Hexanone	UG/L	200	U	10	U		
V	4-Methyl-2-Pentanone	UG/L	200	U	10	U		
V	Acetone	UG/L	200	U	10	U		
V	Benzene	UG/L	200	U	10	U		
V	Bromodichloromethane	UG/L	200	U	10	U		
V	Bromoform	UG/L	200	U	10	U		
V	Bromomethane	UG/L	200	U	10	U		
V	Carbon Disulfide	UG/L	200	U	10	U		
V	Carbon Tetrachloride	UG/L	200	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES37DL LAB SAMPLE ID---> 85232DL RECEIPT DATE----> 07/15/93		693GWES38 85233 07/15/93		693GWES3[illegible]S 85244
V	Chlorobenzene	UG/L	32	J	1	J	
V	Chloroethane	UG/L	200	U	10	U	
V	Chloroform	UG/L	200	U	10	U	
V	Chloromethane	UG/L	200	U	10	U	
V	Dibromochloromethane	UG/L	200	U	10	U	
V	Ethylbenzene	UG/L	200	U	10	U	
V	Methylene Chloride	UG/L	100	U	3	U	
V	Styrene	UG/L	200	U	10	U	
V	Tetrachloroethene	UG/L	200	U	10	U	
V	Toluene	UG/L	200	U	10	U	
V	Trichloroethene	UG/L	200	U	10	U	
V	Vinyl Chloride	UG/L	2400	J	10	U	
V	Xylene (total)	UG/L	200	U	10	U	
V	cis-1,3-Dichloropropene	UG/L	200	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	200	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES39		693GWES39DISS		693GWES40	
	LAB SAMPLE ID--->		84982		85007		84993	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	1800		20	U	37300	
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3	U	3	U	15.8	
I	Barium	UG/L	109	J	166	J	435	
I	Beryllium	UG/L	1	U	1	U	2.2	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	70700		157000		104000	
I	Chromium	UG/L	10.9		6	U	28.6	
I	Cobalt	UG/L	5	U	5	U	19	J
I	Copper	UG/L	11.9	U	3	U	28.6	
I	Cyanide	UG/L						
I	Iron	UG/L	1640		24.8	U	31800	
I	Lead	UG/L	2.6	J	2	U	17.6	J
I	Magnesium	UG/L	12600		18400		33400	
I	Manganese	UG/L	145		383		255	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	UJ
I	Nickel	UG/L	12.4	U	10	U	40.6	U
	Potassium	UG/L	195000		108000		27100	
	Selenium	UG/L	3.9	U	1.6	U	2.4	U
I	Silver	UG/L	4	U	4	UJ	4	U
I	Sodium	UG/L	196000		200000		152000	
I	Thallium	UG/L	10	UJ	10	R	10	UJ
I	Vanadium	UG/L	6.4	J	3	U	54.2	
I	Zinc	UG/L	18.3	U	21.6		110	J
P	4,4'-DDD	UG/L	0.05	U			0.05	U
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.05	U
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.05	U			0.05	U
P	Endosulfan I	UG/L	0.025	U			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES39 LAB SAMPLE ID---> 84982 RECEIPT DATE----> 07/13/93		693GWES39DISS 85007 .		693GWES40 84993 07/13/93	
P	Methoxychlor	UG/L	0.25	U			0.25	U
P	Toxaphene	UG/L	2.5	U			2.5	U
P	alpha-BHC	UG/L	0.025	U			0.025	U
P	alpha-Chlordane	UG/L	0.025	U			0.025	U
P	beta-BHC	UG/L	0.025	U			0.025	U
P	delta-BHC	UG/L	0.025	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.025	U
P	gamma-Chlordane	UG/L	0.025	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			13	
S	2,4,5-Trichlorophenol	UG/L	26	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	26	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	26	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	26	U			24	U
S	4-Nitrophenol	UG/L	26	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	2	J			10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES39 LAB SAMPLE ID---> 84982 RECEIPT DATE----> 07/13/93		693GWES39DISS 85007		693GWES40 84993 07/13/93	
S	Chrysene	UG/L	10	U			10	U
S	Di-n-butylphthalate	UG/L	2	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			2	J
	Nitrobenzene	UG/L	10	U			10	U
	Pentachlorophenol	UG/L	26	U			24	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	2	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			1	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	26	U			7	U
V	Benzene	UG/L	10	U			3	J
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
	Carbon Tetrachloride	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	693GWES39		693GWES39DISS		693GWES40	
	LAB SAMPLE ID--->	84982		85007		84993	
	RECEIPT DATE---->	07/13/93				07/13/93	
	PARAMETER	UNITS					
V	Chlorobenzene	UG/L	10	U		55	
V	Chloroethane	UG/L	10	U		10	U
V	Chloroform	UG/L	10	U		10	U
V	Chloromethane	UG/L	10	U		10	U
V	Dibromochloromethane	UG/L	10	U		10	U
V	Ethylbenzene	UG/L	10	U		10	U
V	Methylene Chloride	UG/L	10	U		1	U
V	Styrene	UG/L	10	U		10	U
V	Tetrachloroethene	UG/L	10	U		10	U
V	Toluene	UG/L	10	U		10	U
V	Trichloroethene	UG/L	10	U		10	U
V	Vinyl Chloride	UG/L	10	U		10	U
V	Xylene (total)	UG/L	10	U		10	U
V	cis-1,3-Dichloropropene	UG/L	10	U		10	U
V	trans-1,3-Dichloropropene	UG/L	10	U		10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES40DISS		693GWES41		693GWES41DIS	
	LAB SAMPLE ID--->		85018		84868		84878	
	RECEIPT DATE---->		07/13/93		07/10/93		07/10/93	
I	Aluminum	UG/L	20	U	23200	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	11.1	J	6.1	J	3.6	J
I	Barium	UG/L	334		438		254	
I	Beryllium	UG/L	1	U	2.2	J	1	U
I	Cadmium	UG/L	3	U	5.4	J	3	U
I	Calcium	UG/L	111000		122000		95000	
I	Chromium	UG/L	6	U	22.7	J	6	U
I	Cobalt	UG/L	6.2	J	12.8	U	5	U
I	Copper	UG/L	8	J	42.2	U	6.2	J
I	Cyanide	UG/L						
I	Iron	UG/L	6480		21300		20.5	U
I	Lead	UG/L	2	U	23	J	2	U
I	Magnesium	UG/L	30900		17300		11500	
I	Manganese	UG/L	199		574		267	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	U
I	Nickel	UG/L	16.9	J	19	J	10	U
	Potassium	UG/L	21700		12400		6100	
	Selenium	UG/L	2.9	U	1	U	2	U
I	Silver	UG/L	4	UJ	4	R	4	UJ
I	Sodium	UG/L	160000		163000		159000	
I	Thallium	UG/L	10	R	2	UJ	10	R
I	Vanadium	UG/L	3	U	52.1		3	U
I	Zinc	UG/L	11.9	J	100		5	U
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES40DISS LAB SAMPLE ID---> 85018 RECEIPT DATE----> .	693GWES41 84868 07/10/93	693GWES41DIS 84878 .
P	Methoxychlor	UG/L	0.25	U	
P	Toxaphene	UG/L	2.5	U	
P	alpha-BHC	UG/L	0.025	U	
P	alpha-Chlordane	UG/L	0.025	U	
P	beta-BHC	UG/L	0.025	U	
P	delta-BHC	UG/L	0.025	U	
P	gamma-BHC (Lindane)	UG/L	0.025	U	
P	gamma-Chlordane	UG/L	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	10	U	
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	10	U	
S	2,4,5-Trichlorophenol	UG/L	24	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	24	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
S	2-Chloronaphthalene	UG/L	10	U	
S	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	24	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	24	U	
S	4,6-Dinitro-2-methylphenol	UG/L	24	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	24	U	
S	4-Nitrophenol	UG/L	24	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWES40DISS	693GWES41	693GWES41DIS
			LAB SAMPLE ID--->	85018	84868	84878
			RECEIPT DATE---->	.	07/10/93	.
	PARAMETER	UNITS				
S	Chrysene	UG/L			10 U	
S	Di-n-butylphthalate	UG/L			10 U	
S	Di-n-octylphthalate	UG/L			10 U	
S	Dibenz(a,h)anthracene	UG/L			10 U	
S	Dibenzofuran	UG/L			10 U	
S	Diethylphthalate	UG/L			10 U	
S	Dimethylphthalate	UG/L			10 U	
S	Fluoranthene	UG/L			10 U	
S	Fluorene	UG/L			10 U	
S	Hexachlorobenzene	UG/L			10 U	
S	Hexachlorobutadiene	UG/L			10 U	
S	Hexachlorocyclopentadiene	UG/L			10 U	
S	Hexachloroethane	UG/L			10 U	
S	Indeno(1,2,3-cd)pyrene	UG/L			10 U	
S	Isophorone	UG/L			10 U	
S	N-Nitroso-di-n-propylamine	UG/L			10 U	
S	N-Nitrosodiphenylamine	UG/L			10 U	
S	Naphthalene	UG/L			10 U	
	Nitrobenzene	UG/L			10 U	
	Pentachlorophenol	UG/L			24 U	
S	Phenanthrene	UG/L			10 U	
S	Phenol	UG/L			10 U	
S	Pyrene	UG/L			10 U	
S	bis(2-Chloroethoxy)methane	UG/L			10 U	
S	bis(2-Ethlyhexy)phthalate	UG/L			1 U	
S	bis(2-chloroethyl)ether	UG/L			10 U	
S	bis(2-chloroisopropyl)ether	UG/L			10 U	
V	1,1,1-Trichloroethane	UG/L			20 U	
V	1,1,2,2-Tetrachloroethane	UG/L			20 U	
V	1,1,2-Trichloroethane	UG/L			20 U	
V	1,1-Dichloroethane	UG/L			20 U	
V	1,1-Dichloroethene	UG/L			20 U	
V	1,2-Dichloroethane	UG/L			20 U	
V	1,2-Dichloroethene (total)	UG/L			20 U	
V	1,2-Dichloropropane	UG/L			20 U	
V	2-Butanone	UG/L			20 U	
V	2-Hexanone	UG/L			20 U	
V	4-Methyl-2-Pentanone	UG/L			20 U	
V	Acetone	UG/L			220 U	
V	Benzene	UG/L			20 U	
V	Bromodichloromethane	UG/L			20 U	
V	Bromoform	UG/L			20 U	
V	Bromomethane	UG/L			20 U	
V	Carbon Disulfide	UG/L			20 U	
	Carbon Tetrachloride	UG/L			20 U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES40DISS	693GWES41		693GWES41DIS
		LAB SAMPLE ID--->	85018	84868		84878
		RECEIPT DATE---->	.	07/10/93		.
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L		20	U	
V	Chloroethane	UG/L		20	U	
V	Chloroform	UG/L		20	U	
V	Chloromethane	UG/L		20	U	
V	Dibromochloromethane	UG/L		20	U	
V	Ethylbenzene	UG/L		20	U	
V	Methylene Chloride	UG/L		20	U	
V	Styrene	UG/L		20	U	
V	Tetrachloroethene	UG/L		20	U	
V	Toluene	UG/L		20	U	
V	Trichloroethene	UG/L		20	U	
V	Vinyl Chloride	UG/L		20	U	
V	Xylene (total)	UG/L		20	U	
V	cis-1,3-Dichloropropene	UG/L		20	U	
V	trans-1,3-Dichloropropene	UG/L		20	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES42		693GWES42D		693GWES42DDI	
	LAB SAMPLE ID--->		84991		84992		85017	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	25000		22700		20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3	U	3.8	J	3	U
I	Barium	UG/L	213		198	J	69.4	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	61300		64400		62100	
I	Chromium	UG/L	11.3		12.9		6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	11.1	U	11.2	U	3.3	J
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	6070		5450		12.6	U
I	Lead	UG/L	7.2	J	8.6	J	2	U
I	Magnesium	UG/L	10700		10800		10000	
I	Manganese	UG/L	87.8		94.6		34.2	
I	Mercury	UG/L	0.2	UJ	0.2	UJ	0.2	U
I	Nickel	UG/L	14.5	U	13.8	U	10	U
	Potassium	UG/L	10200		9740		7700	
	Selenium	UG/L	2.1	U	2.2	U	1.8	U
I	Silver	UG/L	4	U	4	U	4	UJ
I	Sodium	UG/L	37500		35600		39000	
I	Thallium	UG/L	2	UJ	2	UJ	10	R
I	Vanadium	UG/L	17.3	J	15.2	J	3	U
I	Zinc	UG/L	28.7	U	30.4	U	5	U
P	4,4'-DDD	UG/L	0.05	U	0.05	U		
P	4,4'-DDE	UG/L	0.05	U	0.05	U		
P	4,4'-DDT	UG/L	0.05	U	0.05	U		
P	Aldrin	UG/L	0.025	U	0.025	U		
P	Aroclor 1016	UG/L	0.5	U	0.5	U		
P	Aroclor 1221	UG/L	1	U	1	U		
P	Aroclor 1232	UG/L	0.5	U	0.5	U		
P	Aroclor 1242	UG/L	0.5	U	0.5	U		
P	Aroclor 1248	UG/L	0.5	U	0.5	U		
P	Aroclor 1254	UG/L	0.5	U	0.5	U		
P	Aroclor 1260	UG/L	0.5	U	0.5	U		
P	Dieldrin	UG/L	0.05	U	0.05	U		
P	Endosulfan I	UG/L	0.025	U	0.025	U		
P	Endosulfan II	UG/L	0.05	U	0.05	U		
P	Endosulfan sulfate	UG/L	0.05	U	0.05	U		
P	Endrin	UG/L	0.05	U	0.05	U		
P	Endrin aldehyde	UG/L	0.05	U	0.05	U		
P	Endrin ketone	UG/L	0.05	U	0.05	U		
P	Heptachlor	UG/L	0.025	U	0.025	U		
	Heptachlor epoxide	UG/L	0.025	U	0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES42		693GWES42D		693GWES4[illegible]I
	LAB SAMPLE ID--->		84991		84992		85017
	RECEIPT DATE---->		07/13/93		07/13/93		
P	Methoxychlor	UG/L	0.25	U	0.25	U	
P	Toxaphene	UG/L	2.5	U	2.5	U	
P	alpha-BHC	UG/L	0.025	U	0.025	U	
P	alpha-Chlordane	UG/L	0.025	U	0.025	U	
P	beta-BHC	UG/L	0.025	U	0.025	U	
P	delta-BHC	UG/L	0.025	U	0.025	U	
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U	
P	gamma-Chlordane	UG/L	0.025	U	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U	
S	1,2-Dichlorobenzene	UG/L	10	U	10	U	
S	1,3-Dichlorobenzene	UG/L	10	U	10	U	
S	1,4-Dichlorobenzene	UG/L	10	U	10	U	
S	2,4,5-Trichlorophenol	UG/L	25	U	26	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	10	U	
S	2,4-Dinitrophenol	UG/L	25	U	26	U	
S	2,4-Dinitrotoluene	UG/L	10	U	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	10	U	
S	2-Chloronaphthalene	UG/L	10	U	10	U	
S	2-Chlorophenol	UG/L	10	U	10	U	
S	2-Methylnaphthalene	UG/L	10	U	10	U	
S	2-Methylphenol	UG/L	10	U	10	U	
S	2-Nitroaniline	UG/L	25	U	26	U	
S	2-Nitrophenol	UG/L	10	U	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U	
S	3-Nitroaniline	UG/L	25	U	26	U	
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	26	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U	
S	4-Chloroaniline	UG/L	10	U	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U	
S	4-Methylphenol	UG/L	10	U	10	U	
S	4-Nitroaniline	UG/L	25	U	26	U	
S	4-Nitrophenol	UG/L	25	U	26	U	
S	Acenaphthene	UG/L	10	U	10	U	
S	Acenaphthylene	UG/L	10	U	10	U	
S	Anthracene	UG/L	10	U	10	U	
S	Benzo(a)anthracene	UG/L	10	U	10	U	
S	Benzo(a)pyrene	UG/L	10	U	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	10	U	
S	Butylbenzylphthalate	UG/L	10	U	10	U	
S	Carbazole	UG/L	10	U	10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES42		693GWES42D		693GWES42DDI	
		LAB SAMPLE ID--->	84991		84992		85017	
		RECEIPT DATE---->	07/13/93		07/13/93			
	PARAMETER	UNITS						
S	Chrysene	UG/L	10	U	10	U		
S	Di-n-butylphthalate	UG/L	10	U	10	U		
S	Di-n-octylphthalate	UG/L	10	U	10	U		
S	Dibenz(a,h)anthracene	UG/L	10	U	10	U		
S	Dibenzofuran	UG/L	10	U	10	U		
S	Diethylphthalate	UG/L	10	U	10	U		
S	Dimethylphthalate	UG/L	10	U	10	U		
S	Fluoranthene	UG/L	10	U	10	U		
S	Fluorene	UG/L	10	U	10	U		
S	Hexachlorobenzene	UG/L	10	U	10	U		
S	Hexachlorobutadiene	UG/L	10	U	10	U		
S	Hexachlorocyclopentadiene	UG/L	10	U	10	U		
S	Hexachloroethane	UG/L	10	U	10	U		
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U	10	U		
S	Isophorone	UG/L	10	U	10	U		
S	N-Nitroso-di-n-propylamine	UG/L	10	U	10	U		
S	N-Nitrosodiphenylamine	UG/L	10	U	10	U		
S	Naphthalene	UG/L	10	U	10	U		
	Nitrobenzene	UG/L	10	U	10	U		
	Pentachlorophenol	UG/L	25	U	26	U		
S	Phenanthrene	UG/L	10	U	10	U		
S	Phenol	UG/L	10	U	10	U		
S	Pyrene	UG/L	10	U	10	U		
S	bis(2-Chloroethoxy)methane	UG/L	10	U	10	U		
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U	10	U		
S	bis(2-chloroethyl)ether	UG/L	10	U	10	U		
S	bis(2-chloroisopropyl)ether	UG/L	10	U	10	U		
V	1,1,1-Trichloroethane	UG/L	10	U	10	U		
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U		
V	1,1,2-Trichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethene	UG/L	10	U	10	U		
V	1,2-Dichloroethane	UG/L	10	U	10	U		
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U		
V	1,2-Dichloropropane	UG/L	10	U	10	U		
V	2-Butanone	UG/L	10	U	10	U		
V	2-Hexanone	UG/L	10	U	10	U		
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U		
V	Acetone	UG/L	5	U	5	U		
V	Benzene	UG/L	10	U	10	U		
V	Bromodichloromethane	UG/L	10	U	10	U		
V	Bromoform	UG/L	10	U	10	U		
V	Bromomethane	UG/L	10	U	10	U		
V	Carbon Disulfide	UG/L	10	U	10	U		
	Carbon Tetrachloride	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	693GWES42		693GWES42D		693GWES42DDI
	LAB SAMPLE ID--->	84991		84992		85017
	RECEIPT DATE---->	07/13/93		07/13/93		
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U
V	Chloroform	UG/L	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U
V	Methylene Chloride	UG/L	10	U	10	U
V	Styrene	UG/L	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U
V	Toluene	UG/L	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES42DISS		693GWES43		693GWES43DIS	
	LAB SAMPLE ID--->		85016		84863		84876	
	RECEIPT DATE---->		07/13/93		07/10/93		07/10/93	
I	Aluminum	UG/L	20	U	6280	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3	U	4.4	J	3	J
I	Barium	UG/L	64.3	J	590		528	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	59400		258000		196000	
I	Chromium	UG/L	6	U	6.2	J	6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	3	U	7.1	U	4.5	J
I	Cyanide	UG/L						
I	Iron	UG/L	16.5	U	4140		12.2	U
I	Lead	UG/L	2	U	6.1	U	2	U
I	Magnesium	UG/L	9500		20700		19400	
I	Manganese	UG/L	34.6		790		457	
I	Mercury	UG/L	0.2	U	0.2	UJ	0.2	U
I	Nickel	UG/L	10	U	10	U	10	U
	Potassium	UG/L	7340		9480		9080	
	Selenium	UG/L	1.8	U	1	U	2	U
I	Silver	UG/L	4	UJ	4	R	4	UJ
I	Sodium	UG/L	36300		289000		294000	
I	Thallium	UG/L	10	R	2	UJ	10	R
I	Vanadium	UG/L	3	U	13.4	J	3	U
I	Zinc	UG/L	7.3	J	31	U	10.5	J
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
P	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWES42DISS LAB SAMPLE ID---> 85016 RECEIPT DATE----> .	693GWES43 84863 07/10/93		693GWES43DIS 84876 .
P	Methoxychlor	UG/L		0.25	U	
P	Toxaphene	UG/L		2.5	U	
P	alpha-BHC	UG/L		0.025	U	
P	alpha-Chlordane	UG/L		0.025	U	
P	beta-BHC	UG/L		0.025	U	
P	delta-BHC	UG/L		0.025	U	
P	gamma-BHC (Lindane)	UG/L		0.025	U	
P	gamma-Chlordane	UG/L		0.025	U	
S	1,2,4-Trichlorobenzene	UG/L		10	U	
S	1,2-Dichlorobenzene	UG/L		10	U	
S	1,3-Dichlorobenzene	UG/L		10	U	
S	1,4-Dichlorobenzene	UG/L		10	U	
S	2,4,5-Trichlorophenol	UG/L		24	U	
S	2,4,6-Trichlorophenol	UG/L		10	U	
S	2,4-Dichlorophenol	UG/L		10	U	
S	2,4-Dimethylphenol	UG/L		10	U	
S	2,4-Dinitrophenol	UG/L		24	U	
S	2,4-Dinitrotoluene	UG/L		10	U	
S	2,6-Dinitrotoluene	UG/L		10	U	
S	2-Chloronaphthalene	UG/L		10	U	
S	2-Chlorophenol	UG/L		10	U	
S	2-Methylnaphthalene	UG/L		10	U	
S	2-Methylphenol	UG/L		10	U	
S	2-Nitroaniline	UG/L		24	U	
S	2-Nitrophenol	UG/L		10	U	
S	3,3'-Dichlorobenzidine	UG/L		10	U	
S	3-Nitroaniline	UG/L		24	U	
S	4,6-Dinitro-2-methylphenol	UG/L		24	U	
S	4-Bromophenyl-phenylether	UG/L		10	U	
S	4-Chloro-3-methylphenol	UG/L		10	U	
S	4-Chloroaniline	UG/L		10	U	
S	4-Chlorophenyl-phenylether	UG/L		10	U	
S	4-Methylphenol	UG/L		10	U	
S	4-Nitroaniline	UG/L		24	U	
S	4-Nitrophenol	UG/L		24	U	
S	Acenaphthene	UG/L		10	U	
S	Acenaphthylene	UG/L		10	U	
S	Anthracene	UG/L		10	U	
S	Benzo(a)anthracene	UG/L		10	U	
S	Benzo(a)pyrene	UG/L		10	U	
S	Benzo(b)fluoranthene	UG/L		10	U	
S	Benzo(g,h,i)perylene	UG/L		10	U	
S	Benzo(k)fluoranthene	UG/L		10	U	
S	Butylbenzylphthalate	UG/L		10	U	
S	Carbazole	UG/L		10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES42DISS	693GWES43	693GWES43DIS
		LAB SAMPLE ID--->	85016	84863	84876
		RECEIPT DATE---->	.	07/10/93	.
	PARAMETER	UNITS			
S	Chrysene	UG/L		10 U	
S	Di-n-butylphthalate	UG/L		10 U	
S	Di-n-octylphthalate	UG/L		10 U	
S	Dibenz(a,h)anthracene	UG/L		10 U	
S	Dibenzofuran	UG/L		10 U	
S	Diethylphthalate	UG/L		10 U	
S	Dimethylphthalate	UG/L		10 U	
S	Fluoranthene	UG/L		10 U	
S	Fluorene	UG/L		10 U	
S	Hexachlorobenzene	UG/L		10 U	
S	Hexachlorobutadiene	UG/L		10 U	
S	Hexachlorocyclopentadiene	UG/L		10 U	
S	Hexachloroethane	UG/L		10 U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10 U	
S	Isophorone	UG/L		10 U	
S	N-Nitroso-di-n-propylamine	UG/L		10 U	
S	N-Nitrosodiphenylamine	UG/L		10 U	
S	Naphthalene	UG/L		10 U	
	Nitrobenzene	UG/L		10 U	
	Pentachlorophenol	UG/L		24 U	
S	Phenanthrene	UG/L		10 U	
S	Phenol	UG/L		10 U	
S	Pyrene	UG/L		10 U	
S	bis(2-Chloroethoxy)methane	UG/L		10 U	
S	bis(2-Ethlyhexy)phthalate	UG/L		2 U	
S	bis(2-chloroethyl)ether	UG/L		10 U	
S	bis(2-chloroisopropyl)ether	UG/L		10 U	
V	1,1,1-Trichloroethane	UG/L		10 U	
V	1,1,2,2-Tetrachloroethane	UG/L		10 U	
V	1,1,2-Trichloroethane	UG/L		10 U	
V	1,1-Dichloroethane	UG/L		10 U	
V	1,1-Dichloroethene	UG/L		10 U	
V	1,2-Dichloroethane	UG/L		10 U	
V	1,2-Dichloroethene (total)	UG/L		10 U	
V	1,2-Dichloropropane	UG/L		10 U	
V	2-Butanone	UG/L		10 U	
V	2-Hexanone	UG/L		10 U	
V	4-Methyl-2-Pentanone	UG/L		10 U	
V	Acetone	UG/L		180 U	
V	Benzene	UG/L		10 U	
V	Bromodichloromethane	UG/L		10 U	
V	Bromoform	UG/L		10 U	
V	Bromomethane	UG/L		10 U	
V	Carbon Disulfide	UG/L		10 U	
V	Carbon Tetrachloride	UG/L		10 U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWES42DISS	693GWES43	693GWES45DIS
		LAB SAMPLE ID--->	85016	84863	84876
		RECEIPT DATE---->	.	07/10/93	.
	PARAMETER	UNITS			
V	Chlorobenzene	UG/L		10 U	
V	Chloroethane	UG/L		10 U	
V	Chloroform	UG/L		10 U	
V	Chloromethane	UG/L		3 J	
V	Dibromochloromethane	UG/L		10 U	
V	Ethylbenzene	UG/L		10 U	
V	Methylene Chloride	UG/L		10 U	
V	Styrene	UG/L		10 U	
V	Tetrachloroethene	UG/L		10 U	
V	Toluene	UG/L		10 U	
V	Trichloroethene	UG/L		10 U	
V	Vinyl Chloride	UG/L		10 U	
V	Xylene (total)	UG/L		10 U	
V	cis-1,3-Dichloropropene	UG/L		10 U	
V	trans-1,3-Dichloropropene	UG/L		10 U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWEX34DISS		693GWGM16		693GWGM16DIS	
	LAB SAMPLE ID--->		85012		85112		85127	
	RECEIPT DATE---->		07/13/93		07/14/93		07/14/93	
I	Aluminum	UG/L	20	U	36000	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	8.4	J	10.7	J	8.7	J
I	Barium	UG/L	211		226		83.9	J
I	Beryllium	UG/L	1	U	1.7	J	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	132000		103000		98900	
I	Chromium	UG/L	6	U	23.1		6	U
I	Cobalt	UG/L	5	U	14.7	J	8.3	J
I	Copper	UG/L	3.5	J	30.1		6.6	U
I	Cyanide	UG/L						
I	Iron	UG/L	21.3	U	23200		7840	
I	Lead	UG/L	2	U	9		2	UJ
I	Magnesium	UG/L	30600		21900		19500	
I	Manganese	UG/L	255		518		422	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	10	U	13.7	J	12.8	J
	Potassium	UG/L	49500		15400		11500	
	Selenium	UG/L	2	U	2	UJ	1	UJ
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	507000		169000		168000	
I	Thallium	UG/L	10	R	10	UJ	10	UJ
I	Vanadium	UG/L	3	U	37.2	J	3.3	J
I	Zinc	UG/L	11.2	J	66.8		17.7	J
P	4,4'-DDD	UG/L			0.049	U		
P	4,4'-DDE	UG/L			0.049	U		
P	4,4'-DDT	UG/L			0.049	U		
P	Aldrin	UG/L			0.024	U		
P	Aroclor 1016	UG/L			0.49	U		
P	Aroclor 1221	UG/L			0.98	U		
P	Aroclor 1232	UG/L			0.49	U		
P	Aroclor 1242	UG/L			0.49	U		
P	Aroclor 1248	UG/L			0.49	U		
P	Aroclor 1254	UG/L			0.49	U		
P	Aroclor 1260	UG/L			0.49	U		
P	Dieldrin	UG/L			0.049	U		
P	Endosulfan I	UG/L			0.024	U		
P	Endosulfan II	UG/L			0.049	U		
P	Endosulfan sulfate	UG/L			0.049	U		
P	Endrin	UG/L			0.049	U		
P	Endrin aldehyde	UG/L			0.049	U		
P	Endrin ketone	UG/L			0.049	U		
P	Heptachlor	UG/L			0.024	U		
	Heptachlor epoxide	UG/L			0.024	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWEX34DISS LAB SAMPLE ID---> 85012 RECEIPT DATE----> .	693GWGM16 85112 07/14/93	693GWGM16DUS 85127 .
P	Methoxychlor	UG/L	0.24	U	
P	Toxaphene	UG/L	2.4	U	
P	alpha-BHC	UG/L	0.024	U	
P	alpha-Chlordane	UG/L	0.024	U	
P	beta-BHC	UG/L	0.024	U	
P	delta-BHC	UG/L	0.024	U	
P	gamma-BHC (Lindane)	UG/L	0.024	U	
P	gamma-Chlordane	UG/L	0.024	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	10	U	
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	10	U	
S	2,4,5-Trichlorophenol	UG/L	24	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	24	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
S	2-Chloronaphthalene	UG/L	10	U	
S	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	24	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	24	U	
S	4,6-Dinitro-2-methylphenol	UG/L	24	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	24	U	
S	4-Nitrophenol	UG/L	24	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWEX34DISS LAB SAMPLE ID---> 85012 RECEIPT DATE----> .	693GWGM16 85112 07/14/93		693GWGM16DIS 85127 .
S	Chrysene	UG/L		10	U	
S	Di-n-butylphthalate	UG/L		10	U	
S	Di-n-octylphthalate	UG/L		10	U	
S	Dibenz(a,h)anthracene	UG/L		10	U	
S	Dibenzofuran	UG/L		10	U	
S	Diethylphthalate	UG/L		10	U	
S	Dimethylphthalate	UG/L		10	U	
S	Fluoranthene	UG/L		10	U	
S	Fluorene	UG/L		10	U	
S	Hexachlorobenzene	UG/L		10	U	
S	Hexachlorobutadiene	UG/L		10	U	
S	Hexachlorocyclopentadiene	UG/L		10	U	
S	Hexachloroethane	UG/L		10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	
S	Isophorone	UG/L		10	U	
S	N-Nitroso-di-n-propylamine	UG/L		10	U	
S	N-Nitrosodiphenylamine	UG/L		10	U	
S	Naphthalene	UG/L		10	U	
	Nitrobenzene	UG/L		10	U	
	Pentachlorophenol	UG/L		24	U	
S	Phenanthrene	UG/L		10	U	
S	Phenol	UG/L		10	U	
S	Pyrene	UG/L		10	U	
S	bis(2-Chloroethoxy)methane	UG/L		10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L		6	U	
S	bis(2-chloroethyl)ether	UG/L		10	U	
S	bis(2-chloroisopropyl)ether	UG/L		10	U	
V	1,1,1-Trichloroethane	UG/L		10	U	
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	
V	1,1,2-Trichloroethane	UG/L		10	U	
V	1,1-Dichloroethane	UG/L		10	U	
V	1,1-Dichloroethene	UG/L		10	U	
V	1,2-Dichloroethane	UG/L		10	U	
V	1,2-Dichloroethene (total)	UG/L		10	U	
V	1,2-Dichloropropane	UG/L		10	U	
V	2-Butanone	UG/L		10	U	
V	2-Hexanone	UG/L		10	U	
V	4-Methyl-2-Pentanone	UG/L		10	U	
V	Acetone	UG/L		10	U	
V	Benzene	UG/L		10	U	
V	Bromodichloromethane	UG/L		10	U	
V	Bromoform	UG/L		10	U	
V	Bromomethane	UG/L		10	U	
V	Carbon Disulfide	UG/L		10	U	
	Carbon Tetrachloride	UG/L		10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWEX34DISS	693GWGM16		693GWGM16DUPS
		LAB SAMPLE ID--->	85012	85112		85127
		RECEIPT DATE---->	.	07/14/93		.
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L		10	U	
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM17		693GWGM17DISS		693GWGM19	
	LAB SAMPLE ID--->		85113		85128		85245	
	RECEIPT DATE---->		07/14/93		07/14/93		07/16/93	
I	Aluminum	UG/L	7040	J	20	U	3690	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3.4	J	4	J	4.7	J
I	Barium	UG/L	952		821		176	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	129000		121000		234000	
I	Chromium	UG/L	9.4	J	6	U	6	U
I	Cobalt	UG/L	6.6	J	5	U	5	U
I	Copper	UG/L	15	J	5.2	U	10.4	J
I	Cyanide	UG/L						
I	Iron	UG/L	13900		9850		6680	
I	Lead	UG/L	4		2	UJ	7	
I	Magnesium	UG/L	79200		74300		28500	
I	Manganese	UG/L	210		190		639	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	UJ
I	Nickel	UG/L	14	J	15	J	10	U
	Potassium	UG/L	23700		20900		16600	
	Selenium	UG/L	1	UJ	1	UJ	1	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	236000		214000		32900	
I	Thallium	UG/L	10	UJ	10	UJ	10	UJ
I	Vanadium	UG/L	11.2	J	3	U	4.1	J
I	Zinc	UG/L	64		16.8	J	52.5	
P	4,4'-DDD	UG/L	0.05	U			0.048	U
P	4,4'-DDE	UG/L	0.05	U			0.048	U
P	4,4'-DDT	UG/L	0.05	U			0.048	U
P	Aldrin	UG/L	0.025	U			0.024	U
P	Aroclor 1016	UG/L	0.5	U			0.48	U
P	Aroclor 1221	UG/L	1	U			0.97	U
P	Aroclor 1232	UG/L	0.5	U			0.48	U
P	Aroclor 1242	UG/L	0.5	U			0.48	U
P	Aroclor 1248	UG/L	0.5	U			0.48	U
P	Aroclor 1254	UG/L	0.5	U			0.48	U
P	Aroclor 1260	UG/L	0.5	U			0.48	U
P	Dieldrin	UG/L	0.05	U			0.048	U
P	Endosulfan I	UG/L	0.025	U			0.024	U
P	Endosulfan II	UG/L	0.05	U			0.048	U
P	Endosulfan sulfate	UG/L	0.05	U			0.048	U
P	Endrin	UG/L	0.05	U			0.048	U
P	Endrin aldehyde	UG/L	0.05	U			0.048	U
P	Endrin ketone	UG/L	0.05	U			0.048	U
P	Heptachlor	UG/L	0.025	U			0.024	U
	Heptachlor epoxide	UG/L	0.025	U			0.024	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM17		693GWGM17DISS		693GWGM1?	
			LAB SAMPLE ID---> 85113		85128		85245	
			RECEIPT DATE----> 07/14/93				07/16/93	
P	Methoxychlor	UG/L	0.25	U			0.24	U
P	Toxaphene	UG/L	2.5	U			2.4	U
P	alpha-BHC	UG/L	0.025	U			0.024	U
P	alpha-Chlordane	UG/L	0.025	U			0.024	U
P	beta-BHC	UG/L	0.025	U			0.024	U
P	delta-BHC	UG/L	0.025	U			0.024	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.024	U
P	gamma-Chlordane	UG/L	0.025	U			0.024	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	6	J			6	J
S	2,4,5-Trichlorophenol	UG/L	24	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	24	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	24	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	24	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	24	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	24	U			24	U
S	4-Nitrophenol	UG/L	24	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	2	J			10	U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM17		693GWGM17DISS	693GWGM19	
		LAB SAMPLE ID--->	85113		85128	85245	
		RECEIPT DATE---->	07/14/93			07/16/93	
	PARAMETER	UNITS					
S	Chrysene	UG/L	10	U		10	U
S	Di-n-butylphthalate	UG/L	10	U		10	U
S	Di-n-octylphthalate	UG/L	10	U		10	U
S	Dibenz(a,h)anthracene	UG/L	10	U		10	U
S	Dibenzofuran	UG/L	10	U		10	U
S	Diethylphthalate	UG/L	10	U		10	U
S	Dimethylphthalate	UG/L	10	U		10	U
S	Fluoranthene	UG/L	10	U		10	U
S	Fluorene	UG/L	10	U		10	U
S	Hexachlorobenzene	UG/L	10	U		10	U
S	Hexachlorobutadiene	UG/L	10	U		10	U
S	Hexachlorocyclopentadiene	UG/L	10	U		10	U
S	Hexachloroethane	UG/L	10	U		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U		10	U
S	Isophorone	UG/L	10	U		10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U		10	U
S	N-Nitrosodiphenylamine	UG/L	10	U		10	U
S	Naphthalene	UG/L	13			10	U
	Nitrobenzene	UG/L	10	U		10	U
	Pentachlorophenol	UG/L	24	U		24	U
S	Phenanthrene	UG/L	10	U		10	U
S	Phenol	UG/L	10	U		10	U
S	Pyrene	UG/L	10	U		10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	2	U		3	U
S	bis(2-chloroethyl)ether	UG/L	10	U		10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U		10	U
V	1,1,1-Trichloroethane	UG/L	10	U		10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U		10	U
V	1,1,2-Trichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethene	UG/L	10	U		10	U
V	1,2-Dichloroethane	UG/L	10	U		10	U
V	1,2-Dichloroethene (total)	UG/L	10	U		10	U
V	1,2-Dichloropropane	UG/L	10	U		10	U
V	2-Butanone	UG/L	10	U		10	U
V	2-Hexanone	UG/L	10	U		10	U
V	4-Methyl-2-Pentanone	UG/L	10	U		10	U
V	Acetone	UG/L	10	U		24	U
V	Benzene	UG/L	22			44	J
V	Bromodichloromethane	UG/L	10	U		10	U
V	Bromoform	UG/L	10	U		10	U
V	Bromomethane	UG/L	10	U		10	U
V	Carbon Disulfide	UG/L	10	U		10	U
	Carbon Tetrachloride	UG/L	10	U		10	U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM17		693GWGM17DISS		693GWGM19	
		LAB SAMPLE ID--->	85113		85128		85245	
		RECEIPT DATE---->	07/14/93				07/16/93	
	PARAMETER	UNITS						
V	Chlorobenzene	UG/L	66				68	J
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			2	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM19D		693GWGM19DDISS		693GWGM19DIS	
			LAB SAMPLE ID---> 85246		85249		85248	
			RECEIPT DATE----> 07/16/93		07/16/93		07/16/93	
I	Aluminum	UG/L	4170	J	20	U	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	4.9	J	4.6	J	4.2	J
I	Barium	UG/L	178	J	153	J	156	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	239000		233000		244000	
I	Chromium	UG/L	6	U	6	U	6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	10.2	J	6.4	U	7.2	U
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	6690		4950		4830	
I	Lead	UG/L	7.1		2	U	2	U
I	Magnesium	UG/L	28900		28200		29100	
I	Manganese	UG/L	657		630		657	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	U
I	Nickel	UG/L	10	U	10	U	10	U
	Potassium	UG/L	16800		15600		16100	
	Selenium	UG/L	1	U	1	U	1	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	33100		32100		32800	
I	Thallium	UG/L	2	UJ	2	U	2	U
I	Vanadium	UG/L	3.4	J	3	U	3	U
I	Zinc	UG/L	32.4		124	J	22	UJ
P	4,4'-DDD	UG/L	0.05	U				
P	4,4'-DDE	UG/L	0.05	U				
P	4,4'-DDT	UG/L	0.05	U				
P	Aldrin	UG/L	0.025	U				
P	Aroclor 1016	UG/L	0.5	U				
P	Aroclor 1221	UG/L	0.99	U				
P	Aroclor 1232	UG/L	0.5	U				
P	Aroclor 1242	UG/L	0.5	U				
P	Aroclor 1248	UG/L	0.5	U				
P	Aroclor 1254	UG/L	0.5	U				
P	Aroclor 1260	UG/L	0.5	U				
P	Dieldrin	UG/L	0.05	U				
P	Endosulfan I	UG/L	0.025	U				
P	Endosulfan II	UG/L	0.05	U				
P	Endosulfan sulfate	UG/L	0.05	U				
P	Endrin	UG/L	0.05	U				
P	Endrin aldehyde	UG/L	0.05	U				
P	Endrin ketone	UG/L	0.05	U				
P	Heptachlor	UG/L	0.025	U				
	Heptachlor epoxide	UG/L	0.025	U				

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM19D	693GWGM19DDISS	693GWGM19DDIS
		LAB SAMPLE ID--->	85246	85249	85248
		RECEIPT DATE---->	07/16/93		
	PARAMETER	UNITS			
P	Methoxychlor	UG/L	0.25	U	
P	Toxaphene	UG/L	2.5	U	
P	alpha-BHC	UG/L	0.025	U	
P	alpha-Chlordane	UG/L	0.025	U	
P	beta-BHC	UG/L	0.025	U	
P	delta-BHC	UG/L	0.025	U	
P	gamma-BHC (Lindane)	UG/L	0.025	U	
P	gamma-Chlordane	UG/L	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	2	J	
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	7	J	
S	2,4,5-Trichlorophenol	UG/L	24	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	24	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
S	2-Chloronaphthalene	UG/L	10	U	
S	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	24	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	24	U	
S	4,6-Dinitro-2-methylphenol	UG/L	24	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	24	U	
S	4-Nitrophenol	UG/L	24	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM19D	693GWGM19DDISS	693GWGM19DIS
		LAB SAMPLE ID--->	85246	85249	85248
		RECEIPT DATE---->	07/16/93		
	PARAMETER	UNITS			
S	Chrysene	UG/L	10	U	
S	Di-n-butylphthalate	UG/L	10	U	
S	Di-n-octylphthalate	UG/L	10	U	
S	Dibenz(a,h)anthracene	UG/L	10	U	
S	Dibenzofuran	UG/L	10	U	
S	Diethylphthalate	UG/L	10	U	
S	Dimethylphthalate	UG/L	10	U	
S	Fluoranthene	UG/L	10	U	
S	Fluorene	UG/L	10	U	
S	Hexachlorobenzene	UG/L	10	U	
S	Hexachlorobutadiene	UG/L	10	U	
S	Hexachlorocyclopentadiene	UG/L	10	U	
S	Hexachloroethane	UG/L	10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U	
S	Isophorone	UG/L	10	U	
S	N-Nitroso-di-n-propylamine	UG/L	10	U	
S	N-Nitrosodiphenylamine	UG/L	10	U	
S	Naphthalene	UG/L	10	U	
	Nitrobenzene	UG/L	10	U	
	Pentachlorophenol	UG/L	24	U	
S	Phenanthrene	UG/L	10	U	
S	Phenol	UG/L	10	U	
S	Pyrene	UG/L	10	U	
S	bis(2-Chloroethoxy)methane	UG/L	10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L	2	U	
S	bis(2-chloroethyl)ether	UG/L	10	U	
S	bis(2-chloroisopropyl)ether	UG/L	10	U	
V	1,1,1-Trichloroethane	UG/L	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	1	J	
V	1,1,2-Trichloroethane	UG/L	10	U	
V	1,1-Dichloroethane	UG/L	10	U	
V	1,1-Dichloroethene	UG/L	10	U	
V	1,2-Dichloroethane	UG/L	10	U	
V	1,2-Dichloroethene (total)	UG/L	10	U	
V	1,2-Dichloropropane	UG/L	10	U	
V	2-Butanone	UG/L	10	U	
V	2-Hexanone	UG/L	10	U	
V	4-Methyl-2-Pentanone	UG/L	10	U	
V	Acetone	UG/L	10	U	
V	Benzene	UG/L	31	J	
V	Bromodichloromethane	UG/L	10	U	
V	Bromoform	UG/L	10	U	
V	Bromomethane	UG/L	10	U	
V	Carbon Disulfide	UG/L	10	U	
	Carbon Tetrachloride	UG/L	10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM19D	693GWGM19DDISS	693GWGM19DIS
		LAB SAMPLE ID--->	85246	85249	85248
		RECEIPT DATE---->	07/16/93		
	PARAMETER	UNITS			
V	Chlorobenzene	UG/L	54	J	
V	Chloroethane	UG/L	10	U	
V	Chloroform	UG/L	10	U	
V	Chloromethane	UG/L	10	U	
V	Dibromochloromethane	UG/L	10	U	
V	Ethylbenzene	UG/L	10	U	
V	Methylene Chloride	UG/L	10	U	
V	Styrene	UG/L	10	U	
V	Tetrachloroethene	UG/L	10	U	
V	Toluene	UG/L	10	U	
V	Trichloroethene	UG/L	10	U	
V	Vinyl Chloride	UG/L	10	U	
V	Xylene (total)	UG/L	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM20		SAMPLE ID ------> 693GWGM20DISS		SAMPLE ID ------> 693GWMC13DIS	
	LAB SAMPLE ID--->		85226		85239		85020	
	RECEIPT DATE---->		07/15/93		07/15/93		07/13/93	
I	Aluminum	UG/L	6810	J	20	U	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	24.6		7.4	J	6.2	J
I	Barium	UG/L	323		280		68.2	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	93400		94200		85800	
I	Chromium	UG/L	6	U	6	U	6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	6.7	J	11.7	U	3.1	J
I	Cyanide	UG/L						
I	Iron	UG/L	21400		11000		1150	J
I	Lead	UG/L	2	U	10	U	2	U
I	Magnesium	UG/L	62400		62900		16000	
I	Manganese	UG/L	191		189		225	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.21	
I	Nickel	UG/L	10	U	10	U	10	U
	Potassium	UG/L	16000		15400		11200	
	Selenium	UG/L	1	U	1	U	2.4	U
I	Silver	UG/L	4	U	4	U	4	UJ
I	Sodium	UG/L	1050000		1060000		61100	
I	Thallium	UG/L	10	UJ	10	U	10	R
I	Vanadium	UG/L	12.2	J	3	U	3	U
I	Zinc	UG/L	24.6		22.5	UJ	5	U
P	4,4'-DDD	UG/L	0.05	U				
P	4,4'-DDE	UG/L	0.05	U				
P	4,4'-DDT	UG/L	0.05	U				
P	Aldrin	UG/L	0.025	U				
P	Aroclor 1016	UG/L	0.5	U				
P	Aroclor 1221	UG/L	1	U				
P	Aroclor 1232	UG/L	0.5	U				
P	Aroclor 1242	UG/L	0.5	U				
P	Aroclor 1248	UG/L	0.5	U				
P	Aroclor 1254	UG/L	0.5	U				
P	Aroclor 1260	UG/L	0.5	U				
P	Dieldrin	UG/L	0.05	U				
P	Endosulfan I	UG/L	0.025	U				
P	Endosulfan II	UG/L	0.05	U				
P	Endosulfan sulfate	UG/L	0.05	U				
P	Endrin	UG/L	0.05	U				
P	Endrin aldehyde	UG/L	0.05	U				
P	Endrin ketone	UG/L	0.05	U				
P	Heptachlor	UG/L	0.025	U				
	Heptachlor epoxide	UG/L	0.025	U				

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWGM20 LAB SAMPLE ID---> 85226 RECEIPT DATE----> 07/15/93		SAMPLE ID ------> 693GWGM20DISS LAB SAMPLE ID---> 85239	SAMPLE ID ------> 693GWMC1...1S LAB SAMPLE ID---> 85020
P	Methoxychlor	UG/L	0.25	U		
P	Toxaphene	UG/L	2.5	U		
P	alpha-BHC	UG/L	0.025	U		
P	alpha-Chlordane	UG/L	0.025	U		
P	beta-BHC	UG/L	0.025	U		
P	delta-BHC	UG/L	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U		
P	gamma-Chlordane	UG/L	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U		
S	1,2-Dichlorobenzene	UG/L	10	U		
S	1,3-Dichlorobenzene	UG/L	10	U		
S	1,4-Dichlorobenzene	UG/L	10	U		
S	2,4,5-Trichlorophenol	UG/L	25	U		
S	2,4,6-Trichlorophenol	UG/L	10	U		
S	2,4-Dichlorophenol	UG/L	10	U		
S	2,4-Dimethylphenol	UG/L	10	U		
S	2,4-Dinitrophenol	UG/L	25	U		
S	2,4-Dinitrotoluene	UG/L	10	U		
S	2,6-Dinitrotoluene	UG/L	10	U		
S	2-Chloronaphthalene	UG/L	10	U		
S	2-Chlorophenol	UG/L	10	U		
S	2-Methylnaphthalene	UG/L	10	U		
S	2-Methylphenol	UG/L	10	U		
S	2-Nitroaniline	UG/L	25	U		
S	2-Nitrophenol	UG/L	10	U		
S	3,3'-Dichlorobenzidine	UG/L	10	U		
S	3-Nitroaniline	UG/L	25	U		
S	4,6-Dinitro-2-methylphenol	UG/L	25	U		
S	4-Bromophenyl-phenylether	UG/L	10	U		
S	4-Chloro-3-methylphenol	UG/L	10	U		
S	4-Chloroaniline	UG/L	10	U		
S	4-Chlorophenyl-phenylether	UG/L	10	U		
S	4-Methylphenol	UG/L	10	U		
S	4-Nitroaniline	UG/L	25	U		
S	4-Nitrophenol	UG/L	25	U		
S	Acenaphthene	UG/L	10	U		
S	Acenaphthylene	UG/L	10	U		
S	Anthracene	UG/L	10	U		
S	Benzo(a)anthracene	UG/L	10	U		
S	Benzo(a)pyrene	UG/L	10	U		
S	Benzo(b)fluoranthene	UG/L	10	U		
S	Benzo(g,h,i)perylene	UG/L	10	U		
S	Benzo(k)fluoranthene	UG/L	10	U		
S	Butylbenzylphthalate	UG/L	10	U		
S	Carbazole	UG/L	10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM20		693GWGM20DISS	693GWMC13DIS
		LAB SAMPLE ID--->	85226		85239	85020
		RECEIPT DATE---->	07/15/93			
	PARAMETER	UNITS				
S	Chrysene	UG/L	10	U		
S	Di-n-butylphthalate	UG/L	10	U		
S	Di-n-octylphthalate	UG/L	10	U		
S	Dibenz(a,h)anthracene	UG/L	10	U		
S	Dibenzofuran	UG/L	10	U		
S	Diethylphthalate	UG/L	10	U		
S	Dimethylphthalate	UG/L	10	U		
S	Fluoranthene	UG/L	10	U		
S	Fluorene	UG/L	10	U		
S	Hexachlorobenzene	UG/L	10	U		
S	Hexachlorobutadiene	UG/L	10	U		
S	Hexachlorocyclopentadiene	UG/L	10	U		
S	Hexachloroethane	UG/L	10	U		
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U		
S	Isophorone	UG/L	10	U		
S	N-Nitroso-di-n-propylamine	UG/L	10	U		
S	N-Nitrosodiphenylamine	UG/L	10	U		
S	Naphthalene	UG/L	10	U		
	Nitrobenzene	UG/L	10	U		
	Pentachlorophenol	UG/L	25	U		
S	Phenanthrene	UG/L	10	U		
S	Phenol	UG/L	10	U		
S	Pyrene	UG/L	10	U		
S	bis(2-Chloroethoxy)methane	UG/L	10	U		
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U		
S	bis(2-chloroethyl)ether	UG/L	10	U		
S	bis(2-chloroisopropyl)ether	UG/L	10	U		
V	1,1,1-Trichloroethane	UG/L	10	U		
V	1,1,2,2-Tetrachloroethane	UG/L	10	U		
V	1,1,2-Trichloroethane	UG/L	10	U		
V	1,1-Dichloroethane	UG/L	10	U		
V	1,1-Dichloroethene	UG/L	10	U		
V	1,2-Dichloroethane	UG/L	10	U		
V	1,2-Dichloroethene (total)	UG/L	10	U		
V	1,2-Dichloropropane	UG/L	10	U		
V	2-Butanone	UG/L	10	U		
V	2-Hexanone	UG/L	10	U		
V	4-Methyl-2-Pentanone	UG/L	10	U		
V	Acetone	UG/L	3	U		
V	Benzene	UG/L	10	U		
V	Bromodichloromethane	UG/L	10	U		
V	Bromoform	UG/L	10	U		
V	Bromomethane	UG/L	10	U		
V	Carbon Disulfide	UG/L	10	U		
V	Carbon Tetrachloride	UG/L	10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWGM20	693GWGM20DISS	693GWMC15D1S
		LAB SAMPLE ID--->	85226	85239	85020
		RECEIPT DATE---->	07/15/93		
	PARAMETER	UNITS			
V	Chlorobenzene	UG/L	10	U	
V	Chloroethane	UG/L	10	U	
V	Chloroform	UG/L	10	U	
V	Chloromethane	UG/L	10	U	
V	Dibromochloromethane	UG/L	10	U	
V	Ethylbenzene	UG/L	10	U	
V	Methylene Chloride	UG/L	10	U	
V	Styrene	UG/L	10	U	
V	Tetrachloroethene	UG/L	10	U	
V	Toluene	UG/L	10	U	
V	Trichloroethene	UG/L	10	U	
V	Vinyl Chloride	UG/L	10	U	
V	Xylene (total)	UG/L	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMC35		693GWMC35DL		693GWMCC11	
			LAB SAMPLE ID---> 84985		84985DL		84990	
			RECEIPT DATE----> 07/13/93		07/13/93		07/13/93	
I	Aluminum	UG/L	26800				567	
I	Antimony	UG/L	30	U			30	U
I	Arsenic	UG/L	7.6	J			3	U
I	Barium	UG/L	512				260	
I	Beryllium	UG/L	1.4	J			1	U
I	Cadmium	UG/L	3	U			3	U
I	Calcium	UG/L	164000				160000	
I	Chromium	UG/L	27.6				6.2	J
I	Cobalt	UG/L	9.6	J			5	U
I	Copper	UG/L	22.1	J			5.9	U
I	Cyanide	UG/L						
I	Iron	UG/L	21500				22800	
I	Lead	UG/L	14.5	J			2	U
I	Magnesium	UG/L	21100				32400	
I	Manganese	UG/L	398				687	
I	Mercury	UG/L	0.2	UJ			0.2	UJ
I	Nickel	UG/L	24.6	U			10	U
	Potassium	UG/L	91300				27200	
	Selenium	UG/L	3.7	U			1.7	U
I	Silver	UG/L	4	U			4	U
I	Sodium	UG/L	369000				101000	
I	Thallium	UG/L	10	UJ			10	UJ
I	Vanadium	UG/L	53.5				3	U
I	Zinc	UG/L	72.8	U			19.4	J
P	4,4'-DDD	UG/L	0.05	U			0.05	U
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.05	U
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.05	U			0.05	U
P	Endosulfan I	UG/L	0.025	U			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMC35		693GWMC35DL		693GWMCC11	
			LAB SAMPLE ID---> 84985		84985DL		84990	
			RECEIPT DATE----> 07/13/93		.		07/13/93	
P	Methoxychlor	UG/L	0.25	U			0.25	U
P	Toxaphene	UG/L	2.5	U			2.5	U
P	alpha-BHC	UG/L	0.025	U			0.025	U
P	alpha-Chlordane	UG/L	0.025	U			0.025	U
P	beta-BHC	UG/L	0.025	U			0.025	U
P	delta-BHC	UG/L	0.025	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.025	U
P	gamma-Chlordane	UG/L	0.025	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			13	
S	2,4,5-Trichlorophenol	UG/L	24	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	24	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	24	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	24	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	24	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	24	U			24	U
S	4-Nitrophenol	UG/L	24	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWMC35		693GWMC35DL		693GWMCC11	
			LAB SAMPLE ID--->	84985		84985DL		84990	
			RECEIPT DATE---->	07/13/93		.		07/13/93	
	PARAMETER	UNITS							
S	Chrysene	UG/L		10	U			10	U
S	Di-n-butylphthalate	UG/L		10	U			10	U
S	Di-n-octylphthalate	UG/L		10	U			10	U
S	Dibenz(a,h)anthracene	UG/L		10	U			10	U
S	Dibenzofuran	UG/L		10	U			10	U
S	Diethylphthalate	UG/L		10	U			10	U
S	Dimethylphthalate	UG/L		10	U			10	U
S	Fluoranthene	UG/L		10	U			10	U
S	Fluorene	UG/L		10	U			10	U
S	Hexachlorobenzene	UG/L		10	U			10	U
S	Hexachlorobutadiene	UG/L		10	U			10	U
S	Hexachlorocyclopentadiene	UG/L		10	U			10	U
S	Hexachloroethane	UG/L		10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U			10	U
S	Isophorone	UG/L		10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U			10	U
S	N-Nitrosodiphenylamine	UG/L		10	U			10	U
S	Naphthalene	UG/L		10	U			10	U
	Nitrobenzene	UG/L		10	U			10	U
	Pentachlorophenol	UG/L		24	U			24	U
S	Phenanthrene	UG/L		10	U			10	U
S	Phenol	UG/L		10	U			10	U
S	Pyrene	UG/L		10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U			10	U
S	bis(2-chloroethyl)ether	UG/L		10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U			10	U
V	1,1,1-Trichloroethane	UG/L		10	U	20	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	20	U	10	U
V	1,1,2-Trichloroethane	UG/L		10	U	20	U	10	U
V	1,1-Dichloroethane	UG/L		10	U	20	U	10	U
V	1,1-Dichloroethene	UG/L		10	U	20	U	10	U
V	1,2-Dichloroethane	UG/L		10	U	20	U	10	U
V	1,2-Dichloroethene (total)	UG/L		10	U	20	U	10	U
V	1,2-Dichloropropane	UG/L		10	U	20	U	10	U
V	2-Butanone	UG/L		10	U	20	U	10	U
V	2-Hexanone	UG/L		10	U	20	U	10	U
V	4-Methyl-2-Pentanone	UG/L		10	U	20	U	10	U
V	Acetone	UG/L		220	J	210	J	13	U
V	Benzene	UG/L		10	U	20	U	7	J
V	Bromodichloromethane	UG/L		10	U	20	U	10	U
V	Bromoform	UG/L		10	U	20	U	10	U
V	Bromomethane	UG/L		10	U	20	U	10	U
V	Carbon Disulfide	UG/L		10	U	20	U	10	U
	Carbon Tetrachloride	UG/L		10	U	20	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMC35		693GWMC35DL		693GWMCC11	
	LAB SAMPLE ID--->		84985		84985DL		84990	
	RECEIPT DATE---->		07/13/93		07/13/93		07/13/93	
V	Chlorobenzene	UG/L	10	U	20	U	26	
V	Chloroethane	UG/L	10	U	20	U	10	U
V	Chloroform	UG/L	10	U	20	U	10	U
V	Chloromethane	UG/L	10	U	20	U	10	U
V	Dibromochloromethane	UG/L	10	U	20	U	10	U
V	Ethylbenzene	UG/L	10	U	20	U	10	U
V	Methylene Chloride	UG/L	10	U	20	U	10	U
V	Styrene	UG/L	10	U	20	U	10	U
V	Tetrachloroethene	UG/L	10	U	20	U	10	U
V	Toluene	UG/L	10	U	20	U	10	U
V	Trichloroethene	UG/L	10	U	20	U	10	U
V	Vinyl Chloride	UG/L	10	U	20	U	10	U
V	Xylene (total)	UG/L	10	U	20	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	20	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	20	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC11		693GWMCC12		693GWMCC13	
	LAB SAMPLE ID--->		85015		85235		84995	
	RECEIPT DATE---->		07/13/93		07/15/93		07/13/93	
I	Aluminum	UG/L	20	U	132	UJ	724	
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	3.8	J	7.6	J	7.7	J
I	Barium	UG/L	275		127	J	78.1	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	171000		142000		87200	
I	Chromium	UG/L	6	U	15.4		6	U
I	Cobalt	UG/L	5	U	5.6	J	5	U
I	Copper	UG/L	3.3	J	5.9	J	6.7	U
I	Cyanide	UG/L						
I	Iron	UG/L	21400	J	49700		2760	
I	Lead	UG/L	2.7	J	42.2		2	U
I	Magnesium	UG/L	35100		5600		16000	
I	Manganese	UG/L	723		430		224	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	UJ
I	Nickel	UG/L	10	U	10.4	J	10	U
	Potassium	UG/L	29200		7100		10800	
	Selenium	UG/L	3.2	U	1	U	1	U
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	110000		10800		61400	
I	Thallium	UG/L	10	R	2	U	2	UJ
I	Vanadium	UG/L	3	U	3	U	3.2	J
I	Zinc	UG/L	15.7	J	8.8	J	20.5	U
P	4,4'-DDD	UG/L			0.048	U	0.05	U
P	4,4'-DDE	UG/L			0.048	U	0.05	U
P	4,4'-DDT	UG/L			0.048	U	0.05	U
P	Aldrin	UG/L			0.024	U	0.025	U
P	Aroclor 1016	UG/L			0.48	U	0.5	U
P	Aroclor 1221	UG/L			0.97	U	1	U
P	Aroclor 1232	UG/L			0.48	U	0.5	U
P	Aroclor 1242	UG/L			0.48	U	0.5	U
P	Aroclor 1248	UG/L			0.48	U	0.5	U
P	Aroclor 1254	UG/L			0.48	U	0.5	U
P	Aroclor 1260	UG/L			0.48	U	0.5	U
P	Dieldrin	UG/L			0.048	U	0.05	U
P	Endosulfan I	UG/L			0.024	U	0.025	U
P	Endosulfan II	UG/L			0.048	U	0.05	U
P	Endosulfan sulfate	UG/L			0.048	U	0.05	U
P	Endrin	UG/L			0.048	U	0.05	U
P	Endrin aldehyde	UG/L			0.048	U	0.05	U
P	Endrin ketone	UG/L			0.048	U	0.05	U
P	Heptachlor	UG/L			0.024	U	0.025	U
	Heptachlor epoxide	UG/L			0.024	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC11 LAB SAMPLE ID---> 85015 RECEIPT DATE---->		693GWMCC12 85235 07/15/93		693GWMCC1 84995 07/13/93	
P	Methoxychlor	UG/L	0.24	U	0.25	U		
P	Toxaphene	UG/L	2.4	U	2.5	U		
P	alpha-BHC	UG/L	0.023	J	0.025	U		
P	alpha-Chlordane	UG/L	0.03	J	0.025	U		
P	beta-BHC	UG/L	0.024	U	0.025	U		
P	delta-BHC	UG/L	0.024	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.024	U	0.025	U		
P	gamma-Chlordane	UG/L	0.024	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	100	U	10	U		
S	1,2-Dichlorobenzene	UG/L	100	U	10	U		
S	1,3-Dichlorobenzene	UG/L	100	U	10	U		
S	1,4-Dichlorobenzene	UG/L	100	U	10	U		
S	2,4,5-Trichlorophenol	UG/L	250	U	26	U		
S	2,4,6-Trichlorophenol	UG/L	100	U	10	U		
S	2,4-Dichlorophenol	UG/L	100	U	10	U		
S	2,4-Dimethylphenol	UG/L	250		10	U		
S	2,4-Dinitrophenol	UG/L	250	U	26	U		
S	2,4-Dinitrotoluene	UG/L	100	U	10	U		
S	2,6-Dinitrotoluene	UG/L	100	U	10	U		
S	2-Chloronaphthalene	UG/L	100	U	10	U		
S	2-Chlorophenol	UG/L	100	U	10	U		
S	2-Methylnaphthalene	UG/L	38	J	10	U		
S	2-Methylphenol	UG/L	100	U	10	U		
S	2-Nitroaniline	UG/L	250	U	26	U		
S	2-Nitrophenol	UG/L	100	U	10	U		
S	3,3'-Dichlorobenzidine	UG/L	100	U	10	U		
S	3-Nitroaniline	UG/L	250	U	26	U		
S	4,6-Dinitro-2-methylphenol	UG/L	250	U	26	U		
S	4-Bromophenyl-phenylether	UG/L	100	U	10	U		
S	4-Chloro-3-methylphenol	UG/L	100	U	10	U		
S	4-Chloroaniline	UG/L	100	U	10	U		
S	4-Chlorophenyl-phenylether	UG/L	100	U	10	U		
S	4-Methylphenol	UG/L	100	U	10	U		
S	4-Nitroaniline	UG/L	250	U	26	U		
S	4-Nitrophenol	UG/L	250	U	26	U		
S	Acenaphthene	UG/L	100	U	10	U		
S	Acenaphthylene	UG/L	100	U	10	U		
S	Anthracene	UG/L	100	U	10	U		
S	Benzo(a)anthracene	UG/L	100	U	10	U		
S	Benzo(a)pyrene	UG/L	100	U	10	U		
S	Benzo(b)fluoranthene	UG/L	100	U	10	U		
S	Benzo(g,h,i)perylene	UG/L	100	U	10	U		
S	Benzo(k)fluoranthene	UG/L	100	U	10	U		
S	Butylbenzylphthalate	UG/L	100	U	10	U		
S	Carbazole	UG/L	100	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC11		693GWMCC12		693GWMCC13
		LAB SAMPLE ID--->	85015		85235		84995
		RECEIPT DATE---->			07/15/93		07/13/93
	PARAMETER	UNITS					
S	Chrysene	UG/L			100	U	10 U
S	Di-n-butylphthalate	UG/L			100	U	10 U
S	Di-n-octylphthalate	UG/L			100	U	10 U
S	Dibenz(a,h)anthracene	UG/L			100	U	10 U
S	Dibenzofuran	UG/L			100	U	10 U
S	Diethylphthalate	UG/L			34	U	10 U
S	Dimethylphthalate	UG/L			100	U	10 U
S	Fluoranthene	UG/L			100	U	10 U
S	Fluorene	UG/L			100	U	10 U
S	Hexachlorobenzene	UG/L			100	U	10 U
S	Hexachlorobutadiene	UG/L			100	U	10 U
S	Hexachlorocyclopentadiene	UG/L			100	U	10 U
S	Hexachloroethane	UG/L			100	U	10 U
S	Indeno(1,2,3-cd)pyrene	UG/L			100	U	10 U
S	Isophorone	UG/L			100	U	10 U
S	N-Nitroso-di-n-propylamine	UG/L			100	U	10 U
S	N-Nitrosodiphenylamine	UG/L			100	U	10 U
S	Naphthalene	UG/L			94	J	10 U
S	Nitrobenzene	UG/L			100	U	10 U
	Pentachlorophenol	UG/L			250	U	26 U
S	Phenanthrene	UG/L			100	U	10 U
S	Phenol	UG/L			100	U	10 U
S	Pyrene	UG/L			100	U	10 U
S	bis(2-Chloroethoxy)methane	UG/L			100	U	10 U
S	bis(2-Ethlyhexy)phthalate	UG/L			100	U	10 U
S	bis(2-chloroethyl)ether	UG/L			100	U	10 U
S	bis(2-chloroisopropyl)ether	UG/L			100	U	10 U
V	1,1,1-Trichloroethane	UG/L			20	U	10 U
V	1,1,2,2-Tetrachloroethane	UG/L			20	U	10 U
V	1,1,2-Trichloroethane	UG/L			20	U	10 U
V	1,1-Dichloroethane	UG/L			20	U	10 U
V	1,1-Dichloroethene	UG/L			5	J	10 U
V	1,2-Dichloroethane	UG/L			20	U	10 U
V	1,2-Dichloroethene (total)	UG/L			18	J	10 U
V	1,2-Dichloropropane	UG/L			20	U	10 U
V	2-Butanone	UG/L			20	U	10 U
V	2-Hexanone	UG/L			20	U	10 U
V	4-Methyl-2-Pentanone	UG/L			6	U	10 U
V	Acetone	UG/L			60	U	10 U
V	Benzene	UG/L			160	J	10 U
V	Bromodichloromethane	UG/L			20	U	10 U
V	Bromoform	UG/L			20	U	10 U
V	Bromomethane	UG/L			20	U	10 U
V	Carbon Disulfide	UG/L			20	U	10 U
	Carbon Tetrachloride	UG/L			20	U	10 U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC11		693GWMCC12		693GWMCC1-
		LAB SAMPLE ID--->	85015		85235		84995
		RECEIPT DATE---->			07/15/93		07/13/93
	PARAMETER	UNITS					
V	Chlorobenzene	UG/L			4	J	10 U
V	Chloroethane	UG/L			20	U	10 U
V	Chloroform	UG/L			20	U	10 U
V	Chloromethane	UG/L			20	U	10 U
V	Dibromochloromethane	UG/L			20	U	10 U
V	Ethylbenzene	UG/L			110		10 U
V	Methylene Chloride	UG/L			4	U	1 U
V	Styrene	UG/L			20	U	10 U
V	Tetrachloroethene	UG/L			20	U	10 U
V	Toluene	UG/L			36	J	10 U
V	Trichloroethene	UG/L			4	J	10 U
V	Vinyl Chloride	UG/L			54		10 U
V	Xylene (total)	UG/L			510	J	10 U
V	cis-1,3-Dichloropropene	UG/L			20	U	10 U
V	trans-1,3-Dichloropropene	UG/L			20	U	10 U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC14		693GWMCC14DISS		693GWMCC15	
			LAB SAMPLE ID---> 84983		85008		84867	
			RECEIPT DATE----> 07/13/93		07/13/93		07/10/93	
I	Aluminum	UG/L	12100		20	U	1120	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	6.8	J	3.1	J	8	J
I	Barium	UG/L	787		664		71.8	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	242000		244000		201000	
I	Chromium	UG/L	13.1		6	U	6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	12.5	U	3	U	3	U
I	Cyanide	UG/L						
I	Iron	UG/L	32600		10100	J	6120	
I	Lead	UG/L	7.2	J	2	U	5.2	U
I	Magnesium	UG/L	46300		46800		21700	
I	Manganese	UG/L	529		510		431	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	UJ
I	Nickel	UG/L	13.6	U	10.3	J	10	U
	Potassium	UG/L	25100		24400		9230	
	Selenium	UG/L	2.8	U	3.6	U	1	U
I	Silver	UG/L	4	U	4	UJ	4	R
I	Sodium	UG/L	146000		150000		34700	
I	Thallium	UG/L	10	UJ	10	R	2	UJ
I	Vanadium	UG/L	15.3	J	3	U	6.8	J
I	Zinc	UG/L	27.1	U	15.7	J	27.8	U
P	4,4'-DDD	UG/L	0.05	U			0.05	U
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.05	U
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.05	U			0.05	U
P	Endosulfan I	UG/L	0.025	U			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWMCC14		693GWMCC14DISS		693GWMCC1
			LAB SAMPLE ID--->	84983		85008		84867
			RECEIPT DATE---->	07/13/93		.		07/10/93
	PARAMETER	UNITS						
P	Methoxychlor	UG/L		0.25	U		0.25	U
P	Toxaphene	UG/L		2.5	U		2.5	U
P	alpha-BHC	UG/L		0.025	U		0.025	U
P	alpha-Chlordane	UG/L		0.025	U		0.025	U
P	beta-BHC	UG/L		0.025	U		0.025	U
P	delta-BHC	UG/L		0.025	U		0.025	U
P	gamma-BHC (Lindane)	UG/L		0.025	U		0.025	U
P	gamma-Chlordane	UG/L		0.025	U		0.025	U
S	1,2,4-Trichlorobenzene	UG/L		10	U		10	U
S	1,2-Dichlorobenzene	UG/L		10	U		10	U
S	1,3-Dichlorobenzene	UG/L		10	U		10	U
S	1,4-Dichlorobenzene	UG/L		6	J		4	J
S	2,4,5-Trichlorophenol	UG/L		26	U		24	U
S	2,4,6-Trichlorophenol	UG/L		10	U		10	U
S	2,4-Dichlorophenol	UG/L		10	U		10	U
S	2,4-Dimethylphenol	UG/L		10	U		10	U
S	2,4-Dinitrophenol	UG/L		26	U		24	U
S	2,4-Dinitrotoluene	UG/L		10	U		10	U
S	2,6-Dinitrotoluene	UG/L		10	U		10	U
S	2-Chloronaphthalene	UG/L		10	U		10	U
S	2-Chlorophenol	UG/L		10	U		10	U
S	2-Methylnaphthalene	UG/L		10	U		10	U
S	2-Methylphenol	UG/L		10	U		10	U
S	2-Nitroaniline	UG/L		26	U		24	U
S	2-Nitrophenol	UG/L		10	U		10	U
S	3,3'-Dichlorobenzidine	UG/L		10	U		10	U
S	3-Nitroaniline	UG/L		26	U		24	U
S	4,6-Dinitro-2-methylphenol	UG/L		26	U		24	U
S	4-Bromophenyl-phenylether	UG/L		10	U		10	U
S	4-Chloro-3-methylphenol	UG/L		10	U		10	U
S	4-Chloroaniline	UG/L		10	U		10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U		10	U
S	4-Methylphenol	UG/L		10	U		10	U
S	4-Nitroaniline	UG/L		26	U		24	U
S	4-Nitrophenol	UG/L		26	U		24	U
S	Acenaphthene	UG/L		10	U		10	U
S	Acenaphthylene	UG/L		10	U		10	U
S	Anthracene	UG/L		10	U		10	U
S	Benzo(a)anthracene	UG/L		10	U		10	U
S	Benzo(a)pyrene	UG/L		10	U		10	U
S	Benzo(b)fluoranthene	UG/L		10	U		10	U
S	Benzo(g,h,i)perylene	UG/L		10	U		10	U
S	Benzo(k)fluoranthene	UG/L		10	U		10	U
S	Butylbenzylphthalate	UG/L		10	U		10	U
S	Carbazole	UG/L		10	U		10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC14		693GWMCC14DISS		693GWMCC15	
			LAB SAMPLE ID---> 84983		85008		84867	
			RECEIPT DATE----> 07/13/93				07/10/93	
S	Chrysene	UG/L	10	U			10	U
S	Di-n-butylphthalate	UG/L	1	U			1	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	3	J			1	J
	Nitrobenzene	UG/L	10	U			10	U
	Pentachlorophenol	UG/L	26	U			24	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			6	J
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U			2	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	10	U			28	U
V	Benzene	UG/L	7	J			39	
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
	Carbon Tetrachloride	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC14 LAB SAMPLE ID---> 84983 RECEIPT DATE----> 07/13/93		SAMPLE ID ------> 693GWMCC14DISS LAB SAMPLE ID---> 85008 RECEIPT DATE----> .		SAMPLE ID ------> 693GWMCC15 LAB SAMPLE ID---> 84867 RECEIPT DATE----> 07/10/93	
V	Chlorobenzene	UG/L	21				70	
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	1	J			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC15DISS		693GWMCC1DISS		693GWMCC4	
	LAB SAMPLE ID--->		84877		85011		85107	
	RECEIPT DATE---->		07/10/93		07/13/93		07/14/93	
I	Aluminum	UG/L	20	U	20	U	500	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	4.1	J	11	J	11	J
I	Barium	UG/L	76.2	J	102	J	504	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	221000		71700		179000	
I	Chromium	UG/L	6	U	6	U	14	
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	3	U	6.2	J	22.5	J
I	Cyanide	UG/L						
I	Iron	UG/L	2810	J	3720	J	57000	
I	Lead	UG/L	3.8		2	U	8.9	
I	Magnesium	UG/L	22300		16700		10300	
I	Manganese	UG/L	439		419		1480	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	10	U	33.2	J	16.5	J
I	Potassium	UG/L	10100		7490		11100	
I	Selenium	UG/L	4.2	U	2	U	1	UJ
I	Silver	UG/L	4	UJ	4	UJ	4	U
I	Sodium	UG/L	33800		153000		19400	
I	Thallium	UG/L	2	R	10	R	2	UJ
I	Vanadium	UG/L	3	U	3	U	4.4	J
I	Zinc	UG/L	16.8	J	17	J	119	
P	4,4'-DDD	UG/L					0.05	U
P	4,4'-DDE	UG/L					0.05	U
P	4,4'-DDT	UG/L					0.05	U
P	Aldrin	UG/L					0.025	U
P	Aroclor 1016	UG/L					0.5	U
P	Aroclor 1221	UG/L					1	U
P	Aroclor 1232	UG/L					0.5	U
P	Aroclor 1242	UG/L					0.5	U
P	Aroclor 1248	UG/L					0.5	U
P	Aroclor 1254	UG/L					0.5	U
P	Aroclor 1260	UG/L					0.5	U
P	Dieldrin	UG/L					0.05	U
P	Endosulfan I	UG/L					0.025	U
P	Endosulfan II	UG/L					0.05	U
P	Endosulfan sulfate	UG/L					0.05	U
P	Endrin	UG/L					0.05	U
P	Endrin aldehyde	UG/L					0.05	U
P	Endrin ketone	UG/L					0.05	U
P	Heptachlor	UG/L					0.025	U
P	Heptachlor epoxide	UG/L					0.025	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWMCC15DISS	693GWMCC1DISS	693GWMCC4	
			LAB SAMPLE ID--->	84877	85011	85107	
			RECEIPT DATE---->	.	.	07/14/93	
	PARAMETER	UNITS					
P	Methoxychlor	UG/L				0.25	U
P	Toxaphene	UG/L				2.5	U
P	alpha-BHC	UG/L				0.025	U
P	alpha-Chlordane	UG/L				0.025	U
P	beta-BHC	UG/L				0.025	U
P	delta-BHC	UG/L				0.025	U
P	gamma-BHC (Lindane)	UG/L				0.025	U
P	gamma-Chlordane	UG/L				0.025	U
S	1,2,4-Trichlorobenzene	UG/L				10	U
S	1,2-Dichlorobenzene	UG/L				10	U
S	1,3-Dichlorobenzene	UG/L				10	U
S	1,4-Dichlorobenzene	UG/L				3	J
S	2,4,5-Trichlorophenol	UG/L				25	U
S	2,4,6-Trichlorophenol	UG/L				10	U
S	2,4-Dichlorophenol	UG/L				10	U
S	2,4-Dimethylphenol	UG/L				1	J
S	2,4-Dinitrophenol	UG/L				25	U
S	2,4-Dinitrotoluene	UG/L				10	U
S	2,6-Dinitrotoluene	UG/L				10	U
S	2-Chloronaphthalene	UG/L				10	U
S	2-Chlorophenol	UG/L				10	U
S	2-Methylnaphthalene	UG/L				2	J
S	2-Methylphenol	UG/L				10	U
S	2-Nitroaniline	UG/L				25	U
S	2-Nitrophenol	UG/L				10	U
S	3,3'-Dichlorobenzidine	UG/L				10	U
S	3-Nitroaniline	UG/L				25	U
S	4,6-Dinitro-2-methylphenol	UG/L				25	U
S	4-Bromophenyl-phenylether	UG/L				10	U
S	4-Chloro-3-methylphenol	UG/L				10	U
S	4-Chloroaniline	UG/L				10	U
S	4-Chlorophenyl-phenylether	UG/L				10	U
S	4-Methylphenol	UG/L				10	U
S	4-Nitroaniline	UG/L				25	U
S	4-Nitrophenol	UG/L				25	U
S	Acenaphthene	UG/L				10	U
S	Acenaphthylene	UG/L				10	U
S	Anthracene	UG/L				10	U
S	Benzo(a)anthracene	UG/L				10	U
S	Benzo(a)pyrene	UG/L				10	U
S	Benzo(b)fluoranthene	UG/L				10	U
S	Benzo(g,h,i)perylene	UG/L				10	U
S	Benzo(k)fluoranthene	UG/L				10	U
S	Butylbenzylphthalate	UG/L				10	U
S	Carbazole	UG/L				10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWMCC15DISS	693GWMCC1DISS	693GWMCC4	
			LAB SAMPLE ID--->	84877	85011	85107	
			RECEIPT DATE---->	.	.	07/14/93	
	PARAMETER	UNITS					
S	Chrysene	UG/L				10	U
S	Di-n-butylphthalate	UG/L				10	U
S	Di-n-octylphthalate	UG/L				10	U
S	Dibenz(a,h)anthracene	UG/L				10	U
S	Dibenzofuran	UG/L				10	U
S	Diethylphthalate	UG/L				10	U
S	Dimethylphthalate	UG/L				10	U
S	Fluoranthene	UG/L				10	U
S	Fluorene	UG/L				10	U
S	Hexachlorobenzene	UG/L				10	U
S	Hexachlorobutadiene	UG/L				10	U
S	Hexachlorocyclopentadiene	UG/L				10	U
S	Hexachloroethane	UG/L				10	U
S	Indeno(1,2,3-cd)pyrene	UG/L				10	U
S	Isophorone	UG/L				10	U
S	N-Nitroso-di-n-propylamine	UG/L				10	U
S	N-Nitrosodiphenylamine	UG/L				10	U
S	Naphthalene	UG/L				8	J
^	Nitrobenzene	UG/L				10	U
	Pentachlorophenol	UG/L				25	U
S	Phenanthrene	UG/L				10	U
S	Phenol	UG/L				10	U
S	Pyrene	UG/L				10	U
S	bis(2-Chloroethoxy)methane	UG/L				10	U
S	bis(2-Ethlyhexy)phthalate	UG/L				4	U
S	bis(2-chloroethyl)ether	UG/L				10	U
S	bis(2-chloroisopropyl)ether	UG/L				10	U
V	1,1,1-Trichloroethane	UG/L				10	U
V	1,1,2,2-Tetrachloroethane	UG/L				10	U
V	1,1,2-Trichloroethane	UG/L				10	U
V	1,1-Dichloroethane	UG/L				10	U
V	1,1-Dichloroethene	UG/L				10	U
V	1,2-Dichloroethane	UG/L				10	U
V	1,2-Dichloroethene (total)	UG/L				10	U
V	1,2-Dichloropropane	UG/L				10	U
V	2-Butanone	UG/L				10	U
V	2-Hexanone	UG/L				10	U
V	4-Methyl-2-Pentanone	UG/L				10	U
V	Acetone	UG/L				10	U
V	Benzene	UG/L				1	J
V	Bromodichloromethane	UG/L				10	U
V	Bromoform	UG/L				10	U
V	Bromomethane	UG/L				10	U
V	Carbon Disulfide	UG/L				10	U
	Carbon Tetrachloride	UG/L				10	U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC15DISS	693GWMCC1DISS	693GWMCC4	
		LAB SAMPLE ID--->	84877	85011	85107	
		RECEIPT DATE---->	.	.	07/14/93	
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L			6	J
V	Chloroethane	UG/L			10	U
V	Chloroform	UG/L			10	U
V	Chloromethane	UG/L			10	U
V	Dibromochloromethane	UG/L			10	U
V	Ethylbenzene	UG/L			10	U
V	Methylene Chloride	UG/L			10	U
V	Styrene	UG/L			10	U
V	Tetrachloroethene	UG/L			10	U
V	Toluene	UG/L			10	U
V	Trichloroethene	UG/L			10	U
V	Vinyl Chloride	UG/L			10	U
V	Xylene (total)	UG/L			10	U
V	cis-1,3-Dichloropropene	UG/L			10	U
V	trans-1,3-Dichloropropene	UG/L			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC4DISS		693GWMCC5		693GWMCC5	
			LAB SAMPLE ID---> 85122		85108		85108S	
			RECEIPT DATE----> 07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	20	U	3770	J		
I	Antimony	UG/L	30	U	30	U		
I	Arsenic	UG/L	5.4	J	10.8	J		
I	Barium	UG/L	474		210			
I	Beryllium	UG/L	1	U	1	U		
I	Cadmium	UG/L	3	U	3	U		
I	Calcium	UG/L	173000		207000			
I	Chromium	UG/L	7.8	J	34.4			
I	Cobalt	UG/L	5	U	5.5	J		
I	Copper	UG/L	5.5	U	24.7	J		
I	Cyanide	UG/L						
I	Iron	UG/L	48200		18500			
I	Lead	UG/L	2	UJ	98.2			
I	Magnesium	UG/L	10600		13300			
I	Manganese	UG/L	1340		954			
I	Mercury	UG/L	0.2	U	0.2	U		
I	Nickel	UG/L	19.5	J	15.5	J		
	Potassium	UG/L	14700		13100			
	Selenium	UG/L	1	UJ	1	UJ		
I	Silver	UG/L	4	U	6.9	J		
I	Sodium	UG/L	22800		24200			
I	Thallium	UG/L	2	UJ	2	UJ		
I	Vanadium	UG/L	3	U	10.1	J		
I	Zinc	UG/L	21.8		67.9			
P	4,4'-DDD	UG/L			0.042	J	0.05	U
P	4,4'-DDE	UG/L			0.014	J	0.05	U
P	4,4'-DDT	UG/L			0.05	U	0.05	U
P	Aldrin	UG/L			0.025	U	0.025	U
P	Aroclor 1016	UG/L			0.5	U	0.5	U
P	Aroclor 1221	UG/L			1	U	1	U
P	Aroclor 1232	UG/L			0.5	U	0.5	U
P	Aroclor 1242	UG/L			0.5	U	0.5	U
P	Aroclor 1248	UG/L			0.5	U	0.5	U
P	Aroclor 1254	UG/L			0.5	U	0.5	U
P	Aroclor 1260	UG/L			0.5	U	0.23	J
P	Dieldrin	UG/L			0.05	U	0.05	U
P	Endosulfan I	UG/L			0.025	U	0.025	U
P	Endosulfan II	UG/L			0.05	U	0.05	U
P	Endosulfan sulfate	UG/L			0.0091	J	0.05	U
P	Endrin	UG/L			0.05	U	0.05	U
P	Endrin aldehyde	UG/L			0.05	U	0.05	U
P	Endrin ketone	UG/L			0.05	U	0.05	U
P	Heptachlor	UG/L			0.025	U	0.025	U
	Heptachlor epoxide	UG/L			0.025	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC4DISS LAB SAMPLE ID---> 85122 RECEIPT DATE----> .		693GWMCC5 85108 07/14/93		693GWMCC5 85108S 07/14/93	
P	Methoxychlor	UG/L			0.25	U	0.25	U
P	Toxaphene	UG/L			2.5	U	2.5	U
P	alpha-BHC	UG/L			0.025	U	0.025	U
P	alpha-Chlordane	UG/L			0.011	J	0.025	U
P	beta-BHC	UG/L			0.025	U	0.025	U
P	delta-BHC	UG/L			0.025	U	0.025	U
P	gamma-BHC (Lindane)	UG/L			0.025	U	0.025	U
P	gamma-Chlordane	UG/L			0.025	U	0.025	U
S	1,2,4-Trichlorobenzene	UG/L			1	J		
S	1,2-Dichlorobenzene	UG/L			10	U		
S	1,3-Dichlorobenzene	UG/L			10	U		
S	1,4-Dichlorobenzene	UG/L			9	J		
S	2,4,5-Trichlorophenol	UG/L			26	U		
S	2,4,6-Trichlorophenol	UG/L			10	U		
S	2,4-Dichlorophenol	UG/L			10	U		
S	2,4-Dimethylphenol	UG/L			10	U		
S	2,4-Dinitrophenol	UG/L			26	U		
S	2,4-Dinitrotoluene	UG/L			10	U		
S	2,6-Dinitrotoluene	UG/L			10	U		
S	2-Chloronaphthalene	UG/L			10	U		
S	2-Chlorophenol	UG/L			10	U		
S	2-Methylnaphthalene	UG/L			1	J		
S	2-Methylphenol	UG/L			10	U		
S	2-Nitroaniline	UG/L			26	U		
S	2-Nitrophenol	UG/L			10	U		
S	3,3'-Dichlorobenzidine	UG/L			10	U		
S	3-Nitroaniline	UG/L			26	U		
S	4,6-Dinitro-2-methylphenol	UG/L			26	U		
S	4-Bromophenyl-phenylether	UG/L			10	U		
S	4-Chloro-3-methylphenol	UG/L			10	U		
S	4-Chloroaniline	UG/L			10	U		
S	4-Chlorophenyl-phenylether	UG/L			10	U		
S	4-Methylphenol	UG/L			10	U		
S	4-Nitroaniline	UG/L			26	U		
S	4-Nitrophenol	UG/L			26	U		
S	Acenaphthene	UG/L			10	U		
S	Acenaphthylene	UG/L			10	U		
S	Anthracene	UG/L			10	U		
S	Benzo(a)anthracene	UG/L			10	U		
S	Benzo(a)pyrene	UG/L			10	U		
S	Benzo(b)fluoranthene	UG/L			10	U		
S	Benzo(g,h,i)perylene	UG/L			10	U		
S	Benzo(k)fluoranthene	UG/L			10	U		
S	Butylbenzylphthalate	UG/L			10	U		
S	Carbazole	UG/L			10	U		

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWMCC4DISS	693GWMCC5		693GWMCC5
			LAB SAMPLE ID--->	85122	85108		85108S
			RECEIPT DATE---->	.	07/14/93		.
	PARAMETER	UNITS					
S	Chrysene	UG/L			10	U	
S	Di-n-butylphthalate	UG/L			10	U	
S	Di-n-octylphthalate	UG/L			10	U	
S	Dibenz(a,h)anthracene	UG/L			10	U	
S	Dibenzofuran	UG/L			10	U	
S	Diethylphthalate	UG/L			2	U	
S	Dimethylphthalate	UG/L			10	U	
S	Fluoranthene	UG/L			10	U	
S	Fluorene	UG/L			10	U	
S	Hexachlorobenzene	UG/L			10	U	
S	Hexachlorobutadiene	UG/L			10	U	
S	Hexachlorocyclopentadiene	UG/L			10	U	
S	Hexachloroethane	UG/L			10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	
S	Isophorone	UG/L			10	U	
S	N-Nitroso-di-n-propylamine	UG/L			10	U	
S	N-Nitrosodiphenylamine	UG/L			10	U	
S	Naphthalene	UG/L			7	J	
	Nitrobenzene	UG/L			10	U	
	Pentachlorophenol	UG/L			26	U	
S	Phenanthrene	UG/L			10	U	
S	Phenol	UG/L			10	U	
S	Pyrene	UG/L			10	U	
S	bis(2-Chloroethoxy)methane	UG/L			10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L			4	U	
S	bis(2-chloroethyl)ether	UG/L			10	U	
S	bis(2-chloroisopropyl)ether	UG/L			10	U	
V	1,1,1-Trichloroethane	UG/L			10	U	
V	1,1,2,2-Tetrachloroethane	UG/L			10	U	
V	1,1,2-Trichloroethane	UG/L			10	U	
V	1,1-Dichloroethane	UG/L			10	U	
V	1,1-Dichloroethene	UG/L			10	U	
V	1,2-Dichloroethane	UG/L			10	U	
V	1,2-Dichloroethene (total)	UG/L			10	U	
V	1,2-Dichloropropane	UG/L			10	U	
V	2-Butanone	UG/L			10	U	
V	2-Hexanone	UG/L			10	U	
V	4-Methyl-2-Pentanone	UG/L			10	U	
V	Acetone	UG/L			27	U	
V	Benzene	UG/L			9	J	
V	Bromodichloromethane	UG/L			10	U	
V	Bromoform	UG/L			10	U	
V	Bromomethane	UG/L			10	U	
V	Carbon Disulfide	UG/L			10	U	
	Carbon Tetrachloride	UG/L			10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC4DISS	693GWMCC5		693GWMCC
		LAB SAMPLE ID--->	85122	85108		85108S
		RECEIPT DATE---->	.	07/14/93		.
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L		17		
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		2	J	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC5DISS		693GWMCC6		693GWMCC6D	
	LAB SAMPLE ID--->		85123		85110		85111	
	RECEIPT DATE---->		07/14/93		07/14/93		07/14/93	
I	Aluminum	UG/L	20	U	23900	J	24300	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	5	J	10.2	J	8.5	J
I	Barium	UG/L	172	J	470		458	
I	Beryllium	UG/L	1	U	1.9	J	1.9	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	206000		271000		271000	
I	Chromium	UG/L	6.6	J	27.8		27.3	
I	Cobalt	UG/L	5	U	8.9	J	7.8	J
I	Copper	UG/L	8.2	U	38.5		35.1	
I	Cyanide	UG/L						
I	Iron	UG/L	12400		55200		55200	
I	Lead	UG/L	2.6	J	76.9		73.4	
I	Magnesium	UG/L	13100		15200		14900	
I	Manganese	UG/L	892		2250		2280	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	10	U	15.9	J	10.6	J
	Potassium	UG/L	12500		14200		14000	
	Selenium	UG/L	1	UJ	1	UJ	1	UJ
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	23400		26900		26100	
I	Thallium	UG/L	2	UJ	10	UJ	10	UJ
I	Vanadium	UG/L	3.1	J	27.8	J	27.4	J
I	Zinc	UG/L	29.5		116		112	
P	4,4'-DDD	UG/L			0.05	U	0.05	U
P	4,4'-DDE	UG/L			0.05	U	0.05	U
P	4,4'-DDT	UG/L			0.05	U	0.05	U
P	Aldrin	UG/L			0.025	U	0.025	U
P	Aroclor 1016	UG/L			0.5	U	0.5	U
P	Aroclor 1221	UG/L			1	U	1	U
P	Aroclor 1232	UG/L			0.5	U	0.5	U
P	Aroclor 1242	UG/L			0.5	U	0.5	U
P	Aroclor 1248	UG/L			0.5	U	0.5	U
P	Aroclor 1254	UG/L			0.5	U	0.5	U
P	Aroclor 1260	UG/L			0.5	U	0.5	U
P	Dieldrin	UG/L			0.05	U	0.05	U
P	Endosulfan I	UG/L			0.025	U	0.025	U
P	Endosulfan II	UG/L			0.05	U	0.05	U
P	Endosulfan sulfate	UG/L			0.05	U	0.05	U
P	Endrin	UG/L			0.05	U	0.05	U
P	Endrin aldehyde	UG/L			0.05	U	0.05	U
P	Endrin ketone	UG/L			0.05	U	0.05	U
P	Heptachlor	UG/L			0.025	U	0.025	U
P	Heptachlor epoxide	UG/L			0.025	U	0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC5DISS		693GWMCC6		693GWMCC6D	
	LAB SAMPLE ID--->		85123		85110		85111	
	RECEIPT DATE---->		.		07/14/93		07/14/93	
P	Methoxychlor	UG/L	0.25	U	0.25	U		
P	Toxaphene	UG/L	2.5	U	2.5	U		
P	alpha-BHC	UG/L	0.025	U	0.025	U		
P	alpha-Chlordane	UG/L	0.025	U	0.025	U		
P	beta-BHC	UG/L	0.025	U	0.025	U		
P	delta-BHC	UG/L	0.025	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U		
P	gamma-Chlordane	UG/L	0.025	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U		
S	1,2-Dichlorobenzene	UG/L	10	U	2	J		
S	1,3-Dichlorobenzene	UG/L	10	U	10	U		
S	1,4-Dichlorobenzene	UG/L	10	U	10	U		
S	2,4,5-Trichlorophenol	UG/L	26	U	26	U		
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U		
S	2,4-Dichlorophenol	UG/L	10	U	10	U		
S	2,4-Dimethylphenol	UG/L	10	U	10	U		
S	2,4-Dinitrophenol	UG/L	26	U	26	U		
S	2,4-Dinitrotoluene	UG/L	10	U	10	U		
S	2,6-Dinitrotoluene	UG/L	10	U	10	U		
S	2-Chloronaphthalene	UG/L	10	U	10	U		
S	2-Chlorophenol	UG/L	10	U	10	U		
S	2-Methylnaphthalene	UG/L	10	U	10	U		
S	2-Methylphenol	UG/L	10	U	10	U		
S	2-Nitroaniline	UG/L	26	U	26	U		
S	2-Nitrophenol	UG/L	10	U	10	U		
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U		
S	3-Nitroaniline	UG/L	26	U	26	U		
S	4,6-Dinitro-2-methylphenol	UG/L	26	U	26	U		
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U		
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U		
S	4-Chloroaniline	UG/L	10	U	10	U		
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U		
S	4-Methylphenol	UG/L	10	U	10	U		
S	4-Nitroaniline	UG/L	26	U	26	U		
S	4-Nitrophenol	UG/L	26	U	26	U		
S	Acenaphthene	UG/L	10	U	10	U		
S	Acenaphthylene	UG/L	10	U	10	U		
S	Anthracene	UG/L	10	U	10	U		
S	Benzo(a)anthracene	UG/L	10	U	10	U		
S	Benzo(a)pyrene	UG/L	10	U	10	U		
S	Benzo(b)fluoranthene	UG/L	10	U	10	U		
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U		
S	Benzo(k)fluoranthene	UG/L	10	U	10	U		
S	Butylbenzylphthalate	UG/L	10	U	10	U		
S	Carbazole	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC5DISS		SAMPLE ID ------> 693GWMCC6		SAMPLE ID ------> 693GWMCC6D	
	LAB SAMPLE ID--->		85123		85110		85111	
	RECEIPT DATE---->				07/14/93		07/14/93	
S	Chrysene	UG/L	10	U	10	U		
S	Di-n-butylphthalate	UG/L	10	U	10	U		
S	Di-n-octylphthalate	UG/L	10	U	10	U		
S	Dibenz(a,h)anthracene	UG/L	10	U	10	U		
S	Dibenzofuran	UG/L	10	U	10	U		
S	Diethylphthalate	UG/L	10	U	10	U		
S	Dimethylphthalate	UG/L	10	U	10	U		
S	Fluoranthene	UG/L	10	U	10	U		
S	Fluorene	UG/L	10	U	10	U		
S	Hexachlorobenzene	UG/L	10	U	10	U		
S	Hexachlorobutadiene	UG/L	10	U	10	U		
S	Hexachlorocyclopentadiene	UG/L	10	U	10	U		
S	Hexachloroethane	UG/L	10	U	10	U		
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U	10	U		
S	Isophorone	UG/L	10	U	10	U		
S	N-Nitroso-di-n-propylamine	UG/L	10	U	10	U		
S	N-Nitrosodiphenylamine	UG/L	10	U	10	U		
S	Naphthalene	UG/L	10	U	1	J		
	Nitrobenzene	UG/L	10	U	10	U		
	Pentachlorophenol	UG/L	26	U	26	U		
S	Phenanthrene	UG/L	10	U	10	U		
S	Phenol	UG/L	10	U	10	U		
S	Pyrene	UG/L	10	U	10	U		
S	bis(2-Chloroethoxy)methane	UG/L	10	U	10	U		
S	bis(2-Ethlyhexy)phthalate	UG/L	3	U	2	U		
S	bis(2-chloroethyl)ether	UG/L	10	U	10	U		
S	bis(2-chloroisopropyl)ether	UG/L	10	U	10	U		
V	1,1,1-Trichloroethane	UG/L	10	U	10	U		
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U		
V	1,1,2-Trichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethene	UG/L	10	U	10	U		
V	1,2-Dichloroethane	UG/L	10	U	10	U		
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U		
V	1,2-Dichloropropane	UG/L	10	U	10	U		
V	2-Butanone	UG/L	10	U	10	U		
V	2-Hexanone	UG/L	10	U	10	U		
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U		
V	Acetone	UG/L	10	U	10	U		
V	Benzene	UG/L	4	J	3	J		
V	Bromodichloromethane	UG/L	10	U	10	U		
V	Bromoform	UG/L	10	U	10	U		
V	Bromomethane	UG/L	10	U	10	U		
V	Carbon Disulfide	UG/L	10	U	10	U		
	Carbon Tetrachloride	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC5DISS		693GWMCC6		693GWMCC6D
		LAB SAMPLE ID--->	85123		85110		85111
		RECEIPT DATE---->	.		07/14/93		07/14/93
	PARAMETER	UNITS					
V	Chlorobenzene	UG/L			11		9 J
V	Chloroethane	UG/L			10	U	10 U
V	Chloroform	UG/L			10	U	10 U
V	Chloromethane	UG/L			10	U	10 U
V	Dibromochloromethane	UG/L			10	U	10 U
V	Ethylbenzene	UG/L			10	U	10 U
V	Methylene Chloride	UG/L			10	U	10 U
V	Styrene	UG/L			10	U	10 U
V	Tetrachloroethene	UG/L			10	U	10 U
V	Toluene	UG/L			10	U	10 U
V	Trichloroethene	UG/L			10	U	10 U
V	Vinyl Chloride	UG/L			10	U	10 U
V	Xylene (total)	UG/L			10	U	10 U
V	cis-1,3-Dichloropropene	UG/L			10	U	10 U
V	trans-1,3-Dichloropropene	UG/L			10	U	10 U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC6DDISS		693GWMCC6DISS		693GWMCC7	
	LAB SAMPLE ID--->		85126		85125		85247	
	RECEIPT DATE---->		07/14/93		07/14/93		07/16/93	
I	Aluminum	UG/L	20	U	20	U	3080	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	4.6	J	4.2	J	12.2	
I	Barium	UG/L	319		346		157	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	248000		259000		111000	
I	Chromium	UG/L	6.4	J	6	U	9.3	J
I	Cobalt	UG/L	5.4	J	5.2	J	5	U
I	Copper	UG/L	8.8	U	4.3	U	21	J
I	Cyanide	UG/L						
I	Iron	UG/L	23600		24300		20400	
I	Lead	UG/L	2	UJ	2	UJ	40.7	
I	Magnesium	UG/L	14300		15500		6890	
I	Manganese	UG/L	1860		1930		639	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	UJ
I	Nickel	UG/L	10	U	10	U	12.8	J
	Potassium	UG/L	13200		14300		10200	
	Selenium	UG/L	1	UJ	1	UJ	1	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	29900		32200		20800	
I	Thallium	UG/L	2	UJ	10	UJ	2	UJ
I	Vanadium	UG/L	3	U	3	U	9.1	J
I	Zinc	UG/L	13.1	J	26.3		65.6	
P	4,4'-DDD	UG/L					0.05	U
P	4,4'-DDE	UG/L					0.05	U
P	4,4'-DDT	UG/L					0.05	U
P	Aldrin	UG/L					0.025	U
P	Aroclor 1016	UG/L					0.5	U
P	Aroclor 1221	UG/L					1	U
P	Aroclor 1232	UG/L					0.5	U
P	Aroclor 1242	UG/L					0.5	U
P	Aroclor 1248	UG/L					0.5	U
P	Aroclor 1254	UG/L					0.5	U
P	Aroclor 1260	UG/L					0.5	U
P	Dieldrin	UG/L					0.05	U
P	Endosulfan I	UG/L					0.025	U
P	Endosulfan II	UG/L					0.05	U
P	Endosulfan sulfate	UG/L					0.05	U
P	Endrin	UG/L					0.05	U
P	Endrin aldehyde	UG/L					0.05	U
P	Endrin ketone	UG/L					0.05	U
P	Heptachlor	UG/L					0.025	U
	Heptachlor epoxide	UG/L					0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC6DDISS LAB SAMPLE ID---> 85126 RECEIPT DATE----> .		SAMPLE ID ------> 693GWMCC6DISS LAB SAMPLE ID---> 85125 RECEIPT DATE----> .		SAMPLE ID ------> 693GWMCC LAB SAMPLE ID---> 85247 RECEIPT DATE----> 07/16/93	
P	Methoxychlor	UG/L					0.25	U
P	Toxaphene	UG/L					2.5	U
P	alpha-BHC	UG/L					0.025	U
P	alpha-Chlordane	UG/L					0.025	U
P	beta-BHC	UG/L					0.025	U
P	delta-BHC	UG/L					0.025	U
P	gamma-BHC (Lindane)	UG/L					0.025	U
P	gamma-Chlordane	UG/L					0.025	U
S	1,2,4-Trichlorobenzene	UG/L					10	U
S	1,2-Dichlorobenzene	UG/L					10	U
S	1,3-Dichlorobenzene	UG/L					10	U
S	1,4-Dichlorobenzene	UG/L					10	U
S	2,4,5-Trichlorophenol	UG/L					26	U
S	2,4,6-Trichlorophenol	UG/L					10	U
S	2,4-Dichlorophenol	UG/L					10	U
S	2,4-Dimethylphenol	UG/L					120	J
S	2,4-Dinitrophenol	UG/L					26	U
S	2,4-Dinitrotoluene	UG/L					10	U
S	2,6-Dinitrotoluene	UG/L					10	U
S	2-Chloronaphthalene	UG/L					10	U
S	2-Chlorophenol	UG/L					10	U
S	2-Methylnaphthalene	UG/L					17	
S	2-Methylphenol	UG/L					2	J
S	2-Nitroaniline	UG/L					26	U
S	2-Nitrophenol	UG/L					10	U
S	3,3'-Dichlorobenzidine	UG/L					10	U
S	3-Nitroaniline	UG/L					26	U
S	4,6-Dinitro-2-methylphenol	UG/L					26	U
S	4-Bromophenyl-phenylether	UG/L					10	U
S	4-Chloro-3-methylphenol	UG/L					10	U
S	4-Chloroaniline	UG/L					10	U
S	4-Chlorophenyl-phenylether	UG/L					10	U
S	4-Methylphenol	UG/L					10	U
S	4-Nitroaniline	UG/L					26	U
S	4-Nitrophenol	UG/L					26	U
S	Acenaphthene	UG/L					10	U
S	Acenaphthylene	UG/L					10	U
S	Anthracene	UG/L					10	U
S	Benzo(a)anthracene	UG/L					10	U
S	Benzo(a)pyrene	UG/L					10	U
S	Benzo(b)fluoranthene	UG/L					10	U
S	Benzo(g,h,i)perylene	UG/L					10	U
S	Benzo(k)fluoranthene	UG/L					10	U
S	Butylbenzylphthalate	UG/L					10	U
S	Carbazole	UG/L					10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC6DDISS LAB SAMPLE ID---> 85126 RECEIPT DATE----> .	693GWMCC6DISS 85125 .	693GWMCC7 85247 07/16/93	
S	Chrysene	UG/L			10	U
S	Di-n-butylphthalate	UG/L			10	U
S	Di-n-octylphthalate	UG/L			10	U
S	Dibenz(a,h)anthracene	UG/L			10	U
S	Dibenzofuran	UG/L			10	U
S	Diethylphthalate	UG/L			10	U
S	Dimethylphthalate	UG/L			10	U
S	Fluoranthene	UG/L			10	U
S	Fluorene	UG/L			10	U
S	Hexachlorobenzene	UG/L			10	U
S	Hexachlorobutadiene	UG/L			10	U
S	Hexachlorocyclopentadiene	UG/L			10	U
S	Hexachloroethane	UG/L			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U
S	Isophorone	UG/L			10	U
S	N-Nitroso-di-n-propylamine	UG/L			10	U
S	N-Nitrosodiphenylamine	UG/L			10	U
S	Naphthalene	UG/L			35	
-	Nitrobenzene	UG/L			10	U
	Pentachlorophenol	UG/L			26	U
S	Phenanthrene	UG/L			10	U
S	Phenol	UG/L			10	U
S	Pyrene	UG/L			10	U
S	bis(2-Chloroethoxy)methane	UG/L			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L			2	U
S	bis(2-chloroethyl)ether	UG/L			10	U
S	bis(2-chloroisopropyl)ether	UG/L			10	U
V	1,1,1-Trichloroethane	UG/L			10	U
V	1,1,2,2-Tetrachloroethane	UG/L			10	U
V	1,1,2-Trichloroethane	UG/L			10	U
V	1,1-Dichloroethane	UG/L			10	U
V	1,1-Dichloroethene	UG/L			10	U
V	1,2-Dichloroethane	UG/L			10	U
V	1,2-Dichloroethene (total)	UG/L			10	U
V	1,2-Dichloropropane	UG/L			10	U
V	2-Butanone	UG/L			10	
V	2-Hexanone	UG/L			10	U
V	4-Methyl-2-Pentanone	UG/L			10	U
V	Acetone	UG/L			50	U
V	Benzene	UG/L			44	
V	Bromodichloromethane	UG/L			10	U
V	Bromoform	UG/L			10	U
V	Bromomethane	UG/L			10	U
V	Carbon Disulfide	UG/L			10	U
	Carbon Tetrachloride	UG/L			10	U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC6DDISS	693GWMCC6DISS	693GWMCC,	
		LAB SAMPLE ID--->	85126	85125	85247	
		RECEIPT DATE---->	.	.	07/16/93	
	PARAMETER	UNITS				
V	Chlorobenzene	UG/L			10	U
V	Chloroethane	UG/L			10	U
V	Chloroform	UG/L			10	U
V	Chloromethane	UG/L			10	U
V	Dibromochloromethane	UG/L			10	U
V	Ethylbenzene	UG/L			24	
V	Methylene Chloride	UG/L			2	U
V	Styrene	UG/L			10	U
V	Tetrachloroethene	UG/L			10	U
V	Toluene	UG/L			10	U
V	Trichloroethene	UG/L			10	U
V	Vinyl Chloride	UG/L			10	U
V	Xylene (total)	UG/L			4	J
V	cis-1,3-Dichloropropene	UG/L			10	U
V	trans-1,3-Dichloropropene	UG/L			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC7DISS		693GWMCC8		693GWMCC8DIS	
	LAB SAMPLE ID--->		85250		84994		85019	
	RECEIPT DATE---->		07/16/93		07/13/93		07/13/93	
I	Aluminum	UG/L	20	U	3680		20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	13.5	J	3.2	J	3	U
I	Barium	UG/L	159	J	68.2	J	71.6	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	123000		77400		85500	
I	Chromium	UG/L	6	U	6.7	J	6	U
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	6.4	U	7.2	U	3	U
I	Cyanide	UG/L						
I	Iron	UG/L	22800		8030		2240	J
I	Lead	UG/L	2	U	3.1	J	2	U
I	Magnesium	UG/L	8810		6140		7630	
I	Manganese	UG/L	677		179		201	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	10	U	11.8	U	10	U
	Potassium	UG/L	9000		2990	J	3230	J
	Selenium	UG/L	1	U	1	U	1.8	U
I	Silver	UG/L	4	U	4	U	4	UJ
I	Sodium	UG/L	27600		23700		30500	
I	Thallium	UG/L	2	U	2	UJ	10	R
I	Vanadium	UG/L	3	U	4.1	J	3	U
I	Zinc	UG/L	24.8	UJ	36.4	U	9	J
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC7DISS LAB SAMPLE ID---> 85250 RECEIPT DATE----> .		SAMPLE ID ------> 693GWMCC8 LAB SAMPLE ID---> 84994 RECEIPT DATE----> 07/13/93		SAMPLE ID ------> 693GWMCC6DIS LAB SAMPLE ID---> 85019 RECEIPT DATE----> .	
P	Methoxychlor	UG/L			0.25	U		
P	Toxaphene	UG/L			2.5	U		
P	alpha-BHC	UG/L			0.025	U		
P	alpha-Chlordane	UG/L			0.025	U		
P	beta-BHC	UG/L			0.025	U		
P	delta-BHC	UG/L			0.025	U		
P	gamma-BHC (Lindane)	UG/L			0.025	U		
P	gamma-Chlordane	UG/L			0.025	U		
S	1,2,4-Trichlorobenzene	UG/L			10	U		
S	1,2-Dichlorobenzene	UG/L			10	U		
S	1,3-Dichlorobenzene	UG/L			10	U		
S	1,4-Dichlorobenzene	UG/L			10	U		
S	2,4,5-Trichlorophenol	UG/L			25	U		
S	2,4,6-Trichlorophenol	UG/L			10	U		
S	2,4-Dichlorophenol	UG/L			10	U		
S	2,4-Dimethylphenol	UG/L			10	U		
S	2,4-Dinitrophenol	UG/L			25	U		
S	2,4-Dinitrotoluene	UG/L			10	U		
S	2,6-Dinitrotoluene	UG/L			10	U		
S	2-Chloronaphthalene	UG/L			10	U		
S	2-Chlorophenol	UG/L			10	U		
S	2-Methylnaphthalene	UG/L			10	U		
S	2-Methylphenol	UG/L			10	U		
S	2-Nitroaniline	UG/L			25	U		
S	2-Nitrophenol	UG/L			10	U		
S	3,3'-Dichlorobenzidine	UG/L			10	U		
S	3-Nitroaniline	UG/L			25	U		
S	4,6-Dinitro-2-methylphenol	UG/L			25	U		
S	4-Bromophenyl-phenylether	UG/L			10	U		
S	4-Chloro-3-methylphenol	UG/L			10	U		
S	4-Chloroaniline	UG/L			10	U		
S	4-Chlorophenyl-phenylether	UG/L			10	U		
S	4-Methylphenol	UG/L			10	U		
S	4-Nitroaniline	UG/L			25	U		
S	4-Nitrophenol	UG/L			25	U		
S	Acenaphthene	UG/L			10	U		
S	Acenaphthylene	UG/L			10	U		
S	Anthracene	UG/L			10	U		
S	Benzo(a)anthracene	UG/L			10	U		
S	Benzo(a)pyrene	UG/L			10	U		
S	Benzo(b)fluoranthene	UG/L			10	U		
S	Benzo(g,h,i)perylene	UG/L			10	U		
S	Benzo(k)fluoranthene	UG/L			10	U		
S	Butylbenzylphthalate	UG/L			10	U		
S	Carbazole	UG/L			10	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC7DISS	693GWMCC8		693GWMCC8DIS
		LAB SAMPLE ID--->	85250	84994		85019
		RECEIPT DATE---->	.	07/13/93		.
	PARAMETER	UNITS				
S	Chrysene	UG/L		10	U	
S	Di-n-butylphthalate	UG/L		10	U	
S	Di-n-octylphthalate	UG/L		10	U	
S	Dibenz(a,h)anthracene	UG/L		10	U	
S	Dibenzofuran	UG/L		10	U	
S	Diethylphthalate	UG/L		10	U	
S	Dimethylphthalate	UG/L		10	U	
S	Fluoranthene	UG/L		10	U	
S	Fluorene	UG/L		10	U	
S	Hexachlorobenzene	UG/L		10	U	
S	Hexachlorobutadiene	UG/L		10	U	
S	Hexachlorocyclopentadiene	UG/L		10	U	
S	Hexachloroethane	UG/L		10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	
S	Isophorone	UG/L		10	U	
S	N-Nitroso-di-n-propylamine	UG/L		10	U	
S	N-Nitrosodiphenylamine	UG/L		10	U	
S	Naphthalene	UG/L		10	U	
	Nitrobenzene	UG/L		10	U	
	Pentachlorophenol	UG/L		25	U	
S	Phenanthrene	UG/L		10	U	
S	Phenol	UG/L		10	U	
S	Pyrene	UG/L		10	U	
S	bis(2-Chloroethoxy)methane	UG/L		10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U	
S	bis(2-chloroethyl)ether	UG/L		10	U	
S	bis(2-chloroisopropyl)ether	UG/L		10	U	
V	1,1,1-Trichloroethane	UG/L		10	U	
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	
V	1,1,2-Trichloroethane	UG/L		10	U	
V	1,1-Dichloroethane	UG/L		10	U	
V	1,1-Dichloroethene	UG/L		10	U	
V	1,2-Dichloroethane	UG/L		10	U	
V	1,2-Dichloroethene (total)	UG/L		10	U	
V	1,2-Dichloropropane	UG/L		10	U	
V	2-Butanone	UG/L		10	U	
V	2-Hexanone	UG/L		10	U	
V	4-Methyl-2-Pentanone	UG/L		10	U	
V	Acetone	UG/L		10	U	
V	Benzene	UG/L		10	U	
V	Bromodichloromethane	UG/L		10	U	
V	Bromoform	UG/L		10	U	
V	Bromomethane	UG/L		10	U	
V	Carbon Disulfide	UG/L		10	U	
	Carbon Tetrachloride	UG/L		10	U	

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC7DISS	693GWMCC8	693GWMCC8DIS
		LAB SAMPLE ID--->	85250	84994	85019
		RECEIPT DATE---->		07/13/93	
	PARAMETER	UNITS			
V	Chlorobenzene	UG/L		3 J	
V	Chloroethane	UG/L		10 U	
V	Chloroform	UG/L		10 U	
V	Chloromethane	UG/L		10 U	
V	Dibromochloromethane	UG/L		10 U	
V	Ethylbenzene	UG/L		10 U	
V	Methylene Chloride	UG/L		2 U	
V	Styrene	UG/L		10 U	
V	Tetrachloroethene	UG/L		10 U	
V	Toluene	UG/L		10 U	
V	Trichloroethene	UG/L		10 U	
V	Vinyl Chloride	UG/L		10 U	
V	Xylene (total)	UG/L		10 U	
V	cis-1,3-Dichloropropene	UG/L		10 U	
V	trans-1,3-Dichloropropene	UG/L		10 U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC9 LAB SAMPLE ID---> 4984S RECEIPT DATE----> 07/13/93		693GWMCC9 84984 07/13/93		693GWMCC9DIS 85009 07/13/93	
I	Aluminum	UG/L	4220				20	U
I	Antimony	UG/L	30	U			30	U
I	Arsenic	UG/L	6.2	J			3.4	J
I	Barium	UG/L	222				213	
I	Beryllium	UG/L	1	U			1	U
I	Cadmium	UG/L	3	U			3	U
I	Calcium	UG/L	126000				134000	
I	Chromium	UG/L	6	U			6	U
I	Cobalt	UG/L	5	U			5	U
I	Copper	UG/L	6.6	U			3	U
I	Cyanide	UG/L						
I	Iron	UG/L	17400				5650	J
I	Lead	UG/L	3.8	J			2	U
I	Magnesium	UG/L	25100				27100	
I	Manganese	UG/L	243				252	
I	Mercury	UG/L	0.2	UJ			0.2	U
I	Nickel	UG/L	11.9	U			10	U
	Potassium	UG/L	17600				18700	
	Selenium	UG/L	1.4	U			2.6	U
I	Silver	UG/L	4	U			4	UJ
I	Sodium	UG/L	69200				76100	
I	Thallium	UG/L	10	UJ			10	R
I	Vanadium	UG/L	7.3	J			3	U
I	Zinc	UG/L	24.2	UJ			21.7	
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
	Heptachlor epoxide	UG/L			0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWMCC9		693GWMCC9		693GWMCC9D1S	
			LAB SAMPLE ID---> 4984S		84984		85009	
			RECEIPT DATE----> .		07/13/93		.	
P	Methoxychlor	UG/L			0.25	U		
P	Toxaphene	UG/L			2.5	U		
P	alpha-BHC	UG/L			0.025	U		
P	alpha-Chlordane	UG/L			0.025	U		
P	beta-BHC	UG/L			0.025	U		
P	delta-BHC	UG/L			0.025	U		
P	gamma-BHC (Lindane)	UG/L			0.025	U		
P	gamma-Chlordane	UG/L			0.025	U		
S	1,2,4-Trichlorobenzene	UG/L			10	U		
S	1,2-Dichlorobenzene	UG/L			10	U		
S	1,3-Dichlorobenzene	UG/L			10	U		
S	1,4-Dichlorobenzene	UG/L			11			
S	2,4,5-Trichlorophenol	UG/L			24	U		
S	2,4,6-Trichlorophenol	UG/L			10	U		
S	2,4-Dichlorophenol	UG/L			10	U		
S	2,4-Dimethylphenol	UG/L			10	U		
S	2,4-Dinitrophenol	UG/L			24	U		
S	2,4-Dinitrotoluene	UG/L			10	U		
S	2,6-Dinitrotoluene	UG/L			10	U		
S	2-Chloronaphthalene	UG/L			10	U		
S	2-Chlorophenol	UG/L			10	U		
S	2-Methylnaphthalene	UG/L			10	U		
S	2-Methylphenol	UG/L			10	U		
S	2-Nitroaniline	UG/L			24	U		
S	2-Nitrophenol	UG/L			10	U		
S	3,3'-Dichlorobenzidine	UG/L			10	U		
S	3-Nitroaniline	UG/L			24	U		
S	4,6-Dinitro-2-methylphenol	UG/L			24	U		
S	4-Bromophenyl-phenylether	UG/L			10	U		
S	4-Chloro-3-methylphenol	UG/L			10	U		
S	4-Chloroaniline	UG/L			10	U		
S	4-Chlorophenyl-phenylether	UG/L			10	U		
S	4-Methylphenol	UG/L			10	U		
S	4-Nitroaniline	UG/L			24	U		
S	4-Nitrophenol	UG/L			24	U		
S	Acenaphthene	UG/L			10	U		
S	Acenaphthylene	UG/L			10	U		
S	Anthracene	UG/L			10	U		
S	Benzo(a)anthracene	UG/L			10	U		
S	Benzo(a)pyrene	UG/L			10	U		
S	Benzo(b)fluoranthene	UG/L			10	U		
S	Benzo(g,h,i)perylene	UG/L			10	U		
S	Benzo(k)fluoranthene	UG/L			10	U		
S	Butylbenzylphthalate	UG/L			10	U		
S	Carbazole	UG/L			1	J		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC9	693GWMCC9	693GWMCC9DIS
		LAB SAMPLE ID--->	4984S	84984	85009
		RECEIPT DATE---->		07/13/93	
	PARAMETER	UNITS			
S	Chrysene	UG/L		10	U
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		1	J
S	Nitrobenzene	UG/L		10	U
	Pentachlorophenol	UG/L		24	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		2	U
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U
V	1,1,1-Trichloroethane	UG/L		10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U
V	1,1,2-Trichloroethane	UG/L		10	U
V	1,1-Dichloroethane	UG/L		10	U
V	1,1-Dichloroethene	UG/L		10	U
V	1,2-Dichloroethane	UG/L		10	U
V	1,2-Dichloroethene (total)	UG/L		10	U
V	1,2-Dichloropropane	UG/L		10	U
V	2-Butanone	UG/L		10	U
V	2-Hexanone	UG/L		10	U
V	4-Methyl-2-Pentanone	UG/L		10	U
V	Acetone	UG/L		10	U
V	Benzene	UG/L		2	J
V	Bromodichloromethane	UG/L		10	U
V	Bromoform	UG/L		10	U
V	Bromomethane	UG/L		10	U
V	Carbon Disulfide	UG/L		10	U
	Carbon Tetrachloride	UG/L		10	U

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWMCC9	693GWMCC9	693GWMCC9DUP
		LAB SAMPLE ID--->	4984S	84984	85009
		RECEIPT DATE---->	.	07/13/93	.
	PARAMETER	UNITS			
V	Chlorobenzene	UG/L		32	
V	Chloroethane	UG/L		10	U
V	Chloroform	UG/L		10	U
V	Chloromethane	UG/L		10	U
V	Dibromochloromethane	UG/L		10	U
V	Ethylbenzene	UG/L		10	U
V	Methylene Chloride	UG/L		10	U
V	Styrene	UG/L		10	U
V	Tetrachloroethene	UG/L		10	U
V	Toluene	UG/L		10	U
V	Trichloroethene	UG/L		10	U
V	Vinyl Chloride	UG/L		10	U
V	Xylene (total)	UG/L		10	U
V	cis-1,3-Dichloropropene	UG/L		10	U
V	trans-1,3-Dichloropropene	UG/L		10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI24		693GWREI25		693GWREI25DI	
	LAB SAMPLE ID--->		85234		85114		85129	
	RECEIPT DATE---->		07/15/93		07/14/93		07/14/93	
I	Aluminum	UG/L	690		1420	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	5.1	J	10.5	J	7.7	J
I	Barium	UG/L	186	J	526		463	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	139000		95900		98100	
I	Chromium	UG/L	12.2		34		28.5	
I	Cobalt	UG/L	5	U	5	U	5	U
I	Copper	UG/L	9	J	12.1	J	4.3	U
I	Cyanide	UG/L						
I	Iron	UG/L	59600		13200		14000	
I	Lead	UG/L	22.2		11		2	UJ
I	Magnesium	UG/L	8720		18200		18100	
I	Manganese	UG/L	424		265		273	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	U
I	Nickel	UG/L	10	U	12.7	J	10	U
I	Potassium	UG/L	7560		7170		6970	
	Selenium	UG/L	1	U	1	UJ	3	UJ
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	20300		112000		94000	
I	Thallium	UG/L	2	UJ	10	UJ	10	UJ
I	Vanadium	UG/L	5.4	J	5.8	J	3	U
I	Zinc	UG/L	30.1		152		9.7	J
P	4,4'-DDD	UG/L	0.11	J	0.05	U		
P	4,4'-DDE	UG/L	0.056	J	0.05	U		
P	4,4'-DDT	UG/L	0.048	U	0.05	U		
P	Aldrin	UG/L	0.024	U	0.025	U		
P	Aroclor 1016	UG/L	0.48	U	0.5	U		
P	Aroclor 1221	UG/L	0.97	U	1	U		
P	Aroclor 1232	UG/L	0.48	U	0.5	U		
P	Aroclor 1242	UG/L	0.48	U	0.5	U		
P	Aroclor 1248	UG/L	0.48	U	0.5	U		
P	Aroclor 1254	UG/L	1.2	J	0.5	U		
P	Aroclor 1260	UG/L	0.48	U	0.5	U		
P	Dieldrin	UG/L	0.048	U	0.05	U		
P	Endosulfan I	UG/L	0.035	J	0.025	U		
P	Endosulfan II	UG/L	0.048	U	0.05	U		
P	Endosulfan sulfate	UG/L	0.048	U	0.05	U		
P	Endrin	UG/L	0.048	U	0.05	U		
P	Endrin aldehyde	UG/L	0.048	U	0.05	U		
P	Endrin ketone	UG/L	0.048	U	0.05	U		
P	Heptachlor	UG/L	0.024	U	0.025	U		
	Heptachlor epoxide	UG/L	0.024	U	0.025	U		

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	693GWREI24		693GWREI25		693GWRE1..DI
			LAB SAMPLE ID--->	85234		85114		85129
			RECEIPT DATE---->	07/15/93		07/14/93		
	PARAMETER	UNITS						
P	Methoxychlor	UG/L		0.24	U	0.25	U	
P	Toxaphene	UG/L		2.4	U	2.5	U	
P	alpha-BHC	UG/L		0.024	U	0.025	U	
P	alpha-Chlordane	UG/L		0.024	U	0.025	U	
P	beta-BHC	UG/L		0.024	U	0.025	U	
P	delta-BHC	UG/L		0.024	U	0.025	U	
P	gamma-BHC (Lindane)	UG/L		0.024	U	0.025	U	
P	gamma-Chlordane	UG/L		0.024	U	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L		100	U	50	U	
S	1,2-Dichlorobenzene	UG/L		100	U	50	U	
S	1,3-Dichlorobenzene	UG/L		100	U	50	U	
S	1,4-Dichlorobenzene	UG/L		100	U	50	U	
S	2,4,5-Trichlorophenol	UG/L		250	U	120	U	
S	2,4,6-Trichlorophenol	UG/L		100	U	50	U	
S	2,4-Dichlorophenol	UG/L		100	U	50	U	
S	2,4-Dimethylphenol	UG/L		34	J	15	J	
S	2,4-Dinitrophenol	UG/L		250	U	120	U	
S	2,4-Dinitrotoluene	UG/L		100	U	50	U	
S	2,6-Dinitrotoluene	UG/L		100	U	50	U	
S	2-Chloronaphthalene	UG/L		100	U	50	U	
S	2-Chlorophenol	UG/L		100	U	50	U	
S	2-Methylnaphthalene	UG/L		80	J	97		
S	2-Methylphenol	UG/L		100	U	50	U	
S	2-Nitroaniline	UG/L		250	U	120	U	
S	2-Nitrophenol	UG/L		100	U	50	U	
S	3,3'-Dichlorobenzidine	UG/L		100	U	50	U	
S	3-Nitroaniline	UG/L		250	U	120	U	
S	4,6-Dinitro-2-methylphenol	UG/L		250	U	120	U	
S	4-Bromophenyl-phenylether	UG/L		100	U	50	U	
S	4-Chloro-3-methylphenol	UG/L		100	U	50	U	
S	4-Chloroaniline	UG/L		100	U	50	U	
S	4-Chlorophenyl-phenylether	UG/L		100	U	50	U	
S	4-Methylphenol	UG/L		100	U	50	U	
S	4-Nitroaniline	UG/L		250	U	120	U	
S	4-Nitrophenol	UG/L		250	U	120	U	
S	Acenaphthene	UG/L		100	U	50	U	
S	Acenaphthylene	UG/L		100	U	50	U	
S	Anthracene	UG/L		100	U	50	U	
S	Benzo(a)anthracene	UG/L		100	U	50	U	
S	Benzo(a)pyrene	UG/L		100	U	50	U	
S	Benzo(b)fluoranthene	UG/L		100	U	50	U	
S	Benzo(g,h,i)perylene	UG/L		100	U	50	U	
S	Benzo(k)fluoranthene	UG/L		100	U	50	U	
S	Butylbenzylphthalate	UG/L		100	U	50	U	
S	Carbazole	UG/L		100	U	50	U	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI24		693GWREI25		693GWREI25DI
	LAB SAMPLE ID--->		85234		85114		85129
	RECEIPT DATE---->		07/15/93		07/14/93		
S	Chrysene	UG/L	100	U	50	U	
S	Di-n-butylphthalate	UG/L	100	U	50	U	
S	Di-n-octylphthalate	UG/L	100	U	50	U	
S	Dibenz(a,h)anthracene	UG/L	100	U	50	U	
S	Dibenzofuran	UG/L	100	U	50	U	
S	Diethylphthalate	UG/L	100	U	50	U	
S	Dimethylphthalate	UG/L	100	U	50	U	
S	Fluoranthene	UG/L	100	U	50	U	
S	Fluorene	UG/L	100	U	50	U	
S	Hexachlorobenzene	UG/L	100	U	50	U	
S	Hexachlorobutadiene	UG/L	100	U	50	U	
S	Hexachlorocyclopentadiene	UG/L	100	U	50	U	
S	Hexachloroethane	UG/L	100	U	50	U	
S	Indeno(1,2,3-cd)pyrene	UG/L	100	U	50	U	
S	Isophorone	UG/L	100	U	50	U	
S	N-Nitroso-di-n-propylamine	UG/L	100	U	50	U	
S	N-Nitrosodiphenylamine	UG/L	100	U	50	U	
S	Naphthalene	UG/L	95	J	290		
	Nitrobenzene	UG/L	100	U	50	U	
	Pentachlorophenol	UG/L	250	U	120	U	
S	Phenanthrene	UG/L	100	U	50	U	
S	Phenol	UG/L	100	U	50	U	
S	Pyrene	UG/L	100	U	50	U	
S	bis(2-Chloroethoxy)methane	UG/L	100	U	50	U	
S	bis(2-Ethlyhexy)phthalate	UG/L	.	U	8	U	
S	bis(2-chloroethyl)ether	UG/L	100	U	50	U	
S	bis(2-chloroisopropyl)ether	UG/L	100	U	50	U	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	
V	1,1-Dichloroethane	UG/L	10	U	10	U	
V	1,1-Dichloroethene	UG/L	10	U	10	U	
V	1,2-Dichloroethane	UG/L	10	U	10	U	
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	
V	1,2-Dichloropropane	UG/L	10	U	10	U	
V	2-Butanone	UG/L	3	J	10	U	
V	2-Hexanone	UG/L	10	U	10	U	
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	
V	Acetone	UG/L	20	U	50	U	
V	Benzene	UG/L	27	J	270	J	
V	Bromodichloromethane	UG/L	10	U	10	U	
V	Bromoform	UG/L	10	U	10	U	
V	Bromomethane	UG/L	10	U	10	U	
V	Carbon Disulfide	UG/L	10	U	10	U	
	Carbon Tetrachloride	UG/L	10	U	10	U	

CORPUS CHRISTI
WATER SAMPLES

	SAMPLE ID ------>	693GWREI24		693GWREI25		693GWREI2[illegible]I	
	LAB SAMPLE ID--->	85234		85114		85129	
	RECEIPT DATE---->	07/15/93		07/14/93			
	PARAMETER	UNITS					
V	Chlorobenzene	UG/L	8	J	10	U	
V	Chloroethane	UG/L	10	U	10	U	
V	Chloroform	UG/L	10	U	10	U	
V	Chloromethane	UG/L	10	U	10	U	
V	Dibromochloromethane	UG/L	10	U	10	U	
V	Ethylbenzene	UG/L	66		8	J	
V	Methylene Chloride	UG/L	3	U	10	U	
V	Styrene	UG/L	10	U	10	U	
V	Tetrachloroethene	UG/L	10	U	10	U	
V	Toluene	UG/L	1	J	10	U	
V	Trichloroethene	UG/L	10	U	10	U	
V	Vinyl Chloride	UG/L	2	J	10	U	
V	Xylene (total)	UG/L	7	J	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI25DL		693GWREI30		693GWREI30DI	
			LAB SAMPLE ID---> 85114DL		85227		85240	
			RECEIPT DATE----> 07/14/93		07/15/93		07/15/93	
I	Aluminum	UG/L	2460	J	1410			
I	Antimony	UG/L	30	U	30	U		
I	Arsenic	UG/L	5.3	J	5.7	J		
I	Barium	UG/L	124	J	137	J		
I	Beryllium	UG/L	1	U	1	U		
I	Cadmium	UG/L	3	U	3	U		
I	Calcium	UG/L	275000		292000			
I	Chromium	UG/L	6	U	6	U		
I	Cobalt	UG/L	41.3	J	41.8	J		
I	Copper	UG/L	5.3	J	4.4	U		
I	Cyanide	UG/L						
I	Iron	UG/L	67200		52700			
I	Lead	UG/L	2	U	2	U		
I	Magnesium	UG/L	169000		175000			
I	Manganese	UG/L	218		226			
I	Mercury	UG/L	0.2	UJ	0.2	U		
I	Nickel	UG/L	10.9	J	10	U		
	Potassium	UG/L	31400		32100			
	Selenium	UG/L	4	U	5	U		
I	Silver	UG/L	4	U	4	U		
I	Sodium	UG/L	1280000		1320000			
I	Thallium	UG/L	10	UJ	10	U		
I	Vanadium	UG/L	25.4	J	11.7	U		
I	Zinc	UG/L	13.1	J	17.9	UJ		
S	1,2,4-Trichlorobenzene	UG/L	10	U				
S	1,2-Dichlorobenzene	UG/L	10	U				
S	1,3-Dichlorobenzene	UG/L	10	U				
S	1,4-Dichlorobenzene	UG/L	10	U				
S	2,4,5-Trichlorophenol	UG/L	25	U				
S	2,4,6-Trichlorophenol	UG/L	10	U				
S	2,4-Dichlorophenol	UG/L	10	U				
S	2,4-Dimethylphenol	UG/L	10	U				
S	2,4-Dinitrophenol	UG/L	25	U				
S	2,4-Dinitrotoluene	UG/L	10	U				
S	2,6-Dinitrotoluene	UG/L	10	U				
S	2-Chloronaphthalene	UG/L	10	U				
S	2-Chlorophenol	UG/L	10	U				
S	2-Methylnaphthalene	UG/L	10	U				
S	2-Methylphenol	UG/L	10	U				
S	2-Nitroaniline	UG/L	25	U				
S	2-Nitrophenol	UG/L	10	U				
S	3,3'-Dichlorobenzidine	UG/L	10	U				
S	3-Nitroaniline	UG/L	25	U				
S	4,6-Dinitro-2-methylphenol	UG/L	25	U				

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	693GWREI25DL			693GWREI30		693GWREI30DI
		LAB SAMPLE ID--->	85114DL			85227		85240
		RECEIPT DATE---->	.			07/15/93		.
	PARAMETER	UNITS						
S	4-Bromophenyl-phenylether	UG/L				10	U	
S	4-Chloro-3-methylphenol	UG/L				10	U	
S	4-Chloroaniline	UG/L				10	U	
S	4-Chlorophenyl-phenylether	UG/L				10	U	
S	4-Methylphenol	UG/L				10	U	
S	4-Nitroaniline	UG/L				25	U	
S	4-Nitrophenol	UG/L				25	U	
S	Acenaphthene	UG/L				10	U	
S	Acenaphthylene	UG/L				10	U	
S	Anthracene	UG/L				10	U	
S	Benzo(a)anthracene	UG/L				10	U	
S	Benzo(a)pyrene	UG/L				10	U	
S	Benzo(b)fluoranthene	UG/L				10	U	
S	Benzo(g,h,i)perylene	UG/L				10	U	
S	Benzo(k)fluoranthene	UG/L				10	U	
S	Butylbenzylphthalate	UG/L				10	U	
S	Carbazole	UG/L				10	U	
S	Chrysene	UG/L				10	U	
S	Di-n-butylphthalate	UG/L				10	U	
S	Di-n-octylphthalate	UG/L				10	U	
S	Dibenz(a,h)anthracene	UG/L				10	U	
S	Dibenzofuran	UG/L				10	U	
S	Diethylphthalate	UG/L				10	U	
S	Dimethylphthalate	UG/L				10	U	
S	Fluoranthene	UG/L				10	U	
S	Fluorene	UG/L				10	U	
S	Hexachlorobenzene	UG/L				10	U	
S	Hexachlorobutadiene	UG/L				10	U	
S	Hexachlorocyclopentadiene	UG/L				10	U	
S	Hexachloroethane	UG/L				10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L				10	U	
S	Isophorone	UG/L				10	U	
S	N-Nitroso-di-n-propylamine	UG/L				10	U	
S	N-Nitrosodiphenylamine	UG/L				10	U	
S	Naphthalene	UG/L				10	U	
S	Nitrobenzene	UG/L				10	U	
S	Pentachlorophenol	UG/L				25	U	
S	Phenanthrene	UG/L				10	U	
S	Phenol	UG/L				10	U	
S	Pyrene	UG/L				10	U	
S	bis(2-Chloroethoxy)methane	UG/L				10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L				1	U	
S	bis(2-chloroethyl)ether	UG/L				10	U	
S	bis(2-chloroisopropyl)ether	UG/L				10	U	
V	1,1,1-Trichloroethane	UG/L	20	U		10	U	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693GWREI25DL		693GWREI30		693GWREI30DI
	LAB SAMPLE ID--->		85114DL		85227		85240
	RECEIPT DATE---->		07/14/93		07/15/93		
V	1,1,2,2-Tetrachloroethane	UG/L	20	U	10	U	
V	1,1,2-Trichloroethane	UG/L	20	U	10	U	
V	1,1-Dichloroethane	UG/L	20	U	10	U	
V	1,1-Dichloroethene	UG/L	20	U	10	U	
V	1,2-Dichloroethane	UG/L	20	U	10	U	
V	1,2-Dichloroethene (total)	UG/L	20	U	10	U	
V	1,2-Dichloropropane	UG/L	20	U	10	U	
V	2-Butanone	UG/L	20	U	10	U	
V	2-Hexanone	UG/L	20	U	10	U	
V	4-Methyl-2-Pentanone	UG/L	20	U	10	U	
V	Acetone	UG/L	54	U	12	U	
V	Benzene	UG/L	270	J	10	U	
V	Bromodichloromethane	UG/L	20	U	10	U	
V	Bromoform	UG/L	20	U	10	U	
V	Bromomethane	UG/L	20	U	10	U	
V	Carbon Disulfide	UG/L	20	U	10	U	
V	Carbon Tetrachloride	UG/L	20	U	10	U	
V	Chlorobenzene	UG/L	20	U	10	U	
	Chloroethane	UG/L	20	U	10	U	
	Chloroform	UG/L	20	U	10	U	
V	Chloromethane	UG/L	20	U	10	U	
V	Dibromochloromethane	UG/L	20	U	10	U	
V	Ethylbenzene	UG/L	9	J	10	U	
V	Methylene Chloride	UG/L	20	U	10	U	
V	Styrene	UG/L	20	U	10	U	
V	Tetrachloroethene	UG/L	20	U	10	U	
V	Toluene	UG/L	20	U	10	U	
V	Trichloroethene	UG/L	20	U	10	U	
V	Vinyl Chloride	UG/L	20	U	10	U	
V	Xylene (total)	UG/L	20	U	10	U	
V	cis-1,3-Dichloropropene	UG/L	20	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	20	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694GWES45		694GWES45DISS		694GWES46	
	LAB SAMPLE ID--->		84864		84879		84862	
	RECEIPT DATE---->		07/10/93		07/10/93		07/10/93	
I	Aluminum	UG/L	26600	J	20	U	6440	J
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	10.8	J	5.9	J	11	J
I	Barium	UG/L	934		704		1070	
I	Beryllium	UG/L	1.1	J	1	U	1.5	J
I	Cadmium	UG/L	59.9	J	3	U	66.3	J
I	Calcium	UG/L	211000		175000		246000	
I	Chromium	UG/L	50.9	J	6	U	35	J
I	Cobalt	UG/L	15.6	U	5.8	J	13.6	U
I	Copper	UG/L	299	J	6.2	J	7.7	U
I	Cyanide	UG/L						
I	Iron	UG/L	44300		22000		48100	J
I	Lead	UG/L	466	J	2	U	100	J
I	Magnesium	UG/L	50000		42600		24800	
I	Manganese	UG/L	2020		1740		6970	
I	Mercury	UG/L	0.43		0.2	U	3.9	J
I	Nickel	UG/L	38.4	J	13.9	J	34.4	J
I	Potassium	UG/L	25800		19900		22800	
I	Selenium	UG/L	1	U	2.2	U	1	U
I	Silver	UG/L	4	R	4	UJ	4	R
I	Sodium	UG/L	66200		60800		47400	
I	Thallium	UG/L	2	UJ	2	R	2	UJ
I	Vanadium	UG/L	34.5	J	3	U	15	J
I	Zinc	UG/L	524		11.3	U	4510	
P	4,4'-DDD	UG/L	0.05	U			0.11	J
P	4,4'-DDE	UG/L	0.05	U			0.05	U
P	4,4'-DDT	UG/L	0.05	U			0.29	J
P	Aldrin	UG/L	0.025	U			0.025	U
P	Aroclor 1016	UG/L	0.5	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.5	U
P	Aroclor 1242	UG/L	0.5	U			0.5	U
P	Aroclor 1248	UG/L	0.5	U			0.5	U
P	Aroclor 1254	UG/L	0.5	U			0.5	U
P	Aroclor 1260	UG/L	0.5	U			0.5	U
P	Dieldrin	UG/L	0.042	J			0.05	U
P	Endosulfan I	UG/L	0.045	J			0.025	U
P	Endosulfan II	UG/L	0.05	U			0.05	U
P	Endosulfan sulfate	UG/L	0.05	U			0.05	U
P	Endrin	UG/L	0.05	U			0.05	U
P	Endrin aldehyde	UG/L	0.05	U			0.05	U
P	Endrin ketone	UG/L	0.05	U			0.05	U
P	Heptachlor	UG/L	0.025	U			0.025	U
P	Heptachlor epoxide	UG/L	0.025	U			0.025	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694GWES45 LAB SAMPLE ID---> 84864 RECEIPT DATE----> 07/10/93		694GWES45DISS 84879		694GWES46 84862 07/10/93	
P	Methoxychlor	UG/L	0.25	U			0.25	U
P	Toxaphene	UG/L	2.5	U			2.5	U
P	alpha-BHC	UG/L	0.025	U			0.025	U
P	alpha-Chlordane	UG/L	0.025	U			0.025	U
P	beta-BHC	UG/L	0.025	U			0.025	U
P	delta-BHC	UG/L	0.025	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.035	U			0.025	U
P	gamma-Chlordane	UG/L	0.025	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			190	U
S	1,2-Dichlorobenzene	UG/L	10	U			190	U
S	1,3-Dichlorobenzene	UG/L	10	U			190	U
S	1,4-Dichlorobenzene	UG/L	1	J			30	J
S	2,4,5-Trichlorophenol	UG/L	24	U			480	U
S	2,4,6-Trichlorophenol	UG/L	10	U			190	U
S	2,4-Dichlorophenol	UG/L	10	U			190	U
S	2,4-Dimethylphenol	UG/L	10	U			120	J
S	2,4-Dinitrophenol	UG/L	24	U			480	U
S	2,4-Dinitrotoluene	UG/L	10	U			190	U
	2,6-Dinitrotoluene	UG/L	10	U			190	U
	2-Chloronaphthalene	UG/L	10	U			190	U
S	2-Chlorophenol	UG/L	10	U			190	U
S	2-Methylnaphthalene	UG/L	10	U			21	J
S	2-Methylphenol	UG/L	10	U			190	U
S	2-Nitroaniline	UG/L	24	U			480	U
S	2-Nitrophenol	UG/L	10	U			190	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			190	U
S	3-Nitroaniline	UG/L	24	U			480	U
S	4,6-Dinitro-2-methylphenol	UG/L	24	U			480	U
S	4-Bromophenyl-phenylether	UG/L	10	U			190	U
S	4-Chloro-3-methylphenol	UG/L	10	U			190	U
S	4-Chloroaniline	UG/L	10	U			190	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			190	U
S	4-Methylphenol	UG/L	10	U			190	U
S	4-Nitroaniline	UG/L	24	U			480	U
S	4-Nitrophenol	UG/L	24	U			480	U
S	Acenaphthene	UG/L	10	U			190	U
S	Acenaphthylene	UG/L	10	U			190	U
S	Anthracene	UG/L	10	U			190	U
S	Benzo(a)anthracene	UG/L	10	U			190	U
S	Benzo(a)pyrene	UG/L	10	U			190	U
S	Benzo(b)fluoranthene	UG/L	10	U			190	U
S	Benzo(g,h,i)perylene	UG/L	10	U			190	U
S	Benzo(k)fluoranthene	UG/L	10	U			190	U
S	Butylbenzylphthalate	UG/L	10	U			190	U
	Carbazole	UG/L	10	U			190	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694GWES45 LAB SAMPLE ID---> 84864 RECEIPT DATE----> 07/10/93		694GWES45DISS 84879 .		694GWES46 84862 07/10/93	
S	Chrysene	UG/L	10	U			190	U
S	Di-n-butylphthalate	UG/L	10	U			190	U
S	Di-n-octylphthalate	UG/L	10	U			190	U
S	Dibenz(a,h)anthracene	UG/L	10	U			190	U
S	Dibenzofuran	UG/L	10	U			190	U
S	Diethylphthalate	UG/L	10	U			190	U
S	Dimethylphthalate	UG/L	10	U			190	U
S	Fluoranthene	UG/L	10	U			190	U
S	Fluorene	UG/L	10	U			190	U
S	Hexachlorobenzene	UG/L	10	U			190	U
S	Hexachlorobutadiene	UG/L	10	U			190	U
S	Hexachlorocyclopentadiene	UG/L	10	U			190	U
S	Hexachloroethane	UG/L	10	U			190	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			190	U
S	Isophorone	UG/L	10	U			190	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			190	U
S	N-Nitrosodiphenylamine	UG/L	10	U			190	U
S	Naphthalene	UG/L	9	J			110	J
S	Nitrobenzene	UG/L	10	U			190	U
S	Pentachlorophenol	UG/L	24	U			480	U
S	Phenanthrene	UG/L	10	U			190	U
S	Phenol	UG/L	10	U			190	U
S	Pyrene	UG/L	10	U			190	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			190	U
S	bis(2-Ethlyhexy)phthalate	UG/L	1	U			31	U
S	bis(2-chloroethyl)ether	UG/L	10	U			190	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			190	U
V	1,1,1-Trichloroethane	UG/L	10	U			50	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			50	U
V	1,1,2-Trichloroethane	UG/L	10	U			50	U
V	1,1-Dichloroethane	UG/L	10	U			50	U
V	1,1-Dichloroethene	UG/L	10	U			50	U
V	1,2-Dichloroethane	UG/L	10	U			50	U
V	1,2-Dichloroethene (total)	UG/L	10	U			50	U
V	1,2-Dichloropropane	UG/L	10	U			50	U
V	2-Butanone	UG/L	10	U			50	U
V	2-Hexanone	UG/L	10	U			50	U
V	4-Methyl-2-Pentanone	UG/L	10	U			50	U
V	Acetone	UG/L	150	U			170	U
V	Benzene	UG/L	10	U			120	
V	Bromodichloromethane	UG/L	10	U			50	U
V	Bromoform	UG/L	10	U			50	U
V	Bromomethane	UG/L	10	U			50	U
V	Carbon Disulfide	UG/L	10	U			50	U
V	Carbon Tetrachloride	UG/L	10	U			50	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	694GWES45		694GWES45DISS		694GWES46	
			LAB SAMPLE ID--->	84864		84879		84862	
			RECEIPT DATE---->	07/10/93				07/10/93	
	PARAMETER	UNITS							
V	Chlorobenzene	UG/L		3	J			320	
V	Chloroethane	UG/L		10	U			50	U
V	Chloroform	UG/L		10	U			50	U
V	Chloromethane	UG/L		10	U			50	U
V	Dibromochloromethane	UG/L		10	U			50	U
V	Ethylbenzene	UG/L		10	U			50	U
V	Methylene Chloride	UG/L		10	U			50	U
V	Styrene	UG/L		10	U			50	U
V	Tetrachloroethene	UG/L		10	U			50	U
V	Toluene	UG/L		10	U			50	U
V	Trichloroethene	UG/L		10	U			50	U
V	Vinyl Chloride	UG/L		10	U			50	U
V	Xylene (total)	UG/L		10	U			50	U
V	cis-1,3-Dichloropropene	UG/L		10	U			50	U
V	trans-1,3-Dichloropropene	UG/L		10	U			50	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694GWES46DISS		694GWES47		694GWES47DIS	
			LAB SAMPLE ID---> 84875		84865		84880	
			RECEIPT DATE----> 07/10/93		07/10/93		07/10/93	
I	Aluminum	UG/L	20	U	6470	J	20	U
I	Antimony	UG/L	30	U	30	U	30	U
I	Arsenic	UG/L	12.2	J	10.4	J	10.3	J
I	Barium	UG/L	957		1700		1690	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	29.3	J	3	U
I	Calcium	UG/L	245000		281000		295000	
I	Chromium	UG/L	6	U	23.1	J	8.8	J
I	Cobalt	UG/L	7.6	J	9.4	U	5	U
I	Copper	UG/L	3	U	17.3	U	9.1	J
I	Cyanide	UG/L						
I	Iron	UG/L	33100		44900	J	39700	
I	Lead	UG/L	2	U	258	J	2	U
I	Magnesium	UG/L	25800		56900		56200	
I	Manganese	UG/L	5590		981		986	
I	Mercury	UG/L	0.2	U	0.3	J	0.2	U
I	Nickel	UG/L	15.2	J	10	U	10	U
I	Potassium	UG/L	22700		54400		52000	
I	Selenium	UG/L	4.4	U	1	U	2.8	U
I	Silver	UG/L	4	UJ	4	R	4	UJ
I	Sodium	UG/L	50500		93500		89400	
I	Thallium	UG/L	2	R	2	UJ	10	R
I	Vanadium	UG/L	3	U	9	J	3	U
I	Zinc	UG/L	133		197		13	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694GWES47DL		LAB SAMPLE ID---> 84865	RECEIPT DATE----> 07/10/93	694GWES47DL 84865A 07/10/93		694GWES47DL 84865_50 07/10/93	
P	4,4'-DDD	UG/L	23	J	0.05	U	22	J		
P	4,4'-DDE	UG/L	0.05	U	0.05	U	2.5	U		
P	4,4'-DDT	UG/L	0.066	J	0.05	U	2.5	U		
P	Aldrin	UG/L	0.025	U	0.025	U	1.2	U		
P	Aroclor 1016	UG/L	0.5	U	0.5	U	25	U		
P	Aroclor 1221	UG/L	1	U	1	U	50	U		
P	Aroclor 1232	UG/L	0.5	U	0.5	U	25	U		
P	Aroclor 1242	UG/L	0.5	U	0.5	U	25	U		
P	Aroclor 1248	UG/L	0.5	U	0.5	U	25	U		
P	Aroclor 1254	UG/L	1.1	J	1	J	25	U		
P	Aroclor 1260	UG/L	0.5	U	0.5	U	25	U		
P	Dieldrin	UG/L	0.05	U	0.05	U	2.5	U		
P	Endosulfan I	UG/L	0.15	J	0.025	U	1.2	U		
P	Endosulfan II	UG/L	0.043	J	0.05	U	2.5	U		
P	Endosulfan sulfate	UG/L	0.05	U	0.05	U	2.5	U		
P	Endrin	UG/L	0.05	U	0.05	U	2.5	U		
P	Endrin aldehyde	UG/L	0.05	U	0.05	U	2.5	U		
	Endrin ketone	UG/L	0.05	U	0.05	U	2.5	U		
	Heptachlor	UG/L	0.025	U	0.025	U	1.2	U		
P	Heptachlor epoxide	UG/L	0.025	U	0.025	U	1.2	U		
P	Methoxychlor	UG/L	0.25	U	0.25	U	12	U		
P	Toxaphene	UG/L	2.5	U	2.5	U	120	U		
P	alpha-BHC	UG/L	0.025	U	0.025	U	1.2	U		
P	alpha-Chlordane	UG/L	0.025	U	0.025	U	1.2	U		
P	beta-BHC	UG/L	0.025	U	0.025	U	1.2	U		
P	delta-BHC	UG/L	0.025	U	0.025	U	1.2	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U	1.2	U		
P	gamma-Chlordane	UG/L	0.059	J	0.025	U	1.2	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U						
S	1,2-Dichlorobenzene	UG/L	8	J						
S	1,3-Dichlorobenzene	UG/L	1	J						
S	1,4-Dichlorobenzene	UG/L	27							
S	2,4,5-Trichlorophenol	UG/L	26	U						
S	2,4,6-Trichlorophenol	UG/L	10	U						
S	2,4-Dichlorophenol	UG/L	10	U						
S	2,4-Dimethylphenol	UG/L	22							
S	2,4-Dinitrophenol	UG/L	26	U						
S	2,4-Dinitrotoluene	UG/L	10	U						
S	2,6-Dinitrotoluene	UG/L	10	U						
S	2-Chloronaphthalene	UG/L	10	U						
S	2-Chlorophenol	UG/L	2	J						
S	2-Methylnaphthalene	UG/L	33							
S	2-Methylphenol	UG/L	10	U						
	2-Nitroaniline	UG/L	26	U						

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	694GWES47DL	694GWES47DL	694GWES47DL
			LAB SAMPLE ID--->	84865	84865A	84865_50
			RECEIPT DATE---->	07/10/93		
	PARAMETER	UNITS				
S	2-Nitrophenol	UG/L		10	U	
S	3,3'-Dichlorobenzidine	UG/L		10	U	
S	3-Nitroaniline	UG/L		26	U	
S	4,6-Dinitro-2-methylphenol	UG/L		26	U	
S	4-Bromophenyl-phenylether	UG/L		10	U	
S	4-Chloro-3-methylphenol	UG/L		10	U	
S	4-Chloroaniline	UG/L		10	U	
S	4-Chlorophenyl-phenylether	UG/L		10	U	
S	4-Methylphenol	UG/L		5	J	
S	4-Nitroaniline	UG/L		26	U	
S	4-Nitrophenol	UG/L		26	U	
S	Acenaphthene	UG/L		10	U	
S	Acenaphthylene	UG/L		10	U	
S	Anthracene	UG/L		10	U	
S	Benzo(a)anthracene	UG/L		10	U	
S	Benzo(a)pyrene	UG/L		10	U	
S	Benzo(b)fluoranthene	UG/L		10	U	
S	Benzo(g,h,i)perylene	UG/L		10	U	
	Benzo(k)fluoranthene	UG/L		10	U	
	Butylbenzylphthalate	UG/L		10	U	
S	Carbazole	UG/L		10	U	
S	Chrysene	UG/L		10	U	
S	Di-n-butylphthalate	UG/L		3	U	
S	Di-n-octylphthalate	UG/L		10	U	
S	Dibenz(a,h)anthracene	UG/L		10	U	
S	Dibenzofuran	UG/L		10	U	
S	Diethylphthalate	UG/L		4	U	
S	Dimethylphthalate	UG/L		10	U	
S	Fluoranthene	UG/L		10	U	
S	Fluorene	UG/L		1	J	
S	Hexachlorobenzene	UG/L		10	U	
S	Hexachlorobutadiene	UG/L		10	U	
S	Hexachlorocyclopentadiene	UG/L		10	U	
S	Hexachloroethane	UG/L		10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	
S	Isophorone	UG/L		10	U	
S	N-Nitroso-di-n-propylamine	UG/L		10	U	
S	N-Nitrosodiphenylamine	UG/L		10	U	
S	Naphthalene	UG/L		46		
S	Nitrobenzene	UG/L		10	U	
S	Pentachlorophenol	UG/L		26	U	
S	Phenanthrene	UG/L		1	J	
S	Phenol	UG/L		3	J	
S	Pyrene	UG/L		10	U	
	bis(2-Chloroethoxy)methane	UG/L		10	U	

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	694GWES47DL	694GWES47DL	694GWES47DL
			LAB SAMPLE ID--->	84865	84865A	84865_50
			RECEIPT DATE---->	07/10/93		
	PARAMETER	UNITS				
S	bis(2-Ethlyhexy)phthalate	UG/L		3	U	
S	bis(2-chloroethyl)ether	UG/L		10	U	
S	bis(2-chloroisopropyl)ether	UG/L		10	U	
V	1,1,1-Trichloroethane	UG/L		100	U	
V	1,1,2,2-Tetrachloroethane	UG/L		100	U	
V	1,1,2-Trichloroethane	UG/L		100	U	
V	1,1-Dichloroethane	UG/L		100	U	
V	1,1-Dichloroethene	UG/L		100	U	
V	1,2-Dichloroethane	UG/L		100	U	
V	1,2-Dichloroethene (total)	UG/L		100	U	
V	1,2-Dichloropropane	UG/L		100	U	
V	2-Butanone	UG/L		100	U	
V	2-Hexanone	UG/L		100	U	
V	4-Methyl-2-Pentanone	UG/L		100	U	
V	Acetone	UG/L		1100		
V	Benzene	UG/L		49	J	
V	Bromodichloromethane	UG/L		100	U	
V	Bromoform	UG/L		100	U	
	Bromomethane	UG/L		100	U	
	Carbon Disulfide	UG/L		100	U	
V	Carbon Tetrachloride	UG/L		100	U	
V	Chlorobenzene	UG/L		270		
V	Chloroethane	UG/L		100	U	
V	Chloroform	UG/L		100	U	
V	Chloromethane	UG/L		100	U	
V	Dibromochloromethane	UG/L		100	U	
V	Ethylbenzene	UG/L		100	U	
V	Methylene Chloride	UG/L		100	U	
V	Styrene	UG/L		100	U	
V	Tetrachloroethene	UG/L		100	U	
V	Toluene	UG/L		100	U	
V	Trichloroethene	UG/L		100	U	
V	Vinyl Chloride	UG/L		100	U	
V	Xylene (total)	UG/L		100	U	
V	cis-1,3-Dichloropropene	UG/L		100	U	
V	trans-1,3-Dichloropropene	UG/L		100	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 82906 RECEIPT DATE----> 06/08/93		69FB 83309 06/11/93		69FB 83823 06/22/93	
I	Aluminum	UG/L	20	U			20	U
I	Antimony	UG/L	45	U			45	UJ
I	Arsenic	UG/L	2	U	2	U	3	U
I	Barium	UG/L	3	U	3	U	3	U
I	Beryllium	UG/L	1	U			1	U
I	Cadmium	UG/L	3	U	3	U	3	UJ
I	Calcium	UG/L	33.3	J			79.4	J
I	Chromium	UG/L	5	U	5	U	5	U
I	Cobalt	UG/L	8	U			8	U
I	Copper	UG/L	4.9	J			4.1	J
I	Cyanide	UG/L	.				.	
I	Iron	UG/L	19.9	J			15	U
I	Lead	UG/L	2.4	J	1	U	2	U
I	Magnesium	UG/L	30	U			30	U
I	Manganese	UG/L	1	U			1	U
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	20	U			20	U
	Potassium	UG/L	350	U			350	U
	Selenium	UG/L	1	U	1	U	1	U
I	Silver	UG/L	7	U	7	U	7	U
I	Sodium	UG/L	406	J			107	J
I	Thallium	UG/L	2	U			2	UJ
I	Vanadium	UG/L	3	U			3	U
I	Zinc	UG/L	7.9	J			7.6	J
P	4,4'-DDD	UG/L	0.05	U				
P	4,4'-DDE	UG/L	0.05	U				
P	4,4'-DDT	UG/L	0.05	U				
P	Aldrin	UG/L	0.025	U				
P	Aroclor 1016	UG/L	0.5	U				
P	Aroclor 1221	UG/L	1	U				
P	Aroclor 1232	UG/L	0.5	U				
P	Aroclor 1242	UG/L	0.5	U				
P	Aroclor 1248	UG/L	0.5	U				
P	Aroclor 1254	UG/L	0.5	U				
P	Aroclor 1260	UG/L	0.5	U				
P	Dieldrin	UG/L	0.05	U				
P	Endosulfan I	UG/L	0.025	U				
P	Endosulfan II	UG/L	0.05	U				
P	Endosulfan sulfate	UG/L	0.05	U				
P	Endrin	UG/L	0.05	U				
P	Endrin aldehyde	UG/L	0.05	U				
P	Endrin ketone	UG/L	0.05	U				
P	Heptachlor	UG/L	0.025	U				
	Heptachlor epoxide	UG/L	0.025	U				

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 82906 RECEIPT DATE----> 06/08/93		69FB 83309		69FB 83823	
P	Methoxychlor	UG/L	0.25	U				
P	Toxaphene	UG/L	2.5	U				
P	alpha-BHC	UG/L	0.025	U				
P	alpha-Chlordane	UG/L	0.025	U				
P	beta-BHC	UG/L	0.025	U				
P	delta-BHC	UG/L	0.025	U				
P	gamma-BHC (Lindane)	UG/L	0.025	U				
P	gamma-Chlordane	UG/L	0.025	U				
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			10	U
S	2,4,5-Trichlorophenol	UG/L	25	U			25	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	25	U			25	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
	2,6-Dinitrotoluene	UG/L	10	U			10	U
	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	25	U			25	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	25	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L	25	U			25	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	25	U			25	U
S	4-Nitrophenol	UG/L	25	U			25	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
	Carbazole	UG/L	10	U			10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 82906 RECEIPT DATE----> 06/08/93		69FB 83309		69FB 83823 06/22/93	
S	Chrysene	UG/L	10	U			10	U
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			10	U
	Nitrobenzene	UG/L	10	U			10	U
	Pentachlorophenol	UG/L	25	U			25	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	7	J			4	J
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	8	J	10	U	6	J
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
	Carbon Tetrachloride	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 82906 RECEIPT DATE----> 06/08/93		69FB 83309 06/11/93		69FB 83823 06/22/93	
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	5	J	3	J	5	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 85230 RECEIPT DATE----> 07/15/93		69FBP 83297 06/11/93		69FBP 83824 06/22/93	
			.		.		.	
I	Aluminum	UG/L	20	U	68.2	J	20	U
I	Antimony	UG/L	30	U	45	U	45	UJ
I	Arsenic	UG/L	3	U	2.4	J	3	U
I	Barium	UG/L	2	U	83	J	62.2	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	UJ
I	Calcium	UG/L	97.2	J	64500	J	49100	J
I	Chromium	UG/L	6	U	5	U	5	U
I	Cobalt	UG/L	5	U	8	U	8	U
I	Copper	UG/L	5.5	J	3	U	5.8	J
I	Cyanide	UG/L	.		.		.	
I	Iron	UG/L	17.5	J	454	J	169	J
I	Lead	UG/L	2	U	1.6	J	2	U
I	Magnesium	UG/L	25	U	10400		7530	
I	Manganese	UG/L	2	U	19.5		20.1	
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	U
I	Nickel	UG/L	10	U	20	U	20	U
	Potassium	UG/L	350	U	8170		6740	
	Selenium	UG/L	1	U	2.1	J	1	U
I	Silver	UG/L	4	U	7	U	7	U
I	Sodium	UG/L	167	J	77000		60900	
I	Thallium	UG/L	2	UJ	2	U	2	UJ
I	Vanadium	UG/L	3	U	3.5	J	3.6	J
I	Zinc	UG/L	7.2	J	15.6	J	23.2	
P	4,4'-DDD	UG/L	0.048	U	0.05	U		
P	4,4'-DDE	UG/L	0.048	U	0.05	U		
P	4,4'-DDT	UG/L	0.048	U	0.05	U		
P	Aldrin	UG/L	0.024	U	0.025	U		
P	Aroclor 1016	UG/L	0.48	U	0.5	U		
P	Aroclor 1221	UG/L	0.97	U	1	U		
P	Aroclor 1232	UG/L	0.48	U	0.5	U		
P	Aroclor 1242	UG/L	0.48	U	0.5	U		
P	Aroclor 1248	UG/L	0.48	U	0.5	U		
P	Aroclor 1254	UG/L	0.48	U	0.5	U		
P	Aroclor 1260	UG/L	0.48	U	0.5	U		
P	Dieldrin	UG/L	0.048	U	0.05	U		
P	Endosulfan I	UG/L	0.024	U	0.025	U		
P	Endosulfan II	UG/L	0.048	U	0.05	U		
P	Endosulfan sulfate	UG/L	0.048	U	0.05	U		
P	Endrin	UG/L	0.048	U	0.05	U		
P	Endrin aldehyde	UG/L	0.048	U	0.05	U		
P	Endrin ketone	UG/L	0.048	U	0.05	U		
P	Heptachlor	UG/L	0.024	U	0.025	U		
	Heptachlor epoxide	UG/L	0.024	U	0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 85230 RECEIPT DATE----> 07/15/93		69FBP 83297 06/11/93		69FBP 83824	
P	Methoxychlor	UG/L	0.24	U	0.25	U		
P	Toxaphene	UG/L	2.4	U	2.5	U		
P	alpha-BHC	UG/L	0.024	U	0.025	U		
P	alpha-Chlordane	UG/L	0.024	U	0.025	U		
P	beta-BHC	UG/L	0.024	U	0.025	U		
P	delta-BHC	UG/L	0.024	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.024	U	0.025	U		
P	gamma-Chlordane	UG/L	0.024	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U	10	U
S	1,2-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	1,3-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	1,4-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	2,4,5-Trichlorophenol	UG/L	25	U	25	U	26	U
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U	10	U
S	2,4-Dichlorophenol	UG/L	10	U	10	U	10	U
S	2,4-Dimethylphenol	UG/L	10	U	10	U	10	U
S	2,4-Dinitrophenol	UG/L	25	U	25	U	26	U
S	2,4-Dinitrotoluene	UG/L	10	U	10	U	10	U
	2,6-Dinitrotoluene	UG/L	10	U	10	U	10	U
	2-Chloronaphthalene	UG/L	10	U	10	U	10	U
S	2-Chlorophenol	UG/L	10	U	10	U	10	U
S	2-Methylnaphthalene	UG/L	10	U	10	U	10	U
S	2-Methylphenol	UG/L	10	U	10	U	10	U
S	2-Nitroaniline	UG/L	25	U	25	U	26	U
S	2-Nitrophenol	UG/L	10	U	10	U	10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U	10	U
S	3-Nitroaniline	UG/L	25	U	25	U	26	U
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	25	U	26	U
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U	10	U
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U	10	U
S	4-Chloroaniline	UG/L	10	U	10	U	10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U	10	U
S	4-Methylphenol	UG/L	10	U	10	U	10	U
S	4-Nitroaniline	UG/L	25	U	25	U	26	U
S	4-Nitrophenol	UG/L	25	U	25	U	26	U
S	Acenaphthene	UG/L	10	U	10	U	10	U
S	Acenaphthylene	UG/L	10	U	10	U	10	U
S	Anthracene	UG/L	10	U	10	U	10	U
S	Benzo(a)anthracene	UG/L	10	U	10	U	10	U
S	Benzo(a)pyrene	UG/L	10	U	10	U	10	U
S	Benzo(b)fluoranthene	UG/L	10	U	10	U	10	U
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U	10	U
S	Benzo(k)fluoranthene	UG/L	10	U	10	U	10	U
S	Butylbenzylphthalate	UG/L	10	U	10	U	10	U
	Carbazole	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

			SAMPLE ID ------>	69FB		69FBP		69FBP	
			LAB SAMPLE ID--->	85230		83297		83824	
			RECEIPT DATE---->	07/15/93		06/11/93		06/22/93	
	PARAMETER	UNITS							
S	Chrysene	UG/L		10	U	10	U	10	U
S	Di-n-butylphthalate	UG/L		10	U	10	U	10	U
S	Di-n-octylphthalate	UG/L		10	U	10	U	10	U
S	Dibenz(a,h)anthracene	UG/L		10	U	10	U	10	U
S	Dibenzofuran	UG/L		10	U	10	U	10	U
S	Diethylphthalate	UG/L		10	U	10	U	10	U
S	Dimethylphthalate	UG/L		10	U	10	U	10	U
S	Fluoranthene	UG/L		10	U	10	U	10	U
S	Fluorene	UG/L		10	U	10	U	10	U
S	Hexachlorobenzene	UG/L		10	U	10	U	10	U
S	Hexachlorobutadiene	UG/L		10	U	10	U	10	U
S	Hexachlorocyclopentadiene	UG/L		10	U	10	U	10	U
S	Hexachloroethane	UG/L		10	U	10	U	10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	10	U	10	U
S	Isophorone	UG/L		10	U	10	U	10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U	10	U	10	U
S	N-Nitrosodiphenylamine	UG/L		10	U	10	U	10	U
S	Naphthalene	UG/L		10	U	10	U	10	U
	Nitrobenzene	UG/L		10	U	10	U	10	U
	Pentachlorophenol	UG/L		25	U	25	U	26	U
S	Phenanthrene	UG/L		10	U	10	U	10	U
S	Phenol	UG/L		10	U	10	U	10	U
S	Pyrene	UG/L		10	U	10	U	10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U	10	U	10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U	2	J	10	U
S	bis(2-chloroethyl)ether	UG/L		10	U	10	U	10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U	10	U	10	U
V	1,1,1-Trichloroethane	UG/L		10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L		10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L		10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L		10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L		10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L		10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L		10	U	10	U	10	U
V	2-Butanone	UG/L		10	U	10	U	10	U
V	2-Hexanone	UG/L		10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L		10	U	10	U	10	U
V	Acetone	UG/L		10	U	10	U	10	U
V	Benzene	UG/L		10	U	10	U	10	U
V	Bromodichloromethane	UG/L		10	U	6	J	12	
V	Bromoform	UG/L		10	U	4	J	4	J
V	Bromomethane	UG/L		10	U	10	U	10	U
V	Carbon Disulfide	UG/L		10	U	10	U	10	U
	Carbon Tetrachloride	UG/L		10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FB LAB SAMPLE ID---> 85230 RECEIPT DATE----> 07/15/93		69FBP 83297 06/11/93		69FBP 83824 06/22/93	
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	4	J	13	
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	7	J	9	J
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	2	J	2	J	10	U
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FBP LAB SAMPLE ID---> 85231 RECEIPT DATE----> 07/15/93		69RB 84866 07/10/93		69RB1 82899 06/08/93	
I	Aluminum	UG/L	47.1	J	20	U	124	J
I	Antimony	UG/L	30	U	30	U	45	U
I	Arsenic	UG/L	3.6	J	3	U	2	U
I	Barium	UG/L	69.8	J	2.2	J	3	U
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	57500		28.4	J	357	J
I	Chromium	UG/L	6	U	6	U	5.3	J
I	Cobalt	UG/L	5	U	5	U	8	U
I	Copper	UG/L	3.3	J	3	U	9.9	J
I	Cyanide	UG/L						
I	Iron	UG/L	304		15.3	J	32.3	J
I	Lead	UG/L	2	U	2	U	3.4	
I	Magnesium	UG/L	9410		25	U	46	J
I	Manganese	UG/L	20.1		2	U	1.1	J
I	Mercury	UG/L	0.2	UJ	0.2	U	0.2	U
I	Nickel	UG/L	10	U	10	U	20	U
	Potassium	UG/L	7530		350	U	350	U
	Selenium	UG/L	1	U	1	U	1	U
I	Silver	UG/L	4	U	4	U	7	U
I	Sodium	UG/L	66500		99.6	J	324	J
I	Thallium	UG/L	2	UJ	2	U	2	U
I	Vanadium	UG/L	3	U	3	U	3	U
I	Zinc	UG/L	15.9	J	18.1	J	18.6	J
P	4,4'-DDD	UG/L	0.05	U	0.05	U		
P	4,4'-DDE	UG/L	0.05	U	0.05	U		
P	4,4'-DDT	UG/L	0.05	U	0.05	U		
P	Aldrin	UG/L	0.025	U	0.025	U		
P	Aroclor 1016	UG/L	0.5	U	0.5	U	0.5	U
P	Aroclor 1221	UG/L	0.99	U	1	U	1	U
P	Aroclor 1232	UG/L	0.5	U	0.5	U	0.5	U
P	Aroclor 1242	UG/L	0.5	U	0.5	U	0.5	U
P	Aroclor 1248	UG/L	0.5	U	0.5	U	0.5	U
P	Aroclor 1254	UG/L	0.5	U	0.5	U	0.5	U
P	Aroclor 1260	UG/L	0.5	U	0.5	U	0.5	U
P	Dieldrin	UG/L	0.05	U	0.05	U		
P	Endosulfan I	UG/L	0.025	U	0.025	U		
P	Endosulfan II	UG/L	0.05	U	0.05	U		
P	Endosulfan sulfate	UG/L	0.05	U	0.05	U		
P	Endrin	UG/L	0.05	U	0.05	U		
P	Endrin aldehyde	UG/L	0.05	U	0.05	U		
P	Endrin ketone	UG/L	0.05	U	0.05	U		
P	Heptachlor	UG/L	0.025	U	0.025	U		
	Heptachlor epoxide	UG/L	0.025	U	0.025	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FBP LAB SAMPLE ID---> 85231 RECEIPT DATE----> 07/15/93		69RB 84866 07/10/93		69RB1 82899	
P	Methoxychlor	UG/L	0.25	U	0.25	U		
P	Toxaphene	UG/L	2.5	U	2.5	U		
P	alpha-BHC	UG/L	0.025	U	0.025	U		
P	alpha-Chlordane	UG/L	0.025	U	0.025	U		
P	beta-BHC	UG/L	0.025	U	0.025	U		
P	delta-BHC	UG/L	0.025	U	0.025	U		
P	gamma-BHC (Lindane)	UG/L	0.025	U	0.025	U		
P	gamma-Chlordane	UG/L	0.025	U	0.025	U		
S	1,2,4-Trichlorobenzene	UG/L	10	U	10	U	10	U
S	1,2-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	1,3-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	1,4-Dichlorobenzene	UG/L	10	U	10	U	10	U
S	2,4,5-Trichlorophenol	UG/L	25	U	24	U	25	U
S	2,4,6-Trichlorophenol	UG/L	10	U	10	U	10	U
S	2,4-Dichlorophenol	UG/L	10	U	10	U	10	U
S	2,4-Dimethylphenol	UG/L	10	U	10	U	10	U
S	2,4-Dinitrophenol	UG/L	25	U	24	U	25	U
S	2,4-Dinitrotoluene	UG/L	10	U	10	U	10	U
	2,6-Dinitrotoluene	UG/L	10	U	10	U	10	U
	2-Chloronaphthalene	UG/L	10	U	10	U	10	U
S	2-Chlorophenol	UG/L	10	U	10	U	10	U
S	2-Methylnaphthalene	UG/L	10	U	10	U	10	U
S	2-Methylphenol	UG/L	10	U	10	U	10	U
S	2-Nitroaniline	UG/L	25	U	24	U	25	U
S	2-Nitrophenol	UG/L	10	U	10	U	10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U	10	U	10	U
S	3-Nitroaniline	UG/L	25	U	24	U	25	U
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	24	U	25	U
S	4-Bromophenyl-phenylether	UG/L	10	U	10	U	10	U
S	4-Chloro-3-methylphenol	UG/L	10	U	10	U	10	U
S	4-Chloroaniline	UG/L	10	U	10	U	10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U	10	U	10	U
S	4-Methylphenol	UG/L	10	U	10	U	10	U
S	4-Nitroaniline	UG/L	25	U	24	U	25	U
S	4-Nitrophenol	UG/L	25	U	24	U	25	U
S	Acenaphthene	UG/L	10	U	10	U	10	U
S	Acenaphthylene	UG/L	10	U	10	U	10	U
S	Anthracene	UG/L	10	U	10	U	10	U
S	Benzo(a)anthracene	UG/L	10	U	10	U	10	U
S	Benzo(a)pyrene	UG/L	10	U	10	U	10	U
S	Benzo(b)fluoranthene	UG/L	10	U	10	U	10	U
S	Benzo(g,h,i)perylene	UG/L	10	U	10	U	10	U
S	Benzo(k)fluoranthene	UG/L	10	U	10	U	10	U
S	Butylbenzylphthalate	UG/L	10	U	10	U	10	U
	Carbazole	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FBP		69RB		69RB1	
	LAB SAMPLE ID--->		85231		84866		82899	
	RECEIPT DATE---->		07/15/93		07/10/93		06/08/93	
S	Chrysene	UG/L	10	U	10	U	10	U
S	Di-n-butylphthalate	UG/L	10	U	10	U	10	U
S	Di-n-octylphthalate	UG/L	10	U	10	U	10	U
S	Dibenz(a,h)anthracene	UG/L	10	U	10	U	10	U
S	Dibenzofuran	UG/L	10	U	10	U	10	U
S	Diethylphthalate	UG/L	10	U	10	U	10	U
S	Dimethylphthalate	UG/L	10	U	10	U	10	U
S	Fluoranthene	UG/L	10	U	10	U	10	U
S	Fluorene	UG/L	10	U	10	U	10	U
S	Hexachlorobenzene	UG/L	10	U	10	U	10	U
S	Hexachlorobutadiene	UG/L	10	U	10	U	10	U
S	Hexachlorocyclopentadiene	UG/L	10	U	10	U	10	U
S	Hexachloroethane	UG/L	10	U	10	U	10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U	10	U	10	U
S	Isophorone	UG/L	10	U	10	U	10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U	10	U	10	U
S	N-Nitrosodiphenylamine	UG/L	10	U	10	U	10	U
S	Naphthalene	UG/L	10	U	10	U	10	U
	Nitrobenzene	UG/L	10	U	10	U	10	U
	Pentachlorophenol	UG/L	25	U	24	U	25	U
S	Phenanthrene	UG/L	10	U	10	U	10	U
S	Phenol	UG/L	10	U	10	U	10	U
S	Pyrene	UG/L	10	U	10	U	10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U	10	U	10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U	6	J	2	J
S	bis(2-chloroethyl)ether	UG/L	10	U	10	U	10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U	10	U	10	U
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	3	J	16		10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	7	J	10	U	10	U
V	Bromoform	UG/L	3	J	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
	Carbon Tetrachloride	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69FBP LAB SAMPLE ID---> 85231 RECEIPT DATE----> 07/15/93		69RB 84866 07/10/93		69RB1 82899 06/08/93	
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	5	J	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	7	J	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	1	J	10	J	4	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB1 LAB SAMPLE ID---> 83308 RECEIPT DATE----> 06/11/93		69RB2 82907 06/08/93		69RB2RE 82907RE 06/08/93
I	Aluminum	UG/L			20	U	
I	Antimony	UG/L			45	U	
I	Arsenic	UG/L	2	U	2	U	
I	Barium	UG/L	3	U	3	U	
I	Beryllium	UG/L			1	U	
I	Cadmium	UG/L	3	U	3	U	
I	Calcium	UG/L			31.7	J	
I	Chromium	UG/L	5	U	5	U	
I	Cobalt	UG/L			8	U	
I	Copper	UG/L			5.1	J	
I	Cyanide	UG/L					
I	Iron	UG/L			16.5	J	
I	Lead	UG/L	1	U	2.2	J	
I	Magnesium	UG/L			30	U	
I	Manganese	UG/L			1	U	
I	Mercury	UG/L	0.2	U	0.2	U	
I	Nickel	UG/L			20	U	
I	Potassium	UG/L			350	U	
	Selenium	UG/L	1	U	1	U	
I	Silver	UG/L	7	U	7	U	
I	Sodium	UG/L			394	J	
I	Thallium	UG/L			2	U	
I	Vanadium	UG/L			3	U	
I	Zinc	UG/L			10.1	J	
P	4,4'-DDD	UG/L			0.05	U	
P	4,4'-DDE	UG/L			0.05	U	
P	4,4'-DDT	UG/L			0.05	U	
P	Aldrin	UG/L			0.025	U	
P	Aroclor 1016	UG/L			0.5	U	
P	Aroclor 1221	UG/L			1	U	
P	Aroclor 1232	UG/L			0.5	U	
P	Aroclor 1242	UG/L			0.5	U	
P	Aroclor 1248	UG/L			0.5	U	
P	Aroclor 1254	UG/L			0.5	U	
P	Aroclor 1260	UG/L			0.5	U	
P	Dieldrin	UG/L			0.05	U	
P	Endosulfan I	UG/L			0.025	U	
P	Endosulfan II	UG/L			0.05	U	
P	Endosulfan sulfate	UG/L			0.05	U	
P	Endrin	UG/L			0.05	U	
P	Endrin aldehyde	UG/L			0.05	U	
P	Endrin ketone	UG/L			0.05	U	
P	Heptachlor	UG/L			0.025	U	
	Heptachlor epoxide	UG/L			0.025	U	

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB1 LAB SAMPLE ID---> 83308 RECEIPT DATE---->		69RB2 82907 06/08/93		69RB2RE 82907RE	
P	Methoxychlor	UG/L			0.25	U		
P	Toxaphene	UG/L			2.5	U		
P	alpha-BHC	UG/L			0.025	U		
P	alpha-Chlordane	UG/L			0.025	U		
P	beta-BHC	UG/L			0.025	U		
P	delta-BHC	UG/L			0.025	U		
P	gamma-BHC (Lindane)	UG/L			0.025	U		
P	gamma-Chlordane	UG/L			0.025	U		
S	1,2,4-Trichlorobenzene	UG/L			10	U	10	U
S	1,2-Dichlorobenzene	UG/L			10	U	10	U
S	1,3-Dichlorobenzene	UG/L			10	U	10	U
S	1,4-Dichlorobenzene	UG/L			10	U	10	U
S	2,4,5-Trichlorophenol	UG/L			25	U	24	U
S	2,4,6-Trichlorophenol	UG/L			10	U	10	U
S	2,4-Dichlorophenol	UG/L			10	U	10	U
S	2,4-Dimethylphenol	UG/L			10	U	10	U
S	2,4-Dinitrophenol	UG/L			25	U	24	U
S	2,4-Dinitrotoluene	UG/L			10	U	10	U
	2,6-Dinitrotoluene	UG/L			10	U	10	U
	2-Chloronaphthalene	UG/L			10	U	10	U
S	2-Chlorophenol	UG/L			10	U	10	U
S	2-Methylnaphthalene	UG/L			10	U	10	U
S	2-Methylphenol	UG/L			10	U	10	U
S	2-Nitroaniline	UG/L			25	U	24	U
S	2-Nitrophenol	UG/L			10	U	10	U
S	3,3'-Dichlorobenzidine	UG/L			10	U	10	U
S	3-Nitroaniline	UG/L			25	U	24	U
S	4,6-Dinitro-2-methylphenol	UG/L			25	U	24	U
S	4-Bromophenyl-phenylether	UG/L			10	U	10	U
S	4-Chloro-3-methylphenol	UG/L			10	U	10	U
S	4-Chloroaniline	UG/L			10	U	10	U
S	4-Chlorophenyl-phenylether	UG/L			10	U	10	U
S	4-Methylphenol	UG/L			10	U	10	U
S	4-Nitroaniline	UG/L			25	U	24	U
S	4-Nitrophenol	UG/L			25	U	24	U
S	Acenaphthene	UG/L			10	U	10	U
S	Acenaphthylene	UG/L			10	U	10	U
S	Anthracene	UG/L			10	U	10	U
S	Benzo(a)anthracene	UG/L			10	U	10	U
S	Benzo(a)pyrene	UG/L			10	U	10	U
S	Benzo(b)fluoranthene	UG/L			10	U	10	U
S	Benzo(g,h,i)perylene	UG/L			10	U	10	U
S	Benzo(k)fluoranthene	UG/L			10	U	10	U
S	Butylbenzylphthalate	UG/L			10	U	10	U
	Carbazole	UG/L			10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB1 LAB SAMPLE ID---> 83308 RECEIPT DATE---->		69RB2 82907 06/08/93		69RB2RE 82907RE 06/08/93	
S	Chrysene	UG/L			10	U	10	U
S	Di-n-butylphthalate	UG/L			10	U	10	U
S	Di-n-octylphthalate	UG/L			10	U	10	U
S	Dibenz(a,h)anthracene	UG/L			10	U	10	U
S	Dibenzofuran	UG/L			10	U	10	U
S	Diethylphthalate	UG/L			10	U	10	U
S	Dimethylphthalate	UG/L			10	U	10	U
S	Fluoranthene	UG/L			10	U	10	U
S	Fluorene	UG/L			10	U	10	U
S	Hexachlorobenzene	UG/L			10	U	10	U
S	Hexachlorobutadiene	UG/L			10	U	10	U
S	Hexachlorocyclopentadiene	UG/L			10	U	10	U
S	Hexachloroethane	UG/L			10	U	10	U
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	10	U
S	Isophorone	UG/L			10	U	10	U
S	N-Nitroso-di-n-propylamine	UG/L			10	U	10	U
S	N-Nitrosodiphenylamine	UG/L			10	U	10	U
S	Naphthalene	UG/L			10	U	10	U
	Nitrobenzene	UG/L			10	U	10	U
	Pentachlorophenol	UG/L			25	U	24	U
S	Phenanthrene	UG/L			10	U	10	U
S	Phenol	UG/L			10	U	10	U
S	Pyrene	UG/L			10	U	10	U
S	bis(2-Chloroethoxy)methane	UG/L			10	U	10	U
S	bis(2-Ethlyhexy)phthalate	UG/L			6	J	2	J
S	bis(2-chloroethyl)ether	UG/L			10	U	10	U
S	bis(2-chloroisopropyl)ether	UG/L			10	U	10	U
V	1,1,1-Trichloroethane	UG/L	10	U	10	U		
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U		
V	1,1,2-Trichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethane	UG/L	10	U	10	U		
V	1,1-Dichloroethene	UG/L	10	U	10	U		
V	1,2-Dichloroethane	UG/L	10	U	10	U		
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U		
V	1,2-Dichloropropane	UG/L	10	U	10	U		
V	2-Butanone	UG/L	10	U	10	U		
V	2-Hexanone	UG/L	10	U	10	U		
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U		
V	Acetone	UG/L	10	U	9	J		
V	Benzene	UG/L	10	U	10	U		
V	Bromodichloromethane	UG/L	10	U	10	U		
V	Bromoform	UG/L	10	U	10	U		
V	Bromomethane	UG/L	10	U	10	U		
V	Carbon Disulfide	UG/L	10	U	10	U		
	Carbon Tetrachloride	UG/L	10	U	10	U		

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB1 LAB SAMPLE ID---> 83308 RECEIPT DATE----> 06/11/93		SAMPLE ID ------> 69RB2 LAB SAMPLE ID---> 82907 RECEIPT DATE----> 06/08/93		SAMPLE ID ------> 69RB2RE LAB SAMPLE ID---> 82907RE
V	Chlorobenzene	UG/L	10	U	10	U	
V	Chloroethane	UG/L	10	U	10	U	
V	Chloroform	UG/L	10	U	10	U	
V	Chloromethane	UG/L	10	U	10	U	
V	Dibromochloromethane	UG/L	10	U	10	U	
V	Ethylbenzene	UG/L	10	U	10	U	
V	Methylene Chloride	UG/L	3	J	4	J	
V	Styrene	UG/L	10	U	10	U	
V	Tetrachloroethene	UG/L	10	U	10	U	
V	Toluene	UG/L	10	U	10	U	
V	Trichloroethene	UG/L	10	U	10	U	
V	Vinyl Chloride	UG/L	10	U	10	U	
V	Xylene (total)	UG/L	10	U	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB4 LAB SAMPLE ID---> 83822 RECEIPT DATE----> 06/22/93		TRIPBLANK 82842 06/05/93	TRIPBLANK 83298 06/11/93
I	Aluminum	UG/L	20	U		
I	Antimony	UG/L	45	UJ		
I	Arsenic	UG/L	3	U		
I	Barium	UG/L	3	U		
I	Beryllium	UG/L	1	U		
I	Cadmium	UG/L	3	UJ		
I	Calcium	UG/L	105	J		
I	Chromium	UG/L	5	U		
I	Cobalt	UG/L	8	U		
I	Copper	UG/L	4.7	J		
I	Cyanide	UG/L	.			
I	Iron	UG/L	19.9	J		
I	Lead	UG/L	2.6	J		
I	Magnesium	UG/L	30	U		
I	Manganese	UG/L	1	U		
I	Mercury	UG/L	0.2	U		
I	Nickel	UG/L	20	U		
	Potassium	UG/L	350	U		
	Selenium	UG/L	1	U		
I	Silver	UG/L	7	U		
I	Sodium	UG/L	104	J		
I	Thallium	UG/L	2	UJ		
I	Vanadium	UG/L	3	U		
I	Zinc	UG/L	9.5	J		
S	1,2,4-Trichlorobenzene	UG/L	10	U		
S	1,2-Dichlorobenzene	UG/L	10	U		
S	1,3-Dichlorobenzene	UG/L	10	U		
S	1,4-Dichlorobenzene	UG/L	10	U		
S	2,4,5-Trichlorophenol	UG/L	25	U		
S	2,4,6-Trichlorophenol	UG/L	10	U		
S	2,4-Dichlorophenol	UG/L	10	U		
S	2,4-Dimethylphenol	UG/L	10	U		
S	2,4-Dinitrophenol	UG/L	25	U		
S	2,4-Dinitrotoluene	UG/L	10	U		
S	2,6-Dinitrotoluene	UG/L	10	U		
S	2-Chloronaphthalene	UG/L	10	U		
S	2-Chlorophenol	UG/L	10	U		
S	2-Methylnaphthalene	UG/L	10	U		
S	2-Methylphenol	UG/L	10	U		
S	2-Nitroaniline	UG/L	25	U		
S	2-Nitrophenol	UG/L	10	U		
S	3,3'-Dichlorobenzidine	UG/L	10	U		
S	3-Nitroaniline	UG/L	25	U		
	4,6-Dinitro-2-methylphenol	UG/L	25	U		

CORPUS CHRISTI
WATER SAMPLES

		SAMPLE ID ------>	69RB4		TRIPBLANK		TRIPBLANK	
		LAB SAMPLE ID--->	83822		82842		83298	
		RECEIPT DATE---->	06/22/93					
	PARAMETER	UNITS						
S	4-Bromophenyl-phenylether	UG/L	10	U				
S	4-Chloro-3-methylphenol	UG/L	10	U				
S	4-Chloroaniline	UG/L	10	U				
S	4-Chlorophenyl-phenylether	UG/L	10	U				
S	4-Methylphenol	UG/L	10	U				
S	4-Nitroaniline	UG/L	25	U				
S	4-Nitrophenol	UG/L	25	U				
S	Acenaphthene	UG/L	10	U				
S	Acenaphthylene	UG/L	10	U				
S	Anthracene	UG/L	10	U				
S	Benzo(a)anthracene	UG/L	10	U				
S	Benzo(a)pyrene	UG/L	10	U				
S	Benzo(b)fluoranthene	UG/L	10	U				
S	Benzo(g,h,i)perylene	UG/L	10	U				
S	Benzo(k)fluoranthene	UG/L	10	U				
S	Butylbenzylphthalate	UG/L	10	U				
S	Carbazole	UG/L	10	U				
S	Chrysene	UG/L	10	U				
	Di-n-butylphthalate	UG/L	10	U				
	Di-n-octylphthalate	UG/L	10	U				
S	Dibenz(a,h)anthracene	UG/L	10	U				
S	Dibenzofuran	UG/L	10	U				
S	Diethylphthalate	UG/L	10	U				
S	Dimethylphthalate	UG/L	10	U				
S	Fluoranthene	UG/L	10	U				
S	Fluorene	UG/L	10	U				
S	Hexachlorobenzene	UG/L	10	U				
S	Hexachlorobutadiene	UG/L	10	U				
S	Hexachlorocyclopentadiene	UG/L	10	U				
S	Hexachloroethane	UG/L	10	U				
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U				
S	Isophorone	UG/L	10	U				
S	N-Nitroso-di-n-propylamine	UG/L	10	U				
S	N-Nitrosodiphenylamine	UG/L	10	U				
S	Naphthalene	UG/L	10	U				
S	Nitrobenzene	UG/L	10	U				
S	Pentachlorophenol	UG/L	25	U				
S	Phenanthrene	UG/L	10	U				
S	Phenol	UG/L	10	U				
S	Pyrene	UG/L	10	U				
S	bis(2-Chloroethoxy)methane	UG/L	10	U				
S	bis(2-Ethlyhexy)phthalate	UG/L	1	J				
S	bis(2-chloroethyl)ether	UG/L	10	U				
S	bis(2-chloroisopropyl)ether	UG/L	10	U				
	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 69RB4 LAB SAMPLE ID---> 83822 RECEIPT DATE----> 06/22/93		TRIPBLANK 82842 06/05/93		TRIPBLANK 83298 06/11/93	
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	10	U	10	U	10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
V	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
V	Chlorobenzene	UG/L	10	U	10	U	10	U
	Chloroethane	UG/L	10	U	10	U	10	U
	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	5	J	2	J	3	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK LAB SAMPLE ID---> 84869 RECEIPT DATE----> 07/10/93		SAMPLE ID ------> TRIPBLANK LAB SAMPLE ID---> 85115 RECEIPT DATE----> 07/14/93		SAMPLE ID ------> TRIPBLANK LAB SAMPLE ID---> 85236 RECEIPT DATE----> 07/15/93	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	10	U	10	U	4	J
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	10	U	10	U	3	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK1 LAB SAMPLE ID---> 82900 RECEIPT DATE----> 06/08/93		SAMPLE ID ------> TRIPBLANK1 LAB SAMPLE ID---> 83820 RECEIPT DATE----> 06/22/93		SAMPLE ID ------> TRIPBLANK1 LAB SAMPLE ID---> 84998 RECEIPT DATE----> 07/13/93	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	2	J
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	10	U	5	J	10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	6	J	10	U	10	U
	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	2	J	10	U	2	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK2 LAB SAMPLE ID---> 82908 RECEIPT DATE----> 06/08/93		SAMPLE ID ------> TRIPBLANK2 LAB SAMPLE ID---> 83821 RECEIPT DATE----> 06/22/93		SAMPLE ID ------> TRIPBLANK2 LAB SAMPLE ID---> 84999 RECEIPT DATE----> 07/13/93	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	3	J	10	U	1	J
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
V	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	2	J	1	J	2	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK3 LAB SAMPLE ID---> 85000 RECEIPT DATE----> 07/13/93		TRIPBLANK4 85001 07/13/93		TRIPBLANK5 85002 07/13/93	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	2	J
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	10	U	10	U	10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
V	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	1		2	J	2	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

APPENDIX F

LABORATORY RESULTS — SECOND SAMPLING EVENT

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM19D		693WMWGM19D-F		693WMWGM20	
			LAB SAMPLE ID---> 89962		89982		89963	
			RECEIPT DATE----> .		10/26/93		10/26/93	
I	Zinc	UG/L			5	U	54.4	
I	Zinc	UG/L			24.5		54.4	
P	4,4'-DDD	UG/L	0.051	U			0.05	U
P	4,4'-DDE	UG/L	0.051	U			0.05	U
P	4,4'-DDT	UG/L	0.051	U			0.05	U
P	Aldrin	UG/L	0.026	U			0.025	U
P	Aroclor 1016	UG/L	0.51	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.51	U			0.5	U
P	Aroclor 1242	UG/L	0.51	U			0.5	U
P	Aroclor 1248	UG/L	0.51	U			0.5	U
P	Aroclor 1254	UG/L	0.51	U			0.5	U
P	Aroclor 1260	UG/L	0.51	U			0.5	U
P	Dieldrin	UG/L	0.051	U			0.05	U
P	Endosulfan I	UG/L	0.026	U			0.025	U
P	Endosulfan II	UG/L	0.051	U			0.05	U
P	Endosulfan sulfate	UG/L	0.051	U			0.05	U
P	Endrin	UG/L	0.051	U			0.05	U
P	Endrin aldehyde	UG/L	0.051	U			0.05	U
	Endrin ketone	UG/L	0.051	U			0.05	U
P	Heptachlor	UG/L	0.026	U			0.025	U
P	Heptachlor epoxide	UG/L	0.026	U			0.025	U
P	Methoxychlor	UG/L	0.26	U			0.25	U
P	Toxaphene	UG/L	2.6	U			2.5	U
P	alpha-BHC	UG/L	0.026	U			0.025	U
P	alpha-Chlordane	UG/L	0.026	U			0.025	U
P	beta-BHC	UG/L	0.026	U			0.025	U
P	delta-BHC	UG/L	0.026	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.026	U			0.025	U
P	gamma-Chlordane	UG/L	0.026	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	4	J			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	8	J			10	U
S	2,4,5-Trichlorophenol	UG/L	25	U			25	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	25	U			25	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
	2-Methylphenol	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM19D LAB SAMPLE ID---> 89962 RECEIPT DATE----> 10/26/93		693WMWGM19D-F 89982		693WMWGM20 89963 10/26/93	
S	2-Nitroaniline	UG/L	25	U			25	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	25	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L	25	U			25	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	25	U			25	U
S	4-Nitrophenol	UG/L	25	U			25	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U
S	Chrysene	UG/L	10	U			10	U
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			10	U
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	25	U			25	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM19D LAB SAMPLE ID---> 89962 RECEIPT DATE----> 10/26/93		693WMWGM19D-F 89982		693WMWGM20 89963 10/26/93	
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	12	U			6	U
V	Benzene	UG/L	51				10	U
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	140				10	U
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM20-F		693WMWMCC1		693WMWMCC1-F	
	LAB SAMPLE ID--->		89983				89977	
	RECEIPT DATE---->		10/26/93		.		10/26/93	
I	Aluminum	UG/L	20	U	26400	J	29.6	J
I	Antimony	UG/L	35	U	.	UJ	35	U
I	Arsenic	UG/L	4	J	27.2	J	8.1	J
I	Barium	UG/L	377		315		104	J
I	Beryllium	UG/L	1	U	2	J	1	U
I	Cadmium	UG/L	3	U	.		3	U
I	Calcium	UG/L	94100		83000		53800	
I	Chromium	UG/L	4.2	U	1090		4	U
I	Cobalt	UG/L	3	U	12	J	3	U
I	Copper	UG/L	4	U	57.5		4	U
I	Iron	UG/L	10800		31500	J	1730	
I	Lead	UG/L	2	U	31.8	R	2	U
I	Magnesium	UG/L	67200		20900		15100	
I	Manganese	UG/L	199		447		139	
I	Mercury	UG/L	0.2	U	.		0.2	U
I	Nickel	UG/L	15	U	120		20.5	J
I	Potassium	UG/L	15700		11100		7630	
I	Selenium	UG/L	2	U	.	UJ	2	U
I	Silver	UG/L	4	UJ	5.6	UJ	4	UJ
I	Sodium	UG/L	1100000		166000		172000	
I	Thallium	UG/L	10	R	.	R	10	R
I	Vanadium	UG/L	3	U	42.3	J	3.9	J
I	Zinc	UG/L	12	U	113		5	U
P	4,4'-DDD	UG/L			0.051	U		
P	4,4'-DDE	UG/L			0.051	U		
P	4,4'-DDT	UG/L			0.051	U		
P	Aldrin	UG/L			0.026	U		
P	Aroclor 1016	UG/L			0.51	U		
P	Aroclor 1221	UG/L			1	U		
P	Aroclor 1232	UG/L			0.51	U		
P	Aroclor 1242	UG/L			0.51	U		
P	Aroclor 1248	UG/L			0.51	U		
P	Aroclor 1254	UG/L			0.51	U		
P	Aroclor 1260	UG/L			0.51	U		
P	Dieldrin	UG/L			0.051	U		
P	Endosulfan I	UG/L			0.026	U		
P	Endosulfan II	UG/L			0.051	U		
P	Endosulfan sulfate	UG/L			0.051	U		
P	Endrin	UG/L			0.051	U		
P	Endrin aldehyde	UG/L			0.051	U		
P	Endrin ketone	UG/L			0.051	U		
P	Heptachlor	UG/L			0.026	U		
P	Heptachlor epoxide	UG/L			0.026	U		
P	Methoxychlor	UG/L			0.26	U		

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWGM20-F	693WMWMCC1		693WMWMCC1-F
		LAB SAMPLE ID--->	89983	89955		89977
		RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS				
P	Toxaphene	UG/L		2.6	U	
P	alpha-BHC	UG/L		0.026	U	
P	alpha-Chlordane	UG/L		0.026	U	
P	beta-BHC	UG/L		0.026	U	
P	delta-BHC	UG/L		0.026	U	
P	gamma-BHC (Lindane)	UG/L		0.026	U	
P	gamma-Chlordane	UG/L		0.026	U	
S	1,2,4-Trichlorobenzene	UG/L		10	U	
S	1,2-Dichlorobenzene	UG/L		10	U	
S	1,3-Dichlorobenzene	UG/L		10	U	
S	1,4-Dichlorobenzene	UG/L		10	U	
S	2,4,5-Trichlorophenol	UG/L		26	U	
S	2,4,6-Trichlorophenol	UG/L		10	U	
S	2,4-Dichlorophenol	UG/L		10	U	
S	2,4-Dimethylphenol	UG/L		10	U	
S	2,4-Dinitrophenol	UG/L		26	U	
S	2,4-Dinitrotoluene	UG/L		10	U	
S	2,6-Dinitrotoluene	UG/L		10	U	
S	2-Chloronaphthalene	UG/L		10	U	
	2-Chlorophenol	UG/L		10	U	
S	2-Methylnaphthalene	UG/L		10	U	
S	2-Methylphenol	UG/L		10	U	
S	2-Nitroaniline	UG/L		26	U	
S	2-Nitrophenol	UG/L		10	U	
S	3,3'-Dichlorobenzidine	UG/L		10	U	
S	3-Nitroaniline	UG/L		26	U	
S	4,6-Dinitro-2-methylphenol	UG/L		26	U	
S	4-Bromophenyl-phenylether	UG/L		10	U	
S	4-Chloro-3-methylphenol	UG/L		10	U	
S	4-Chloroaniline	UG/L		10	U	
S	4-Chlorophenyl-phenylether	UG/L		10	U	
S	4-Methylphenol	UG/L		10	U	
S	4-Nitroaniline	UG/L		26	U	
S	4-Nitrophenol	UG/L		26	U	
S	Acenaphthene	UG/L		10	U	
S	Acenaphthylene	UG/L		10	U	
S	Anthracene	UG/L		10	U	
S	Benzo(a)anthracene	UG/L		10	U	
S	Benzo(a)pyrene	UG/L		10	U	
S	Benzo(b)fluoranthene	UG/L		10	U	
S	Benzo(g,h,i)perylene	UG/L		10	U	
S	Benzo(k)fluoranthene	UG/L		10	U	
S	Butylbenzylphthalate	UG/L		10	U	
S	Carbazole	UG/L		10	U	
	Chrysene	UG/L		10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWGM20-F	693WMWMCC1	693WMWMCC-F
		LAB SAMPLE ID--->	89983	89955	89977
		RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		10	U
S	Nitrobenzene	UG/L		10	U
S	Pentachlorophenol	UG/L		26	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		1	J
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U
V	1,1,1-Trichloroethane	UG/L		10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U
V	1,1,2-Trichloroethane	UG/L		10	U
V	1,1-Dichloroethane	UG/L		10	U
V	1,1-Dichloroethene	UG/L		10	U
V	1,2-Dichloroethane	UG/L		10	U
V	1,2-Dichloroethene (total)	UG/L		10	U
V	1,2-Dichloropropane	UG/L		10	U
V	2-Butanone	UG/L		10	U
V	2-Hexanone	UG/L		10	U
V	4-Methyl-2-Pentanone	UG/L		10	U
V	Acetone	UG/L		8	J
V	Benzene	UG/L		2	J
V	Bromodichloromethane	UG/L		10	U
V	Bromoform	UG/L		10	U
V	Bromomethane	UG/L		10	U
V	Carbon Disulfide	UG/L		10	U
V	Carbon Tetrachloride	UG/L		10	U
V	Chlorobenzene	UG/L		1	J

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWGM20-F	693WMWMCC1	693WMWMCC1-F
		LAB SAMPLE ID--->	89983	89955	89977
		RECEIPT DATE---->	.	10/26/93	.
	PARAMETER	UNITS			
V	Chloroethane	UG/L		10 U	
V	Chloroform	UG/L		10 U	
V	Chloromethane	UG/L		10 U	
V	Dibromochloromethane	UG/L		10 U	
V	Ethylbenzene	UG/L		10 U	
V	Methylene Chloride	UG/L		10 U	
V	Styrene	UG/L		10 U	
V	Tetrachloroethene	UG/L		11	
V	Toluene	UG/L		10 U	
V	Trichloroethene	UG/L		10 U	
V	Vinyl Chloride	UG/L		10 U	
V	Xylene (total)	UG/L		10 U	
V	cis-1,3-Dichloropropene	UG/L		10 U	
V	trans-1,3-Dichloropropene	UG/L		10 U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC11		693WMWMCC11-F		693WMWMCC12	
	LAB SAMPLE ID--->				89978		89970	
	RECEIPT DATE---->		.		10/26/93		10/26/93	
			.		.		.	
I	Aluminum	UG/L	6020	J	36.7	J	133	U
I	Antimony	UG/L	.	UJ	35	U	35	U
I	Arsenic	UG/L	.		2	U	9.6	J
I	Barium	UG/L	425		563		113	J
I	Beryllium	UG/L	.		1	U	1	U
I	Cadmium	UG/L	.		3	U	3	U
I	Calcium	UG/L	195000		173000		152000	
I	Chromium	UG/L	8.7	J	5	U	15.7	
I	Cobalt	UG/L	4.2	J	3	U	6.2	J
I	Copper	UG/L	.		4	U	4	U
I	Iron	UG/L	19400	J	10500		49900	
I	Lead	UG/L	11	R	2	U	22.8	J
I	Magnesium	UG/L	42300		46000		5310	
I	Manganese	UG/L	580		424		504	
I	Mercury	UG/L	.		0.2	U	0.2	U
I	Nickel	UG/L	.		15	U	15	U
I	Potassium	UG/L	29600		26800		6750	
I	Selenium	UG/L	.	UJ	2.5	J	2	U
I	Silver	UG/L	.	UJ	4	UJ	4	UJ
I	Sodium	UG/L	96100		117000		11200	
I	Thallium	UG/L	.	R	10	R	2	U
I	Vanadium	UG/L	.		3	U	3	U
I	Zinc	UG/L	.		5.8	U	11.6	J
P	4,4'-DDD	UG/L	0.054	U			0.056	U
P	4,4'-DDE	UG/L	0.054	U			0.056	U
P	4,4'-DDT	UG/L	0.054	U			0.056	U
P	Aldrin	UG/L	0.027	U			0.028	U
P	Aroclor 1016	UG/L	0.54	U			0.56	U
P	Aroclor 1221	UG/L	1.1	U			1.1	U
P	Aroclor 1232	UG/L	0.54	U			0.56	U
P	Aroclor 1242	UG/L	0.54	U			0.56	U
P	Aroclor 1248	UG/L	0.54	U			0.56	U
P	Aroclor 1254	UG/L	0.54	U			0.56	U
P	Aroclor 1260	UG/L	0.54	U			0.56	U
P	Dieldrin	UG/L	0.054	U			0.056	U
P	Endosulfan I	UG/L	0.027	U			0.028	U
P	Endosulfan II	UG/L	0.054	U			0.056	U
P	Endosulfan sulfate	UG/L	0.054	U			0.056	U
P	Endrin	UG/L	0.054	U			0.056	U
P	Endrin aldehyde	UG/L	0.054	U			0.056	U
P	Endrin ketone	UG/L	0.054	U			0.056	U
P	Heptachlor	UG/L	0.027	U			0.028	U
P	Heptachlor epoxide	UG/L	0.027	U			0.028	U
P	Methoxychlor	UG/L	0.27	U			0.28	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC11		693WMWMCC11-F		693WMWMCC12	
	LAB SAMPLE ID--->		89956		89978		89970	
	RECEIPT DATE---->		10/26/93				10/26/93	
P	Toxaphene	UG/L	2.7	U			2.8	U
P	alpha-BHC	UG/L	0.027	U			0.028	U
P	alpha-Chlordane	UG/L	0.027	U			0.028	U
P	beta-BHC	UG/L	0.027	U			0.028	U
P	delta-BHC	UG/L	0.027	U			0.028	U
P	gamma-BHC (Lindane)	UG/L	0.027	U			0.028	U
P	gamma-Chlordane	UG/L	0.027	U			0.028	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	2	J			3	J
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	6	J			10	U
S	2,4,5-Trichlorophenol	UG/L	26	U			25	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			45	
S	2,4-Dinitrophenol	UG/L	26	U			25	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			47	
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	26	U			25	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			25	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			2	J
S	4-Nitroaniline	UG/L	26	U			25	U
S	4-Nitrophenol	UG/L	26	U			25	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U
	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC11 LAB SAMPLE ID---> 89956 RECEIPT DATE----> 10/26/93		693WMWMCC11-F 89978		693WMWMCC12 89970 10/26/93	
S	Di-n-butylphthalate	UG/L	10	U			1	J
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			28	
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			85	J
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	26	U			25	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			6	J
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	1	J			2	J
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			50	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			50	U
V	1,1,2-Trichloroethane	UG/L	10	U			50	U
V	1,1-Dichloroethane	UG/L	10	U			50	U
V	1,1-Dichloroethene	UG/L	10	U			50	U
V	1,2-Dichloroethane	UG/L	10	U			50	U
V	1,2-Dichloroethene (total)	UG/L	10	U			17	J
V	1,2-Dichloropropane	UG/L	10	U			50	U
V	2-Butanone	UG/L	10	U			55	
V	2-Hexanone	UG/L	10	U			50	U
V	4-Methyl-2-Pentanone	UG/L	10	U			50	U
V	Acetone	UG/L	9	J			48	J
V	Benzene	UG/L	6	J			170	
V	Bromodichloromethane	UG/L	10	U			50	U
V	Bromoform	UG/L	10	U			50	U
V	Bromomethane	UG/L	10	U			50	U
V	Carbon Disulfide	UG/L	10	U			50	U
V	Carbon Tetrachloride	UG/L	10	U			50	U
V	Chlorobenzene	UG/L	68				50	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC11		693WMWMCC11-F		693WMWMCC12	
		LAB SAMPLE ID--->	89956		89978		89970	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			50	U
V	Chloroform	UG/L	10	U			50	U
V	Chloromethane	UG/L	10	U			50	U
V	Dibromochloromethane	UG/L	10	U			50	U
V	Ethylbenzene	UG/L	10	U			170	
V	Methylene Chloride	UG/L	10	U			7	J
V	Styrene	UG/L	10	U			50	U
V	Tetrachloroethene	UG/L	10	U			29	J
V	Toluene	UG/L	10	U			19	J
V	Trichloroethene	UG/L	10	U			50	U
V	Vinyl Chloride	UG/L	10	U			19	J
V	Xylene (total)	UG/L	10	U			680	Y
V	cis-1,3-Dichloropropene	UG/L	10	U			50	U
V	trans-1,3-Dichloropropene	UG/L	10	U			50	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC12-F LAB SAMPLE ID---> 89989 RECEIPT DATE----> 10/26/93		SAMPLE ID ------> 693WMWMCC13 LAB SAMPLE ID---> 89756 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWMCC13-F LAB SAMPLE ID---> 89771 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	20	U	8080		88.7	U
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	8.4	J	6.2	J	7.2	J
I	Barium	UG/L	96.7	J	129	J	102	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	144000		91600		88100	
I	Chromium	UG/L	17.5		4.5	J	4	U
I	Cobalt	UG/L	7.7	U	4.7	J	3	U
I	Copper	UG/L	5.7	J	9.3	U	4	U
I	Iron	UG/L	40000		5080		1800	
I	Lead	UG/L	2	UJ	6.2		2	U
I	Magnesium	UG/L	5470		16400		17500	
I	Manganese	UG/L	429	J	260		213	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	7040		12400		11300	
I	Selenium	UG/L	2	U	2	J	2	U
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	13300		76800		99500	
I	Thallium	UG/L	2	R	2	R	10	R
I	Vanadium	UG/L	3	U	10.9	J	3	U
I	Zinc	UG/L	5.6	U	26	U	5	U
P	4,4'-DDD	UG/L			0.11	U		
P	4,4'-DDE	UG/L			0.11	U		
P	4,4'-DDT	UG/L			0.11	U		
P	Aldrin	UG/L			0.054	U		
P	Aroclor 1016	UG/L			1.1	U		
P	Aroclor 1221	UG/L			2.2	U		
P	Aroclor 1232	UG/L			1.1	U		
P	Aroclor 1242	UG/L			1.1	U		
P	Aroclor 1248	UG/L			1.1	U		
P	Aroclor 1254	UG/L			1.1	U		
P	Aroclor 1260	UG/L			1.1	U		
P	Dieldrin	UG/L			0.11	U		
P	Endosulfan I	UG/L			0.054	U		
P	Endosulfan II	UG/L			0.11	U		
P	Endosulfan sulfate	UG/L			0.11	U		
P	Endrin	UG/L			0.11	U		
P	Endrin aldehyde	UG/L			0.11	U		
P	Endrin ketone	UG/L			0.11	U		
P	Heptachlor	UG/L			0.054	U		
P	Heptachlor epoxide	UG/L			0.054	U		
P	Methoxychlor	UG/L			0.54	U		

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWMCC12-F	693WMWMCC13	693WMWMCC13-F
			LAB SAMPLE ID--->	89989	89756	89771
			RECEIPT DATE---->	.	10/22/93	.
	PARAMETER	UNITS				
P	Toxaphene	UG/L			5.4 U	
P	alpha-BHC	UG/L			0.054 U	
P	alpha-Chlordane	UG/L			0.054 U	
P	beta-BHC	UG/L			0.054 U	
P	delta-BHC	UG/L			0.054 U	
P	gamma-BHC (Lindane)	UG/L			0.054 U	
P	gamma-Chlordane	UG/L			0.054 U	
S	1,2,4-Trichlorobenzene	UG/L			11 U	
S	1,2-Dichlorobenzene	UG/L			11 U	
S	1,3-Dichlorobenzene	UG/L			11 U	
S	1,4-Dichlorobenzene	UG/L			11 U	
S	2,4,5-Trichlorophenol	UG/L			27 U	
S	2,4,6-Trichlorophenol	UG/L			11 U	
S	2,4-Dichlorophenol	UG/L			11 U	
S	2,4-Dimethylphenol	UG/L			11 U	
S	2,4-Dinitrophenol	UG/L			27 U	
S	2,4-Dinitrotoluene	UG/L			11 U	
S	2,6-Dinitrotoluene	UG/L			11 U	
S	2-Chloronaphthalene	UG/L			11 U	
S	2-Chlorophenol	UG/L			11 U	
S	2-Methylnaphthalene	UG/L			11 U	
S	2-Methylphenol	UG/L			11 U	
S	2-Nitroaniline	UG/L			27 U	
S	2-Nitrophenol	UG/L			11 U	
S	3,3'-Dichlorobenzidine	UG/L			11 U	
S	3-Nitroaniline	UG/L			27 U	
S	4,6-Dinitro-2-methylphenol	UG/L			27 U	
S	4-Bromophenyl-phenylether	UG/L			11 U	
S	4-Chloro-3-methylphenol	UG/L			11 U	
S	4-Chloroaniline	UG/L			11 U	
S	4-Chlorophenyl-phenylether	UG/L			11 U	
S	4-Methylphenol	UG/L			11 U	
S	4-Nitroaniline	UG/L			27 U	
S	4-Nitrophenol	UG/L			27 U	
S	Acenaphthene	UG/L			11 U	
S	Acenaphthylene	UG/L			11 U	
S	Anthracene	UG/L			11 U	
S	Benzo(a)anthracene	UG/L			11 U	
S	Benzo(a)pyrene	UG/L			11 U	
S	Benzo(b)fluoranthene	UG/L			11 U	
S	Benzo(g,h,i)perylene	UG/L			11 U	
S	Benzo(k)fluoranthene	UG/L			11 U	
S	Butylbenzylphthalate	UG/L			11 U	
S	Carbazole	UG/L			11 U	
S	Chrysene	UG/L			11 U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC12-F	693WMWMCC13	693WMWMCC13-F
		LAB SAMPLE ID--->	89989	89756	89771
		RECEIPT DATE---->		10/22/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		11 U	
S	Di-n-octylphthalate	UG/L		11 U	
S	Dibenz(a,h)anthracene	UG/L		11 U	
S	Dibenzofuran	UG/L		11 U	
S	Diethylphthalate	UG/L		11 U	
S	Dimethylphthalate	UG/L		11 U	
S	Fluoranthene	UG/L		11 U	
S	Fluorene	UG/L		11 U	
S	Hexachlorobenzene	UG/L		11 U	
S	Hexachlorobutadiene	UG/L		11 U	
S	Hexachlorocyclopentadiene	UG/L		11 U	
S	Hexachloroethane	UG/L		11 U	
S	Indeno(1,2,3-cd)pyrene	UG/L		11 U	
S	Isophorone	UG/L		11 U	
S	N-Nitroso-di-n-propylamine	UG/L		11 U	
S	N-Nitrosodiphenylamine	UG/L		11 U	
S	Naphthalene	UG/L		11 U	
S	Nitrobenzene	UG/L		11 U	
S	Pentachlorophenol	UG/L		27 U	
S	Phenanthrene	UG/L		11 U	
S	Phenol	UG/L		11 U	
S	Pyrene	UG/L		11 U	
S	bis(2-Chloroethoxy)methane	UG/L		11 U	
S	bis(2-Ethlyhexy)phthalate	UG/L		11 U	
S	bis(2-chloroethyl)ether	UG/L		11 U	
S	bis(2-chloroisopropyl)ether	UG/L		11 U	
V	1,1,1-Trichloroethane	UG/L		10 U	
V	1,1,2,2-Tetrachloroethane	UG/L		10 U	
V	1,1,2-Trichloroethane	UG/L		10 U	
V	1,1-Dichloroethane	UG/L		10 U	
V	1,1-Dichloroethene	UG/L		10 U	
V	1,2-Dichloroethane	UG/L		10 U	
V	1,2-Dichloroethene (total)	UG/L		10 U	
V	1,2-Dichloropropane	UG/L		10 U	
V	2-Butanone	UG/L		10 U	
V	2-Hexanone	UG/L		10 U	
V	4-Methyl-2-Pentanone	UG/L		10 U	
V	Acetone	UG/L		3 U	
V	Benzene	UG/L		10 U	
V	Bromodichloromethane	UG/L		10 U	
V	Bromoform	UG/L		10 U	
V	Bromomethane	UG/L		10 U	
V	Carbon Disulfide	UG/L		10 U	
V	Carbon Tetrachloride	UG/L		10 U	
V	Chlorobenzene	UG/L		10 U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC12-F	693WMWMCC13	693WMWMCC13-F
		LAB SAMPLE ID--->	89989	89756	89771
		RECEIPT DATE---->	.	10/22/93	.
	PARAMETER	UNITS			
V	Chloroethane	UG/L		10 U	
V	Chloroform	UG/L		10 U	
V	Chloromethane	UG/L		10 U	
V	Dibromochloromethane	UG/L		10 U	
V	Ethylbenzene	UG/L		10 U	
V	Methylene Chloride	UG/L		10 U	
V	Styrene	UG/L		10 U	
V	Tetrachloroethene	UG/L		18	
V	Toluene	UG/L		10 U	
V	Trichloroethene	UG/L		10 U	
V	Vinyl Chloride	UG/L		10 U	
V	Xylene (total)	UG/L		10 U	
V	cis-1,3-Dichloropropene	UG/L		10 U	
V	trans-1,3-Dichloropropene	UG/L		10 U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC14		693WMWMCC14-F		693WMWMC[illegible]	
	LAB SAMPLE ID--->		89670		89676		89843	
	RECEIPT DATE---->		10/21/93		10/21/93		10/23/93	
I	Aluminum	UG/L	3950		20	U	1580	J
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	2.4	J	2.9	J	11.4	J
I	Barium	UG/L	831		853		168	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	201000		176000		246000	
I	Chromium	UG/L	4.6	J	6.5	U	4	U
I	Cobalt	UG/L	10.7	J	3.4	U	3	U
I	Copper	UG/L	5.6	U	10.8	U	6	J
I	Iron	UG/L	23600		13300		7330	
I	Lead	UG/L	2	U	2	U	2.8	J
I	Magnesium	UG/L	52100		52000		24500	
I	Manganese	UG/L	487		411		1170	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	27800		26500		13500	
I	Selenium	UG/L	2.4	J	2		2	UJ
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	159000		166000		38300	
I	Thallium	UG/L	10	R	10	R	2	U
I	Vanadium	UG/L	6.2	J	3	U	3.7	J
I	Zinc	UG/L	37.8	U	7.5	U	13.1	J
P	4,4'-DDD	UG/L	0.11	U			0.051	U
P	4,4'-DDE	UG/L	0.11	U			0.051	U
P	4,4'-DDT	UG/L	0.11	U			0.051	U
P	Aldrin	UG/L	0.053	U			0.026	U
P	Aroclor 1016	UG/L	1.1	U			0.51	U
P	Aroclor 1221	UG/L	2.1	U			1	U
P	Aroclor 1232	UG/L	1.1	U			0.51	U
P	Aroclor 1242	UG/L	1.1	U			0.51	U
P	Aroclor 1248	UG/L	1.1	U			0.51	U
P	Aroclor 1254	UG/L	1.1	U			0.51	U
P	Aroclor 1260	UG/L	1.1	U			0.51	U
P	Dieldrin	UG/L	0.11	U			0.051	U
P	Endosulfan I	UG/L	0.053	U			0.026	U
P	Endosulfan II	UG/L	0.11	U			0.051	U
P	Endosulfan sulfate	UG/L	0.11	U			0.051	U
P	Endrin	UG/L	0.11	U			0.051	U
P	Endrin aldehyde	UG/L	0.11	U			0.051	U
P	Endrin ketone	UG/L	0.11	U			0.051	U
P	Heptachlor	UG/L	0.053	U			0.026	U
P	Heptachlor epoxide	UG/L	0.053	U			0.026	U
P	Methoxychlor	UG/L	0.53	U			0.26	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC14 LAB SAMPLE ID---> 89670 RECEIPT DATE----> 10/21/93		693WMWMCC14-F 89676		693WMWMCC15 89843 10/23/93	
P	Toxaphene	UG/L	5.3	U			2.6	U
P	alpha-BHC	UG/L	0.053	U			0.026	U
P	alpha-Chlordane	UG/L	0.053	U			0.026	U
P	beta-BHC	UG/L	0.053	U			0.026	U
P	delta-BHC	UG/L	0.053	U			0.026	U
P	gamma-BHC (Lindane)	UG/L	0.053	U			0.026	U
P	gamma-Chlordane	UG/L	0.053	U			0.026	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			3	J
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	6	J			8	J
S	2,4,5-Trichlorophenol	UG/L	26	U			26	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	26	U			26	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
	2-Chloronaphthalene	UG/L	10	U			10	U
	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	26	U			26	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			26	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	26	U			26	U
S	4-Nitrophenol	UG/L	26	U			26	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	1	J			10	U
	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC14		693WMWMCC14-F		693WMWMCC15	
	LAB SAMPLE ID--->		89670		89676		89843	
	RECEIPT DATE---->		10/21/93				10/23/93	
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	5	J			10	U
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	26	U			26	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			1	J
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	10	U			13	
V	Benzene	UG/L	10				46	
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	44				96	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC14		693WMWMCC14-F		693WMWMCC15	
		LAB SAMPLE ID--->	88670		89676		89843	
		RECEIPT DATE---->	10/21/93				10/23/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	6	J			3	J
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC15-F		693WMWMCC15D		693WMWMCC[illegible]D-F	
	LAB SAMPLE ID--->		89852		89844		89853	
	RECEIPT DATE---->		10/23/93		10/23/93		10/23/93	
I	Aluminum	UG/L	20	U	1680	J	20	U
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	3.7	J	11.6	J	2.8	J
I	Barium	UG/L	155	J	172	J	163	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	224000		244000		230000	
I	Chromium	UG/L	4	U	4	U	4	U
I	Cobalt	UG/L	3	U	3	U	3	U
I	Copper	UG/L	4	U	5.7	J	4	U
I	Iron	UG/L	3790		7410		3790	
I	Lead	UG/L	2	U	2.9	J	2	U
I	Magnesium	UG/L	24000		24700		24700	
I	Manganese	UG/L	1120		1170		1150	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	13400		13700		14000	
I	Selenium	UG/L	3.6	J	2	U	3.9	J
I	Silver	UG/L	4	UJ	4	UJ	4	UJ
I	Sodium	UG/L	37000		38500		37900	
I	Thallium	UG/L	10	R	2	U	10	R
I	Vanadium	UG/L	3	U	3	U	3	U
I	Zinc	UG/L	5	U	15.6	J	5	U
P	4,4'-DDD	UG/L			0.053	U		
P	4,4'-DDE	UG/L			0.053	U		
P	4,4'-DDT	UG/L			0.053	U		
P	Aldrin	UG/L			0.026	U		
P	Aroclor 1016	UG/L			0.53	U		
P	Aroclor 1221	UG/L			1.1	U		
P	Aroclor 1232	UG/L			0.53	U		
P	Aroclor 1242	UG/L			0.53	U		
P	Aroclor 1248	UG/L			0.53	U		
P	Aroclor 1254	UG/L			0.53	U		
P	Aroclor 1260	UG/L			0.53	U		
P	Dieldrin	UG/L			0.053	U		
P	Endosulfan I	UG/L			0.026	U		
P	Endosulfan II	UG/L			0.053	U		
P	Endosulfan sulfate	UG/L			0.053	U		
P	Endrin	UG/L			0.053	U		
P	Endrin aldehyde	UG/L			0.053	U		
P	Endrin ketone	UG/L			0.053	U		
P	Heptachlor	UG/L			0.026	U		
P	Heptachlor epoxide	UG/L			0.026	U		
P	Methoxychlor	UG/L			0.26	U		

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC15-F	693WMWMCC15D	693WMWMCC15D-
		LAB SAMPLE ID--->	89852	89844	89853
		RECEIPT DATE---->		10/23/93	
	PARAMETER	UNITS			
P	Toxaphene	UG/L		2.6	U
P	alpha-BHC	UG/L		0.026	U
P	alpha-Chlordane	UG/L		0.026	U
P	beta-BHC	UG/L		0.026	U
P	delta-BHC	UG/L		0.026	U
P	gamma-BHC (Lindane)	UG/L		0.026	U
P	gamma-Chlordane	UG/L		0.026	U
S	1,2,4-Trichlorobenzene	UG/L		10	U
S	1,2-Dichlorobenzene	UG/L		3	J
S	1,3-Dichlorobenzene	UG/L		10	U
S	1,4-Dichlorobenzene	UG/L		8	J
S	2,4,5-Trichlorophenol	UG/L		26	U
S	2,4,6-Trichlorophenol	UG/L		10	U
S	2,4-Dichlorophenol	UG/L		10	U
S	2,4-Dimethylphenol	UG/L		10	U
S	2,4-Dinitrophenol	UG/L		26	U
S	2,4-Dinitrotoluene	UG/L		10	U
S	2,6-Dinitrotoluene	UG/L		10	U
	2-Chloronaphthalene	UG/L		10	U
	2-Chlorophenol	UG/L		10	U
S	2-Methylnaphthalene	UG/L		10	U
S	2-Methylphenol	UG/L		10	U
S	2-Nitroaniline	UG/L		26	U
S	2-Nitrophenol	UG/L		10	U
S	3,3'-Dichlorobenzidine	UG/L		10	U
S	3-Nitroaniline	UG/L		26	U
S	4,6-Dinitro-2-methylphenol	UG/L		26	U
S	4-Bromophenyl-phenylether	UG/L		10	U
S	4-Chloro-3-methylphenol	UG/L		10	U
S	4-Chloroaniline	UG/L		10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U
S	4-Methylphenol	UG/L		10	U
S	4-Nitroaniline	UG/L		26	U
S	4-Nitrophenol	UG/L		26	U
S	Acenaphthene	UG/L		10	U
S	Acenaphthylene	UG/L		10	U
S	Anthracene	UG/L		10	U
S	Benzo(a)anthracene	UG/L		10	U
S	Benzo(a)pyrene	UG/L		10	U
S	Benzo(b)fluoranthene	UG/L		10	U
S	Benzo(g,h,i)perylene	UG/L		10	U
S	Benzo(k)fluoranthene	UG/L		10	U
S	Butylbenzylphthalate	UG/L		10	U
S	Carbazole	UG/L		10	U
	Chrysene	UG/L		10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC15-F	693WMWMCC15D	693WMWMCC15D-
		LAB SAMPLE ID--->	89852	89844	89853
		RECEIPT DATE---->	.	10/23/93	.
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		10	U
S	Nitrobenzene	UG/L		10	U
S	Pentachlorophenol	UG/L		26	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U
V	1,1,1-Trichloroethane	UG/L		10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U
V	1,1,2-Trichloroethane	UG/L		10	U
V	1,1-Dichloroethane	UG/L		10	U
V	1,1-Dichloroethene	UG/L		10	U
V	1,2-Dichloroethane	UG/L		10	U
V	1,2-Dichloroethene (total)	UG/L		10	U
V	1,2-Dichloropropane	UG/L		10	U
V	2-Butanone	UG/L		10	U
V	2-Hexanone	UG/L		10	U
V	4-Methyl-2-Pentanone	UG/L		10	U
V	Acetone	UG/L		17	
V	Benzene	UG/L		41	
V	Bromodichloromethane	UG/L		10	U
V	Bromoform	UG/L		10	U
V	Bromomethane	UG/L		10	U
V	Carbon Disulfide	UG/L		10	U
V	Carbon Tetrachloride	UG/L		10	U
V	Chlorobenzene	UG/L		85	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC15-F	693WMWMCC15D		693WMWMCC15D-I
		LAB SAMPLE ID--->	89852	89844		89853
		RECEIPT DATE---->		10/23/93		
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		4	J	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC2		693WMWMCC2-F		693WMWMCC
	LAB SAMPLE ID--->		89757		89772		89760
	RECEIPT DATE---->		10/22/93		10/22/93		10/22/93
I	Aluminum	UG/L	940		29.9	U	1770	
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	4	J	3.8	J	8.3	J
I	Barium	UG/L	53.7	U	44.4	J	67.3	U
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	35300		37100		57700	
I	Chromium	UG/L	4	U	4	U	4	U
I	Cobalt	UG/L	3	U	3	U	4.6	J
I	Copper	UG/L	4	U	4	U	6.2	U
I	Iron	UG/L	1890		807		2500	
I	Lead	UG/L	8.7		2	U	6.8	
I	Magnesium	UG/L	8140		8010		17200	
I	Manganese	UG/L	74.9		100		62.7	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	4100	J	4480	J	5950	
I	Selenium	UG/L	2	U	2	U	2	U
I	Silver	UG/L	4	U	4	U	4	
I	Sodium	UG/L	70400		74300		239000	
I	Thallium	UG/L	2	R	2	R	10	R
I	Vanadium	UG/L	3.2	J	3	U	5.1	J
I	Zinc	UG/L	16.4	U	5	U	35.8	U
P	4,4'-DDD	UG/L	0.1	U			0.1	U
P	4,4'-DDE	UG/L	0.1	U			0.1	U
P	4,4'-DDT	UG/L	0.1	U			0.1	U
P	Aldrin	UG/L	0.05	U			0.052	U
P	Aroclor 1016	UG/L	1	U			1	U
P	Aroclor 1221	UG/L	2	U			2.1	U
P	Aroclor 1232	UG/L	1	U			1	U
P	Aroclor 1242	UG/L	1	U			1	U
P	Aroclor 1248	UG/L	1	U			1	U
P	Aroclor 1254	UG/L	1	U			1	U
P	Aroclor 1260	UG/L	1	U			1	U
P	Dieldrin	UG/L	0.1	U			0.1	U
P	Endosulfan I	UG/L	0.05	U			0.052	U
P	Endosulfan II	UG/L	0.1	U			0.1	U
P	Endosulfan sulfate	UG/L	0.1	U			0.1	U
P	Endrin	UG/L	0.1	U			0.1	U
P	Endrin aldehyde	UG/L	0.1	U			0.1	U
P	Endrin ketone	UG/L	0.1	U			0.1	U
P	Heptachlor	UG/L	0.05	U			0.052	U
P	Heptachlor epoxide	UG/L	0.05	U			0.052	U
P	Methoxychlor	UG/L	0.5	U			0.52	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC2		693WMWMCC2-F		693WMWMCC3	
	LAB SAMPLE ID--->		89757		89772		89760	
	RECEIPT DATE---->		10/22/93				10/22/93	
P	Toxaphene	UG/L	5	U			5.2	U
P	alpha-BHC	UG/L	0.05	U			0.052	U
P	alpha-Chlordane	UG/L	0.05	U			0.052	U
P	beta-BHC	UG/L	0.05	U			0.052	U
P	delta-BHC	UG/L	0.05	U			0.052	U
P	gamma-BHC (Lindane)	UG/L	0.05	U			0.052	U
P	gamma-Chlordane	UG/L	0.05	U			0.052	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			10	U
S	2,4,5-Trichlorophenol	UG/L	24	U			26	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	24	U			26	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	24	U			26	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	24	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L	24	U			26	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	24	U			26	U
S	4-Nitrophenol	UG/L	24	U			26	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U
	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC2 LAB SAMPLE ID---> 89757 RECEIPT DATE----> 10/22/93		693WMWMCC2-F 89772		693WMWMC.. 89760 10/22/93	
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			10	U
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	24	U			26	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U			1	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			19	
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	4	U			3	U
V	Benzene	UG/L	10	U			2	J
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	10	U			1	J

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC2		693WMWMCC2-F		693WMWMCC3	
		LAB SAMPLE ID--->	89757		89772		89760	
		RECEIPT DATE---->	10/22/93				10/22/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	6	J			32	
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			53	
V	Vinyl Chloride	UG/L	10	U			18	
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------>		693WMWMCC4		693WMWMCC4-F	
			LAB SAMPLE ID--->		89774		90176	
			RECEIPT DATE---->		10/22/93		10/27/93	
			.		.		.	
I	Aluminum	UG/L	20	U	297	J	20	U
I	Antimony	UG/L	35	U	.	UJ	35	U
I	Arsenic	UG/L	9	J	.		9.6	J
I	Barium	UG/L	61.9	J	390		325	
I	Beryllium	UG/L	1	U	.		1	U
I	Cadmium	UG/L	3	U	.		3	U
I	Calcium	UG/L	56500		178000		182000	
I	Chromium	UG/L	4	U	5.4	J	6.3	U
I	Cobalt	UG/L	3	U	.		3.1	U
I	Copper	UG/L	4	U	.		6.2	J
I	Iron	UG/L	1180		57400	J	46100	
I	Lead	UG/L	2	U	10.4	R	2	UJ
I	Magnesium	UG/L	17600		9570		9160	
I	Manganese	UG/L	69.3		1170		1090	J
I	Mercury	UG/L	0.2	U	.		0.2	U
I	Nickel	UG/L	15	U	.		15	U
I	Potassium	UG/L	6410		10400		10600	
I	Selenium	UG/L	2	U	.	UJ	2	U
I	Silver	UG/L	4	U	.	UJ	4	UJ
I	Sodium	UG/L	46700		14400		15800	
I	Thallium	UG/L	10	R	.	R	2	R
I	Vanadium	UG/L	3	U	.		3	U
I	Zinc	UG/L	5	U	92.8		22	U
P	4,4'-DDD	UG/L			0.056	U		
P	4,4'-DDE	UG/L			0.056	U		
P	4,4'-DDT	UG/L			0.056	U		
P	Aldrin	UG/L			0.028	U		
P	Aroclor 1016	UG/L			0.56	U		
P	Aroclor 1221	UG/L			1.1	U		
P	Aroclor 1232	UG/L			0.56	U		
P	Aroclor 1242	UG/L			0.56	U		
P	Aroclor 1248	UG/L			0.56	U		
P	Aroclor 1254	UG/L			0.56	U		
P	Aroclor 1260	UG/L			0.56	U		
P	Dieldrin	UG/L			0.056	U		
P	Endosulfan I	UG/L			0.028	U		
P	Endosulfan II	UG/L			0.056	U		
P	Endosulfan sulfate	UG/L			0.056	U		
P	Endrin	UG/L			0.056	U		
P	Endrin aldehyde	UG/L			0.056	U		
P	Endrin ketone	UG/L			0.056	U		
P	Heptachlor	UG/L			0.028	U		
P	Heptachlor epoxide	UG/L			0.028	U		
P	Methoxychlor	UG/L			0.28	U		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWMCC3-F	693WMWMCC4		693WMWMCC4-F
	LAB SAMPLE ID--->	89774	90160		90176
	RECEIPT DATE---->		10/27/93		
	PARAMETER	UNITS			
P	Toxaphene	UG/L	2.8	U	
P	alpha-BHC	UG/L	0.028	U	
P	alpha-Chlordane	UG/L	0.028	U	
P	beta-BHC	UG/L	0.028	U	
P	delta-BHC	UG/L	0.028	U	
P	gamma-BHC (Lindane)	UG/L	0.028	U	
P	gamma-Chlordane	UG/L	0.028	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	3	J	
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	6	J	
S	2,4,5-Trichlorophenol	UG/L	25	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	25	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
	2-Chloronaphthalene	UG/L	10	U	
	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	7	J	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	25	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	25	U	
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	25	U	
S	4-Nitrophenol	UG/L	25	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	
	Chrysene	UG/L	10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC3-F	693WMWMCC4	693WMWMCC4-F
		LAB SAMPLE ID--->	89774	90160	90176
		RECEIPT DATE---->		10/28/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		30	
S	Nitrobenzene	UG/L		10	U
S	Pentachlorophenol	UG/L		25	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		9	J
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U
V	1,1,1-Trichloroethane	UG/L		10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U
V	1,1,2-Trichloroethane	UG/L		10	U
V	1,1-Dichloroethane	UG/L		10	U
V	1,1-Dichloroethene	UG/L		10	U
V	1,2-Dichloroethane	UG/L		10	U
V	1,2-Dichloroethene (total)	UG/L		10	U
V	1,2-Dichloropropane	UG/L		10	U
V	2-Butanone	UG/L		10	U
V	2-Hexanone	UG/L		10	U
V	4-Methyl-2-Pentanone	UG/L		10	U
V	Acetone	UG/L		40	
V	Benzene	UG/L		3	J
V	Bromodichloromethane	UG/L		10	U
V	Bromoform	UG/L		10	U
V	Bromomethane	UG/L		10	U
V	Carbon Disulfide	UG/L		1	J
V	Carbon Tetrachloride	UG/L		10	U
V	Chlorobenzene	UG/L		10	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC3-F	693WMWMCC4		693WMWMCC4-F
		LAB SAMPLE ID--->	89774	90160		90176
		RECEIPT DATE---->	.	10/27/93		.
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC5		693WMWMCC5-F		693WMWMCCC	
	LAB SAMPLE ID--->		89965		89985		89964	
	RECEIPT DATE---->		10/26/93		10/26/93		10/26/93	
I	Aluminum	UG/L	171	J	20	U	10800	J
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	10.6	J	3.2	J	11.2	J
I	Barium	UG/L	131	J	128	J	461	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	172000		158000		214000	
I	Chromium	UG/L	24.8		7.8	U	23	
I	Cobalt	UG/L	3.9	J	3.3	U	6.3	J
I	Copper	UG/L	11	J	4	U	16.9	J
I	Iron	UG/L	39900		25500		50700	
I	Lead	UG/L	17.8	J	2	U	44.7	J
I	Magnesium	UG/L	11500		12100		17800	
I	Manganese	UG/L	862		800		1200	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	10800		12000		19300	
I	Selenium	UG/L	2	U	2.8	J	2	U
I	Silver	UG/L	4	UJ	4	UJ	4	UJ
I	Sodium	UG/L	18100		19100		42500	
I	Thallium	UG/L	2	U	2	R	2	U
I	Vanadium	UG/L	4.6	U	3	U	11.8	U
I	Zinc	UG/L	46.1		5.6	U	81.4	
P	4,4'-DDD	UG/L	0.052	U			0.05	U
P	4,4'-DDE	UG/L	0.052	U			0.05	U
P	4,4'-DDT	UG/L	0.052	U			0.05	U
P	Aldrin	UG/L	0.026	U			0.025	U
P	Aroclor 1016	UG/L	0.52	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.52	U			0.5	U
P	Aroclor 1242	UG/L	0.52	U			0.5	U
P	Aroclor 1248	UG/L	0.52	U			0.5	U
P	Aroclor 1254	UG/L	0.52	U			0.5	U
P	Aroclor 1260	UG/L	0.52	U			0.5	U
P	Dieldrin	UG/L	0.052	U			0.05	U
P	Endosulfan I	UG/L	0.026	U			0.025	U
P	Endosulfan II	UG/L	0.052	U			0.05	U
P	Endosulfan sulfate	UG/L	0.052	U			0.05	U
P	Endrin	UG/L	0.052	U			0.05	U
P	Endrin aldehyde	UG/L	0.052	U			0.05	U
P	Endrin ketone	UG/L	0.052	U			0.05	U
P	Heptachlor	UG/L	0.026	U			0.025	U
P	Heptachlor epoxide	UG/L	0.026	U			0.025	U
P	Methoxychlor	UG/L	0.26	U			0.25	U

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWMCC5		693WMWMCC5-F		693WMWMCC6	
			LAB SAMPLE ID--->	89965		89985		89964	
			RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS							
P	Toxaphene	UG/L		2.6	U			2.5	U
P	alpha-BHC	UG/L		0.026	U			0.025	U
P	alpha-Chlordane	UG/L		0.026	U			0.025	U
P	beta-BHC	UG/L		0.026	U			0.025	U
P	delta-BHC	UG/L		0.026	U			0.025	U
P	gamma-BHC (Lindane)	UG/L		0.026	U			0.025	U
P	gamma-Chlordane	UG/L		0.026	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L		10	U			10	U
S	1,2-Dichlorobenzene	UG/L		3	J			4	J
S	1,3-Dichlorobenzene	UG/L		10	U			10	U
S	1,4-Dichlorobenzene	UG/L		11				10	U
S	2,4,5-Trichlorophenol	UG/L		26	U			26	U
S	2,4,6-Trichlorophenol	UG/L		10	U			10	U
S	2,4-Dichlorophenol	UG/L		10	U			10	U
S	2,4-Dimethylphenol	UG/L		10	U			10	U
S	2,4-Dinitrophenol	UG/L		26	U			26	U
S	2,4-Dinitrotoluene	UG/L		10	U			10	U
S	2,6-Dinitrotoluene	UG/L		10	U			10	U
S	2-Chloronaphthalene	UG/L		10	U			10	U
	2-Chlorophenol	UG/L		10	U			10	U
S	2-Methylnaphthalene	UG/L		10	U			10	U
S	2-Methylphenol	UG/L		10	U			10	U
S	2-Nitroaniline	UG/L		26	U			26	U
S	2-Nitrophenol	UG/L		10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L		10	U			10	U
S	3-Nitroaniline	UG/L		26	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L		26	U			26	U
S	4-Bromophenyl-phenylether	UG/L		10	U			10	U
S	4-Chloro-3-methylphenol	UG/L		10	U			10	U
S	4-Chloroaniline	UG/L		10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U			10	U
S	4-Methylphenol	UG/L		1	J			10	U
S	4-Nitroaniline	UG/L		26	U			26	U
S	4-Nitrophenol	UG/L		26	U			26	U
S	Acenaphthene	UG/L		10	U			10	U
S	Acenaphthylene	UG/L		10	U			10	U
S	Anthracene	UG/L		10	U			10	U
S	Benzo(a)anthracene	UG/L		10	U			10	U
S	Benzo(a)pyrene	UG/L		10	U			10	U
S	Benzo(b)fluoranthene	UG/L		10	U			10	U
S	Benzo(g,h,i)perylene	UG/L		10	U			10	U
S	Benzo(k)fluoranthene	UG/L		10	U			10	U
S	Butylbenzylphthalate	UG/L		10	U			10	U
S	Carbazole	UG/L		10	U			10	U
	Chrysene	UG/L		10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC5 LAB SAMPLE ID---> 89965 RECEIPT DATE----> 10/26/93		693WMWMCC5-F 89985		693WMWMCC 89964 10/26/93	
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	5	J			2	J
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	26	U			26	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	7	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	19	U			17	U
V	Benzene	UG/L	17				11	
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	1	J			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	37				38	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC5		693WMWMCC5-F		693WMWMCC6	
		LAB SAMPLE ID--->	89965		89985		89964	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	1	J			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			38	
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			2	J
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC6-F		693WMWMCC7		693WMWMCC-F	
	LAB SAMPLE ID--->		89984		89966		89986	
	RECEIPT DATE---->		10/26/93		10/26/93		10/26/93	
I	Aluminum	UG/L	20	U	20	U	3850	
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	2	U	12.4	J	16.5	
I	Barium	UG/L	235		173	J	231	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	114000		156000		153000	
I	Chromium	UG/L	4	U	4	U	17.6	U
I	Cobalt	UG/L	3	U	3	U	4	U
I	Copper	UG/L	4	U	4	U	10.2	U
I	Iron	UG/L	14700		30300		48000	
I	Lead	UG/L	2	U	3.1	J	38.3	
I	Magnesium	UG/L	10300		12400		13100	
I	Manganese	UG/L	675		766		801	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	11300		9400		10300	
I	Selenium	UG/L	3	J	2	U	4.1	J
I	Silver	UG/L	4	UJ	4	UJ	4	UJ
I	Sodium	UG/L	25700		34600		34700	
I	Thallium	UG/L	2	R	2	U	2	R
I	Vanadium	UG/L	3	U	3	U	5.4	J
I	Zinc	UG/L	10.4	U	13	J	43	
P	4,4'-DDD	UG/L			0.053	U		
P	4,4'-DDE	UG/L			0.053	U		
P	4,4'-DDT	UG/L			0.053	U		
P	Aldrin	UG/L			0.026	U		
P	Aroclor 1016	UG/L			0.53	U		
P	Aroclor 1221	UG/L			1.1	U		
P	Aroclor 1232	UG/L			0.53	U		
P	Aroclor 1242	UG/L			0.53	U		
P	Aroclor 1248	UG/L			0.53	U		
P	Aroclor 1254	UG/L			0.53	U		
P	Aroclor 1260	UG/L			0.53	U		
P	Dieldrin	UG/L			0.053	U		
P	Endosulfan I	UG/L			0.026	U		
P	Endosulfan II	UG/L			0.053	U		
P	Endosulfan sulfate	UG/L			0.053	U		
P	Endrin	UG/L			0.053	U		
P	Endrin aldehyde	UG/L			0.053	U		
P	Endrin ketone	UG/L			0.053	U		
P	Heptachlor	UG/L			0.026	U		
P	Heptachlor epoxide	UG/L			0.026	U		
P	Methoxychlor	UG/L			0.26	U		

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWMCC6-F	693WMWMCC7		693WMWMCC7-F
			LAB SAMPLE ID--->	89984	89966		89986
			RECEIPT DATE---->	.	10/26/93		.
	PARAMETER	UNITS					
P	Toxaphene	UG/L			2.6	U	
P	alpha-BHC	UG/L			0.026	U	
P	alpha-Chlordane	UG/L			0.026	U	
P	beta-BHC	UG/L			0.026	U	
P	delta-BHC	UG/L			0.026	U	
P	gamma-BHC (Lindane)	UG/L			0.026	U	
P	gamma-Chlordane	UG/L			0.026	U	
S	1,2,4-Trichlorobenzene	UG/L			100	U	
S	1,2-Dichlorobenzene	UG/L			100	U	
S	1,3-Dichlorobenzene	UG/L			100	U	
S	1,4-Dichlorobenzene	UG/L			100	U	
S	2,4,5-Trichlorophenol	UG/L			260	U	
S	2,4,6-Trichlorophenol	UG/L			100	U	
S	2,4-Dichlorophenol	UG/L			100	U	
S	2,4-Dimethylphenol	UG/L			350		
S	2,4-Dinitrophenol	UG/L			260	U	
S	2,4-Dinitrotoluene	UG/L			100	U	
S	2,6-Dinitrotoluene	UG/L			100	U	
	2-Chloronaphthalene	UG/L			100	U	
	2-Chlorophenol	UG/L			100	U	
S	2-Methylnaphthalene	UG/L			68	J	
S	2-Methylphenol	UG/L			100	U	
S	2-Nitroaniline	UG/L			260	U	
S	2-Nitrophenol	UG/L			100	U	
S	3,3'-Dichlorobenzidine	UG/L			100	U	
S	3-Nitroaniline	UG/L			260	U	
S	4,6-Dinitro-2-methylphenol	UG/L			260	U	
S	4-Bromophenyl-phenylether	UG/L			100	U	
S	4-Chloro-3-methylphenol	UG/L			100	U	
S	4-Chloroaniline	UG/L			100	U	
S	4-Chlorophenyl-phenylether	UG/L			100	U	
S	4-Methylphenol	UG/L			100	U	
S	4-Nitroaniline	UG/L			260	U	
S	4-Nitrophenol	UG/L			260	U	
S	Acenaphthene	UG/L			100	U	
S	Acenaphthylene	UG/L			100	U	
S	Anthracene	UG/L			100	U	
S	Benzo(a)anthracene	UG/L			100	U	
S	Benzo(a)pyrene	UG/L			100	U	
S	Benzo(b)fluoranthene	UG/L			100	U	
S	Benzo(g,h,i)perylene	UG/L			100	U	
S	Benzo(k)fluoranthene	UG/L			100	U	
S	Butylbenzylphthalate	UG/L			100	U	
S	Carbazole	UG/L			100	U	
	Chrysene	UG/L			100	U	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC6-F LAB SAMPLE ID---> 89984 RECEIPT DATE---->	693WMWMCC7 89966 10/26/93		693WMWMCC-F 89986
S	Di-n-butylphthalate	UG/L		100	U	
S	Di-n-octylphthalate	UG/L		100	U	
S	Dibenz(a,h)anthracene	UG/L		100	U	
S	Dibenzofuran	UG/L		100	U	
S	Diethylphthalate	UG/L		19	U	
S	Dimethylphthalate	UG/L		100	U	
S	Fluoranthene	UG/L		100	U	
S	Fluorene	UG/L		100	U	
S	Hexachlorobenzene	UG/L		100	U	
S	Hexachlorobutadiene	UG/L		100	U	
S	Hexachlorocyclopentadiene	UG/L		100	U	
S	Hexachloroethane	UG/L		100	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		100	U	
S	Isophorone	UG/L		100	U	
S	N-Nitroso-di-n-propylamine	UG/L		100	U	
S	N-Nitrosodiphenylamine	UG/L		100	U	
S	Naphthalene	UG/L		160		
S	Nitrobenzene	UG/L		39	J	
S	Pentachlorophenol	UG/L		260	U	
S	Phenanthrene	UG/L		100	U	
S	Phenol	UG/L		11	J	
S	Pyrene	UG/L		100	U	
S	bis(2-Chloroethoxy)methane	UG/L		100	U	
S	bis(2-Ethlyhexy)phthalate	UG/L		100	U	
S	bis(2-chloroethyl)ether	UG/L		100	U	
S	bis(2-chloroisopropyl)ether	UG/L		100	U	
V	1,1,1-Trichloroethane	UG/L		10	U	
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	
V	1,1,2-Trichloroethane	UG/L		10	U	
V	1,1-Dichloroethane	UG/L		2	J	
V	1,1-Dichloroethene	UG/L		10	U	
V	1,2-Dichloroethane	UG/L		10	U	
V	1,2-Dichloroethene (total)	UG/L		3	J	
V	1,2-Dichloropropane	UG/L		3	J	
V	2-Butanone	UG/L		9	J	
V	2-Hexanone	UG/L		10	U	
V	4-Methyl-2-Pentanone	UG/L		10	U	
V	Acetone	UG/L		70	U	
V	Benzene	UG/L		190		
V	Bromodichloromethane	UG/L		10	U	
V	Bromoform	UG/L		10	U	
V	Bromomethane	UG/L		10	U	
V	Carbon Disulfide	UG/L		2	J	
V	Carbon Tetrachloride	UG/L		10	U	
V	Chlorobenzene	UG/L		1	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC6-F	693WMWMCC7		693WMWMCC7-F
		LAB SAMPLE ID--->	89984	89966		89986
		RECEIPT DATE---->	.	10/26/93		.
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		68		
V	Methylene Chloride	UG/L		1	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		2	J	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		13		
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC8		SAMPLE ID ------> 693WMWMCC8-F		SAMPLE ID ------> 693WMWMCC
	LAB SAMPLE ID--->		89845		89855		
	RECEIPT DATE---->		10/23/93		10/23/93		
I	Aluminum	UG/L	1480	J	20	J	643 J
I	Antimony	UG/L	35	U	35	U	. UJ
I	Arsenic	UG/L	5.2	J	2	U	.
I	Barium	UG/L	167	J	152	J	209
I	Beryllium	UG/L	1	U	1	U	.
I	Cadmium	UG/L	3	U	3	U	.
I	Calcium	UG/L	126000		119000		162000
I	Chromium	UG/L	4	U	4	U	.
I	Cobalt	UG/L	3	U	3	U	.
I	Copper	UG/L	7.5	J	4	U	.
I	Iron	UG/L	7840		3980		9270 J
I	Lead	UG/L	2.4	J	2	U	13.4 R
I	Magnesium	UG/L	12900		12400		33500
I	Manganese	UG/L	397		377		322
I	Mercury	UG/L	0.2	U	0.2	U	.
I	Nickel	UG/L	15	U	15	U	.
I	Potassium	UG/L	6860		6730		24500
I	Selenium	UG/L	2	U	3	J	. UJ
I	Silver	UG/L	4	UJ	4	UJ	. UJ
I	Sodium	UG/L	49100		47100		79000
I	Thallium	UG/L	2	U	2	R	. R
I	Vanadium	UG/L	3	U	3	U	.
I	Zinc	UG/L	14.2	J	5	U	92.8
P	4,4'-DDD	UG/L	0.051	U			0.05 U
P	4,4'-DDE	UG/L	0.051	U			0.05 U
P	4,4'-DDT	UG/L	0.051	U			0.05 U
P	Aldrin	UG/L	0.026	U			0.025 U
P	Aroclor 1016	UG/L	0.51	U			0.5 U
P	Aroclor 1221	UG/L	1	U			1 U
P	Aroclor 1232	UG/L	0.51	U			0.5 U
P	Aroclor 1242	UG/L	0.51	U			0.5 U
P	Aroclor 1248	UG/L	0.51	U			0.5 U
P	Aroclor 1254	UG/L	0.51	U			0.5 U
P	Aroclor 1260	UG/L	0.51	U			0.5 U
P	Dieldrin	UG/L	0.051	U			0.05 U
P	Endosulfan I	UG/L	0.026	U			0.025 U
P	Endosulfan II	UG/L	0.051	U			0.05 U
P	Endosulfan sulfate	UG/L	0.051	U			0.05 U
P	Endrin	UG/L	0.051	U			0.05 U
P	Endrin aldehyde	UG/L	0.051	U			0.05 U
P	Endrin ketone	UG/L	0.051	U			0.05 U
P	Heptachlor	UG/L	0.026	U			0.025 U
P	Heptachlor epoxide	UG/L	0.026	U			0.025 U
P	Methoxychlor	UG/L	0.26	U			0.25 U

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWMCC8		693WMWMCC8-F		693WMWMCC9	
			LAB SAMPLE ID--->	89845		89855		90161	
			RECEIPT DATE---->	10/23/93				10/28/93	
	PARAMETER	UNITS							
P	Toxaphene	UG/L		2.6	U			2.5	U
P	alpha-BHC	UG/L		0.026	U			0.025	U
P	alpha-Chlordane	UG/L		0.026	U			0.025	U
P	beta-BHC	UG/L		0.026	U			0.025	U
P	delta-BHC	UG/L		0.026	U			0.025	U
P	gamma-BHC (Lindane)	UG/L		0.026	U			0.025	U
P	gamma-Chlordane	UG/L		0.026	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L		11	U			10	U
S	1,2-Dichlorobenzene	UG/L		2	J			10	U
S	1,3-Dichlorobenzene	UG/L		11	U			10	U
S	1,4-Dichlorobenzene	UG/L		2	J			14	
S	2,4,5-Trichlorophenol	UG/L		26	U			25	U
S	2,4,6-Trichlorophenol	UG/L		11	U			10	U
S	2,4-Dichlorophenol	UG/L		11	U			10	U
S	2,4-Dimethylphenol	UG/L		11	U			10	U
S	2,4-Dinitrophenol	UG/L		26	U			25	U
S	2,4-Dinitrotoluene	UG/L		11	U			10	U
S	2,6-Dinitrotoluene	UG/L		11	U			10	U
	2-Chloronaphthalene	UG/L		11	U			10	U
	2-Chlorophenol	UG/L		11	U			10	U
S	2-Methylnaphthalene	UG/L		11	U			10	U
S	2-Methylphenol	UG/L		11	U			10	U
S	2-Nitroaniline	UG/L		26	U			25	U
S	2-Nitrophenol	UG/L		11	U			10	U
S	3,3'-Dichlorobenzidine	UG/L		11	U			10	U
S	3-Nitroaniline	UG/L		26	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L		26	U			25	U
S	4-Bromophenyl-phenylether	UG/L		11	U			10	U
S	4-Chloro-3-methylphenol	UG/L		11	U			10	U
S	4-Chloroaniline	UG/L		11	U			10	U
S	4-Chlorophenyl-phenylether	UG/L		11	U			10	U
S	4-Methylphenol	UG/L		11	U			10	U
S	4-Nitroaniline	UG/L		26	U			25	U
S	4-Nitrophenol	UG/L		26	U			25	U
S	Acenaphthene	UG/L		11	U			10	U
S	Acenaphthylene	UG/L		11	U			10	U
S	Anthracene	UG/L		11	U			10	U
S	Benzo(a)anthracene	UG/L		11	U			10	U
S	Benzo(a)pyrene	UG/L		11	U			10	U
S	Benzo(b)fluoranthene	UG/L		11	U			10	U
S	Benzo(g,h,i)perylene	UG/L		11	U			10	U
S	Benzo(k)fluoranthene	UG/L		11	U			10	U
S	Butylbenzylphthalate	UG/L		11	U			10	U
S	Carbazole	UG/L		11	U			10	U
	Chrysene	UG/L		11	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC8 LAB SAMPLE ID---> 89845 RECEIPT DATE----> 10/23/93		693WMWMCC8-F 89855		693WMWMCC 90161 10/28/93	
S	Di-n-butylphthalate	UG/L	11	U			10	U
S	Di-n-octylphthalate	UG/L	11	U			10	U
S	Dibenz(a,h)anthracene	UG/L	11	U			10	U
S	Dibenzofuran	UG/L	11	U			10	U
S	Diethylphthalate	UG/L	11	U			10	U
S	Dimethylphthalate	UG/L	11	U			10	U
S	Fluoranthene	UG/L	11	U			10	U
S	Fluorene	UG/L	11	U			10	U
S	Hexachlorobenzene	UG/L	11	U			10	U
S	Hexachlorobutadiene	UG/L	11	U			10	U
S	Hexachlorocyclopentadiene	UG/L	11	U			10	U
S	Hexachloroethane	UG/L	11	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	11	U			10	U
S	Isophorone	UG/L	11	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	11	U			10	U
S	N-Nitrosodiphenylamine	UG/L	11	U			10	U
S	Naphthalene	UG/L	11	U			10	U
S	Nitrobenzene	UG/L	11	U			10	U
S	Pentachlorophenol	UG/L	26	U			25	U
S	Phenanthrene	UG/L	11	U			10	U
S	Phenol	UG/L	11	U			10	U
S	Pyrene	UG/L	11	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	11	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	11	U			10	U
S	bis(2-chloroethyl)ether	UG/L	11	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	11	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	2	J			10	U
V	2-Hexanone	UG/L	10	U			2	J
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	5	J			10	
V	Benzene	UG/L	2	J			10	U
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	5	J			21	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC8		693WMWMCC8-F		693WMWMCC9	
		LAB SAMPLE ID--->	89845		89855		90161	
		RECEIPT DATE---->	10/23/93				10/28/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	6	J			3	J
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------>		693WMWMCC9-F		693WMWREI24		693WMWRE[illegible]-	
			LAB SAMPLE ID--->		90177		89969		89990	
			RECEIPT DATE---->		10/28/93		10/26/93		10/26/93	
I	Aluminum	UG/L			20	U	1750	J	20	U
I	Antimony	UG/L			35	U	35	U	35	U
I	Arsenic	UG/L			3.6	J	8.6	J	9.9	J
I	Barium	UG/L			254		329		364	
I	Beryllium	UG/L			1	U	1	U	1	U
I	Cadmium	UG/L			3	U	3	U	3	U
I	Calcium	UG/L			176000		126000		114000	
I	Chromium	UG/L			4	U	13.4		4.5	U
I	Cobalt	UG/L			3.5	U	4.2	J	4.5	U
I	Copper	UG/L			4	U	6.2	J	4.8	J
I	Iron	UG/L			8060		42900		32000	
I	Lead	UG/L			2	UJ	21	J	2	UJ
I	Magnesium	UG/L			35600		11800		12900	
I	Manganese	UG/L			352	J	395		323	J
I	Mercury	UG/L			0.2	U	0.2	U	0.2	U
I	Nickel	UG/L			15	U	15	U	15	U
I	Potassium	UG/L			27300		9600		9920	
I	Selenium	UG/L			2	U	2	U	2	U
I	Silver	UG/L			4	UJ	4	U	4	UJ
I	Sodium	UG/L			93100		34900		38800	
I	Thallium	UG/L			2	R	2	U	2	R
I	Vanadium	UG/L			3	U	3	U	3	U
I	Zinc	UG/L			7.1	U	10.5	J	9.5	U
P	4,4'-DDD	UG/L					0.05	U		
P	4,4'-DDE	UG/L					0.05	U		
P	4,4'-DDT	UG/L					0.05	U		
P	Aldrin	UG/L					0.025	U		
P	Aroclor 1016	UG/L					0.5	U		
P	Aroclor 1221	UG/L					1	U		
P	Aroclor 1232	UG/L					0.5	U		
P	Aroclor 1242	UG/L					0.5	U		
P	Aroclor 1248	UG/L					0.5	U		
P	Aroclor 1254	UG/L					3.1	J		
P	Aroclor 1260	UG/L					0.5	U		
P	Dieldrin	UG/L					0.05	U		
P	Endosulfan I	UG/L					0.025	U		
P	Endosulfan II	UG/L					0.05	U		
P	Endosulfan sulfate	UG/L					0.05	U		
P	Endrin	UG/L					0.05	U		
P	Endrin aldehyde	UG/L					0.05	U		
P	Endrin ketone	UG/L					0.05	U		
P	Heptachlor	UG/L					0.025	U		
P	Heptachlor epoxide	UG/L					0.025	U		
P	Methoxychlor	UG/L					0.25	U		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWMCC9-F	693WMWREI24		693WMWREI24-F
	LAB SAMPLE ID--->	90177	89969		89990
	RECEIPT DATE---->	.	10/26/93		.
PARAMETER	UNITS				
P Toxaphene	UG/L		2.5	U	
P alpha-BHC	UG/L		0.025	U	
P alpha-Chlordane	UG/L		0.025	U	
P beta-BHC	UG/L		0.025	U	
P delta-BHC	UG/L		0.025	U	
P gamma-BHC (Lindane)	UG/L		0.025	U	
P gamma-Chlordane	UG/L		0.025	U	
S 1,2,4-Trichlorobenzene	UG/L		8	J	
S 1,2-Dichlorobenzene	UG/L		52	U	
S 1,3-Dichlorobenzene	UG/L		52	U	
S 1,4-Dichlorobenzene	UG/L		52	U	
S 2,4,5-Trichlorophenol	UG/L		130	U	
S 2,4,6-Trichlorophenol	UG/L		52	U	
S 2,4-Dichlorophenol	UG/L		52	U	
S 2,4-Dimethylphenol	UG/L		230		
S 2,4-Dinitrophenol	UG/L		130	U	
S 2,4-Dinitrotoluene	UG/L		52	U	
S 2,6-Dinitrotoluene	UG/L		52	U	
S 2-Chloronaphthalene	UG/L		52	U	
2-Chlorophenol	UG/L		52	U	
S 2-Methylnaphthalene	UG/L		110		
S 2-Methylphenol	UG/L		52	U	
S 2-Nitroaniline	UG/L		130	U	
S 2-Nitrophenol	UG/L		52	U	
S 3,3'-Dichlorobenzidine	UG/L		52	U	
S 3-Nitroaniline	UG/L		130	U	
S 4,6-Dinitro-2-methylphenol	UG/L		130	U	
S 4-Bromophenyl-phenylether	UG/L		52	U	
S 4-Chloro-3-methylphenol	UG/L		52	U	
S 4-Chloroaniline	UG/L		52	U	
S 4-Chlorophenyl-phenylether	UG/L		52	U	
S 4-Methylphenol	UG/L		52	U	
S 4-Nitroaniline	UG/L		130	U	
S 4-Nitrophenol	UG/L		130	U	
S Acenaphthene	UG/L		52	U	
S Acenaphthylene	UG/L		52	U	
S Anthracene	UG/L		52	U	
S Benzo(a)anthracene	UG/L		52	U	
S Benzo(a)pyrene	UG/L		52	U	
S Benzo(b)fluoranthene	UG/L		52	U	
S Benzo(g,h,i)perylene	UG/L		52	U	
S Benzo(k)fluoranthene	UG/L		52	U	
S Butylbenzylphthalate	UG/L		52	U	
S Carbazole	UG/L		52	U	
Chrysene	UG/L		52	U	

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWMCC9-F	693WMWREI24	693WMWRE...+-F
			LAB SAMPLE ID--->	90177	89969	89990
			RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS				
S	Di-n-butylphthalate	UG/L			5	J
S	Di-n-octylphthalate	UG/L			52	U
S	Dibenz(a,h)anthracene	UG/L			52	U
S	Dibenzofuran	UG/L			52	U
S	Diethylphthalate	UG/L			52	U
S	Dimethylphthalate	UG/L			52	U
S	Fluoranthene	UG/L			52	U
S	Fluorene	UG/L			52	U
S	Hexachlorobenzene	UG/L			52	U
S	Hexachlorobutadiene	UG/L			52	U
S	Hexachlorocyclopentadiene	UG/L			52	U
S	Hexachloroethane	UG/L			52	U
S	Indeno(1,2,3-cd)pyrene	UG/L			52	U
S	Isophorone	UG/L			52	U
S	N-Nitroso-di-n-propylamine	UG/L			52	U
S	N-Nitrosodiphenylamine	UG/L			52	U
S	Naphthalene	UG/L			100	
S	Nitrobenzene	UG/L			52	U
S	Pentachlorophenol	UG/L			130	U
S	Phenanthrene	UG/L			52	U
S	Phenol	UG/L			52	U
S	Pyrene	UG/L			52	U
S	bis(2-Chloroethoxy)methane	UG/L			52	U
S	bis(2-Ethlyhexy)phthalate	UG/L			430	R
S	bis(2-chloroethyl)ether	UG/L			52	U
S	bis(2-chloroisopropyl)ether	UG/L			52	U
V	1,1,1-Trichloroethane	UG/L			10	U
V	1,1,2,2-Tetrachloroethane	UG/L			10	U
V	1,1,2-Trichloroethane	UG/L			10	U
V	1,1-Dichloroethane	UG/L			10	U
V	1,1-Dichloroethene	UG/L			10	U
V	1,2-Dichloroethane	UG/L			10	U
V	1,2-Dichloroethene (total)	UG/L			10	U
V	1,2-Dichloropropane	UG/L			10	U
V	2-Butanone	UG/L			10	U
V	2-Hexanone	UG/L			10	U
V	4-Methyl-2-Pentanone	UG/L			10	U
V	Acetone	UG/L			17	
V	Benzene	UG/L			49	
V	Bromodichloromethane	UG/L			10	U
V	Bromoform	UG/L			10	U
V	Bromomethane	UG/L			10	U
V	Carbon Disulfide	UG/L			10	U
V	Carbon Tetrachloride	UG/L			10	U
V	Chlorobenzene	UG/L			7	J

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWMCC9-F	693WMWREI24		693WMWREI24-F
		LAB SAMPLE ID--->	90177	89969		89990
		RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		46		
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		1	J	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		7	J	
V	Xylene (total)	UG/L		6	J	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI25		693WMWREI25-F		693WMWREI25DL
	LAB SAMPLE ID--->		89968		89988		89968DL
	RECEIPT DATE---->		10/26/93		10/26/93		10/23/93
I	Aluminum	UG/L	271	J	20	U	
I	Antimony	UG/L	35	U	35	U	
I	Arsenic	UG/L	10	J	8.8	J	
I	Barium	UG/L	521		520		
I	Beryllium	UG/L	1	U	1	U	
I	Cadmium	UG/L	3	U	3	U	
I	Calcium	UG/L	108000		92600		
I	Chromium	UG/L	29		17.7	U	
I	Cobalt	UG/L	3	U	3	U	
I	Copper	UG/L	4	U	4	U	
I	Iron	UG/L	16300		8420		
I	Lead	UG/L	2	U	2	UJ	
I	Magnesium	UG/L	19800		18200		
I	Manganese	UG/L	286		227	J	
I	Mercury	UG/L	0.2	U	0.2	U	
I	Nickel	UG/L	15	U	15	U	
I	Potassium	UG/L	8210		7080		
I	Selenium	UG/L	2	U	2	U	
I	Silver	UG/L	4	UJ	4	UJ	
I	Sodium	UG/L	99200		120000		
I	Thallium	UG/L	2	U	10	R	
I	Vanadium	UG/L	3	U	3	U	
I	Zinc	UG/L	54.5		5	U	
P	4,4'-DDD	UG/L	0.056	U			
P	4,4'-DDE	UG/L	0.056	U			
P	4,4'-DDT	UG/L	0.056	U			
P	Aldrin	UG/L	0.028	U			
P	Aroclor 1016	UG/L	0.56	U			
P	Aroclor 1221	UG/L	1.1	U			
P	Aroclor 1232	UG/L	0.56	U			
P	Aroclor 1242	UG/L	0.56	U			
P	Aroclor 1248	UG/L	0.56	U			
P	Aroclor 1254	UG/L	0.56	U			
P	Aroclor 1260	UG/L	0.56	U			
P	Dieldrin	UG/L	0.056	U			
P	Endosulfan I	UG/L	0.028	U			
P	Endosulfan II	UG/L	0.056	U			
P	Endosulfan sulfate	UG/L	0.056	U			
P	Endrin	UG/L	0.056	U			
P	Endrin aldehyde	UG/L	0.056	U			
P	Endrin ketone	UG/L	0.056	U			
P	Heptachlor	UG/L	0.028	U			
P	Heptachlor epoxide	UG/L	0.028	U			
P	Methoxychlor	UG/L	0.28	U			

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI25	693WMWREI25-F	693WMWREI25DL
		LAB SAMPLE ID--->	89968	89988	89968DL
		RECEIPT DATE---->	10/26/93		
	PARAMETER	UNITS			
P	Toxaphene	UG/L	2.8	U	
P	alpha-BHC	UG/L	0.028	U	
P	alpha-Chlordane	UG/L	0.028	U	
P	beta-BHC	UG/L	0.028	U	
P	delta-BHC	UG/L	0.028	U	
P	gamma-BHC (Lindane)	UG/L	0.028	U	
P	gamma-Chlordane	UG/L	0.028	U	
S	1,2,4-Trichlorobenzene	UG/L	50	U	
S	1,2-Dichlorobenzene	UG/L	50	U	
S	1,3-Dichlorobenzene	UG/L	50	U	
S	1,4-Dichlorobenzene	UG/L	50	U	
S	2,4,5-Trichlorophenol	UG/L	120	U	
S	2,4,6-Trichlorophenol	UG/L	50	U	
S	2,4-Dichlorophenol	UG/L	50	U	
S	2,4-Dimethylphenol	UG/L	23	J	
S	2,4-Dinitrophenol	UG/L	120	U	
S	2,4-Dinitrotoluene	UG/L	50	U	
S	2,6-Dinitrotoluene	UG/L	50	U	
S	2-Chloronaphthalene	UG/L	50	U	
S	2-Chlorophenol	UG/L	50	U	
S	2-Methylnaphthalene	UG/L	72		
S	2-Methylphenol	UG/L	50	U	
S	2-Nitroaniline	UG/L	120	U	
S	2-Nitrophenol	UG/L	50	U	
S	3,3'-Dichlorobenzidine	UG/L	50	U	
S	3-Nitroaniline	UG/L	120	U	
S	4,6-Dinitro-2-methylphenol	UG/L	120	U	
S	4-Bromophenyl-phenylether	UG/L	50	U	
S	4-Chloro-3-methylphenol	UG/L	50	U	
S	4-Chloroaniline	UG/L	50	U	
S	4-Chlorophenyl-phenylether	UG/L	50	U	
S	4-Methylphenol	UG/L	50	U	
S	4-Nitroaniline	UG/L	120	U	
S	4-Nitrophenol	UG/L	120	U	
S	Acenaphthene	UG/L	50	U	
S	Acenaphthylene	UG/L	50	U	
S	Anthracene	UG/L	50	U	
S	Benzo(a)anthracene	UG/L	50	U	
S	Benzo(a)pyrene	UG/L	50	U	
S	Benzo(b)fluoranthene	UG/L	50	U	
S	Benzo(g,h,i)perylene	UG/L	50	U	
S	Benzo(k)fluoranthene	UG/L	50	U	
S	Butylbenzylphthalate	UG/L	50	U	
S	Carbazole	UG/L	50	U	
S	Chrysene	UG/L	50	U	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI25		693WMWREI25-F		693WMWREI25DL	
			LAB SAMPLE ID---> 89968		89988		89968DL	
			RECEIPT DATE----> 10/26/93					
S	Di-n-butylphthalate	UG/L	50	U				
S	Di-n-octylphthalate	UG/L	50	U				
S	Dibenz(a,h)anthracene	UG/L	50	U				
S	Dibenzofuran	UG/L	50	U				
S	Diethylphthalate	UG/L	50	U				
S	Dimethylphthalate	UG/L	50	U				
S	Fluoranthene	UG/L	50	U				
S	Fluorene	UG/L	50	U				
S	Hexachlorobenzene	UG/L	50	U				
S	Hexachlorobutadiene	UG/L	50	U				
S	Hexachlorocyclopentadiene	UG/L	50	U				
S	Hexachloroethane	UG/L	50	U				
S	Indeno(1,2,3-cd)pyrene	UG/L	50	U				
S	Isophorone	UG/L	50	U				
S	N-Nitroso-di-n-propylamine	UG/L	50	U				
S	N-Nitrosodiphenylamine	UG/L	50	U				
S	Naphthalene	UG/L	220					
S	Nitrobenzene	UG/L	50	U				
S	Pentachlorophenol	UG/L	120	U				
S	Phenanthrene	UG/L	50	U				
S	Phenol	UG/L	50	U				
S	Pyrene	UG/L	50	U				
S	bis(2-Chloroethoxy)methane	UG/L	50	U				
S	bis(2-Ethlyhexy)phthalate	UG/L	50	U				
S	bis(2-chloroethyl)ether	UG/L	50	U				
S	bis(2-chloroisopropyl)ether	UG/L	50	U				
V	1,1,1-Trichloroethane	UG/L	20	U			40	U
V	1,1,2,2-Tetrachloroethane	UG/L	20	U			40	U
V	1,1,2-Trichloroethane	UG/L	20	U			40	U
V	1,1-Dichloroethane	UG/L	20	U			40	U
V	1,1-Dichloroethene	UG/L	20	U			40	U
V	1,2-Dichloroethane	UG/L	20	U			40	U
V	1,2-Dichloroethene (total)	UG/L	20	U			40	U
V	1,2-Dichloropropane	UG/L	20	U			40	U
V	2-Butanone	UG/L	14	J			53	J
V	2-Hexanone	UG/L	20	U			40	U
V	4-Methyl-2-Pentanone	UG/L	20	U			40	U
V	Acetone	UG/L	32				40	U
V	Benzene	UG/L	450	R			410	J
V	Bromodichloromethane	UG/L	20	U			40	U
V	Bromoform	UG/L	20	U			40	U
V	Bromomethane	UG/L	20	U			40	U
V	Carbon Disulfide	UG/L	20	U			40	U
V	Carbon Tetrachloride	UG/L	20	U			40	U
V	Chlorobenzene	UG/L	5	J			5	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI25		693WMWREI25-F		693WMWREI25DL	
		LAB SAMPLE ID--->	89968		89988		89968DL	
		RECEIPT DATE---->	10/26/93				10/23/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	20	U			40	U
V	Chloroform	UG/L	20	U			40	U
V	Chloromethane	UG/L	20	U			40	U
V	Dibromochloromethane	UG/L	20	U			40	U
V	Ethylbenzene	UG/L	11	J			10	J
V	Methylene Chloride	UG/L	3	J			6	U
V	Styrene	UG/L	20	U			40	U
V	Tetrachloroethene	UG/L	6	J			5	J
V	Toluene	UG/L	20	U			40	U
V	Trichloroethene	UG/L	20	U			40	U
V	Vinyl Chloride	UG/L	20	U			40	U
V	Xylene (total)	UG/L	20	U			40	U
V	cis-1,3-Dichloropropene	UG/L	20	U			40	U
V	trans-1,3-Dichloropropene	UG/L	20	U			40	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI28		693WMWREI28-F		693WMWREI26D	
	LAB SAMPLE ID--->				90178			
	RECEIPT DATE---->		.		10/28/93		.	
I	Aluminum	UG/L	3440	J	533	J	3730	J
I	Antimony	UG/L	.	UJ	35	U	.	UJ
I	Arsenic	UG/L	13.4	J	6.8	J	.	
I	Barium	UG/L	158	J	103	J	157	J
I	Beryllium	UG/L	.		1	U	.	
I	Cadmium	UG/L	.		3	U	.	
I	Calcium	UG/L	87600		80100		85400	
I	Chromium	UG/L	.		5.3	U	.	
I	Cobalt	UG/L	3.8	J	3	U	3.8	J
I	Copper	UG/L	.		6.9	J	.	
I	Iron	UG/L	17500	J	7170		17500	J
I	Lead	UG/L	3.7	R	2	UJ	3	R
I	Magnesium	UG/L	43900		36500		42400	
I	Manganese	UG/L	122		105	J	120	
I	Mercury	UG/L	.		0.2	U	.	
I	Nickel	UG/L	.		15	U	.	
I	Potassium	UG/L	13500		12500		13500	
I	Selenium	UG/L	.	UJ	2	U	.	UJ
I	Silver	UG/L	.	UJ	4	UJ	.	UJ
I	Sodium	UG/L	300000		279000		296000	
I	Thallium	UG/L	.	R	3	R	.	R
I	Vanadium	UG/L			4	U	.	
I	Vandium	UG/L	.					
I	Zinc	UG/L	.		14.8	U	.	
P	4,4'-DDD	UG/L	0.053	U			0.05	U
P	4,4'-DDE	UG/L	0.053	U			0.05	U
P	4,4'-DDT	UG/L	0.053	U			0.05	U
P	Aldrin	UG/L	0.027	U			0.025	U
P	Aroclor 1016	UG/L	0.53	U			0.5	U
P	Aroclor 1221	UG/L	1.1	U			1	U
P	Aroclor 1232	UG/L	0.53	U			0.5	U
P	Aroclor 1242	UG/L	0.53	U			0.5	U
P	Aroclor 1248	UG/L	0.53	U			0.5	U
P	Aroclor 1254	UG/L	0.53	U			0.5	U
P	Aroclor 1260	UG/L	0.53	U			0.5	U
P	Dieldrin	UG/L	0.053	U			0.05	U
P	Endosulfan I	UG/L	0.027	U			0.025	U
P	Endosulfan II	UG/L	0.053	U			0.05	U
P	Endosulfan sulfate	UG/L	0.053	U			0.05	U
P	Endrin	UG/L	0.053	U			0.05	U
P	Endrin aldehyde	UG/L	0.053	U			0.05	U
P	Endrin ketone	UG/L	0.053	U			0.05	U
P	Heptachlor	UG/L	0.027	U			0.025	U
P	Heptachlor epoxide	UG/L	0.027	U			0.025	U

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWREI28		693WMWREI28-F		693WMWREI28D	
			LAB SAMPLE ID--->	90162		90178		90163	
			RECEIPT DATE---->	10/28/93				10/28/93	
	PARAMETER	UNITS							
P	Methoxychlor	UG/L		0.27	U			0.25	U
P	Toxaphene	UG/L		2.7	U			2.5	U
P	alpha-BHC	UG/L		0.027	U			0.025	U
P	alpha-Chlordane	UG/L		0.027	U			0.025	U
P	beta-BHC	UG/L		0.027	U			0.025	U
P	delta-BHC	UG/L		0.027	U			0.025	U
P	gamma-BHC (Lindane)	UG/L		0.027	U			0.025	U
P	gamma-Chlordane	UG/L		0.027	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L		10	U			10	U
S	1,2-Dichlorobenzene	UG/L		10	U			10	U
S	1,3-Dichlorobenzene	UG/L		10	U			10	U
S	1,4-Dichlorobenzene	UG/L		10	U			10	U
S	2,4,5-Trichlorophenol	UG/L		25	U			25	U
S	2,4,6-Trichlorophenol	UG/L		10	U			10	U
S	2,4-Dichlorophenol	UG/L		10	U			10	U
S	2,4-Dimethylphenol	UG/L		10	U			10	U
S	2,4-Dinitrophenol	UG/L		25	U			25	U
S	2,4-Dinitrotoluene	UG/L		10	U			10	U
S	2,6-Dinitrotoluene	UG/L		10	U			10	U
	2-Chloronaphthalene	UG/L		10	U			10	U
S	2-Chlorophenol	UG/L		10	U			10	U
S	2-Methylnaphthalene	UG/L		10	U			10	U
S	2-Methylphenol	UG/L		10	U			10	U
S	2-Nitroaniline	UG/L		25	U			25	U
S	2-Nitrophenol	UG/L		10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L		10	U			10	U
S	3-Nitroaniline	UG/L		25	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L		25	U			25	U
S	4-Bromophenyl-phenylether	UG/L		10	U			10	U
S	4-Chloro-3-methylphenol	UG/L		10	U			10	U
S	4-Chloroaniline	UG/L		10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L		10	U			10	U
S	4-Methylphenol	UG/L		10	U			10	U
S	4-Nitroaniline	UG/L		25	U			25	U
S	4-Nitrophenol	UG/L		25	U			25	U
S	Acenaphthene	UG/L		10	U			10	U
S	Acenaphthylene	UG/L		10	U			10	U
S	Anthracene	UG/L		10	U			10	U
S	Benzo(a)anthracene	UG/L		10	U			10	U
S	Benzo(a)pyrene	UG/L		10	U			10	U
S	Benzo(b)fluoranthene	UG/L		10	U			10	U
S	Benzo(g,h,i)perylene	UG/L		10	U			10	U
S	Benzo(k)fluoranthene	UG/L		10	U			10	U
S	Butylbenzylphthalate	UG/L		10	U			10	U
	Carbazole	UG/L		10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI28		693WMWREI28-F	693WMWREI28D
		LAB SAMPLE ID--->	90162		90178	90163
		RECEIPT DATE---->	10/28/93			10/28/93
	PARAMETER	UNITS				
S	Chrysene	UG/L	10	U		10 U
S	Di-n-butylphthalate	UG/L	10	U		10 U
S	Di-n-octylphthalate	UG/L	10	U		10 U
S	Dibenz(a,h)anthracene	UG/L	10	U		10 U
S	Dibenzofuran	UG/L	10	U		10 U
S	Diethylphthalate	UG/L	10	U		10 U
S	Dimethylphthalate	UG/L	10	U		10 U
S	Fluoranthene	UG/L	10	U		10 U
S	Fluorene	UG/L	10	U		10 U
S	Hexachlorobenzene	UG/L	10	U		10 U
S	Hexachlorobutadiene	UG/L	10	U		10 U
S	Hexachlorocyclopentadiene	UG/L	10	U		10 U
S	Hexachloroethane	UG/L	10	U		10 U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U		10 U
S	Isophorone	UG/L	10	U		10 U
S	N-Nitroso-di-n-propylamine	UG/L	10	U		10 U
S	N-Nitrosodiphenylamine	UG/L	10	U		10 U
S	Naphthalene	UG/L	10	U		10 U
S	Nitrobenzene	UG/L	10	U		10 U
S	Pentachlorophenol	UG/L	25	U		25 U
S	Phenanthrene	UG/L	10	U		10 U
S	Phenol	UG/L	10	U		10 U
S	Pyrene	UG/L	10	U		10 U
S	bis(2-Chloroethoxy)methane	UG/L	10	U		10 U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U		10 U
S	bis(2-chloroethyl)ether	UG/L	10	U		10 U
S	bis(2-chloroisopropyl)ether	UG/L	10	U		10 U
V	1,1,1-Trichloroethane	UG/L	10	U		10 U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U		10 U
V	1,1,2-Trichloroethane	UG/L	10	U		10 U
V	1,1-Dichloroethane	UG/L	10	U		10 U
V	1,1-Dichloroethene	UG/L	10	U		10 U
V	1,2-Dichloroethane	UG/L	10	U		10 U
V	1,2-Dichloroethene (total)	UG/L	10	U		10 U
V	1,2-Dichloropropane	UG/L	10	U		10 U
V	2-Butanone	UG/L	10	U		10 U
V	2-Hexanone	UG/L	10	U		10 U
V	4-Methyl-2-Pentanone	UG/L	10	U		10 U
V	Acetone	UG/L	4	J		3 J
V	Benzene	UG/L	10	U		10 U
V	Bromodichloromethane	UG/L	10	U		10 U
V	Bromoform	UG/L	10	U		10 U
V	Bromomethane	UG/L	10	U		10 U
V	Carbon Disulfide	UG/L	10	U		10 U
V	Carbon Tetrachloride	UG/L	10	U		10 U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI28		693WMWREI28-F		693WMWREI28D	
		LAB SAMPLE ID--->	90162		90178		90163	
		RECEIPT DATE---->	10/28/93				10/28/93	
	PARAMETER	UNITS						
V	Chlorobenzene	UG/L	10	U			10	U
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------>		693WMWREI28D-F		693WMWREI29		693WMWRE...9-F	
			LAB SAMPLE ID--->		90179				89979	
			RECEIPT DATE---->		10/28/93		.		10/26/93	
I	Aluminum	UG/L			655	J	208	J	20	U
I	Antimony	UG/L			35	U	.	UJ	35	U
I	Arsenic	UG/L			6.6	J	19.7	J	8.4	J
I	Barium	UG/L			104	J	161	J	176	J
I	Beryllium	UG/L			1	U	.		1	U
I	Cadmium	UG/L			3	U	.		3	U
I	Calcium	UG/L			79900		50800		48000	
I	Chromium	UG/L			4	U	.		4	U
I	Cobalt	UG/L			3	U	6.1	J	6.7	U
I	Copper	UG/L			7.5	J	.		4	U
I	Iron	UG/L			7180		18000	J	14500	
I	Lead	UG/L			2	UJ	.	R	2.6	J
I	Magnesium	UG/L			36300		24100		24400	
I	Manganese	UG/L			104	J	64.3		61.4	
I	Mercury	UG/L			0.2	U	.		0.2	U
I	Nickel	UG/L			15	U	.		15	U
I	Potassium	UG/L			12400		5090		5010	
I	Selenium	UG/L			2	U	.	UJ	2	U
I	Silver	UG/L			4	UJ	.	UJ	4	UJ
I	Sodium	UG/L			295000		129000		131000	
I	Thallium	UG/L			2	R	.	R	2	R
I	Vanadium	UG/L			3.8	U	.		3.3	J
I	Zinc	UG/L			15.5	U	.		5	U
P	4,4'-DDD	UG/L					0.059	U		
P	4,4'-DDE	UG/L					0.059	U		
P	4,4'-DDT	UG/L					0.059	U		
P	Aldrin	UG/L					0.029	U		
P	Aroclor 1016	UG/L					0.59	U		
P	Aroclor 1221	UG/L					1.2	U		
P	Aroclor 1232	UG/L					0.59	U		
P	Aroclor 1242	UG/L					0.59	U		
P	Aroclor 1248	UG/L					0.59	U		
P	Aroclor 1254	UG/L					0.59	U		
P	Aroclor 1260	UG/L					0.59	U		
P	Dieldrin	UG/L					0.059	U		
P	Endosulfan I	UG/L					0.029	U		
P	Endosulfan II	UG/L					0.059	U		
P	Endosulfan sulfate	UG/L					0.059	U		
P	Endrin	UG/L					0.059	U		
P	Endrin aldehyde	UG/L					0.059	U		
P	Endrin ketone	UG/L					0.059	U		
P	Heptachlor	UG/L					0.029	U		
P	Heptachlor epoxide	UG/L					0.029	U		
P	Methoxychlor	UG/L					0.29	U		

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI28D-F	693WMWREI29		693WMWREI29-F
		LAB SAMPLE ID--->	90179	89957		89979
		RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS				
P	Toxaphene	UG/L		2.9	U	
P	alpha-BHC	UG/L		0.029	U	
P	alpha-Chlordane	UG/L		0.029	U	
P	beta-BHC	UG/L		0.029	U	
P	delta-BHC	UG/L		0.029	U	
P	gamma-BHC (Lindane)	UG/L		0.029	U	
P	gamma-Chlordane	UG/L		0.029	U	
S	1,2,4-Trichlorobenzene	UG/L		11	U	
S	1,2-Dichlorobenzene	UG/L		11	U	
S	1,3-Dichlorobenzene	UG/L		11	U	
S	1,4-Dichlorobenzene	UG/L		11	U	
S	2,4,5-Trichlorophenol	UG/L		26	U	
S	2,4,6-Trichlorophenol	UG/L		11	U	
S	2,4-Dichlorophenol	UG/L		11	U	
S	2,4-Dimethylphenol	UG/L		11	U	
S	2,4-Dinitrophenol	UG/L		26	U	
S	2,4-Dinitrotoluene	UG/L		11	U	
S	2,6-Dinitrotoluene	UG/L		11	U	
	2-Chloronaphthalene	UG/L		11	U	
	2-Chlorophenol	UG/L		11	U	
S	2-Methylnaphthalene	UG/L		11	U	
S	2-Methylphenol	UG/L		11	U	
S	2-Nitroaniline	UG/L		26	U	
S	2-Nitrophenol	UG/L		11	U	
S	3,3'-Dichlorobenzidine	UG/L		11	U	
S	3-Nitroaniline	UG/L		26	U	
S	4,6-Dinitro-2-methylphenol	UG/L		26	U	
S	4-Bromophenyl-phenylether	UG/L		11	U	
S	4-Chloro-3-methylphenol	UG/L		11	U	
S	4-Chloroaniline	UG/L		11	U	
S	4-Chlorophenyl-phenylether	UG/L		11	U	
S	4-Methylphenol	UG/L		11	U	
S	4-Nitroaniline	UG/L		26	U	
S	4-Nitrophenol	UG/L		26	U	
S	Acenaphthene	UG/L		11	U	
S	Acenaphthylene	UG/L		11	U	
S	Anthracene	UG/L		11	U	
S	Benzo(a)anthracene	UG/L		11	U	
S	Benzo(a)pyrene	UG/L		11	U	
S	Benzo(b)fluoranthene	UG/L		11	U	
S	Benzo(g,h,i)perylene	UG/L		11	U	
S	Benzo(k)fluoranthene	UG/L		11	U	
S	Butylbenzylphthalate	UG/L		11	U	
S	Carbazole	UG/L		11	U	
	Chrysene	UG/L		11	U	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI28D-F LAB SAMPLE ID---> 90179 RECEIPT DATE----> .	693WMWREI29 89957 10/26/93	693WMWREI29-F 89979 .
S	Di-n-butylphthalate	UG/L	11	U	
S	Di-n-octylphthalate	UG/L	11	U	
S	Dibenz(a,h)anthracene	UG/L	11	U	
S	Dibenzofuran	UG/L	11	U	
S	Diethylphthalate	UG/L	11	U	
S	Dimethylphthalate	UG/L	11	U	
S	Fluoranthene	UG/L	11	U	
S	Fluorene	UG/L	11	U	
S	Hexachlorobenzene	UG/L	11	U	
S	Hexachlorobutadiene	UG/L	11	U	
S	Hexachlorocyclopentadiene	UG/L	11	U	
S	Hexachloroethane	UG/L	11	U	
S	Indeno(1,2,3-cd)pyrene	UG/L	11	U	
S	Isophorone	UG/L	11	U	
S	N-Nitroso-di-n-propylamine	UG/L	11	U	
S	N-Nitrosodiphenylamine	UG/L	11	U	
S	Naphthalene	UG/L	11	U	
S	Nitrobenzene	UG/L	11	U	
S	Pentachlorophenol	UG/L	26	U	
S	Phenanthrene	UG/L	11	U	
S	Phenol	UG/L	11	U	
S	Pyrene	UG/L	11	U	
S	bis(2-Chloroethoxy)methane	UG/L	11	U	
S	bis(2-Ethlyhexy)phthalate	UG/L	7	J	
S	bis(2-chloroethyl)ether	UG/L	11	U	
S	bis(2-chloroisopropyl)ether	UG/L	11	U	
V	1,1,1-Trichloroethane	UG/L	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	
V	1,1,2-Trichloroethane	UG/L	10	U	
V	1,1-Dichloroethane	UG/L	10	U	
V	1,1-Dichloroethene	UG/L	10	U	
V	1,2-Dichloroethane	UG/L	10	U	
V	1,2-Dichloroethene (total)	UG/L	10	U	
V	1,2-Dichloropropane	UG/L	10	U	
V	2-Butanone	UG/L	10	U	
V	2-Hexanone	UG/L	10	U	
V	4-Methyl-2-Pentanone	UG/L	10	U	
V	Acetone	UG/L	2	J	
V	Benzene	UG/L	10	U	
V	Bromodichloromethane	UG/L	10	U	
V	Bromoform	UG/L	10	U	
V	Bromomethane	UG/L	10	U	
V	Carbon Disulfide	UG/L	10	U	
V	Carbon Tetrachloride	UG/L	10	U	
V	Chlorobenzene	UG/L	10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI28D-F	693WMWREI29		693WMWREI29-F
		LAB SAMPLE ID--->	90179	89957		89979
		RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI30		SAMPLE ID ------> 693WMWREI30-F		SAMPLE ID ------> 694WMWES4	
	LAB SAMPLE ID--->		89960		89980			
	RECEIPT DATE---->		10/26/93		10/26/93			
I	Aluminum	UG/L	2400	J	1310		33100	J
I	Antimony	UG/L	35	U	35	U	.	UJ
I	Arsenic	UG/L	2	U	2	U	13.9	J
I	Barium	UG/L	127	J	124	J	2290	
I	Beryllium	UG/L	1	U	1.3	J	2.4	J
I	Cadmium	UG/L	3	U	3	U	187	
I	Calcium	UG/L	282000		268000		432000	
I	Chromium	UG/L	6.6	J	9.6	U	67.2	
I	Cobalt	UG/L	42.8	J	44.1	U	17.6	J
I	Copper	UG/L	9	J	4	U	346	
I	Iron	UG/L	45900		44500		60100	J
I	Lead	UG/L	2.4	J	2	U	905	R
I	Magnesium	UG/L	187000		189000		71900	
I	Manganese	UG/L	220		242		2630	
I	Mercury	UG/L	0.2	U	0.2	U	2.2	
I	Nickel	UG/L	15	U	15	U	52.5	
I	Potassium	UG/L	32100		28500		45300	
I	Selenium	UG/L	2	U	10	U		
I	Seleniumu	UG/L					.	UJ
I	Silver	UG/L	4	UJ	4	UJ	8.6	UJ
I	Sodium	UG/L	1340000		1200000		145000	
I	Thallium	UG/L	10	U	10	R	.	R
I	Vanadium	UG/L	14.8	U	16.4	J	56.4	
I	Zinc	UG/L	16.1	J	5	U	2040	
P	4,4'-DDD	UG/L	0.05	U			0.052	U
P	4,4'-DDE	UG/L	0.05	U			0.052	U
P	4,4'-DDT	UG/L	0.05	U			0.052	U
P	Aldrin	UG/L	0.025	U			0.026	U
P	Aroclor 1016	UG/L	0.5	U			0.52	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.5	U			0.52	U
P	Aroclor 1242	UG/L	0.5	U			0.52	U
P	Aroclor 1248	UG/L	0.5	U			0.52	U
P	Aroclor 1254	UG/L	0.5	U			0.52	U
P	Aroclor 1260	UG/L	0.5	U			0.52	U
P	Dieldrin	UG/L	0.05	U			0.052	U
P	Endosulfan I	UG/L	0.025	U			0.026	U
P	Endosulfan II	UG/L	0.05	U			0.052	U
P	Endosulfan sulfate	UG/L	0.05	U			0.052	U
P	Endrin	UG/L	0.05	U			0.052	U
P	Endrin aldehyde	UG/L	0.05	U			0.052	U
P	Endrin ketone	UG/L	0.05	U			0.052	U
P	Heptachlor	UG/L	0.025	U			0.026	U
P	Heptachlor epoxide	UG/L	0.025	U			0.026	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI30 LAB SAMPLE ID---> 89960 RECEIPT DATE----> 10/26/93		SAMPLE ID ------> 693WMWREI30-F LAB SAMPLE ID---> 89980 RECEIPT DATE----> .		SAMPLE ID ------> 694WMWES45 LAB SAMPLE ID---> 89947 RECEIPT DATE----> 10/26/93	
P	Methoxychlor	UG/L	0.25	U			0.26	U
P	Toxaphene	UG/L	2.5	U			2.6	U
P	alpha-BHC	UG/L	0.025	U			0.026	U
P	alpha-Chlordane	UG/L	0.025	U			0.026	U
P	beta-BHC	UG/L	0.025	U			0.026	U
P	delta-BHC	UG/L	0.025	U			0.026	U
P	gamma-BHC (Lindane)	UG/L	0.025	U			0.026	U
P	gamma-Chlordane	UG/L	0.025	U			0.026	U
S	1,2,4-Trichlorobenzene	UG/L	11	U			10	U
S	1,2-Dichlorobenzene	UG/L	11	U			10	U
S	1,3-Dichlorobenzene	UG/L	11	U			10	U
S	1,4-Dichlorobenzene	UG/L	11	U			10	U
S	2,4,5-Trichlorophenol	UG/L	27	U			26	U
S	2,4,6-Trichlorophenol	UG/L	11	U			10	U
S	2,4-Dichlorophenol	UG/L	11	U			10	U
S	2,4-Dimethylphenol	UG/L	11	U			10	U
S	2,4-Dinitrophenol	UG/L	27	U			26	U
S	2,4-Dinitrotoluene	UG/L	11	U			10	U
S	2,6-Dinitrotoluene	UG/L	11	U			10	U
	2-Chloronaphthalene	UG/L	11	U			2	J
S	2-Chlorophenol	UG/L	11	U			10	U
S	2-Methylnaphthalene	UG/L	11	U			2	J
S	2-Methylphenol	UG/L	11	U			10	U
S	2-Nitroaniline	UG/L	27	U			26	U
S	2-Nitrophenol	UG/L	11	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	11	U			10	U
S	3-Nitroaniline	UG/L	27	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L	27	U			26	U
S	4-Bromophenyl-phenylether	UG/L	11	U			10	U
S	4-Chloro-3-methylphenol	UG/L	11	U			10	U
S	4-Chloroaniline	UG/L	11	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	11	U			10	U
S	4-Methylphenol	UG/L	11	U			10	U
S	4-Nitroaniline	UG/L	27	U			26	U
S	4-Nitrophenol	UG/L	27	U			26	U
S	Acenaphthene	UG/L	11	U			10	U
S	Acenaphthylene	UG/L	11	U			10	U
S	Anthracene	UG/L	11	U			10	U
S	Benzo(a)anthracene	UG/L	11	U			10	U
S	Benzo(a)pyrene	UG/L	11	U			10	U
S	Benzo(b)fluoranthene	UG/L	11	U			1	J
S	Benzo(g,h,i)perylene	UG/L	11	U			10	U
S	Benzo(k)fluoranthene	UG/L	11	U			10	U
S	Butylbenzylphthalate	UG/L	11	U			10	U
	Carbazole	UG/L	11	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI30 LAB SAMPLE ID---> 89960 RECEIPT DATE----> 10/26/93		693WMWREI30-F 89980		694WMWES4 89947 10/26/93	
S	Chrysene	UG/L	11	U			10	U
S	Di-n-butylphthalate	UG/L	11	U			10	U
S	Di-n-octylphthalate	UG/L	11	U			10	U
S	Dibenz(a,h)anthracene	UG/L	11	U			10	U
S	Dibenzofuran	UG/L	11	U			10	U
S	Diethylphthalate	UG/L	11	U			2	J
S	Dimethylphthalate	UG/L	11	U			10	U
S	Fluoranthene	UG/L	11	U			2	J
S	Fluorene	UG/L	11	U			10	U
S	Hexachlorobenzene	UG/L	11	U			10	U
S	Hexachlorobutadiene	UG/L	11	U			10	U
S	Hexachlorocyclopentadiene	UG/L	11	U			10	U
S	Hexachloroethane	UG/L	11	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	11	U			10	U
S	Isophorone	UG/L	11	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	11	U			10	U
S	N-Nitrosodiphenylamine	UG/L	11	U			10	U
S	Naphthalene	UG/L	11	U			25	
S	Nitrobenzene	UG/L	11	U			10	U
S	Pentachlorophenol	UG/L	27	U			26	U
S	Phenanthrene	UG/L	11	U			2	J
S	Phenol	UG/L	11	U			10	U
S	Pyrene	UG/L	11	U			1	J
S	bis(2-Chloroethoxy)methane	UG/L	11	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	11	U			6	J
S	bis(2-chloroethyl)ether	UG/L	11	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	11	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	12	U			11	
V	Benzene	UG/L	10	U			12	
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWREI30		693WMWREI30-F		694WMWES45	
		LAB SAMPLE ID--->	89960		89980		89947	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
V	Chlorobenzene	UG/L	10	U			9	J
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	21				10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	1	J			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------>		694WMWES45-F		694WMWES46		694WMWES45-F	
	LAB SAMPLE ID--->				89996				89975	
	RECEIPT DATE---->				10/26/93		.		10/26/93	
			.		.		.			
I	Aluminum	UG/L	20	U	15800	J	23.5	J		
I	Antimony	UG/L	35	U	123	J	35	U		
I	Arsenic	UG/L	4.7	J	14.7	J	7.2	J		
I	Barium	UG/L	1010		1260		1180			
I	Beryllium	UG/L	1	U	.		1	U		
I	Cadmium	UG/L	3	U	50.1		3	U		
I	Calcium	UG/L	201000		237000		216000			
I	Chromium	UG/L	4	U	51.1		7.7	U		
I	Cobalt	UG/L	6.4	U	10.8	J	7.7	U		
I	Copper	UG/L	4.5	J	96.5		4	U		
I	Iron	UG/L	7960		44600	J	27900			
I	Lead	UG/L	2	UJ	259	R	2	U		
I	Magnesium	UG/L	62800		28400		28200			
I	Manganese	UG/L	1210	J	3620		3150			
I	Mercury	UG/L	0.2	U	2.7		0.2	U		
I	Nickel	UG/L	15	U	23.4	J	15	U		
I	Potassium	UG/L	40200		30800		30100			
I	Selenium	UG/L	2	U	2.3	J	2.8	J		
I	Silver	UG/L	4	UJ	5.4	UJ	4	UJ		
I	Sodium	UG/L	145000		60800		60500			
I	Thallium	UG/L	10	R	.	R	10	R		
I	Vanadium	UG/L	3	U	.		3	U		
I	Zinc	UG/L	5	U	2360		174			
P	4,4'-DDD	UG/L			0.051	U				
P	4,4'-DDE	UG/L			0.051	U				
P	4,4'-DDT	UG/L			0.051	U				
P	Aldrin	UG/L			0.043	J				
P	Aroclor 1016	UG/L			0.51	U				
P	Aroclor 1221	UG/L			1	U				
P	Aroclor 1232	UG/L			0.51	U				
P	Aroclor 1242	UG/L			0.51	U				
P	Aroclor 1248	UG/L			0.51	U				
P	Aroclor 1254	UG/L			0.51	U				
P	Aroclor 1260	UG/L			0.51	U				
P	Dieldrin	UG/L			0.051	U				
P	Endosulfan I	UG/L			0.026	U				
P	Endosulfan II	UG/L			0.051	U				
P	Endosulfan sulfate	UG/L			0.051	U				
P	Endrin	UG/L			0.051	U				
P	Endrin aldehyde	UG/L			0.051	U				
P	Endrin ketone	UG/L			0.051	U				
P	Heptachlor	UG/L			0.039	J				
P	Heptachlor epoxide	UG/L			0.026	U				
P	Methoxychlor	UG/L			0.26	U				

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	694WMWES45-F	694WMWES46	694WMWES46-F
			LAB SAMPLE ID--->	89996	89948	89975
			RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS				
P	Toxaphene	UG/L			2.6 U	
P	alpha-BHC	UG/L			0.037	
P	alpha-Chlordane	UG/L			0.026 U	
P	beta-BHC	UG/L			0.026 U	
P	delta-BHC	UG/L			0.039	
P	gamma-BHC (Lindane)	UG/L			0.026 U	
P	gamma-Chlordane	UG/L			0.026 U	
S	1,2,4-Trichlorobenzene	UG/L			41 U	
S	1,2-Dichlorobenzene	UG/L			9 J	
S	1,3-Dichlorobenzene	UG/L			41 U	
S	1,4-Dichlorobenzene	UG/L			40 J	
S	2,4,5-Trichlorophenol	UG/L			100 U	
S	2,4,6-Trichlorophenol	UG/L			41 U	
S	2,4-Dichlorophenol	UG/L			41 U	
S	2,4-Dimethylphenol	UG/L			89	
S	2,4-Dinitrophenol	UG/L			100 U	
S	2,4-Dinitrotoluene	UG/L			41 U	
S	2,6-Dinitrotoluene	UG/L			41 U	
S	2-Chloronaphthalene	UG/L			41 U	
	2-Chlorophenol	UG/L			41 U	
S	2-Methylnaphthalene	UG/L			17 J	
S	2-Methylphenol	UG/L			41 U	
S	2-Nitroaniline	UG/L			100 U	
S	2-Nitrophenol	UG/L			41 U	
S	3,3'-Dichlorobenzidine	UG/L			41 U	
S	3-Nitroaniline	UG/L			100 U	
S	4,6-Dinitro-2-methylphenol	UG/L			100 U	
S	4-Bromophenyl-phenylether	UG/L			41 U	
S	4-Chloro-3-methylphenol	UG/L			41 U	
S	4-Chloroaniline	UG/L			41 U	
S	4-Chlorophenyl-phenylether	UG/L			41 U	
S	4-Methylphenol	UG/L			20 J	
S	4-Nitroaniline	UG/L			100 U	
S	4-Nitrophenol	UG/L			100 U	
S	Acenaphthene	UG/L			41 U	
S	Acenaphthylene	UG/L			41 U	
S	Anthracene	UG/L			41 U	
S	Benzo(a)anthracene	UG/L			41 U	
S	Benzo(a)pyrene	UG/L			41 U	
S	Benzo(b)fluoranthene	UG/L			41 U	
S	Benzo(g,h,i)perylene	UG/L			41 U	
S	Benzo(k)fluoranthene	UG/L			41 U	
S	Butylbenzylphthalate	UG/L			41 U	
S	Carbazole	UG/L			41 U	
	Chrysene	UG/L			41 U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	694WMWES45-F	694WMWES46	694WMWES4[illegible]-F
		LAB SAMPLE ID--->	89996	89948	89975
		RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		41 U	
S	Di-n-octylphthalate	UG/L		41 U	
S	Dibenz(a,h)anthracene	UG/L		41 U	
S	Dibenzofuran	UG/L		41 U	
S	Diethylphthalate	UG/L		41 U	
S	Dimethylphthalate	UG/L		41 U	
S	Fluoranthene	UG/L		41 U	
S	Fluorene	UG/L		41 U	
S	Hexachlorobenzene	UG/L		41 U	
S	Hexachlorobutadiene	UG/L		41 U	
S	Hexachlorocyclopentadiene	UG/L		41 U	
S	Hexachloroethane	UG/L		41 U	
S	Indeno(1,2,3-cd)pyrene	UG/L		41 U	
S	Isophorone	UG/L		41 U	
S	N-Nitroso-di-n-propylamine	UG/L		41 U	
S	N-Nitrosodiphenylamine	UG/L		41 U	
S	Naphthalene	UG/L		110	
S	Nitrobenzene	UG/L		41 U	
S	Pentachlorophenol	UG/L		100 U	
S	Phenanthrene	UG/L		41 U	
S	Phenol	UG/L		41 U	
S	Pyrene	UG/L		41 U	
S	bis(2-Chloroethoxy)methane	UG/L		41 U	
S	bis(2-Ethlyhexy)phthalate	UG/L		12 J	
S	bis(2-chloroethyl)ether	UG/L		41 U	
S	bis(2-chloroisopropyl)ether	UG/L		41 U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694WMWES47		694WMWES47-F		69FIFB	
	LAB SAMPLE ID--->				89976		89967	
	RECEIPT DATE---->		.		10/26/93		10/26/93	
			.		.		.	
I	Aluminum	UG/L	5350	J	20	U	20	U
I	Antimony	UG/L	.	UJ	35	U	35	U
I	Arsenic	UG/L	.		2	U	2	U
I	Barium	UG/L	648		598		2	U
I	Beryllium	UG/L	.		1	U	1	U
I	Cadmium	UG/L	40.6		3	U	3	U
I	Calcium	UG/L	123000		109000		134	J
I	Chromium	UG/L	23.6		5.4	U	4	U
I	Cobalt	UG/L	5.2	J	3	U	3	U
I	Copper	UG/L	45.2		4	U	4	U
I	Iron	UG/L	29700	J	16700		31.3	J
I	Lead	UG/L	321	R	2	U	2	U
I	Magnesium	UG/L	6260		5830		30	U
I	Manganese	UG/L	438		372		2	U
I	Mercury	UG/L	0.4		0.2	U	0.2	U
I	Nickel	UG/L	23.7	J	15	U	15	U
I	Potassium	UG/L	7090		6620		400	U
	Selenium	UG/L	.	UJ	2	U	2	U
	Silver	UG/L	.	UJ	4	UJ	4	U
I	Sodium	UG/L	19100		18200		200	U
I	Thallium	UG/L	.	R	2	R	2	U
I	Vanadium	UG/L	.		3	U	3	U
I	Zinc	UG/L	398		22	U	5	U
P	4,4'-DDD	UG/L	0.43	J			0.05	U
P	4,4'-DDE	UG/L	0.025	J			0.05	U
P	4,4'-DDT	UG/L	0.052	U			0.05	U
P	Aldrin	UG/L	0.026	U			0.025	U
P	Aroclor 1016	UG/L	0.52	U			0.5	U
P	Aroclor 1221	UG/L	1	U			1	U
P	Aroclor 1232	UG/L	0.52	U			0.5	U
P	Aroclor 1242	UG/L	0.52	U			0.5	U
P	Aroclor 1248	UG/L	0.52	U			0.5	U
P	Aroclor 1254	UG/L	0.52	U			0.5	U
P	Aroclor 1260	UG/L	0.52	U			0.5	U
P	Dieldrin	UG/L	0.052	U			0.05	U
P	Endosulfan I	UG/L	0.026	U			0.025	U
P	Endosulfan II	UG/L	0.052	U			0.05	U
P	Endosulfan sulfate	UG/L	0.052	U			0.05	U
P	Endrin	UG/L	0.052	U			0.05	U
P	Endrin aldehyde	UG/L	0.052	U			0.05	U
P	Endrin ketone	UG/L	0.052	U			0.05	U
P	Heptachlor	UG/L	0.026	U			0.025	U
P	Heptachlor epoxide	UG/L	0.026	U			0.025	U
	Methoxychlor	UG/L	0.26	U			0.25	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694WMWES47 LAB SAMPLE ID---> 89949 RECEIPT DATE----> 10/26/93		694WMWES47-F 89976		69FIFB 89967 10/26/93	
P	Toxaphene	UG/L	2.6	U			2.5	U
P	alpha-BHC	UG/L	0.026	U			0.025	U
P	alpha-Chlordane	UG/L	0.026	U			0.025	U
P	beta-BHC	UG/L	0.026	U			0.025	U
P	delta-BHC	UG/L	0.026	U			0.025	U
P	gamma-BHC (Lindane)	UG/L	0.026	U			0.025	U
P	gamma-Chlordane	UG/L	0.026	U			0.025	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			10	U
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	22				10	U
S	2,4,5-Trichlorophenol	UG/L	26	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	26	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
S	2-Chloronaphthalene	UG/L	10	U			10	U
S	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	33				10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	26	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	26	U			24	U
S	4-Nitrophenol	UG/L	26	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U
S	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 694WMWES47		694WMWES47-F		69FIFB	
	LAB SAMPLE ID--->		89949		89976		89967	
	RECEIPT DATE---->		10/26/93				10/26/93	
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	2	J			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	4	J			10	U
S	Naphthalene	UG/L	26				10	U
S	Nitrobenzene	UG/L	10	U			10	U
	Pentachlorophenol	UG/L	26	U			24	U
	Phenanthrene	UG/L	2	J			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	4	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	1	J			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	34	U			10	U
V	Benzene	UG/L	10				10	U
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
	Chlorobenzene	UG/L	180				10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	694WMWES47		694WMWES47-F		69FIFB	
		LAB SAMPLE ID--->	89949		89976		89967	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK LAB SAMPLE ID---> 90164 RECEIPT DATE----> 10/28/93		SAMPLE ID ------> TRIPBLANK1 LAB SAMPLE ID---> 89671 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> TRIPBLANK2 LAB SAMPLE ID---> 89764 RECEIPT DATE----> 10/22/93	
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,1-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1,2-Trichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,1-Dichloroethene	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethane	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloroethene (total)	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	1,2-Dichloropropane	UG/L	10	U	10	U	10	U
V	2-Butanone	UG/L	10	U	10	U	10	U
"	2-Butanone	UG/L	10	U	10	U	10	U
	2-Hexanone	UG/L	10	U	10	U	10	U
V	2-Hexanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	4-Methyl-2-Pentanone	UG/L	10	U	10	U	10	U
V	Acetone	UG/L	10	U	10		10	U
V	Acetone	UG/L	10	U	10	U	10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Benzene	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromodichloromethane	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromoform	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Bromomethane	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
V	Carbon Disulfide	UG/L	10	U	10	U	10	U
V	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
V	Carbon Tetrachloride	UG/L	10	U	10	U	10	U
V	Chlorobenzene	UG/L	10	U	10	U	10	U
V	Chlorobenzene	UG/L	10	U	2	J	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroethane	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloroform	UG/L	10	U	10	U	10	U
V	Chloromethane	UG/L	10	U	10	U	10	U
	Chloromethane	UG/L	10	U	10	U	10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> TRIPBLANK LAB SAMPLE ID---> 90164 RECEIPT DATE----> 10/28/93		SAMPLE ID ------> TRIPBLANK1 LAB SAMPLE ID---> 89671 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> TRIPBLANK2 LAB SAMPLE ID---> 89764 RECEIPT DATE----> 10/22/93	
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Dibromochloromethane	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Ethylbenzene	UG/L	10	U	10	U	10	U
V	Methylene Chloride	UG/L	2	J	1	J	10	U
V	Methylene Chloride	UG/L	2	J	1	J	1	J
V	Styrene	UG/L	10	U	10	U	10	U
V	Styrene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Tetrachloroethene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Toluene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Trichloroethene	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Vinyl Chloride	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	Xylene (total)	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	cis-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U
V	trans-1,3-Dichloropropene	UG/L	10	U	10	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES31		691WMWES31-F		691WMWES31D	
	LAB SAMPLE ID--->				89993			
	RECEIPT DATE---->		.		10/26/93		.	
			.		.		.	
I	Aluminum	UG/L	27900	J			38600	J
I	Antimony	UG/L	.	UJ			.	UJ
I	Arsenic	UG/L	.		5	J	.	
I	Barium	UG/L	782				924	
I	Beryllium	UG/L	2.4	J			2.7	J
I	Cadmium	UG/L	.				.	
I	Calcium	UG/L	33800		24300		34100	
I	Chromium	UG/L	21.7				26.4	
I	Cobalt	UG/L	12.5	J			15.2	J
I	Copper	UG/L	.				36.6	
I	Iron	UG/L	11500	J	1980		15300	J
I	Lead	UG/L	44.5	R	2	UJ	43.1	R
I	Magnesium	UG/L	8010		4750	J	8840	R
I	Manganese	UG/L	429		266	J	462	
I	Mercury	UG/L	.				.	
I	Nickel	UG/L	15	J			16.8	J
I	Potassium	UG/L	6850		2590	J	8320	
I	Selenium	UG/L	.	UJ			2	J
	Silver	UG/L	.	UJ	4	UJ	.	UJ
	Sodium	UG/L	47100		45500		46300	
I	Thallium	UG/L	.	R	2	R	.	R
I	Vanadium	UG/L	43	J			52.2	
I	Zinc	UG/L	42.3				56.5	
S	bis(2-Ethlyhexy)phthalate	UG/L					2	J
V	Acetone	UG/L	4	J			4	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES31D-F		691WMWES32		691WMWES32-F	
	LAB SAMPLE ID--->		89994				89992	
	RECEIPT DATE---->		10/26/93		.		10/26/93	
I	Aluminum	UG/L	1170	J	21300	J		
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L	2.8	J	.		3.6	J
I	Barium	UG/L			311		163	J
I	Beryllium	UG/L			1.6	J		
I	Cadmium	UG/L			.			
I	Calcium	UG/L	24500		206000		137000	
I	Chromium	UG/L	4.4	J	47		4.4	J
I	Cobalt	UG/L			11.7	J		
I	Copper	UG/L	7.4	B	34.7		6.6	J
I	Iron	UG/L	1860		16900	J	29.9	J
I	Lead	UG/L	2.8	J	21.5	R	2	UJ
I	Magnesium	UG/L	4850	J	32300		25300	
I	Manganese	UG/L	274	J	796		375	J
I	Mercury	UG/L			.			
I	Nickel	UG/L			42			
I	Potassium	UG/L	3010	J	15500		9410	
I	Selenium	UG/L			.	UJ		
I	Silver	UG/L	4	UJ	.	UJ	4	UJ
I	Sodium	UG/L	46200		47700		486000	
I	Thallium	UG/L	2	R	9.1	R	10	R
I	Vanadium	UG/L			39.2	J		
I	Zinc	UG/L			64.6			
S	bis(2-Ethlyhexy)phthalate	UG/L			1	J		
V	2-Butanone	UG/L			1	J		
V	Chlorobenzene	UG/L			9	J		
V	Tetrachloroethene	UG/L			160			
V	Trichloroethene	UG/L			12			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES33		SAMPLE ID ------> 691WMWES33-F		SAMPLE ID ------> 691WMWES34	
	LAB SAMPLE ID--->		89751		89767		89841	
	RECEIPT DATE---->		10/22/93		10/22/93		10/23/93	
I	Aluminum	UG/L	33800				42200	J
I	Arsenic	UG/L	4.7	J	4.6	J	11.2	J
I	Barium	UG/L	2000		1800		368	
I	Beryllium	UG/L	1.4	J			1.8	J
I	Calcium	UG/L	257000		241000		220000	
I	Chromium	UG/L	18.3				32.6	
I	Cobalt	UG/L	17.5	J			12.5	J
I	Copper	UG/L					27	
I	Iron	UG/L	18200		5430		27200	
I	Lead	UG/L	34.6				21.9	J
I	Magnesium	UG/L	100000		98000		35900	
I	Manganese	UG/L	702		687		821	
I	Potassium	UG/L	49900		45700		50000	
I	Selenium	UG/L	3.8	J	2.4	J		
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	217000		210000		488000	
I	Thallium	UG/L	10	R	10	R		
	Vanadium	UG/L	30.1	J			53.9	
	Zinc	UG/L	165				92.9	
S	Acenaphthene	UG/L	1	J				
S	bis(2-Ethlyhexy)phthalate	UG/L					3	J
V	2-Hexanone	UG/L	6	J				
V	Benzene	UG/L	1	J				
V	Chlorobenzene	UG/L	46					

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES34-F LAB SAMPLE ID---> 89856 RECEIPT DATE----> 10/23/93		691WMWES36 . .		691WMWES36-F 89995 10/26/93	
I	Aluminum	UG/L			1220	J		
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L	2.7	J	26.6	J	23.3	J
I	Barium	UG/L	215		1060		876	
I	Beryllium	UG/L			.			
I	Cadmium	UG/L			.			
I	Calcium	UG/L	131000		115000		127000	
I	Chromium	UG/L			6.4	J		
I	Cobalt	UG/L			8.2	J		
I	Iron	UG/L			18200	J	12700	
I	Lead	UG/L			25.4	R	2	UJ
I	Magnesium	UG/L	25500		53000		54300	
I	Manganese	UG/L	287		287		285	
I	Mercury	UG/L			.			
I	Nickel	UG/L			15.8	J		
I	Potassium	UG/L	41100		71500		75000	
I	Selenium	UG/L	3.1	J	.	UJ		
I	Silver	UG/L	4	UJ	.	UJ	4	UJ
I	Sodium	UG/L	495000		168000		180000	
I	Thallium	UG/L	10	R	.	R	10	R
I	Vanadium	UG/L	3.3	J				
I	Zinc	UG/L			76.9			
S	1,4-Dichlorobenzene	UG/L			24			
S	2-Chlorophenol	UG/L			2	JY		
S	2-Methylnaphthalene	UG/L			9	J		
S	Acenaphthene	UG/L			1	J		
S	Fluorene	UG/L			1	J		
S	Naphthalene	UG/L			28			
S	Phenanthrene	UG/L			1	J		
S	bis(2-Ethlyhexy)phthalate	UG/L			2	J		
V	Acetone	UG/L			12			
V	Benzene	UG/L			13			
V	Chlorobenzene	UG/L			210	E		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES36DL LAB SAMPLE ID---> 89946DL RECEIPT DATE----> 10/26/93		691WMWGM21 . .		691WMWGM21-F 89991 10/26/93	
I	Aluminum	UG/L			4580	J		
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L			.		5.8	J
I	Barium	UG/L			.		93	J
I	Beryllium	UG/L			.			
I	Cadmium	UG/L			.			
I	Calcium	UG/L			81700		78700	
I	Chromium	UG/L			.			
I	Cobalt	UG/L			4.2	J		
I	Copper	UG/L			.		8.3	J
I	Iron	UG/L			4790	J	2060	
I	Lead	UG/L			2	R	2	UJ
I	Magnesium	UG/L			38200		35100	
I	Manganese	UG/L			220		198	J
I	Mercury	UG/L			.			
I	Nickel	UG/L			.			
I	Potassium	UG/L			10900		9990	
	Selenium	UG/L			.	UJ		
	Silver	UG/L			.		4	UJ
I	Sodium	UG/L			345000		344000	
I	Thallium	UG/L			9.1	R	10	R
I	Vanadium	UG/L			.			
I	Zinc	UG/L			.			
S	bis(2-Ethlyhexy)phthalate	UG/L			1	J		
V	2-Butanone	UG/L			2	J		
V	2-Hexanone	UG/L	7	DJ				
V	Acetone	UG/L	10	DJ	3	J		
V	Benzene	UG/L	19	DJ				
V	Chlorobenzene	UG/L	270	D				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWREI26		691WMWREI26-F		691WMWREI27	
	LAB SAMPLE ID--->				89997		89846	
	RECEIPT DATE---->		.		10/26/93		10/23/93	
I	Aluminum	UG/L	264	J			27.9	J
I	Antimony	UG/L	.	UJ				
I	Arsenic	UG/L	.		3.6	J	13	J
I	Barium	UG/L	406		396		2360	
I	Beryllium	UG/L	.					
I	Cadmium	UG/L	.					
I	Calcium	UG/L	246000		249000		510000	
I	Chromium	UG/L	14.4				55.4	
I	Cobalt	UG/L	9.8	J				
I	Copper	UG/L	.				6.6	J
I	Iron	UG/L	5280	J	3780		24500	
I	Lead	UG/L	.	R	2	UJ	2.3	J
I	Magnesium	UG/L	46800		52100		65100	
I	Manganese	UG/L	770		761	J	1250	
I	Mercury	UG/L	.					
I	Potassium	UG/L	53700		53800		65300	
I	Selenium	UG/L	.	UJ				
I	Silver	UG/L	.	UJ	4	UJ	4	UJ
I	Sodium	UG/L	377000		489000		183000	
I	Thallium	UG/L	.	R	10	R		
I	Vanadium	UG/L	.					
I	Zinc	UG/L	.					
S	1,2-Dichlorobenzene	UG/L	12				23	
S	1,3-Dichlorobenzene	UG/L					9	J
S	1,4-Dichlorobenzene	UG/L	20				57	
S	2,4-Dimethylphenol	UG/L					75	
S	2-Chlorophenol	UG/L					3	J
S	2-Methylnaphthalene	UG/L					1	J
S	2-Methylphenol	UG/L					3	J
S	4-Methylphenol	UG/L					3	J
S	Naphthalene	UG/L					47	
V	1,1-Dichloroethane	UG/L	36					
V	1,1-Dichloroethene	UG/L	66					
V	1,2-Dichloroethene (total)	UG/L	4	J				
V	2-Butanone	UG/L	19	J				
V	Acetone	UG/L	17	J			32	J
V	Benzene	UG/L	14	J			89	J
V	Chlorobenzene	UG/L	260				1300	
V	Chloroethane	UG/L					26	J
V	Ethylbenzene	UG/L					13	J
V	Methylene Chloride	UG/L	2	J				
V	Tetrachloroethene	UG/L					27	J
V	Toluene	UG/L	3	J				
V	Vinyl Chloride	UG/L	46					

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWREI27-F		691WMWREI27RE		693WMWES35	
	LAB SAMPLE ID--->		89857		89846RE		89759	
	RECEIPT DATE---->		10/23/93		10/23/93		10/22/93	
I	Aluminum	UG/L	22.7	J			12800	
I	Arsenic	UG/L					4.3	J
I	Barium	UG/L	2480				266	
I	Beryllium	UG/L	1	J				
I	Calcium	UG/L	497000				158000	
I	Chromium	UG/L	53.3				17.4	
I	Cobalt	UG/L					8.8	J
I	Copper	UG/L					12.7	J
I	Iron	UG/L	12800				10700	
I	Magnesium	UG/L	70700				18900	
I	Manganese	UG/L	1310				245	
I	Potassium	UG/L	69200				66300	
I	Selenium	UG/L	3.8	J			2.4	J
I	Silver	UG/L	4	UJ				
I	Sodium	UG/L	208000				379000	
I	Thallium	UG/L	10	R			10	R
I	Vanadium	UG/L					24.8	J
	1,2-Dichlorobenzene	UG/L			26			
	1,3-Dichlorobenzene	UG/L			10			
S	1,4-Dichlorobenzene	UG/L			62			
S	2,4-Dimethylphenol	UG/L			85	J		
S	2-Chlorophenol	UG/L			4	J		
S	2-Methylnaphthalene	UG/L			1	J		
S	2-Methylphenol	UG/L			3	J		
S	4-Methylphenol	UG/L			3	J		
S	Diethylphthalate	UG/L			4	J		
S	Naphthalene	UG/L			50			
V	2-Butanone	UG/L					7	J
V	Benzene	UG/L			80	J		
V	Chlorobenzene	UG/L			1200			
V	Chloroethane	UG/L			13	J		
V	Ethylbenzene	UG/L			11	J		
V	Tetrachloroethene	UG/L			19	J	92	
V	Trichloroethene	UG/L					6	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES35-F LAB SAMPLE ID---> 89769 RECEIPT DATE----> 10/22/93		693WMWES37 89666 10/21/93		693WMWES37-F 89672 10/21/93	
I	Aluminum	UG/L			18300			
I	Arsenic	UG/L	2	J	4.8	J	3.4	J
I	Barium	UG/L	89.3	J	233		80.3	J
I	Beryllium	UG/L			1.7	J		
I	Calcium	UG/L	100000		76600		69100	
I	Chromium	UG/L			8.2	J		
I	Cobalt	UG/L			5.8	J		
I	Iron	UG/L			7390		2280	
I	Lead	UG/L			11			
I	Magnesium	UG/L	13400		17300		15200	
I	Manganese	UG/L	47.9		56.2		40.2	
I	Potassium	UG/L	62800		6840		5180	
I	Sodium	UG/L	375000		90600		90500	
I	Thallium	UG/L	10	R	2	R	2	R
I	Vanadium	UG/L			21.6	J		
S	1,2-Dichlorobenzene	UG/L			21			
S	1,4-Dichlorobenzene	UG/L			1	J		
V	1,1-Dichloroethane	UG/L			6	J		
V	1,1-Dichloroethene	UG/L			3	J		
V	1,2-Dichloroethene (total)	UG/L			760	R		
V	Carbon Disulfide	UG/L			1	J		
V	Chlorobenzene	UG/L			28			
V	Toluene	UG/L			2	J		
V	Vinyl Chloride	UG/L			1900	R		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES37DL		SAMPLE ID ------> 693WMWES38		SAMPLE ID ------> 693WMWES38-F	
	LAB SAMPLE ID--->		88666DL		89667		89673	
	RECEIPT DATE---->		10/21/93		10/21/93		10/21/93	
I	Aluminum	UG/L			58300			
I	Arsenic	UG/L			10.1	J	8.5	J
I	Barium	UG/L			776		394	
I	Beryllium	UG/L			2.5	J		
I	Calcium	UG/L			126000		116000	
I	Chromium	UG/L			36.1			
I	Cobalt	UG/L			16.9	J		
I	Copper	UG/L			27			
I	Iron	UG/L			33900		7750	
I	Lead	UG/L			24.1			
I	Magnesium	UG/L			37000		32000	
I	Manganese	UG/L			426		347	
I	Nickel	UG/L			25.8	J		
I	Potassium	UG/L			16300		10000	
I	Selenium	UG/L			5			
I	Sodium	UG/L			151000		151000	
I	Thallium	UG/L			10	R	10	R
	Vanadium	UG/L			65.6			
	Zinc	UG/L			71.8			
V	1,2-Dichloroethene (total)	UG/L	880	J				
V	Chlorobenzene	UG/L	23	J	2	J		
V	Vinyl Chloride	UG/L	2200	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES38D LAB SAMPLE ID---> 89668 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES38D-F LAB SAMPLE ID---> 89674 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES39 LAB SAMPLE ID---> 89754 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	65000				1040	
I	Arsenic	UG/L	7.9	J	9.2	J		
I	Barium	UG/L	801		406		76.4	J
I	Beryllium	UG/L	2.7	J				
I	Calcium	UG/L	127000		118000		57200	
I	Chromium	UG/L	38.5				18.9	
I	Cobalt	UG/L	18.7	J				
I	Copper	UG/L	25.8					
I	Iron	UG/L	36700		8890		1010	
I	Lead	UG/L	22.3					
I	Magnesium	UG/L	38200		32700		13000	
I	Manganese	UG/L	445		356		148	
I	Nickel	UG/L	26.6	J				
I	Potassium	UG/L	17200		10300		276000	
I	Selenium	UG/L	4.6	J	2.6	J		
I	Sodium	UG/L	154000		155000		211000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L	71				3.3	J
I	Zinc	UG/L	77.5				22.3	
V	Acetone	UG/L					860	R
V	Benzene	UG/L					9	J
V	Carbon Disulfide	UG/L					3	J
V	Chlorobenzene	UG/L	1	J				
V	Tetrachloroethene	UG/L					37	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES39-F		LAB SAMPLE ID---> 89765	RECEIPT DATE----> 10/22/93		693WMWES39DL 89754DL 10/22/93		693WMWES40 89755 10/22/93	
I	Aluminum	UG/L								2120	
I	Arsenic	UG/L								12	
I	Barium	UG/L	91.5	J						284	
I	Calcium	UG/L	78700							111000	
I	Cobalt	UG/L								11	J
I	Iron	UG/L								7700	
I	Lead	UG/L								2.5	J
I	Magnesium	UG/L	11300							28700	
I	Manganese	UG/L	147							181	
I	Potassium	UG/L	228000							21500	
I	Selenium	UG/L								2.8	J
I	Sodium	UG/L	202000							140000	
I	Thallium	UG/L	10	R						10	R
I	Vanadium	UG/L								4.1	J
S	1,4-Dichlorobenzene	UG/L								13	
V	1,1-Dichloroethane	UG/L								5	J
V	2-Butanone	UG/L								4	J
	Acetone	UG/L						610	J		
	Benzene	UG/L								3	J
V	Chlorobenzene	UG/L								55	
V	Tetrachloroethene	UG/L						36	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES40-F		SAMPLE ID ------> 693WMWES41		SAMPLE ID ------> 693WMWES41-F	
	LAB SAMPLE ID--->		89766		89842		89850	
	RECEIPT DATE---->		10/22/93		10/23/93		10/23/93	
I	Aluminum	UG/L			7290	J		
I	Arsenic	UG/L	15.4	J	6.9	J	2.2	J
I	Barium	UG/L	312		276		241	
I	Calcium	UG/L	114000		87300		82800	
I	Chromium	UG/L			4.3	J		
I	Cobalt	UG/L			3.1	J		
I	Copper	UG/L			13.1	J		
I	Iron	UG/L	5790		5920			
I	Lead	UG/L			4.4	J		
I	Magnesium	UG/L	30200		11700		10200	
I	Manganese	UG/L	211		334		299	
I	Potassium	UG/L	22600		6900		5400	
I	Silver	UG/L			4	UJ	4	UJ
I	Sodium	UG/L	134000		133000		134000	
I	Thallium	UG/L	10	R			10	R
I	Vanadium	UG/L			13.4	J		
I	Zinc	UG/L			30.9			
S	bis(2-Ethlyhexy)phthalate	UG/L			5	J		
V	Acetone	UG/L			5	J		
V	Carbon Disulfide	UG/L			3	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES42 LAB SAMPLE ID---> 89753 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWES42-F LAB SAMPLE ID---> 89770 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWES43 LAB SAMPLE ID---> 89840 RECEIPT DATE----> 10/23/93	
I	Aluminum	UG/L	11500				23000	J
I	Arsenic	UG/L	2.4	J			12.2	J
I	Barium	UG/L	156	J	76.9	J	640	
I	Beryllium	UG/L					1.4	J
I	Calcium	UG/L	58800		54400		268000	
I	Chromium	UG/L	5.5	J			18.2	
I	Cobalt	UG/L	5	J			11.5	J
I	Copper	UG/L					21.2	J
I	Iron	UG/L	3220				18200	
I	Lead	UG/L	6.2				16.8	J
I	Magnesium	UG/L	10400		9910		25900	
I	Manganese	UG/L	46.4				842	
I	Potassium	UG/L	10200		9410		13900	
I	Silver	UG/L					4	UJ
I	Sodium	UG/L	47400		47900		301000	
I	Thallium	UG/L	2	R	2	R		
I	Vanadium	UG/L	10.8	J			36.3	J
	Zinc	UG/L					58.1	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES43-F LAB SAMPLE ID---> 89854 RECEIPT DATE----> 10/23/93		693WMWES44 89752 10/22/93		693WMWES44-F 89768 10/22/93	
I	Aluminum	UG/L			7190			
I	Arsenic	UG/L			15.2		11.7	J
I	Barium	UG/L	464		103	J	75.6	J
I	Calcium	UG/L	178000		51200		48700	
I	Chromium	UG/L			5.4	J		
I	Cobalt	UG/L			3.7	J		
I	Iron	UG/L			6750		1210	
I	Lead	UG/L			4.1			
I	Magnesium	UG/L	18200		13900		12400	
I	Manganese	UG/L	503		91.8		81.3	
I	Potassium	UG/L	6980		7070		5700	
I	Selenium	UG/L	2.3	J				
I	Silver	UG/L	4	UJ				
I	Sodium	UG/L	270000		204000		196000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L			14.4	J		
V	1,2-Dichloroethene (total)	UG/L			41			
V	Trichloroethene	UG/L			49			
V	Vinyl Chloride	UG/L			13			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM16 LAB SAMPLE ID---> 89758 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWGM16-F LAB SAMPLE ID---> 89773 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWGM17 LAB SAMPLE ID---> 89669 RECEIPT DATE----> 10/21/93	
I	Aluminum	UG/L	21100				8830	
I	Arsenic	UG/L	8.1	J	9.8	J	2.6	J
I	Barium	UG/L	157	J	92.8	J	1060	
I	Calcium	UG/L	96400		89300		144000	
I	Chromium	UG/L	11.7				6	J
I	Cobalt	UG/L	11.9	J			12.2	J
I	Iron	UG/L	17200		7390		16600	
I	Lead	UG/L	6.4				2.7	J
I	Magnesium	UG/L	20100		18300		73800	
I	Manganese	UG/L	526		505		266	
I	Potassium	UG/L	14300		12600		30100	
I	Selenium	UG/L	3	J			2.4	J
I	Sodium	UG/L	178000		176000		234000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L	24.3	J			10.8	J
S	1,2-Dichlorobenzene	UG/L					3	J
S	1,4-Dichlorobenzene	UG/L					8	J
	Carbazole	UG/L					2	J
	Naphthalene	UG/L					12	
V	Benzene	UG/L					22	
V	Chlorobenzene	UG/L					73	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM17-F		693WMWGM19		693WMWGM19-F	
			LAB SAMPLE ID---> 89675		89961		89981	
			RECEIPT DATE----> 10/21/93		10/26/93		10/26/93	
I	Aluminum	UG/L			7830	J		
I	Arsenic	UG/L	3.4	J	9.6	J		
I	Barium	UG/L	1060		194	J	189	J
I	Calcium	UG/L	141000		232000		219000	
I	Copper	UG/L			12.2	J		
I	Iron	UG/L	12700		7980		5060	
I	Lead	UG/L			11.3	J		
I	Magnesium	UG/L	74600		24900		26400	
I	Manganese	UG/L	265		495		469	
I	Potassium	UG/L	29200		15400		15600	
I	Selenium	UG/L	2	J				
I	Silver	UG/L			4	UJ	4	UJ
I	Sodium	UG/L	239000		43100		45000	
I	Thallium	UG/L	10	R			10	R
I	Vanadium	UG/L					3.4	J
I	Zinc	UG/L			32.4			
S	1,2-Dichlorobenzene	UG/L			4	J		
S	1,4-Dichlorobenzene	UG/L			9	J		
V	Benzene	UG/L			43			
V	Chlorobenzene	UG/L			130			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM19D LAB SAMPLE ID---> 89962 RECEIPT DATE----> 10/26/93		693WMWGM19D-F 89982 10/26/93		693WMWGM20 89963 10/26/93	
I	Aluminum	UG/L			13900	J	8300	J
I	Arsenic	UG/L			8.2	J	24.1	J
I	Barium	UG/L			184	J	418	
I	Barium	UG/L			243		418	
I	Calcium	UG/L			215000		98600	
I	Calcium	UG/L			229000		98600	
I	Chromium	UG/L			6.4	J	4.4	J
I	Cobalt	UG/L					3.6	J
I	Copper	UG/L			11.6	J	11.2	J
I	Iron	UG/L			5060		21000	
I	Iron	UG/L			9950		21000	
I	Lead	UG/L			16.6	J	9.6	J
I	Magnesium	UG/L			26100		65700	
I	Magnesium	UG/L			26200		65700	
I	Manganese	UG/L			460		210	
I	Manganese	UG/L			489		210	
I	Potassium	UG/L			15200		17300	
	Potassium	UG/L			16700		17300	
-	Selenium	UG/L			3.4	J		
I	Silver	UG/L			4	UJ	4	UJ
I	Silver	UG/L			4	UJ	4	UJ
I	Sodium	UG/L			43700		1150000	
I	Sodium	UG/L			44000		1150000	
I	Thallium	UG/L			10	R		
I	Vanadium	UG/L			10.2	J		
I	Zinc	UG/L			24.5		54.4	
S	1,2-Dichlorobenzene	UG/L	4	J				
S	1,4-Dichlorobenzene	UG/L	8	J				
V	Benzene	UG/L	51					
V	Chlorobenzene	UG/L	140					

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

		SAMPLE ID ------>	693WMWGM20-F		693WMWMCC1		693WMWMCC1-F	
		LAB SAMPLE ID--->	89983				89977	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
I	Aluminum	UG/L			26400	J	29.6	J
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L	4	J	27.2	J	8.1	J
I	Barium	UG/L	377		315		104	J
I	Beryllium	UG/L			2	J		
I	Cadmium	UG/L			.			
I	Calcium	UG/L	94100		83000		53800	
I	Chromium	UG/L			1090			
I	Cobalt	UG/L			12	J		
I	Copper	UG/L			57.5			
I	Iron	UG/L	10800		31500	J	1730	
I	Lead	UG/L			31.8	R		
I	Magnesium	UG/L	67200		20900		15100	
I	Manganese	UG/L	199		447		139	
I	Mercury	UG/L			.			
I	Nickel	UG/L			120		20.5	J
I	Potassium	UG/L	15700		11100		7630	
I	Selenium	UG/L			.	UJ		
I	Silver	UG/L	4	UJ	5.6	UJ	4	UJ
I	Sodium	UG/L	1100000		166000		172000	
I	Thallium	UG/L	10	R	.	R	10	R
I	Vanadium	UG/L			42.3	J	3.9	J
I	Zinc	UG/L			113			
S	bis(2-Ethlyhexy)phthalate	UG/L			1	J		
V	Acetone	UG/L			8	J		
V	Benzene	UG/L			2	J		
V	Chlorobenzene	UG/L			1	J		
V	Tetrachloroethene	UG/L			11			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC11		LAB SAMPLE ID---> 89978		RECEIPT DATE----> 10/26/93		693WMWMCC12 89970 10/26/93	
			.		.				.	
I	Aluminum	UG/L	6020	J	36.7	J				
I	Antimony	UG/L	.	UJ						
I	Arsenic	UG/L	.						9.6	J
I	Barium	UG/L	425		563				113	J
I	Beryllium	UG/L	.							
I	Cadmium	UG/L	.							
I	Calcium	UG/L	195000		173000				152000	
I	Chromium	UG/L	8.7	J					15.7	
I	Cobalt	UG/L	4.2	J					6.2	J
I	Copper	UG/L	.							
I	Iron	UG/L	19400	J	10500				49900	
I	Lead	UG/L	11	R					22.8	J
I	Magnesium	UG/L	42300		46000				5310	
I	Manganese	UG/L	580		424				504	
I	Mercury	UG/L	.							
I	Nickel	UG/L	.							
I	Potassium	UG/L	29600		26800				6750	
	Selenium	UG/L	.	UJ	2.5	J				
-	Silver	UG/L	.	UJ	4	UJ			4	UJ
I	Sodium	UG/L	96100		117000				11200	
I	Thallium	UG/L	.	R	10	R				
I	Vanadium	UG/L	.							
I	Zinc	UG/L	.						11.6	J
S	1,2-Dichlorobenzene	UG/L	2	J					3	J
S	1,4-Dichlorobenzene	UG/L	6	J						
S	2,4-Dimethylphenol	UG/L							45	
S	2-Methylnaphthalene	UG/L							47	
S	4-Methylphenol	UG/L							2	J
S	Di-n-butylphthalate	UG/L							1	J
S	Diethylphthalate	UG/L							28	
S	Naphthalene	UG/L							85	J
S	Phenol	UG/L							6	J
S	bis(2-Ethlyhexy)phthalate	UG/L	1	J					2	J
V	1,2-Dichloroethene (total)	UG/L							17	J
V	2-Butanone	UG/L							55	
V	Acetone	UG/L	9	J					48	J
V	Benzene	UG/L	6	J					170	
V	Chlorobenzene	UG/L	68							
V	Ethylbenzene	UG/L							170	
V	Methylene Chloride	UG/L							7	J
V	Tetrachloroethene	UG/L							29	J
V	Toluene	UG/L							19	J
	Vinyl Chloride	UG/L							19	J
	Xylene (total)	UG/L							680	Y

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC12-F LAB SAMPLE ID---> 89989 RECEIPT DATE----> 10/26/93		SAMPLE ID ------> 693WMWMCC13 LAB SAMPLE ID---> 89756 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWMCC13-F LAB SAMPLE ID---> 89771 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L			8080			
I	Arsenic	UG/L	8.4	J	6.2	J	7.2	J
I	Barium	UG/L	96.7	J	129	J	102	J
I	Calcium	UG/L	144000		91600		88100	
I	Chromium	UG/L	17.5		4.5	J		
I	Cobalt	UG/L			4.7	J		
I	Copper	UG/L	5.7	J				
I	Iron	UG/L	40000		5080		1800	
I	Lead	UG/L	2	UJ	6.2			
I	Magnesium	UG/L	5470		16400		17500	
I	Manganese	UG/L	429	J	260		213	
I	Potassium	UG/L	7040		12400		11300	
I	Selenium	UG/L			2	J		
I	Silver	UG/L	4	UJ				
I	Sodium	UG/L	13300		76800		99500	
I	Thallium	UG/L	2	R	2	R	10	R
I	Vanadium	UG/L			10.9	J		
V	Tetrachloroethene	UG/L			18			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC14		SAMPLE ID ------> 693WMWMCC14-F		SAMPLE ID ------> 693WMWMCC15	
	LAB SAMPLE ID--->		89670		89676		89843	
	RECEIPT DATE---->		10/21/93		10/21/93		10/23/93	
I	Aluminum	UG/L	3950				1580	J
I	Arsenic	UG/L	2.4	J	2.9	J	11.4	J
I	Barium	UG/L	831		853		168	J
I	Calcium	UG/L	201000		176000		246000	
I	Chromium	UG/L	4.6	J				
I	Cobalt	UG/L	10.7	J				
I	Copper	UG/L					6	J
I	Iron	UG/L	23600		13300		7330	
I	Lead	UG/L					2.8	J
I	Magnesium	UG/L	52100		52000		24500	
I	Manganese	UG/L	487		411		1170	
I	Potassium	UG/L	27800		26500		13500	
I	Selenium	UG/L	2.4	J	2		2	UJ
I	Sodium	UG/L	159000		166000		38300	
I	Thallium	UG/L	10	R	10	R		
I	Vanadium	UG/L	6.2	J			3.7	J
I	Zinc	UG/L					13.1	J
	1,2-Dichlorobenzene	UG/L					3	J
	1,4-Dichlorobenzene	UG/L	6	J			8	J
S	Carbazole	UG/L	1	J				
S	Naphthalene	UG/L	5	J				
V	1,2-Dichloroethene (total)	UG/L					1	J
V	Acetone	UG/L					13	
V	Benzene	UG/L	10				46	
V	Chlorobenzene	UG/L	44				96	
V	Tetrachloroethene	UG/L	6	J			3	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC15-F LAB SAMPLE ID---> 89852 RECEIPT DATE----> 10/23/93		693WMWMCC15D 89844 10/23/93		693WMWMCC15D- 89853 10/23/93	
I	Aluminum	UG/L			1680	J		
I	Arsenic	UG/L	3.7	J	11.6	J	2.8	J
I	Barium	UG/L	155	J	172	J	163	J
I	Calcium	UG/L	224000		244000		230000	
I	Copper	UG/L			5.7	J		
I	Iron	UG/L	3790		7410		3790	
I	Lead	UG/L			2.9	J		
I	Magnesium	UG/L	24000		24700		24700	
I	Manganese	UG/L	1120		1170		1150	
I	Potassium	UG/L	13400		13700		14000	
I	Selenium	UG/L	3.6	J			3.9	J
I	Silver	UG/L	4	UJ	4	UJ	4	UJ
I	Sodium	UG/L	37000		38500		37900	
I	Thallium	UG/L	10	R			10	R
I	Zinc	UG/L			15.6	J		
S	1,2-Dichlorobenzene	UG/L			3	J		
S	1,4-Dichlorobenzene	UG/L			8	J		
V	Acetone	UG/L			17			
V	Benzene	UG/L			41			
V	Chlorobenzene	UG/L			85			
V	Tetrachloroethene	UG/L			4	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC2 LAB SAMPLE ID---> 89757 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWMCC2-F LAB SAMPLE ID---> 89772 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWMCC3 LAB SAMPLE ID---> 89760 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	940				1770	
I	Arsenic	UG/L	4	J	3.8	J	8.3	J
I	Barium	UG/L			44.4	J		
I	Calcium	UG/L	35300		37100		57700	
I	Cobalt	UG/L					4.6	J
I	Iron	UG/L	1890		807		2500	
I	Lead	UG/L	8.7				6.8	
I	Magnesium	UG/L	8140		8010		17200	
I	Manganese	UG/L	74.9		100		62.7	
I	Potassium	UG/L	4100	J	4480	J	5950	
I	Silver	UG/L					4	
I	Sodium	UG/L	70400		74300		239000	
I	Thallium	UG/L	2	R	2	R	10	R
I	Vanadium	UG/L	3.2	J			5.1	J
V	1,2-Dichloroethene (total)	UG/L					19	
V	Benzene	UG/L					2	J
V	Chlorobenzene	UG/L					1	J
	Tetrachloroethene	UG/L	6	J			32	
	Trichloroethene	UG/L					53	
V	Vinyl Chloride	UG/L					18	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC3-F LAB SAMPLE ID---> 89774 RECEIPT DATE----> 10/22/93		693WMWMCC4 .		693WMWMCC4-F 90176 10/27/93	
I	Aluminum	UG/L			297	J		
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L	9	J	.		9.6	J
I	Barium	UG/L	61.9	J	390		325	
I	Beryllium	UG/L			.			
I	Cadmium	UG/L			.			
I	Calcium	UG/L	56500		178000		182000	
I	Chromium	UG/L			5.4	J		
I	Cobalt	UG/L			.			
I	Copper	UG/L			.		6.2	J
I	Iron	UG/L	1180		57400	J	46100	
I	Lead	UG/L			10.4	R	2	UJ
I	Magnesium	UG/L	17600		9570		9160	
I	Manganese	UG/L	69.3		1170		1090	J
I	Mercury	UG/L			.			
I	Nickel	UG/L			.			
I	Potassium	UG/L	6410		10400		10600	
I	Selenium	UG/L			.	UJ		
I	Silver	UG/L			.	UJ	4	UJ
I	Sodium	UG/L	46700		14400		15800	
I	Thallium	UG/L	10	R	.	R	2	R
I	Vanadium	UG/L			.			
I	Zinc	UG/L			92.8			
S	1,2-Dichlorobenzene	UG/L			3	J		
S	1,4-Dichlorobenzene	UG/L			6	J		
S	2-Methylnaphthalene	UG/L			7	J		
S	Naphthalene	UG/L			30			
S	bis(2-Ethlyhexy)phthalate	UG/L			9	J		
V	Acetone	UG/L			40			
V	Benzene	UG/L			3	J		
V	Carbon Disulfide	UG/L			1	J		
V	Chlorobenzene	UG/L			10			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

			SAMPLE ID ------>		693WMWMCC5		693WMWMCC5-F		693WMWMCC6	
			LAB SAMPLE ID--->		89965		89985		89964	
			RECEIPT DATE---->		10/26/93		10/26/93		10/26/93	
	PARAMETER	UNITS								
I	Aluminum	UG/L			171	J			10800	J
I	Arsenic	UG/L			10.6	J	3.2	J	11.2	J
I	Barium	UG/L			131	J	128	J	461	
I	Calcium	UG/L			172000		158000		214000	
I	Chromium	UG/L			24.8				23	
I	Cobalt	UG/L			3.9	J			6.3	J
I	Copper	UG/L			11	J			16.9	J
I	Iron	UG/L			39900		25500		50700	
I	Lead	UG/L			17.8	J			44.7	J
I	Magnesium	UG/L			11500		12100		17800	
I	Manganese	UG/L			862		800		1200	
I	Potassium	UG/L			10800		12000		19300	
I	Selenium	UG/L					2.8	J		
I	Silver	UG/L			4	UJ	4	UJ	4	UJ
I	Sodium	UG/L			18100		19100		42500	
I	Thallium	UG/L					2	R		
I	Zinc	UG/L			46.1				81.4	
	1,2-Dichlorobenzene	UG/L			3	J			4	J
	1,4-Dichlorobenzene	UG/L			11					
S	4-Methylphenol	UG/L			1	J				
S	Naphthalene	UG/L			5	J			2	J
V	Benzene	UG/L			17				11	
V	Carbon Disulfide	UG/L			1	J				
V	Chlorobenzene	UG/L			37				38	
V	Ethylbenzene	UG/L			1	J				
V	Tetrachloroethene	UG/L							38	
V	Trichloroethene	UG/L							2	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC6-F		SAMPLE ID ------> 693WMWMCC7		SAMPLE ID ------> 693WMWMCC7-F	
	LAB SAMPLE ID--->		89984		89966		89986	
	RECEIPT DATE---->		10/26/93		10/26/93		10/26/93	
I	Aluminum	UG/L					3850	
I	Arsenic	UG/L			12.4	J	16.5	
I	Barium	UG/L	235		173	J	231	
I	Calcium	UG/L	114000		156000		153000	
I	Iron	UG/L	14700		30300		48000	
I	Lead	UG/L			3.1	J	38.3	
I	Magnesium	UG/L	10300		12400		13100	
I	Manganese	UG/L	675		766		801	
I	Potassium	UG/L	11300		9400		10300	
I	Selenium	UG/L	3	J			4.1	J
I	Silver	UG/L	4	UJ	4	UJ	4	UJ
I	Sodium	UG/L	25700		34600		34700	
I	Thallium	UG/L	2	R			2	R
I	Vanadium	UG/L					5.4	J
I	Zinc	UG/L			13	J	43	
S	2,4-Dimethylphenol	UG/L			350			
S	2-Methylnaphthalene	UG/L			68	J		
S	Naphthalene	UG/L			160			
S	Nitrobenzene	UG/L			39	J		
S	Phenol	UG/L			11	J		
V	1,1-Dichloroethane	UG/L			2	J		
V	1,2-Dichloroethene (total)	UG/L			3	J		
V	1,2-Dichloropropane	UG/L			3	J		
V	2-Butanone	UG/L			9	J		
V	Benzene	UG/L			190			
V	Carbon Disulfide	UG/L			2	J		
V	Ethylbenzene	UG/L			68			
V	Toluene	UG/L			2	J		
V	Xylene (total)	UG/L			13			

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWMCC8 LAB SAMPLE ID---> 89845 RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWMCC8-F LAB SAMPLE ID---> 89855 RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWMCC9 LAB SAMPLE ID---> RECEIPT DATE---->	
I	Aluminum	UG/L	1480	J	20	J	643	J
I	Antimony	UG/L					.	UJ
I	Arsenic	UG/L	5.2	J			.	
I	Barium	UG/L	167	J	152	J	209	
I	Beryllium	UG/L					.	
I	Cadmium	UG/L					.	
I	Calcium	UG/L	126000		119000		162000	
I	Chromium	UG/L					.	
I	Cobalt	UG/L					.	
I	Copper	UG/L	7.5	J			.	
I	Iron	UG/L	7840		3980		9270	J
I	Lead	UG/L	2.4	J			13.4	R
I	Magnesium	UG/L	12900		12400		33500	
I	Manganese	UG/L	397		377		322	
I	Mercury	UG/L					.	
I	Nickel	UG/L					.	
I	Potassium	UG/L	6860		6730		24500	
	Selenium	UG/L			3	J	.	UJ
	Silver	UG/L	4	UJ	4	UJ	.	UJ
I	Sodium	UG/L	49100		47100		79000	
I	Thallium	UG/L			2	R	.	R
I	Vanadium	UG/L					.	
I	Zinc	UG/L	14.2	J			92.8	
S	1,2-Dichlorobenzene	UG/L	2	J				
S	1,4-Dichlorobenzene	UG/L	2	J			14	
V	2-Butanone	UG/L	2	J				
V	2-Hexanone	UG/L					2	J
V	Acetone	UG/L	5	J			10	
V	Benzene	UG/L	2	J				
V	Chlorobenzene	UG/L	5	J			21	
V	Tetrachloroethene	UG/L	6	J			3	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------>		693WMWMCC9-F		693WMWREI24		693WMWREI24-F	
			LAB SAMPLE ID--->		90177		89969		89990	
			RECEIPT DATE---->		10/28/93		10/26/93		10/26/93	
I	Aluminum	UG/L					1750	J		
I	Arsenic	UG/L			3.6	J	8.6	J	9.9	J
I	Barium	UG/L			254		329		364	
I	Calcium	UG/L			176000		126000		114000	
I	Chromium	UG/L					13.4			
I	Cobalt	UG/L					4.2	J		
I	Copper	UG/L					6.2	J	4.8	J
I	Iron	UG/L			8060		42900		32000	
I	Lead	UG/L			2	UJ	21	J	2	UJ
I	Magnesium	UG/L			35600		11800		12900	
I	Manganese	UG/L			352	J	395		323	J
I	Potassium	UG/L			27300		9600		9920	
I	Silver	UG/L			4	UJ			4	UJ
I	Sodium	UG/L			93100		34900		38800	
I	Thallium	UG/L			2	R			2	R
I	Zinc	UG/L					10.5	J		
P	Aroclor 1254	UG/L					3.1	J		
S	1,2,4-Trichlorobenzene	UG/L					8	J		
S	2,4-Dimethylphenol	UG/L					230			
S	2-Methylnaphthalene	UG/L					110			
S	Di-n-butylphthalate	UG/L					5	J		
S	Naphthalene	UG/L					100			
S	bis(2-Ethlyhexy)phthalate	UG/L					430	R		
V	Acetone	UG/L					17			
V	Benzene	UG/L					49			
V	Chlorobenzene	UG/L					7	J		
V	Ethylbenzene	UG/L					46			
V	Toluene	UG/L					1	J		
V	Vinyl Chloride	UG/L					7	J		
V	Xylene (total)	UG/L					6	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI25 LAB SAMPLE ID---> 89968 RECEIPT DATE----> 10/26/93		693WMWREI25-F 89988 10/26/93		693WMWREI25D 89968DL 10/23/93	
I	Aluminum	UG/L	271	J				
I	Arsenic	UG/L	10	J	8.8	J		
I	Barium	UG/L	521		520			
I	Calcium	UG/L	108000		92600			
I	Chromium	UG/L	29					
I	Iron	UG/L	16300		8420			
I	Lead	UG/L			2	UJ		
I	Magnesium	UG/L	19800		18200			
I	Manganese	UG/L	286		227	J		
I	Potassium	UG/L	8210		7080			
I	Silver	UG/L	4	UJ	4	UJ		
I	Sodium	UG/L	99200		120000			
I	Thallium	UG/L			10	R		
I	Zinc	UG/L	54.5					
S	2,4-Dimethylphenol	UG/L	23	J				
S	2-Methylnaphthalene	UG/L	72					
S	Naphthalene	UG/L	220					
	2-Butanone	UG/L	14	J			53	J
	Acetone	UG/L	32					
V	Benzene	UG/L	450	R			410	J
V	Chlorobenzene	UG/L	5	J				
V	Ethylbenzene	UG/L	11	J			10	J
V	Methylene Chloride	UG/L	3	J				
V	Tetrachloroethene	UG/L	6	J			5	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI28		693WMWREI28-F		693WMWREI28D	
	LAB SAMPLE ID--->				90178			
	RECEIPT DATE---->		.		10/28/93		.	
I	Aluminum	UG/L	3440	J	533	J	3730	J
I	Antimony	UG/L	.	UJ			.	UJ
I	Arsenic	UG/L	13.4	J	6.8	J	.	
I	Barium	UG/L	158	J	103	J	157	J
I	Beryllium	UG/L	.				.	
I	Cadmium	UG/L	.				.	
I	Calcium	UG/L	87600		80100		85400	
I	Chromium	UG/L	.				.	
I	Cobalt	UG/L	3.8	J			3.8	J
I	Copper	UG/L	.		6.9	J	.	
I	Iron	UG/L	17500	J	7170		17500	J
I	Lead	UG/L	3.7	R	2	UJ	3	R
I	Magnesium	UG/L	43900		36500		42400	
I	Manganese	UG/L	122		105	J	120	
I	Mercury	UG/L	.				.	
I	Nickel	UG/L	.				.	
I	Potassium	UG/L	13500		12500		13500	
I	Selenium	UG/L	.	UJ			.	UJ
I	Silver	UG/L	.	UJ	4	UJ	.	UJ
I	Sodium	UG/L	300000		279000		296000	
I	Thallium	UG/L	.	R	3	R	.	R
I	Vanadium	UG/L					.	
I	Vandium	UG/L	.					
I	Zinc	UG/L	.				.	
V	Acetone	UG/L	4	J			3	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI28D-F LAB SAMPLE ID---> 90179 RECEIPT DATE----> 10/28/93		693WMWREI29 . .		693WMWREI29-F 89979 10/26/93	
I	Aluminum	UG/L	655	J	208	J		
I	Antimony	UG/L			.	UJ		
I	Arsenic	UG/L	6.6	J	19.7	J	8.4	J
I	Barium	UG/L	104	J	161	J	176	J
I	Beryllium	UG/L			.			
I	Cadmium	UG/L			.			
I	Calcium	UG/L	79900		50800		48000	
I	Chromium	UG/L			.			
I	Cobalt	UG/L			6.1	J		
I	Copper	UG/L	7.5	J	.			
I	Iron	UG/L	7180		18000	J	14500	
I	Lead	UG/L	2	UJ	.	R	2.6	J
I	Magnesium	UG/L	36300		24100		24400	
I	Manganese	UG/L	104	J	64.3		61.4	
I	Mercury	UG/L			.			
I	Nickel	UG/L			.			
I	Potassium	UG/L	12400		5090		5010	
	Selenium	UG/L			.	UJ		
	Silver	UG/L	4	UJ	.	UJ	4	UJ
I	Sodium	UG/L	295000		129000		131000	
I	Thallium	UG/L	2	R	.	R	2	R
I	Vanadium	UG/L			.		3.3	J
I	Zinc	UG/L			.			
S	bis(2-Ethlyhexy)phthalate	UG/L			7	J		
V	Acetone	UG/L			2	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWREI30		SAMPLE ID ------> 693WMWREI30-F		SAMPLE ID ------> 694WMWES45	
	LAB SAMPLE ID--->		89960		89980			
	RECEIPT DATE---->		10/26/93		10/26/93			
I	Aluminum	UG/L	2400	J	1310		33100	J
I	Antimony	UG/L					.	UJ
I	Arsenic	UG/L					13.9	J
I	Barium	UG/L	127	J	124	J	2290	
I	Beryllium	UG/L			1.3	J	2.4	J
I	Cadmium	UG/L					187	
I	Calcium	UG/L	282000		268000		432000	
I	Chromium	UG/L	6.6	J			67.2	
I	Cobalt	UG/L	42.8	J			17.6	J
I	Copper	UG/L	9	J			346	
I	Iron	UG/L	45900		44500		60100	J
I	Lead	UG/L	2.4	J			905	R
I	Magnesium	UG/L	187000		189000		71900	
I	Manganese	UG/L	220		242		2630	
I	Mercury	UG/L					2.2	
I	Nickel	UG/L					52.5	
I	Potassium	UG/L	32100		28500		45300	
I	Seleniumu	UG/L					.	UJ
I	Silver	UG/L	4	UJ	4	UJ	8.6	UJ
I	Sodium	UG/L	1340000		1200000		145000	
I	Thallium	UG/L			10	R	.	R
I	Vanadium	UG/L			16.4	J	56.4	
I	Zinc	UG/L	16.1	J			2040	
S	2-Chloronaphthalene	UG/L					2	J
S	2-Methylnaphthalene	UG/L					2	J
S	Benzo(b)fluoranthene	UG/L					1	J
S	Diethylphthalate	UG/L					2	J
S	Fluoranthene	UG/L					2	J
S	Naphthalene	UG/L					25	
S	Phenanthrene	UG/L					2	J
S	Pyrene	UG/L					1	J
S	bis(2-Ethlyhexy)phthalate	UG/L					6	J
V	Acetone	UG/L					11	
V	Benzene	UG/L					12	
V	Chlorobenzene	UG/L					9	J
V	Tetrachloroethene	UG/L	21					
V	Trichloroethene	UG/L	1	J				

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 694WMWES45-F		694WMWES46		694WMWES46-F	
			LAB SAMPLE ID---> 89996				89975	
			RECEIPT DATE----> 10/26/93				10/26/93	
I	Aluminum	UG/L			15800	J	23.5	J
I	Antimony	UG/L			123	J		
I	Arsenic	UG/L	4.7	J	14.7	J	7.2	J
I	Barium	UG/L	1010		1260		1180	
I	Beryllium	UG/L						
I	Cadmium	UG/L			50.1			
I	Calcium	UG/L	201000		237000		216000	
I	Chromium	UG/L			51.1			
I	Cobalt	UG/L			10.8	J		
I	Copper	UG/L	4.5	J	96.5			
I	Iron	UG/L	7960		44600	J	27900	
I	Lead	UG/L	2	UJ	259	R		
I	Magnesium	UG/L	62800		28400		28200	
I	Manganese	UG/L	1210	J	3620		3150	
I	Mercury	UG/L			2.7			
I	Nickel	UG/L			23.4	J		
I	Potassium	UG/L	40200		30800		30100	
	Selenium	UG/L			2.3	J	2.8	J
	Silver	UG/L	4	UJ	5.4	UJ	4	UJ
I	Sodium	UG/L	145000		60800		60500	
I	Thallium	UG/L	10	R		R	10	R
I	Vanadium	UG/L						
I	Zinc	UG/L			2360		174	
P	Aldrin	UG/L			0.043	J		
P	Heptachlor	UG/L			0.039	J		
P	alpha-BHC	UG/L			0.037			
P	delta-BHC	UG/L			0.039			
S	1,2-Dichlorobenzene	UG/L			9	J		
S	1,4-Dichlorobenzene	UG/L			40	J		
S	2,4-Dimethylphenol	UG/L			89			
S	2-Methylnaphthalene	UG/L			17	J		
S	4-Methylphenol	UG/L			20	J		
S	Naphthalene	UG/L			110			
S	bis(2-Ethlyhexy)phthalate	UG/L			12	J		

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

	PARAMETER	UNITS	SAMPLE ID ------> 694WMWES47		LAB SAMPLE ID--->	RECEIPT DATE----> .	694WMWES47-F 89976 10/26/93		69FIFB 89967 10/26/93	
I	Aluminum	UG/L	5350	J						
I	Antimony	UG/L	.	UJ						
I	Arsenic	UG/L	.							
I	Barium	UG/L	648				598			
I	Beryllium	UG/L	.							
I	Cadmium	UG/L	40.6							
I	Calcium	UG/L	123000				109000		134	J
I	Chromium	UG/L	23.6							
I	Cobalt	UG/L	5.2	J						
I	Copper	UG/L	45.2							
I	Iron	UG/L	29700	J			16700		31.3	J
I	Lead	UG/L	321	R						
I	Magnesium	UG/L	6260				5830			
I	Manganese	UG/L	438				372			
I	Mercury	UG/L	0.4							
I	Nickel	UG/L	23.7	J						
I	Potassium	UG/L	7090				6620			
I	Selenium	UG/L	.	UJ						
I	Silver	UG/L	.	UJ			4	UJ		
I	Sodium	UG/L	19100				18200			
I	Thallium	UG/L	.	R			2	R		
I	Vanadium	UG/L	.							
I	Zinc	UG/L	398							
P	4,4'-DDD	UG/L	0.43	J						
P	4,4'-DDE	UG/L	0.025	J						
S	1,4-Dichlorobenzene	UG/L	22							
S	2-Methylnaphthalene	UG/L	33							
S	Fluorene	UG/L	2	J						
S	N-Nitrosodiphenylamine	UG/L	4	J						
S	Naphthalene	UG/L	26							
S	Phenanthrene	UG/L	2	J						
V	1,2-Dichloroethene (total)	UG/L	1	J						
V	Benzene	UG/L	10							
V	Chlorobenzene	UG/L	180							

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER HITS

		SAMPLE ID ------>	TRIPBLANK		TRIPBLANK1		TRIPBLANK2	
		LAB SAMPLE ID--->	90164		89671		89764	
		RECEIPT DATE---->	10/28/93		10/21/93		10/22/93	
	PARAMETER	UNITS						
V	Acetone	UG/L			10			
V	Chlorobenzene	UG/L			2	J		
V	Methylene Chloride	UG/L	2	J	1	J	1	J
V	Methylene Chloride	UG/L	2	J	1	J	1	J

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES31		691WMWES31-F		691WMWES[illegible]	
	LAB SAMPLE ID--->				89993			
	RECEIPT DATE---->		.		10/26/93		.	
I	Aluminum	UG/L	27900	J	52.9	U	38600	J
I	Antimony	UG/L	.	UJ	35	U	.	UJ
I	Arsenic	UG/L	.		5	J	.	
I	Barium	UG/L	782		49.3	U	924	
I	Beryllium	UG/L	2.4	J	1	U	2.7	J
I	Cadmium	UG/L	.		3	U	.	
I	Calcium	UG/L	33800		24300		34100	
I	Chromium	UG/L	21.7		4	U	26.4	
I	Cobalt	UG/L	12.5	J	3	U	15.2	J
I	Copper	UG/L	.		4	U	36.6	
I	Iron	UG/L	11500	J	1980		15300	J
I	Lead	UG/L	44.5	R	2	UJ	43.1	R
I	Magnesium	UG/L	8010		4750	J	8840	R
I	Manganese	UG/L	429		266	J	462	
I	Mercury	UG/L	.		0.2	U	.	
I	Nickel	UG/L	15	J	15	U	16.8	J
I	Potassium	UG/L	6850		2590	J	8320	
I	Selenium	UG/L	.	UJ	2	U	2	J
I	Silver	UG/L	.	UJ	4	UJ	.	UJ
I	Sodium	UG/L	47100		45500		46300	
I	Thallium	UG/L	.	R	2	R	.	R
I	Vanadium	UG/L	43	J	3	U	52.2	
I	Zinc	UG/L	42.3		10.8	U	56.5	
P	4,4'-DDD	UG/L	0.053	U			0.053	U
P	4,4'-DDE	UG/L	0.053	U			0.053	U
P	4,4'-DDT	UG/L	0.053	U			0.053	U
P	Aldrin	UG/L	0.027	U			0.027	U
P	Aroclor 1016	UG/L	0.53	U			0.53	U
P	Aroclor 1221	UG/L	1.1	U			1.1	U
P	Aroclor 1232	UG/L	0.53	U			0.53	U
P	Aroclor 1242	UG/L	0.53	U			0.53	U
P	Aroclor 1248	UG/L	0.53	U			0.53	U
P	Aroclor 1254	UG/L	0.53	U			0.53	U
P	Aroclor 1260	UG/L	0.53	U			0.53	U
P	Dieldrin	UG/L	0.053	U			0.053	U
P	Endosulfan I	UG/L	0.027	U			0.027	U
P	Endosulfan II	UG/L	0.053	U			0.053	U
P	Endosulfan sulfate	UG/L	0.053	U			0.053	U
P	Endrin	UG/L	0.053	U			0.053	U
P	Endrin aldehyde	UG/L	0.053	U			0.053	U
P	Endrin ketone	UG/L	0.053	U			0.053	U
P	Heptachlor	UG/L	0.027	U			0.027	U
P	Heptachlor epoxide	UG/L	0.027	U			0.027	U
P	Methoxychlor	UG/L	0.27	U			0.27	U
P	Toxaphene	UG/L	2.7	U			2.7	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES31		691WMWES31-F		691WMWES31D	
		LAB SAMPLE ID--->	89952		89993		89953	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
P	alpha-BHC	UG/L	0.027	U			0.027	U
P	alpha-Chlordane	UG/L	0.027	U			0.027	U
P	beta-BHC	UG/L	0.027	U			0.027	U
P	delta-BHC	UG/L	0.027	U			0.027	U
P	gamma-BHC (Lindane)	UG/L	0.027	U			0.027	U
P	gamma-Chlordane	UG/L	0.027	U			0.027	U
S	1,2,4-Trichlorobenzene	UG/L	11	U			11	U
S	1,2-Dichlorobenzene	UG/L	11	U			11	U
S	1,3-Dichlorobenzene	UG/L	11	U			11	U
S	1,4-Dichlorobenzene	UG/L	11	U			11	U
S	2,4,5-Trichlorophenol	UG/L	28	U			28	U
S	2,4,6-Trichlorophenol	UG/L	11	U			11	U
S	2,4-Dichlorophenol	UG/L	11	U			11	U
S	2,4-Dimethylphenol	UG/L	11	U			11	U
S	2,4-Dinitrophenol	UG/L	28	U			28	U
S	2,4-Dinitrotoluene	UG/L	11	U			11	U
S	2,6-Dinitrotoluene	UG/L	11	U			11	U
S	2-Chloronaphthalene	UG/L	11	U			11	U
	2-Chlorophenol	UG/L	11	U			11	U
	2-Methylnaphthalene	UG/L	11	U			11	U
S	2-Methylphenol	UG/L	11	U			11	U
S	2-Nitroaniline	UG/L	28	U			28	U
S	2-Nitrophenol	UG/L	11	U			11	U
S	3,3'-Dichlorobenzidine	UG/L	11	U			11	U
S	3-Nitroaniline	UG/L	28	U			28	U
S	4,6-Dinitro-2-methylphenol	UG/L	28	U			28	U
S	4-Bromophenyl-phenylether	UG/L	11	U			11	U
S	4-Chloro-3-methylphenol	UG/L	11	U			11	U
S	4-Chloroaniline	UG/L	11	U			11	U
S	4-Chlorophenyl-phenylether	UG/L	11	U			11	U
S	4-Methylphenol	UG/L	11	U			11	U
S	4-Nitroaniline	UG/L	28	U			28	U
S	4-Nitrophenol	UG/L	28	U			28	U
S	Acenaphthene	UG/L	11	U			11	U
S	Acenaphthylene	UG/L	11	U			11	U
S	Anthracene	UG/L	11	U			11	U
S	Benzo(a)anthracene	UG/L	11	U			11	U
S	Benzo(a)pyrene	UG/L	11	U			11	U
S	Benzo(b)fluoranthene	UG/L	11	U			11	U
S	Benzo(g,h,i)perylene	UG/L	11	U			11	U
S	Benzo(k)fluoranthene	UG/L	11	U			11	U
S	Butylbenzylphthalate	UG/L	11	U			11	U
S	Carbazole	UG/L	11	U			11	U
S	Chrysene	UG/L	11	U			11	U
	Di-n-butylphthalate	UG/L	11	U			11	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES31		691WMWES31-F		691WMWES31D	
	LAB SAMPLE ID--->		89952		89993		89953	
	RECEIPT DATE---->		10/26/93				10/26/93	
S	Di-n-octylphthalate	UG/L	11	U			11	U
S	Dibenz(a,h)anthracene	UG/L	11	U			11	U
S	Dibenzofuran	UG/L	11	U			11	U
S	Diethylphthalate	UG/L	11	U			11	U
S	Dimethylphthalate	UG/L	11	U			11	U
S	Fluoranthene	UG/L	11	U			11	U
S	Fluorene	UG/L	11	U			11	U
S	Hexachlorobenzene	UG/L	11	U			11	U
S	Hexachlorobutadiene	UG/L	11	U			11	U
S	Hexachlorocyclopentadiene	UG/L	11	U			11	U
S	Hexachloroethane	UG/L	11	U			11	U
S	Indeno(1,2,3-cd)pyrene	UG/L	11	U			11	U
S	Isophorone	UG/L	11	U			11	U
S	N-Nitroso-di-n-propylamine	UG/L	11	U			11	U
S	N-Nitrosodiphenylamine	UG/L	11	U			11	U
S	Naphthalene	UG/L	11	U			11	U
S	Nitrobenzene	UG/L	11	U			11	U
S	Pentachlorophenol	UG/L	28	U			28	U
S	Phenanthrene	UG/L	11	U			11	U
S	Phenol	UG/L	11	U			11	U
S	Pyrene	UG/L	11	U			11	U
S	bis(2-Chloroethoxy)methane	UG/L	11	U			11	U
S	bis(2-Ethlyhexy)phthalate	UG/L	11	U			2	J
S	bis(2-chloroethyl)ether	UG/L	11	U			11	U
S	bis(2-chloroisopropyl)ether	UG/L	11	U			11	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	4	J			4	J
V	Benzene	UG/L	10	U			10	U
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	10	U			10	U
V	Chloroethane	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES31		691WMWES31-F		691WMWES31D	
		LAB SAMPLE ID--->	89952		89993		89953	
		RECEIPT DATE---->	10/26/93				10/26/93	
	PARAMETER	UNITS						
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES31D-F		691WMWES32		691WMWES32-F	
	LAB SAMPLE ID--->		89994				89992	
	RECEIPT DATE---->		10/26/93		.		10/26/93	
I	Aluminum	UG/L	1170	J	21300	J	20	U
I	Antimony	UG/L	35	U	.	UJ	35	U
I	Arsenic	UG/L	2.8	J	.		3.6	J
I	Barium	UG/L	67.8	U	311		163	J
I	Beryllium	UG/L	1	U	1.6	J	1	U
I	Cadmium	UG/L	3	U	.		3	U
I	Calcium	UG/L	24500		206000		137000	
I	Chromium	UG/L	4.4	J	47		4.4	J
I	Cobalt	UG/L	3	U	11.7	J	3	U
I	Copper	UG/L	7.4	B	34.7		6.6	J
I	Iron	UG/L	1860		16900	J	29.9	J
I	Lead	UG/L	2.8	J	21.5	R	2	UJ
I	Magnesium	UG/L	4850	J	32300		25300	
I	Manganese	UG/L	274	J	796		375	J
I	Mercury	UG/L	0.2	U	.		0.2	U
I	Nickel	UG/L	15	U	42		15	U
I	Potassium	UG/L	3010	J	15500		9410	
I	Selenium	UG/L	2	U	.	UJ	2	U
I	Silver	UG/L	4	UJ	.	UJ	4	UJ
I	Sodium	UG/L	46200		47700		486000	
I	Thallium	UG/L	2	R	9.1	R	10	R
I	Vanadium	UG/L	6	U	39.2	J	4.2	U
I	Zinc	UG/L	14.4	U	64.6		5	U
P	4,4'-DDD	UG/L			0.053	U		
P	4,4'-DDE	UG/L			0.053	U		
P	4,4'-DDT	UG/L			0.053	U		
P	Aldrin	UG/L			0.027	U		
P	Aroclor 1016	UG/L			0.53	U		
P	Aroclor 1221	UG/L			1.1	U		
P	Aroclor 1232	UG/L			0.53	U		
P	Aroclor 1242	UG/L			0.53	U		
P	Aroclor 1248	UG/L			0.53	U		
P	Aroclor 1254	UG/L			0.53	U		
P	Aroclor 1260	UG/L			0.53	U		
P	Dieldrin	UG/L			0.053	U		
P	Endosulfan I	UG/L			0.027	U		
P	Endosulfan II	UG/L			0.053	U		
P	Endosulfan sulfate	UG/L			0.053	U		
P	Endrin	UG/L			0.053	U		
P	Endrin aldehyde	UG/L			0.053	U		
P	Endrin ketone	UG/L			0.053	U		
P	Heptachlor	UG/L			0.027	U		
P	Heptachlor epoxide	UG/L			0.027	U		
P	Methoxychlor	UG/L			0.27	U		

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES31D-F	691WMWES32		691WMWES32-F
		LAB SAMPLE ID--->	89994	89951		89992
		RECEIPT DATE---->	.	10/26/93		.
	PARAMETER	UNITS				
P	Toxaphene	UG/L		2.7	U	
P	alpha-BHC	UG/L		0.027	U	
P	alpha-Chlordane	UG/L		0.027	U	
P	beta-BHC	UG/L		0.027	U	
P	delta-BHC	UG/L		0.027	U	
P	gamma-BHC (Lindane)	UG/L		0.027	U	
P	gamma-Chlordane	UG/L		0.027	U	
S	1,2,4-Trichlorobenzene	UG/L		11	U	
S	1,2-Dichlorobenzene	UG/L		11	U	
S	1,3-Dichlorobenzene	UG/L		11	U	
S	1,4-Dichlorobenzene	UG/L		11	U	
S	2,4,5-Trichlorophenol	UG/L		28	U	
S	2,4,6-Trichlorophenol	UG/L		11	U	
S	2,4-Dichlorophenol	UG/L		11	U	
S	2,4-Dimethylphenol	UG/L		11	U	
S	2,4-Dinitrophenol	UG/L		28	U	
S	2,4-Dinitrotoluene	UG/L		11	U	
S	2,6-Dinitrotoluene	UG/L		11	U	
	2-Chloronaphthalene	UG/L		11	U	
	2-Chlorophenol	UG/L		11	U	
S	2-Methylnaphthalene	UG/L		11	U	
S	2-Methylphenol	UG/L		11	U	
S	2-Nitroaniline	UG/L		28	U	
S	2-Nitrophenol	UG/L		11	U	
S	3,3'-Dichlorobenzidine	UG/L		11	U	
S	3-Nitroaniline	UG/L		28	U	
S	4,6-Dinitro-2-methylphenol	UG/L		28	U	
S	4-Bromophenyl-phenylether	UG/L		11	U	
S	4-Chloro-3-methylphenol	UG/L		11	U	
S	4-Chloroaniline	UG/L		11	U	
S	4-Chlorophenyl-phenylether	UG/L		11	U	
S	4-Methylphenol	UG/L		11	U	
S	4-Nitroaniline	UG/L		28	U	
S	4-Nitrophenol	UG/L		28	U	
S	Acenaphthene	UG/L		11	U	
S	Acenaphthylene	UG/L		11	U	
S	Anthracene	UG/L		11	U	
S	Benzo(a)anthracene	UG/L		11	U	
S	Benzo(a)pyrene	UG/L		11	U	
S	Benzo(b)fluoranthene	UG/L		11	U	
S	Benzo(g,h,i)perylene	UG/L		11	U	
S	Benzo(k)fluoranthene	UG/L		11	U	
S	Butylbenzylphthalate	UG/L		11	U	
S	Carbazole	UG/L		11	U	
	Chrysene	UG/L		11	U	

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	691WMWES31D-F	691WMWES32	691WMWES32-F
	LAB SAMPLE ID--->	89994	89951	89992
	RECEIPT DATE---->		10/26/93	
PARAMETER	UNITS			
S Di-n-butylphthalate	UG/L		11 U	
S Di-n-octylphthalate	UG/L		11 U	
S Dibenz(a,h)anthracene	UG/L		11 U	
S Dibenzofuran	UG/L		11 U	
S Diethylphthalate	UG/L		11 U	
S Dimethylphthalate	UG/L		11 U	
S Fluoranthene	UG/L		11 U	
S Fluorene	UG/L		11 U	
S Hexachlorobenzene	UG/L		11 U	
S Hexachlorobutadiene	UG/L		11 U	
S Hexachlorocyclopentadiene	UG/L		11 U	
S Hexachloroethane	UG/L		11 U	
S Indeno(1,2,3-cd)pyrene	UG/L		11 U	
S Isophorone	UG/L		11 U	
S N-Nitroso-di-n-propylamine	UG/L		11 U	
S N-Nitrosodiphenylamine	UG/L		11 U	
S Naphthalene	UG/L		11 U	
S Nitrobenzene	UG/L		11 U	
S Pentachlorophenol	UG/L		28 U	
S Phenanthrene	UG/L		11 U	
S Phenol	UG/L		11 U	
S Pyrene	UG/L		11 U	
S bis(2-Chloroethoxy)methane	UG/L		11 U	
S bis(2-Ethlyhexy)phthalate	UG/L		1 J	
S bis(2-chloroethyl)ether	UG/L		11 U	
S bis(2-chloroisopropyl)ether	UG/L		11 U	
V 1,1,1-Trichloroethane	UG/L		10 U	
V 1,1,2,2-Tetrachloroethane	UG/L		10 U	
V 1,1,2-Trichloroethane	UG/L		10 U	
V 1,1-Dichloroethane	UG/L		10 U	
V 1,1-Dichloroethene	UG/L		10 U	
V 1,2-Dichloroethane	UG/L		10 U	
V 1,2-Dichloroethene (total)	UG/L		10 U	
V 1,2-Dichloropropane	UG/L		10 U	
V 2-Butanone	UG/L		1 J	
V 2-Hexanone	UG/L		10 U	
V 4-Methyl-2-Pentanone	UG/L		10 U	
V Acetone	UG/L		10 U	
V Benzene	UG/L		10 U	
V Bromodichloromethane	UG/L		10 U	
V Bromoform	UG/L		10 U	
V Bromomethane	UG/L		10 U	
V Carbon Disulfide	UG/L		10 U	
V Carbon Tetrachloride	UG/L		10 U	
V Chlorobenzene	UG/L		9 J	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES31D-F	691WMWES32		691WMWES32-F
		LAB SAMPLE ID--->	89994	89951		89992
		RECEIPT DATE---->	.	10/26/93		.
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		160		
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		12		
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES33		691WMWES33-F		691WMWES34	
			LAB SAMPLE ID---> 89751		89767		89841	
			RECEIPT DATE----> 10/22/93		10/22/93		10/23/93	
I	Aluminum	UG/L	33800		33	U	42200	J
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	4.7	J	4.6	J	11.2	J
I	Barium	UG/L	2000		1800		368	
I	Beryllium	UG/L	1.4	J	1	U	1.8	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	257000		241000		220000	
I	Chromium	UG/L	18.3		4	U	32.6	
I	Cobalt	UG/L	17.5	J	10	U	12.5	J
I	Copper	UG/L	20.3	U	4	U	27	
I	Iron	UG/L	18200		5430		27200	
I	Lead	UG/L	34.6		2	U	21.9	J
I	Magnesium	UG/L	100000		98000		35900	
I	Manganese	UG/L	702		687		821	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	49900		45700		50000	
I	Selenium	UG/L	3.8	J	2.4	J	2	U
I	Silver	UG/L	4	U	4	U	4	UJ
I	Sodium	UG/L	217000		210000		488000	
I	Thallium	UG/L	10	R	10	R	10	U
I	Vanadium	UG/L	30.1	J	3	U	53.9	
I	Zinc	UG/L	165		6.1	U	92.9	
P	4,4'-DDD	UG/L	0.1	U			0.1	U
P	4,4'-DDE	UG/L	0.1	U			0.1	U
P	4,4'-DDT	UG/L	0.1	U			0.1	U
P	Aldrin	UG/L	0.052	U			0.051	U
P	Aroclor 1016	UG/L	1	U			1	U
P	Aroclor 1221	UG/L	2.1	U			2	U
P	Aroclor 1232	UG/L	1	U			1	U
P	Aroclor 1242	UG/L	1	U			1	U
P	Aroclor 1248	UG/L	1	U			1	U
P	Aroclor 1254	UG/L	1	U			1	U
P	Aroclor 1260	UG/L	1	U			1	U
P	Dieldrin	UG/L	0.1	U			0.1	U
P	Endosulfan I	UG/L	0.052	U			0.051	U
P	Endosulfan II	UG/L	0.1	U			0.1	U
P	Endosulfan sulfate	UG/L	0.1	U			0.1	U
P	Endrin	UG/L	0.1	U			0.1	U
P	Endrin aldehyde	UG/L	0.1	U			0.1	U
P	Endrin ketone	UG/L	0.1	U			0.1	U
P	Heptachlor	UG/L	0.052	U			0.051	U
P	Heptachlor epoxide	UG/L	0.052	U			0.051	U
P	Methoxychlor	UG/L	0.52	U			0.51	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES33		691WMWES33-F		691WMWES34	
	LAB SAMPLE ID--->		89751		89767		89841	
	RECEIPT DATE---->		10/22/93				10/23/93	
P	Toxaphene	UG/L	5.2	U			5.1	U
P	alpha-BHC	UG/L	0.052	U			0.051	U
P	alpha-Chlordane	UG/L	0.052	U			0.051	U
P	beta-BHC	UG/L	0.052	U			0.051	U
P	delta-BHC	UG/L	0.052	U			0.051	U
P	gamma-BHC (Lindane)	UG/L	0.052	U			0.051	U
P	gamma-Chlordane	UG/L	0.052	U			0.051	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			11	U
S	1,2-Dichlorobenzene	UG/L	10	U			11	U
S	1,3-Dichlorobenzene	UG/L	10	U			11	U
S	1,4-Dichlorobenzene	UG/L	10	U			11	U
S	2,4,5-Trichlorophenol	UG/L	26	U			28	U
S	2,4,6-Trichlorophenol	UG/L	10	U			11	U
S	2,4-Dichlorophenol	UG/L	10	U			11	U
S	2,4-Dimethylphenol	UG/L	10	U			11	U
S	2,4-Dinitrophenol	UG/L	26	U			28	U
S	2,4-Dinitrotoluene	UG/L	10	U			11	U
S	2,6-Dinitrotoluene	UG/L	10	U			11	U
	2-Chloronaphthalene	UG/L	10	U			11	U
	2-Chlorophenol	UG/L	10	U			11	U
S	2-Methylnaphthalene	UG/L	10	U			11	U
S	2-Methylphenol	UG/L	10	U			11	U
S	2-Nitroaniline	UG/L	26	U			28	U
S	2-Nitrophenol	UG/L	10	U			11	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			11	U
S	3-Nitroaniline	UG/L	26	U			28	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			28	U
S	4-Bromophenyl-phenylether	UG/L	10	U			11	U
S	4-Chloro-3-methylphenol	UG/L	10	U			11	U
S	4-Chloroaniline	UG/L	10	U			11	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			11	U
S	4-Methylphenol	UG/L	10	U			11	U
S	4-Nitroaniline	UG/L	26	U			28	U
S	4-Nitrophenol	UG/L	26	U			28	U
S	Acenaphthene	UG/L	1	J			11	U
S	Acenaphthylene	UG/L	10	U			11	U
S	Anthracene	UG/L	10	U			11	U
S	Benzo(a)anthracene	UG/L	10	U			11	U
S	Benzo(a)pyrene	UG/L	10	U			11	U
S	Benzo(b)fluoranthene	UG/L	10	U			11	U
S	Benzo(g,h,i)perylene	UG/L	10	U			11	U
S	Benzo(k)fluoranthene	UG/L	10	U			11	U
S	Butylbenzylphthalate	UG/L	10	U			11	U
S	Carbazole	UG/L	10	U			11	U
	Chrysene	UG/L	10	U			11	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES33		691WMWES33-F		691WMWES
		LAB SAMPLE ID--->	89751		89767		89841
		RECEIPT DATE---->	10/22/93				10/23/93
	PARAMETER	UNITS					
S	Di-n-butylphthalate	UG/L	10	U		11	U
S	Di-n-octylphthalate	UG/L	10	U		11	U
S	Dibenz(a,h)anthracene	UG/L	10	U		11	U
S	Dibenzofuran	UG/L	10	U		11	U
S	Diethylphthalate	UG/L	10	U		11	U
S	Dimethylphthalate	UG/L	10	U		11	U
S	Fluoranthene	UG/L	10	U		11	U
S	Fluorene	UG/L	10	U		11	U
S	Hexachlorobenzene	UG/L	10	U		11	U
S	Hexachlorobutadiene	UG/L	10	U		11	U
S	Hexachlorocyclopentadiene	UG/L	10	U		11	U
S	Hexachloroethane	UG/L	10	U		11	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U		11	U
S	Isophorone	UG/L	10	U		11	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U		11	U
S	N-Nitrosodiphenylamine	UG/L	10	U		11	U
S	Naphthalene	UG/L	10	U		11	U
S	Nitrobenzene	UG/L	10	U		11	U
S	Pentachlorophenol	UG/L	26	U		28	U
S	Phenanthrene	UG/L	10	U		11	U
S	Phenol	UG/L	10	U		11	U
S	Pyrene	UG/L	10	U		11	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U		11	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U		3	J
S	bis(2-chloroethyl)ether	UG/L	10	U		11	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U		11	U
V	1,1,1-Trichloroethane	UG/L	10	U		10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U		10	U
V	1,1,2-Trichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethene	UG/L	10	U		10	U
V	1,2-Dichloroethane	UG/L	10	U		10	U
V	1,2-Dichloroethene (total)	UG/L	10	U		10	U
V	1,2-Dichloropropane	UG/L	10	U		10	U
V	2-Butanone	UG/L	10	U		10	U
V	2-Hexanone	UG/L	6	J		10	U
V	4-Methyl-2-Pentanone	UG/L	10	U		10	U
V	Acetone	UG/L	9	U		10	U
V	Benzene	UG/L	1	J		10	U
V	Bromodichloromethane	UG/L	10	U		10	U
V	Bromoform	UG/L	10	U		10	U
V	Bromomethane	UG/L	10	U		10	U
V	Carbon Disulfide	UG/L	10	U		10	U
V	Carbon Tetrachloride	UG/L	10	U		10	U
V	Chlorobenzene	UG/L	46			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES33 LAB SAMPLE ID---> 89751 RECEIPT DATE----> 10/22/93		691WMWES33-F 89767		691WMWES34 89841 10/23/93	
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES34-F		691WMWES36		691WMWES36-F	
	LAB SAMPLE ID--->		89856				89995	
	RECEIPT DATE---->		10/23/93		.		10/26/93	
I	Aluminum	UG/L	20	U	1220	J	20	U
I	Antimony	UG/L	35	U	.	UJ	35	U
I	Arsenic	UG/L	2.7	J	26.6	J	23.3	J
I	Barium	UG/L	215		1060		876	
I	Beryllium	UG/L	1	U	.		1	U
I	Cadmium	UG/L	3	U	.		3	U
I	Calcium	UG/L	131000		115000		127000	
I	Chromium	UG/L	4	U	6.4	J	4	U
I	Cobalt	UG/L	3	U	8.2	J	7.8	U
I	Copper	UG/L	4	U			4	U
I	Iron	UG/L	25	U	18200	J	12700	
I	Lead	UG/L	2	U	25.4	R	2	UJ
I	Magnesium	UG/L	25500		53000		54300	
I	Manganese	UG/L	287		287		285	
I	Mercury	UG/L	0.2	U	.		0.2	U
I	Nickel	UG/L	15	U	15.8	J	15	U
I	Potassium	UG/L	41100		71500		75000	
I	Selenium	UG/L	3.1	J	.	UJ	2	U
I	Silver	UG/L	4	UJ	.	UJ	4	UJ
I	Sodium	UG/L	495000		168000		180000	
I	Thallium	UG/L	10	R	.	R	10	R
I	Vanadium	UG/L	3.3	J			3	U
I	Zinc	UG/L	5	U	76.9		5.5	U
P	4,4'-DDD	UG/L			0.05	U		
P	4,4'-DDE	UG/L			0.05	U		
P	4,4'-DDT	UG/L			0.05	U		
P	Aldrin	UG/L			0.025	U		
P	Aroclor 1016	UG/L			0.5	U		
P	Aroclor 1221	UG/L			0.99	U		
P	Aroclor 1232	UG/L			0.5	U		
P	Aroclor 1242	UG/L			0.5	U		
P	Aroclor 1248	UG/L			0.5	U		
P	Aroclor 1254	UG/L			0.5	U		
P	Aroclor 1260	UG/L			0.5	U		
P	Dieldrin	UG/L			0.05	U		
P	Endosulfan I	UG/L			0.025	U		
P	Endosulfan II	UG/L			0.05	U		
P	Endosulfan sulfate	UG/L			0.05	U		
P	Endrin	UG/L			0.05	U		
P	Endrin aldehyde	UG/L			0.05	U		
P	Endrin ketone	UG/L			0.05	U		
P	Heptachlor	UG/L			0.025	U		
P	Heptachlor epoxide	UG/L			0.025	U		
P	Methoxychlor	UG/L			0.25	U		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	691WMWES34-F	691WMWES36		691WMWES36-F
	LAB SAMPLE ID--->	89856	89946		89995
	RECEIPT DATE---->	.	10/26/93		.
	PARAMETER	UNITS			
P	Toxaphene	UG/L	2.5	U	
P	alpha-BHC	UG/L	0.025	U	
P	alpha-Chlordane	UG/L	0.025	U	
P	beta-BHC	UG/L	0.025	U	
P	delta-BHC	UG/L	0.025	U	
P	gamma-BHC (Lindane)	UG/L	0.025	U	
P	gamma-Chlordane	UG/L	0.025	U	
S	1,2,4-Trichlorobenzene	UG/L	11	U	
S	1,2-Dichlorobenzene	UG/L	11	U	
S	1,3-Dichlorobenzene	UG/L	11	U	
S	1,4-Dichlorobenzene	UG/L	24		
S	2,4,5-Trichlorophenol	UG/L	28	U	
S	2,4,6-Trichlorophenol	UG/L	11	U	
S	2,4-Dichlorophenol	UG/L	11	U	
S	2,4-Dimethylphenol	UG/L	11	U	
S	2,4-Dinitrophenol	UG/L	28	U	
S	2,4-Dinitrotoluene	UG/L	11	U	
S	2,6-Dinitrotoluene	UG/L	11	U	
	2-Chloronaphthalene	UG/L	11	U	
	2-Chlorophenol	UG/L	2	JY	
S	2-Methylnaphthalene	UG/L	9	J	
S	2-Methylphenol	UG/L	11	U	
S	2-Nitroaniline	UG/L	28	U	
S	2-Nitrophenol	UG/L	11	U	
S	3,3'-Dichlorobenzidine	UG/L	11	U	
S	3-Nitroaniline	UG/L	28	U	
S	4,6-Dinitro-2-methylphenol	UG/L	28	U	
S	4-Bromophenyl-phenylether	UG/L	11	U	
S	4-Chloro-3-methylphenol	UG/L	11	U	
S	4-Chloroaniline	UG/L	11	U	
S	4-Chlorophenyl-phenylether	UG/L	11	U	
S	4-Methylphenol	UG/L	11	U	
S	4-Nitroaniline	UG/L	28	U	
S	4-Nitrophenol	UG/L	28	U	
S	Acenaphthene	UG/L	1	J	
S	Acenaphthylene	UG/L	11	U	
S	Anthracene	UG/L	11	U	
S	Benzo(a)anthracene	UG/L	11	U	
S	Benzo(a)pyrene	UG/L	11	U	
S	Benzo(b)fluoranthene	UG/L	11	U	
S	Benzo(g,h,i)perylene	UG/L	11	U	
S	Benzo(k)fluoranthene	UG/L	11	U	
S	Butylbenzylphthalate	UG/L	11	U	
S	Carbazole	UG/L	11	U	
	Chrysene	UG/L	11	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES34-F	691WMWES36	691WMWES36-F
		LAB SAMPLE ID--->	89856	89946	89995
		RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		11 U	
S	Di-n-octylphthalate	UG/L		11 U	
S	Dibenz(a,h)anthracene	UG/L		11 U	
S	Dibenzofuran	UG/L		11 U	
S	Diethylphthalate	UG/L		11 U	
S	Dimethylphthalate	UG/L		11 U	
S	Fluoranthene	UG/L		11 U	
S	Fluorene	UG/L		1 J	
S	Hexachlorobenzene	UG/L		11 U	
S	Hexachlorobutadiene	UG/L		11 U	
S	Hexachlorocyclopentadiene	UG/L		11 U	
S	Hexachloroethane	UG/L		11 U	
S	Indeno(1,2,3-cd)pyrene	UG/L		11 U	
S	Isophorone	UG/L		11 U	
S	N-Nitroso-di-n-propylamine	UG/L		11 U	
S	N-Nitrosodiphenylamine	UG/L		11 U	
S	Naphthalene	UG/L		28	
S	Nitrobenzene	UG/L		11 U	
S	Pentachlorophenol	UG/L		28 U	
S	Phenanthrene	UG/L		1 J	
S	Phenol	UG/L		11 U	
S	Pyrene	UG/L		11 U	
S	bis(2-Chloroethoxy)methane	UG/L		11 U	
S	bis(2-Ethlyhexy)phthalate	UG/L		2 J	
S	bis(2-chloroethyl)ether	UG/L		11 U	
S	bis(2-chloroisopropyl)ether	UG/L		11 U	
V	1,1,1-Trichloroethane	UG/L		10 U	
V	1,1,2,2-Tetrachloroethane	UG/L		10 U	
V	1,1,2-Trichloroethane	UG/L		10 U	
V	1,1-Dichloroethane	UG/L		10 U	
V	1,1-Dichloroethene	UG/L		10 U	
V	1,2-Dichloroethane	UG/L		10 U	
V	1,2-Dichloroethene (total)	UG/L		10 U	
V	1,2-Dichloropropane	UG/L		10 U	
V	2-Butanone	UG/L		10 U	
V	2-Hexanone	UG/L		10 U	
V	4-Methyl-2-Pentanone	UG/L		10 U	
V	Acetone	UG/L		12	
V	Benzene	UG/L		13	
V	Bromodichloromethane	UG/L		10 U	
V	Bromoform	UG/L		10 U	
V	Bromomethane	UG/L		10 U	
V	Carbon Disulfide	UG/L		10 U	
V	Carbon Tetrachloride	UG/L		10 U	
V	Chlorobenzene	UG/L		210 E	

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	691WMWES34-F	691WMWES36		691WMWES36-F
	LAB SAMPLE ID--->	89856	89946		89995
	RECEIPT DATE---->	.	10/26/93		.
PARAMETER	UNITS				
V Chloroethane	UG/L		10	U	
V Chloroform	UG/L		10	U	
V Chloromethane	UG/L		10	U	
V Dibromochloromethane	UG/L		10	U	
V Ethylbenzene	UG/L		10	U	
V Methylene Chloride	UG/L		10	U	
V Styrene	UG/L		10	U	
V Tetrachloroethene	UG/L		10	U	
V Toluene	UG/L		10	U	
V Trichloroethene	UG/L		10	U	
V Vinyl Chloride	UG/L		10	U	
V Xylene (total)	UG/L		10	U	
V cis-1,3-Dichloropropene	UG/L		10	U	
V trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWES36DL		691WMWGM21		691WMWGM21-F	
	LAB SAMPLE ID--->		89946DL				89991	
	RECEIPT DATE---->		10/26/93				10/26/93	
I	Aluminum	UG/L	4580	J			20	U
I	Antimony	UG/L	.	UJ			35	U
I	Arsenic	UG/L	.				5.8	J
I	Barium	UG/L	.				93	J
I	Beryllium	UG/L	.				1	U
I	Cadmium	UG/L	.				3	U
I	Calcium	UG/L	81700				78700	
I	Chromium	UG/L	.				4	U
I	Cobalt	UG/L	4.2	J			3.2	U
I	Copper	UG/L	.				8.3	J
I	Iron	UG/L	4790	J			2060	
I	Lead	UG/L	2	R			2	UJ
I	Magnesium	UG/L	38200				35100	
I	Manganese	UG/L	220				198	J
I	Mercury	UG/L	.				0.2	U
I	Nickel	UG/L	.				15	U
I	Potassium	UG/L	10900				9990	
I	Selenium	UG/L	.	UJ			2	U
I	Silver	UG/L	.				4	UJ
I	Sodium	UG/L	345000				344000	
I	Thallium	UG/L	9.1	R			10	R
I	Vanadium	UG/L	.				3	U
I	Zinc	UG/L	.				24.3	U
P	4,4'-DDD	UG/L	0.048	U				
P	4,4'-DDE	UG/L	0.048	U				
P	4,4'-DDT	UG/L	0.048	U				
P	Aldrin	UG/L	0.024	U				
P	Aroclor 1016	UG/L	0.48	U				
P	Aroclor 1221	UG/L	0.97	U				
P	Aroclor 1232	UG/L	0.48	U				
P	Aroclor 1242	UG/L	0.48	U				
P	Aroclor 1248	UG/L	0.48	U				
P	Aroclor 1254	UG/L	0.48	U				
P	Aroclor 1260	UG/L	0.48	U				
P	Dieldrin	UG/L	0.048	U				
P	Endosulfan I	UG/L	0.024	U				
P	Endosulfan II	UG/L	0.048	U				
P	Endosulfan sulfate	UG/L	0.048	U				
P	Endrin	UG/L	0.048	U				
P	Endrin aldehyde	UG/L	0.048	U				
P	Endrin ketone	UG/L	0.048	U				
P	Heptachlor	UG/L	0.024	U				
P	Heptachlor epoxide	UG/L	0.024	U				
P	Methoxychlor	UG/L	0.24	U				

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	691WMWES36DL	691WMWGM21		691WMWGM21-F
	LAB SAMPLE ID--->	89946DL	89950		89991
	RECEIPT DATE---->	.	10/26/93		.
PARAMETER	UNITS				
P Toxaphene	UG/L		2.4	U	
P alpha-BHC	UG/L		0.024	U	
P alpha-Chlordane	UG/L		0.024	U	
P beta-BHC	UG/L		0.024	U	
P delta-BHC	UG/L		0.024	U	
P gamma-BHC (Lindane)	UG/L		0.024	U	
P gamma-Chlordane	UG/L		0.024	U	
S 1,2,4-Trichlorobenzene	UG/L		10	U	
S 1,2-Dichlorobenzene	UG/L		10	U	
S 1,3-Dichlorobenzene	UG/L		10	U	
S 1,4-Dichlorobenzene	UG/L		10	U	
S 2,4,5-Trichlorophenol	UG/L		26	U	
S 2,4,6-Trichlorophenol	UG/L		10	U	
S 2,4-Dichlorophenol	UG/L		10	U	
S 2,4-Dimethylphenol	UG/L		10	U	
S 2,4-Dinitrophenol	UG/L		26	U	
S 2,4-Dinitrotoluene	UG/L		10	U	
S 2,6-Dinitrotoluene	UG/L		10	U	
2-Chloronaphthalene	UG/L		10	U	
2-Chlorophenol	UG/L		10	U	
S 2-Methylnaphthalene	UG/L		10	U	
S 2-Methylphenol	UG/L		10	U	
S 2-Nitroaniline	UG/L		26	U	
S 2-Nitrophenol	UG/L		10	U	
S 3,3'-Dichlorobenzidine	UG/L		10	U	
S 3-Nitroaniline	UG/L		26	U	
S 4,6-Dinitro-2-methylphenol	UG/L		26	U	
S 4-Bromophenyl-phenylether	UG/L		10	U	
S 4-Chloro-3-methylphenol	UG/L		10	U	
S 4-Chloroaniline	UG/L		10	U	
S 4-Chlorophenyl-phenylether	UG/L		10	U	
S 4-Methylphenol	UG/L		10	U	
S 4-Nitroaniline	UG/L		26	U	
S 4-Nitrophenol	UG/L		26	U	
S Acenaphthene	UG/L		10	U	
S Acenaphthylene	UG/L		10	U	
S Anthracene	UG/L		10	U	
S Benzo(a)anthracene	UG/L		10	U	
S Benzo(a)pyrene	UG/L		10	U	
S Benzo(b)fluoranthene	UG/L		10	U	
S Benzo(g,h,i)perylene	UG/L		10	U	
S Benzo(k)fluoranthene	UG/L		10	U	
S Butylbenzylphthalate	UG/L		10	U	
S Carbazole	UG/L		10	U	
Chrysene	UG/L		10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES36DL		691WMWGM21		691WMWGM21-F
		LAB SAMPLE ID--->	89946DL		89950		89991
		RECEIPT DATE---->			10/26/93		
	PARAMETER	UNITS					
S	Di-n-butylphthalate	UG/L			10	U	
S	Di-n-octylphthalate	UG/L			10	U	
S	Dibenz(a,h)anthracene	UG/L			10	U	
S	Dibenzofuran	UG/L			10	U	
S	Diethylphthalate	UG/L			10	U	
S	Dimethylphthalate	UG/L			10	U	
S	Fluoranthene	UG/L			10	U	
S	Fluorene	UG/L			10	U	
S	Hexachlorobenzene	UG/L			10	U	
S	Hexachlorobutadiene	UG/L			10	U	
S	Hexachlorocyclopentadiene	UG/L			10	U	
S	Hexachloroethane	UG/L			10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	
S	Isophorone	UG/L			10	U	
S	N-Nitroso-di-n-propylamine	UG/L			10	U	
S	N-Nitrosodiphenylamine	UG/L			10	U	
S	Naphthalene	UG/L			10	U	
S	Nitrobenzene	UG/L			10	U	
S	Pentachlorophenol	UG/L			26	U	
S	Phenanthrene	UG/L			10	U	
S	Phenol	UG/L			10	U	
S	Pyrene	UG/L			10	U	
S	bis(2-Chloroethoxy)methane	UG/L			10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L			1	J	
S	bis(2-chloroethyl)ether	UG/L			10	U	
S	bis(2-chloroisopropyl)ether	UG/L			10	U	
V	1,1,1-Trichloroethane	UG/L	20	U	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	20	U	10	U	
V	1,1,2-Trichloroethane	UG/L	20	U	10	U	
V	1,1-Dichloroethane	UG/L	20	U	10	U	
V	1,1-Dichloroethene	UG/L	20	U	10	U	
V	1,2-Dichloroethane	UG/L	20	U	10	U	
V	1,2-Dichloroethene (total)	UG/L	20	U	10	U	
V	1,2-Dichloropropane	UG/L	20	U	10	U	
V	2-Butanone	UG/L	20	U	2	J	
V	2-Hexanone	UG/L	7	DJ	10	U	
V	4-Methyl-2-Pentanone	UG/L	20	U	10	U	
V	Acetone	UG/L	10	DJ	3	J	
V	Benzene	UG/L	19	DJ	10	U	
V	Bromodichloromethane	UG/L	20	U	10	U	
V	Bromoform	UG/L	20	U	10	U	
V	Bromomethane	UG/L	20	U	10	U	
V	Carbon Disulfide	UG/L	20	U	10	U	
V	Carbon Tetrachloride	UG/L	20	U	10	U	
V	Chlorobenzene	UG/L	270	D	10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWES36DL		691WMWGM21		691WMWGM21-F
		LAB SAMPLE ID--->	89946DL		89950		89991
		RECEIPT DATE---->	10/26/93		10/26/93		
	PARAMETER	UNITS					
V	Chloroethane	UG/L	20	U	10	U	
V	Chloroform	UG/L	20	U	10	U	
V	Chloromethane	UG/L	20	U	10	U	
V	Dibromochloromethane	UG/L	20	U	10	U	
V	Ethylbenzene	UG/L	20	U	10	U	
V	Methylene Chloride	UG/L	20	U	10	U	
V	Styrene	UG/L	20	U	10	U	
V	Tetrachloroethene	UG/L	20	U	10	U	
V	Toluene	UG/L	20	U	10	U	
V	Trichloroethene	UG/L	20	U	10	U	
V	Vinyl Chloride	UG/L	20	U	10	U	
V	Xylene (total)	UG/L	20	U	10	U	
V	cis-1,3-Dichloropropene	UG/L	20	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	20	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWREI26		691WMWREI26-F		691WMWREI27	
	LAB SAMPLE ID--->				89997		89846	
	RECEIPT DATE---->		.		10/26/93		10/23/93	
I	Aluminum	UG/L	264	J	20	U	27.9	J
I	Antimony	UG/L	.	UJ	35	U	35	U
I	Arsenic	UG/L	.		3.6	J	13	J
I	Barium	UG/L	406		396		2360	
I	Beryllium	UG/L	.		1	U	1	U
I	Cadmium	UG/L	.		3	U	3	U
I	Calcium	UG/L	246000		249000		510000	
I	Chromium	UG/L	14.4		17.9	U	55.4	
I	Cobalt	UG/L	9.8	J	10.1	U	3	U
I	Copper	UG/L	.		4	U	6.6	J
I	Iron	UG/L	5280	J	3780		24500	
I	Lead	UG/L	.	R	2	UJ	2.3	J
I	Magnesium	UG/L	46800		52100		65100	
I	Manganese	UG/L	770		761	J	1250	
I	Mercury	UG/L	.		0.2	U	0.2	U
I	Nickel	UG/L			15	U	15	U
I	Potassium	UG/L	53700		53800		65300	
I	Selenium	UG/L	.	UJ	2	U	2	U
I	Silver	UG/L	.	UJ	4	UJ	4	UJ
I	Sodium	UG/L	377000		489000		183000	
I	Thallium	UG/L	.	R	10	R	10	U
I	Vanadium	UG/L	.		4.9	U	3	U
I	Zinc	UG/L	.		5	U	5	U
P	4,4'-DDD	UG/L	0.052	U			0.048	U
P	4,4'-DDE	UG/L	0.052	U			0.048	U
P	4,4'-DDT	UG/L	0.052	U			0.048	U
P	Aldrin	UG/L	0.026	U			0.024	U
P	Aroclor 1016	UG/L	0.52	U			0.48	U
P	Aroclor 1221	UG/L	1	U			0.97	U
P	Aroclor 1232	UG/L	0.52	U			0.48	U
P	Aroclor 1242	UG/L	0.52	U			0.48	U
P	Aroclor 1248	UG/L	0.52	U			0.48	U
P	Aroclor 1254	UG/L	0.52	U			0.48	U
P	Aroclor 1260	UG/L	0.52	U			0.48	U
P	Dieldrin	UG/L	0.052	U			0.048	U
P	Endosulfan I	UG/L	0.026	U			0.024	U
P	Endosulfan II	UG/L	0.052	U			0.048	U
P	Endosulfan sulfate	UG/L	0.052	U			0.048	U
P	Endrin	UG/L	0.052	U			0.048	U
P	Endrin aldehyde	UG/L	0.052	U			0.048	U
P	Endrin ketone	UG/L	0.052	U			0.048	U
P	Heptachlor	UG/L	0.026	U			0.024	U
P	Heptachlor epoxide	UG/L	0.026	U			0.024	U
P	Methoxychlor	UG/L	0.26	U			0.24	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWREI26		691WMWREI26-F		691WMWREI27	
		LAB SAMPLE ID--->	89954		89997		89846	
		RECEIPT DATE---->	10/26/93				10/23/93	
	PARAMETER	UNITS						
P	Toxaphene	UG/L	2.6	U			2.4	U
P	alpha-BHC	UG/L	0.026	U			0.024	U
P	alpha-Chlordane	UG/L	0.026	U			0.024	U
P	beta-BHC	UG/L	0.026	U			0.024	U
P	delta-BHC	UG/L	0.026	U			0.024	U
P	gamma-BHC (Lindane)	UG/L	0.026	U			0.024	U
P	gamma-Chlordane	UG/L	0.026	U			0.024	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	12				23	
S	1,3-Dichlorobenzene	UG/L	10	U			9	J
S	1,4-Dichlorobenzene	UG/L	20				57	
S	2,4,5-Trichlorophenol	UG/L	26	U			24	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			75	
S	2,4-Dinitrophenol	UG/L	26	U			24	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
	2-Chloronaphthalene	UG/L	10	U			10	U
	2-Chlorophenol	UG/L	10	U			3	J
S	2-Methylnaphthalene	UG/L	10	U			1	J
S	2-Methylphenol	UG/L	10	U			3	J
S	2-Nitroaniline	UG/L	26	U			24	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	26	U			24	U
S	4,6-Dinitro-2-methylphenol	UG/L	26	U			24	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			3	J
S	4-Nitroaniline	UG/L	26	U			24	U
S	4-Nitrophenol	UG/L	26	U			24	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			10	U
	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	691WMWREI26		691WMWREI26-F		691WMWREI27	
			LAB SAMPLE ID--->	89954		89997		89846	
			RECEIPT DATE---->	10/26/93				10/23/93	
	PARAMETER	UNITS							
S	Di-n-butylphthalate	UG/L		10	U			10	U
S	Di-n-octylphthalate	UG/L		10	U			10	U
S	Dibenz(a,h)anthracene	UG/L		10	U			10	U
S	Dibenzofuran	UG/L		10	U			10	U
S	Diethylphthalate	UG/L		10	U			10	U
S	Dimethylphthalate	UG/L		10	U			10	U
S	Fluoranthene	UG/L		10	U			10	U
S	Fluorene	UG/L		10	U			10	U
S	Hexachlorobenzene	UG/L		10	U			10	U
S	Hexachlorobutadiene	UG/L		10	U			10	U
S	Hexachlorocyclopentadiene	UG/L		10	U			10	U
S	Hexachloroethane	UG/L		10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U			10	U
S	Isophorone	UG/L		10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U			10	U
S	N-Nitrosodiphenylamine	UG/L		10	U			10	U
S	Naphthalene	UG/L		10	U			47	
S	Nitrobenzene	UG/L		10	U			10	U
S	Pentachlorophenol	UG/L		26	U			24	U
S	Phenanthrene	UG/L		10	U			10	U
S	Phenol	UG/L		10	U			10	U
S	Pyrene	UG/L		10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U			10	U
S	bis(2-chloroethyl)ether	UG/L		10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U			10	U
V	1,1,1-Trichloroethane	UG/L		20	U			100	U
V	1,1,2,2-Tetrachloroethane	UG/L		20	U			100	U
V	1,1,2-Trichloroethane	UG/L		20	U			100	U
V	1,1-Dichloroethane	UG/L		36				100	U
V	1,1-Dichloroethene	UG/L		66				100	U
V	1,2-Dichloroethane	UG/L		20	U			100	U
V	1,2-Dichloroethene (total)	UG/L		4	J			100	U
V	1,2-Dichloropropane	UG/L		20	U			100	U
V	2-Butanone	UG/L		19	J			100	U
V	2-Hexanone	UG/L		20	U			100	U
V	4-Methyl-2-Pentanone	UG/L		20	U			100	U
V	Acetone	UG/L		17	J			32	J
V	Benzene	UG/L		14	J			89	J
V	Bromodichloromethane	UG/L		20	U			100	U
V	Bromoform	UG/L		20	U			100	U
V	Bromomethane	UG/L		20	U			100	U
V	Carbon Disulfide	UG/L		20	U			100	U
V	Carbon Tetrachloride	UG/L		20	U			100	U
V	Chlorobenzene	UG/L		260				1300	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWREI26		691WMWREI26-F		691WMWREI27	
		LAB SAMPLE ID--->	89954		89997		89846	
		RECEIPT DATE---->	10/26/93				10/23/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	20	U			26	J
V	Chloroform	UG/L	20	U			100	U
V	Chloromethane	UG/L	20	U			100	U
V	Dibromochloromethane	UG/L	20	U			100	U
V	Ethylbenzene	UG/L	20	U			13	J
V	Methylene Chloride	UG/L	2	J			100	U
V	Styrene	UG/L	20	U			100	U
V	Tetrachloroethene	UG/L	20	U			27	J
V	Toluene	UG/L	3	J			100	U
V	Trichloroethene	UG/L	20	U			100	U
V	Vinyl Chloride	UG/L	46				100	U
V	Xylene (total)	UG/L	20	U			100	U
V	cis-1,3-Dichloropropene	UG/L	20	U			100	U
V	trans-1,3-Dichloropropene	UG/L	20	U			100	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWREI27-F LAB SAMPLE ID---> 89857 RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 691WMWREI27RE LAB SAMPLE ID---> 89846RE RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWES[illegible] LAB SAMPLE ID---> 89759 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	22.7	J	12800			
I	Antimony	UG/L	35	U	35	U		
I	Arsenic	UG/L	2	U	4.3	J		
I	Barium	UG/L	2480		266			
I	Beryllium	UG/L	1	J	1	U		
I	Cadmium	UG/L	3	U	3	U		
I	Calcium	UG/L	497000		158000			
I	Chromium	UG/L	53.3		17.4			
I	Cobalt	UG/L	3	U	8.8	J		
I	Copper	UG/L	4	U	12.7	J		
I	Iron	UG/L	12800		10700			
I	Lead	UG/L	2	U	10	U		
I	Magnesium	UG/L	70700		18900			
I	Manganese	UG/L	1310		245			
I	Mercury	UG/L	0.2	U	0.2	U		
I	Nickel	UG/L	15	U	16.8	U		
I	Potassium	UG/L	69200		66300			
I	Selenium	UG/L	3.8	J	2.4	J		
I	Silver	UG/L	4	UJ	4	U		
I	Sodium	UG/L	208000		379000			
I	Thallium	UG/L	10	R	10	R		
I	Vanadium	UG/L	3	U	24.8	J		
I	Zinc	UG/L	5	U	51	U		
P	4,4'-DDD	UG/L			0.096	U		
P	4,4'-DDE	UG/L			0.096	U		
P	4,4'-DDT	UG/L			0.096	U		
P	Aldrin	UG/L			0.048	U		
P	Aroclor 1016	UG/L			0.96	U		
P	Aroclor 1221	UG/L			1.9	U		
P	Aroclor 1232	UG/L			0.96	U		
P	Aroclor 1242	UG/L			0.96	U		
P	Aroclor 1248	UG/L			0.96	U		
P	Aroclor 1254	UG/L			0.96	U		
P	Aroclor 1260	UG/L			0.96	U		
P	Dieldrin	UG/L			0.096	U		
P	Endosulfan I	UG/L			0.048	U		
P	Endosulfan II	UG/L			0.096	U		
P	Endosulfan sulfate	UG/L			0.096	U		
P	Endrin	UG/L			0.096	U		
P	Endrin aldehyde	UG/L			0.096	U		
P	Endrin ketone	UG/L			0.096	U		
P	Heptachlor	UG/L			0.048	U		
P	Heptachlor epoxide	UG/L			0.048	U		
P	Methoxychlor	UG/L			0.48	U		

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWREI27-F		691WMWREI27RE		693WMWES35	
		LAB SAMPLE ID--->	89857		89846RE		89759	
		RECEIPT DATE---->	.		.		10/22/93	
	PARAMETER	UNITS						
P	Toxaphene	UG/L					4.8	U
P	alpha-BHC	UG/L					0.048	U
P	alpha-Chlordane	UG/L					0.048	U
P	beta-BHC	UG/L					0.048	U
P	delta-BHC	UG/L					0.048	U
P	gamma-BHC (Lindane)	UG/L					0.048	U
P	gamma-Chlordane	UG/L					0.048	U
S	1,2,4-Trichlorobenzene	UG/L			10	U	11	U
S	1,2-Dichlorobenzene	UG/L			26		11	U
S	1,3-Dichlorobenzene	UG/L			10		11	U
S	1,4-Dichlorobenzene	UG/L			62		11	U
S	2,4,5-Trichlorophenol	UG/L			24	U	28	U
S	2,4,6-Trichlorophenol	UG/L			10	U	11	U
S	2,4-Dichlorophenol	UG/L			10	U	11	U
S	2,4-Dimethylphenol	UG/L			85	J	11	U
S	2,4-Dinitrophenol	UG/L			24	U	28	U
S	2,4-Dinitrotoluene	UG/L			10	U	11	U
S	2,6-Dinitrotoluene	UG/L			10	U	11	U
	2-Chloronaphthalene	UG/L			10	U	11	U
	2-Chlorophenol	UG/L			4	J	11	U
S	2-Methylnaphthalene	UG/L			1	J	11	U
S	2-Methylphenol	UG/L			3	J	11	U
S	2-Nitroaniline	UG/L			24	U	28	U
S	2-Nitrophenol	UG/L			10	U	11	U
S	3,3'-Dichlorobenzidine	UG/L			10	U	11	U
S	3-Nitroaniline	UG/L			24	U	28	U
S	4,6-Dinitro-2-methylphenol	UG/L			24	U	28	U
S	4-Bromophenyl-phenylether	UG/L			10	U	11	U
S	4-Chloro-3-methylphenol	UG/L			10	U	11	U
S	4-Chloroaniline	UG/L			10	U	11	U
S	4-Chlorophenyl-phenylether	UG/L			10	U	11	U
S	4-Methylphenol	UG/L			3	J	11	U
S	4-Nitroaniline	UG/L			24	U	28	U
S	4-Nitrophenol	UG/L			24	U	28	U
S	Acenaphthene	UG/L			10	U	11	U
S	Acenaphthylene	UG/L			10	U	11	U
S	Anthracene	UG/L			10	U	11	U
S	Benzo(a)anthracene	UG/L			10	U	11	U
S	Benzo(a)pyrene	UG/L			10	U	11	U
S	Benzo(b)fluoranthene	UG/L			10	U	11	U
S	Benzo(g,h,i)perylene	UG/L			10	U	11	U
S	Benzo(k)fluoranthene	UG/L			10	U	11	U
S	Butylbenzylphthalate	UG/L			10	U	11	U
S	Carbazole	UG/L			10	U	11	U
	Chrysene	UG/L			10	U	11	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 691WMWREI27-F LAB SAMPLE ID---> 89857 RECEIPT DATE---->		SAMPLE ID ------> 691WMWREI27RE LAB SAMPLE ID---> 89846RE RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWES[illegible] LAB SAMPLE ID---> 89759 RECEIPT DATE----> 10/22/93	
S	Di-n-butylphthalate	UG/L			10	U	11	U
S	Di-n-octylphthalate	UG/L			10	U	11	U
S	Dibenz(a,h)anthracene	UG/L			10	U	11	U
S	Dibenzofuran	UG/L			10	U	11	U
S	Diethylphthalate	UG/L			4	J	11	U
S	Dimethylphthalate	UG/L			10	U	11	U
S	Fluoranthene	UG/L			10	U	11	U
S	Fluorene	UG/L			10	U	11	U
S	Hexachlorobenzene	UG/L			10	U	11	U
S	Hexachlorobutadiene	UG/L			10	U	11	U
S	Hexachlorocyclopentadiene	UG/L			10	U	11	U
S	Hexachloroethane	UG/L			10	U	11	U
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	11	U
S	Isophorone	UG/L			10	U	11	U
S	N-Nitroso-di-n-propylamine	UG/L			10	U	11	U
S	N-Nitrosodiphenylamine	UG/L			10	U	11	U
S	Naphthalene	UG/L			50		11	U
S	Nitrobenzene	UG/L			10	U	11	U
S	Pentachlorophenol	UG/L			24	U	28	U
S	Phenanthrene	UG/L			10	U	11	U
S	Phenol	UG/L			10	U	11	U
S	Pyrene	UG/L			10	U	11	U
S	bis(2-Chloroethoxy)methane	UG/L			10	U	11	U
S	bis(2-Ethlyhexy)phthalate	UG/L			10	U	1	U
S	bis(2-chloroethyl)ether	UG/L			10	U	11	U
S	bis(2-chloroisopropyl)ether	UG/L			10	U	11	U
V	1,1,1-Trichloroethane	UG/L			100	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L			100	U	10	U
V	1,1,2-Trichloroethane	UG/L			100	U	10	U
V	1,1-Dichloroethane	UG/L			100	U	10	U
V	1,1-Dichloroethene	UG/L			100	U	10	U
V	1,2-Dichloroethane	UG/L			100	U	10	U
V	1,2-Dichloroethene (total)	UG/L			100	U	10	U
V	1,2-Dichloropropane	UG/L			100	U	10	U
V	2-Butanone	UG/L			100	U	7	J
V	2-Hexanone	UG/L			100	U	10	U
V	4-Methyl-2-Pentanone	UG/L			100	U	10	U
V	Acetone	UG/L			33	U	39	U
V	Benzene	UG/L			80	J	10	U
V	Bromodichloromethane	UG/L			100	U	10	U
V	Bromoform	UG/L			100	U	10	U
V	Bromomethane	UG/L			100	U	10	U
V	Carbon Disulfide	UG/L			100	U	10	U
V	Carbon Tetrachloride	UG/L			100	U	10	U
V	Chlorobenzene	UG/L			1200		10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	691WMWREI27-F		691WMWREI27RE		693WMWES35
		LAB SAMPLE ID--->	89857		89846RE		89759
		RECEIPT DATE---->			10/23/93		10/22/93
	PARAMETER	UNITS					
V	Chloroethane	UG/L		13	J	10	U
V	Chloroform	UG/L		100	U	10	U
V	Chloromethane	UG/L		100	U	10	U
V	Dibromochloromethane	UG/L		100	U	10	U
V	Ethylbenzene	UG/L		11	J	10	U
V	Methylene Chloride	UG/L		100	U	10	U
V	Styrene	UG/L		100	U	10	U
V	Tetrachloroethene	UG/L		19	J	92	
V	Toluene	UG/L		100	U	10	U
V	Trichloroethene	UG/L		100	U	6	J
V	Vinyl Chloride	UG/L		100	U	10	U
V	Xylene (total)	UG/L		100	U	10	U
V	cis-1,3-Dichloropropene	UG/L		100	U	10	U
V	trans-1,3-Dichloropropene	UG/L		100	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES35-F LAB SAMPLE ID---> 89769 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWES37 LAB SAMPLE ID---> 89666 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES37-F LAB SAMPLE ID---> 89672 RECEIPT DATE----> 10/21/93	
I	Aluminum	UG/L	25.5	U	18300		73.1	U
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	2	J	4.8	J	3.4	J
I	Barium	UG/L	89.3	J	233		80.3	J
I	Beryllium	UG/L	1	U	1.7	J	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	100000		76600		69100	
I	Chromium	UG/L	4	U	8.2	J	4	U
I	Cobalt	UG/L	3	U	5.8	J	3.6	U
I	Copper	UG/L	4	U	8	U	4	U
I	Iron	UG/L	31.8	U	7390		2280	
I	Lead	UG/L	2	U	11		2	U
I	Magnesium	UG/L	13400		17300		15200	
I	Manganese	UG/L	47.9		56.2		40.2	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	62800		6840		5180	
I	Selenium	UG/L	2	U	2	U	2	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	375000		90600		90500	
I	Thallium	UG/L	10	R	2	R	2	R
I	Vanadium	UG/L	3	U	21.6	J	4.2	U
I	Zinc	UG/L	5	U	33.1	U	7.9	U
P	4,4'-DDD	UG/L			0.11	U		
P	4,4'-DDE	UG/L			0.11	U		
P	4,4'-DDT	UG/L			0.11	U		
P	Aldrin	UG/L			0.054	U		
P	Aroclor 1016	UG/L			1.1	U		
P	Aroclor 1221	UG/L			2.2	U		
P	Aroclor 1232	UG/L			1.1	U		
P	Aroclor 1242	UG/L			1.1	U		
P	Aroclor 1248	UG/L			1.1	U		
P	Aroclor 1254	UG/L			1.1	U		
P	Aroclor 1260	UG/L			1.1	U		
P	Dieldrin	UG/L			0.11	U		
P	Endosulfan I	UG/L			0.054	U		
P	Endosulfan II	UG/L			0.11	U		
P	Endosulfan sulfate	UG/L			0.11	U		
P	Endrin	UG/L			0.11	U		
P	Endrin aldehyde	UG/L			0.11	U		
P	Endrin ketone	UG/L			0.11	U		
P	Heptachlor	UG/L			0.054	U		
P	Heptachlor epoxide	UG/L			0.054	U		
P	Methoxychlor	UG/L			0.54	U		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWES35-F	693WMWES37		693WMWES37-F
	LAB SAMPLE ID--->	89769	89666		89672
	RECEIPT DATE---->		10/21/93		
	PARAMETER	UNITS			
P	Toxaphene	UG/L	5.4	U	
P	alpha-BHC	UG/L	0.054	U	
P	alpha-Chlordane	UG/L	0.054	U	
P	beta-BHC	UG/L	0.054	U	
P	delta-BHC	UG/L	0.054	U	
P	gamma-BHC (Lindane)	UG/L	0.054	U	
P	gamma-Chlordane	UG/L	0.054	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	21		
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	1	J	
S	2,4,5-Trichlorophenol	UG/L	24	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	24	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
S	2-Chloronaphthalene	UG/L	10	U	
	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	24	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	24	U	
S	4,6-Dinitro-2-methylphenol	UG/L	24	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	24	U	
S	4-Nitrophenol	UG/L	24	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	
	Chrysene	UG/L	10	U	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES35-F LAB SAMPLE ID---> 89769 RECEIPT DATE---->	693WMWES37 89666 10/21/93		693WMWES..-F 89672
S	Di-n-butylphthalate	UG/L		10	U	
S	Di-n-octylphthalate	UG/L		10	U	
S	Dibenz(a,h)anthracene	UG/L		10	U	
S	Dibenzofuran	UG/L		10	U	
S	Diethylphthalate	UG/L		10	U	
S	Dimethylphthalate	UG/L		10	U	
S	Fluoranthene	UG/L		10	U	
S	Fluorene	UG/L		10	U	
S	Hexachlorobenzene	UG/L		10	U	
S	Hexachlorobutadiene	UG/L		10	U	
S	Hexachlorocyclopentadiene	UG/L		10	U	
S	Hexachloroethane	UG/L		10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U	
S	Isophorone	UG/L		10	U	
S	N-Nitroso-di-n-propylamine	UG/L		10	U	
S	N-Nitrosodiphenylamine	UG/L		10	U	
S	Naphthalene	UG/L		10	U	
S	Nitrobenzene	UG/L		10	U	
S	Pentachlorophenol	UG/L		24	U	
S	Phenanthrene	UG/L		10	U	
S	Phenol	UG/L		10	U	
S	Pyrene	UG/L		10	U	
S	bis(2-Chloroethoxy)methane	UG/L		10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L		10	U	
S	bis(2-chloroethyl)ether	UG/L		10	U	
S	bis(2-chloroisopropyl)ether	UG/L		10	U	
V	1,1,1-Trichloroethane	UG/L		10	U	
V	1,1,2,2-Tetrachloroethane	UG/L		10	U	
V	1,1,2-Trichloroethane	UG/L		10	U	
V	1,1-Dichloroethane	UG/L		6	J	
V	1,1-Dichloroethene	UG/L		3	J	
V	1,2-Dichloroethane	UG/L		10	U	
V	1,2-Dichloroethene (total)	UG/L		760	R	
V	1,2-Dichloropropane	UG/L		10	U	
V	2-Butanone	UG/L		10	U	
V	2-Hexanone	UG/L		10	U	
V	4-Methyl-2-Pentanone	UG/L		10	U	
V	Acetone	UG/L		10	U	
V	Benzene	UG/L		10	U	
V	Bromodichloromethane	UG/L		10	U	
V	Bromoform	UG/L		10	U	
V	Bromomethane	UG/L		10	U	
V	Carbon Disulfide	UG/L		1	J	
V	Carbon Tetrachloride	UG/L		10	U	
V	Chlorobenzene	UG/L		28		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWES35-F	693WMWES37		693WMWES37-F
	LAB SAMPLE ID--->	89769	88666		89672
	RECEIPT DATE---->	.	10/21/93		.
	PARAMETER	UNITS			
V	Chloroethane	UG/L	10	U	
V	Chloroform	UG/L	10	U	
V	Chloromethane	UG/L	10	U	
V	Dibromochloromethane	UG/L	10	U	
V	Ethylbenzene	UG/L	10	U	
V	Methylene Chloride	UG/L	10	U	
V	Styrene	UG/L	10	U	
V	Tetrachloroethene	UG/L	10	U	
V	Toluene	UG/L	2	J	
V	Trichloroethene	UG/L	10	U	
V	Vinyl Chloride	UG/L	1900	R	
V	Xylene (total)	UG/L	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES37DL		693WMWES38		693WMWES39-F	
			LAB SAMPLE ID---> 88666DL		89667		89673	
			RECEIPT DATE----> 10/21/93		10/21/93		10/21/93	
I	Aluminum	UG/L	58300		30.3	U
I	Antimony	UG/L	35	U	35	U
I	Arsenic	UG/L	10.1	J	8.5	J
I	Barium	UG/L	776		394	
I	Beryllium	UG/L	2.5	J	1	U
I	Cadmium	UG/L	3	U	3	U
I	Calcium	UG/L	126000		116000	
I	Chromium	UG/L	36.1		4	U
I	Cobalt	UG/L	16.9	J	6.4	U
I	Copper	UG/L	27		4	U
I	Iron	UG/L	33900		7750	
I	Lead	UG/L	24.1		2	U
I	Magnesium	UG/L	37000		32000	
I	Manganese	UG/L	426		347	
I	Mercury	UG/L	0.2	U	0.2	U
I	Nickel	UG/L	25.8	J	15	U
I	Potassium	UG/L	16300		10000	
I	Selenium	UG/L	5		2	U
I	Silver	UG/L	4	U	4	U
I	Sodium	UG/L	151000		151000	
I	Thallium	UG/L	10	R	10	R
I	Vanadium	UG/L	65.6		3	U
I	Zinc	UG/L	71.8		5	U
P	4,4'-DDD	UG/L	0.12	U		
P	4,4'-DDE	UG/L	0.12	U		
P	4,4'-DDT	UG/L	0.12	U		
P	Aldrin	UG/L	0.058	U		
P	Aroclor 1016	UG/L	1.2	U		
P	Aroclor 1221	UG/L	2.3	U		
P	Aroclor 1232	UG/L	1.2	U		
P	Aroclor 1242	UG/L	1.2	U		
P	Aroclor 1248	UG/L	1.2	U		
P	Aroclor 1254	UG/L	1.2	U		
P	Aroclor 1260	UG/L	1.2	U		
P	Dieldrin	UG/L	0.12	U		
P	Endosulfan I	UG/L	0.058	U		
P	Endosulfan II	UG/L	0.12	U		
P	Endosulfan sulfate	UG/L	0.12	U		
P	Endrin	UG/L	0.12	U		
P	Endrin aldehyde	UG/L	0.12	U		
P	Endrin ketone	UG/L	0.12	U		
P	Heptachlor	UG/L	0.058	U		
P	Heptachlor epoxide	UG/L	0.058	U		
P	Methoxychlor	UG/L	0.58	U		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWES37DL	693WMWES38		693WMWES38-F
	LAB SAMPLE ID--->	88666DL	89667		89673
	RECEIPT DATE---->	.	10/21/93		.
	PARAMETER	UNITS			
P	Toxaphene	UG/L	5.8	U	
P	alpha-BHC	UG/L	0.058	U	
P	alpha-Chlordane	UG/L	0.058	U	
P	beta-BHC	UG/L	0.058	U	
P	delta-BHC	UG/L	0.058	U	
P	gamma-BHC (Lindane)	UG/L	0.058	U	
P	gamma-Chlordane	UG/L	0.058	U	
S	1,2,4-Trichlorobenzene	UG/L	10	U	
S	1,2-Dichlorobenzene	UG/L	10	U	
S	1,3-Dichlorobenzene	UG/L	10	U	
S	1,4-Dichlorobenzene	UG/L	10	U	
S	2,4,5-Trichlorophenol	UG/L	25	U	
S	2,4,6-Trichlorophenol	UG/L	10	U	
S	2,4-Dichlorophenol	UG/L	10	U	
S	2,4-Dimethylphenol	UG/L	10	U	
S	2,4-Dinitrophenol	UG/L	25	U	
S	2,4-Dinitrotoluene	UG/L	10	U	
S	2,6-Dinitrotoluene	UG/L	10	U	
	2-Chloronaphthalene	UG/L	10	U	
	2-Chlorophenol	UG/L	10	U	
S	2-Methylnaphthalene	UG/L	10	U	
S	2-Methylphenol	UG/L	10	U	
S	2-Nitroaniline	UG/L	25	U	
S	2-Nitrophenol	UG/L	10	U	
S	3,3'-Dichlorobenzidine	UG/L	10	U	
S	3-Nitroaniline	UG/L	25	U	
S	4,6-Dinitro-2-methylphenol	UG/L	25	U	
S	4-Bromophenyl-phenylether	UG/L	10	U	
S	4-Chloro-3-methylphenol	UG/L	10	U	
S	4-Chloroaniline	UG/L	10	U	
S	4-Chlorophenyl-phenylether	UG/L	10	U	
S	4-Methylphenol	UG/L	10	U	
S	4-Nitroaniline	UG/L	25	U	
S	4-Nitrophenol	UG/L	25	U	
S	Acenaphthene	UG/L	10	U	
S	Acenaphthylene	UG/L	10	U	
S	Anthracene	UG/L	10	U	
S	Benzo(a)anthracene	UG/L	10	U	
S	Benzo(a)pyrene	UG/L	10	U	
S	Benzo(b)fluoranthene	UG/L	10	U	
S	Benzo(g,h,i)perylene	UG/L	10	U	
S	Benzo(k)fluoranthene	UG/L	10	U	
S	Butylbenzylphthalate	UG/L	10	U	
S	Carbazole	UG/L	10	U	
	Chrysene	UG/L	10	U	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES37DL		693WMWES38		693WMWES36-F
	LAB SAMPLE ID--->		88666DL		89667		89673
	RECEIPT DATE---->		.		10/21/93		.
S	Di-n-butylphthalate	UG/L			10	U	
S	Di-n-octylphthalate	UG/L			10	U	
S	Dibenz(a,h)anthracene	UG/L			10	U	
S	Dibenzofuran	UG/L			10	U	
S	Diethylphthalate	UG/L			10	U	
S	Dimethylphthalate	UG/L			10	U	
S	Fluoranthene	UG/L			10	U	
S	Fluorene	UG/L			10	U	
S	Hexachlorobenzene	UG/L			10	U	
S	Hexachlorobutadiene	UG/L			10	U	
S	Hexachlorocyclopentadiene	UG/L			10	U	
S	Hexachloroethane	UG/L			10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L			10	U	
S	Isophorone	UG/L			10	U	
S	N-Nitroso-di-n-propylamine	UG/L			10	U	
S	N-Nitrosodiphenylamine	UG/L			10	U	
S	Naphthalene	UG/L			10	U	
S	Nitrobenzene	UG/L			10	U	
S	Pentachlorophenol	UG/L			25	U	
S	Phenanthrene	UG/L			10	U	
S	Phenol	UG/L			10	U	
S	Pyrene	UG/L			10	U	
S	bis(2-Chloroethoxy)methane	UG/L			10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L			10	U	
S	bis(2-chloroethyl)ether	UG/L			10	U	
S	bis(2-chloroisopropyl)ether	UG/L			10	U	
V	1,1,1-Trichloroethane	UG/L	200	U	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	200	U	10	U	
V	1,1,2-Trichloroethane	UG/L	200	U	10	U	
V	1,1-Dichloroethane	UG/L	200	U	10	U	
V	1,1-Dichloroethene	UG/L	200	U	10	U	
V	1,2-Dichloroethane	UG/L	200	U	10	U	
V	1,2-Dichloroethene (total)	UG/L	880	J	10	U	
V	1,2-Dichloropropane	UG/L	200	U	10	U	
V	2-Butanone	UG/L	200	U	10	U	
V	2-Hexanone	UG/L	200	U	10	U	
V	4-Methyl-2-Pentanone	UG/L	200	U	10	U	
V	Acetone	UG/L	70	U	10	U	
V	Benzene	UG/L	200	U	10	U	
V	Bromodichloromethane	UG/L	200	U	10	U	
V	Bromoform	UG/L	200	U	10	U	
V	Bromomethane	UG/L	200	U	10	U	
V	Carbon Disulfide	UG/L	200	U	10	U	
V	Carbon Tetrachloride	UG/L	200	U	10	U	
V	Chlorobenzene	UG/L	23	J	2	J	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES37DL		693WMWES38		693WMWES38-F
		LAB SAMPLE ID--->	88666DL		89667		89673
		RECEIPT DATE---->	10/21/93		10/21/93		
	PARAMETER	UNITS					
V	Chloroethane	UG/L	200	U	10	U	
V	Chloroform	UG/L	200	U	10	U	
V	Chloromethane	UG/L	200	U	10	U	
V	Dibromochloromethane	UG/L	200	U	10	U	
V	Ethylbenzene	UG/L	200	U	10	U	
V	Methylene Chloride	UG/L	200	U	10	U	
V	Styrene	UG/L	200	U	10	U	
V	Tetrachloroethene	UG/L	200	U	10	U	
V	Toluene	UG/L	200	U	10	U	
V	Trichloroethene	UG/L	200	U	10	U	
V	Vinyl Chloride	UG/L	2200	J	10	U	
V	Xylene (total)	UG/L	200	U	10	U	
V	cis-1,3-Dichloropropene	UG/L	200	U	10	U	
V	trans-1,3-Dichloropropene	UG/L	200	U	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES38D LAB SAMPLE ID---> 89668 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES38D-F LAB SAMPLE ID---> 89674 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES[illegible] LAB SAMPLE ID---> 89754 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	65000		42.7	U	1040	
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	7.9	J	9.2	J	2	U
I	Barium	UG/L	801		406		76.4	J
I	Beryllium	UG/L	2.7	J	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	127000		118000		57200	
I	Chromium	UG/L	38.5		4	U	18.9	
I	Cobalt	UG/L	18.7	J	6.5	U	3	U
I	Copper	UG/L	25.8		4	U	4	U
I	Iron	UG/L	36700		8890		1010	
I	Lead	UG/L	22.3		2	U	2	U
I	Magnesium	UG/L	38200		32700		13000	
I	Manganese	UG/L	445		356		148	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	26.6	J	15	U	15	U
I	Potassium	UG/L	17200		10300		276000	
I	Selenium	UG/L	4.6	J	2.6	J	2	U
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	154000		155000		211000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L	71		3.4	U	3.3	J
I	Zinc	UG/L	77.5		5	U	22.3	
P	4,4'-DDD	UG/L	0.11	U			0.1	U
P	4,4'-DDE	UG/L	0.11	U			0.1	U
P	4,4'-DDT	UG/L	0.11	U			0.1	U
P	Aldrin	UG/L	0.054	U			0.052	U
P	Aroclor 1016	UG/L	1.1	U			1	U
P	Aroclor 1221	UG/L	2.2	U			2.1	U
P	Aroclor 1232	UG/L	1.1	U			1	U
P	Aroclor 1242	UG/L	1.1	U			1	U
P	Aroclor 1248	UG/L	1.1	U			1	U
P	Aroclor 1254	UG/L	1.1	U			1	U
P	Aroclor 1260	UG/L	1.1	U			1	U
P	Dieldrin	UG/L	0.11	U			0.1	U
P	Endosulfan I	UG/L	0.054	U			0.052	U
P	Endosulfan II	UG/L	0.11	U			0.1	U
P	Endosulfan sulfate	UG/L	0.11	U			0.1	U
P	Endrin	UG/L	0.11	U			0.1	U
P	Endrin aldehyde	UG/L	0.11	U			0.1	U
P	Endrin ketone	UG/L	0.11	U			0.1	U
P	Heptachlor	UG/L	0.054	U			0.052	U
P	Heptachlor epoxide	UG/L	0.054	U			0.052	U
P	Methoxychlor	UG/L	0.54	U			0.52	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES38D LAB SAMPLE ID---> 89668 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES38D-F LAB SAMPLE ID---> 89674 RECEIPT DATE----> .		SAMPLE ID ------> 693WMWES39 LAB SAMPLE ID---> 89754 RECEIPT DATE----> 10/22/93	
P	Toxaphene	UG/L	5.4	U			5.2	U
P	alpha-BHC	UG/L	0.054	U			0.052	U
P	alpha-Chlordane	UG/L	0.054	U			0.052	U
P	beta-BHC	UG/L	0.054	U			0.052	U
P	delta-BHC	UG/L	0.054	U			0.052	U
P	gamma-BHC (Lindane)	UG/L	0.054	U			0.052	U
P	gamma-Chlordane	UG/L	0.054	U			0.052	U
S	1,2,4-Trichlorobenzene	UG/L	12	U			10	U
S	1,2-Dichlorobenzene	UG/L	12	U			10	U
S	1,3-Dichlorobenzene	UG/L	12	U			10	U
S	1,4-Dichlorobenzene	UG/L	12	U			10	U
S	2,4,5-Trichlorophenol	UG/L	29	U			25	U
S	2,4,6-Trichlorophenol	UG/L	12	U			10	U
S	2,4-Dichlorophenol	UG/L	12	U			10	U
S	2,4-Dimethylphenol	UG/L	12	U			10	U
S	2,4-Dinitrophenol	UG/L	29	U			25	U
S	2,4-Dinitrotoluene	UG/L	12	U			10	U
S	2,6-Dinitrotoluene	UG/L	12	U			10	U
	2-Chloronaphthalene	UG/L	12	U			10	U
	2-Chlorophenol	UG/L	12	U			10	U
S	2-Methylnaphthalene	UG/L	12	U			10	U
S	2-Methylphenol	UG/L	12	U			10	U
S	2-Nitroaniline	UG/L	29	U			25	U
S	2-Nitrophenol	UG/L	12	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	12	U			10	U
S	3-Nitroaniline	UG/L	29	U			25	U
S	4,6-Dinitro-2-methylphenol	UG/L	29	U			25	U
S	4-Bromophenyl-phenylether	UG/L	12	U			10	U
S	4-Chloro-3-methylphenol	UG/L	12	U			10	U
S	4-Chloroaniline	UG/L	12	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	12	U			10	U
S	4-Methylphenol	UG/L	12	U			10	U
S	4-Nitroaniline	UG/L	29	U			25	U
S	4-Nitrophenol	UG/L	29	U			25	U
S	Acenaphthene	UG/L	12	U			10	U
S	Acenaphthylene	UG/L	12	U			10	U
S	Anthracene	UG/L	12	U			10	U
S	Benzo(a)anthracene	UG/L	12	U			10	U
S	Benzo(a)pyrene	UG/L	12	U			10	U
S	Benzo(b)fluoranthene	UG/L	12	U			10	U
S	Benzo(g,h,i)perylene	UG/L	12	U			10	U
S	Benzo(k)fluoranthene	UG/L	12	U			10	U
S	Butylbenzylphthalate	UG/L	12	U			10	U
S	Carbazole	UG/L	12	U			10	U
	Chrysene	UG/L	12	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES38D LAB SAMPLE ID---> 89668 RECEIPT DATE----> 10/21/93		693WMWES38D-F 89674		693WMWES[illegible] 89754 10/22/93	
S	Di-n-butylphthalate	UG/L	12	U			10	U
S	Di-n-octylphthalate	UG/L	12	U			10	U
S	Dibenz(a,h)anthracene	UG/L	12	U			10	U
S	Dibenzofuran	UG/L	12	U			10	U
S	Diethylphthalate	UG/L	12	U			10	U
S	Dimethylphthalate	UG/L	12	U			10	U
S	Fluoranthene	UG/L	12	U			10	U
S	Fluorene	UG/L	12	U			10	U
S	Hexachlorobenzene	UG/L	12	U			10	U
S	Hexachlorobutadiene	UG/L	12	U			10	U
S	Hexachlorocyclopentadiene	UG/L	12	U			10	U
S	Hexachloroethane	UG/L	12	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	12	U			10	U
S	Isophorone	UG/L	12	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	12	U			10	U
S	N-Nitrosodiphenylamine	UG/L	12	U			10	U
S	Naphthalene	UG/L	12	U			10	U
S	Nitrobenzene	UG/L	12	U			10	U
S	Pentachlorophenol	UG/L	29	U			25	U
S	Phenanthrene	UG/L	12	U			10	U
S	Phenol	UG/L	12	U			10	U
S	Pyrene	UG/L	12	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	12	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	12	U			1	U
S	bis(2-chloroethyl)ether	UG/L	12	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	12	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	9	U			860	R
V	Benzene	UG/L	10	U			9	J
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			3	J
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	1	J			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES38D LAB SAMPLE ID---> 89668 RECEIPT DATE----> 10/21/93		SAMPLE ID ------> 693WMWES38D-F LAB SAMPLE ID---> 89674 RECEIPT DATE---->		SAMPLE ID ------> 693WMWES39 LAB SAMPLE ID---> 89754 RECEIPT DATE----> 10/22/93	
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			37	
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	3	U			2	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES39-F LAB SAMPLE ID---> 89765 RECEIPT DATE----> 10/22/93		693WMWES39DL 89754DL 10/22/93		693WMWES-.. 89755 10/22/93	
I	Aluminum	UG/L	46.2	U			2120	
I	Antimony	UG/L	35	U			35	U
I	Arsenic	UG/L	2	U			12	
I	Barium	UG/L	91.5	J			284	
I	Beryllium	UG/L	1	U			1	U
I	Cadmium	UG/L	3	U			3	U
I	Calcium	UG/L	78700				111000	
I	Chromium	UG/L	4	U			4	U
I	Cobalt	UG/L	3	U			11	J
I	Copper	UG/L	4	U			4.9	U
I	Iron	UG/L	20.2	U			7700	
I	Lead	UG/L	2	U			2.5	J
I	Magnesium	UG/L	11300				28700	
I	Manganese	UG/L	147				181	
I	Mercury	UG/L	0.2	U			0.2	U
I	Nickel	UG/L	15	U			15	U
I	Potassium	UG/L	228000				21500	
I	Selenium	UG/L	2	U			2.8	J
I	Silver	UG/L	4	U			4	U
I	Sodium	UG/L	202000				140000	
I	Thallium	UG/L	10	R			10	R
I	Vanadium	UG/L	3	U			4.1	J
I	Zinc	UG/L	5	U			17.1	U
P	4,4'-DDD	UG/L					0.1	U
P	4,4'-DDE	UG/L					0.1	U
P	4,4'-DDT	UG/L					0.1	U
P	Aldrin	UG/L					0.051	U
P	Aroclor 1016	UG/L					1	U
P	Aroclor 1221	UG/L					2	U
P	Aroclor 1232	UG/L					1	U
P	Aroclor 1242	UG/L					1	U
P	Aroclor 1248	UG/L					1	U
P	Aroclor 1254	UG/L					1	U
P	Aroclor 1260	UG/L					1	U
P	Dieldrin	UG/L					0.1	U
P	Endosulfan I	UG/L					0.051	U
P	Endosulfan II	UG/L					0.1	U
P	Endosulfan sulfate	UG/L					0.1	U
P	Endrin	UG/L					0.1	U
P	Endrin aldehyde	UG/L					0.1	U
P	Endrin ketone	UG/L					0.1	U
P	Heptachlor	UG/L					0.051	U
P	Heptachlor epoxide	UG/L					0.051	U
P	Methoxychlor	UG/L					0.51	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES39-F	693WMWES39DL	693WMWES40
			LAB SAMPLE ID---> 89765	89754DL	89755
			RECEIPT DATE----> .	.	10/22/93
P	Toxaphene	UG/L			5.1 U
P	alpha-BHC	UG/L			0.051 U
P	alpha-Chlordane	UG/L			0.051 U
P	beta-BHC	UG/L			0.051 U
P	delta-BHC	UG/L			0.051 U
P	gamma-BHC (Lindane)	UG/L			0.051 U
P	gamma-Chlordane	UG/L			0.051 U
S	1,2,4-Trichlorobenzene	UG/L			10 U
S	1,2-Dichlorobenzene	UG/L			10 U
S	1,3-Dichlorobenzene	UG/L			10 U
S	1,4-Dichlorobenzene	UG/L			13
S	2,4,5-Trichlorophenol	UG/L			25 U
S	2,4,6-Trichlorophenol	UG/L			10 U
S	2,4-Dichlorophenol	UG/L			10 U
S	2,4-Dimethylphenol	UG/L			10 U
S	2,4-Dinitrophenol	UG/L			25 U
S	2,4-Dinitrotoluene	UG/L			10 U
S	2,6-Dinitrotoluene	UG/L			10 U
S	2-Chloronaphthalene	UG/L			10 U
S	2-Chlorophenol	UG/L			10 U
S	2-Methylnaphthalene	UG/L			10 U
S	2-Methylphenol	UG/L			10 U
S	2-Nitroaniline	UG/L			25 U
S	2-Nitrophenol	UG/L			10 U
S	3,3'-Dichlorobenzidine	UG/L			10 U
S	3-Nitroaniline	UG/L			25 U
S	4,6-Dinitro-2-methylphenol	UG/L			25 U
S	4-Bromophenyl-phenylether	UG/L			10 U
S	4-Chloro-3-methylphenol	UG/L			10 U
S	4-Chloroaniline	UG/L			10 U
S	4-Chlorophenyl-phenylether	UG/L			10 U
S	4-Methylphenol	UG/L			10 U
S	4-Nitroaniline	UG/L			25 U
S	4-Nitrophenol	UG/L			25 U
S	Acenaphthene	UG/L			10 U
S	Acenaphthylene	UG/L			10 U
S	Anthracene	UG/L			10 U
S	Benzo(a)anthracene	UG/L			10 U
S	Benzo(a)pyrene	UG/L			10 U
S	Benzo(b)fluoranthene	UG/L			10 U
S	Benzo(g,h,i)perylene	UG/L			10 U
S	Benzo(k)fluoranthene	UG/L			10 U
S	Butylbenzylphthalate	UG/L			10 U
S	Carbazole	UG/L			10 U
S	Chrysene	UG/L			10 U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES39-F LAB SAMPLE ID---> 89765 RECEIPT DATE---->		693WMWES39DL 89754DL .		693WMWES40 89755 10/22/93	
S	Di-n-butylphthalate	UG/L					10	U
S	Di-n-octylphthalate	UG/L					10	U
S	Dibenz(a,h)anthracene	UG/L					10	U
S	Dibenzofuran	UG/L					10	U
S	Diethylphthalate	UG/L					10	U
S	Dimethylphthalate	UG/L					10	U
S	Fluoranthene	UG/L					10	U
S	Fluorene	UG/L					10	U
S	Hexachlorobenzene	UG/L					10	U
S	Hexachlorobutadiene	UG/L					10	U
S	Hexachlorocyclopentadiene	UG/L					10	U
S	Hexachloroethane	UG/L					10	U
S	Indeno(1,2,3-cd)pyrene	UG/L					10	U
S	Isophorone	UG/L					10	U
S	N-Nitroso-di-n-propylamine	UG/L					10	U
S	N-Nitrosodiphenylamine	UG/L					10	U
S	Naphthalene	UG/L					10	U
S	Nitrobenzene	UG/L					10	U
S	Pentachlorophenol	UG/L					25	U
S	Phenanthrene	UG/L					10	U
S	Phenol	UG/L					10	U
S	Pyrene	UG/L					10	U
S	bis(2-Chloroethoxy)methane	UG/L					10	U
S	bis(2-Ethlyhexy)phthalate	UG/L					3	U
S	bis(2-chloroethyl)ether	UG/L					10	U
S	bis(2-chloroisopropyl)ether	UG/L					10	U
V	1,1,1-Trichloroethane	UG/L			100	U	10	U
V	1,1,2,2-Tetrachloroethane	UG/L			100	U	10	U
V	1,1,2-Trichloroethane	UG/L			100	U	10	U
V	1,1-Dichloroethane	UG/L			100	U	5	J
V	1,1-Dichloroethene	UG/L			100	U	10	U
V	1,2-Dichloroethane	UG/L			100	U	10	U
V	1,2-Dichloroethene (total)	UG/L			100	U	10	U
V	1,2-Dichloropropane	UG/L			100	U	10	U
V	2-Butanone	UG/L			100	U	4	J
V	2-Hexanone	UG/L			100	U	10	U
V	4-Methyl-2-Pentanone	UG/L			100	U	10	U
V	Acetone	UG/L			610	J	30	U
V	Benzene	UG/L			100	U	3	J
V	Bromodichloromethane	UG/L			100	U	10	U
V	Bromoform	UG/L			100	U	10	U
V	Bromomethane	UG/L			100	U	10	U
V	Carbon Disulfide	UG/L			100	U	10	U
V	Carbon Tetrachloride	UG/L			100	U	10	U
V	Chlorobenzene	UG/L			100	U	55	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES39-F LAB SAMPLE ID---> 89765 RECEIPT DATE----> .		693WMWES39DL 89754DL 10/22/93		693WMWES40 89755 10/22/93	
V	Chloroethane	UG/L			100	U	10	U
V	Chloroform	UG/L			100	U	10	U
V	Chloromethane	UG/L			100	U	10	U
V	Dibromochloromethane	UG/L			100	U	10	U
V	Ethylbenzene	UG/L			100	U	10	U
V	Methylene Chloride	UG/L			100	U	10	U
V	Styrene	UG/L			100	U	10	U
V	Tetrachloroethene	UG/L			36	J	10	U
V	Toluene	UG/L			100	U	10	U
V	Trichloroethene	UG/L			100	U	10	U
V	Vinyl Chloride	UG/L			100	U	10	U
V	Xylene (total)	UG/L			100	U	10	U
V	cis-1,3-Dichloropropene	UG/L			100	U	10	U
V	trans-1,3-Dichloropropene	UG/L			100	U	10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES40-F		693WMWES41		693WMWES41-F	
	LAB SAMPLE ID--->		89766		89842		89850	
	RECEIPT DATE---->		10/22/93		10/23/93		10/23/93	
I	Aluminum	UG/L	32.6	U	7290	J	20	U
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	15.4	J	6.9	J	2.2	J
I	Barium	UG/L	312		276		241	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	114000		87300		82800	
I	Chromium	UG/L	4	U	4.3	J	4	U
I	Cobalt	UG/L	8.2	U	3.1	J	3	U
I	Copper	UG/L	4	U	13.1	J	4	U
I	Iron	UG/L	5790		5920		37.4	U
I	Lead	UG/L	2	U	4.4	J	2	U
I	Magnesium	UG/L	30200		11700		10200	
I	Manganese	UG/L	211		334		299	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	22600		6900		5400	
I	Selenium	UG/L	2	U	2	U	2	U
I	Silver	UG/L	4	U	4	UJ	4	UJ
I	Sodium	UG/L	134000		133000		134000	
I	Thallium	UG/L	10	R	2	U	10	R
I	Vanadium	UG/L	3	U	13.4	J	3	U
I	Zinc	UG/L	26.5	U	30.9		5	U
P	4,4'-DDD	UG/L			0.058	U		
P	4,4'-DDE	UG/L			0.058	U		
P	4,4'-DDT	UG/L			0.058	U		
P	Aldrin	UG/L			0.029	U		
P	Aroclor 1016	UG/L			0.58	U		
P	Aroclor 1221	UG/L			1.2	U		
P	Aroclor 1232	UG/L			0.58	U		
P	Aroclor 1242	UG/L			0.58	U		
P	Aroclor 1248	UG/L			0.58	U		
P	Aroclor 1254	UG/L			0.58	U		
P	Aroclor 1260	UG/L			0.58	U		
P	Dieldrin	UG/L			0.058	U		
P	Endosulfan I	UG/L			0.029	U		
P	Endosulfan II	UG/L			0.058	U		
P	Endosulfan sulfate	UG/L			0.058	U		
P	Endrin	UG/L			0.058	U		
P	Endrin aldehyde	UG/L			0.058	U		
P	Endrin ketone	UG/L			0.058	U		
P	Heptachlor	UG/L			0.029	U		
P	Heptachlor epoxide	UG/L			0.029	U		
P	Methoxychlor	UG/L			0.29	U		

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES40-F LAB SAMPLE ID---> 89766 RECEIPT DATE---->		SAMPLE ID ------> 693WMWES41 LAB SAMPLE ID---> 89842 RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWES41-F LAB SAMPLE ID---> 89850 RECEIPT DATE---->
P	Toxaphene	UG/L			2.9	U	
P	alpha-BHC	UG/L			0.029	U	
P	alpha-Chlordane	UG/L			0.029	U	
P	beta-BHC	UG/L			0.029	U	
P	delta-BHC	UG/L			0.029	U	
P	gamma-BHC (Lindane)	UG/L			0.029	U	
P	gamma-Chlordane	UG/L			0.029	U	
S	1,2,4-Trichlorobenzene	UG/L			10	U	
S	1,2-Dichlorobenzene	UG/L			10	U	
S	1,3-Dichlorobenzene	UG/L			10	U	
S	1,4-Dichlorobenzene	UG/L			10	U	
S	2,4,5-Trichlorophenol	UG/L			25	U	
S	2,4,6-Trichlorophenol	UG/L			10	U	
S	2,4-Dichlorophenol	UG/L			10	U	
S	2,4-Dimethylphenol	UG/L			10	U	
S	2,4-Dinitrophenol	UG/L			25	U	
S	2,4-Dinitrotoluene	UG/L			10	U	
S	2,6-Dinitrotoluene	UG/L			10	U	
S	2-Chloronaphthalene	UG/L			10	U	
S	2-Chlorophenol	UG/L			10	U	
S	2-Methylnaphthalene	UG/L			10	U	
S	2-Methylphenol	UG/L			10	U	
S	2-Nitroaniline	UG/L			25	U	
S	2-Nitrophenol	UG/L			10	U	
S	3,3'-Dichlorobenzidine	UG/L			10	U	
S	3-Nitroaniline	UG/L			25	U	
S	4,6-Dinitro-2-methylphenol	UG/L			25	U	
S	4-Bromophenyl-phenylether	UG/L			10	U	
S	4-Chloro-3-methylphenol	UG/L			10	U	
S	4-Chloroaniline	UG/L			10	U	
S	4-Chlorophenyl-phenylether	UG/L			10	U	
S	4-Methylphenol	UG/L			10	U	
S	4-Nitroaniline	UG/L			25	U	
S	4-Nitrophenol	UG/L			25	U	
S	Acenaphthene	UG/L			10	U	
S	Acenaphthylene	UG/L			10	U	
S	Anthracene	UG/L			10	U	
S	Benzo(a)anthracene	UG/L			10	U	
S	Benzo(a)pyrene	UG/L			10	U	
S	Benzo(b)fluoranthene	UG/L			10	U	
S	Benzo(g,h,i)perylene	UG/L			10	U	
S	Benzo(k)fluoranthene	UG/L			10	U	
S	Butylbenzylphthalate	UG/L			10	U	
S	Carbazole	UG/L			10	U	
S	Chrysene	UG/L			10	U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES40-F	693WMWES41	693WMWES41-F
		LAB SAMPLE ID--->	89766	89842	89850
		RECEIPT DATE---->		10/23/93	
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L		10	U
S	Di-n-octylphthalate	UG/L		10	U
S	Dibenz(a,h)anthracene	UG/L		10	U
S	Dibenzofuran	UG/L		10	U
S	Diethylphthalate	UG/L		10	U
S	Dimethylphthalate	UG/L		10	U
S	Fluoranthene	UG/L		10	U
S	Fluorene	UG/L		10	U
S	Hexachlorobenzene	UG/L		10	U
S	Hexachlorobutadiene	UG/L		10	U
S	Hexachlorocyclopentadiene	UG/L		10	U
S	Hexachloroethane	UG/L		10	U
S	Indeno(1,2,3-cd)pyrene	UG/L		10	U
S	Isophorone	UG/L		10	U
S	N-Nitroso-di-n-propylamine	UG/L		10	U
S	N-Nitrosodiphenylamine	UG/L		10	U
S	Naphthalene	UG/L		10	U
S	Nitrobenzene	UG/L		10	U
S	Pentachlorophenol	UG/L		25	U
S	Phenanthrene	UG/L		10	U
S	Phenol	UG/L		10	U
S	Pyrene	UG/L		10	U
S	bis(2-Chloroethoxy)methane	UG/L		10	U
S	bis(2-Ethlyhexy)phthalate	UG/L		5	J
S	bis(2-chloroethyl)ether	UG/L		10	U
S	bis(2-chloroisopropyl)ether	UG/L		10	U
V	1,1,1-Trichloroethane	UG/L		10	U
V	1,1,2,2-Tetrachloroethane	UG/L		10	U
V	1,1,2-Trichloroethane	UG/L		10	U
V	1,1-Dichloroethane	UG/L		10	U
V	1,1-Dichloroethene	UG/L		10	U
V	1,2-Dichloroethane	UG/L		10	U
V	1,2-Dichloroethene (total)	UG/L		10	U
V	1,2-Dichloropropane	UG/L		10	U
V	2-Butanone	UG/L		10	U
V	2-Hexanone	UG/L		10	U
V	4-Methyl-2-Pentanone	UG/L		10	U
V	Acetone	UG/L		5	J
V	Benzene	UG/L		10	U
V	Bromodichloromethane	UG/L		10	U
V	Bromoform	UG/L		10	U
V	Bromomethane	UG/L		10	U
V	Carbon Disulfide	UG/L		3	J
V	Carbon Tetrachloride	UG/L		10	U
V	Chlorobenzene	UG/L		10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES40-F	693WMWES41		693WMWES41-F
		LAB SAMPLE ID--->	89766	89842		89850
		RECEIPT DATE---->		10/23/93		
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		10	U	
V	Vinyl Chloride	UG/L		10	U	
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES42		693WMWES42-F		693WMWES43	
	LAB SAMPLE ID--->		89753		89770		89840	
	RECEIPT DATE---->		10/22/93		10/22/93		10/23/93	
I	Aluminum	UG/L	11500		32	U	23000	J
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	2.4	J	2	U	12.2	J
I	Barium	UG/L	156	J	76.9	J	640	
I	Beryllium	UG/L	1	U	1	U	1.4	J
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	58800		54400		268000	
I	Chromium	UG/L	5.5	J	4	U	18.2	
I	Cobalt	UG/L	5	J	3	U	11.5	J
I	Copper	UG/L	6.2	U	4.2	U	21.2	J
I	Iron	UG/L	3220		28.1	U	18200	
I	Lead	UG/L	6.2		2	U	16.8	J
I	Magnesium	UG/L	10400		9910		25900	
I	Manganese	UG/L	46.4		27.1	U	842	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	10200		9410		13900	
I	Selenium	UG/L	2	U	2	U	10	U
I	Silver	UG/L	4	U	4	U	4	UJ
I	Sodium	UG/L	47400		47900		301000	
I	Thallium	UG/L	2	R	2	R	10	U
I	Vanadium	UG/L	10.8	J	3	U	36.3	J
I	Zinc	UG/L	17.2	U	5	U	58.1	
P	4,4'-DDD	UG/L	0.11	U			0.1	U
P	4,4'-DDE	UG/L	0.11	U			0.1	U
P	4,4'-DDT	UG/L	0.11	U			0.1	U
P	Aldrin	UG/L	0.053	U			0.052	U
P	Aroclor 1016	UG/L	1.1	U			1	U
P	Aroclor 1221	UG/L	2.1	U			2.1	U
P	Aroclor 1232	UG/L	1.1	U			1	U
P	Aroclor 1242	UG/L	1.1	U			1	U
P	Aroclor 1248	UG/L	1.1	U			1	U
P	Aroclor 1254	UG/L	1.1	U			1	U
P	Aroclor 1260	UG/L	1.1	U			1	U
P	Dieldrin	UG/L	0.11	U			0.1	U
P	Endosulfan I	UG/L	0.053	U			0.052	U
P	Endosulfan II	UG/L	0.11	U			0.1	U
P	Endosulfan sulfate	UG/L	0.11	U			0.1	U
P	Endrin	UG/L	0.11	U			0.1	U
P	Endrin aldehyde	UG/L	0.11	U			0.1	U
P	Endrin ketone	UG/L	0.11	U			0.1	U
P	Heptachlor	UG/L	0.053	U			0.052	U
P	Heptachlor epoxide	UG/L	0.053	U			0.052	U
P	Methoxychlor	UG/L	0.53	U			0.52	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES42 LAB SAMPLE ID---> 89753 RECEIPT DATE----> 10/22/93		693WMWES42-F 89770 .		693WMWES43 89840 10/23/93	
P	Toxaphene	UG/L	5.3	U			5.2	U
P	alpha-BHC	UG/L	0.053	U			0.052	U
P	alpha-Chlordane	UG/L	0.053	U			0.052	U
P	beta-BHC	UG/L	0.053	U			0.052	U
P	delta-BHC	UG/L	0.053	U			0.052	U
P	gamma-BHC (Lindane)	UG/L	0.053	U			0.052	U
P	gamma-Chlordane	UG/L	0.053	U			0.052	U
S	1,2,4-Trichlorobenzene	UG/L	11	U			11	U
S	1,2-Dichlorobenzene	UG/L	11	U			11	U
S	1,3-Dichlorobenzene	UG/L	11	U			11	U
S	1,4-Dichlorobenzene	UG/L	11	U			11	U
S	2,4,5-Trichlorophenol	UG/L	27	U			26	U
S	2,4,6-Trichlorophenol	UG/L	11	U			11	U
S	2,4-Dichlorophenol	UG/L	11	U			11	U
S	2,4-Dimethylphenol	UG/L	11	U			11	U
S	2,4-Dinitrophenol	UG/L	27	U			26	U
S	2,4-Dinitrotoluene	UG/L	11	U			11	U
S	2,6-Dinitrotoluene	UG/L	11	U			11	U
S	2-Chloronaphthalene	UG/L	11	U			11	U
	2-Chlorophenol	UG/L	11	U			11	U
S	2-Methylnaphthalene	UG/L	11	U			11	U
S	2-Methylphenol	UG/L	11	U			11	U
S	2-Nitroaniline	UG/L	27	U			26	U
S	2-Nitrophenol	UG/L	11	U			11	U
S	3,3'-Dichlorobenzidine	UG/L	11	U			11	U
S	3-Nitroaniline	UG/L	27	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L	27	U			26	U
S	4-Bromophenyl-phenylether	UG/L	11	U			11	U
S	4-Chloro-3-methylphenol	UG/L	11	U			11	U
S	4-Chloroaniline	UG/L	11	U			11	U
S	4-Chlorophenyl-phenylether	UG/L	11	U			11	U
S	4-Methylphenol	UG/L	11	U			11	U
S	4-Nitroaniline	UG/L	27	U			26	U
S	4-Nitrophenol	UG/L	27	U			26	U
S	Acenaphthene	UG/L	11	U			11	U
S	Acenaphthylene	UG/L	11	U			11	U
S	Anthracene	UG/L	11	U			11	U
S	Benzo(a)anthracene	UG/L	11	U			11	U
S	Benzo(a)pyrene	UG/L	11	U			11	U
S	Benzo(b)fluoranthene	UG/L	11	U			11	U
S	Benzo(g,h,i)perylene	UG/L	11	U			11	U
S	Benzo(k)fluoranthene	UG/L	11	U			11	U
S	Butylbenzylphthalate	UG/L	11	U			11	U
S	Carbazole	UG/L	11	U			11	U
	Chrysene	UG/L	11	U			11	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES42		693WMWES42-F		693WMWES4
		LAB SAMPLE ID--->	89753		89770		89840
		RECEIPT DATE---->	10/22/93				10/23/93
	PARAMETER	UNITS					
S	Di-n-butylphthalate	UG/L	11	U		11	U
S	Di-n-octylphthalate	UG/L	11	U		11	U
S	Dibenz(a,h)anthracene	UG/L	11	U		11	U
S	Dibenzofuran	UG/L	11	U		11	U
S	Diethylphthalate	UG/L	11	U		11	U
S	Dimethylphthalate	UG/L	11	U		11	U
S	Fluoranthene	UG/L	11	U		11	U
S	Fluorene	UG/L	11	U		11	U
S	Hexachlorobenzene	UG/L	11	U		11	U
S	Hexachlorobutadiene	UG/L	11	U		11	U
S	Hexachlorocyclopentadiene	UG/L	11	U		11	U
S	Hexachloroethane	UG/L	11	U		11	U
S	Indeno(1,2,3-cd)pyrene	UG/L	11	U		11	U
S	Isophorone	UG/L	11	U		11	U
S	N-Nitroso-di-n-propylamine	UG/L	11	U		11	U
S	N-Nitrosodiphenylamine	UG/L	11	U		11	U
S	Naphthalene	UG/L	11	U		11	U
S	Nitrobenzene	UG/L	11	U		11	U
S	Pentachlorophenol	UG/L	27	U		26	U
S	Phenanthrene	UG/L	11	U		11	U
S	Phenol	UG/L	11	U		11	U
S	Pyrene	UG/L	11	U		11	U
S	bis(2-Chloroethoxy)methane	UG/L	11	U		11	U
S	bis(2-Ethlyhexy)phthalate	UG/L	11	U		11	U
S	bis(2-chloroethyl)ether	UG/L	11	U		11	U
S	bis(2-chloroisopropyl)ether	UG/L	11	U		11	U
V	1,1,1-Trichloroethane	UG/L	10	U		10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U		10	U
V	1,1,2-Trichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethane	UG/L	10	U		10	U
V	1,1-Dichloroethene	UG/L	10	U		10	U
V	1,2-Dichloroethane	UG/L	10	U		10	U
V	1,2-Dichloroethene (total)	UG/L	10	U		10	U
V	1,2-Dichloropropane	UG/L	10	U		10	U
V	2-Butanone	UG/L	10	U		10	U
V	2-Hexanone	UG/L	10	U		10	U
V	4-Methyl-2-Pentanone	UG/L	10	U		10	U
V	Acetone	UG/L	10	U		10	U
V	Benzene	UG/L	10	U		10	U
V	Bromodichloromethane	UG/L	10	U		10	U
V	Bromoform	UG/L	10	U		10	U
V	Bromomethane	UG/L	10	U		10	U
V	Carbon Disulfide	UG/L	10	U		10	U
V	Carbon Tetrachloride	UG/L	10	U		10	U
V	Chlorobenzene	UG/L	10	U		10	U

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES42		693WMWES42-F		693WMWES43	
		LAB SAMPLE ID--->	89753		89770		89840	
		RECEIPT DATE---->	10/22/93				10/23/93	
	PARAMETER	UNITS						
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWES43-F LAB SAMPLE ID---> 89854 RECEIPT DATE----> 10/23/93		SAMPLE ID ------> 693WMWES44 LAB SAMPLE ID---> 89752 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWES4-F LAB SAMPLE ID---> 89768 RECEIPT DATE----> 10/22/93	
I	Aluminum	UG/L	20	U	7190		26	U
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	2	U	15.2		11.7	J
I	Barium	UG/L	464		103	J	75.6	J
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	178000		51200		48700	
I	Chromium	UG/L	4	U	5.4	J	4	U
I	Cobalt	UG/L	3	U	3.7	J	3	U
I	Copper	UG/L	4	U	5	U	4	U
I	Iron	UG/L	49.4	U	6750		1210	
I	Lead	UG/L	2	U	4.1		2	U
I	Magnesium	UG/L	18200		13900		12400	
I	Manganese	UG/L	503		91.8		81.3	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15	U
I	Potassium	UG/L	6980		7070		5700	
I	Selenium	UG/L	2.3	J	2	U	2	U
I	Silver	UG/L	4	UJ	4	U	4	U
I	Sodium	UG/L	270000		204000		196000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L	3	U	14.4	J	3	U
I	Zinc	UG/L	5	U	25.9	U	21.5	U
P	4,4'-DDD	UG/L			0.098	U		
P	4,4'-DDE	UG/L			0.098	U		
P	4,4'-DDT	UG/L			0.098	U		
P	Aldrin	UG/L			0.049	U		
P	Aroclor 1016	UG/L			0.98	U		
P	Aroclor 1221	UG/L			2	U		
P	Aroclor 1232	UG/L			0.98	U		
P	Aroclor 1242	UG/L			0.98	U		
P	Aroclor 1248	UG/L			0.98	U		
P	Aroclor 1254	UG/L			0.98	U		
P	Aroclor 1260	UG/L			0.98	U		
P	Dieldrin	UG/L			0.098	U		
P	Endosulfan I	UG/L			0.049	U		
P	Endosulfan II	UG/L			0.098	U		
P	Endosulfan sulfate	UG/L			0.098	U		
P	Endrin	UG/L			0.098	U		
P	Endrin aldehyde	UG/L			0.098	U		
P	Endrin ketone	UG/L			0.098	U		
P	Heptachlor	UG/L			0.049	U		
P	Heptachlor epoxide	UG/L			0.049	U		
P	Methoxychlor	UG/L			0.49	U		

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWES43-F	693WMWES44	693WMWES44-F
			LAB SAMPLE ID--->	89854	89752	89768
			RECEIPT DATE---->	.	10/22/93	.
	PARAMETER	UNITS				
P	Toxaphene	UG/L			4.9 U	
P	alpha-BHC	UG/L			0.049 U	
P	alpha-Chlordane	UG/L			0.049 U	
P	beta-BHC	UG/L			0.049 U	
P	delta-BHC	UG/L			0.049 U	
P	gamma-BHC (Lindane)	UG/L			0.049 U	
P	gamma-Chlordane	UG/L			0.049 U	
S	1,2,4-Trichlorobenzene	UG/L			10 U	
S	1,2-Dichlorobenzene	UG/L			10 U	
S	1,3-Dichlorobenzene	UG/L			10 U	
S	1,4-Dichlorobenzene	UG/L			10 U	
S	2,4,5-Trichlorophenol	UG/L			26 U	
S	2,4,6-Trichlorophenol	UG/L			10 U	
S	2,4-Dichlorophenol	UG/L			10 U	
S	2,4-Dimethylphenol	UG/L			10 U	
S	2,4-Dinitrophenol	UG/L			26 U	
S	2,4-Dinitrotoluene	UG/L			10 U	
S	2,6-Dinitrotoluene	UG/L			10 U	
S	2-Chloronaphthalene	UG/L			10 U	
	2-Chlorophenol	UG/L			10 U	
S	2-Methylnaphthalene	UG/L			10 U	
S	2-Methylphenol	UG/L			10 U	
S	2-Nitroaniline	UG/L			26 U	
S	2-Nitrophenol	UG/L			10 U	
S	3,3'-Dichlorobenzidine	UG/L			10 U	
S	3-Nitroaniline	UG/L			26 U	
S	4,6-Dinitro-2-methylphenol	UG/L			26 U	
S	4-Bromophenyl-phenylether	UG/L			10 U	
S	4-Chloro-3-methylphenol	UG/L			10 U	
S	4-Chloroaniline	UG/L			10 U	
S	4-Chlorophenyl-phenylether	UG/L			10 U	
S	4-Methylphenol	UG/L			10 U	
S	4-Nitroaniline	UG/L			26 U	
S	4-Nitrophenol	UG/L			26 U	
S	Acenaphthene	UG/L			10 U	
S	Acenaphthylene	UG/L			10 U	
S	Anthracene	UG/L			10 U	
S	Benzo(a)anthracene	UG/L			10 U	
S	Benzo(a)pyrene	UG/L			10 U	
S	Benzo(b)fluoranthene	UG/L			10 U	
S	Benzo(g,h,i)perylene	UG/L			10 U	
S	Benzo(k)fluoranthene	UG/L			10 U	
S	Butylbenzylphthalate	UG/L			10 U	
S	Carbazole	UG/L			10 U	
	Chrysene	UG/L			10 U	

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWES43-F	693WMWES44	693WMWES4 F
	LAB SAMPLE ID--->	89854	89752	89768
	RECEIPT DATE---->		10/22/93	
PARAMETER	UNITS			
S Di-n-butylphthalate	UG/L		10 U	
S Di-n-octylphthalate	UG/L		10 U	
S Dibenz(a,h)anthracene	UG/L		10 U	
S Dibenzofuran	UG/L		10 U	
S Diethylphthalate	UG/L		10 U	
S Dimethylphthalate	UG/L		10 U	
S Fluoranthene	UG/L		10 U	
S Fluorene	UG/L		10 U	
S Hexachlorobenzene	UG/L		10 U	
S Hexachlorobutadiene	UG/L		10 U	
S Hexachlorocyclopentadiene	UG/L		10 U	
S Hexachloroethane	UG/L		10 U	
S Indeno(1,2,3-cd)pyrene	UG/L		10 U	
S Isophorone	UG/L		10 U	
S N-Nitroso-di-n-propylamine	UG/L		10 U	
S N-Nitrosodiphenylamine	UG/L		10 U	
S Naphthalene	UG/L		10 U	
S Nitrobenzene	UG/L		10 U	
S Pentachlorophenol	UG/L		26 U	
S Phenanthrene	UG/L		10 U	
S Phenol	UG/L		10 U	
S Pyrene	UG/L		10 U	
S bis(2-Chloroethoxy)methane	UG/L		10 U	
S bis(2-Ethlyhexy)phthalate	UG/L		10 U	
S bis(2-chloroethyl)ether	UG/L		10 U	
S bis(2-chloroisopropyl)ether	UG/L		10 U	
V 1,1,1-Trichloroethane	UG/L		10 U	
V 1,1,2,2-Tetrachloroethane	UG/L		10 U	
V 1,1,2-Trichloroethane	UG/L		10 U	
V 1,1-Dichloroethane	UG/L		10 U	
V 1,1-Dichloroethene	UG/L		10 U	
V 1,2-Dichloroethane	UG/L		10 U	
V 1,2-Dichloroethene (total)	UG/L		41	
V 1,2-Dichloropropane	UG/L		10 U	
V 2-Butanone	UG/L		10 U	
V 2-Hexanone	UG/L		10 U	
V 4-Methyl-2-Pentanone	UG/L		10 U	
V Acetone	UG/L		6 U	
V Benzene	UG/L		10 U	
V Bromodichloromethane	UG/L		10 U	
V Bromoform	UG/L		10 U	
V Bromomethane	UG/L		10 U	
V Carbon Disulfide	UG/L		10 U	
V Carbon Tetrachloride	UG/L		10 U	
V Chlorobenzene	UG/L		10 U	

CORPUS CHRISTI
FI WATER SAMPLES

		SAMPLE ID ------>	693WMWES43-F	693WMWES44		693WMWES44-F
		LAB SAMPLE ID--->	89854	89752		89768
		RECEIPT DATE---->	.	10/22/93		.
	PARAMETER	UNITS				
V	Chloroethane	UG/L		10	U	
V	Chloroform	UG/L		10	U	
V	Chloromethane	UG/L		10	U	
V	Dibromochloromethane	UG/L		10	U	
V	Ethylbenzene	UG/L		10	U	
V	Methylene Chloride	UG/L		10	U	
V	Styrene	UG/L		10	U	
V	Tetrachloroethene	UG/L		10	U	
V	Toluene	UG/L		10	U	
V	Trichloroethene	UG/L		49		
V	Vinyl Chloride	UG/L		13		
V	Xylene (total)	UG/L		10	U	
V	cis-1,3-Dichloropropene	UG/L		10	U	
V	trans-1,3-Dichloropropene	UG/L		10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM16		693WMWGM16-F		693WMWGM1/	
	LAB SAMPLE ID--->		89758		89773		89669	
	RECEIPT DATE---->		10/22/93		10/22/93		10/21/93	
I	Aluminum	UG/L	21100		39.2	U	8830	
I	Antimony	UG/L	35	U	35	U	35	U
I	Arsenic	UG/L	8.1	J	9.8	J	2.6	J
I	Barium	UG/L	157	J	92.8	J	1060	
I	Beryllium	UG/L	1	U	1	U	1	U
I	Cadmium	UG/L	3	U	3	U	3	U
I	Calcium	UG/L	96400		89300		144000	
I	Chromium	UG/L	11.7		4	U	6	J
I	Cobalt	UG/L	11.9	J	7.3	U	12.2	J
I	Copper	UG/L	9.8	U	4.1	U	7.9	U
I	Iron	UG/L	17200		7390		16600	
I	Lead	UG/L	6.4		2	U	2.7	J
I	Magnesium	UG/L	20100		18300		73800	
I	Manganese	UG/L	526		505		266	
I	Mercury	UG/L	0.2	U	0.2	U	0.2	U
I	Nickel	UG/L	15	U	15	U	15.8	U
I	Potassium	UG/L	14300		12600		30100	
I	Selenium	UG/L	3	J	2	U	2.4	J
I	Silver	UG/L	4	U	4	U	4	U
I	Sodium	UG/L	178000		176000		234000	
I	Thallium	UG/L	10	R	10	R	10	R
I	Vanadium	UG/L	24.3	J	3	U	10.8	J
I	Zinc	UG/L	47	U	9.9	U	47.4	U
P	4,4'-DDD	UG/L	0.11	U			0.097	U
P	4,4'-DDE	UG/L	0.11	U			0.097	U
P	4,4'-DDT	UG/L	0.11	U			0.097	U
P	Aldrin	UG/L	0.053	U			0.049	U
P	Aroclor 1016	UG/L	1.1	U			0.97	U
P	Aroclor 1221	UG/L	2.1	U			1.9	U
P	Aroclor 1232	UG/L	1.1	U			0.97	U
P	Aroclor 1242	UG/L	1.1	U			0.97	U
P	Aroclor 1248	UG/L	1.1	U			0.97	U
P	Aroclor 1254	UG/L	1.1	U			0.97	U
P	Aroclor 1260	UG/L	1.1	U			0.97	U
P	Dieldrin	UG/L	0.11	U			0.097	U
P	Endosulfan I	UG/L	0.053	U			0.049	U
P	Endosulfan II	UG/L	0.11	U			0.097	U
P	Endosulfan sulfate	UG/L	0.11	U			0.097	U
P	Endrin	UG/L	0.11	U			0.097	U
P	Endrin aldehyde	UG/L	0.11	U			0.097	U
P	Endrin ketone	UG/L	0.11	U			0.097	U
P	Heptachlor	UG/L	0.053	U			0.049	U
P	Heptachlor epoxide	UG/L	0.053	U			0.049	U
P	Methoxychlor	UG/L	0.53	U			0.49	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM16 LAB SAMPLE ID---> 89758 RECEIPT DATE----> 10/22/93		693WMWGM16-F 89773		693WMWGM17 89669 10/21/93	
P	Toxaphene	UG/L	5.3	U			4.9	U
P	alpha-BHC	UG/L	0.053	U			0.049	U
P	alpha-Chlordane	UG/L	0.053	U			0.049	U
P	beta-BHC	UG/L	0.053	U			0.049	U
P	delta-BHC	UG/L	0.053	U			0.049	U
P	gamma-BHC (Lindane)	UG/L	0.053	U			0.049	U
P	gamma-Chlordane	UG/L	0.053	U			0.049	U
S	1,2,4-Trichlorobenzene	UG/L	10	U			10	U
S	1,2-Dichlorobenzene	UG/L	10	U			3	J
S	1,3-Dichlorobenzene	UG/L	10	U			10	U
S	1,4-Dichlorobenzene	UG/L	10	U			8	J
S	2,4,5-Trichlorophenol	UG/L	25	U			26	U
S	2,4,6-Trichlorophenol	UG/L	10	U			10	U
S	2,4-Dichlorophenol	UG/L	10	U			10	U
S	2,4-Dimethylphenol	UG/L	10	U			10	U
S	2,4-Dinitrophenol	UG/L	25	U			26	U
S	2,4-Dinitrotoluene	UG/L	10	U			10	U
S	2,6-Dinitrotoluene	UG/L	10	U			10	U
	2-Chloronaphthalene	UG/L	10	U			10	U
	2-Chlorophenol	UG/L	10	U			10	U
S	2-Methylnaphthalene	UG/L	10	U			10	U
S	2-Methylphenol	UG/L	10	U			10	U
S	2-Nitroaniline	UG/L	25	U			26	U
S	2-Nitrophenol	UG/L	10	U			10	U
S	3,3'-Dichlorobenzidine	UG/L	10	U			10	U
S	3-Nitroaniline	UG/L	25	U			26	U
S	4,6-Dinitro-2-methylphenol	UG/L	25	U			26	U
S	4-Bromophenyl-phenylether	UG/L	10	U			10	U
S	4-Chloro-3-methylphenol	UG/L	10	U			10	U
S	4-Chloroaniline	UG/L	10	U			10	U
S	4-Chlorophenyl-phenylether	UG/L	10	U			10	U
S	4-Methylphenol	UG/L	10	U			10	U
S	4-Nitroaniline	UG/L	25	U			26	U
S	4-Nitrophenol	UG/L	25	U			26	U
S	Acenaphthene	UG/L	10	U			10	U
S	Acenaphthylene	UG/L	10	U			10	U
S	Anthracene	UG/L	10	U			10	U
S	Benzo(a)anthracene	UG/L	10	U			10	U
S	Benzo(a)pyrene	UG/L	10	U			10	U
S	Benzo(b)fluoranthene	UG/L	10	U			10	U
S	Benzo(g,h,i)perylene	UG/L	10	U			10	U
S	Benzo(k)fluoranthene	UG/L	10	U			10	U
S	Butylbenzylphthalate	UG/L	10	U			10	U
S	Carbazole	UG/L	10	U			2	J
	Chrysene	UG/L	10	U			10	U

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM16 LAB SAMPLE ID---> 89758 RECEIPT DATE----> 10/22/93		693WMWGM16-F 89773		693WMWGM1 89669 10/21/93	
S	Di-n-butylphthalate	UG/L	10	U			10	U
S	Di-n-octylphthalate	UG/L	10	U			10	U
S	Dibenz(a,h)anthracene	UG/L	10	U			10	U
S	Dibenzofuran	UG/L	10	U			10	U
S	Diethylphthalate	UG/L	10	U			10	U
S	Dimethylphthalate	UG/L	10	U			10	U
S	Fluoranthene	UG/L	10	U			10	U
S	Fluorene	UG/L	10	U			10	U
S	Hexachlorobenzene	UG/L	10	U			10	U
S	Hexachlorobutadiene	UG/L	10	U			10	U
S	Hexachlorocyclopentadiene	UG/L	10	U			10	U
S	Hexachloroethane	UG/L	10	U			10	U
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U			10	U
S	Isophorone	UG/L	10	U			10	U
S	N-Nitroso-di-n-propylamine	UG/L	10	U			10	U
S	N-Nitrosodiphenylamine	UG/L	10	U			10	U
S	Naphthalene	UG/L	10	U			12	
S	Nitrobenzene	UG/L	10	U			10	U
S	Pentachlorophenol	UG/L	25	U			26	U
S	Phenanthrene	UG/L	10	U			10	U
S	Phenol	UG/L	10	U			10	U
S	Pyrene	UG/L	10	U			10	U
S	bis(2-Chloroethoxy)methane	UG/L	10	U			10	U
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U			10	U
S	bis(2-chloroethyl)ether	UG/L	10	U			10	U
S	bis(2-chloroisopropyl)ether	UG/L	10	U			10	U
V	1,1,1-Trichloroethane	UG/L	10	U			10	U
V	1,1,2,2-Tetrachloroethane	UG/L	10	U			10	U
V	1,1,2-Trichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethane	UG/L	10	U			10	U
V	1,1-Dichloroethene	UG/L	10	U			10	U
V	1,2-Dichloroethane	UG/L	10	U			10	U
V	1,2-Dichloroethene (total)	UG/L	10	U			10	U
V	1,2-Dichloropropane	UG/L	10	U			10	U
V	2-Butanone	UG/L	10	U			10	U
V	2-Hexanone	UG/L	10	U			10	U
V	4-Methyl-2-Pentanone	UG/L	10	U			10	U
V	Acetone	UG/L	4	U			13	U
V	Benzene	UG/L	10	U			22	
V	Bromodichloromethane	UG/L	10	U			10	U
V	Bromoform	UG/L	10	U			10	U
V	Bromomethane	UG/L	10	U			10	U
V	Carbon Disulfide	UG/L	10	U			10	U
V	Carbon Tetrachloride	UG/L	10	U			10	U
V	Chlorobenzene	UG/L	10	U			73	

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM16 LAB SAMPLE ID---> 89758 RECEIPT DATE----> 10/22/93		SAMPLE ID ------> 693WMWGM16-F LAB SAMPLE ID---> 89773 RECEIPT DATE----> .		SAMPLE ID ------> 693WMWGM17 LAB SAMPLE ID---> 89669 RECEIPT DATE----> 10/21/93	
V	Chloroethane	UG/L	10	U			10	U
V	Chloroform	UG/L	10	U			10	U
V	Chloromethane	UG/L	10	U			10	U
V	Dibromochloromethane	UG/L	10	U			10	U
V	Ethylbenzene	UG/L	10	U			10	U
V	Methylene Chloride	UG/L	10	U			10	U
V	Styrene	UG/L	10	U			10	U
V	Tetrachloroethene	UG/L	10	U			10	U
V	Toluene	UG/L	10	U			10	U
V	Trichloroethene	UG/L	10	U			10	U
V	Vinyl Chloride	UG/L	10	U			10	U
V	Xylene (total)	UG/L	10	U			10	U
V	cis-1,3-Dichloropropene	UG/L	10	U			10	U
V	trans-1,3-Dichloropropene	UG/L	10	U			10	U

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------>		693WMWGM17-F		693WMWGM19		693WMWGM17-F	
			LAB SAMPLE ID--->		89675		89961		89981	
			RECEIPT DATE---->		10/21/93		10/26/93		10/26/93	
I	Aluminum	UG/L			31.6	U	7830	J	20	U
I	Antimony	UG/L			35	U	35	U	35	U
I	Arsenic	UG/L			3.4	J	9.6	J	2	U
I	Barium	UG/L			1060		194	J	189	J
I	Beryllium	UG/L			1	U	1	U	1	U
I	Cadmium	UG/L			3	U	3	U	3	U
I	Calcium	UG/L			141000		232000		219000	
I	Chromium	UG/L			4	U	4	U	4	U
I	Cobalt	UG/L			11.1	U	3	U	3	U
I	Copper	UG/L			4	U	12.2	J	4	U
I	Iron	UG/L			12700		7980		5060	
I	Lead	UG/L			2	U	11.3	J	2	U
I	Magnesium	UG/L			74600		24900		26400	
I	Manganese	UG/L			265		495		469	
I	Mercury	UG/L			0.2	U	0.2	U	0.2	U
I	Nickel	UG/L			15	U	15	U	15	U
I	Potassium	UG/L			29200		15400		15600	
I	Selenium	UG/L			2	J	2	U	2	U
I	Silver	UG/L			4	U	4	UJ	4	UJ
I	Sodium	UG/L			239000		43100		45000	
I	Thallium	UG/L			10	R	2	U	10	R
I	Vanadium	UG/L			3.1	U	5.8	U	3.4	J
I	Zinc	UG/L			9.4	U	32.4		5	U
P	4,4'-DDD	UG/L					0.052	U		
P	4,4'-DDE	UG/L					0.052	U		
P	4,4'-DDT	UG/L					0.052	U		
P	Aldrin	UG/L					0.026	U		
P	Aroclor 1016	UG/L					0.52	U		
P	Aroclor 1221	UG/L					1	U		
P	Aroclor 1232	UG/L					0.52	U		
P	Aroclor 1242	UG/L					0.52	U		
P	Aroclor 1248	UG/L					0.52	U		
P	Aroclor 1254	UG/L					0.52	U		
P	Aroclor 1260	UG/L					0.52	U		
P	Dieldrin	UG/L					0.052	U		
P	Endosulfan I	UG/L					0.026	U		
P	Endosulfan II	UG/L					0.052	U		
P	Endosulfan sulfate	UG/L					0.052	U		
P	Endrin	UG/L					0.052	U		
P	Endrin aldehyde	UG/L					0.052	U		
P	Endrin ketone	UG/L					0.052	U		
P	Heptachlor	UG/L					0.026	U		
P	Heptachlor epoxide	UG/L					0.026	U		
P	Methoxychlor	UG/L					0.26	U		

CORPUS CHRISTI
FI WATER SAMPLES

			SAMPLE ID ------>	693WMWGM17-F	693WMWGM19	693WMWGM19-F
			LAB SAMPLE ID--->	89675	89961	89981
			RECEIPT DATE---->		10/26/93	
	PARAMETER	UNITS				
P	Toxaphene	UG/L			2.6 U	
P	alpha-BHC	UG/L			0.026 U	
P	alpha-Chlordane	UG/L			0.026 U	
P	beta-BHC	UG/L			0.026 U	
P	delta-BHC	UG/L			0.026 U	
P	gamma-BHC (Lindane)	UG/L			0.026 U	
P	gamma-Chlordane	UG/L			0.026 U	
S	1,2,4-Trichlorobenzene	UG/L			10 U	
S	1,2-Dichlorobenzene	UG/L			4 J	
S	1,3-Dichlorobenzene	UG/L			10 U	
S	1,4-Dichlorobenzene	UG/L			9 J	
S	2,4,5-Trichlorophenol	UG/L			26 U	
S	2,4,6-Trichlorophenol	UG/L			10 U	
S	2,4-Dichlorophenol	UG/L			10 U	
S	2,4-Dimethylphenol	UG/L			10 U	
S	2,4-Dinitrophenol	UG/L			26 U	
S	2,4-Dinitrotoluene	UG/L			10 U	
S	2,6-Dinitrotoluene	UG/L			10 U	
S	2-Chloronaphthalene	UG/L			10 U	
	2-Chlorophenol	UG/L			10 U	
S	2-Methylnaphthalene	UG/L			10 U	
S	2-Methylphenol	UG/L			10 U	
S	2-Nitroaniline	UG/L			26 U	
S	2-Nitrophenol	UG/L			10 U	
S	3,3'-Dichlorobenzidine	UG/L			10 U	
S	3-Nitroaniline	UG/L			26 U	
S	4,6-Dinitro-2-methylphenol	UG/L			26 U	
S	4-Bromophenyl-phenylether	UG/L			10 U	
S	4-Chloro-3-methylphenol	UG/L			10 U	
S	4-Chloroaniline	UG/L			10 U	
S	4-Chlorophenyl-phenylether	UG/L			10 U	
S	4-Methylphenol	UG/L			10 U	
S	4-Nitroaniline	UG/L			26 U	
S	4-Nitrophenol	UG/L			26 U	
S	Acenaphthene	UG/L			10 U	
S	Acenaphthylene	UG/L			10 U	
S	Anthracene	UG/L			10 U	
S	Benzo(a)anthracene	UG/L			10 U	
S	Benzo(a)pyrene	UG/L			10 U	
S	Benzo(b)fluoranthene	UG/L			10 U	
S	Benzo(g,h,i)perylene	UG/L			10 U	
S	Benzo(k)fluoranthene	UG/L			10 U	
S	Butylbenzylphthalate	UG/L			10 U	
S	Carbazole	UG/L			10 U	
	Chrysene	UG/L			10 U	

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWGM17-F	693WMWGM19		693WMWGM[illegible]-F
	LAB SAMPLE ID--->	89675	89961		89981
	RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS			
S	Di-n-butylphthalate	UG/L	10	U	
S	Di-n-octylphthalate	UG/L	10	U	
S	Dibenz(a,h)anthracene	UG/L	10	U	
S	Dibenzofuran	UG/L	10	U	
S	Diethylphthalate	UG/L	10	U	
S	Dimethylphthalate	UG/L	10	U	
S	Fluoranthene	UG/L	10	U	
S	Fluorene	UG/L	10	U	
S	Hexachlorobenzene	UG/L	10	U	
S	Hexachlorobutadiene	UG/L	10	U	
S	Hexachlorocyclopentadiene	UG/L	10	U	
S	Hexachloroethane	UG/L	10	U	
S	Indeno(1,2,3-cd)pyrene	UG/L	10	U	
S	Isophorone	UG/L	10	U	
S	N-Nitroso-di-n-propylamine	UG/L	10	U	
S	N-Nitrosodiphenylamine	UG/L	10	U	
S	Naphthalene	UG/L	10	U	
S	Nitrobenzene	UG/L	10	U	
S	Pentachlorophenol	UG/L	26	U	
S	Phenanthrene	UG/L	10	U	
S	Phenol	UG/L	10	U	
S	Pyrene	UG/L	10	U	
S	bis(2-Chloroethoxy)methane	UG/L	10	U	
S	bis(2-Ethlyhexy)phthalate	UG/L	10	U	
S	bis(2-chloroethyl)ether	UG/L	10	U	
S	bis(2-chloroisopropyl)ether	UG/L	10	U	
V	1,1,1-Trichloroethane	UG/L	10	U	
V	1,1,2,2-Tetrachloroethane	UG/L	10	U	
V	1,1,2-Trichloroethane	UG/L	10	U	
V	1,1-Dichloroethane	UG/L	10	U	
V	1,1-Dichloroethene	UG/L	10	U	
V	1,2-Dichloroethane	UG/L	10	U	
V	1,2-Dichloroethene (total)	UG/L	10	U	
V	1,2-Dichloropropane	UG/L	10	U	
V	2-Butanone	UG/L	10	U	
V	2-Hexanone	UG/L	10	U	
V	4-Methyl-2-Pentanone	UG/L	10	U	
V	Acetone	UG/L	10	U	
V	Benzene	UG/L	43		
V	Bromodichloromethane	UG/L	10	U	
V	Bromoform	UG/L	10	U	
V	Bromomethane	UG/L	10	U	
V	Carbon Disulfide	UG/L	10	U	
V	Carbon Tetrachloride	UG/L	10	U	
V	Chlorobenzene	UG/L	130		

CORPUS CHRISTI
FI WATER SAMPLES

	SAMPLE ID ------>	693WMWGM17-F	693WMWGM19		693WMWGM19-F
	LAB SAMPLE ID--->	89675	89961		89981
	RECEIPT DATE---->		10/26/93		
	PARAMETER	UNITS			
V	Chloroethane	UG/L	10	U	
V	Chloroform	UG/L	10	U	
V	Chloromethane	UG/L	10	U	
V	Dibromochloromethane	UG/L	10	U	
V	Ethylbenzene	UG/L	10	U	
V	Methylene Chloride	UG/L	10	U	
V	Styrene	UG/L	10	U	
V	Tetrachloroethene	UG/L	10	U	
V	Toluene	UG/L	10	U	
V	Trichloroethene	UG/L	10	U	
V	Vinyl Chloride	UG/L	10	U	
V	Xylene (total)	UG/L	10	U	
V	cis-1,3-Dichloropropene	UG/L	10	U	
V	trans-1,3-Dichloropropene	UG/L	10	U	

V=Volatile, S=Semivolatile, P=Pesticide, I=Inorganic

CORPUS CHRISTI
FI WATER SAMPLES

	PARAMETER	UNITS	SAMPLE ID ------> 693WMWGM19D		693WMWGM19D-F		693WMWGM2..	
			LAB SAMPLE ID---> 89962		89982		89963	
			RECEIPT DATE----> 10/26/93		10/26/93		10/26/93	
I	Aluminum	UG/L	20	U	8300	J		
I	Aluminum	UG/L	13900	J	8300	J		
I	Antimony	UG/L	35	U	35	U		
I	Antimony	UG/L	35	U	35	U		
I	Arsenic	UG/L	2	U	24.1	J		
I	Arsenic	UG/L	8.2	J	24.1	J		
I	Barium	UG/L	184	J	418			
I	Barium	UG/L	243		418			
I	Beryllium	UG/L	1	U	1	U		
I	Beryllium	UG/L	1	U	1	U		
I	Cadmium	UG/L	3	U	3	U		
I	Cadmium	UG/L	3	U	3	U		
I	Calcium	UG/L	215000		98600			
I	Calcium	UG/L	229000		98600			
I	Chromium	UG/L	4	U	4.4	J		
I	Chromium	UG/L	6.4	J	4.4	J		
I	Cobalt	UG/L	3	U	3.6	J		
I	Cobalt	UG/L	3	U	3.6	J		
I	Copper	UG/L	4	U	11.2	J		
I	Copper	UG/L	11.6	J	11.2	J		
I	Iron	UG/L	5060		21000			
I	Iron	UG/L	9950		21000			
I	Lead	UG/L	2	U	9.6	J		
I	Lead	UG/L	16.6	J	9.6	J		
I	Magnesium	UG/L	26100		65700			
I	Magnesium	UG/L	26200		65700			
I	Manganese	UG/L	460		210			
I	Manganese	UG/L	489		210			
I	Mercury	UG/L	0.2	U	0.2	U		
I	Mercury	UG/L	0.2	U	0.2	U		
I	Nickel	UG/L	15	U	15	U		
I	Nickel	UG/L	15	U	15	U		
I	Potassium	UG/L	15200		17300			
I	Potassium	UG/L	16700		17300			
I	Selenium	UG/L	3.4	J	2	U		
I	Selenium	UG/L	2	U	2	U		
I	Silver	UG/L	4	UJ	4	UJ		
I	Silver	UG/L	4	UJ	4	UJ		
I	Sodium	UG/L	43700		1150000			
I	Sodium	UG/L	44000		1150000			
I	Thallium	UG/L	10	R	10	U		
I	Thallium	UG/L	2	U	10	U		
I	Vanadium	UG/L	3	U	12.7	U		
I	Vanadium	UG/L	10.2	J	12.7	U		

APPENDIX G

DATA VALIDATION - INITIAL SAMPLING EVENT

DATA VALIDATION

Data validation has been performed for all analytical data generated during the Facility Investigation at NAS Corpus Christi, Texas. The analytical work was conducted by National Environmental Testing Inc., Bedford, MA. The analytical protocols were performed in accordance with the following documents:

- USEPA Contract Laboratory Program, *Statement of Work for Organic Analysis* (CLP SOW 3/90).

- USEPA Contract Laboratory Program, *Statement of Work for Inorganic Analysis* (CLP SOW 3/90).

- USEPA Office of Solid Waste and Emergency Response, *SW846 Test Methods for Evaluating Solid Waste*, 3rd Edition (SW-846).

- NEESA Level C QA/QC guidelines as stated in the *Sampling and Chemical Analysis Quality Assurance Requirements for the Navy Installation and Restoration Program* (NEESA 20.2-047B).

The samples collected in support of this investigation were received by the laboratory between June 05 and July 16, 1993. Samples were analyzed and reported in ten sample delivery groups (SDGs).

ORGANIC ANALYSIS

Samples were submitted and analyzed for volatile and semivolatile organic compounds according to the CLP SOW 3/90 and pesticides and PCBs by EPA method 8080. Results were reported in accordance with NEESA Level C guidelines. Holding times from the time of sample collection until the time of sample extraction and/or analysis were found to be in compliance with QC requirements with the following exceptions:

- Soil sample 693SMW37-2 was analyzed for volatile compounds eight days outside of holding time requirements. The laboratory reported no explanation for this occurrence. The data obtained from the analysis performed outside of holding time is judged to be usable; however, the positive results for that analysis are qualified as estimated ("J" flagged).

- Soil sample 691SMW31-2 required dilution and reanalysis in the volatile analysis, and the re-analysis was performed one day outside of holding time. The sample data is considered unaffected by this missed holding time.

- Soil sample 691SMW44-9 was extracted for semivolatile analysis two days outside of the technical holding time of seven days. Positive semivolatile detections for this sample were qualified as estimated ("J" flagged).

- Equipment blank 69RB-2, collected on June 07, 1993, required re-extraction and re-analysis due to a laboratory error. The second extraction of this sample occurred four days outside of holding time. Both sets of data for this sample were reported, and are in good agreement with each other. The sample data is not believed to be affected by the missed holding time.

- Soil sample 691SMW34-3 required dilution and reanalysis in the volatile analysis, and the re-analysis was performed three days outside of holding time. The sample data is considered unaffected by this missed holding time.

- Soil sample 694SHA5-3 was analyzed for volatiles three days outside of the technical holding times. The laboratory reported no explanation for the missed holding time. The data obtained from the analysis performed outside of holding time is judged to be usable; however, the positive results for that analysis are qualified as estimated ("J" flagged).

- Soil samples 694SHA1-2, 694SHA2-2, and 694SHA3-1 required dilution and re-analysis in the volatile analysis. This was performed eighteen days outside of the technical holding time for samples 694SHA1-2 and 694SHA2-2, and three days outside of holding time for sample 694SHA3-1. Both sets of results are reported for all three samples. All positive volatile results for these samples were qualified as estimated ("J" flagged).

- Sample 693GWMCC3-5 required dilution and reanalysis in the volatile analysis. This was performed nine days outside of the technical holding time for the sample. Both sets of sample data were reported.

Calibration

Criteria for instrument calibration were established to ensure the production of acceptable qualitative and quantitative data. The initial calibration ensures the instrument capabilities prior to the analytical run and the continuing calibrations ensure the instrument capabilities throughout and at the end of each subsequent analytical run.

Historical performance data show that certain volatile and semivolatile compounds (called "poor responders"), show a poor response and/or erratic behavior under the conditions of analysis. Therefore, no contractual requirements are provided for these compounds. For review and validation, however, <u>all</u> compounds were considered for qualification in the volatile and semivolatile analyses when the following criteria were <u>not</u> met:

- Initial/continuing calibration standard relative response factors (RRFs) for all target compounds and surrogates must be greater than or equal to 0.05.

- Percent relative standard deviation (RSD) of the RRFs must not exceed ± 30 percent in the initial calibration.

- Percent difference (%D) of the RRFs must not exceed ± 25 percent in the continuing calibration.

Calibration non-conformances encountered during the review of volatile and semivolatile calibration data for this project are detailed by SDG below:

SDG FD938:

- Vinyl chloride and carbon disulfide exceeded %D criteria in the volatile continuing calibration performed on June 23, 1993. In addition, the %Ds for vinyl chloride exceeded QC criteria in the continuing calibration performed on June 27, 1993. All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- Hexachlorobenzene exceeded %D QC criteria in the semivolatile continuing calibration performed on August 12, 1993. There were no positive detections of this compound in the samples analyzed during this calibration sequence, therefore no qualification of the data was judged to be necessary.

SDG FD941:

- Vinyl chloride exceeded %D criteria in the volatile continuing calibrations performed on July 23, 27, and 28, 1993. Positive detections of this compound in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- Hexachlorobenzene exceeded %D QC criteria in the semivolatile continuing calibration performed on August 11 and 12, 1993. There were no positive detections of this compound in the samples analyzed during this calibration sequence, therefore no qualification of the data was judged to be necessary.

SDGs FD889 and FD894:

- The %Ds for vinyl chloride were above QC criteria in the continuing calibrations performed on June 15, 17, and 29, 1993. All positive detections of this compound in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- Carbon tetrachloride exceeded %D QC criteria in the volatile continuing calibration performed on June 17, 1993. There were no positive detections of this compound in the samples analyzed during this calibration sequence, therefore no qualification of the data was considered necessary.

SDG FD889:

- Benzo(k)fluoranthene exceeded %D criteria in the semivolatile continuing calibration performed on June 26, 1993. There were no positive detections of this compound in the samples analyzed during this calibration sequence, therefore no qualification of the data was performed.

SDG FD920:

- The %D for vinyl chloride was above QC criteria in the continuing calibration performed on July 15, 1993. Nitrobenzene exceeded %D QC criteria in the continuing calibration performed on July 28, 1993. All positive detections of these compounds in the samples analyzed using this calibration sequence were qualified as estimated ("J" flagged).

SDG FD913:

- The %D for vinyl chloride exceeded QC criteria in the volatile continuing calibration performed on July 02, 1993. Bromomethane exceeded %D QC criteria for the volatile continuing calibration on June 30, 1993. All positive detections of these compounds in the samples analyzed using the affected calibration sequences were qualified as estimated ("J" flagged).

- Several compounds exceeded %D QC criteria in the semivolatile continuing calibrations performed on July 12, 15, and 16, 1993. These included 4-bromophenyl-phenylether, hexachlorobenzene, and N-nitroso-di-n-propylamine. There were no positive detections of the affected compounds in the sample analyzed during this calibration sequence, therefore no qualification of the data was performed.

- Phenol and bis(2-chloroethyl)ether exceeded %D criteria in the semivolatile continuing calibration performed on July 12 and 16, 1993. All positive detections of these compounds were qualified as estimated ("J" flagged) in the samples associated with this calibration sequence.

SDG FD922:

- N-nitrosodiphenylamine and 2,4,5-tribromophenol exceeded calibration criteria in the semivolatiles continuing calibrations performed on August 07, 1993. No positive detections of these compounds were found int he sample associated with this calibration sequence, therefore no qualification of the data was judged to be necessary.

In the pesticides/PCBs analysis, compounds were considered for qualification when the following criteria were <u>not</u> met:

- %RSD of the calibration factors for the compounds aldrin, endrin, and 4,4'-DDT must not exceed ± 10 percent on the quanitation column for the initial calibration.

- %RSD for all remaining compounds must not exceed ± 20 percent on either column for the initial calibration.

- %D must not exceed ±15 percent on the quantitation column or ±20 percent on the confirmation column for the continuing calibrations.

- Percent recovery (%R) must be between 80 percent and 110 percent for the GPC calibration check analysis.

- Resolution of target compound peaks must be ≥60 percent.

All pesticide/PCB calibration sequences were performed within QC requirements with the exceptions of SDGs FD920 and FD922. The laboratory reported retention time shifts outside the CLP established windows for some continuing calibration standards. To ensure the validity of sample data collected using these calibration sequences, the laboratory established expanded retention time windows. These expanded windows accurately compensate for the shifts throughout the calibration sequence. All sample results generated using these expanded retention time windows were qualified as estimated ("J" flagged).

Precision

For each analytical method used to analyze environmental samples, there are variations in the reported results that may be due to the random differences in the handling and analysis of that matrix. These variations are referred to as the *precision* or the *reproducibility* of results. To demonstrate reproducibility, the CLP SOW specifies the addition of known quantities of several compounds to two separate aliquots of each sample matrix type. The "spiked" aliquots are referred to as the matrix spike (MS) and the matrix spike duplicate (MSD). These samples are then analyzed using the same preparation and analytical methods used for all samples of similar matrix types. These samples can be used to detect matrix effects in which other sample components interfere with the analysis of the contaminants. Volatile, semivolatile, pesticide, and PCB MS/MSD analysis results that were outside of QC criteria are discussed below:

SDG FD941:

- Sample 69GWMCC12 was utilized for one MS/MSD analysis in this SDG. Recoveries of benzene, toluene, and chlorobenzene were below acceptable QC limits in the volatile analysis. In addition, the laboratory reported low recoveries for 4-chloro-3-methylphenol and 1,4-dichlorobenzene in this semivolatile MS/MSD analysis. Positive detections of these compounds were qualified as estimated ("J" flagged) and should be considered suspect due to the spike recoveries outside of QC limits.

- Sample 693GWMCC7 was utilized for a second MS/MSD analysis in this SDG. Recoveries of trichloroethene, benzene, toluene, and chlorobenzene were below acceptable QC limits in the volatile analysis. The laboratory reported low recoveries for 4-chloro-3-methylphenol, acenaphthene, 4-nitrophenol, 2,4-dinitrotoluene, pentachlorophenol, and pyrene in the semivolatile MS/MSD analysis using sample 693GWMCC7. Positive detections of these compounds were qualified as estimated ("J" flagged) and should be considered suspect due to the spike recoveries out of QC limits.

- All pesticide/PCB MS/MSD spiking compound recoveries were below QC recovery limits in the analysis utilizing sample 693GWMCC12. All positive pesticide sample results were qualified as estimated.

SDG FD913:

- Sample 698SHA1-1 was utilized for the MS/MSD analysis in this SDG. The percent recovery (%R) and relative percent differences (RPDs) for all of the semivolatile spiking compounds were outside of QC limits. Low surrogate recoveries were also noted for this sample. All spike and surrogate recoveries were within QC criteria for the original sample and MS aliquot, therefore no qualification of the data was determined to be necessary as the low recoveries are believed to be isolated to the MSD sample.

SDG FD922:

- Sample 693GWMCC16 was utilized for the MS/MSD analysis of this SDG. One spike compound recovery was just below percent recovery QC limits in the semivolatile analysis. The sample data is not believed to have been affected by this low recovery.

- All spiking compound recoveries were below QC limits in the pesticides/PCBs MS/MSD analysis. All positive detections of pesticides and PCBs were qualified as estimated ("J" flagged) in this SDG.

Accuracy

Accuracy is the degree to which a given result agrees with the "true" value. To check the accuracy in organic analyses, the CLP SOW requires the addition of known amounts of surrogate compounds (compounds which are not likely to be found in the actual samples) and internal standards. If upon analysis of the sample the percent recovered for the surrogate compounds and/or internal standards are accurate (close to the known concentrations) as defined within the limits set by CLP, then the reported target compound concentrations are considered to be accurate.

Surrogate and internal standard recoveries outside of QC limits are discussed by SDG below:

SDGs FD938, FD920, FD941, and FD922:

- Most of the samples analyzed within these SDGs for pesticides/PCBs resulted with surrogate recoveries below the advisory QC limits. Positive pesticide/PCB results for the affected samples were qualified as estimated ("J" flagged).

SDG FD941:

- Sample 693GWMCC7 displayed low recoveries of two base/neutral surrogates in the semivolatile analysis. This sample was utilized as the MS/MSD for this SDG. Surrogate recoveries for the MS aliquot were within QC limits, but the MSD aliquot demonstrated the same low recovery pattern as the original sample. Positive detections of semivolatile target analytes were qualified as estimated for this sample ("J" flagged).

SDG FD894:

- The laboratory reported that samples 69RB-2 and 69FB were apparently not spiked with the surrogate solution prior to analysis in the semivolatile analysis. Both samples resulted with zero recovery of all semivolatile surrogate compounds. Insufficient sample remained to re-extract sample 69FB due to breakage during shipping. Sample 69RB-2 was re-extracted and analyzed four days outside of the technical holding time. Surrogate recoveries in the reanalysis were acceptable. Both analyses were reported and were in good agreement with each other.

SDG FD889:

- Sample 694SMW46-3 displayed one surrogate recovery above QC limits in the volatile analyses. The sample was reanalyzed with acceptable surrogate recoveries. The results of the second analyses agreed well with the first. Sample results were not considered to be affected by the high recovery.

- Sample 691SMW34-1 displayed one surrogate recovery above QC limits in the volatile analyses. In addition, all volatile internal standard recoveries were below QC limits for this sample. The sample was reanalyzed with acceptable surrogate recoveries and only one internal standard below QC limits. The results of the second analyses agreed well with the first. It is recommended that the re-analysis results be used (in favor of the original analysis) due to the outlying internal standard recoveries. All sample reanalysis results quantitated using the outlying internal standard were qualified as estimated ("J" or "UJ" flagged).

- One internal standard displayed a low area recovery in the semivolatile analysis of sample 691SMW33-2. All target compounds quantitated using that internal standard were qualified as estimated ("J" or "UJ" flagged).

- Samples 694SMW46-3, 691SMW44-2, 693SMW35-3, and 694SMW45-1D all displayed pesticide surrogate recoveries that were just below advisory QC limits. Qualification of the pesticide results for these samples was not considered to be necessary.

SDG FD913:

- Sample 694SHA3-1 displayed one low volatile surrogate recovery. Sample 694SHA2-2DL, 694SHA2-3, 694SHA2-3RE, and 694SHA3-1DL all displayed one surrogate recovery just above QC limits. Positive volatile target compound detections were qualified as estimated ("J" flagged) in this SDG.

- Sample 694SHA1-1MSD displayed low recoveries of all six semivolatile surrogate compounds. As the original sample and MS aliquot surrogate recoveries were within QC limits, no qualification of the data was performed.

SDG FD922:

- Sample 693GWMCC11MS was found to have one surrogate recovery just above QC limits. Surrogate recoveries of the original sample and the MSD aliquot were within QC limits. The sample data is not believed to be affected by this high surrogate recovery. No qualification of the data was performed.

The accuracy of the overall measurement system is also an indication of any bias that exists in the environmental laboratory and field sampling/analysis plan. Possible sources of error may be in the sampling process, field or laboratory contamination, preservation, handling and/or from the sample matrix itself.

Blanks assist in determining the presence and magnitude of any contamination resulting from the laboratory or field. If problems are found in any of the blanks, all associated data are evaluated to determine whether there is an inherent variability in the data or if the problem is an isolated occurrence and does not affect the data. The blanks analyzed include trip blanks, equipment rinsate blanks, field blanks and laboratory method blanks.

Under CLP, contaminants detected in the method blanks are handled within the laboratory by qualifying all positive detections of the contaminants in the associated samples with a "B" flag. The data validation procedures also evaluate the contaminants by determining possible contamination sources using field QC samples. Detection of an analyte in a blank results in the elevation of the compound quantitation limit to the action level using the 10-times and 5-times rules. The action level is the result of multiplying the blank contaminant compound concentration by 10 for common laboratory solvents or 5 for all other analytes. If an analyte is detected in a sample at a concentration lower than the action level, the analyte concentration in the sample is flagged as undetected. Blank contamination is outlined by SDG below:

SDG FD938:

- Low levels of methylene chloride and acetone were detected in the volatile analysis method blanks. Concentrations of bis(2-ethylhexyl)phthalate were detected in the semivolatile method blanks.

SDG FD941:

- Low levels of methylene chloride, acetone, bromoform, 2-hexanone, 1,1,2,2-tetrachloroethane, and 4-methyl-2-pentanone were detected in the volatile method blanks associated with this SDG. Bis(2-ethylhexyl)phthalate was detected in a semivolatile method blank analyzed with this SDG.

SDG FD894:

- Methylene chloride, acetone, and 2-butanone were detected in the volatile method blanks of this SDG. The field blank, rinsate blank, and two trip blanks associated with this SDG also displayed low levels of methylene chloride and acetone. The analysis of sample 69FB-P, taken from a potable water source at NAS Corpus Christi, resulted in detections of methylene chloride, chloroform, bromodichloromethane,

dibromochloromethane, and bromoform.

- All of the method and field blanks analyzed in this SDG resulted in positive detections of bis(2-ethylhexyl)phthalate in the semivolatile analysis. Di-n-butylphthalate was also detected in the semivolatile method blanks.

SDG FD889:

- Methylene chloride, acetone, carbon disulfide, and benzene were detected in the volatile method blanks, rinsate blanks, and trip blanks analyzed with this SDG. Concentrations of bis(2-ethylhexyl)phthalate and di-n-butylphthalate were detected in the semivolatile method blanks associated with this SDG.

SDG FD920:

- Low levels of methylene chloride and acetone were detected in the rinsate and volatile method blanks associated with this SDG. Bis(2-ethylhexyl)phthalate was also detected in low concentrations in rinsate blank.

SDG FD913:

- Low levels of methylene chloride, acetone, 4-methyl-2-pentanone, 2-hexanone, and 1,1,2,2-tetrachloroethane were detected in the volatile method blanks analyzed with this SDG. The trip blanks, rinsate blank, and field blank associated with this SDG also contained detections of methylene chloride and acetone. The analysis of sample 69FB-P, a field blank taken from a potable water source at NAS Corpus Christi, resulted in detections of methylene chloride, chloroform, bromodichloromethane, bromoform, and dibromochloromethane.

- Concentrations of bis(2-ethylhexyl)phthalate and di-n-butylphthalate were detected in the semivolatile method blanks associated with this SDG.

SDG FD922:

- Low levels of methylene chloride, acetone, 4-methyl-2-pentanone, 2-hexanone, and 1,1,2,2-tetrachloroethane were detected in the volatile method blanks analyzed with this SDG. The trip blanks associated with this SDG also contained detections of methylene chloride, acetone, and 1,2-dichloroethane.

The 10-times and 5-times rules were applied to all of the above-listed compounds detected in the blanks. All associated sample concentrations which were below the action levels calculated from the blank contamination were qualified as non-detected ("U" flagged).

INORGANIC ANALYSES

The samples were analyzed for TAL metals in accordance with the CLP SOW 3/90. Certain water samples were analyzed for both total and dissolved TAL metals. All sample results were reported in accordance with NEESA Level C guidelines.

Holding Times
The holding times from the date of collection to the date of sample digestion/preparation found to be within technical QC requirements.

Calibration
The purpose of the initial and continuing calibration is to ensure that the instrument is capable of acceptable and quantitative performance at the beginning of and throughout each analytical run. Initial and continuing calibrations were performed within QC criteria for the inorganic analysis.

Blanks
Blank results are used to determine the presence and magnitude of any contamination problems. Analysis of blanks was performed in compliance with method requirements. Contamination detected in the blanks is outlined below:

SDG FD938:
- Selenium, aluminum, calcium, and sodium were detected in calibration and preparation blanks associated with this SDG.

SDG FD941:
- Aluminum, iron, calcium, sodium, and selenium contamination was detected in continuing calibration blanks and preparation blanks associated with this SDG.

SDG FD894:
- Calcium, copper, sodium, cobalt, magnesium, potassium, zinc, and lead were detected in calibration and preparation blanks of this SDG.

SDG FD889:
- Aluminum, arsenic, calcium, copper, iron, selenium, sodium, zinc, selenium, and chromium were detected in the calibration and preparation blanks associated with this SDG.

SDG FD920:
- Cobalt, copper, iron, calcium, lead, selenium, and zinc were detected in the calibration and preparation blanks associated with this SDG.

SDG FD913:
- Calcium, sodium, iron, aluminum, lead, zinc, and selenium were all detected in the calibration and preparation blanks associated with this SDG.

SDG FD922:
- Nickel, selenium, calcium, copper, iron, sodium, thallium, and zinc were detected in the calibration and preparation blanks associated with this SDG.

SDG FD921:

- Aluminum, iron, selenium, and calcium were detected in the calibration and preparation blanks associated with this SDG.

SDG FD939:

- Aluminum, selenium, thallium, calcium, copper, iron, and sodium were detected in the calibration and preparation blanks associated with this SDG.

SDG FD942:

- Aluminum, barium, calcium, iron, magnesium, manganese, vanadium, zinc, copper, and sodium were detected in the calibration and preparation blanks associated with this SDG.

Action levels for the metals detected in blanks were calculated and the sample data was qualified with the appropriate flag.

Laboratory Control Sample Analysis

The laboratory control sample (LCS) analysis serves as a monitor of efficiency and overall performance in all steps of analysis, including the digestion procedures. Laboratory control sample analysis results were found to be within QC criteria for all SDGs associated with this project.

Duplicate/Spike

Duplicate samples are used to determine the precision of analytical methods for each parameter. The spiked samples are designed to provide information about the effects of the sample matrix on the digestion and measurement methodology. Duplicate and spike analysis results found to be outside of QC criteria are listed below:

SDG FD938:

- Spike recoveries of aluminum, thallium, and selenium were below outside the QC recovery limits of 75-125% recovery. Recovery of arsenic was high (152.2%) in the spike analysis for this SDG. All aluminum, thallium, selenium, and arsenic results in this SDG were qualified as estimated ("J" or "UJ" flagged).

SDG FD941:

- Spike recoveries for mercury and thallium were below QC limits. All mercury and thallium sample results in this SDG were qualified as estimated ("J" or "UJ" flagged).

- Duplicate results for aluminum were outside of QC criteria. All positive detections of aluminum were qualified as estimated ("J" flagged).

- Lead and selenium spike recoveries were below QC limits in this SDG. All lead and selenium results were qualified as estimated ("J" or "UJ" flagged).

SDG FD894:

- Duplicate recoveries of aluminum and iron were outside QC limits for this SDG. All positive aluminum and iron results were qualified as estimated ("J" or flagged).

SDG FD889:

- Spike recovery of arsenic was above QC limits for this SDG. All positive detections of arsenic were qualified as estimated ("J" flagged).

SDG FD920:

- Aluminum, arsenic, cadmium, and copper all displayed spike recoveries that were above QC limits. Positive results for these metals were flagged as estimated ("J" flagged).

- Mercury and thallium displayed low spike recoveries in this SDG. The spike recovery of silver was very low, 12%. Mercury and thallium results for this SDG were qualified as estimated ("J" or "UJ" flagged), and silver results were qualified as unusable ("R" flagged).

- Duplicate analysis results for aluminum, cadmium, chromium, copper, lead, and selenium were all outside of QC limits for this SDG. All positive detections of these metals were qualified as estimated ("J" flagged).

SDG FD913:

- Antimony, cadmium, and thallium spike recoveries were all below QC limits in this SDG. All results for these metals were flagged as estimated ("J" or "UJ" flagged).

- Duplicate analysis results for lead were outside of QC limits for this SDG. All positive detections of lead were qualified as estimated ("J" flagged).

SDG FD922:

- Spike recoveries of mercury ad thallium were below QC limits for this SDG. All results for these metals were qualified as estimated ("J" or "UJ" flagged).

- Lead and zinc results were outside of QC limits in the duplicate analysis for this SDG. All positive detections of lead and zinc were qualified as estimated ("J" flagged).

SDG FD921:

- The spike recovery for arsenic was above QC limits for this SDG. All positive arsenic results were qualified as estimated ("J" flagged).

- Silver was below QC limits in the spike analysis for this SDG. All silver results were qualified as estimated ("J" or "UJ" flagged). Thallium displayed a spike recovery of only 25%, therefore all thallium results were qualified as unusable ("R" flagged).

SDG FD939:

- Lead, selenium, and thallium all displayed spike results below QC criteria. All results for these metals were qualified as estimated ("J" or "UJ" flagged).

SDG FD942:

- Spike recovery of arsenic was above QC limits. All positive arsenic results were qualified as estimated ("J" flagged).

Representativeness

Representativeness expresses the degree to which sample data accurately and precisely represent the characteristic of a population, parameter variations at a sampling point, or an environmental condition. The field duplicate samples assist in giving an indication of overall (i.e. field and laboratory) precision. In the organic and inorganic analyses, the duplicate results were found to be in acceptable agreement with original results with the following exceptions:

SDG FD889:

- Samples 694SMW45-1 and 694SMW45-1D were utilized as the field duplicate pair for this SDG. These samples displayed percent differences of 63.4% in the chromium analysis and 97.9% in the zinc analysis. All chromium and zinc results were qualified as estimated ("J" flagged).

SDG FD919:

- Samples 698WMWES12 and 698WMWES12D were collected as field duplicates for this SDG. Chromium results for these samples displayed a percent difference of 33.7%. All positive chromium results for samples in this SDG were qualified as estimated ("J" flagged).

SDG FD913:

- Sample 694SHA3-1 694SHA3-1D were collected as field duplicates for this SDG. Duplicate analysis results for aluminum, calcium, chromium, iron, and lead were outside of QC limits for this SDG. All positive detections of these metals were qualified as estimated ("J" flagged).

SDG FD921:

- Samples 691GWES33 and 691GWES33-D were collected as field duplicates for this SDG. Iron results were not within QC limits for this duplicate analysis. All positive iron resulted were qualified as estimated ("J" flagged).

SDG FD942:

- Samples 693GWGM19 and 693GWGM19-D were collected as the field duplicates for this SDG. Zinc results did not meet QC criteria in the duplicate analysis. All zinc results were qualified as estimated ("J" or "UJ" flagged).

Completeness
Completeness is defined as the percentage of measurements made which are judged to be valid. Silver results for SDG FD920 and thallium results for SDG FD9231 were determined to be unusable due to extremely low spike recoveries. Despite these unusable results, the data satisfactorily meet the 90 percent completeness goal.

Comparability
Comparability is a qualitative parameter expressing the confidence with which one data set can be compared with another. To ensure comparability, all samples were collected using EPA Region IV SOPs and were analyzed according to CLP or EPA methods, as appropriate.

Data Assessment
The analytical data generated during the Facility Investigation at NAS Corpus Christi has been reviewed and validated with the appropriate data qualifiers based on data usability. Through the validation process, several results have been qualified as estimated or unusable due to QA deficiencies. The analytical data are usable as qualified for the Facility Investigation.

The analytical data will be presented in summary form and lists only the positively detected compounds and qualified data critical to the reader.

Data Qualifier Definitions
The following briefly explains the data qualifiers as a result of the validation process:

U — The compound was analyzed for, but was not detected above the reported sample quantitation limit.

J — The compound was positively detected; however, the reported concentration is considered to approximate the concentration within the sample.

UJ — The compound was not detected above the reported sample quantitation limit; however, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the compound in the sample.

R — The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. The presence or absence of the compound cannot be verified.

APPENDIX H

DATA VALIDATION - SECOND SAMPLING EVENT

DATA VALIDATION

Data validation has been performed for all analytical data generated during the second groundwater sampling event of the Facility Investigation at NAS Corpus Christi, Texas. The analytical work was conducted by National Environmental Testing Inc., Bedford, MA. The analytical protocols were performed in accordance with the following documents:

- USEPA Contract Laboratory Program, *Statement of Work for Organic Analysis* (CLP SOW 3/90).
- USEPA Contract Laboratory Program, *Statement of Work for Inorganic Analysis* (CLP SOW 3/90).
- USEPA Office of Solid Waste and Emergency Response, *SW846 Test Methods for Evaluating Solid Waste*, 3rd Edition (SW-846).
- NEESA Level C QA/QC guidelines as stated in the *Sampling and Chemical Analysis Quality Assurance Requirements for the Navy Installation and Restoration Program* (NEESA 20.2-047B).

The samples collected in support of this investigation were received by the laboratory between October 20 and 26, 1993. Samples were analyzed and reported in six sample delivery groups (SDGs).

ORGANIC ANALYSIS

Samples were submitted and analyzed for volatile and semivolatile organic compounds according to the CLP SOW 3/90 and pesticides and PCBs by EPA method 8080. Results were reported in accordance with NEESA Level C guidelines. Holding times from the time of sample collection until the time of sample extraction and analysis were found to be in compliance with QC requirements with the following exception:

- Sample 691WMWREI26 was analyzed one day outside of holding time for volatiles. The data was not judged to have been affected by the missed holding time and was not qualified.

Calibration

Criteria for instrument calibration were established to ensure the production of acceptable qualitative and quantitative data. The initial calibration ensures the instrument capabilities prior to the analytical run and the continuing calibrations ensure the instrument capabilities throughout and at the end of each subsequent analytical run.

Historical performance data show that certain volatile and semivolatile compounds (called poor responders), show a poor response or erratic behavior under the conditions of analysis. Therefore, no contractual requirements are provided for these compounds. For review and validation, however, all compounds were considered for qualification in the volatile and semivolatile analyses when the following criteria were not met:

- Initial/continuing calibration standard relative response factors (RRFs) for all target compounds and surrogates must be greater than or equal to 0.05.

- Percent relative standard deviation (RSD) of the RRFs must not exceed ±30 percent in the initial calibration.

- Percent difference (%D) of the RRFs must not exceed ± 25 percent in the continuing calibration.

Calibration non-conformances encountered during the review of volatile and semivolatile calibration data for this project are detailed by SDG below:

SDG FD1010:

- Acetone exceeded %D criteria in the volatile initial calibration performed on October 28, 1993. In addition, the %D for carbon disulfide exceeded QC criteria in the volatile continuing calibration performed on October 31, 1993. All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- Hexachlorobutadiene, 2,4-dinitrophenol, 2,2'-oxybis(1-chloropropane), and pentachlorophenol exceeded %D QC limits in the semivolatile continuing calibrations performed on October 28 and 29, 1993. All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

SDG FD1011:

- Chloromethane, 2-butanone, carbon tetrachloride, 1,2-dichloropropane, 4-methyl-2-pentanone, 2-hexanone, and 1,1,2,2-tetrachloroethane exceeded %D criteria in the volatile continuing calibration performed on November 03, 1993. In addition, the %Ds for 1,2-dichloroethene exceeded QC criteria in the volatile continuing calibration performed on November 02, 1993. Acetone exceeded RSD and %D QC limits in the initial and continuing volatile calibrations performed on November 11, 1993. Chloromethane, bromomethane, chloroethane, methylene chloride, 1,1-dichloroethane, 1,2-dichloroethane, and 1,1,2,2-tetrachloroethane exceeded %D criteria in the volatile continuing calibration performed on November 07, 1993. All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- The following compounds exceeded QC limits in one or more of the semivolatile continuing calibrations, performed from November 17 to December 07, 1993:

  Carbazole
  4-nitroaniline
  3,3'-dichlorobenzidine
  Hexachlorocyclopentadiene
  2,2'-oxybis(1-chloropropane)

4,6-dinitro-2-methylphenol
Pentachlorophenol
2,4,5-trichlorophenol
Carbazole
2,4-dinitrophenol
Di-n-octylphthalate

In addition, 2,4-dintrophenol was below the QC criteria for RRF during the continuing calibration performed on November 20, 1993. All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

SDG FD1012:

- Acetone, chloroethane, methylene chloride, carbon disulfide, 1,1-dichloroethane, 1,1-dichloroethene, and 1,2-dichloroethene exceeded %D criteria in the volatile continuing calibrations performed on November 06 and 07, 1993. Positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

- Chloromethane, chloroethane, methylene chloride, 1,2-dichloroethane, and 1,1,2,2-tetrachloroethane exceeded %D QC criteria in the volatile continuing calibration performed on November 07, 1993. Positive detections of these compounds in the samples analyzed using this calibration sequence were qualified as estimated ("J" flagged).

- The following compounds exceeded QC limits in one or more of the semivolatile continuing calibrations, performed from November 17 to December 08, 1993:

  bis(2-Chloroethyl)ether
  Carbazole
  4-Nitroaniline
  3,3'-Dichlorobenzidine
  Hexachlorocyclopentadiene
  2,2'-oxybis(1-chloropropane)
  4,6-dinitro-2-methylphenol
  Pentachlorophenol
  2,4,5-trichlorophenol
  2,4-dinitrophenol
  3-Nitroaniline
  4-Nitrophenol
  N-Nitrosodiphenylamine

  All positive detections of these compounds in the samples analyzed using these calibration sequences were qualified as estimated ("J" flagged).

In the pesticides/PCBs analysis, compounds were considered for qualification when the following calibration criteria were not met:

- %RSD of the calibration factors for the compounds aldrin, endrin, and 4,4'-DDT must not exceed ±10 percent on the quantitation column for the initial calibration.

- %RSD for all remaining compounds must not exceed ±20 percent on either column for the initial calibration.

- %D must not exceed ±15 percent on the quantitation column or ±20 percent on the confirmation column for the continuing calibrations.

- Percent recovery (%R) must be between 80 percent and 110 percent for the GPC cleanup analysis.

- Resolution of target compound peaks must be ≥60 percent.

All pesticide/PCB calibration sequences were performed within QC requirements with the exceptions noted below:

SDG FD1010:

- Target compound alpha-BHC exceeded %D QC criteria in continuing calibrations performed on the quantitation column. All positive detections of this compound were qualified as estimated ("J" flagged).

SDG FD1011:

- Endosulfan sulfate, alpha-BHC, beta-BHC, and 4,4'-DDT all exceeded %D QC criteria in the continuing calibrations performed on the quantitation column. All positive detections of these compounds were qualified as estimated ("J" flagged).

SDG FD1012:

- Aldrin exceeded %RSD QC criteria in the initial calibration for this SDG. All positive detections for this target compound were qualified as estimated ("J" flagged).

- Endosulfan sulfate, alpha-BHC, and beta-BHC exceeded %D QC criteria in the continuing calibration performed on the quantitation column. All positive detection of these target compounds were qualified as estimated ("J" flagged).

Precision

For each analytical method used to analyze environmental samples, there are variations in the reported results that may be due to the random differences in the handling and analysis of that matrix. These variations are referred to as the *precision* or the *reproducibility* of results. To demonstrate reproducibility, the CLP SOW specifies the addition of known quantities of several compounds to two separate aliquots of each sample matrix type. These aliquots are referred to as the matrix spike (MS) and the matrix spike duplicate (MSD). These samples are then analyzed using the same preparation and analytical methods used for all samples of similar

matrix types. These samples can be used to detect matrix effects in which other sample components interfere with the analysis of the contaminants. Recoveries of Arochlor 1016 and Arochlor 1260 and %RPDs for these compounds were calculated for the PCBs MS/MSD analysis. No QC criteria exist for these compounds. All MS/MSD analysis results were within QC criteria, with the exception discussed below:

SDG FD1212:

- Sample 691WMWES32 was utilized for the MS/MSD analysis of this SDG. 1,1-Dichloroethene percent recovery was just below percent recovery QC limits in the volatile MS/MSD analysis. The sample data is not believed to have been affected by this low recovery.

Accuracy

Accuracy is the degree to which a given result agrees with the true value. To check the accuracy in organic analyses, the CLP SOW requires the addition of known amounts of surrogate compounds (compounds which are not likely to be found in the actual samples) and internal standards. If upon analysis of the sample the percent recovered for the surrogate compounds and internal standards are accurate (close to the known concentrations) as defined within the limits set by CLP, then the reported target compound concentrations are considered to be accurate.

Surrogate and internal standard recoveries outside of QC limits are discussed by SDG below:

SDGs FD1010, FD1011, and 1012:

- Most of the samples analyzed within these SDGs for pesticides/PCBs resulted with surrogate recoveries below the advisory QC limits. Positive pesticide/PCB results for the affected samples were qualified as estimated ("J" flagged).

SDG FD1011:

- Sample 691WMWREI27 displayed high recoveries of two volatile surrogates and low recoveries of two base/neutral surrogates in the semivolatile analysis. This sample was reanalyzed with similar results for both parameters. Positive detections of volatile and semivolatile target analytes were qualified as estimated for this sample ("J" flagged). Non-detected semivolatile target compounds were also qualified as estimated ("UJ" flagged).

The accuracy of the overall measurement system is also an indication of any bias that exists in the environmental laboratory and field sampling/analysis plan. Possible sources of error may be in the sampling process, field or laboratory contamination, preservation, handling and/or from the sample matrix itself.

Blanks assist in determining the presence and magnitude of any contamination resulting from the laboratory or field. If problems are found in any of the blanks, all associated data are evaluated to determine whether there is an inherent variability in the data or if the problem is an isolated occurrence and does not affect the data. The blanks analyzed include trip blanks, equipment rinsate blanks, field blanks and laboratory method blanks.

Data validation procedures evaluate blank contaminants by determining possible contamination sources using field QC samples and method blanks. Detection of an analyte in any blank results in the elevation of the compound quantitation limit to the action level using the 10-times and 5-times rules. The action level is the result of multiplying the blank contaminant compound concentration by 10 for common laboratory solvents or 5 for all other analytes. If an analyte is detected in a sample at a concentration lower than the action level, the analyte concentration in the sample is flagged as undetected. Blank contamination is outlined by SDG below:

SDG FD1010:

- Low levels of acetone, trichloroethane, and 1,1,2,2-tetrachloroethane were detected in the volatile analysis method blanks. A low concentration of bis(2-ethylhexyl)phthalate was detected in one of the semivolatile method blanks.

- Methylene chloride and acetone were detected in low concentrations in the trip blank associated with this SDG.

SDG FD1011:

- Low levels of methylene chloride, acetone, 2-hexanone, 1,1,2,2-tetrachloroethane, and 4-methyl-2-pentanone were detected in the volatile method blanks associated with this SDG. Bis(2-ethylhexyl)phthalate, diethylphthalate, carbazole, butylbenzylphthalate, and di-n-butylphthalate were detected in semivolatile method blanks analyzed with this SDG.

- Methylene chloride and chlorobenzene were detected in low levels in the trip blanks associated with this SDG.

SDG FD1012:

- Methylene chloride, 2-hexanone, 4-methyl-2-pentanone, and 1,1,2,2-tetrachloroethane were detected in the volatile method blanks of this SDG. Diethylphthalate, carbazole, butylbenzylphthalate, and bis(2-ethylhexyl)phthalate were found in the semivolatile method blanks of this SDG.

- The trip blank associated with this SDG also displayed a low level concentration of methylene chloride.

The 10-times and 5-times rules were applied to all of the above-listed compounds detected in the blanks. All associated sample concentrations which were below the action levels calculated from the blank contamination were qualified as non-detected ("U" flagged).

INORGANIC ANALYSES

The samples were analyzed for TAL metals in accordance with the CLP SOW 3/90. The samples were analyzed for both total and dissolved TAL metals. All sample results were reported in accordance with NEESA Level C guidelines.

Holding Times

The holding times from the date of collection to the date of sample digestion/preparation were

found to be within technical QC requirements.

Calibration
The purpose of the initial and continuing calibrations is to ensure that the instrument is capable of acceptable and quantitative performance at the beginning of and throughout each analytical run. Initial and continuing calibrations were performed within QC criteria for the inorganic analysis.

Blanks
Blank results are used to determine the presence and magnitude of any contamination problems. Analysis of blanks was performed in compliance with method requirements. Contamination detected in the blanks is outlined below:

SDG FD1010:
- Aluminum, antimony, barium, copper, iron, mercury, nickel, and zinc were detected in calibration and preparation blanks associated with this SDG.

SDG FD1011:
- Aluminum, barium, calcium, manganese, nickel, and vanadium contamination was detected in calibration and preparation blanks associated with this SDG. Iron and calcium were detected in the field blank associated with the samples of this SDG.

SDG FD1012:
- Barium, arsenic, calcium, copper, iron, silver, sodium, magnesium, manganese, zinc, thallium, and vanadium were detected in the calibration and preparation blanks of this SDG.

SDG FD1013:
- Aluminum, barium, cadmium, calcium, cobalt, copper, chromium, iron, mercury, manganese, silver, vanadium, sodium, and zinc were detected in the calibration and preparation blanks associated with this SDG.

SDG FD1014:
- Cobalt, copper, chromium, iron, calcium, magnesium, sodium, and zinc were detected in the calibration and preparation blanks associated with this SDG.

SDG FD1015:
- Aluminum, barium, calcium, cadmium, cobalt, magnesium, manganese, silver, sodium, zinc, vanadium, and thallium were all detected in the calibration and preparation blanks associated with this SDG.

Action levels for the metals detected in blanks were calculated as described in the Organic Analyses section above, and the sample data was qualified with the appropriate flag.

Laboratory Control Sample Analysis
The laboratory control sample (LCS) analysis serves as a monitor of efficiency and overall

performance in all steps of analysis, including the digestion procedures. Laboratory control sample analysis results were found to be within QC criteria for all SDGs associated with this project.

Duplicate/Spike

Duplicate samples are used to determine the precision of analytical methods for each parameter. The spike samples are designed to provide information about the effects of the sample matrix on the digestion and measurement methodology. Duplicate and spike analysis results found to be outside of QC criteria are listed below:

SDG FD1010:

- Spike recovery of silver was below QC recovery limits. All positive silver detection in this SDG were qualified as estimated ("J" flagged).

- Recovery of thallium was far below (<30% recovery) in the spike analysis for this SDG. Thallium results in this SDG were qualified as unusable ("R" flagged).

SDG FD1011:

- Spike recoveries for arsenic and lead were above QC limits. All positive arsenic and lead detections in this SDG were qualified as estimated ("J" flagged).

- Silver spike recovery was below recovery limits in this SDG. Silver results were qualified as estimated ("J" or "UJ" flagged).

SDG FD1012:

- Spike recoveries of antimony, selenium, and silver were below QC limits for this SDG. All results of these metals were qualified as estimated ("J" or "UJ" flagged).

- Spike recovery of arsenic was slightly above QC limits in this SDG. All positive detections of arsenic were qualified as estimated ("J" flagged).

- Spike recoveries of lead and thallium were very far below QC limits (<30% recovery) in this SDG. Lead and thallium results in this SDG were qualified as unusable ("R" flagged).

- Duplicate results for aluminum and iron were outside of QC limits in this SDG. Positive detections of these metals were qualified as estimated ("J" flagged).

SDG FD1013:

- Spike recoveries of arsenic and selenium were above QC limits for this SDG. All positive detections of arsenic and selenium were qualified as estimated ("J" flagged).

- Spike recovery for thallium was far below (<30% recovery) the QC limits in this SDG. All results for thallium were qualified as unusable ("R" flagged).

SDG FD1014:

- Silver displayed low spike recovery in this SDG. All silver results were qualified as estimated ("J" or "UJ" flagged).

- Thallium spike recovery was far below (<30% recovery) the QC limits in this SDG. All results for thallium were qualified as unusable ("R" flagged).

SDG FD1015:

- Lead and silver spike recoveries were below QC limits in this SDG. All results for these metals were flagged as estimated ("J" or "UJ" flagged).

- Arsenic spike recovery was above QC limits in this SDG. All positive results for arsenic were flagged as estimated ("J" flagged).

- Thallium spike recovery was far below (<30% recovery) the QC limits in this SDG. All results for thallium were qualified as unusable ("R" flagged).

Representativeness

Representativeness expresses the degree to which sample data accurately and precisely represent the characteristic of a population, parameter variations at a sampling point, or an environmental condition. The field duplicate samples assist in giving an indication of overall (i.e. field and laboratory) precision. In the organic and inorganic analyses, the duplicate results were found to be in acceptable agreement with original results with the following exceptions:

SDGs FD1011 and FD1015:

- Field duplicate results for aluminum were outside of QC criteria in these two SDGs. All associated positive detections of aluminum were qualified as estimated ("J" flagged).

Completeness

Completeness is defined as the percentage of measurements made which are judged to be valid. Thallium results for SDGs FD1010, 1012, 1013, 1014, and 1015 and lead results for SDG 1012 were determined to be unusable due to extremely low spike recoveries. Despite these unusable results, the data satisfactorily meet the 90 percent completeness goal.

Comparability

Comparability is a qualitative parameter expressing the confidence with which one data set can be compared with another. To ensure comparability, all samples were collected using EPA Region IV SOPs and were analyzed according to CLP or EPA methods, as appropriate.

Data Assessment

The analytical data generated during the second groundwater sampling event of the Facility Investigation at NAS Corpus Christi has been reviewed and validated with the appropriate data qualifiers based on data usability. Through the validation process, several results have been qualified as estimated or unusable due to QA deficiencies. The analytical data are usable as qualified for the Facility Investigation.

Data Qualifier Definitions

The following briefly explains the data qualifiers as a result of the validation process:

U — The compound was analyzed for, but was not detected above the reported sample quantitation limit.

J — The compound was positively detected; however, the reported concentration is considered to approximate the concentration within the sample.

UJ — The compound was not detected above the reported sample quantitation limit; however, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the compound in the sample.

R — The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. The presence or absence of the compound cannot be verified.



1' - 2000'

SOURCE: U.S.G.S 7.5 MIN.
OSO CREEK TX. QUADRANGLE

SOUTHERN DIVISION NAVAL FACILITIES ENGINEERING COMMAND

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 1
SITE VICINITY MAP
CORPUS CHRISTI N.A.S.

DATE: 09/23/93

DWG NAME: 17X11


N
RUNNING COURSE
FIRE STATION
OUTHOUSE
MAINTENANCE BUILDING
GOLF
COURSE
STORAGE TANKS
AIRCRAFT TAXI STRIP
SITE 1
DRMO SCRAP YARD
F&W ELEC. CONTRACTORS YARD
GASOLINE STATION
LEXINGTON BLVD.
SITE 3
COMMISSARY
PARKING
REC. BLDG.
PARKING
SITE 4
PAVED AREA
GUARD POST, SOUTH GATE
TRAFFIC CONTROL BUILDING
NOTE: WELL LOCATIONS ARE APPROXIMATE.
LEGEND
— APPROXIMATE SITE BOUNDARIES
500 0 500
SCALE FEET
FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS
FIGURE 2
SITES 1, 3, AND 4
NAS CORPUS CHRISTI
DATE: 09/30/93
DWG NAME: 069CORP9



NOTE: WELL LOCATIONS ARE APPROXIMATE.

LEGEND

- EXISTING MONITORING WELL
- SOIL BORING
- DEEP MONITORING WELL
- NEW MONITORING WELL
- HAND AUGER LOCATIONS
- APPROXIMATE SITE BOUNDARIES

CONTOUR INTERVAL 1'

500 0 500
SCALE FEET

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 6
TOPOGRAPHIC MAP
SITES 1, 2, AND 4
FIGHTER'S TRAINING AREA
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 069CORP6



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 7
THICKNESS OF UPPER AQUIFER SANDS
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 069CORP4



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 8
THICKNESS OF (INTERVENING) CLAY SEPARATING UPPER AND SOIL BORING LOCATIONS AQUIFER FROM LOWER AQUIFER NAS CORPUS CHRISTI

DATE: 09/30/93 | DWG NAME: 069CORP2



400 0 400

HORIZONTAL SCALE FEET

VERTICAL SCALE = 10 FEET

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 9
NORTHWEST SOUTHEAST
CROSS SECTION
SITE 1 AND 3
NAS CORPUS CHRISTI

DATE: 09/30/93 | DWG NAME: 069CORP7



400 0 400

HORIZONTAL SCALE FEET

VERTICAL SCALE = 10 FEET

FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 10
SOUTHWEST NORTHEAST
CROSS SECTION
SITE 3 FIRE FIGHTER TRAINING AREA
NAS CORPUS CHRISTI

DATE: 09/30/93 | DWG NAME: 069CORP8


N
RUNNING COURSE
FIRE STATION
A
MAINTENANCE BUILDING
REI-28
B-28
OUTHOUSE
GOLF COURSE
STORAGE TANKS
ES-33
ES-34
GM-21
REI-27
ES-37
AIRCRAFT TAXI STRIP
REI-26
DRMO SCRAP YARD
ES-35
ES-38
B
ES-32
ES-31
SITE 1
MCC-2
ES-44
MCC-13
GM-16
GM-17
MCC-14
MCC-3
MCC-1
GASOLINE STATION
E&W ELEC. CONTRACTORS YARD
ES-39
ES-36
MCC-6
MCC-4
MCC-11
MCC-5
REI-24
MCC-12
MCC-7
COMMISSARY
LEXINGTON BLVD.
MCC-8
ES-43
REI-25
ES-40
MCC-9
SITE 3
PARKING
ES-45
GM-18
B-29
REI-29
ES-47
REC. BLDG.
ES-46
MCC-15
GM-19
ES-41
PARKING
SITE 4
PAVED AREA
GM-20
ES-42
NOTE: WELL LOCATIONS ARE APPROXIMATE.
GUARD POST, SOUTH GATE
B'
TRAFFIC CONTROL BUILDING
REI-30
B-30
A'
LEGEND
– EXISTING MONITORING WELL
– SOIL BORING
– DEEP MONITORING WELL
– NEW MONITORING WELL
– HAND AUGER LOCATIONS
– APPROXIMATE SITE BOUNDARIES
– LINE OF CROSS SECTION
CONTOUR INTERVAL 0.5'
500 0 500
SCALE FEET
FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS
FIGURE 11
SITES 1,3 AND F.F.T.A.
POTENTIOMETRIC MAP
UPPER AQUIFER
NAS CORPUS CHRISTI
DATE: 09/30/93
DWG NAME: 069CORP5


N
RUNNING COURSE
FIRE STATION
A
STORAGE TANKS
OUTHOUSE
REI-28
B-28
MAINTENANCE BUILDING
GOLF COURSE
ES-33
ES-34
REI-27
GM-21
REI-26
SITE 1
DRMO SCRAP YARD
ES-32
ES-31
MCC-2
ES-44
MCC-3
ES-35
MCC-13
GM-16
MCC-1
ES-37
ES-38
B
GM-17
MCC-14
AIRCRAFT TAXI STRIP
F&W ELEC. CONTRACTORS YARD
ES-36
ES-39
MCC-11
GASOLINE STATION
MCC-6
MCC-4
MCC-5
REI-24
MCC-12
MCC-7
LEXINGTON BLVD.
7.5
MCC-8
ES-43
REI-25
SITE 3
ES-40
MCC-9
COMMISSARY
PARKING
ES-45
GM-18
8
B-29
REI-29
REC. BLDG.
PARKING
ES-47
ES-46
MCC-15
ES-41
GM-19
SITE 4
8.5
PAVED AREA
GM-20
ES-42
GUARD POST, SOUTH GATE
NOTE: WELL LOCATIONS ARE APPROXIMATE.
B'
9
TRAFFIC CONTROL BUILDING
9.5
REI-30
B-30
10
A'
LEGEND
– EXISTING MONITORING WELL
– SOIL BORING
– DEEP MONITORING WELL
– NEW MONITORING WELL
– HAND AUGER LOCATIONS
– APPROXIMATE SITE BOUNDARIES
– LINE OF CROSS SECTION
CONTOUR INTERVAL 0.5'
500 0 500
SCALE FEET
FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS
FIGURE 12
SITES 1, 3, AND 4
POTENTIOMETRIC MAP
LOWER AQUIFER
NAS CORPUS CHRISTI
DATE: 09/30/93
DWG NAME: 069COP10



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 13
SITES 1, 3, AND 4
MONITORING WELL
AND SOIL BORING LOCATIONS
NAS CORPUS CHRISTI

DATE: 09/30/93 | DWG NAME: 069CORP1

Table 10
Inorganic Soil Hits (ppm)
Sites 1, 3, and 4 Soil Boring Locations

Parameter	Reference Concentrations*	ES31-5	ES32-2	ES33-2	ES34-1	ES34-3	ES35-2	ES35-3	ES36-2	ES37-2	ES38-2	ES39-2	ES39-4	ES40-2	ES40-6	ES41-3	ES41-10	ES42-3	ES43-1	ES43-2	ES43-11	ES44-2	ES44-5	ES45-1	ES46-3	ES47-3
luminum	N/A	234	357	711	4,650	742	289	2,810	1,230	297	349	355	5,090	438	1,630	638	2,590	382	909	741	3,380	339	4,590	1,520	596	821
Arsenic	5				6.7				3.1	2.7																
Barium	200	2.7	4	7.5	136	7.6	2.1	47.8	38.7	1.2	3.7	2.2	16.9	3.5	10	3.3	11.8	2.8	6.9	4.9	34	3.5	45.3	20.4	5.7	5.6
Beryllium	.4							.35					.51								.31		.42			
Cadmium	.5				2.4				46				1										1.4	3.7	2.6	2.9
Calcium	N/A		77.3	37,300	64,000	6,060	123	1,180	3,480	145	344	126	2,410	1,870	424	204	317	98.6	1,240	871	1,500	99.2	5,850	22,900	4,660	321
Chromium	10		4.5	3.1	27.6	2.6	1.7	2.8	5.4			2.5	5.9	1.4	1.3	1.4	3.7		2.9	4	4.2	1.2	3.6	13.5	5.5	7.6
Cobalt	N/A				3.1								4.4													
Copper	N/A	.83	.89	3.1	147	2.5	1.2	2.6	7.8			1.3	5.5	1.4	.99	.87	2		3.3	1.3	6.3	.78	2.8	6.1	6.6	5
Iron	N/A	160	446	575	5,940	721	134	1,520	2,710	73.7	533	173	2,810	261	498	364	1,080	130	500	330	2,160	92	4,240	969	508	377
Lead	1.5		1.2	17.2	1,020	7.1	.61	3	14.8			.74	8.6			1.1	2.2	.78	17	1.7	3.7	2.1	3.1	21.8	45.1	25.8
Magnesium	N/A		24.9	514	2,030	240	24.6	551	220			27.8	1,060		213	70.2	265	35.9	118	33.2	511	25.5	1,220	669	109	54.1
Manganese	N/A	.86	2.2	30.6	123	13.2	.78	5	32.1	.46	2.9	1.3	15.7	3.1	2.2	6.3	4.5	.87	10.1	5.3	12.7	.87	39.9	33.3	4.7	3.2
Mercury	.2																							.12	.14	
Nickel	10				11																			6.4		
Potassium	N/A			192	862	209		707	118		224		1,280				325		141	38.9	785		1,310	371		105
Selenium	5				.58			.26					.36													
Sodium	N/A			378	309			256					299										359			
Vanadium	N/A		1.4	1.8	7.9	1.8	.9	6.5	2.1	.77	1.7	.84	6.6	.8	2.7	1.1	3.6		1.3	1.2	6.3		6.8	3.1	1.1	1.3
Zinc	N/A			11.2	757				90	1.5	3.9		242	3.8	5.6				14.9				13.4	25.1	27.4	18.4

Table 14-A
Inorganic Water Hits (ppb)
Sites 1, 3, and 4 — Monitoring Wells

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-31	ES-32	ES-33	ES-34	ES-35	ES-36	ES-37	ES-38	ES-39
Aluminum	N/A	Filtered	150								
		Non-Filtered	30,200	75,000	30,400	37,300		18,800	29,600	10,700	1,800
Arsenic	50	Filtered	3.8		7.8		3.2	20.2	5.1	9.2	
		Non-Filtered	7.6	11	10	9.8		33.3	5.4	9.2	
Barium	2,000	Filtered	45.3	149	796		258	1,300		321	166
		Non-Filtered	766	458	1,340	330		1,660	349	419	109
Beryllium	4	Filtered									
		Non-Filtered	1.3	3.7	1.1	1.7		1.2	2.6		
Cadmium	5	Filtered									
		Non-Filtered						10.5			
Calcium	N/A	Filtered	21,400	130,000	302,000		90,600	148,000	72,000	102,000	157,000
		Non-Filtered	26,600	250,000	292,000	183,000		148,000	89,600	98,500	70,700
Chromium	100	Filtered									
		Non-Filtered	22.8	68	21.3	32.1		28.8	14.1	8.6	10.9
Cobalt	N/A	Filtered						9.2			
		No-Filtered	9.6	28.1	8.3	12.1		14.4	7.1	5.5	
Copper	N/A	Filtered			19.2		3.9				
		Non-Filtered	19.3	53.4	33.7	28.9		49.9	23.3	9.4	
Iron	N/A	Filtered	1,520		1,980			18,900	3,150	7,040	
		Non-Filtered	13,100	53,000	13,900	25,500		32,700	7,260	11,400	1,640
Lead	15	Filtered							6.4	17.2	
		Non-Filtered	23.2	32.6	38.9	26		116	47.5	5.8	2.6

Table 14-A
Inorganic Water Hits (ppb)
Sites 1, 3, and 4 — Monitoring Wells

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-31	ES-32	ES-33	ES-34	ES-35	ES-36	ES-37	ES-38	ES-39
Magnesium	N/A	Filtered	4,270	25,700	110,000		14,400	48,700	15,300	26,600	18,400
		Non-Filtered	6,710	43,000	101,000	33,800		49,900	19,300	27,400	12,600
Manganese	N/A	Filtered	303	423	1,050		86.7	637	146	325	383
		Non-Filtered	372	1,130	1,020	746		719	200	412	145
Mercury	2	Filtered									
		Non-Filtered									
Nickel	100	Filtered									
		Non-Filtered	11	51.4	23.3			19.2			
Potassium	N/A	Filtered	2,380	8,400	42,900		64,800	55,400	3,830	8,630	108,000
		Non-Filtered	7,360	26,500	46,000	75,100		57,500	6,440	10,300	195,000
Selenium	50	Filtered									
		Non-Filtered			2.6						
Sodium	N/A	Filtered	44,700	476,000	225,000		362,000	123,000	67,800	131,000	200,000
		Non-Filtered	41,800	499,000	202,000	461,000		128,000	74,900	149,000	196,000
Vanadium	N/A	Filtered	4	3.3			4.7	5.6			
		Non-Filtered	34.3	103	26	47.4		26.2	34.4	15.5	6.4
Zinc	N/A	Filtered	9.9	10.2	50.8		28.1	13.9			21.6
		Non-Filtered	40.8	167	197	89.4		309	25.5	19.7	

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.368 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.

Table 14-B
Inorganic Water Hits (ppb)
Sites 1, 3, & 4 — Monitoring Wells

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-40	ES-41	ES-42	ES-43	ES-44	ES-45	ES-46	ES-47
Aluminum	N/A	Filtered								
		Non-Filtered	37,300	23,200	25,000	6,280	14,900	26,600	6,440	6,470
Arsenic	50	Filtered	11.1	3.6		3	9.9	5.9	12.2	10.3
		Non-Filtered	15.8	6.1	3.8	4.4	11.9	10.8	11	10.4
Barium	2,000	Filtered	334	254	69.4	528		704	957	1,690
		Non-Filtered	435	438	213	590	127	943	1,070	1,700
Beryllium	4	Filtered								
		Non-Filtered	2.2	2.2			1.2	1.1	1.5	
Cadmium	5	Filtered						59.9		
		Non-Filtered		5.4					66.3	29.3
Calcium	N/A	Filtered	111,000	95,000	62,100	196,000	56,900	175,000	245,000	295,000
		Non-Filtered	104,000	122,000	64,400	258,000	56,300	211,000	246,000	281,000
Chromium	100	Filtered								8.8
		Non-Filtered	28.6	22.7	12.9	6.2	12.1	50.9	35	23.1
Cobalt	N/A	Filtered	6.2					5.8	7.6	
		Non-Filtered	19				6.2			
Copper	N/A	Filtered	8	6.2	3.3	4.5		6.2		9.1
		Non-Filtered	28.6				12.9	299		
Iron	N/A	Filtered	6,480				933	22,000	33,100	39,700
		Non-Filtered	31,800	21,300	6,070	4,140	11,000	44,300	48,100	44,900
Lead	15	Filtered								
		Non-Filtered	17.6	23	8.6		6.2	466	100	258

Table 14-B
Inorganic Water Hits (ppb)
Sites 1, 3, & 4 — Monitoring Wells

Parameter	Reference Concentrations*	Filtered or Non-Filtered	ES-40	ES-41	ES-42	ES-43	ES-44	ES-45	ES-46	ES-47
Magnesium	N/A	Filtered	30,900	11,500	10,000	19,400	11,800	42,600	25,800	56,200
		Non-Filtered	33,400	17,300	10,800	20,700	13,900	50,000	24,800	56,900
Manganese	N/A	Filtered	199	267	34.2	457	93.2	1,740	5,590	986
		Non-Filtered	255	574	94.6	790	127	2,020	6,970	981
Mercury	2	Filtered								
		Non-Filtered						.43	3.9	
Nickel	100	Filtered	16.9					13.9	15.2	
		Non-Filtered		19			11.6	38.4	34.4	
Potassium	N/A	Filtered	21,700	6,100	7,700	9,080	5,150	19,900	22,700	52,000
		Non-Filtered	27,100	12,400	10,200	9,480	7,950	25,800	22,800	54,400
Selenium	50	Filtered								
		Non-Filtered								
Sodium	N/A	Filtered	160,000	159,000	39,000	294,000	192,000	60,800	50,500	89,400
		Non-Filtered	152,000	163,000	37,500	289,000	187,000	66,200	47,400	93,500
Vanadium	N/A	Filtered								
		Non-Filtered	54.2	52.1	17.3	13.4	27.1	34.5	15	9
Zinc	N/A	Filtered	11.9		7.3	10.5			133	13
		Non-Filtered	110	100			40.9	524	4,510	197

Notes:
* Concentrations are based on the Risk Reduction Standards in Appendix II of 31 TAC 335.368 as maximum concentrations allowed in groundwater under Standard 2.
N/A means concentrations were not available.Table 14-A
Inorganic Water Hits (ppb) Sites 1, 3, and 4 - Monitoring Wells



FACILITY INVESTIGATION
NAS CORPUS CHRISTI
CORPUS CHRISTI, TEXAS

FIGURE 16
SITES 1, 3, AND 4
VOC ISOPACH MAP
NAS CORPUS CHRISTI

DATE: 09/30/93

DWG NAME: 069CORP3

REV	DATE	DESCRIPTION	APP

WELL DATA

Description	Northing	Easting	Top of Casing Elevation	Latitude	Longitude	Ground Elevation	
ES1	17143055.76	1380403.17	12.95	27-41-40.4819	97-16-32.6824	13.1	
ES2	17143395.50	1380572.31	12.99	27-41-43.8296	97-16-30.7642	13.2	
ES3	17143671.62	1380536.57	13.06	27-41-46.5670	97-16-31.1320	13.2	
ES4	17143520.92	1380593.66	12.89	27-41-45.0694	97-16-30.5132	13.1	
ES5	17144252.03	7380789.98	13.26	27-41-52.2896	97-16-28.2503	13.4	
ES6	17144541.25	1380976.27	16.01	27-41-55.1353	97-16-26.1468	13.5	
ES7	17144738.66	1380798.05	16.00	27-41-57.1071	97-16-28.1080	13.5	
ES8	17144865.31	1380333.89	15.74	27-41-58.4057	97-16-33.2578	12.2	
ES9	17144603.94	1380120.93	12.60	27-41-55.8383	97-16-35.6550	12.8	
ES11	17143503.13	1380072.48	13.54	27-41-44.9433	97-16-36.3127	13.7	
ES12	17143156.33	1379635.95	12.90	27-41-41.5513	97-16-41.2059	13.1	
ES31	17140326.90	1379279.50	19.50	27-41-13.5699	97-16-45.4755	17.7	
ES32	17140358.16	1379289.35	19.12	27-41-13.8785	97-16-45.3625	17.1	
ES33	17140827.13	1379902.87	20.16	27-41-18.4632	97-16-38.4878	17.9	
ES34	17140818.95	1379810.88	19.67	27-41-18.3814	97-16-38.3996	17.7	
ES35	17140338.64	1380321.00	21.43	27-41-13.5863	97-16-33.8895	19.3	
ES36	17139826.15	1379439.22	23.48	27-41-08.5964	97-16-43.7528	21.0	
ES37	17140510.49	1380984.96	20.03	27-41-15.2240	97-16-26.4857	17.7	
ES38	17140272.86	1381406.01	18.64	27-41-12.8306	97-16-21.8280	16.4	
ES39	17139872.87	1381404.37	19.96	27-41-08.8703	97-16-21.8895	17.5	
ES40	17139435.04	7381109.78	20.21	27-41-04.5634	97-16-25.2136	18.0	
ES41	17139471.42	1380944.27	23.40	27-41-04.9396	97-16-27.0506	21.0	
ES42	17138934.03	1380567.21	22.71	27-40-59.6549	97-16-31.3025	20.8	
ES43	17138641.91	1380572.19	23.87	27-40-56.7620	97-16-31.2787	21.4	
ES44	17140297.51	1380248.80	19.20	27-41-13.1859	97-16-34.6971	17.2	
ES45	17140517.31	1380318.75	23.86	27-41-15.3556	97-16-33.8953	21.7	
ES46	17139338.73	1380064.43	22.35	27-41-03.7103	97-16-36.8512	20.2	
ES47	17139257.05	1379900.49	23.37	27-41-02.9173	97-16-38.6834	21.1	
BG-3	17139161.34	1380001.24	17.72	27-41-01.9599	97-16-37.5731	15.2	
BG-1	17143193.21	1384574.24	14.81	27-41-41.4401	97-15-46.2693	12.3	
BG-2	17142799.32	1386954.52	16.80	27-41-37.3083	97-15-19.8347	14.3	
MCC-1	17140209.98	1380336.73	22.24	27-41-12.3108	97-16-33.7284	19.5	
MCC-2	17140312.59	1380278.35	19.38	27-41-13.3324	97-16-34.3667	17.7	
MCC-3	17140277.57	1380227.61	18.87	27-41-12.9905	97-16-34.9349	16.8	
MCC-4	17139788.95	1380696.70	24.15	27-41-08.1074	97-16-29.7699	22.4	
MCC-5	17139778.25	1380635.51	25.09	27-41-08.0074	97-16-30.4517	22.6	
MCC-6	17139857.94	1380524.50	23.30	27-41-08.8071	97-16-31.6779	20.8	
MCC-7	17139622.01	1380670.35	24.16	27-41-06.4570	97-16-30.0811	21.9	
MCC-8	17139759.60	1380563.46	23.85	27-41-07.8296	97-16-31.2551	21.4	
MCC-9	17139142.01	1381086.88	21.17	27-41-04.5356	97-16-25.4686	18.6	
MCC-11	17139859.30	1381114.29	20.67	27-41-08.7638	97-16-25.1175	18.2	
MCC-12	17139706.79	1380666.26	26.35	27-41-07.2968	97-16-30.1174	23.6	
MCC-13	17140321.69	1380443.93	21.70	27-41-13.4066	97-16-32.5240	19.2	
MCC-14	17140206.24	1381193.42	20.25	27-41-12.1914	97-16-24.1999	19.7	
MCC-15	17138925.60	1380522.90	24.21	27-40-59.5757	97-16-31.7963	20.7	
GM-16	17140310.59	1380445.92	20.07	27-41-13.2695	97-16-32.5031	19.3	
GM-17	17140212.21	1381180.26	18.32	27-41-12.2518	97-16-24.3456	17.8	
GM-18	17139209.95	1381099.90	18.20	27-41-02.3357	97-16-25.3478	16.7	
GM-19	17138920.07	1380534.83	22.96	27-40-59.5197	97-16-31.6642	21.5	
GM-20	17138794.92	1379598.60	19.53	27-40-58.3704	97-16-42.0911	17.6	
GM-21	17140629.61	1379287.50	19.56	27-41-16.5664	97-16-45.3539	17.8	
REI-24	17139756.15	1380667.12	24.88	27-41-07.7855	97-16-30.1025	22.7	
REI-25	17139522.09	1380505.14	24.91	27-41-05.4835	97-16-31.9295	23.0	
REI-26	17140438.83	1379728.17	21.49	27-41-14.6352	97-16-40.4728	19.3	
REI-27	17140634.29	1379877.49	22.04	27-41-16.5562	97-16-38.7909	19.3	
REI-28	17141433.88	1380687.52	20.14	27-41-24.3956	97-16-29.6944	18.0	
REI-29	17139018.42	1381436.87	18.22	27-41-00.4068	97-16-21.6205	16.2	
REI-30	17138189.02	1379089.64	21.71	27-40-52.4198	97-16-47.8172	19.6	

LEGEND

- METAL FENCE
- ES
- BG
- REI
- MCC
- GM

STATE OF TEXAS REGISTERED GEORGE RUBALCABA 4229 PROFESSIONAL LAND SURVEYOR

8/26/93

C:\DCA\30095\30095S1, 08/23/93 AT 9:03

SHINER, MOSELEY AND ASSOCIATES, INC.
ENGINEERS + CONSULTANTS
2820 South Padre Island Drive, Suite 210
Corpus Christi, Texas 78415-1818

ENSAFE ALLEN & HOSHALL

SURVEY OF MONITORING WELLS

CORPUS CHRISTI N.A.S. TEXAS

DRN P.J.STAHR	DATE 8-23-93	WELL DATA	
DES	DATE		
CHK	DATE 8-25-93	PROJ NO 30095	SCALE 1"=400'
APP	DATE	DWG NO 30095S1	SHEET 1 OF 1

REV