

N00207.AR.002531
NAS JACKSONVILLE
5090.3a

LETTER AND CONCURRENCE FROM FLORIDA DEPARTMENT OF ENVIRONMENTAL
PROTECTION REGARDING SITE INSPECTION POTENTIAL SOURCE OF CONTAMINATION
44 (PSC44) NAS JACKSONVILLE FL
4/9/1999
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

April 9, 1999

Mr. Dana Gaskins
Southern Division
Naval Facilities Engineering Command
2155 Eagle Dr., P. O. Box 190010
Charleston, South Carolina 29411

RE: PSC 44 PA/SI. NAS Jacksonville, Florida

Dear Mr. Gaskins:

I have completed the review of the referenced document dated December 1998 (received December 21, 1998). Based upon previous NAS Jacksonville team discussions and presentations, I concur with the recommendation for No Further Investigation of this site. As the excess cancer risk exceeds the departmental 1x10E-6 policy for a residential scenario, this site must be included in the LUCIP for the station.

If I can be of any assistance in this matter, please contact me at 904/488-3935.

Sincerely,

Jorge R. Caspary, P.G.

cc: Martha Berry, USEPA-Atlanta
Diane Lancaster NAS Jacksonville
Phylissa Miller, HLA-Jacksonville

TJB *JJC* for TB JJC *JJC* ESN *ESN*
p1389.doc

OPTIONAL FORM 99 (7-90)

FAX TRANSMITTAL

of pages 1

To: <i>Phylissa Miller</i>	From: <i>D Gaskins</i>
Dept / Agency: <i>HLA</i>	Phone #: <i>(843) 820-5628</i>
Fax #: <i>(904) 779-9348</i>	Fax #: <i>(843) 820-7465</i>

GEN 7540-01-517-7388 6099-101 GENERAL SERVICES ADMINISTRATION

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.