

N60201.AR.000145  
NS MAYPORT  
5090.3a

LETTER AND COMMENTS FROM FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION ON RESPONSE TO COMMENTS REGARDING CONTAMINATION  
ASSESSMENT REPORT ADDENDUM 1 BUILDING 1490 NS MAYPORT FL  
5/2/1994  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



# Florida Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

May 2, 1994

Mr. David Driggers  
Code 1852  
Installation Branch  
Department of the Navy  
Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive  
P. O. Box 190010  
North Charleston, SC 29419-9010

Dear Mr. Driggers:

Department personnel have completed the technical review of the Response to Comments, Contamination Assessment Report Addendum 1, Building 1490, NS Mayport. I have enclosed a memorandum addressed to me from Mr. David M. Clowes. It documents our comments on the referenced report.

If I can be of any further assistance with this matter, please contact me at 904/488-3935.

Sincerely,

Eric S. Nuzie  
Federal Facilities Coordinator

ESN/st

Enclosure

- cc: David Clowes
- Cheryl Mitchell
- James Hudson
- Brian Cheary
- Jerry Young
- John Mitchell

Post-It™ brand fax transmittal memo 7671 # of pages 2

To: Peggy Layne	From: David Driggers
Co. [Signature]	Co. [Signature]
Dept.	Phone #
Fax # 904 877-0142	Fax #



# Florida Department of Environmental Protection

## Memorandum

TO: Eric S. Nuzie, Federal Facilities Coordinator  
Bureau of Waste Cleanup

THROUGH: James J. Crane, P.G. Administrator *JJC*  
Technical Review Section

Tim J. Bahr, Professional Geologist II *TJB*  
Technical Review Section

FROM: David M. Clowes, Remedial Project Manager *DMC*  
Technical Review Section

DATE: April 23, 1994

SUBJECT: Response to Comments on Contamination Assessment Report  
(CAR) Addendum 1 for Building 1490 - SIMA Shops, Naval  
Station Mayport.

I have reviewed the above document dated March 21, 1994 (received March 29, 1994), submitted for this site. The document appears acceptable.

A CAR Addendum 2 should now be submitted with the results of resampled monitoring wells MPT-1490-1 and MPT-1490-2.

Post-It™ brand fax transmittal memo 7671 # of pages *2*

To <i>Peggy Layne</i>	From <i>David Clowes</i>
Co. <i>JJ</i>	Co. <i>JJ</i>
Dept.	Phone #
Fax # <i>904 877-0742</i>	Fax #