

N00639.AR.002175  
NSA MID SOUTH  
5090.3a

TRANSMITTAL LETTER FOR ENVIRONMENTAL ASSESSMENT REPORT FOR NAVAL  
HOSPITAL MILLINGTON SUPPACT TN  
9/3/1992  
MILLINGTON SUPPACT



DEPARTMENT OF THE NAVY

NAVAL AIR STATION MEMPHIS  
MILLINGTON, TENNESSEE 38054-5000

IN REPLY REFER TO

5090

Ser 01010/004118  
30 SEP 1992

**CERTIFIED MAIL  
RETURN RECEIPT REQUESTED**

Mr. Glen Birdwell  
State of Tennessee  
Department of Environment and Conservation  
Memphis Environmental Field Office  
Perimeter Park, Suite E-645  
2500 Mt. Moriah Road  
Memphis, Tennessee 38115-1511

Dear Mr. Birdwell:

Enclosed is the Environmental Assessment Report for Naval Hospital, Millington, furnished in accordance with State of Tennessee Environmental Assessment Report guidelines dated January 1992.

We will follow up with the Corrective Action Plan for this site.

If any further information is required, please contact Ms. Tonya Barker, Public Works Environmental Division, at (901) 873-5461.

R. M. FOSTER

13 OCT 1992

Encl:

- (1) Environmental Assessment Report for Tank Systems 106 and 107, Naval Hospital, Building 100

Copy to:

Tennessee Department of Environmental Conservation  
Division of Underground Storage Tanks  
200 Doctors Building  
706 Church Street  
Nashville, TN 37247-4101

Commanding Officer, Southern Division (w/o encl)   
Naval Facilities Engineering Command  
Attn: John Karlyk  
P.O. Box 10068  
Charleston, SC 29411-0068

