

N00639.AR.002296
NSA MID SOUTH
5090.3a

LETTER REGARDING SPECIAL WASTE REQUEST TO DISPOSE OF SIX DRUMS OF
MONITORING WELL WASTEWATER MILLINGTON SUPPACT TN
06/22/1989
TENNESSEE DEPARTMENT OF HEALTH AND ENVIRONMENT



TENNESSEE DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Environment
Room 1101, State Office Building
170 North Mid America Mall
Memphis, Tennessee 38103

June 22, 1989

Commander R. G. Carpenter, Public Works Officer
Naval Air Station - Memphis (84)
Millington, TN 38054

Re: Special Waste Request

Dear Commander Carpenter:

This letter confirms our receipt of your special waste request to dispose of six drums of monitoring well wastewater, two drums of cleaning wastewater, and two drums of solid waste cleaning devices. A review of the physical and chemical characteristics of wastes indicate that they are not hazardous as defined by the Rules Governing Hazardous Waste Management in Tennessee and that disposal would not present the potential for environmental impact. The two drums of solid waste material may be disposed at the Shelby County Landfill upon the approval of Mr. David Newsom, Administrator, Shelby County Landfills. However, the Division can not grant approval of the liquid waste disposal, as our regulations do not address sewer discharges. As mentioned in your letter dated June 9, 1989, final permission should be received from the Millington Sewage Treatment Plant. Such disposal would not be contrary to our recommendations.

If you have any questions regarding this letter, please contact me at 901/543-66954.

Sincerely,

Gwynne A. Woodward
Division of Solid Waste Management

GAW/lar

cc: DSWM Nashville
Memphis/Shelby County Health Department
David Newsom, Shelby County Landfills