N65928.AR.000741
NTC ORLANDO
5090.3a

INTERIM REMEDIAL ACTION PERFORMANCE MONITORING AND SAMPLING PLAN FIRST QUARTER NTC ORLANDO FL

4/16/1998

ABB ENVIRONMENTAL

ABB

18.02.04.0004
00446

April 16, 1998

02530.065

Commanding Officer
Southern Division
Naval Facilities Engineering Command
ATTN: Barbara Nwokike, Code 1873
P.O. Box 190010
2155 Eagle Drive
Charleston, SC 29419-9010

SUBJECT: Operable Unit (OU) 4 - Interim Remedial Action (IRA)
Performance Monitoring and Sampling Plan (PM&SP) - Quarterly Report #1
Naval Training Center (NTC), Orlando, Florida
CTO 107, Contract No. N62467-89-D-031/107

Dear Ms. Nwokike:

ABB Environmental Services has recently completed the first quarter of activities described in the PM&SP located in Appendix B of the IRA: Conceptual Design and Performance Specification, OU 4. A brief background of site history and conditions at OU 4, as well as a technology description of the recirculation wells can also be found in that document.

The objective of the PM&SP is to collect and report the results of the field sampling which is being performed to evaluate the effectiveness of the IRA. This quarterly report covers the period from initial startup on December 10, 1997 through March 12, 1998 and includes monitoring of 1) associated groundwater within and downgradient of the treatment zone; 2) the hydraulic effect of the recirculation wells on the surficial aquifer; and 3) the system's stripping efficiency (influent and effluent concentrations). Sampling of sediment and surface water in Lake Druid will begin later in system operation.

This quarterly report will discuss the following: system operation activities; hydraulic performance, groundwater contaminant concentrations in the influent and effluent of the treatment system(s), air emissions produced by the treatment system(s), groundwater contaminant concentrations in monitoring wells and drive points, conclusions and recommendations, and projected activities for the next quarter.

SYSTEM OPERATION

The OU4 IRA treatment system consists of 2 recirculation wells designated UVB-1 and UVB-2 as shown in Figure 1. The treatment system was started on December 10, 1998 and was shutdown for short durations throughout the startup activities and twice since the scheduled performance sampling began. The two post-sampling shutdowns occurred on February 19, 1998 and on March 9, 1998. The February shutdown was to replace and upgrade the sump pump in UVB-1. The March shutdown was to increase the pumping rate from 8 gallons per minute (gpm) to 10 gpm at both UVB-1 and UVB-2 and to decrease the air/water ratio at both wells. The decreased air/water ratio was an attempt to improve the treatment system's stripping efficiency by attempting to produce greater numbers of fine bubbles through the

ABB Environmental Services Inc.

1080 Woodcock Road, Suite 100
St. Paul Building
Orlando, Florida 32803

Telephone (407) 895-8845
Fax (407) 896-6150

stripper's air distribution plate. A summary of all major system modifications performed since startup was provided by Bechtel Environmental, Inc. (Bechtel) and is found in Attachment A.

HYDRAULIC PERFORMANCE

The head response study was used to evaluate and verify the zone of influence generated by the treatment systems. Head response was monitored in six wells around UVB-1 and at a background well 465 feet to the east. Since the stratigraphy at the site is relatively uniform and homogeneous, UVB-2 should have a similar effect on the aquifer and therefore does not have dedicated monitoring wells.

The six wells being monitored are arranged in three clusters of two wells as shown on Figure 1. The three clusters consist of OLD-13-OW6A and OLD-13-OW7C, OLD-13-OW8A and OLD-13-OW9C, and OLD-13-OW10A and OLD-13-OW11C. The clusters are located north of UVB-1 approximately 50, 30, and 15 feet, respectively. Each cluster is made up of one well screened from 6 to 11 feet below land surface (bls) and one well screened from 40 to 45 feet bls. The shallow wells monitor the zone at which UVB-1 is extracting water from the aquifer. The deeper wells in each cluster monitor the zone at which the treated water is being returned to the aquifer. Background well OLD-13-03A is located beyond the influence of both recirculation wells, approximately 465 feet east of UVB-1. This well is continually monitored for natural aquifer fluctuations.

All six observation wells are currently being monitored using TROLLs Model SP4000. The background well (OLD-13-03A) is being monitored using the Well Sentinel LTM 3000 Series. Both models are manufactured by In-Situ Incorporated.

Due to equipment procurement and operational problems, gaps in the sequence of data collection exist early during system startup. However, necessary startup adjustments were being performed by SBP Technologies, Inc. (SBP), which caused perturbations in the system and it is believed that no valuable data was lost. By January 15, 1998 the transducer data was being collected consistently. The comprehensive water level data tables are found in Attachment B.

Hydrographs showing water level elevations versus elapsed time are included in Attachment C. Note that elapsed time is referenced to the beginning of the monitoring of the aquifer on December 8, 1997. Hydrographs are provided for each well pair: OLD-13-OW06A/OLD-13-OW7C, OLD-13-OW8A/OLD-13-OW9C, OLD-13-OW10A/OLD-13-OW11C, and a triple data set plot of OLD-13-OW10A/OLD-13-OW11C/OLD-13-03A that provides a comparison of the background well (OLD-13-03A) to the two observation wells closest to UVB-1. Each hydrograph includes a plot of rainfall for the same time period. This information helps to distinguish between the natural fluctuations of the water level due to precipitation and the affects that the treatment system has on the surficial aquifer.

The daily rainfall data was obtained from the National Weather Service, which operates a weather station at the Orlando International Airport (OIA), beginning December, 1997. OIA is located approximately 15 miles south-southeast of the site. Due to possible differences in rainfall between OU4 and OIA, a rain gauge was installed to monitor rainfall at OU4. The onsite rainfall monitoring began February 27, 1998. All rainfall data is included in Appendix D.

The enclosed hydrographs indicate a definite head response relationship to rainfall events and the treatment system operations. Rainfall effects on the aquifer appear to dissipate within a relatively short period of time, especially if the rainfall event is followed by a dry period. Under natural conditions, a slight upward potential is present in the aquifer. The treatment system appears to have created the desired effect on the aquifer (an increase in upward potential) as shown on the center of the hydrographs between 55,000 minutes to 100,000 minutes (January 15 to February 16). This upward potential is maintained during rainfall events, with the exception of short lived reversals of the potential during large rainfall events, as shown on the hydrograph containing the well pair OLD-13-OW8A and OLD-13-OW9C between 106,000 minutes to 130,000 minutes (February 20 to March 8).

However, just after 108,000 minutes (February 21, 1998) and thereafter, the treatment system appears to loose its effectiveness on head control within the aquifer. The vertical potential is still generally upward between the shallow and deeper aquifer units, but has returned to natural conditions. Based on discussions with Bechtel and the United States Geological Survey (USGS), this sudden decrease in the vertical potential could be attributed to some degree of system failure (i.e., such as loss of packer pressure). Loss of packer pressure could greatly reduce or entirely eliminate the ability of UVB-1 to return treated groundwater to the aquifer through the lower screen.

After studying the hydrographs, a head differential versus distance graph was created to evaluate the apparent size of the recirculation zone. This graph plots the head differential in each cluster at four discrete time periods as a function of distance from UVB-1 (Attachment E). Data are shown for 70,000 minutes (January 26, 1998), 108,000 minutes (February 21, 1998), 109,000 minutes (February 22, 1998), and 135,000 minutes (March 12, 1998).

The data from 70,000 minutes shows a strong upward gradient of 0.80 feet at the closest cluster of wells OLD-13-OW10A/OLD-13-OW11C. As expected, the upward gradient decreases with distance from UVB-1. The cluster of wells containing OLD-13-OW8A/OLD-13-OW9C shows an upward gradient of 0.50 feet and the cluster containing OLD-13-OW6A/OLD-13-OW7C shows an upward gradient of 0.27 feet. The typical natural upward potential is believed to be in the range of 0.1 to 0.2 feet. A line drawn through the data points from 70,000 minutes intersects the 0.2 foot differential line at approximately 60 feet. This compares favorably to the recirculation sphere radius of 58 feet at 8 gpm as calculated by SBP.

The second period evaluated was at 108,000 minutes (February 21, 1998). At that time, the vertical potential was only slightly less than at 70,000 minutes. This decrease in upward potential is likely related to the unusually heavy rainfall that occurred during that time period. The heavy rain appears to have reduced the radius of the recirculation zone to approximately 45 feet.

The third period of time evaluated was at 109,000 minutes (February 22, 1998). The increased head differential observed during the preceding periods has disappeared. Vertical potential was relatively equal at each of the radial distances (15, 30 and 50 feet) and results in a flat, slightly negative trend. This implies that the recirculation zone has disappeared.

The last period evaluated was at the end of the first quarter of performance monitoring on March 12, 1998; 135,000 minutes after monitoring of the aquifer began on December 8, 1997. The vertical potential was still relatively equal at each radial distance, resulting in a flat trend on the head differential versus distance graph. Once again, there is no evidence indicating that the recirculation zone is present.

INFLUENT AND EFFLUENT DATA

Water samples were collected from the influent and effluent ports of UVB-1 and UVB-2 on January 29, February 4, February 19, and March 12, 1998. The samples were collected in 40 milliliter (ml) vials preserved with hydrochloric acid (HCL) and shipped to an offsite laboratory and analyzed for volatile organic compounds (VOCs) by USEPA Methods 8021 or 8260. A summary of the results of these sampling events is found on pages F13 and F14 in Attachment F. This data was collected to measure the efficiency of the recirculation wells and ensure treated groundwater met proper discharge criteria.

The efficiency of the stripping wells can be determined by comparing the influent and effluent total VOC concentrations. The stripping efficiencies for both UVB-1 and UVB-2 ranged from 80% to 90% during each sampling event.

Table 1-1 from the IRA: Conceptual Design and Performance Specification, Operable Unit 4 defined the treatment sphere discharge criteria for tetrachloroethene (PCE) as 8 mg/l, trichloroethene (TCE) as 80 mg/l, and total 1,2-DCE as 70 mg/l. This discharge criteria was established based on Florida's Surface Water Quality Standards for chemicals with a standard. All other effluent contaminants of concern should meet Florida's maximum contaminant levels, where applicable.

The effluent discharge criteria for 1,2-DCE at UVB-1 was exceeded during week 2 (120.0 mg/l) and week 4 (83.0 mg/l). Maintenance was performed on March 9, 1998 in an attempt to correct these exceedances at UVB-1. Results from the week 7 sampling event that took place on March 12, 1998 indicated that both influent and effluent concentrations for all contaminants of concern at UVB-1 were well below the necessary criteria. The total influent VOC concentrations measured at UVB-1 decreased an order of magnitude from week 4 (total VOCs of 667.0 mg/l) to week 7 (total VOCs of 52.0 mg/l). Some influent dilution by the recirculation zone might normally be expected. However, the dramatic decrease in the influent concentrations at UVB-1, combined with the hydraulic data discussed in the previous section, suggest that UVB-1 was malfunctioning. If this is true, the system may be treating much of the same groundwater continuously without reinjecting it into the deeper portion of the surficial aquifer. Therefore, low concentrations of VOCs would be expected to be measured in the influent and effluent of the system. The extent of any malfunctions are currently being investigated. It will be unclear if the March 9, 1998 maintenance corrected the discharge exceedences at UVB-1 until the recirculation zone is reestablished.

The effluent discharge criteria was not exceeded during any of the performance monitoring sampling events through week 7 at UVB-2. However, contaminant concentrations in the UVB-2 capture zone are generally lower than concentrations found in the UVB-1 capture zone. Total influent VOCs measured at UVB-2 averaged 96.4 mg/l and discharged back into the aquifer at an average of 14.4 mg/l.

MONITORING AND DRIVE POINT WELLS

Selected drive point wells and monitoring wells were sampled in accordance with the PM&SP during week 1 (January 27, 1998 through January 29, 1998), week 2 (February 4, 1998 through February 5, 1998), week 4 (February 19, 1998 through February 20, 1998), and week 7 (March 12, 1998) following the close of the start-up activities. Note that the recirculation systems had been operating to some extent for several weeks prior to the first (week 1) groundwater sampling event. The samples were analyzed at an offsite laboratory for selected natural attenuation parameters and halogenated VOCs by USEPA Method 8021. A summary of the VOC results is found on pages F1 through F12 of Attachment F.

Monitoring wells that were sampled were OLD-13-07A, OLD-13-09A, OLD-13-12A, OLD-13-15A, OLD-13-21B, OLD-13-22B, OLD-13-23B, OLD-13-24A, and OLD-13-25B. The drive points that were sampled were DP-1, DP-2, and DP-3. Monitoring well OLD-13-07A was added to the original schedule of wells to be sampled to monitor the concentrations of chlorinated solvents from the suspected source area which are migrating towards UVB-1. The location of OLD-13-07A is upgradient and to the east of the recirculation wells as seen on Figure 1.

Monitoring wells OLD-13-12A and OLD-13-22B are located approximately 40 feet south of UVB-1. Total VOC concentrations in OLD-13-12A increased from nondetectable baseline concentrations to 57 mg/l at week 4. The VOC concentrations in the corresponding intermediate well OLD-13-22B decreased from the baseline 2690 mg/l to 118 mg/l in week 4. The dramatic decrease in VOC concentrations in OLD-13-22B provides direct evidence that UVB-1 was rapidly reducing VOC concentrations within the recirculation zone. An increase from nondetectable concentrations would be expected in OLD-13-12A, as this well is located near the top of the recirculation zone. The strong upward potential induced by UVB-1 would carry contamination from deeper portions of the aquifer up to OLD-13-12A.

Hydraulic data suggests that the recirculation zone at UVB-1 was lost between the week 4 and week 7 groundwater sampling events. The week 7 total VOC concentrations in OLD-13-22B increased to 1560 mg/l, suggesting that groundwater was no longer being treated by UVB-1 and contaminated groundwater from upgradient had displaced the treated water in the recirculation zone. VOC concentrations in OLD-13-12A increased slightly during week 7.

Changes in VOC concentrations measured in the remaining upgradient and downgradient monitoring wells and drive points appear to be within the range of expected normal variation. This is consistent with recent travel time predictions by USGS and SBP. Treated water would not be expected to reach downgradient monitoring points for 3 to 6 months. The apparent malfunction of UVB-1 may delay this further.

It is also worth noting that on March 12, 1998 (week 7), a PCE concentration of 270 mg/l was measured in groundwater at OLD-13-09A. It was the first time PCE was detected in this well. TCE and 1,2-DCE concentrations have remained constant throughout. The detection of PCE in this well may be an isolated occurrence. OLD-13-9A is located approximately 100 feet west of UVB-1; the operation of the recirculation wells is not yet expected to influence this location. VOC concentrations in this monitoring well will be closely monitored during future sampling events.

Evaluation of the natural attenuation data is inconclusive at this time. Unexpected changes from the baseline conditions have been observed in monitoring wells beyond the likely influence of UVB-1. Methane concentrations have increased, suggesting conditions in the aquifer have become more anaerobic. However, the redox potential has not noticeably decreased. The redox potential in wells OLD-13-12A and OLD-13-22B has increased, consistent with their location within the recirculation zone, where aerated water would be introduced during the operation of UVB-1. Collection of natural attenuation parameters will continue. Additional data over a greater period of time may aid in a more thorough understanding of the biological conditions in the aquifer, and the changes induced by the operation of the recirculation wells. The results of the RT3D modeling of the baseline conditions (performed as part of the OU 4 RI/FS treatability studies) will also be available during the next quarter.

AIR EMISSIONS

Offgas samples were collected on February 4 and February 19, 1998 from both systems and analyzed for VOCs using USEPA Method TO14. Air sample results are found on pages F15 and F16 of Attachment F. The total mass of contaminants emitted from both UVB-1 and UVB-2 combined is less than 0.2 pounds per day. This was consistent for both week 2 and week 4 sampling events. Air emissions will continue to be analyzed during the performance monitoring to ensure FDEP limits are not exceeded. At this time air emissions are far below FDEP maximum limit of 13.7 pounds per day.

CONCLUSIONS AND RECOMMENDATIONS

The combined data shows evidence that the installed systems can and have performed as designed. Hydraulic data from the piezometers near UVB-1 indicate that the recirculation cell formation can be confirmed by monitoring the increase in upward potential in the aquifer within the cell. A significant increase of the upward potential was observed in nearby piezometers during initial UVB-1 operation. However, this increase in upward potential disappeared on or about February 21, indicating the vertical circulation pattern was lost. Communications with Bechtel and SBP suggest that the loss of the recirculation cell may be due to a packer failure within UVB-1. If this is the case, treated water could be bypassing the lower screen and is circulating within the recirculation well rather than being reinjected into the lower portion of the surficial aquifer. If this is occurring, it is possible that UVB-1 is no longer intercepting the portion of the plume necessary to meet the design criteria.

Because of the apparent loss of the UVB-1 capture zone, it is difficult to interpret the groundwater analytical data. However, prior to February 21, the data collected are consistent with successful treatment, i.e., concentrations within the recirculation cell near UVB-1 decreased, UVB-1 influent concentrations gradually increased, and VOCs were observed in a shallow well that was previously uncontaminated, indicating that the lower portion of the plume was being drawn up towards the recirculation well intake. Changes in VOC concentrations in wells downgradient of the recirculation wells will be dependent on the travel time estimates and consistently successful operation of UVB-1 and UVB-2.

The UVB-1 influent and effluent data also indicate a difficulty in achieving groundwater discharge criteria, even when influent concentrations are within the design basis. SBP has attempted to adjust the air/water ratio to improve treatment efficiency. It will not be possible to determine if the efficiency has sufficiently improved until the capture zone is regained and influent concentrations begin to increase.

Initial equipment procurement and data download difficulties delayed the discovery of the loss of the UVB-1 treatment cell. However, data download and evaluation is now proceeding smoothly, and future hydraulic data can now be evaluated immediately after collection.

Because of the homogeneity of the surficial aquifer, only UVB-1 was provided with a network of monitoring wells and piezometers to evaluate performance. These monitoring data would be expected to apply to UVB-2 as well, assuming identical operating conditions. However, this also means it is possible for a packer failure in UVB-2 to go undetected. Careful monitoring of packer pressure and sump pump discharge pressure in UVB-2 may be necessary to guard against this possibility. Normal expected operating conditions should be specified by SBP.

In closing, further monitoring of the treatment systems' air emissions and influent and effluent data will be performed during the 2nd quarter. The schedule for future sampling of monitoring wells, surface water, and sediment may require modification depending on the time required to repair UVB-1. Surface water and sediment sampling is currently scheduled to be performed during this next quarter. However, it may be prudent to delay this sampling until UVB-1 and UVB-2 operate successfully for a longer period of time. Likewise, additional groundwater sampling could be postponed to a later date.

It is our intent to discuss these results at the next scheduled OPT meeting. If you have questions or comments regarding this matter, please call Mark Salvetti at (781) 245 - 6606 or me at (407) 895-8845.

Very Truly Yours,

ABB ENVIRONMENTAL SERVICES, INC.

John P. Kaiser
Installation Manager

cc: File
John Mitchell, FDEP
Wayne Hansel, Southern Division
Cliff Casey, Southern Division
Nancy Rodriguez, USEPA Region IV
Lt. G. Whipple, NTC Public Works Officer
Bob Cohose, BEI
Steve McCoy, Tetra Tech

Figure 1





Expanded View - Not To Scale

N

20 0 20 40 Feet

LEGEND

- ⌖ MONITORING WELL LOCATION AND DESIGNATION
- ● OBSERVATION WELL LOCATION AND DESIGNATION
- ▲ DRIVE POINT WELL LOCATION AND DESIGNATION
- ■ RECIRCULATION WELL LOCATION AND DESIGNATION

NOTES:

ALL DESIGNATIONS ARE PREFACED BY OU3-13-

FIGURE 1
SITE MAP

INTERIM REMEDIAL ACTION, PERFORMANCE MONITORING AND SAMPLING PLAN, FIRST QUARTER REPORT, OPERABLE UNIT 4

NAVAL TRAINING CENTER ORLANDO, FLORIDA

00446E012

Attachment A

Post Start-up Modifications and Pumping Rates
OU 4 NTC Orlando
In Situ Groundwater Recirculation Well Treatment Systems

DATE	ACTIVITY	PUMPING RATE	COMMENTS
12-10-97	Initial System Startup on UVB 01 and UVB 02	8 to 10 gpm for UVB 01 and UVB 02	Adjusting flow rates to balance systems Rates based on only influent flow meter readings
12-12-97	Shutdown UVB 02 to install new packer assembly	8 gpm at both UVB systems	Back-pressure at lower screen forced packer upward in casing
12-19-97	Shutdown UVB 02 for 4 hours due to water draining from under concrete pad; reduced pumping rate at re-start	3.5 gpm at UVB 02 and 8.0 gpm at UVB 01	Flow rates are still based on influent flow meter readings only at this date.
1-7-98	Installed effluent flow meters at UVB 01 and UVB 02; both systems shutdown approximately 8 hours	3.5 gpm at UVB 01 and UVB 02	Influent flow rate at UVB 01 determined to be less than 8 gpm; both wells set at 3.5 gpm pumping rate (internal recirculation rate) verified by influent and effluent flow rate comparison
1-13-98	UVB 02 shutdown approximately 8 hours for sump pump upgrade; UVB 01 was shutdown to install a packer assembly like used at UVB 02.	UVB 02 re-started at 8 gpm; UVB 01 shutdown until 1-14-98	UVB 01 remained shutdown until 1-13-98 to complete new packer installation
1-14-98	UVB 01 packer installation completed and UVB re-started	UVB 02 at 8 gpm; UVB 01 at 8 gpm	
2-19-98	UVB 01 shutdown approximately 8 hours for sump pump upgrade	UVB 01 at 8 gpm and UVB 02 at 8 gpm	Both wells now have identical configuration of packers and sump pumps
3-9-98	Adjusted pumping rate to 10 gpm at UVB 01 and 02; decreased air:water ratio at both wells	UVB 01 and UVB 02 at 10 gpm	10 gpm is the internal recirculation rate as verified by influent and effluent flow rate comparison

Attachment B

NTC Orlando OU4, IRA Performance Monitoring
OLD13-03a

Date	Time	lapsed_tim	Water_elev
12/08/97	14:00	0	101.36
12/08/97	18:00	240	101.38
12/08/97	22:00	480	101.37
12/09/97	02:00	720	101.34
12/09/97	06:00	960	101.32
12/09/97	10:00	1200	101.28
12/09/97	14:00	1440	101.27
12/09/97	18:00	1680	101.24
12/09/97	22:00	1920	101.24
12/10/97	02:00	2160	101.23
12/10/97	06:00	2400	101.22
12/10/97	10:00	2640	101.20
12/10/97	14:00	2880	101.27
12/10/97	18:00	3120	101.34
12/10/97	22:00	3360	101.41
12/11/97	02:00	3600	101.44
12/11/97	06:00	3840	101.46
12/11/97	10:00	4080	101.51
12/11/97	14:00	4320	101.86
12/11/97	18:00	4560	102.14
12/11/97	22:00	4800	102.33
12/12/97	02:00	5040	102.48
12/12/97	06:00	5280	102.56
12/12/97	10:00	5520	105.79
12/12/97	14:00	5760	105.83
12/12/97	18:00	6000	105.87
12/12/97	22:00	6240	105.90
12/13/97	02:00	6480	105.93
12/13/97	06:00	6720	105.99
12/13/97	10:00	6960	106.05
12/13/97	14:00	7200	106.14
12/13/97	18:00	7440	106.21
12/13/97	22:00	7680	106.28
12/14/97	02:00	7920	106.33
12/14/97	06:00	8160	106.37
12/14/97	10:00	8400	106.40
02/27/98	10:00	116400	106.59
12/14/97	14:00	8640	106.45
12/14/97	18:00	8880	106.48
12/14/97	22:00	9120	106.50
12/15/97	02:00	9360	106.51
12/15/97	06:00	9600	106.49
12/15/97	10:00	9840	106.47
12/15/97	14:00	10080	106.46
12/15/97	18:00	10320	106.45
12/15/97	22:00	10560	106.44
12/16/97	02:00	10800	106.43
12/16/97	06:00	11040	106.40
12/16/97	10:00	11280	106.38
12/16/97	14:00	11520	106.35
12/16/97	18:00	11760	106.32
12/16/97	22:00	12000	106.29
12/17/97	02:00	12240	106.26
12/17/97	06:00	12480	106.23
12/17/97	10:00	12720	106.20
12/17/97	14:00	12960	106.19
12/17/97	18:00	13200	106.16
12/17/97	22:00	13440	106.14
12/18/97	02:00	13680	106.11
12/18/97	06:00	13920	106.09
12/18/97	10:00	14160	106.07
12/18/97	14:00	14400	106.07
12/18/97	18:00	14640	106.06
12/18/97	22:00	14880	106.04
12/19/97	02:00	15120	106.02
12/19/97	06:00	15360	106.00
12/19/97	10:00	15600	105.98
12/19/97	14:00	15840	105.97
12/19/97	18:00	16080	105.95
12/19/97	22:00	16320	105.94
12/20/97	02:00	16560	105.93
12/20/97	06:00	16800	105.92
12/20/97	10:00	17040	105.90
12/20/97	14:00	17280	105.90
12/20/97	18:00	17520	105.88
12/20/97	22:00	17760	105.87
12/21/97	02:00	18000	105.87
12/21/97	06:00	18240	105.86
12/21/97	10:00	18480	105.84
12/21/97	14:00	18720	105.83
12/21/97	18:00	18960	105.82
12/21/97	22:00	19200	105.81
12/22/97	02:00	19440	105.80
12/22/97	06:00	19680	105.79
12/22/97	10:00	19920	105.78
12/22/97	14:00	20160	105.77
12/22/97	18:00	20400	105.76
12/22/97	22:00	20640	105.75
12/23/97	02:00	20880	105.74
12/23/97	06:00	21120	105.73
12/23/97	10:00	21360	105.72

Date	Time	lapsed_tim	Water_elev
12/23/97	14:00	21600	105.72
12/23/97	18:00	21840	105.71
12/23/97	22:00	22080	105.70
12/24/97	02:00	22320	105.70
12/24/97	06:00	22560	105.69
12/24/97	10:00	22800	105.68
12/24/97	14:00	23040	105.67
12/24/97	18:00	23280	105.66
12/24/97	22:00	23520	105.65
12/25/97	02:00	23760	105.65
12/25/97	06:00	24000	105.64
12/25/97	10:00	24240	105.63
12/25/97	14:00	24480	105.63
12/25/97	18:00	24720	105.62
12/25/97	22:00	24960	105.62
12/26/97	02:00	25200	105.65
12/26/97	06:00	25440	105.71
12/26/97	10:00	25680	105.74
12/26/97	14:00	25920	105.76
12/26/97	18:00	26160	105.76
12/26/97	22:00	26400	105.77
12/27/97	02:00	26640	105.77
12/27/97	06:00	26880	105.89
12/27/97	10:00	27120	106.38
12/27/97	14:00	27360	106.72
12/27/97	18:00	27600	106.92
12/27/97	22:00	27840	107.04
12/28/97	02:00	28080	107.10
12/28/97	06:00	28320	107.13
12/28/97	10:00	28560	107.14
12/28/97	14:00	28800	107.13
12/28/97	18:00	29040	107.10
12/28/97	22:00	29280	107.08
12/29/97	02:00	29520	107.06
12/29/97	06:00	29760	107.03
12/29/97	10:00	30000	106.99
12/29/97	14:00	30240	106.96
12/29/97	18:00	30480	106.92
12/29/97	22:00	30720	106.89
12/30/97	02:00	30960	106.84
12/30/97	06:00	31200	106.81
12/30/97	10:00	31440	106.77
12/30/97	14:00	31680	106.76
12/30/97	18:00	31920	106.73
12/30/97	22:00	32160	106.70
12/31/97	02:00	32400	106.69
12/31/97	06:00	32640	106.66
12/31/97	10:00	32880	106.63
12/31/97	14:00	33120	106.62
12/31/97	18:00	33360	106.60
12/31/97	22:00	33600	106.57
01/01/98	02:00	33840	106.55
01/01/98	06:00	34080	106.53
01/01/98	10:00	34320	106.51
01/01/98	14:00	34560	106.50
01/01/98	18:00	34800	106.48
01/01/98	22:00	35040	106.47
01/02/98	02:00	35280	106.46
01/02/98	06:00	35520	106.45
01/02/98	10:00	35760	106.43
01/02/98	14:00	36000	106.43
01/02/98	18:00	36240	106.41
01/02/98	22:00	36480	106.40
01/03/98	02:00	36720	106.39
01/03/98	06:00	36960	106.38
01/03/98	10:00	37200	106.37
01/03/98	14:00	37440	106.36
01/03/98	18:00	37680	106.35
01/03/98	22:00	37920	106.34
01/04/98	02:00	38160	106.33
01/04/98	06:00	38400	106.32
01/04/98	10:00	38640	106.30
01/04/98	14:00	38880	106.30
01/04/98	18:00	39120	106.29
01/04/98	22:00	39360	106.28
01/05/98	02:00	39600	106.27
01/05/98	06:00	39840	106.26
01/05/98	10:00	40080	106.26
01/05/98	14:00	40320	106.29
01/05/98	18:00	40560	106.27
01/05/98	22:00	40800	106.26
01/06/98	02:00	41040	106.25
01/06/98	06:00	41280	106.24
01/06/98	10:00	41520	106.22
01/06/98	14:00	41760	106.22
01/06/98	18:00	42000	106.21
01/06/98	22:00	42240	106.20
01/07/98	02:00	42480	106.20
01/07/98	06:00	42720	106.19
01/07/98	10:00	42960	106.18
01/07/98	14:00	43200	106.21

Date	Time	lapsed_tim	Water_elev
01/07/98	18:00	43440	106.20
01/07/98	22:00	43680	106.18
01/08/98	02:00	43920	106.17
01/08/98	06:00	44160	106.17
01/08/98	10:00	44400	106.20
01/08/98	14:00	44640	106.34
01/08/98	18:00	44880	106.41
01/08/98	22:00	45120	106.45
01/09/98	02:00	45360	106.48
01/09/98	06:00	45600	106.48
01/09/98	10:00	45840	106.47
01/09/98	14:00	46080	106.49
01/09/98	18:00	46320	106.48
01/09/98	22:00	46560	106.46
01/10/98	02:00	46800	106.43
01/10/98	06:00	47040	106.41
01/10/98	10:00	47280	106.37
01/10/98	14:00	47520	106.36
01/10/98	18:00	47760	106.34
01/10/98	22:00	48000	106.31
01/11/98	02:00	48240	106.29
01/11/98	06:00	48480	106.27
01/11/98	10:00	48720	106.25
01/11/98	14:00	48960	106.23
01/11/98	18:00	49200	106.22
01/11/98	22:00	49440	106.20
01/12/98	02:00	49680	106.18
01/12/98	06:00	49920	106.17
01/12/98	10:00	50160	106.16
01/12/98	14:00	50400	106.18
01/12/98	18:00	50640	106.16
01/12/98	22:00	50880	106.14
01/13/98	02:00	51120	106.14
01/13/98	06:00	51360	106.13
01/13/98	10:00	51600	106.11
01/13/98	14:00	51840	106.11
01/13/98	18:00	52080	106.10
01/13/98	22:00	52320	106.09
01/14/98	02:00	52560	106.08
01/14/98	06:00	52800	106.07
01/14/98	10:00	53040	106.06
01/14/98	14:00	53280	106.06
01/14/98	18:00	53520	106.06
01/14/98	22:00	53760	106.05
01/15/98	02:00	54000	106.04
01/15/98	06:00	54240	106.04
01/15/98	10:00	54480	106.03
01/15/98	14:00	54720	106.04
01/15/98	18:00	54960	106.03
01/15/98	22:00	55200	106.05
01/16/98	02:00	55440	106.07
01/16/98	06:00	55680	106.09
01/16/98	10:00	55920	106.09
01/16/98	14:00	56160	106.09
01/16/98	18:00	56400	106.07
01/16/98	22:00	56640	106.05
01/17/98	02:00	56880	106.03
01/17/98	06:00	57120	106.02
01/17/98	10:00	57360	106.01
01/17/98	14:00	57600	106.01
01/17/98	18:00	57840	106.00
01/17/98	22:00	58080	105.99
01/18/98	02:00	58320	105.99
01/18/98	06:00	58560	105.98
01/18/98	10:00	58800	105.97
01/18/98	14:00	59040	105.97
01/18/98	18:00	59280	105.96
01/18/98	22:00	59520	105.96
01/19/98	02:00	59760	105.95
01/19/98	06:00	60000	105.95
01/19/98	10:00	60240	105.94
01/19/98	14:00	60480	105.93
01/19/98	18:00	60720	105.92
01/19/98	22:00	60960	105.91
01/20/98	02:00	61200	105.91
01/20/98	06:00	61440	105.90
01/20/98	10:00	61680	105.90
01/20/98	14:00	61920	105.92
01/20/98	18:00	62160	105.91
01/20/98	22:00	62400	105.89
01/21/98	02:00	62640	105.89
01/21/98	06:00	62880	105.87
01/21/98	10:00	63120	105.87
01/21/98	14:00	63360	105.86
01/21/98	18:00	63600	105.85
01/21/98	22:00	63840	105.85
01/22/98	02:00	64080	105.84
01/22/98	06:00	64320	105.83
01/22/98	10:00	64560	105.83
01/22/98	14:00	64800	105.84
01/22/98	18:00	65040	105.83

NTC Orlando OU4, IRA Performance Monitoring
OLD13-03a

Date	Time	lapsed_tim	Water_elev
01/22/98	22:00	65280	105.82
01/23/98	02:00	65520	105.82
01/23/98	06:00	65760	105.81
01/23/98	10:00	66000	105.80
01/23/98	14:00	66240	105.82
01/23/98	18:00	66480	105.86
01/23/98	22:00	66720	105.88
01/24/98	02:00	66960	105.89
01/24/98	06:00	67200	105.89
01/24/98	10:00	67440	105.87
01/24/98	14:00	67680	105.86
01/24/98	18:00	67920	105.84
01/24/98	22:00	68160	105.82
01/25/98	02:00	68400	105.81
01/25/98	06:00	68640	105.80
01/25/98	10:00	68880	105.79
01/25/98	14:00	69120	105.79
01/25/98	18:00	69360	105.78
01/25/98	22:00	69600	105.78
01/26/98	02:00	69840	105.77
01/26/98	06:00	70080	105.77
01/26/98	10:00	70320	105.76
01/26/98	14:00	70560	105.79
01/26/98	18:00	70800	105.78
01/26/98	22:00	71040	105.77
01/27/98	02:00	71280	105.77
01/27/98	06:00	71520	105.77
01/27/98	10:00	71760	105.75
01/27/98	14:00	72000	105.76
01/27/98	18:00	72240	105.74
01/27/98	22:00	72480	105.73
01/28/98	02:00	72720	105.72
01/28/98	06:00	72960	105.72
01/28/98	10:00	73200	105.71
01/28/98	14:00	73440	105.71
01/28/98	18:00	73680	105.70
01/28/98	22:00	73920	105.69
01/29/98	02:00	74160	105.68
01/29/98	06:00	74400	105.68
01/29/98	10:00	74640	105.67
01/29/98	14:00	74880	105.67
01/29/98	18:00	75120	105.67
01/29/98	22:00	75360	105.66
01/30/98	02:00	75600	105.65
01/30/98	06:00	75840	105.65
01/30/98	10:00	76080	105.64
01/30/98	14:00	76320	105.64
01/30/98	18:00	76560	105.64
01/30/98	22:00	76800	105.63
01/31/98	02:00	77040	105.62
01/31/98	06:00	77280	105.62
01/31/98	10:00	77520	105.61
01/31/98	14:00	77760	105.61
01/31/98	18:00	78000	105.60
01/31/98	22:00	78240	105.59
02/01/98	02:00	78480	105.59
02/01/98	06:00	78720	105.58
02/01/98	10:00	78960	105.57
02/01/98	14:00	79200	105.58
02/01/98	18:00	79440	105.57
02/01/98	22:00	79680	105.56
02/02/98	02:00	79920	105.56
02/02/98	06:00	80160	105.56
02/02/98	10:00	80400	105.56
02/02/98	14:00	80640	105.57
02/02/98	18:00	80880	105.56
02/02/98	22:00	81120	105.57
02/03/98	02:00	81360	105.75
02/03/98	06:00	81600	105.84
02/03/98	10:00	81840	105.90
02/03/98	14:00	82080	105.94
02/03/98	18:00	82320	105.95
02/03/98	22:00	82560	105.96
02/04/98	02:00	82800	105.96
02/04/98	06:00	83040	105.94
02/04/98	10:00	83280	105.93
02/04/98	14:00	83520	105.93
02/04/98	18:00	83760	105.91
02/04/98	22:00	84000	105.88
02/05/98	02:00	84240	105.87
02/05/98	06:00	84480	105.85
02/05/98	10:00	84720	105.83
02/05/98	14:00	84960	105.82
02/05/98	18:00	85200	105.80
02/05/98	22:00	85440	105.79
02/06/98	02:00	85680	105.78
02/06/98	06:00	85920	105.76
02/06/98	10:00	86160	105.75
02/06/98	14:00	86400	105.75
02/06/98	18:00	86640	105.73
02/06/98	22:00	86880	105.73
03/09/98	12:00	130920	106.67

Date	Time	lapsed_tim	Water_elev
02/07/98	02:00	87120	105.73
02/07/98	06:00	87360	105.72
02/07/98	10:00	87600	105.70
02/07/98	14:00	87840	105.70
02/07/98	18:00	88080	105.68
02/07/98	22:00	88320	105.67
02/08/98	02:00	88560	105.67
02/08/98	06:00	88800	105.65
02/08/98	10:00	89040	105.65
02/08/98	14:00	89280	105.65
02/08/98	18:00	89520	105.63
02/08/98	22:00	89760	105.62
02/09/98	02:00	90000	105.61
02/09/98	06:00	90240	105.60
02/09/98	10:00	90480	105.59
02/09/98	14:00	90720	105.58
02/09/98	18:00	90960	105.57
02/09/98	22:00	91200	105.56
02/10/98	02:00	91440	105.56
02/10/98	06:00	91680	105.55
02/10/98	10:00	91920	105.54
02/10/98	14:00	92160	105.54
02/10/98	18:00	92400	105.53
02/10/98	22:00	92640	105.53
02/11/98	02:00	92880	105.53
02/11/98	06:00	93120	105.52
02/11/98	10:00	93360	105.52
02/11/98	14:00	93600	105.53
02/11/98	18:00	93840	105.52
02/11/98	22:00	94080	105.51
02/12/98	02:00	94320	105.51
02/12/98	06:00	94560	105.50
02/12/98	10:00	94800	105.49
02/12/98	14:00	95040	105.49
02/12/98	18:00	95280	105.49
02/12/98	22:00	95520	105.48
02/13/98	02:00	95760	105.48
02/13/98	06:00	96000	105.47
02/13/98	10:00	96240	105.47
02/13/98	14:00	96480	105.47
02/13/98	18:00	96720	105.46
02/13/98	22:00	96960	105.46
02/14/98	02:00	97200	105.47
02/14/98	06:00	97440	105.46
02/14/98	10:00	97680	105.45
02/14/98	14:00	97920	105.46
02/14/98	18:00	98160	105.45
02/14/98	22:00	98400	105.44
02/15/98	02:00	98640	105.45
02/15/98	06:00	98880	105.45
02/15/98	10:00	99120	105.44
02/15/98	14:00	99360	105.46
02/15/98	18:00	99600	105.44
02/15/98	22:00	99840	105.44
02/16/98	02:00	100080	105.54
02/16/98	06:00	100320	105.68
02/16/98	10:00	100560	105.80
02/16/98	14:00	100800	105.87
02/16/98	18:00	101040	106.02
02/16/98	22:00	101280	106.21
02/17/98	02:00	101520	106.35
02/17/98	06:00	101760	106.46
02/17/98	10:00	102000	106.59
02/17/98	14:00	102240	106.70
02/17/98	18:00	102480	106.78
02/17/98	22:00	102720	106.82
02/18/98	02:00	102960	106.86
02/18/98	06:00	103200	106.87
02/18/98	10:00	103440	106.88
02/18/98	14:00	103680	106.86
02/18/98	18:00	103920	106.83
02/18/98	22:00	104160	106.79
02/19/98	02:00	104400	106.77
02/19/98	06:00	104640	106.74
02/19/98	10:00	104880	106.71
02/19/98	14:00	105120	106.70
02/19/98	18:00	105360	106.69
02/19/98	22:00	105600	106.65
02/20/98	02:00	105840	106.87
02/20/98	06:00	106080	106.99
02/20/98	10:00	106320	107.06
02/20/98	14:00	106560	107.12
02/20/98	18:00	106800	107.15
02/20/98	22:00	107040	107.15
02/21/98	02:00	107280	107.15
02/21/98	06:00	107520	107.13
02/21/98	10:00	107760	107.09
02/21/98	14:00	108000	107.08
02/21/98	18:00	108240	107.05
02/21/98	22:00	108480	107.01
02/22/98	02:00	108720	106.99

Date	Time	lapsed_tim	Water_elev
02/22/98	06:00	108960	106.97
02/22/98	10:00	109200	106.94
02/22/98	14:00	109440	106.94
02/22/98	18:00	109680	106.91
02/22/98	22:00	109920	106.89
02/23/98	02:00	110160	106.91
02/23/98	06:00	110400	107.01
02/23/98	10:00	110640	107.05
02/23/98	14:00	110880	107.05
02/23/98	18:00	111120	107.02
02/23/98	22:00	111360	106.98
02/24/98	02:00	111600	106.95
02/24/98	06:00	111840	106.92
02/24/98	10:00	112080	106.88
02/24/98	14:00	112320	106.86
02/24/98	18:00	112560	106.84
02/24/98	22:00	112800	106.81
02/25/98	02:00	113040	106.79
02/25/98	06:00	113280	106.77
02/25/98	10:00	113520	106.74
02/25/98	14:00	113760	106.74
02/25/98	18:00	114000	106.72
02/25/98	22:00	114240	106.71
02/26/98	02:00	114480	106.69
02/26/98	06:00	114720	106.68
02/26/98	10:00	114960	106.66
02/26/98	14:00	115200	106.66
02/26/98	18:00	115440	106.64
02/26/98	22:00	115680	106.63
02/27/98	02:00	115920	106.62
02/27/98	06:00	116160	106.60
02/27/98	14:00	116640	106.59
02/27/98	18:00	116880	106.57
02/27/98	22:00	117120	106.55
02/28/98	02:00	117360	106.54
02/28/98	06:00	117600	106.52
02/28/98	10:00	117840	106.51
02/28/98	14:00	118080	106.51
02/28/98	18:00	118320	106.50
02/28/98	22:00	118560	106.48
03/01/98	02:00	118800	106.52
03/01/98	06:00	119040	106.58
03/01/98	10:00	119280	106.59
03/01/98	14:00	119520	106.61
03/01/98	18:00	119760	106.60
03/01/98	22:00	120000	106.57
03/02/98	02:00	120240	106.56
03/02/98	06:00	120480	106.53
03/02/98	10:00	120720	106.50
03/02/98	14:00	120960	106.49
03/02/98	18:00	121200	106.47
03/02/98	22:00	121440	106.45
03/03/98	02:00	121680	106.44
03/03/98	06:00	121920	106.43
03/03/98	10:00	122160	106.41
03/03/98	14:00	122400	106.41
03/03/98	18:00	122640	106.39
03/03/98	22:00	122880	106.37
03/04/98	02:00	123120	106.36
03/04/98	06:00	123360	106.34
03/04/98	10:00	123600	106.32
03/04/98	14:00	123840	106.32
03/04/98	18:00	124080	106.31
03/04/98	22:00	124320	106.29
03/05/98	02:00	124560	106.29
03/05/98	06:00	124800	106.28
03/05/98	10:00	125040	106.27
03/05/98	14:00	125280	106.26
03/05/98	18:00	125520	106.25
03/05/98	22:00	125760	106.24
03/06/98	02:00	126000	106.23
03/06/98	06:00	126240	106.22
03/06/98	10:00	126480	106.21
03/06/98	14:00	126720	106.21
03/06/98	18:00	126960	106.20
03/06/98	22:00	127200	106.18
03/07/98	02:00	127440	106.18
03/07/98	06:00	127680	106.17
03/07/98	10:00	127920	106.17
03/07/98	14:00	128160	106.17
03/07/98	18:00	128400	106.16
03/07/98	22:00	128640	106.15
03/08/98	02:00	128880	106.14
03/08/98	06:00	129120	106.14
03/08/98	10:00	129360	106.12
03/08/98	14:00	129600	106.13
03/08/98	18:00	129840	106.12
03/08/98	22:00	130080	106.11
03/09/98	02:00	130320	106.18
03/09/98	06:00	130560	106.49
03/09/98	10:00	130800	106.63

NTC Orlando OU4, IRA Performance Monitoring
OLD13-03a

Date	Time	lapsed_tim	Water_elev
03/09/98	13:00	130980	106.70
03/09/98	14:00	131040	106.71
03/09/98	15:00	131100	106.72
03/09/98	16:00	131160	106.73
03/09/98	17:00	131220	106.74
03/09/98	18:00	131280	106.75
03/09/98	19:00	131340	106.75
03/09/98	20:00	131400	106.76
03/09/98	21:00	131460	106.76
03/09/98	22:00	131520	106.76
03/09/98	23:00	131580	106.77
03/10/98	00:00	131640	106.77
03/10/98	01:00	131700	106.78
03/10/98	02:00	131760	106.78
03/10/98	03:00	131820	106.78
03/10/98	04:00	131880	106.78
03/10/98	05:00	131940	106.78
03/10/98	06:00	132000	106.77
03/10/98	07:00	132060	106.77
03/10/98	08:00	132120	106.76
03/10/98	09:00	132180	106.76
03/10/98	10:00	132240	106.76
03/10/98	11:00	132300	106.76
03/10/98	12:00	132360	106.76
03/10/98	13:00	132420	106.76
03/10/98	14:00	132480	106.76
03/10/98	15:00	132540	106.76
03/10/98	16:00	132600	106.76
03/10/98	17:00	132660	106.75
03/10/98	18:00	132720	106.75
03/10/98	19:00	132780	106.74
03/10/98	20:00	132840	106.73
03/10/98	21:00	132900	106.73
03/10/98	22:00	132960	106.72
03/10/98	23:00	133020	106.72
03/11/98	00:00	133080	106.71
03/11/98	01:00	133140	106.71
03/11/98	02:00	133200	106.71
03/11/98	03:00	133260	106.70
03/11/98	04:00	133320	106.70
03/11/98	05:00	133380	106.69
03/11/98	06:00	133440	106.68
03/11/98	07:00	133500	106.68
03/11/98	08:00	133560	106.67
03/11/98	09:00	133620	106.67
03/11/98	10:00	133680	106.66
03/11/98	11:00	133740	106.66
03/11/98	12:00	133800	106.66
03/11/98	13:00	133860	106.66
03/11/98	14:00	133920	106.65
03/11/98	15:00	133980	106.65
03/11/98	16:00	134040	106.65
03/11/98	17:00	134100	106.65
03/11/98	18:00	134160	106.64
03/11/98	19:00	134220	106.64
03/11/98	20:00	134280	106.63
03/11/98	21:00	134340	106.62
03/11/98	22:00	134400	106.62
03/11/98	23:00	134460	106.61
03/12/98	00:00	134520	106.61
03/12/98	01:00	134580	106.60
03/12/98	02:00	134640	106.60
03/12/98	03:00	134700	106.60
03/12/98	04:00	134760	106.59
03/12/98	05:00	134820	106.59
03/12/98	06:00	134880	106.58
03/12/98	07:00	134940	106.57
03/12/98	08:00	135000	106.57
03/12/98	09:00	135060	106.56
03/12/98	10:00	135120	106.56
03/12/98	11:00	135180	106.55
03/12/98	12:00	135240	106.55
03/12/98	13:00	135300	106.55
03/12/98	14:00	135360	106.55
03/12/98	15:00	135420	106.55
03/12/98	16:00	135480	106.54
03/12/98	17:00	135540	106.54
03/12/98	18:00	135600	106.53
03/12/98	19:00	135660	106.52
03/12/98	20:00	135720	106.52
03/12/98	21:00	135780	106.52
03/12/98	22:00	135840	106.51
03/12/98	23:00	135900	106.51

Date	Time	lapsed_tim	Water_elev

Date	Time	lapsed_tim	Water_elev

NTC Orlando OU4, IRA Performance Monitoring
OW06A

Date	Time	lapsed_tim	Water_elev
12/08/97	14:00	0	102.61
12/08/97	18:00	240	102.61
12/08/97	22:00	480	102.60
12/09/97	02:00	720	102.60
12/09/97	06:00	960	102.60
12/09/97	10:00	1200	102.61
12/09/97	14:00	1440	102.62
12/09/97	18:00	1680	102.63
12/09/97	22:00	1920	102.62
12/10/97	02:00	2160	102.59
12/10/97	06:00	2400	102.59
12/10/97	10:00	2640	102.60
12/10/97	14:00	2880	102.58
12/10/97	18:00	3120	101.89
12/10/97	22:00	3360	101.95
12/11/97	02:00	3600	102.04
12/11/97	06:00	3840	102.10
12/11/97	10:00	4080	100.71
12/11/97	14:00	4320	100.05
12/11/97	18:00	4560	100.41
12/11/97	22:00	4800	100.47
12/12/97	02:00	5040	100.64
12/12/97	06:00	5280	100.79
12/12/97	10:00	5520	100.92
12/12/97	14:00	5760	100.70
12/12/97	18:00	6000	100.77
12/12/97	22:00	6240	100.89
12/13/97	02:00	6480	100.59
12/13/97	06:00	6720	100.42
12/13/97	10:00	6960	100.20
12/13/97	14:00	7200	100.20
12/13/97	18:00	7440	100.24
12/13/97	22:00	7680	100.51
12/14/97	02:00	7920	100.62
12/14/97	06:00	8160	100.75
12/14/97	10:00	8400	100.29
12/14/97	14:00	8640	100.30
12/14/97	18:00	8880	100.46
12/14/97	22:00	9120	100.61
12/15/97	02:00	9360	100.74
12/15/97	06:00	9600	100.88
12/15/97	10:00	9840	100.95
12/15/97	14:00	10080	100.97
12/15/97	18:00	10320	100.90
12/15/97	22:00	10560	101.01
12/16/97	02:00	10800	101.06
12/16/97	06:00	11040	101.09
12/16/97	10:00	11280	101.20
12/16/97	14:00	11520	101.14
12/16/97	18:00	11760	101.19
12/16/97	22:00	12000	101.25
12/17/97	02:00	12240	101.25
12/17/97	06:00	12480	101.28
12/17/97	10:00	12720	101.34
12/17/97	14:00	12960	101.35
12/17/97	18:00	13200	101.38
12/17/97	22:00	13440	101.43
12/18/97	02:00	13680	101.44
12/18/97	06:00	13920	101.48
12/18/97	10:00	14160	101.56
12/18/97	14:00	14400	101.55
12/18/97	18:00	14640	101.60
12/18/97	22:00	14880	101.66
12/19/97	02:00	15120	101.66
12/19/97	06:00	15360	101.69
12/19/97	10:00	15600	101.71
12/31/97	14:00	33120	103.95
12/31/97	18:00	33360	103.92
12/31/97	22:00	33600	103.90
01/01/98	02:00	33840	103.89
01/01/98	06:00	34080	103.87
01/01/98	10:00	34320	103.85
01/01/98	14:00	34560	103.83
01/01/98	18:00	34800	103.82
01/01/98	22:00	35040	103.82
01/02/98	02:00	35280	103.81
01/02/98	06:00	35520	103.80
01/02/98	10:00	35760	103.79
01/02/98	14:00	36000	103.78
01/02/98	18:00	36240	103.74
01/02/98	22:00	36480	103.75
01/03/98	02:00	36720	103.75
01/03/98	06:00	36960	103.74
01/03/98	10:00	37200	103.73
01/03/98	14:00	37440	103.69
01/03/98	18:00	37680	103.68
01/03/98	22:00	37920	103.69
01/04/98	02:00	38160	103.70
01/04/98	06:00	38400	103.69
01/04/98	10:00	38640	103.67
01/04/98	14:00	38880	103.65

Date	Time	lapsed_tim	Water_elev
01/04/98	18:00	39120	103.64
01/04/98	22:00	39360	103.66
01/05/98	02:00	39600	103.67
01/05/98	06:00	39840	103.65
01/05/98	10:00	40080	103.64
01/05/98	14:00	40320	103.62
01/05/98	18:00	40560	103.61
01/05/98	22:00	40800	103.62
01/06/98	02:00	41040	103.62
01/06/98	06:00	41280	103.62
01/06/98	10:00	41520	103.60
01/06/98	14:00	41760	103.60
01/06/98	18:00	42000	103.59
01/06/98	22:00	42240	103.59
01/07/98	02:00	42480	103.59
01/07/98	06:00	42720	103.59
01/07/98	10:00	42960	103.57
01/07/98	14:00	43200	103.55
01/07/98	18:00	43440	103.54
01/07/98	22:00	43680	103.56
01/08/98	02:00	43920	103.57
01/08/98	06:00	44160	103.56
01/08/98	10:00	44400	104.32
01/08/98	14:00	44640	104.47
01/08/98	18:00	44880	104.35
01/08/98	22:00	45120	104.27
01/09/98	02:00	45360	104.19
01/09/98	06:00	45600	104.13
01/09/98	10:00	45840	104.05
01/09/98	14:00	46080	103.99
01/09/98	18:00	46320	103.94
01/09/98	22:00	46560	103.91
01/10/98	02:00	46800	103.88
01/10/98	06:00	47040	103.85
01/10/98	10:00	47280	103.81
01/10/98	14:00	47520	103.77
01/10/98	18:00	47760	103.74
01/10/98	22:00	48000	103.73
01/11/98	02:00	48240	103.72
01/11/98	06:00	48480	103.71
01/11/98	10:00	48720	103.67
01/11/98	14:00	48960	103.64
01/11/98	18:00	49200	103.62
01/11/98	22:00	49440	103.62
01/12/98	02:00	49680	103.62
01/12/98	06:00	49920	103.61
01/12/98	10:00	50160	103.59
01/14/98	14:00	53280	103.59
01/14/98	18:00	53520	103.62
01/14/98	22:00	53760	103.64
01/15/98	02:00	54000	103.64
01/15/98	06:00	54240	103.64
01/15/98	10:00	54480	103.66
01/15/98	14:00	54720	103.65
01/15/98	18:00	54960	103.50
01/15/98	22:00	55200	103.41
01/16/98	02:00	55440	103.40
01/16/98	06:00	55680	103.38
01/16/98	10:00	55920	103.44
01/16/98	18:00	56400	103.31
01/16/98	22:00	56640	103.29
01/17/98	02:00	56880	103.28
01/17/98	06:00	57120	103.27
01/17/98	10:00	57360	103.23
01/17/98	14:00	57600	103.20
01/17/98	18:00	57840	103.20
01/17/98	22:00	58080	103.21
01/18/98	02:00	58320	103.21
01/18/98	06:00	58560	103.20
01/18/98	10:00	58800	103.19
01/18/98	14:00	59040	103.17
01/18/98	18:00	59280	103.17
01/18/98	22:00	59520	103.18
01/19/98	02:00	59760	103.19
01/19/98	06:00	60000	103.19
01/19/98	10:00	60240	103.27
01/19/98	14:00	60480	103.28
01/19/98	18:00	60720	103.28
01/19/98	22:00	60960	103.29
01/20/98	02:00	61200	103.28
01/20/98	06:00	61440	103.28
01/20/98	10:00	61680	103.30
01/20/98	14:00	61920	103.32
01/20/98	18:00	62160	103.32
01/20/98	22:00	62400	103.31
01/21/98	02:00	62640	103.30
01/21/98	06:00	62880	103.31
01/21/98	10:00	63120	103.32
01/21/98	14:00	63360	103.33
01/21/98	18:00	63600	103.33
01/21/98	22:00	63840	103.33

Date	Time	lapsed_tim	Water_elev
01/22/98	02:00	64080	103.31
01/22/98	06:00	64320	103.32
01/22/98	10:00	64560	103.34
01/22/98	14:00	64800	103.36
01/22/98	18:00	65040	103.36
01/22/98	22:00	65280	103.34
01/23/98	02:00	65520	103.34
01/23/98	06:00	65760	103.34
01/23/98	10:00	66000	103.34
01/23/98	14:00	66240	103.02
01/23/98	18:00	66480	103.01
01/23/98	22:00	66720	103.05
01/24/98	02:00	66960	103.09
01/24/98	06:00	67200	103.12
01/24/98	10:00	67440	103.16
01/24/98	14:00	67680	103.18
01/24/98	18:00	67920	103.23
01/24/98	22:00	68160	103.24
01/25/98	02:00	68400	103.26
01/25/98	06:00	68640	103.27
01/25/98	10:00	68880	103.30
01/25/98	14:00	69120	103.32
01/25/98	18:00	69360	103.34
01/25/98	22:00	69600	103.33
01/26/98	02:00	69840	103.33
01/26/98	06:00	70080	103.33
01/26/98	14:00	70560	103.18
01/26/98	18:00	70800	103.18
01/26/98	22:00	71040	103.18
01/27/98	02:00	71280	103.18
01/27/98	06:00	71520	103.18
01/27/98	10:00	71760	103.19
01/27/98	14:00	72000	103.19
01/27/98	18:00	72240	103.19
01/27/98	22:00	72480	103.19
01/28/98	02:00	72720	103.20
01/28/98	06:00	72960	103.20
01/28/98	10:00	73200	103.21
01/28/98	14:00	73440	103.21
01/28/98	18:00	73680	103.22
01/28/98	22:00	73920	103.21
01/29/98	02:00	74160	103.21
01/29/98	06:00	74400	103.22
01/29/98	10:00	74640	103.09
01/29/98	14:00	74880	103.08
01/29/98	18:00	75120	103.08
01/29/98	22:00	75360	103.09
01/30/98	02:00	75600	103.09
01/30/98	06:00	75840	103.09
01/30/98	10:00	76080	103.08
01/30/98	14:00	76320	103.06
01/30/98	18:00	76560	103.06
01/30/98	22:00	76800	103.06
01/31/98	02:00	77040	103.07
01/31/98	06:00	77280	103.07
01/31/98	10:00	77520	103.05
01/31/98	14:00	77760	103.03
01/31/98	18:00	78000	103.02
01/31/98	22:00	78240	103.04
02/01/98	02:00	78480	103.04
02/01/98	06:00	78720	103.04
02/01/98	10:00	78960	103.02
02/01/98	14:00	79200	103.00
02/01/98	18:00	79440	103.01
02/01/98	22:00	79680	103.02
02/02/98	02:00	79920	103.04
02/02/98	06:00	80160	103.03
02/02/98	10:00	80400	103.02
02/02/98	14:00	80640	103.02
02/02/98	18:00	80880	103.03
02/02/98	22:00	81120	103.69
02/03/98	02:00	81360	104.20
02/03/98	06:00	81600	103.98
02/03/98	10:00	81840	103.85
02/03/98	14:00	82080	103.74
02/03/98	18:00	82320	103.66
02/03/98	22:00	82560	103.61
02/04/98	02:00	82800	103.56
02/04/98	06:00	83040	103.52
02/04/98	10:00	83280	103.47
02/04/98	14:00	83520	103.42
02/04/98	18:00	83760	103.39
02/04/98	22:00	84000	103.36
02/05/98	02:00	84240	103.34
02/05/98	06:00	84480	103.31
02/05/98	10:00	84720	103.28
02/05/98	14:00	84960	103.25
02/05/98	18:00	85200	103.24
02/05/98	22:00	85440	103.23
02/06/98	02:00	85680	103.23
02/06/98	06:00	85920	103.21

4/8/98

NTC Orlando OU4, IRA Performance Monitoring
OW06A

Date	Time	lapsed_tim	Water_elev
02/06/98	10:00	86160	103.20
02/06/98	14:00	86400	103.20
02/06/98	18:00	86640	103.19
02/06/98	22:00	86880	103.21
02/07/98	02:00	87120	103.22
02/07/98	06:00	87360	103.21
02/07/98	10:00	87600	103.18
02/07/98	14:00	87840	103.17
02/07/98	18:00	88080	103.16
02/07/98	22:00	88320	103.15
02/08/98	02:00	88560	103.15
02/08/98	06:00	88800	103.14
02/08/98	10:00	89040	103.12
02/08/98	14:00	89280	103.10
02/08/98	18:00	89520	103.10
02/08/98	22:00	89760	103.10
02/09/98	02:00	90000	103.10
02/09/98	06:00	90240	103.09
02/13/98	18:00	96720	102.98
02/13/98	22:00	96960	103.03
02/14/98	02:00	97200	103.05
02/14/98	06:00	97440	103.05
02/14/98	10:00	97680	103.03
02/14/98	14:00	97920	103.01
02/14/98	18:00	98160	102.99
02/14/98	22:00	98400	103.00
02/15/98	02:00	98640	103.01
02/15/98	06:00	98880	103.00
02/15/98	10:00	99120	102.98
02/15/98	14:00	99360	102.98
02/15/98	18:00	99600	102.98
02/15/98	22:00	99840	103.03
02/16/98	02:00	100080	104.00
02/16/98	06:00	100320	104.41
02/16/98	10:00	100560	104.22
02/16/98	14:00	100800	104.06
02/16/98	18:00	101040	105.15
02/16/98	22:00	101280	104.91
02/17/98	02:00	101520	104.72
02/17/98	06:00	101760	104.70
02/17/98	10:00	102000	105.01
02/17/98	14:00	102240	104.78
02/17/98	15:30	102330	104.68
02/17/98	15:58	102358	104.66
02/17/98	16:30	102390	104.64
02/17/98	16:58	102418	104.62
02/17/98	17:26	102446	104.60
02/17/98	18:02	102482	104.57
02/17/98	18:50	102530	104.55
02/17/98	19:26	102566	104.53
02/17/98	19:30	102570	104.54
02/17/98	20:10	102610	104.51
02/17/98	20:58	102658	104.49
02/17/98	21:54	102714	104.47
02/17/98	22:58	102778	104.45
02/17/98	23:30	102810	104.44
02/17/98	23:54	102834	104.43
02/18/98	00:54	102894	104.41
02/18/98	01:58	102958	104.38
02/18/98	03:06	103026	104.36
02/18/98	03:30	103050	104.35
02/18/98	04:06	103086	104.34
02/18/98	05:10	103150	104.32
02/18/98	06:18	103218	104.30
02/18/98	07:30	103290	104.28
02/18/98	08:42	103362	104.25
02/18/98	09:38	103418	104.23
02/18/98	10:30	103470	104.21
02/18/98	11:30	103530	104.19
02/18/98	11:34	103534	104.19
02/18/98	12:38	103598	104.17
02/18/98	13:54	103674	104.15
02/18/98	15:06	103746	104.13
02/18/98	15:30	103770	104.12
02/18/98	16:30	103830	104.10
02/18/98	18:22	103942	104.08
02/18/98	19:30	104010	104.07
02/18/98	20:38	104078	104.06
02/18/98	23:14	104234	104.04
02/18/98	23:30	104250	104.04
02/19/98	02:22	104422	104.02
02/19/98	03:30	104490	104.00
02/19/98	04:18	104538	104.00
02/19/98	06:22	104662	103.98
02/19/98	07:30	104730	103.97
02/19/98	08:38	104798	103.96
02/19/98	09:30	104850	103.98
02/19/98	09:42	104862	104.00
02/19/98	11:30	104970	104.01
02/19/98	11:50	104990	103.98
02/19/98	14:38	105158	103.92
02/19/98	14:54	105174	103.95
02/19/98	15:02	105182	103.89
02/19/98	15:30	105210	103.92
02/19/98	15:38	105218	103.90
02/19/98	15:54	105234	103.92
02/19/98	16:02	105242	103.89
02/19/98	16:14	105254	103.87
02/19/98	17:06	105306	103.85
02/19/98	18:14	105374	103.82
02/19/98	18:58	105418	103.80
02/19/98	19:02	105422	103.84
02/19/98	19:30	105450	103.82
02/19/98	20:26	105506	103.81
02/19/98	20:34	105514	103.83
02/19/98	20:58	105538	103.79
02/19/98	21:02	105542	103.82
02/19/98	22:14	105614	103.96
02/19/98	22:18	105618	104.20
02/19/98	22:22	105622	104.41
02/19/98	22:26	105626	104.54
02/19/98	22:30	105630	104.63
02/19/98	22:34	105634	104.68
02/19/98	22:38	105638	104.72
02/19/98	22:42	105642	104.74
02/19/98	22:50	105650	104.78
02/19/98	23:02	105662	104.81
02/19/98	23:14	105674	104.83
02/19/98	23:22	105682	104.85
02/19/98	23:30	105690	104.88
02/19/98	23:42	105702	104.92
02/19/98	23:50	105710	104.96
02/19/98	23:58	105718	104.99
02/20/98	00:10	105730	105.01
02/20/98	00:46	105766	105.03
02/20/98	01:06	105786	105.06
02/20/98	01:18	105798	105.08
02/20/98	01:34	105814	105.10
02/20/98	02:02	105842	105.13
02/20/98	02:18	105858	105.15
02/20/98	02:34	105874	105.17
02/20/98	03:02	105902	105.20
02/20/98	03:30	105930	105.18
02/20/98	03:34	105934	105.18
02/20/98	03:50	105950	105.16
02/20/98	04:06	105966	105.13
02/20/98	04:26	105986	105.11
02/20/98	04:42	106002	105.09
02/20/98	05:06	106026	105.07
02/20/98	05:30	106050	105.04
02/20/98	05:50	106070	105.02
02/20/98	06:14	106094	105.00
02/20/98	06:34	106114	104.98
02/20/98	06:58	106138	104.96
02/20/98	07:26	106166	104.94
02/20/98	07:30	106170	104.94
02/20/98	07:50	106190	104.92
02/20/98	08:14	106214	104.90
02/20/98	08:46	106246	104.87
02/20/98	09:14	106274	104.85
02/20/98	09:38	106298	104.83
02/20/98	10:02	106322	104.81
02/20/98	10:38	106358	104.79
02/20/98	11:18	106398	104.77
02/20/98	11:30	106410	104.76
02/20/98	11:54	106434	104.74
02/20/98	12:26	106466	104.72
02/20/98	12:58	106498	104.70
02/20/98	13:34	106534	104.68
02/20/98	14:02	106562	104.66
02/20/98	14:38	106598	104.64
02/20/98	15:10	106630	104.62
02/20/98	15:30	106650	104.60
02/20/98	15:46	106666	104.60
02/20/98	16:22	106702	104.57
02/20/98	16:58	106738	104.55
02/20/98	17:42	106782	104.53
02/20/98	18:38	106838	104.51
02/20/98	19:30	106890	104.49
02/20/98	20:34	106954	104.47
02/20/98	21:34	107014	104.45
02/20/98	22:30	107070	104.43
02/20/98	23:30	107130	104.41
02/20/98	23:42	107142	104.41
02/21/98	00:50	107210	104.39
02/21/98	02:14	107294	104.37
02/21/98	03:30	107370	104.35
02/21/98	04:50	107450	104.33
02/21/98	05:58	107518	104.30
02/21/98	07:06	107586	104.28
02/21/98	07:30	107610	104.28
02/21/98	08:26	107666	104.26
02/21/98	09:34	107734	104.24
02/21/98	10:46	107806	104.22
02/21/98	11:30	107850	104.21
02/21/98	12:02	107882	104.20
02/21/98	13:10	107950	104.18
02/21/98	14:30	108030	104.16
02/21/98	15:30	108090	104.15
02/21/98	15:42	108102	104.18
02/21/98	16:10	108130	104.20
02/21/98	19:30	108330	104.21
02/21/98	23:30	108570	104.19
02/22/98	03:30	108810	104.18
02/22/98	07:02	109022	104.16
02/22/98	07:30	109050	104.16
02/22/98	09:50	109190	104.14
02/22/98	11:30	109290	104.13
02/22/98	11:42	109302	104.12
02/22/98	14:22	109462	104.10
02/22/98	15:30	109530	104.09
02/22/98	18:18	109578	104.07
02/22/98	19:30	109770	104.07
02/22/98	23:30	110010	104.08
02/23/98	00:38	110078	104.05
02/23/98	00:42	110082	104.09
02/23/98	00:46	110086	104.20
02/23/98	00:50	110090	104.30
02/23/98	00:54	110094	104.37
02/23/98	00:58	110098	104.45
02/23/98	01:02	110102	104.54
02/23/98	01:06	110106	104.61
02/23/98	01:10	110110	104.68
02/23/98	01:14	110114	104.72
02/23/98	01:18	110118	104.75
02/23/98	01:26	110126	104.78
02/23/98	01:38	110138	104.80
02/23/98	02:50	110210	104.78
02/23/98	03:22	110242	104.76
02/23/98	03:30	110250	104.75
02/23/98	03:50	110270	104.74
02/23/98	04:18	110298	104.72
02/23/98	04:50	110330	104.69
02/23/98	05:18	110358	104.67
02/23/98	05:50	110390	104.65
02/23/98	06:26	110426	104.63
02/23/98	07:06	110466	104.61
02/23/98	07:30	110490	104.60
02/23/98	07:46	110506	104.58
02/23/98	08:34	110554	104.56
02/23/98	09:14	110594	104.54
02/23/98	09:50	110630	104.52
02/23/98	10:30	110670	104.50
02/23/98	11:10	110710	104.48
02/23/98	11:30	110730	104.48
02/23/98	11:58	110758	104.46
02/23/98	12:42	110802	104.44
02/23/98	13:34	110854	104.42
02/23/98	14:22	110902	104.40
02/23/98	15:30	110970	104.38
02/23/98	15:34	110974	104.38
02/23/98	16:22	111022	104.36
02/23/98	17:26	111086	104.33
02/23/98	18:30	111150	104.31
02/23/98	19:30	111210	104.30
02/23/98	19:58	111238	104.29
02/23/98	21:14	111314	104.27
02/23/98	22:54	111414	104.25
02/23/98	23:30	111450	104.24
02/24/98	00:38	111518	104.23
02/24/98	02:10	111610	104.21
02/24/98	03:30	111690	104.20
02/24/98	04:18	111738	104.19
02/24/98	05:38	111818	104.17
02/24/98	07:14	111914	104.15
02/24/98	07:30	111930	104.14
02/24/98	08:46	112006	104.12
02/24/98	09:54	112074	104.10
02/24/98	11:02	112142	104.08
02/24/98	11:30	112170	104.07
02/24/98	12:22	112222	104.06
02/24/98	14:06	112326	104.04
02/24/98	15:30	112410	104.03
02/24/98	16:06	112446	104.02
02/24/98	19:30	112650	104.01
02/24/98	20:26	112706	104.00
02/24/98	23:30	112890	104.00
02/25/98	03:30	113130	103.98
02/25/98	04:02	113162	103.98
02/25/98	07:10	113350	103.96
02/25/98	07:30	113370	103.96
02/25/98	09:50	113510	103.94
02/25/98	11:22	113602	103.92

NTC Orlando OU4, IRA Performance Monitoring
OW06A

Date	Time	lapsed_tim	Water_elev
02/25/98	11:30	113610	103.91
02/25/98	13:38	113738	103.90
02/25/98	15:30	113850	103.89
02/25/98	19:30	114090	103.89
02/25/98	23:30	114330	103.89
02/26/98	03:30	114570	103.88
02/26/98	04:42	114642	103.88
02/26/98	07:30	114810	103.87
02/26/98	08:46	114886	103.86
02/26/98	11:14	115034	103.84
02/26/98	11:30	115050	103.84
02/26/98	14:34	115234	103.82
02/26/98	15:30	115290	103.81
02/26/98	19:30	115530	103.82
02/26/98	23:30	115770	103.81
02/27/98	03:30	116010	103.82
02/27/98	06:58	116218	103.79
02/27/98	07:30	116250	103.80
02/27/98	11:30	116490	103.79
02/27/98	14:14	116654	103.77
02/27/98	15:30	116730	103.76
02/27/98	15:38	116738	103.75
02/27/98	19:30	116970	103.76
02/27/98	23:30	117210	103.76
02/28/98	03:30	117450	103.76
02/28/98	07:30	117690	103.74
02/28/98	10:22	117862	103.73
02/28/98	11:30	117930	103.73
02/28/98	13:38	118058	103.75
02/28/98	13:50	118070	103.78
02/28/98	14:06	118086	103.76
02/28/98	15:30	118170	103.76
02/28/98	19:30	118410	103.74
02/28/98	20:06	118446	103.74
02/28/98	23:30	118650	103.78
03/01/98	00:06	118686	103.82
03/01/98	00:10	118690	103.86
03/01/98	00:14	118694	103.89
03/01/98	00:18	118698	103.91
03/01/98	00:22	118702	103.95
03/01/98	00:26	118706	103.98
03/01/98	00:34	118714	104.02
03/01/98	00:38	118718	104.05
03/01/98	00:46	118726	104.10
03/01/98	00:54	118734	104.15
03/01/98	00:58	118738	104.18
03/01/98	01:02	118742	104.20
03/01/98	01:14	118754	104.26
03/01/98	01:18	118758	104.21
03/01/98	01:30	118770	104.23
03/01/98	01:46	118786	104.25
03/01/98	01:58	118798	104.27
03/01/98	03:30	118890	104.27
03/01/98	04:42	118962	104.25
03/01/98	05:18	118998	104.23
03/01/98	06:22	119062	104.21
03/01/98	07:18	119118	104.19
03/01/98	07:30	119130	104.18
03/01/98	08:06	119166	104.17
03/01/98	09:42	119262	104.15
03/01/98	11:22	119362	104.12
03/01/98	11:30	119370	104.12
03/01/98	12:18	119418	104.10
03/01/98	13:18	119478	104.08
03/01/98	14:22	119542	104.06
03/01/98	15:22	119602	104.04
03/01/98	15:30	119610	104.04
03/01/98	16:22	119662	104.02
03/01/98	18:22	119782	104.00
03/01/98	19:30	119850	103.99
03/01/98	20:14	119894	103.98
03/01/98	21:50	119990	103.96
03/01/98	23:30	120090	103.94
03/02/98	00:02	120122	103.94
03/02/98	02:26	120266	103.92
03/02/98	03:30	120330	103.91
03/02/98	04:22	120382	103.90
03/02/98	06:26	120506	103.88
03/02/98	07:30	120570	103.87
03/02/98	08:02	120602	103.86
03/02/98	09:26	120686	103.84
03/02/98	10:42	120762	103.82
03/02/98	11:30	120810	103.80
03/02/98	11:54	120834	103.79
03/02/98	13:58	120958	103.77
03/02/98	15:30	121050	103.76
03/02/98	16:34	121114	103.75
03/02/98	19:30	121290	103.74
03/02/98	22:42	121482	103.73
03/02/98	23:30	121530	103.73
03/03/98	03:30	121770	103.73

Date	Time	lapsed_tim	Water_elev
03/03/98	06:54	121974	103.71
03/03/98	07:30	122010	103.71
03/03/98	09:54	122154	103.69
03/03/98	11:14	122234	103.67
03/03/98	11:30	122250	103.67
03/03/98	14:30	122430	103.65
03/03/98	15:30	122490	103.65
03/03/98	19:30	122730	103.64
03/03/98	23:30	122970	103.64
03/04/98	03:30	123210	103.64
03/04/98	05:34	123334	103.63
03/04/98	07:30	123450	103.62
03/04/98	09:30	123570	103.61
03/04/98	11:30	123690	103.60
03/04/98	13:58	123838	103.59
03/04/98	15:30	123930	103.58
03/04/98	19:30	124170	103.58
03/04/98	23:30	124410	103.59
03/05/98	03:30	124650	103.59
03/05/98	07:30	124890	103.58
03/05/98	09:34	125014	103.57
03/05/98	11:30	125130	103.55
03/05/98	15:30	125370	103.53
03/05/98	16:22	125422	103.52
03/05/98	19:30	125610	103.54
03/05/98	20:18	125658	103.55
03/05/98	23:30	125850	103.55
03/06/98	03:10	126070	103.57
03/06/98	03:30	126090	103.56
03/06/98	04:38	126158	103.55
03/06/98	07:30	126330	103.54
03/06/98	09:26	126446	103.52
03/06/98	11:18	126558	103.50
03/06/98	11:30	126570	103.50
03/06/98	15:30	126810	103.49
03/06/98	19:30	127050	103.50
03/06/98	23:30	127290	103.52
03/07/98	02:02	127442	103.52
03/07/98	03:30	127530	103.52
03/07/98	07:30	127770	103.52
03/07/98	09:34	127894	103.50
03/07/98	11:30	128010	103.48
03/07/98	11:50	128030	103.48
03/07/98	15:14	128234	103.46
03/07/98	15:30	128250	103.46
03/07/98	19:30	128490	103.46
03/07/98	22:14	128654	103.48
03/07/98	23:30	128730	103.49
03/08/98	02:30	128910	103.50
03/08/98	03:30	128970	103.50
03/08/98	07:30	129210	103.48
03/08/98	07:38	129218	103.48
03/08/98	10:22	129382	103.46
03/08/98	11:30	129450	103.45
03/08/98	11:58	129478	103.44
03/08/98	15:30	129690	103.43
03/08/98	19:30	129930	103.45
03/08/98	22:22	130102	103.46
03/08/98	23:30	130170	103.46
03/09/98	01:06	130266	103.52
03/09/98	01:10	130270	103.59
03/09/98	01:14	130274	103.70
03/09/98	01:18	130278	103.85
03/09/98	01:22	130282	104.00
03/09/98	01:26	130286	104.13
03/09/98	01:30	130290	104.33
03/09/98	01:34	130294	104.55
03/09/98	01:38	130298	104.78
03/09/98	01:42	130302	104.92
03/09/98	01:46	130306	105.06
03/09/98	01:50	130310	105.15
03/09/98	01:54	130314	105.18
03/09/98	01:58	130318	105.22
03/09/98	02:02	130322	105.25
03/09/98	02:34	130354	105.21
03/09/98	02:46	130366	105.19
03/09/98	02:58	130378	105.17
03/09/98	03:10	130390	105.15
03/09/98	03:26	130406	105.13
03/09/98	03:30	130410	105.12
03/09/98	03:42	130422	105.10
03/09/98	04:02	130442	105.08
03/09/98	04:18	130458	105.06
03/09/98	04:34	130474	105.04
03/09/98	04:54	130494	105.01
03/09/98	05:14	130514	104.99
03/09/98	05:34	130534	104.97
03/09/98	05:54	130554	104.95
03/09/98	06:18	130578	104.93
03/09/98	06:42	130602	104.91
03/09/98	07:06	130626	104.88

Date	Time	lapsed_tim	Water_elev
03/09/98	07:30	130650	104.87
03/09/98	07:34	130654	104.86
03/09/98	07:58	130678	104.84
03/09/98	08:26	130706	104.82
03/09/98	08:54	130734	104.80
03/09/98	09:22	130762	104.78
03/09/98	09:50	130790	104.75
03/09/98	10:22	130822	104.73
03/09/98	10:50	130850	104.71
03/09/98	11:22	130882	104.69
03/09/98	11:30	130890	104.68
03/09/98	11:46	130906	104.66
03/09/98	12:18	130938	104.64
03/09/98	12:46	130966	104.62
03/09/98	13:14	130994	104.60
03/09/98	13:50	131030	104.58
03/09/98	14:26	131066	104.56
03/09/98	15:02	131102	104.54
03/09/98	15:30	131130	104.52
03/09/98	15:38	131138	104.51
03/09/98	16:22	131182	104.49
03/09/98	17:06	131226	104.47
03/09/98	18:02	131282	104.45
03/09/98	18:58	131338	104.43
03/09/98	19:30	131370	104.42
03/09/98	19:54	131394	104.41
03/09/98	20:54	131454	104.39
03/09/98	22:02	131522	104.36
03/09/98	23:14	131594	104.34
03/09/98	23:30	131610	104.34
03/10/98	00:30	131670	104.32
03/10/98	02:02	131762	104.30
03/10/98	03:22	131842	104.28
03/10/98	03:30	131850	104.28
03/10/98	04:42	131922	104.26
03/10/98	05:54	131994	104.24
03/10/98	07:14	132074	104.22
03/10/98	07:30	132090	104.21
03/10/98	08:14	132134	104.20
03/10/98	09:58	132238	104.18
03/10/98	11:10	132310	104.15
03/10/98	11:30	132330	104.15
03/10/98	13:02	132422	104.13
03/10/98	14:30	132510	104.11
03/10/98	15:30	132570	104.10
03/10/98	16:18	132618	104.09
03/10/98	17:58	132718	104.07
03/10/98	19:30	132810	104.06
03/10/98	20:14	132854	104.05
03/10/98	23:02	133022	104.03
03/10/98	23:30	133050	104.03
03/11/98	02:46	133246	104.01
03/11/98	03:30	133290	104.00
03/11/98	05:10	133390	103.99
03/11/98	07:26	133526	103.97
03/11/98	07:30	133530	103.97
03/11/98	09:22	133642	103.95
03/11/98	11:30	133770	103.93
03/11/98	11:50	133790	103.93
03/11/98	14:46	133966	103.91
03/11/98	15:30	134010	103.91
03/11/98	17:50	134150	103.89
03/11/98	19:30	134250	103.88
03/11/98	21:22	134362	103.87
03/11/98	23:30	134490	103.86
03/12/98	03:30	134730	103.85
03/12/98	04:30	134790	103.85
03/12/98	06:58	134938	103.82
03/12/98	07:30	134970	103.82
03/12/98	09:26	135086	103.80
03/12/98	11:30	135210	103.80
03/12/98	14:02	135362	103.78
03/12/98	15:30	135450	103.78
03/12/98	18:22	135622	103.76
03/12/98	19:30	135690	103.76
03/12/98	23:30	135930	103.76
03/13/98	03:30	136170	103.76
03/13/98	06:26	136346	103.74
03/13/98	07:30	136410	103.74
03/13/98	10:02	136562	103.72
03/13/98	11:30	136650	103.71
03/13/98	13:58	136798	103.70
03/13/98	15:30	136890	103.70
03/13/98	19:30	137130	103.69
03/13/98	23:30	137370	103.69
03/14/98	03:30	137610	103.69
03/14/98	06:46	137806	103.68
03/14/98	07:30	137850	103.68
03/14/98	09:34	137974	103.66
03/14/98	11:30	138090	103.64
03/14/98	12:22	138142	103.64

NTC Orlando OU4, IRA Performance Monitoring

OW06A

Date	Time	lapsed_tim	Water_elev
03/14/98	15:30	138330	103.63
03/14/98	19:30	138570	103.63
03/14/98	23:30	138810	103.64
03/15/98	03:30	139050	103.64
03/15/98	07:30	139290	103.62
03/15/98	08:58	139378	103.61
03/15/98	10:50	139490	103.59
03/15/98	11:30	139530	103.59
03/15/98	13:58	139678	103.57
03/15/98	15:30	139770	103.57
03/15/98	19:30	140010	103.57
03/15/98	23:30	140250	103.59
03/16/98	02:30	140430	103.59
03/16/98	03:30	140490	103.59
03/16/98	07:30	140730	103.58
03/16/98	08:30	140790	103.57
03/16/98	09:58	140878	103.55
03/16/98	11:30	140970	103.54
03/16/98	12:10	141010	103.53
03/16/98	15:30	141210	103.52
03/16/98	19:30	141450	103.53
03/16/98	23:30	141690	103.54
03/17/98	03:30	141930	103.55
03/17/98	04:54	142014	103.55
03/17/98	07:30	142170	103.54
03/17/98	08:22	142222	103.53
03/17/98	10:06	142326	103.51
03/17/98	11:30	142410	103.49
03/17/98	11:34	142414	103.49
03/17/98	14:10	142570	103.47
03/17/98	15:30	142650	103.46
03/17/98	19:30	142890	103.48
03/17/98	19:46	142906	103.49
03/17/98	23:30	143130	103.50
03/18/98	00:22	143182	103.51
03/18/98	03:30	143370	103.52
03/18/98	07:30	143610	103.50
03/18/98	09:02	143702	103.49
03/18/98	10:26	143786	103.47
03/18/98	11:30	143850	103.46
03/18/98	15:30	144090	103.46
03/18/98	17:42	144222	103.45
03/18/98	19:30	144330	103.46
03/18/98	23:02	144542	103.47
03/18/98	23:26	144566	103.53
03/18/98	23:30	144570	103.61
03/18/98	23:34	144574	103.67
03/18/98	23:38	144578	103.74
03/18/98	23:42	144582	103.80
03/18/98	23:46	144586	103.85
03/18/98	23:50	144590	103.90
03/18/98	23:54	144594	103.93
03/18/98	23:58	144598	103.96
03/19/98	00:02	144602	103.99
03/19/98	00:06	144606	104.01
03/19/98	00:10	144610	104.03
03/19/98	00:18	144618	104.07
03/19/98	00:30	144630	104.09
03/19/98	00:58	144658	104.11
03/19/98	01:54	144714	104.09
03/19/98	03:30	144810	104.09
03/19/98	03:38	144818	104.11
03/19/98	03:54	144834	104.13
03/19/98	04:06	144846	104.15
03/19/98	04:14	144854	104.17
03/19/98	04:22	144862	104.19
03/19/98	04:30	144870	104.22
03/19/98	04:38	144878	104.24
03/19/98	04:46	144886	104.27
03/19/98	04:54	144894	104.31
03/19/98	05:02	144902	104.34
03/19/98	05:10	144910	104.38
03/19/98	05:18	144918	104.40
03/19/98	05:26	144926	104.43
03/19/98	05:38	144938	104.46
03/19/98	05:50	144950	104.48
03/19/98	06:54	145014	104.46
03/19/98	07:30	145050	104.44
03/19/98	07:34	145054	104.43
03/19/98	07:58	145078	104.41
03/19/98	08:14	145094	104.39
03/19/98	08:54	145134	104.36
03/19/98	09:22	145162	104.34
03/19/98	09:46	145186	104.32
03/19/98	10:26	145226	104.30
03/19/98	10:50	145250	104.27
03/19/98	11:30	145290	104.27
03/19/98	11:42	145302	104.25
03/19/98	15:02	145502	104.23
03/19/98	15:30	145530	104.22
03/19/98	15:50	145550	104.21
03/19/98	16:14	145574	104.18
03/19/98	16:26	145586	104.21
03/19/98	16:30	145590	104.27
03/19/98	16:34	145594	104.35
03/19/98	16:38	145598	104.42
03/19/98	16:42	145602	104.46
03/19/98	16:46	145606	104.53
03/19/98	16:50	145610	104.57
03/19/98	16:54	145614	104.62
03/19/98	16:58	145618	104.66
03/19/98	17:02	145622	104.69
03/19/98	17:06	145626	104.73
03/19/98	17:10	145630	104.76
03/19/98	17:14	145634	104.79
03/19/98	17:18	145638	104.81
03/19/98	17:22	145642	104.83
03/19/98	17:30	145650	104.86
03/19/98	17:42	145662	104.88
03/19/98	17:50	145670	104.90
03/19/98	17:58	145678	104.92
03/19/98	18:06	145686	104.95
03/19/98	18:18	145698	104.98
03/19/98	18:26	145706	105.00
03/19/98	18:34	145714	105.02
03/19/98	18:46	145726	105.05
03/19/98	18:58	145738	105.08
03/19/98	19:30	145770	105.09
03/19/98	19:58	145798	105.06
03/19/98	20:22	145822	105.04
03/19/98	20:42	145842	105.01
03/19/98	21:02	145862	104.99
03/19/98	21:22	145882	104.97
03/19/98	21:46	145906	104.99
03/19/98	21:54	145914	105.02
03/19/98	22:02	145922	105.05
03/19/98	22:10	145930	105.07
03/19/98	23:10	145990	105.05
03/19/98	23:26	146006	105.03
03/19/98	23:30	146010	105.02
03/19/98	23:46	146026	105.01
03/20/98	00:34	146074	104.99
03/20/98	01:34	146134	104.97
03/20/98	02:50	146210	104.94
03/20/98	03:22	146242	104.92
03/20/98	03:30	146250	104.92
03/20/98	03:58	146278	104.90
03/20/98	04:34	146314	104.88
03/20/98	05:14	146354	104.86
03/20/98	05:50	146390	104.84
03/20/98	06:26	146426	104.81
03/20/98	07:02	146462	104.79
03/20/98	07:30	146490	104.78
03/20/98	07:46	146506	104.77
03/20/98	08:18	146538	104.75
03/20/98	09:10	146590	104.73
03/20/98	09:58	146638	104.71
03/20/98	10:30	146670	104.69
03/20/98	11:14	146714	104.66
03/20/98	11:30	146730	104.66
03/20/98	12:06	146766	104.64
03/20/98	12:54	146814	104.62
03/20/98	13:30	146850	104.60
03/20/98	14:10	146890	104.58
03/20/98	14:22	146902	104.60
03/20/98	14:30	146910	104.62
03/20/98	15:06	146946	104.64
03/20/98	15:30	146970	104.63
03/20/98	15:54	146994	104.62
03/20/98	16:42	147042	104.60
03/20/98	17:38	147098	104.57
03/20/98	19:02	147182	104.55
03/20/98	19:30	147210	104.54
03/20/98	20:06	147246	104.53
03/20/98	21:26	147326	104.51
03/20/98	22:42	147402	104.49
03/20/98	23:30	147450	104.48
03/20/98	23:54	147474	104.47
03/21/98	01:30	147570	104.45
03/21/98	03:02	147662	104.43
03/21/98	03:30	147690	104.42
03/21/98	04:14	147734	104.41
03/21/98	05:34	147814	104.39
03/21/98	06:50	147890	104.37
03/21/98	07:30	147930	104.36
03/21/98	07:58	147958	104.35
03/21/98	09:14	148034	104.33
03/21/98	10:30	148110	104.30
03/21/98	11:30	148170	104.29
03/21/98	11:34	148174	104.28
03/21/98	12:42	148242	104.26
03/21/98	13:58	148318	104.24
03/21/98	15:26	148406	104.22
03/21/98	15:30	148410	104.22
03/21/98	17:06	148506	104.20
03/21/98	19:10	148630	104.18
03/21/98	19:30	148650	104.18
03/21/98	22:10	148810	104.16
03/21/98	23:30	148890	104.15
03/22/98	00:42	148962	104.14
03/22/98	03:22	149122	104.12
03/22/98	03:30	149130	104.12
03/22/98	05:26	149246	104.10
03/22/98	07:30	149370	104.08
03/22/98	07:42	149382	104.08
03/22/98	09:50	149510	104.06
03/22/98	11:30	149610	104.03
03/22/98	14:10	149770	104.01
03/22/98	15:30	149850	104.00
03/22/98	16:22	149902	103.99
03/22/98	19:30	150090	103.97
03/22/98	19:42	150102	103.97
03/22/98	23:30	150330	103.96
03/23/98	03:30	150570	103.95
03/23/98	06:22	150742	103.93
03/23/98	07:30	150810	103.93
03/23/98	08:58	150898	103.91
03/23/98	11:02	151022	103.89
03/23/98	11:10	151030	103.85
03/23/98	11:30	151050	103.85
03/23/98	12:30	151110	103.83
03/23/98	14:14	151214	103.81
03/23/98	15:30	151290	103.80
03/23/98	16:14	151334	103.79
03/23/98	19:30	151530	103.80
03/23/98	21:10	151630	103.81
03/23/98	23:30	151770	103.83
03/24/98	02:18	151938	103.83
03/24/98	03:30	152010	103.84
03/24/98	07:30	152250	103.82
03/24/98	07:42	152262	103.81
03/24/98	09:34	152374	103.79
03/24/98	11:06	152466	103.77
03/24/98	11:30	152490	103.77
03/24/98	13:02	152582	103.75
03/24/98	15:30	152730	103.74
03/24/98	19:30	152970	103.74
03/24/98	23:30	153210	103.75
03/25/98	03:30	153450	103.76
03/25/98	07:26	153686	103.73
03/25/98	07:30	153690	103.73
03/25/98	09:26	153806	103.71
03/25/98	10:42	153882	103.69
03/25/98	11:30	153930	103.68
03/25/98	12:46	154006	103.67
03/25/98	15:30	154170	103.66
03/25/98	19:30	154410	103.67
03/25/98	23:30	154650	103.68
03/26/98	02:34	154834	103.69
03/26/98	03:30	154890	103.69
03/26/98	07:30	155130	103.67
03/26/98	07:46	155146	103.67
03/26/98	09:38	155258	103.65
03/26/98	11:06	155346	103.63
03/26/98	11:30	155370	103.62
03/26/98	13:38	155498	103.61
03/26/98	15:30	155610	103.60
03/26/98	19:30	155850	103.62
03/26/98	20:42	155922	103.63
03/26/98	23:30	156090	103.64
03/27/98	01:54	156234	103.65
03/27/98	03:30	156330	103.65
03/27/98	07:30	156570	103.64
03/27/98	08:26	156626	103.63
03/27/98	09:34	156694	103.61
03/27/98	10:42	156762	103.59
03/27/98	11:30	156810	103.58
03/27/98	13:38	156938	103.57
03/27/98	15:30	157050	103.56
03/27/98	19:30	157290	103.58
03/27/98	22:34	157474	103.59
03/27/98	23:30	157530	103.59
03/28/98	03:30	157770	103.60
03/28/98	07:30	158010	103.59
03/28/98	09:58	158158	103.57
03/28/98	11:18	158238	103.55
03/28/98	11:30	158250	103.54
03/28/98	12:42	158322	103.52
03/28/98	15:30	158490	103.52
03/28/98	19:30	158730	103.53
03/28/98	22:54	158934	103.55
03/28/98	23:30	158970	103.55
03/29/98	03:30	159210	103.56

NTC Orlando OU4, IRA Performance Monitoring
OW06A

Date	Time	lapsed_tim	Water_elev
03/29/98	07:30	159450	103.54
03/29/98	09:18	159558	103.52
03/29/98	10:26	159626	103.50
03/29/98	11:30	159690	103.49
03/29/98	12:14	159734	103.48
03/29/98	14:46	159886	103.46
03/29/98	15:30	159930	103.46
03/29/98	19:30	160170	103.48
03/29/98	20:14	160214	103.48
03/29/98	23:30	160410	103.50
03/29/98	23:38	160418	103.50
03/30/98	03:30	160650	103.51
03/30/98	07:30	160890	103.50
03/30/98	09:18	160998	103.48
03/30/98	10:14	161054	103.46
03/30/98	11:30	161130	103.45
03/30/98	12:02	161162	103.44

Date	Time	lapsed_tim	Water_elev

Date	Time	lapsed_tim	Water_elev

NTC Orlando OU4, IRA Performance Monitoring
OW07C

Date	Time	lapsed_tim	Water_elev
12/08/97	14:00	0	102.53
12/08/97	18:00	240	102.53
12/08/97	22:00	480	102.53
12/09/97	02:00	720	102.53
12/09/97	06:00	960	102.53
12/09/97	10:00	1200	102.54
12/09/97	14:00	1440	102.55
12/09/97	18:00	1680	102.56
12/09/97	22:00	1920	102.55
12/10/97	02:00	2160	102.53
12/10/97	06:00	2400	102.52
12/10/97	10:00	2640	102.53
12/10/97	14:00	2880	102.51
12/10/97	18:00	3120	101.91
12/10/97	22:00	3360	101.99
12/11/97	02:00	3600	102.06
12/11/97	06:00	3840	102.09
12/11/97	10:00	4080	101.09
12/11/97	14:00	4320	100.45
12/11/97	18:00	4560	100.61
12/11/97	22:00	4800	100.62
12/12/97	02:00	5040	100.77
12/12/97	06:00	5280	100.89
12/12/97	10:00	5520	100.99
12/12/97	14:00	5760	100.81
12/12/97	18:00	6000	100.84
12/12/97	22:00	6240	100.95
12/13/97	02:00	6480	100.73
12/13/97	06:00	6720	100.57
12/13/97	10:00	6960	100.40
12/13/97	14:00	7200	100.33
12/13/97	18:00	7440	100.41
12/13/97	22:00	7680	100.54
12/14/97	02:00	7920	100.59
12/14/97	06:00	8160	100.69
12/14/97	10:00	8400	100.34
12/14/97	14:00	8640	100.38
12/14/97	18:00	8880	100.54
12/14/97	22:00	9120	100.68
12/15/97	02:00	9360	100.77
12/15/97	06:00	9600	100.85
12/15/97	10:00	9840	100.92
12/15/97	14:00	10080	100.96
12/15/97	18:00	10320	100.81
12/15/97	22:00	10560	100.91
12/16/97	02:00	10800	100.98
12/16/97	06:00	11040	101.05
12/16/97	10:00	11280	101.10
12/16/97	14:00	11520	101.13
12/16/97	18:00	11760	101.18
12/16/97	22:00	12000	101.21
12/17/97	02:00	12240	101.24
12/17/97	06:00	12480	101.27
12/17/97	10:00	12720	101.30
12/17/97	14:00	12960	101.32
12/17/97	18:00	13200	101.36
12/17/97	22:00	13440	101.37
12/18/97	02:00	13680	101.40
12/18/97	06:00	13920	101.42
12/18/97	10:00	14160	101.44
12/18/97	14:00	14400	101.44
12/18/97	18:00	14640	101.47
12/18/97	22:00	14880	101.49
12/19/97	02:00	15120	101.52
12/19/97	06:00	15360	101.52
12/19/97	10:00	15600	101.52
01/14/98	14:00	53280	103.48
01/14/98	18:00	53520	103.50
01/14/98	22:00	53760	103.53
01/15/98	02:00	54000	103.53
01/15/98	06:00	54240	103.51
01/15/98	10:00	54480	103.54
01/15/98	14:00	54720	103.53
01/15/98	18:00	54960	103.38
01/15/98	22:00	55200	103.33
01/16/98	02:00	55440	103.33
01/16/98	06:00	55680	103.33
01/16/98	10:00	55920	103.36
01/16/98	18:00	56400	103.69
01/16/98	22:00	56640	103.66
01/17/98	02:00	56880	103.65
01/17/98	06:00	57120	103.63
01/17/98	10:00	57360	103.60
01/17/98	14:00	57600	103.59
01/17/98	18:00	57840	103.57
01/17/98	22:00	58080	103.57
01/18/98	02:00	58320	103.57
01/18/98	06:00	58560	103.56
01/18/98	10:00	58800	103.55
01/18/98	14:00	59040	103.54
01/18/98	18:00	59280	103.53

Date	Time	lapsed_tim	Water_elev
01/18/98	22:00	59520	103.53
01/19/98	02:00	59760	103.54
01/19/98	06:00	60000	103.53
01/19/98	10:00	60240	103.51
01/19/98	14:00	60480	103.52
01/19/98	18:00	60720	103.53
01/19/98	22:00	60960	103.54
01/20/98	02:00	61200	103.52
01/20/98	06:00	61440	103.54
01/20/98	10:00	61680	103.55
01/20/98	14:00	61920	103.55
01/20/98	18:00	62160	103.57
01/20/98	22:00	62400	103.56
01/21/98	02:00	62640	103.56
01/21/98	06:00	62880	103.57
01/21/98	10:00	63120	103.58
01/21/98	14:00	63360	103.58
01/21/98	18:00	63600	103.59
01/21/98	22:00	63840	103.58
01/22/98	02:00	64080	103.58
01/22/98	06:00	64320	103.59
01/22/98	10:00	64560	103.59
01/22/98	14:00	64800	103.60
01/22/98	18:00	65040	103.60
01/22/98	22:00	65280	103.60
01/23/98	02:00	65520	103.60
01/23/98	06:00	65760	103.60
01/23/98	10:00	66000	103.60
01/23/98	14:00	66240	103.29
01/23/98	18:00	66480	103.31
01/23/98	22:00	66720	103.35
01/24/98	02:00	66960	103.38
01/24/98	06:00	67200	103.41
01/24/98	10:00	67440	103.44
01/24/98	14:00	67680	103.46
01/24/98	18:00	67920	103.49
01/24/98	22:00	68160	103.52
01/25/98	02:00	68400	103.54
01/25/98	06:00	68640	103.55
01/25/98	10:00	68880	103.57
01/25/98	14:00	69120	103.57
01/25/98	18:00	69360	103.60
01/25/98	22:00	69600	103.60
01/26/98	02:00	69840	103.59
01/26/98	06:00	70080	103.60
01/26/98	14:00	70560	103.35
01/26/98	18:00	70800	103.35
01/26/98	22:00	71040	103.36
01/27/98	02:00	71280	103.34
01/27/98	06:00	71520	103.32
01/27/98	10:00	71760	103.38
01/27/98	14:00	72000	103.39
01/27/98	18:00	72240	103.42
01/27/98	22:00	72480	103.42
01/28/98	02:00	72720	103.43
01/28/98	06:00	72960	103.45
01/28/98	10:00	73200	103.48
01/28/98	14:00	73440	103.50
01/28/98	18:00	73680	103.52
01/28/98	22:00	73920	103.50
01/29/98	02:00	74160	103.49
01/29/98	06:00	74400	103.50
01/29/98	10:00	74640	103.13
01/29/98	14:00	74880	103.13
01/29/98	18:00	75120	103.13
01/29/98	22:00	75360	103.14
01/30/98	02:00	75600	103.14
01/30/98	06:00	75840	103.13
01/30/98	10:00	76080	103.13
01/30/98	14:00	76320	103.12
01/30/98	18:00	76560	103.11
01/30/98	22:00	76800	103.12
01/31/98	02:00	77040	103.12
01/31/98	06:00	77280	103.12
01/31/98	10:00	77520	103.10
01/31/98	14:00	77760	103.09
01/31/98	18:00	78000	103.08
01/31/98	22:00	78240	103.10
02/01/98	02:00	78480	103.10
02/01/98	06:00	78720	103.09
02/01/98	10:00	78960	103.08
02/01/98	14:00	79200	103.08
02/01/98	18:00	79440	103.07
02/01/98	22:00	79680	103.07
02/02/98	02:00	79920	103.08
02/02/98	06:00	80160	103.08
02/02/98	10:00	80400	103.08
02/02/98	14:00	80640	103.08
02/02/98	18:00	80880	103.08
02/02/98	22:00	81120	103.67
02/03/98	02:00	81360	103.99

Date	Time	lapsed_tim	Water_elev
02/03/98	06:00	81600	103.87
02/03/98	10:00	81840	103.78
02/03/98	14:00	82080	103.71
02/03/98	18:00	82320	103.64
02/03/98	22:00	82560	103.60
02/04/98	02:00	82800	103.57
02/04/98	06:00	83040	103.52
02/04/98	10:00	83280	103.48
02/04/98	14:00	83520	103.45
02/04/98	18:00	83760	103.41
02/04/98	22:00	84000	103.39
02/05/98	02:00	84240	103.37
02/05/98	06:00	84480	103.35
02/05/98	10:00	84720	103.32
02/05/98	14:00	84960	103.30
02/05/98	18:00	85200	103.28
02/05/98	22:00	85440	103.27
02/06/98	02:00	85680	103.27
02/06/98	06:00	85920	103.25
02/06/98	10:00	86160	103.24
02/06/98	14:00	86400	103.23
02/06/98	18:00	86640	103.23
02/06/98	22:00	86880	103.25
02/07/98	02:00	87120	103.26
02/07/98	06:00	87360	103.24
02/07/98	10:00	87600	103.22
02/07/98	14:00	87840	103.22
02/07/98	18:00	88080	103.21
02/07/98	22:00	88320	103.20
02/08/98	02:00	88560	103.20
02/08/98	06:00	88800	103.18
02/08/98	10:00	89040	103.17
02/08/98	14:00	89280	103.16
02/08/98	18:00	89520	103.15
02/08/98	22:00	89760	103.14
02/09/98	02:00	90000	103.15
02/09/98	06:00	90240	103.14
02/13/98	18:00	96720	103.03
02/13/98	22:00	96960	103.08
02/14/98	02:00	97200	103.09
02/14/98	06:00	97440	103.08
02/14/98	10:00	97680	103.07
02/14/98	14:00	97920	103.06
02/14/98	18:00	98160	103.04
02/14/98	22:00	98400	103.04
02/15/98	02:00	98640	103.05
02/15/98	06:00	98880	103.04
02/15/98	10:00	99120	103.02
02/15/98	14:00	99360	103.04
02/15/98	18:00	99600	103.02
02/15/98	22:00	99840	103.08
02/16/98	02:00	100080	103.83
02/16/98	06:00	100320	104.11
02/16/98	10:00	100560	104.02
02/16/98	14:00	100800	103.95
02/16/98	18:00	101040	104.75
02/16/98	22:00	101280	104.66
02/17/98	02:00	101520	104.54
02/17/98	06:00	101760	104.53
02/17/98	10:00	102000	104.81
02/17/98	14:00	102240	104.66
03/09/98	10:26	130816	104.66
03/09/98	11:18	130868	104.64
03/09/98	12:14	130924	104.62
03/09/98	13:14	130984	104.59
03/09/98	14:22	131052	104.57
03/09/98	14:26	131056	104.57
03/09/98	15:18	131108	104.55
03/09/98	16:18	131168	104.52
03/09/98	17:42	131252	104.49
03/09/98	18:26	131296	104.48
03/09/98	18:54	131324	104.47
03/09/98	20:02	131392	104.45
03/09/98	21:10	131460	104.43
03/09/98	22:26	131536	104.41
03/09/98	22:58	131568	104.40
03/10/98	00:46	131676	104.38
03/10/98	02:26	131776	104.37
03/10/98	02:54	131804	104.36
03/10/98	04:14	131884	104.34
03/10/98	06:02	131992	104.31
03/10/98	06:26	132016	104.31
03/10/98	07:26	132076	104.29
03/10/98	09:26	132196	104.27
03/10/98	10:26	132256	104.26
03/10/98	11:30	132320	104.25
03/10/98	14:26	132496	104.23
03/10/98	14:30	132500	104.22
03/10/98	16:30	132620	104.20
03/10/98	18:26	132736	104.18
03/10/98	18:38	132748	104.18

NTC Orlando OU4, IRA Performance Monitoring
OW07C

Date	Time	lapsed_tim	Water_elev
03/10/98	20:50	132880	104.15
03/10/98	22:26	132976	104.14
03/11/98	00:26	133096	104.13
03/11/98	02:26	133216	104.12
03/11/98	03:56	133308	104.11
03/11/98	06:26	133456	104.09
03/11/98	06:30	133460	104.09
03/11/98	08:54	133604	104.06
03/11/98	10:26	133696	104.06
03/11/98	13:06	133856	104.04
03/11/98	14:26	133936	104.04
03/11/98	17:02	134092	104.02
03/11/98	18:26	134176	104.01
03/11/98	20:18	134288	103.99
03/11/98	22:26	134416	103.99
03/12/98	01:58	134628	103.97
03/12/98	02:26	134656	103.97
03/12/98	06:10	134880	103.95
03/12/98	06:26	134896	103.95
03/12/98	08:54	135044	103.93
03/12/98	10:26	135136	103.93
03/12/98	14:26	135376	103.91
03/12/98	15:22	135432	103.90
03/12/98	18:26	135616	103.89
03/12/98	20:46	135756	103.88
03/12/98	22:26	135856	103.88
03/13/98	02:26	136096	103.88
03/13/98	06:26	136336	103.86
03/13/98	06:30	136340	103.86
03/13/98	10:26	136576	103.84
03/13/98	12:26	136696	103.83
03/13/98	14:26	136816	103.83
03/13/98	18:26	137056	103.82
03/13/98	19:34	137124	103.81
03/13/98	22:26	137296	103.82
03/14/98	02:26	137536	103.81
03/14/98	06:26	137776	103.80
03/14/98	07:58	137868	103.79
03/14/98	10:26	138016	103.78
03/14/98	14:22	138252	103.77
03/14/98	14:26	138256	103.77
03/14/98	18:26	138496	103.76
03/14/98	22:26	138736	103.76
03/15/98	02:26	138976	103.76
03/15/98	05:54	139184	103.74
03/15/98	06:26	139216	103.74
03/15/98	10:26	139456	103.73
03/15/98	11:06	139496	103.72
03/15/98	14:26	139696	103.72
03/15/98	18:02	139912	103.70
03/15/98	18:26	139936	103.71
03/15/98	22:26	140176	103.71
03/16/98	02:26	140416	103.71
03/16/98	06:26	140656	103.70
03/16/98	10:26	140896	103.68
03/16/98	11:06	140936	103.68
03/16/98	14:26	141136	103.66
03/16/98	18:26	141376	103.66
03/16/98	22:26	141616	103.66
03/17/98	02:26	141856	103.67
03/17/98	06:26	142096	103.66
03/17/98	06:46	142116	103.65
03/17/98	10:26	142336	103.65
03/17/98	11:26	142396	103.63
03/17/98	14:26	142576	103.63
03/17/98	16:54	142724	103.61
03/17/98	18:26	142816	103.62
03/17/98	22:26	143056	103.63
03/18/98	00:06	143156	103.63
03/18/98	02:26	143296	103.64
03/18/98	06:26	143536	103.63
03/18/98	09:18	143708	103.61
03/18/98	10:26	143776	103.60
03/18/98	14:26	144016	103.60
03/18/98	18:26	144256	103.60
03/18/98	22:26	144496	103.60
03/18/98	23:14	144544	103.63
03/18/98	23:22	144552	103.67
03/18/98	23:26	144556	103.70
03/18/98	23:30	144560	103.74
03/18/98	23:34	144564	103.79
03/18/98	23:38	144568	103.84
03/18/98	23:42	144572	103.89
03/18/98	23:46	144576	103.92
03/18/98	23:50	144580	103.95
03/18/98	23:54	144584	103.98
03/18/98	23:58	144588	104.00
03/19/98	00:06	144596	104.03
03/19/98	00:42	144632	104.05
03/19/98	01:22	144672	104.03
03/19/98	01:46	144696	104.05

Date	Time	lapsed_tim	Water_elev
03/19/98	01:54	144704	104.07
03/19/98	02:26	144736	104.07
03/19/98	02:42	144752	104.05
03/19/98	03:22	144792	104.07
03/19/98	03:46	144816	104.10
03/19/98	03:54	144824	104.12
03/19/98	04:02	144832	104.15
03/19/98	04:10	144840	104.18
03/19/98	04:14	144844	104.20
03/19/98	04:22	144852	104.24
03/19/98	04:26	144856	104.27
03/19/98	04:30	144860	104.29
03/19/98	04:34	144864	104.32
03/19/98	04:38	144868	104.34
03/19/98	04:46	144876	104.37
03/19/98	04:58	144888	104.40
03/19/98	05:06	144896	104.42
03/19/98	05:14	144904	104.44
03/19/98	06:06	144956	104.47
03/19/98	06:26	144976	104.48
03/19/98	06:50	145000	104.49
03/19/98	07:22	145032	104.46
03/19/98	08:18	145088	104.44
03/19/98	08:34	145104	104.42
03/19/98	08:50	145120	104.40
03/19/98	08:58	145128	104.37
03/19/98	09:06	145136	104.34
03/19/98	09:42	145172	104.36
03/19/98	10:18	145208	104.38
03/19/98	10:26	145216	104.39
03/19/98	11:06	145256	104.40
03/19/98	11:26	145276	104.36
03/19/98	11:42	145292	104.34
03/19/98	12:14	145324	104.32
03/19/98	13:34	145404	104.29
03/19/98	13:54	145424	104.26
03/19/98	14:02	145432	104.22
03/19/98	14:26	145456	104.21
03/19/98	14:54	145484	104.19
03/19/98	15:46	145536	104.22
03/19/98	16:02	145552	104.25
03/19/98	16:10	145560	104.28
03/19/98	16:22	145572	104.33
03/19/98	16:26	145576	104.36
03/19/98	16:30	145580	104.42
03/19/98	16:34	145584	104.48
03/19/98	16:38	145588	104.54
03/19/98	16:42	145592	104.58
03/19/98	16:46	145596	104.62
03/19/98	16:50	145600	104.65
03/19/98	16:54	145604	104.68
03/19/98	16:58	145608	104.71
03/19/98	17:02	145612	104.74
03/19/98	17:06	145616	104.77
03/19/98	17:10	145620	104.80
03/19/98	17:14	145624	104.83
03/19/98	17:22	145632	104.86
03/19/98	17:34	145644	104.90
03/19/98	17:50	145660	104.93
03/19/98	18:06	145676	104.96
03/19/98	18:18	145688	104.99
03/19/98	18:26	145696	105.00
03/19/98	18:34	145704	105.02
03/19/98	18:46	145716	105.04
03/19/98	19:10	145740	105.07
03/19/98	22:06	145916	105.09
03/19/98	22:26	145936	105.11
03/19/98	23:54	146024	105.07
03/20/98	00:14	146044	105.05
03/20/98	00:54	146084	105.02
03/20/98	01:30	146120	105.00
03/20/98	01:50	146140	104.98
03/20/98	01:58	146148	104.95
03/20/98	02:10	146160	104.93
03/20/98	02:26	146176	104.92
03/20/98	03:02	146212	104.90
03/20/98	03:38	146248	104.88
03/20/98	04:14	146284	104.86
03/20/98	04:58	146328	104.84
03/20/98	06:14	146404	104.81
03/20/98	06:26	146416	104.81
03/20/98	07:06	146456	104.79
03/20/98	07:42	146492	104.76
03/20/98	08:02	146512	104.74
03/20/98	08:22	146532	104.72
03/20/98	08:54	146564	104.69
03/20/98	09:06	146576	104.67
03/20/98	09:22	146592	104.64
03/20/98	09:26	146596	104.61
03/20/98	09:42	146612	104.58
03/20/98	09:54	146624	104.61

Date	Time	lapsed_tim	Water_elev
03/20/98	11:54	146744	104.58
03/20/98	12:26	146776	104.60
03/20/98	12:42	146792	104.57
03/20/98	12:46	146796	104.63
03/20/98	12:50	146800	104.69
03/20/98	13:30	146840	104.68
03/20/98	14:26	146896	104.68
03/20/98	14:30	146900	104.69
03/20/98	14:58	146928	104.71
03/20/98	16:18	147008	104.69
03/20/98	17:06	147056	104.66
03/20/98	18:26	147136	104.64
03/20/98	19:18	147188	104.62
03/20/98	20:46	147276	104.59
03/20/98	22:14	147364	104.57
03/20/98	22:26	147376	104.57
03/21/98	00:02	147472	104.55
03/21/98	01:54	147584	104.53
03/21/98	02:26	147616	104.52
03/21/98	03:34	147684	104.50
03/21/98	04:50	147760	104.48
03/21/98	06:26	147856	104.46
03/21/98	06:42	147872	104.46
03/21/98	07:58	147948	104.43
03/21/98	09:54	148064	104.41
03/21/98	10:26	148096	104.41
03/21/98	11:42	148172	104.39
03/21/98	13:14	148264	104.37
03/21/98	14:26	148336	104.36
03/21/98	15:18	148388	104.34
03/21/98	17:18	148508	104.32
03/21/98	18:26	148576	104.31
03/21/98	19:22	148632	104.30
03/21/98	22:26	148816	104.28
03/21/98	22:30	148820	104.28
03/22/98	00:46	148956	104.25
03/22/98	02:26	149056	104.25
03/22/98	04:26	149176	104.23
03/22/98	05:58	149268	104.21
03/22/98	06:26	149296	104.21
03/22/98	09:58	149508	104.19
03/22/98	10:26	149536	104.18
03/22/98	12:58	149688	104.16
03/22/98	14:26	149776	104.15
03/22/98	16:22	149892	104.14
03/22/98	18:26	150016	104.13
03/22/98	19:02	150052	104.12
03/22/98	22:26	150256	104.10
03/23/98	00:14	150364	104.10
03/23/98	02:26	150496	104.10
03/23/98	05:22	150672	104.07
03/23/98	06:26	150736	104.07
03/23/98	08:22	150852	104.05
03/23/98	10:26	150976	104.04
03/23/98	11:02	151012	104.17
03/23/98	11:06	151016	104.07
03/23/98	12:54	151124	104.05
03/23/98	14:26	151216	104.03
03/23/98	14:30	151220	104.03
03/23/98	18:22	151452	104.00
03/23/98	18:26	151456	104.00
03/23/98	20:46	151596	103.98
03/23/98	22:26	151696	103.98
03/24/98	02:26	151936	103.97
03/24/98	04:18	152048	103.96
03/24/98	06:26	152176	103.95
03/24/98	08:02	152272	103.94
03/24/98	10:26	152416	103.92
03/24/98	11:10	152460	103.91
03/24/98	14:26	152656	103.90
03/24/98	15:54	152744	103.89
03/24/98	18:26	152896	103.88
03/24/98	22:26	153136	103.89
03/25/98	02:26	153376	103.89
03/25/98	06:06	153596	103.87
03/25/98	06:26	153616	103.87
03/25/98	09:38	153808	103.84
03/25/98	10:26	153856	103.84
03/25/98	12:46	153996	103.82
03/25/98	14:26	154096	103.82
03/25/98	18:26	154336	103.81
03/25/98	22:26	154576	103.81
03/26/98	02:26	154816	103.82
03/26/98	06:26	155056	103.80
03/26/98	06:50	155080	103.80
03/26/98	10:26	155296	103.78
03/26/98	10:34	155304	103.78
03/26/98	14:26	155536	103.76
03/26/98	14:58	155568	103.75
03/26/98	18:26	155776	103.75
03/26/98	22:26	156016	103.77

NTC Orlando OU4, IRA Performance Monitoring
OW07C

Date	Time	lapsed_tim	Water_elev
03/27/98	01:54	156224	103.78
03/27/98	02:26	156256	103.78
03/27/98	06:26	156496	103.76
03/27/98	08:22	156612	103.75
03/27/98	10:26	156736	103.74
03/27/98	10:46	156756	103.73
03/27/98	14:26	156976	103.72
03/27/98	15:54	157064	103.71
03/27/98	18:26	157216	103.71
03/27/98	22:26	157456	103.72
03/28/98	01:30	157640	103.73
03/28/98	02:26	157696	103.73
03/28/98	06:26	157936	103.72
03/28/98	09:10	158100	103.71
03/28/98	10:26	158176	103.70
03/28/98	11:42	158252	103.68
03/28/98	14:26	158416	103.68
03/28/98	18:26	158656	103.68
03/28/98	22:26	158896	103.68
03/29/98	02:26	159136	103.68
03/29/98	06:26	159376	103.68
03/29/98	09:02	159532	103.66
03/29/98	10:26	159616	103.65
03/29/98	11:38	159688	103.64
03/29/98	14:26	159856	103.63
03/29/98	18:26	160096	103.63
03/29/98	22:26	160336	103.64
03/30/98	02:26	160576	103.65
03/30/98	06:26	160816	103.64
03/30/98	09:42	161012	103.62
03/30/98	10:26	161056	103.61
03/30/98	13:14	161224	103.59
03/30/98	14:26	161296	103.59

Date	Time	lapsed_tim	Water_elev

Date	Time	lapsed_tim	Water_elev

NTC Orlando OU4, IRA Performance Monitoring
OW8A

Date	Time	lapsed_tim	Water_elev
12/08/97	14:00	0	102.51
12/08/97	18:00	240	102.51
12/08/97	22:00	480	102.50
12/09/97	02:00	720	102.50
12/09/97	06:00	960	102.50
12/09/97	10:00	1200	102.51
12/09/97	14:00	1440	102.52
12/09/97	18:00	1680	102.55
12/09/97	22:00	1920	102.52
12/10/97	02:00	2160	102.50
12/10/97	06:00	2400	102.49
12/10/97	10:00	2640	102.51
12/10/97	14:00	2880	102.49
12/10/97	18:00	3120	101.65
12/10/97	22:00	3360	101.79
12/11/97	02:00	3600	101.91
12/11/97	06:00	3840	101.98
12/11/97	10:00	4080	100.46
12/11/97	14:00	4320	100.00
12/11/97	18:00	4560	100.35
12/11/97	22:00	4800	100.40
12/12/97	02:00	5040	100.47
12/12/97	06:00	5280	100.55
12/12/97	10:00	5520	100.67
12/12/97	14:00	5760	100.60
12/12/97	18:00	6000	100.66
12/12/97	22:00	6240	100.77
12/13/97	02:00	6480	100.50
12/13/97	06:00	6720	100.34
12/13/97	10:00	6960	100.12
12/13/97	14:00	7200	100.20
12/13/97	18:00	7440	100.31
12/13/97	22:00	7680	100.46
12/14/97	02:00	7920	100.60
12/14/97	06:00	8160	100.72
12/14/97	10:00	8400	100.25
12/14/97	14:00	8640	100.33
12/14/97	18:00	8880	100.55
12/14/97	22:00	9120	100.70
12/15/97	02:00	9360	100.81
12/15/97	06:00	9600	100.89
12/15/97	10:00	9840	100.97
12/15/97	14:00	10080	101.00
12/15/97	18:00	10320	100.82
12/15/97	22:00	10560	100.94
12/16/97	02:00	10800	101.03
12/16/97	06:00	11040	101.10
12/16/97	10:00	11280	101.16
12/16/97	14:00	11520	101.21
12/16/97	18:00	11760	101.26
12/16/97	22:00	12000	101.30
12/17/97	02:00	12240	101.33
12/17/97	06:00	12480	101.36
12/17/97	10:00	12720	101.39
12/17/97	14:00	12960	101.44
12/17/97	18:00	13200	101.47
12/17/97	22:00	13440	101.49
12/18/97	02:00	13680	101.50
12/18/97	06:00	13920	101.53
12/18/97	10:00	14160	101.55
12/18/97	14:00	14400	101.70
12/18/97	18:00	14640	101.68
12/18/97	22:00	14880	101.67
12/19/97	02:00	15120	101.69
12/19/97	06:00	15360	101.69
12/19/97	10:00	15600	101.69
12/31/97	14:00	33120	103.93
02/14/98	02:00	97200	103.93
02/14/98	06:00	97440	103.92
12/31/97	18:00	33360	103.90
12/31/97	22:00	33600	103.88
01/01/98	02:00	33840	103.87
01/01/98	06:00	34080	103.85
01/01/98	10:00	34320	103.83
01/01/98	14:00	34560	103.81
01/01/98	18:00	34800	103.80
01/01/98	22:00	35040	103.80
01/02/98	02:00	35280	103.79
01/02/98	06:00	35520	103.78
01/02/98	10:00	35760	103.77
01/02/98	14:00	36000	103.74
01/02/98	18:00	36240	103.73
01/02/98	22:00	36480	103.73
01/03/98	02:00	36720	103.73
01/03/98	06:00	36960	103.72
01/03/98	10:00	37200	103.71
01/03/98	14:00	37440	103.68
01/03/98	18:00	37680	103.67
01/03/98	22:00	37920	103.68
01/04/98	02:00	38160	103.68
01/04/98	06:00	38400	103.67

Date	Time	lapsed_tim	Water_elev
01/04/98	10:00	38640	103.65
01/04/98	14:00	38880	103.63
01/04/98	18:00	39120	103.62
01/04/98	22:00	39360	103.64
01/05/98	02:00	39600	103.65
01/05/98	06:00	39840	103.63
01/05/98	10:00	40080	103.62
01/05/98	14:00	40320	103.59
01/05/98	18:00	40560	103.58
01/05/98	22:00	40800	103.59
01/06/98	02:00	41040	103.59
01/06/98	06:00	41280	103.59
01/06/98	10:00	41520	103.57
01/06/98	14:00	41760	103.57
01/06/98	18:00	42000	103.56
01/06/98	22:00	42240	103.56
01/07/98	02:00	42480	103.57
01/07/98	06:00	42720	103.56
01/07/98	10:00	42960	103.55
01/07/98	14:00	43200	103.54
01/07/98	18:00	43440	103.53
01/07/98	22:00	43680	103.54
01/08/98	02:00	43920	103.54
01/08/98	06:00	44160	103.54
01/08/98	10:00	44400	104.40
01/08/98	14:00	44640	104.52
01/08/98	18:00	44880	104.39
01/08/98	22:00	45120	104.29
01/09/98	02:00	45360	104.21
01/09/98	06:00	45600	104.13
01/09/98	10:00	45840	104.05
01/09/98	14:00	46080	103.99
01/09/98	18:00	46320	103.93
01/09/98	22:00	46560	103.89
01/10/98	02:00	46800	103.86
01/10/98	06:00	47040	103.82
01/10/98	10:00	47280	103.78
01/10/98	14:00	47520	103.74
01/10/98	18:00	47760	103.71
01/10/98	22:00	48000	103.70
01/11/98	02:00	48240	103.69
01/11/98	06:00	48480	103.67
01/11/98	10:00	48720	103.64
01/11/98	14:00	48960	103.60
01/11/98	18:00	49200	103.58
01/11/98	22:00	49440	103.58
01/12/98	02:00	49680	103.58
01/12/98	06:00	49920	103.57
01/12/98	10:00	50160	103.55
01/12/98	14:00	50400	103.53
01/12/98	18:00	50640	103.52
01/12/98	22:00	50880	103.53
01/13/98	02:00	51120	103.54
01/13/98	06:00	51360	103.53
01/13/98	10:00	51600	103.51
01/13/98	14:00	51840	103.49
01/13/98	18:00	52080	103.49
01/13/98	22:00	52320	103.49
01/14/98	02:00	52560	103.50
01/14/98	06:00	52800	103.49
01/14/98	14:00	53280	103.78
01/14/98	18:00	53520	103.83
01/14/98	22:00	53760	103.84
01/15/98	02:00	54000	103.85
01/15/98	06:00	54240	103.85
01/15/98	10:00	54480	103.86
01/15/98	14:00	54720	103.86
01/15/98	18:00	54960	103.67
01/15/98	22:00	55200	103.58
01/16/98	02:00	55440	103.57
01/16/98	06:00	55680	103.55
01/16/98	10:00	55920	103.60
01/16/98	14:00	56160	103.67
02/13/98	18:00	96720	103.85
02/13/98	22:00	96960	103.91
02/14/98	10:00	97680	103.91
02/14/98	14:00	97920	103.89
02/14/98	18:00	98160	103.87
02/14/98	22:00	98400	103.87
02/15/98	02:00	98640	103.89
02/15/98	06:00	98880	103.88
02/15/98	10:00	99120	103.86
02/15/98	14:00	99360	103.86
02/15/98	18:00	99600	103.86
02/15/98	22:00	99840	103.92
02/16/98	02:00	100080	105.04
02/16/98	06:00	100320	105.45
02/16/98	10:00	100560	105.18
02/16/98	14:00	100800	105.00
02/16/98	18:00	101040	106.05
01/16/98	18:00	56400	103.21

Date	Time	lapsed_tim	Water_elev
01/16/98	22:00	56640	103.19
01/17/98	02:00	56880	103.18
01/17/98	06:00	57120	103.16
01/17/98	10:00	57360	103.14
01/17/98	14:00	57600	103.11
01/17/98	18:00	57840	103.10
01/17/98	22:00	58080	103.11
01/18/98	02:00	58320	103.11
01/18/98	06:00	58560	103.11
01/18/98	10:00	58800	103.09
01/18/98	14:00	59040	103.08
01/18/98	18:00	59280	103.08
01/18/98	22:00	59520	103.09
01/19/98	02:00	59760	103.10
01/19/98	06:00	60000	103.10
01/19/98	10:00	60240	103.13
01/19/98	14:00	60480	103.14
01/19/98	18:00	60720	103.14
01/19/98	22:00	60960	103.14
01/20/98	02:00	61200	103.13
01/20/98	06:00	61440	103.13
01/20/98	10:00	61680	103.15
01/20/98	14:00	61920	103.17
01/20/98	18:00	62160	103.18
01/20/98	22:00	62400	103.16
01/21/98	02:00	62640	103.15
01/21/98	06:00	62880	103.16
01/21/98	10:00	63120	103.17
01/21/98	14:00	63360	103.18
01/22/98	02:00	64080	103.17
01/22/98	06:00	64320	103.18
01/22/98	10:00	64560	103.19
01/22/98	14:00	64800	103.21
01/22/98	18:00	65040	103.21
01/22/98	22:00	65280	103.20
01/23/98	02:00	65520	103.19
01/23/98	06:00	65760	103.19
01/23/98	10:00	66000	103.20
01/23/98	14:00	66240	102.82
01/23/98	18:00	66480	102.83
01/23/98	22:00	66720	102.88
01/24/98	02:00	66960	102.92
01/24/98	06:00	67200	102.96
01/24/98	10:00	67440	103.00
01/24/98	14:00	67680	103.02
01/24/98	18:00	67920	103.06
01/24/98	22:00	68160	103.08
01/25/98	02:00	68400	103.11
01/25/98	06:00	68640	103.12
01/25/98	10:00	68880	103.15
01/25/98	14:00	69120	103.17
01/25/98	18:00	69360	103.19
01/25/98	22:00	69600	103.18
01/26/98	02:00	69840	103.18
01/26/98	06:00	70080	103.19
01/26/98	14:00	70560	103.06
01/26/98	18:00	70800	103.06
01/26/98	22:00	71040	103.06
01/21/98	18:00	63600	103.18
01/21/98	22:00	63840	103.18
01/27/98	02:00	71280	103.05
01/27/98	06:00	71520	103.04
01/27/98	10:00	71760	103.07
01/27/98	14:00	72000	103.07
01/27/98	18:00	72240	103.09
01/27/98	22:00	72480	103.08
01/28/98	02:00	72720	103.08
01/28/98	06:00	72960	103.09
01/28/98	10:00	73200	103.12
01/28/98	14:00	73440	103.13
01/28/98	18:00	73680	103.13
01/28/98	22:00	73920	103.13
01/29/98	02:00	74160	103.12
01/29/98	06:00	74400	103.13
01/29/98	10:00	74640	102.97
01/29/98	14:00	74880	102.95
01/29/98	18:00	75120	102.94
01/29/98	22:00	75360	102.95
01/30/98	02:00	75600	102.95
01/30/98	06:00	75840	102.95
01/30/98	10:00	76080	102.94
01/30/98	14:00	76320	102.92
01/30/98	18:00	76560	102.91
01/30/98	22:00	76800	102.92
01/31/98	02:00	77040	102.93
01/31/98	06:00	77280	102.93
01/31/98	10:00	77520	102.91
01/31/98	14:00	77760	102.89
01/31/98	18:00	78000	102.89
01/31/98	22:00	78240	102.90
02/01/98	02:00	78480	102.90

NTC Orlando OU4, IRA Performance Monitoring
DW8A

Date	Time	lapsed_tim	Water_elev
02/01/98	06:00	78720	102.90
02/01/98	10:00	78960	102.89
02/01/98	14:00	79200	102.87
02/01/98	18:00	79440	102.87
02/01/98	22:00	79680	102.88
02/02/98	02:00	79920	102.90
02/02/98	06:00	80160	102.89
02/02/98	10:00	80400	102.89
02/02/98	14:00	80640	102.88
02/02/98	18:00	80880	102.89
02/02/98	22:00	81120	103.74
02/03/98	02:00	81360	104.21
02/03/98	06:00	81600	103.93
02/03/98	10:00	81840	103.77
02/03/98	14:00	82080	103.65
02/03/98	18:00	82320	103.55
02/03/98	22:00	82560	103.49
02/04/98	02:00	82800	103.44
02/04/98	06:00	83040	103.40
02/04/98	10:00	83280	103.34
02/04/98	14:00	83520	103.30
02/04/98	18:00	83760	103.25
02/04/98	22:00	84000	103.22
02/05/98	02:00	84240	103.21
02/05/98	06:00	84480	103.18
02/05/98	10:00	84720	103.15
02/05/98	14:00	84960	103.12
02/05/98	18:00	85200	103.10
02/05/98	22:00	85440	103.10
02/06/98	02:00	85680	103.09
02/06/98	06:00	85920	103.08
02/06/98	10:00	86160	103.06
02/06/98	14:00	86400	103.06
02/06/98	18:00	86640	103.05
02/06/98	22:00	86880	103.08
02/07/98	02:00	87120	103.09
02/07/98	06:00	87360	103.07
02/07/98	10:00	87600	103.05
02/07/98	14:00	87840	103.05
02/07/98	18:00	88080	103.02
02/07/98	22:00	88320	103.02
02/08/98	02:00	88560	103.02
02/08/98	06:00	88800	103.01
02/08/98	10:00	89040	102.99
02/08/98	14:00	89280	102.97
02/08/98	18:00	89520	102.96
02/08/98	22:00	89760	102.96
02/09/98	02:00	90000	102.97
02/09/98	06:00	90240	102.96
02/16/98	22:00	101280	105.81
02/17/98	02:00	101520	105.64
02/17/98	06:00	101760	105.63
02/17/98	10:00	102000	105.90
02/17/98	14:00	102240	105.69
02/17/98	15:30	102330	104.57
02/17/98	15:58	102358	104.55
02/17/98	16:30	102390	104.53
02/17/98	16:58	102418	104.51
02/17/98	17:30	102450	104.49
02/17/98	18:06	102486	104.47
02/17/98	18:50	102530	104.45
02/17/98	19:26	102566	104.43
02/17/98	19:30	102570	104.43
02/17/98	20:10	102610	104.40
02/17/98	20:54	102654	104.38
02/17/98	21:46	102706	104.36
02/17/98	22:42	102762	104.34
02/17/98	23:30	102810	104.32
02/18/98	00:42	102882	104.30
02/18/98	01:34	102934	104.28
02/18/98	02:34	102994	104.26
02/18/98	03:30	103050	104.24
02/18/98	04:38	103118	104.22
02/18/98	05:42	103182	104.20
02/18/98	06:42	103242	104.18
02/18/98	07:30	103290	104.17
02/18/98	07:50	103310	104.16
02/18/98	08:50	103370	104.14
02/18/98	09:54	103434	104.12
02/18/98	10:50	103490	104.10
02/18/98	11:30	103530	104.09
02/18/98	11:58	103558	104.08
02/18/98	13:02	103622	104.06
02/18/98	14:10	103690	104.04
02/18/98	15:14	103754	104.01
02/18/98	15:30	103770	104.01
02/18/98	16:42	103842	103.99
02/18/98	18:06	103926	103.97
02/18/98	19:30	104010	103.96
02/18/98	20:14	104054	103.95
02/18/98	22:26	104186	103.93

Date	Time	lapsed_tim	Water_elev
02/18/98	23:30	104250	103.92
02/19/98	01:18	104358	103.91
02/19/98	03:10	104470	103.89
02/19/98	03:30	104490	103.89
02/19/98	05:38	104618	103.87
02/19/98	07:30	104730	103.85
02/19/98	07:34	104734	103.85
02/19/98	09:10	104830	103.83
02/19/98	09:22	104842	103.85
02/19/98	09:26	104846	103.91
02/19/98	09:30	104850	103.94
02/19/98	09:38	104858	103.97
02/19/98	10:18	104898	103.99
02/19/98	11:30	104970	104.00
02/19/98	11:46	104986	103.93
02/19/98	11:54	104994	103.90
02/19/98	12:02	105002	103.93
02/19/98	12:10	105010	103.96
02/19/98	13:34	105094	103.94
02/19/98	13:54	105114	103.96
02/19/98	14:30	105150	103.95
02/19/98	14:34	105154	103.84
02/19/98	14:38	105158	103.76
02/19/98	14:46	105166	103.83
02/19/98	14:50	105170	103.89
02/19/98	14:58	105178	103.81
02/19/98	15:02	105182	103.74
02/19/98	15:06	105186	103.79
02/19/98	15:14	105194	103.76
02/19/98	15:22	105202	103.78
02/19/98	15:26	105206	103.84
02/19/98	15:30	105210	103.87
02/19/98	15:34	105214	103.81
02/19/98	15:38	105218	103.75
02/19/98	15:42	105222	103.78
02/19/98	15:46	105226	103.83
02/19/98	15:50	105230	103.87
02/19/98	15:54	105234	103.85
02/19/98	15:58	105238	103.78
02/19/98	16:02	105242	103.74
02/19/98	16:06	105246	103.72
02/19/98	16:22	105262	103.69
02/19/98	16:50	105290	103.67
02/19/98	17:14	105314	103.65
02/19/98	18:14	105374	103.63
02/19/98	18:58	105418	103.61
02/19/98	19:02	105422	103.64
02/19/98	19:30	105450	103.63
02/19/98	20:26	105506	103.62
02/19/98	20:34	105514	103.64
02/19/98	20:58	105538	103.60
02/19/98	21:06	105546	103.62
02/19/98	22:14	105614	103.75
02/19/98	22:18	105618	104.02
02/19/98	22:22	105622	104.27
02/19/98	22:26	105626	104.42
02/19/98	22:30	105630	104.52
02/19/98	22:34	105634	104.57
02/19/98	22:38	105638	104.61
02/19/98	22:42	105642	104.63
02/19/98	22:50	105650	104.66
02/19/98	23:06	105666	104.68
02/19/98	23:18	105678	104.70
02/19/98	23:30	105690	104.72
02/19/98	23:38	105698	104.74
02/19/98	23:46	105706	104.77
02/19/98	23:54	105714	104.80
02/20/98	00:02	105722	104.82
02/20/98	00:14	105734	104.84
02/20/98	00:58	105778	104.87
02/20/98	01:18	105798	104.89
02/20/98	01:38	105818	104.91
02/20/98	02:06	105846	104.93
02/20/98	02:26	105866	104.95
02/20/98	02:42	105882	104.97
02/20/98	03:30	105930	104.98
02/20/98	03:54	105954	104.95
02/20/98	04:10	105970	104.93
02/20/98	04:30	105990	104.91
02/20/98	04:42	106002	104.89
02/20/98	05:42	106062	104.87
02/20/98	06:10	106090	104.84
02/20/98	06:34	106114	104.82
02/20/98	06:50	106130	104.80
02/20/98	07:22	106162	104.78
02/20/98	07:30	106170	104.77
02/20/98	07:50	106190	104.76
02/20/98	08:18	106218	104.74
02/20/98	08:50	106250	104.71
02/20/98	09:26	106286	104.69
02/20/98	09:30	106290	104.66

Date	Time	lapsed_tim	Water_elev
02/20/98	09:58	106318	104.64
02/20/98	10:38	106358	104.61
02/20/98	11:30	106410	104.61
02/20/98	12:02	106442	104.59
02/20/98	12:38	106478	104.57
02/20/98	13:10	106510	104.55
02/20/98	13:46	106546	104.53
02/20/98	14:18	106578	104.51
02/20/98	14:50	106610	104.49
02/20/98	15:22	106642	104.47
02/20/98	15:30	106650	104.47
02/20/98	15:58	106678	104.45
02/20/98	16:34	106714	104.43
02/20/98	17:14	106754	104.41
02/20/98	18:06	106806	104.39
02/20/98	18:58	106858	104.37
02/20/98	19:30	106890	104.35
02/20/98	19:50	106910	104.34
02/20/98	20:50	106970	104.33
02/20/98	21:50	107030	104.31
02/20/98	22:54	107094	104.28
02/20/98	23:30	107130	104.27
02/21/98	00:02	107162	104.26
02/21/98	01:14	107234	104.24
02/21/98	02:34	107314	104.22
02/21/98	03:30	107370	104.21
02/21/98	03:50	107390	104.20
02/21/98	05:02	107462	104.18
02/21/98	06:22	107542	104.16
02/21/98	07:30	107610	104.14
02/21/98	07:34	107614	104.14
02/21/98	08:46	107686	104.12
02/21/98	10:02	107762	104.10
02/21/98	11:22	107842	104.08
02/21/98	11:30	107850	104.08
02/21/98	12:30	107910	104.06
02/21/98	13:46	107986	104.04
02/21/98	15:06	108066	104.02
02/21/98	15:30	108090	104.06
02/21/98	15:34	108094	104.10
02/21/98	15:38	108098	104.13
02/21/98	15:46	108106	104.16
02/21/98	16:02	108122	104.18
02/21/98	16:58	108178	104.20
02/21/98	19:30	108330	104.20
02/21/98	23:30	108570	104.19
02/22/98	03:14	108794	104.18
02/22/98	03:30	108810	104.17
02/22/98	05:22	108922	104.16
02/22/98	07:30	109050	104.15
02/22/98	08:30	109110	104.14
02/22/98	10:54	109254	104.12
02/22/98	11:30	109290	104.12
02/22/98	13:54	109434	104.10
02/22/98	15:30	109530	104.08
02/22/98	15:54	109554	104.07
02/22/98	19:30	109770	104.06
02/22/98	23:30	110010	104.07
02/23/98	00:18	110058	104.05
02/23/98	00:42	110082	104.10
02/23/98	00:46	110086	104.20
02/23/98	00:50	110090	104.30
02/23/98	00:54	110094	104.38
02/23/98	00:58	110098	104.46
02/23/98	01:02	110102	104.55
02/23/98	01:06	110106	104.64
02/23/98	01:10	110110	104.70
02/23/98	01:14	110114	104.74
02/23/98	01:18	110118	104.78
02/23/98	01:26	110126	104.81
02/23/98	01:38	110138	104.83
02/23/98	02:34	110194	104.81
02/23/98	02:58	110218	104.79
02/23/98	03:22	110242	104.76
02/23/98	03:30	110250	104.76
02/23/98	03:50	110270	104.74
02/23/98	04:14	110294	104.72
02/23/98	04:42	110322	104.70
02/23/98	05:10	110350	104.68
02/23/98	05:42	110382	104.66
02/23/98	06:18	110418	104.64
02/23/98	06:58	110458	104.62
02/23/98	07:30	110490	104.60
02/23/98	07:38	110498	104.59
02/23/98	08:14	110534	104.57
02/23/98	09:06	110586	104.55
02/23/98	09:46	110626	104.53
02/23/98	10:30	110670	104.51
02/23/98	11:22	110722	104.49
02/23/98	11:30	110730	104.49
02/23/98	12:02	110762	104.47

NTC Orlando OU4, IRA Performance Monitoring
OW8A

Date	Time	lapsed_tim	Water_elev
02/23/98	12:50	110810	104.45
02/23/98	13:34	110854	104.43
02/23/98	14:30	110910	104.40
02/23/98	15:30	110970	104.38
02/23/98	16:22	111022	104.36
02/23/98	17:18	111078	104.34
02/23/98	18:18	111138	104.32
02/23/98	19:30	111210	104.31
02/23/98	19:34	111214	104.30
02/23/98	20:38	111278	104.28
02/23/98	22:06	111366	104.26
02/23/98	23:30	111450	104.24
02/23/98	23:38	111458	104.24
02/24/98	01:10	111550	104.22
02/24/98	03:06	111666	104.20
02/24/98	03:30	111690	104.19
02/24/98	04:42	111762	104.18
02/24/98	05:58	111838	104.16
02/24/98	07:30	111930	104.14
02/24/98	09:02	112022	104.12
02/24/98	10:14	112094	104.10
02/24/98	11:26	112166	104.07
02/24/98	11:30	112170	104.07
02/24/98	12:54	112254	104.05
02/24/98	14:22	112342	104.03
02/24/98	15:30	112410	104.02
02/24/98	16:42	112482	104.01
02/24/98	19:30	112650	104.00
02/24/98	20:14	112694	103.99
02/24/98	23:30	112890	103.98
02/25/98	03:18	113118	103.97
02/25/98	03:30	113130	103.97
02/25/98	06:34	113314	103.95
02/25/98	07:30	113370	103.95
02/25/98	09:38	113498	103.93
02/25/98	11:18	113598	103.91
02/25/98	11:30	113610	103.91
02/25/98	13:38	113738	103.89
02/25/98	15:30	113850	103.88
02/25/98	19:30	114090	103.88
02/25/98	23:30	114330	103.87
02/26/98	02:54	114534	103.87
02/26/98	03:30	114570	103.87
02/26/98	07:30	114810	103.86
02/26/98	08:38	114878	103.85
02/26/98	10:46	115006	103.83
02/26/98	11:30	115050	103.82
02/26/98	14:02	115202	103.81
02/26/98	15:30	115290	103.80
02/26/98	19:30	115530	103.80
02/26/98	23:30	115770	103.80
02/27/98	03:30	116010	103.81
02/27/98	06:06	116166	103.79
02/27/98	07:30	116250	103.78
02/27/98	11:30	116490	103.77
02/27/98	11:34	116494	103.77
02/27/98	15:18	116718	103.75
02/27/98	15:30	116730	103.74
02/27/98	19:30	116970	103.74
02/27/98	23:30	117210	103.74
02/28/98	03:30	117450	103.74
02/28/98	07:30	117690	103.73
02/28/98	07:50	117710	103.73
02/28/98	11:30	117930	103.71
02/28/98	13:02	118022	103.71
02/28/98	13:34	118054	103.73
02/28/98	13:46	118066	103.75
02/28/98	15:30	118170	103.74
02/28/98	17:54	118314	103.73
02/28/98	19:30	118410	103.73
02/28/98	22:46	118606	103.70
02/28/98	23:14	118634	103.72
02/28/98	23:26	118646	103.75
02/28/98	23:30	118650	103.76
02/28/98	23:38	118658	103.77
02/28/98	23:54	118674	103.79
02/28/98	23:58	118678	103.82
03/01/98	00:02	118682	103.85
03/01/98	00:06	118686	103.89
03/01/98	00:10	118690	103.94
03/01/98	00:14	118694	103.98
03/01/98	00:18	118698	104.01
03/01/98	00:22	118702	104.05
03/01/98	00:26	118706	104.08
03/01/98	00:30	118710	104.10
03/01/98	00:34	118714	104.14
03/01/98	00:38	118718	104.18
03/01/98	00:42	118722	104.20
03/01/98	00:46	118726	104.22
03/01/98	00:54	118734	104.26
03/01/98	01:02	118742	104.30

Date	Time	lapsed_tim	Water_elev
03/01/98	01:10	118750	104.32
03/01/98	01:18	118758	104.35
03/01/98	01:46	118786	104.37
03/01/98	02:54	118854	104.35
03/01/98	03:30	118890	104.33
03/01/98	03:34	118894	104.33
03/01/98	04:18	118938	104.31
03/01/98	04:42	118962	104.28
03/01/98	05:34	119014	104.26
03/01/98	06:10	119050	104.24
03/01/98	06:50	119090	104.22
03/01/98	07:30	119130	104.20
03/01/98	07:54	119154	104.20
03/01/98	08:46	119206	104.18
03/01/98	09:42	119262	104.16
03/01/98	11:02	119342	104.14
03/01/98	11:30	119370	104.13
03/01/98	11:54	119394	104.11
03/01/98	13:06	119466	104.09
03/01/98	13:58	119518	104.07
03/01/98	14:58	119578	104.05
03/01/98	15:30	119610	104.04
03/01/98	15:58	119638	104.03
03/01/98	17:02	119702	104.01
03/01/98	18:46	119806	103.99
03/01/98	19:30	119850	103.98
03/01/98	20:26	119906	103.97
03/01/98	21:50	119990	103.95
03/01/98	23:14	120074	103.93
03/01/98	23:30	120090	103.93
03/02/98	01:50	120230	103.91
03/02/98	03:30	120330	103.89
03/02/98	03:58	120358	103.89
03/02/98	05:50	120470	103.87
03/02/98	07:30	120570	103.85
03/02/98	07:34	120574	103.85
03/02/98	09:02	120662	103.83
03/02/98	10:22	120742	103.80
03/02/98	11:30	120810	103.79
03/02/98	11:38	120818	103.78
03/02/98	13:30	120930	103.77
03/02/98	15:26	121046	103.74
03/02/98	15:30	121050	103.75
03/02/98	19:30	121290	103.73
03/02/98	20:22	121342	103.72
03/02/98	23:30	121530	103.71
03/03/98	03:30	121770	103.71
03/03/98	04:02	121802	103.70
03/03/98	07:30	122010	103.69
03/03/98	08:42	122082	103.68
03/03/98	09:34	122134	103.71
03/03/98	09:42	122142	103.69
03/03/98	09:54	122154	103.67
03/03/98	10:26	122186	103.63
03/03/98	10:30	122190	103.66
03/03/98	11:30	122250	103.64
03/03/98	11:46	122266	103.64
03/03/98	15:18	122478	103.62
03/03/98	15:30	122490	103.62
03/03/98	19:30	122730	103.61
03/03/98	23:30	122970	103.61
03/04/98	03:30	123210	103.61
03/04/98	05:58	123358	103.60
03/04/98	07:30	123450	103.59
03/04/98	09:26	123566	103.58
03/04/98	11:30	123690	103.56
03/04/98	13:34	123814	103.56
03/04/98	15:30	123930	103.55
03/04/98	19:30	124170	103.54
03/04/98	23:30	124410	103.56
03/05/98	03:30	124650	103.56
03/05/98	07:30	124890	103.55
03/05/98	09:14	124994	103.53
03/05/98	10:58	125098	103.51
03/05/98	11:30	125130	103.51
03/05/98	14:06	125286	103.49
03/05/98	15:30	125370	103.49
03/05/98	19:30	125610	103.50
03/05/98	23:30	125850	103.50
03/06/98	01:26	125966	103.52
03/06/98	03:30	126090	103.53
03/06/98	07:30	126330	103.50
03/06/98	08:10	126370	103.50
03/06/98	10:38	126518	103.47
03/06/98	11:30	126570	103.47
03/06/98	13:38	126698	103.45
03/06/98	15:30	126810	103.45
03/06/98	19:30	127050	103.47
03/06/98	22:46	127246	103.47
03/06/98	23:30	127290	103.47
03/07/98	03:30	127530	103.46

Date	Time	lapsed_tim	Water_elev
03/07/98	13:46	128146	103.43
03/07/98	15:30	128250	103.42
03/07/98	19:30	128490	103.43
03/07/98	23:30	128730	103.45
03/08/98	00:38	128798	103.45
03/08/98	03:30	128970	103.46
03/08/98	07:30	129210	103.44
03/08/98	09:26	129326	103.43
03/08/98	11:06	129426	103.41
03/08/98	11:30	129450	103.41
03/08/98	14:54	129654	103.39
03/08/98	15:30	129690	103.40
03/08/98	19:30	129930	103.41
03/08/98	21:14	130034	103.41
03/08/98	23:30	130170	103.42
03/09/98	01:02	130262	103.44
03/09/98	01:06	130266	103.46
03/09/98	01:10	130270	103.56
03/09/98	01:14	130274	103.72
03/09/98	01:18	130278	103.92
03/09/98	01:22	130282	104.10
03/09/98	01:26	130286	104.26
03/09/98	01:30	130290	104.45
03/09/98	01:34	130294	104.63
03/09/98	01:38	130298	104.66
03/09/98	01:42	130302	104.98
03/09/98	01:46	130306	105.10
03/09/98	01:50	130310	105.17
03/09/98	01:54	130314	105.19
03/09/98	01:58	130318	105.21
03/09/98	02:14	130334	105.19
03/09/98	02:26	130346	105.17
03/09/98	02:34	130354	105.14
03/09/98	02:46	130366	105.12
03/09/98	03:02	130382	105.09
03/09/98	03:18	130398	105.07
03/09/98	03:30	130410	105.06
03/09/98	03:34	130414	105.05
03/09/98	03:50	130430	105.03
03/09/98	04:10	130450	105.01
03/09/98	04:30	130470	104.98
03/09/98	04:50	130490	104.96
03/09/98	05:10	130510	104.94
03/09/98	05:30	130530	104.92
03/09/98	05:50	130550	104.90
03/09/98	06:14	130574	104.88
03/09/98	06:42	130602	104.86
03/09/98	07:06	130626	104.84
03/09/98	07:30	130650	104.82
03/09/98	07:34	130654	104.82
03/09/98	08:02	130682	104.80
03/09/98	08:30	130710	104.78
03/09/98	08:58	130738	104.76
03/09/98	09:26	130766	104.73
03/09/98	09:58	130798	104.71
03/09/98	10:26	130826	104.70
03/09/98	10:54	130854	104.67
03/09/98	11:26	130886	104.65
03/09/98	11:30	130890	104.65
03/09/98	11:58	130918	104.63
03/09/98	12:26	130946	104.61
03/09/98	12:58	130978	104.59
03/09/98	13:34	131014	104.57
03/09/98	14:10	131050	104.55
03/09/98	14:42	131082	104.53
03/09/98	15:14	131114	104.51
03/09/98	15:30	131130	104.50
03/09/98	15:54	131154	104.49
03/09/98	16:42	131202	104.47
03/09/98	17:22	131242	104.45
03/09/98	18:14	131294	104.42
03/09/98	19:14	131354	104.40
03/09/98	19:30	131370	104.40
03/09/98	20:10	131410	104.38
03/09/98	21:06	131466	104.36
03/09/98	22:14	131534	104.34
03/09/98	23:30	131610	104.32
03/10/98	00:38	131678	104.30
03/10/98	02:06	131766	104.28
03/10/98	03:26	131846	104.26
03/10/98	03:30	131850	104.26
03/10/98	04:46	131926	104.24
03/10/98	06:02	132002	104.22
03/10/98	07:18	132078	104.19
03/10/98	07:30	132090	104.19
03/10/98	08:14	132134	104.16
03/10/98	08:18	132138	104.14
03/10/98	08:26	132146	104.18
03/10/98	10:50	132290	104.14
03/10/98	11:30	132330	104.13
03/10/98	12:18	132378	104.12

NTC Orlando OU4, IRA Performance Monitoring

OW8A

Date	Time	lapsed_tim	Water_elev
03/10/98	14:06	132486	104.10
03/10/98	15:30	132570	104.08
03/10/98	15:34	132574	104.08
03/10/98	17:22	132682	104.06
03/10/98	19:30	132810	104.04
03/10/98	19:38	132818	104.04
03/10/98	21:58	132958	104.01
03/10/98	23:30	133050	104.01
03/11/98	01:10	133150	103.99
03/11/98	03:30	133290	103.98
03/11/98	04:10	133330	103.98
03/11/98	06:18	133458	103.95
03/11/98	07:30	133530	103.95
03/11/98	08:34	133594	103.93
03/11/98	10:54	133734	103.91
03/11/98	11:30	133770	103.91
03/11/98	13:46	133906	103.89
03/11/98	15:30	134010	103.88
03/11/98	16:46	134086	103.87
03/11/98	19:30	134250	103.86
03/11/98	20:14	134294	103.85
03/11/98	23:30	134490	103.84
03/12/98	02:06	134646	103.83
03/12/98	03:30	134730	103.83
03/12/98	05:54	134874	103.80
03/12/98	07:30	134970	103.80
03/12/98	08:50	135050	103.79
03/12/98	11:30	135210	103.77
03/12/98	12:10	135250	103.77
03/12/98	15:30	135450	103.75
03/12/98	16:26	135506	103.74
03/12/98	19:30	135690	103.74
03/12/98	23:30	135930	103.73
03/13/98	03:30	136170	103.73
03/13/98	05:18	136278	103.72
03/13/98	07:30	136410	103.71
03/13/98	08:50	136490	103.70
03/13/98	11:30	136650	103.69
03/13/98	11:42	136662	103.68
03/13/98	15:30	136890	103.67
03/13/98	17:22	137002	103.66
03/13/98	19:30	137130	103.66
03/13/98	23:30	137370	103.67
03/14/98	03:30	137610	103.67
03/14/98	07:30	137850	103.65
03/14/98	08:22	137902	103.64
03/14/98	10:46	138046	103.62
03/14/98	11:30	138090	103.62
03/14/98	14:38	138278	103.60
03/14/98	15:30	138330	103.60
03/14/98	19:30	138570	103.60
03/14/98	23:30	138810	103.61
03/15/98	03:30	139050	103.61
03/15/98	07:30	139290	103.59
03/15/98	09:34	139414	103.58
03/15/98	11:30	139530	103.56
03/15/98	14:54	139734	103.54
03/15/98	15:30	139770	103.54
03/15/98	19:30	140010	103.54
03/15/98	23:30	140250	103.56
03/15/98	23:58	140278	103.56
03/16/98	03:30	140490	103.56
03/16/98	07:30	140730	103.55
03/16/98	08:54	140814	103.54
03/16/98	10:14	140894	103.52
03/16/98	11:30	140970	103.50
03/16/98	12:10	141010	103.50
03/16/98	15:30	141210	103.48
03/16/98	19:30	141450	103.49
03/16/98	23:30	141690	103.50
03/17/98	03:30	141930	103.51
03/17/98	07:30	142170	103.50
03/17/98	10:06	142326	103.47
03/17/98	11:30	142410	103.46
03/17/98	11:38	142418	103.45
03/17/98	13:46	142546	103.43
03/17/98	15:30	142650	103.43
03/17/98	19:30	142890	103.44
03/17/98	20:26	142946	103.45
03/17/98	23:30	143130	103.46
03/18/98	02:02	143282	103.47
03/18/98	03:30	143370	103.48
03/18/98	06:58	143578	103.45
03/18/98	07:30	143610	103.46
03/18/98	10:18	143778	103.43
03/18/98	11:30	143850	103.43
03/18/98	15:30	144090	103.42
03/18/98	15:46	144106	103.41
03/18/98	19:30	144330	103.41
03/18/98	23:22	144562	103.43
03/18/98	23:26	144566	103.48
03/18/98	23:30	144570	103.56
03/18/98	23:34	144574	103.63
03/18/98	23:38	144578	103.71

Date	Time	lapsed_tim	Water_elev
03/18/98	23:42	144582	103.79
03/18/98	23:46	144586	103.85
03/18/98	23:50	144590	103.91
03/18/98	23:54	144594	103.96
03/18/98	23:58	144598	104.00
03/19/98	00:02	144602	104.04
03/19/98	00:06	144606	104.07
03/19/98	00:10	144610	104.10
03/19/98	00:14	144614	104.12
03/19/98	00:22	144622	104.14
03/19/98	00:34	144634	104.16
03/19/98	01:50	144710	104.14
03/19/98	02:18	144738	104.12
03/19/98	03:30	144810	104.13
03/19/98	03:34	144814	104.14
03/19/98	03:42	144822	104.16
03/19/98	03:58	144838	104.18
03/19/98	04:10	144850	104.21
03/19/98	04:18	144858	104.23
03/19/98	04:26	144866	104.25
03/19/98	04:34	144874	104.28
03/19/98	04:42	144882	104.31
03/19/98	04:50	144890	104.34
03/19/98	04:54	144894	104.36
03/19/98	05:02	144902	104.40
03/19/98	05:10	144910	104.44
03/19/98	05:18	144918	104.47
03/19/98	05:26	144926	104.50
03/19/98	05:34	144934	104.52
03/19/98	05:42	144942	104.54
03/19/98	06:46	145006	104.51
03/19/98	07:06	145026	104.49
03/19/98	07:30	145050	104.47
03/19/98	07:50	145070	104.45
03/19/98	08:06	145086	104.42
03/19/98	08:34	145114	104.40
03/19/98	09:02	145142	104.37
03/19/98	09:26	145166	104.35
03/19/98	09:54	145194	104.33
03/19/98	10:22	145222	104.31
03/19/98	10:50	145250	104.29
03/19/98	11:22	145282	104.27
03/19/98	11:30	145290	104.27
03/19/98	14:02	145442	104.25
03/19/98	15:10	145510	104.22
03/19/98	15:30	145530	104.22
03/19/98	15:50	145550	104.20
03/19/98	16:14	145574	104.18
03/19/98	16:26	145586	104.22
03/19/98	16:30	145590	104.29
03/19/98	16:34	145594	104.37
03/19/98	16:38	145598	104.45
03/19/98	16:42	145602	104.52
03/19/98	16:46	145606	104.57
03/19/98	16:50	145610	104.62
03/19/98	16:54	145614	104.67
03/19/98	16:58	145618	104.70
03/19/98	17:02	145622	104.73
03/19/98	17:10	145630	104.76
03/19/98	17:14	145634	104.78
03/19/98	17:18	145638	104.80
03/19/98	17:26	145646	104.84
03/19/98	17:34	145654	104.86
03/19/98	17:46	145666	104.88
03/19/98	17:58	145678	104.90
03/19/98	18:06	145686	104.92
03/19/98	18:18	145698	104.95
03/19/98	18:30	145710	104.98
03/19/98	18:42	145722	105.00
03/19/98	18:54	145734	105.02
03/19/98	19:10	145750	105.04
03/19/98	19:30	145770	105.05
03/19/98	19:54	145794	105.02
03/19/98	20:18	145818	105.00
03/19/98	20:34	145834	104.98
03/19/98	20:54	145854	104.95
03/19/98	21:14	145874	104.93
03/19/98	21:54	145914	104.95
03/19/98	22:02	145922	104.97
03/19/98	22:10	145930	104.99
03/19/98	22:26	145946	105.02
03/19/98	23:18	145998	104.99
03/19/98	23:30	146010	104.98
03/19/98	23:34	146014	104.97
03/19/98	23:54	146034	104.95
03/20/98	00:42	146082	104.93
03/20/98	01:34	146134	104.91
03/20/98	02:50	146210	104.89
03/20/98	03:26	146246	104.87
03/20/98	03:30	146250	104.87
03/20/98	04:02	146282	104.85
03/20/98	04:42	146322	104.83
03/20/98	05:22	146362	104.81
03/20/98	06:02	146402	104.79

Date	Time	lapsed_tim	Water_elev
03/20/98	08:06	146526	104.70
03/20/98	09:34	146614	104.68
03/20/98	10:22	146662	104.66
03/20/98	11:06	146706	104.64
03/20/98	11:30	146730	104.63
03/20/98	11:54	146754	104.61
03/20/98	12:38	146798	104.59
03/20/98	13:18	146838	104.57
03/20/98	14:10	146890	104.55
03/20/98	14:22	146902	104.58
03/20/98	14:30	146910	104.61
03/20/98	15:30	146970	104.60
03/20/98	16:02	147002	104.58
03/20/98	16:38	147038	104.56
03/20/98	17:46	147106	104.54
03/20/98	19:02	147182	104.52
03/20/98	19:30	147210	104.51
03/20/98	20:02	147242	104.50
03/20/98	21:18	147318	104.48
03/20/98	22:34	147394	104.46
03/20/98	23:30	147450	104.45
03/20/98	23:54	147474	104.44
03/21/98	01:18	147558	104.42
03/21/98	02:46	147646	104.40
03/21/98	03:30	147690	104.39
03/21/98	04:10	147730	104.38
03/21/98	05:18	147798	104.36
03/21/98	06:38	147878	104.34
03/21/98	07:30	147930	104.33
03/21/98	07:42	147942	104.32
03/21/98	08:58	148018	104.30
03/21/98	10:22	148102	104.28
03/21/98	11:22	148162	104.26
03/21/98	11:30	148170	104.26
03/21/98	12:26	148226	104.24
03/21/98	13:42	148302	104.22
03/21/98	15:06	148386	104.19
03/21/98	15:30	148410	104.19
03/21/98	16:30	148470	104.17
03/21/98	18:22	148582	104.15
03/21/98	19:30	148650	104.14
03/21/98	20:42	148722	104.13
03/21/98	23:06	148866	104.11
03/21/98	23:30	148890	104.11
03/22/98	01:50	149030	104.09
03/22/98	03:30	149130	104.08
03/22/98	04:30	149190	104.07
03/22/98	06:22	149302	104.05
03/22/98	07:30	149370	104.04
03/22/98	08:58	149458	104.03
03/22/98	10:10	149530	104.01
03/22/98	11:30	149610	104.00
03/22/98	12:10	149650	103.99
03/22/98	14:22	149782	103.97
03/22/98	15:30	149850	103.96
03/22/98	16:38	149918	103.95
03/22/98	19:30	150090	103.93
03/22/98	20:06	150126	103.93
03/22/98	23:30	150330	103.92
03/23/98	03:30	150570	103.91
03/23/98	03:34	150574	103.91
03/23/98	06:42	150762	103.89
03/23/98	07:30	150810	103.88
03/23/98	08:58	150898	103.87
03/23/98	11:02	151022	103.84
03/23/98	11:06	151026	103.77
03/23/98	11:10	151030	103.73
03/23/98	11:18	151038	103.75
03/23/98	11:30	151050	103.76
03/23/98	12:26	151106	103.73
03/23/98	15:18	151278	103.71
03/23/98	15:30	151290	103.71
03/23/98	16:54	151374	103.69
03/23/98	19:14	151514	103.71
03/23/98	19:30	151530	103.72
03/23/98	20:02	151562	103.73
03/23/98	21:14	151634	103.75
03/23/98	22:54	151734	103.77
03/23/98	23:30	151770	103.77
03/24/98	02:18	151938	103.79
03/24/98	03:30	152010	103.80
03/24/98	07:30	152250	103.78
03/24/98	08:10	152290	103.77
03/24/98	10:14	152414	103.75
03/24/98	11:30	152490	103.74
03/24/98	11:38	152498	103.73
03/24/98	14:22	152662	103.71
03/24/98	15:30	152730	103.71
03/24/98	19:30	152970	103.71
03/24/98	23:30	153210	103.72
03/25/98	03:30	153450	103.72
03/25/98	07:30	153690	103.70
03/25/98	08:26	153746	103.69
03/25/98	09:58	153838	103.67

NTC Orlando OU4, IRA Performance Monitoring
OW8A

Date	Time	lapsed_tim	Water_elev
03/25/98	11:22	153922	103.65
03/25/98	11:30	153930	103.65
03/25/98	13:14	154034	103.63
03/25/98	15:30	154170	103.62
03/25/98	19:30	154410	103.63
03/25/98	23:30	154650	103.64
03/26/98	01:06	154746	103.65
03/26/98	03:30	154890	103.65
03/26/98	07:30	155130	103.64
03/26/98	08:26	155186	103.63
03/26/98	09:58	155278	103.61
03/26/98	11:14	155354	103.59
03/26/98	11:30	155370	103.59
03/26/98	13:50	155510	103.57
03/26/98	15:30	155610	103.56
03/26/98	19:30	155850	103.58
03/26/98	20:42	155922	103.59
03/26/98	23:30	156090	103.60
03/27/98	01:42	156222	103.61
03/27/98	03:30	156330	103.61
03/27/98	07:30	156570	103.60
03/27/98	08:26	156626	103.59
03/27/98	09:38	156698	103.57
03/27/98	10:50	156770	103.55
03/27/98	11:30	156810	103.54
03/27/98	13:10	156910	103.53
03/27/98	15:30	157050	103.51
03/27/98	19:30	157290	103.53
03/27/98	22:38	157478	103.55
03/27/98	23:30	157530	103.55
03/28/98	02:42	157722	103.57
03/28/98	03:30	157770	103.56
03/28/98	07:30	158010	103.55
03/28/98	07:54	158034	103.55
03/28/98	09:46	158146	103.53
03/28/98	10:58	158218	103.50
03/28/98	11:30	158250	103.50
03/28/98	12:30	158310	103.48
03/28/98	15:30	158490	103.48
03/28/98	19:30	158730	103.49
03/28/98	23:30	158970	103.50
03/28/98	23:38	158978	103.50
03/29/98	03:30	159210	103.51
03/29/98	07:30	159450	103.50
03/29/98	09:18	159558	103.48
03/29/98	10:18	159618	103.46
03/29/98	11:30	159690	103.45
03/29/98	12:06	159726	103.44
03/29/98	14:34	159874	103.42
03/29/98	15:30	159930	103.42
03/29/98	19:30	160170	103.44
03/29/98	19:50	160190	103.44
03/29/98	23:18	160398	103.46
03/29/98	23:30	160410	103.46
03/30/98	03:30	160650	103.47
03/30/98	07:30	160890	103.47
03/30/98	09:30	161010	103.44
03/30/98	10:42	161082	103.42
03/30/98	11:30	161130	103.41
03/30/98	12:58	161218	103.40

Date	Time	lapsed_tim	Water_elev

Date	Time	lapsed_tim	Water_elev

NTC Orlando OU4, IRA Performance Monitoring
OW09C

Date	Time	lapsed_tim	Water_elev
12/08/97	14:00	0	102.55
12/08/97	18:00	240	102.55
12/08/97	22:00	480	102.54
12/09/97	2:00	720	102.54
12/09/97	6:00	960	102.55
12/09/97	10:00	1200	102.55
12/09/97	14:00	1440	102.57
12/09/97	18:00	1680	102.58
12/09/97	22:00	1920	102.57
12/10/97	2:00	2160	102.55
12/10/97	6:00	2400	102.54
12/10/97	10:00	2640	102.55
12/10/97	14:00	2880	102.53
12/10/97	18:00	3120	101.89
12/10/97	22:00	3360	101.98
12/11/97	2:00	3600	102.05
12/11/97	6:00	3840	102.10
12/11/97	10:00	4080	101.07
12/11/97	14:00	4320	100.44
12/11/97	18:00	4560	100.60
12/11/97	22:00	4800	100.60
12/12/97	2:00	5040	100.76
12/12/97	6:00	5280	100.88
12/12/97	10:00	5520	100.98
12/12/97	14:00	5760	100.80
12/12/97	18:00	6000	100.82
12/12/97	22:00	6240	100.93
12/13/97	2:00	6480	100.72
12/13/97	6:00	6720	100.55
12/13/97	10:00	6960	100.38
12/13/97	14:00	7200	100.30
12/13/97	18:00	7440	100.39
12/13/97	22:00	7680	100.51
12/14/97	2:00	7920	100.56
12/14/97	6:00	8160	100.66
12/14/97	10:00	8400	100.33
12/14/97	14:00	8640	100.35
12/14/97	18:00	8880	100.50
12/14/97	22:00	9120	100.65
12/15/97	2:00	9360	100.74
12/15/97	6:00	9600	100.83
12/15/97	10:00	9840	100.89
12/15/97	14:00	10080	100.94
12/15/97	18:00	10320	100.79
12/15/97	22:00	10560	100.89
12/16/97	2:00	10800	100.96
12/16/97	6:00	11040	101.02
12/16/97	10:00	11280	101.09
12/16/97	14:00	11520	101.13
12/16/97	18:00	11760	101.16
12/16/97	22:00	12000	101.20
12/17/97	2:00	12240	101.23
12/17/97	6:00	12480	101.25
12/17/97	10:00	12720	101.29
12/17/97	14:00	12960	101.32
12/17/97	18:00	13200	101.35
12/17/97	22:00	13440	101.37
12/18/97	2:00	13680	101.40
12/18/97	6:00	13920	101.42
12/18/97	10:00	14160	101.44
12/18/97	14:00	14400	101.43
12/18/97	18:00	14640	101.47
12/18/97	22:00	14880	101.48
12/19/97	2:00	15120	101.52
12/19/97	6:00	15360	101.51
12/19/97	10:00	15600	101.52
12/31/97	14:00	33120	104.05
12/31/97	18:00	33360	104.02
12/31/97	22:00	33600	104.00
01/01/98	2:00	33840	103.98
01/01/98	6:00	34080	103.96
01/01/98	10:00	34320	103.94
01/01/98	14:00	34560	103.92
01/01/98	18:00	34800	103.91
01/01/98	22:00	35040	103.90
01/02/98	2:00	35280	103.90
01/02/98	6:00	35520	103.89
01/02/98	10:00	35760	103.87
01/02/98	14:00	36000	103.85
01/02/98	18:00	36240	103.84
01/02/98	22:00	36480	103.84
01/03/98	2:00	36720	103.83
01/03/98	6:00	36960	103.83
01/03/98	10:00	37200	103.82
01/03/98	14:00	37440	103.79
01/03/98	18:00	37680	103.77
01/03/98	22:00	37920	103.78
01/04/98	2:00	38160	103.78
01/04/98	6:00	38400	103.77
01/04/98	10:00	38640	103.76
01/04/98	14:00	38880	103.75

Date	Time	lapsed_tim	Water_elev
01/04/98	18:00	39120	103.74
01/04/98	22:00	39360	103.80
01/05/98	2:00	39600	103.85
01/05/98	6:00	39840	103.87
01/05/98	10:00	40080	103.72
01/05/98	14:00	40320	103.71
01/05/98	18:00	40560	103.70
01/05/98	22:00	40800	103.70
01/06/98	2:00	41040	103.70
01/06/98	6:00	41280	103.70
01/06/98	10:00	41520	103.69
01/06/98	14:00	41760	103.69
01/06/98	18:00	42000	103.67
01/06/98	22:00	42240	103.67
01/07/98	2:00	42480	103.67
01/07/98	6:00	42720	103.67
01/07/98	10:00	42960	103.65
01/07/98	14:00	43200	103.64
01/07/98	18:00	43440	103.63
01/07/98	22:00	43680	103.63
01/08/98	2:00	43920	103.63
01/08/98	6:00	44160	103.64
01/08/98	10:00	44400	104.15
01/08/98	14:00	44640	104.33
01/08/98	18:00	44880	104.38
01/08/98	22:00	45120	104.32
01/09/98	2:00	45360	104.26
01/09/98	6:00	45600	104.29
01/09/98	10:00	45840	104.10
01/09/98	14:00	46080	104.05
01/12/98	14:00	50400	103.62
01/12/98	18:00	50640	103.62
01/12/98	22:00	50880	103.63
01/13/98	2:00	51120	103.63
01/13/98	6:00	51360	103.63
01/13/98	10:00	51600	103.60
01/13/98	14:00	51840	103.59
01/13/98	18:00	52080	103.59
01/13/98	22:00	52320	103.58
01/14/98	2:00	52560	103.59
01/14/98	6:00	52800	103.58
01/14/98	14:00	53280	103.47
01/14/98	18:00	53520	103.48
01/14/98	22:00	53760	103.48
01/15/98	2:00	54000	103.49
01/15/98	6:00	54240	103.49
01/15/98	10:00	54480	103.47
01/15/98	14:00	54720	103.49
01/15/98	18:00	54960	103.32
01/15/98	22:00	55200	103.29
01/16/98	2:00	55440	103.29
01/16/98	6:00	55680	103.28
01/16/98	10:00	55920	103.32
01/16/98	14:00	56160	103.38
01/16/98	18:00	56400	103.76
01/16/98	22:00	56640	103.74
01/17/98	2:00	56880	103.73
01/17/98	6:00	57120	103.71
01/17/98	10:00	57360	103.67
01/17/98	14:00	57600	103.66
01/17/98	18:00	57840	103.65
01/17/98	22:00	58080	103.65
01/18/98	2:00	58320	103.65
01/18/98	6:00	58560	103.64
01/18/98	10:00	58800	103.62
01/18/98	14:00	59040	103.61
01/18/98	18:00	59280	103.61
01/18/98	22:00	59520	103.61
01/19/98	2:00	59760	103.62
01/19/98	6:00	60000	103.61
01/19/98	10:00	60240	103.56
01/19/98	14:00	60480	103.56
01/19/98	18:00	60720	103.57
01/19/98	22:00	60960	103.58
01/20/98	2:00	61200	103.59
01/20/98	6:00	61440	103.59
01/20/98	10:00	61680	103.59
01/20/98	14:00	61920	103.60
01/20/98	18:00	62160	103.62
01/20/98	22:00	62400	103.61
01/21/98	2:00	62640	103.61
01/21/98	6:00	62880	103.61
01/21/98	10:00	63120	103.62
01/21/98	14:00	63360	103.63
01/21/98	18:00	63600	103.63
01/21/98	22:00	63840	103.63
01/22/98	2:00	64080	103.63
01/22/98	6:00	64320	103.63
01/22/98	10:00	64560	103.65
01/22/98	14:00	64800	103.65
01/22/98	18:00	65040	103.66

Date	Time	lapsed_tim	Water_elev
01/22/98	22:00	65280	103.65
01/23/98	2:00	65520	103.65
01/23/98	6:00	65760	103.65
01/23/98	10:00	66000	103.65
01/23/98	14:00	66240	103.32
01/23/98	18:00	66480	103.36
01/23/98	22:00	66720	103.40
01/24/98	2:00	66960	103.43
01/24/98	6:00	67200	103.45
01/24/98	10:00	67440	103.49
01/24/98	14:00	67680	103.51
01/24/98	18:00	67920	103.54
01/24/98	22:00	68160	103.56
01/25/98	2:00	68400	103.58
01/25/98	6:00	68640	103.59
01/25/98	10:00	68880	103.62
01/25/98	14:00	69120	103.62
01/25/98	18:00	69360	103.65
01/25/98	22:00	69600	103.65
01/26/98	2:00	69840	103.65
01/26/98	6:00	70080	103.64
01/26/98	14:00	70560	103.45
01/26/98	18:00	70800	103.45
01/26/98	22:00	71040	103.46
01/27/98	2:00	71280	103.45
01/27/98	6:00	71520	103.45
01/27/98	10:00	71760	103.48
01/27/98	14:00	72000	103.48
01/27/98	18:00	72240	103.49
01/27/98	22:00	72480	103.49
01/28/98	2:00	72720	103.49
01/28/98	6:00	72960	103.50
01/28/98	10:00	73200	103.52
01/28/98	14:00	73440	103.52
01/28/98	18:00	73680	103.53
01/28/98	22:00	73920	103.52
01/29/98	2:00	74160	103.52
01/29/98	6:00	74400	103.52
01/29/98	10:00	74640	103.37
01/29/98	14:00	74880	103.36
01/29/98	18:00	75120	103.38
01/29/98	22:00	75360	103.37
01/30/98	2:00	75600	103.38
01/30/98	6:00	75840	103.37
01/30/98	10:00	76080	103.37
01/30/98	14:00	76320	103.36
01/30/98	18:00	76560	103.35
01/30/98	22:00	76800	103.35
01/31/98	2:00	77040	103.36
01/31/98	6:00	77280	103.35
01/31/98	10:00	77520	103.34
01/31/98	14:00	77760	103.33
01/31/98	18:00	78000	103.32
01/31/98	22:00	78240	103.34
02/01/98	2:00	78480	103.33
02/01/98	6:00	78720	103.33
02/01/98	10:00	78960	103.32
02/01/98	14:00	79200	103.31
02/01/98	18:00	79440	103.30
02/01/98	22:00	79680	103.31
02/02/98	2:00	79920	103.33
02/02/98	6:00	80160	103.32
02/02/98	10:00	80400	103.31
02/02/98	14:00	80640	103.32
02/02/98	18:00	80880	103.32
02/02/98	22:00	81120	103.95
02/03/98	2:00	81360	104.27
02/03/98	6:00	81600	104.14
02/03/98	10:00	81840	104.04
02/03/98	14:00	82080	103.96
02/03/98	18:00	82320	103.89
02/03/98	22:00	82560	103.85
02/04/98	2:00	82800	103.81
02/04/98	6:00	83040	103.78
02/04/98	10:00	83280	103.72
02/04/98	14:00	83520	103.70
02/04/98	18:00	83760	103.68
02/04/98	22:00	84000	103.63
02/05/98	2:00	84240	103.61
02/05/98	6:00	84480	103.58
02/05/98	10:00	84720	103.56
02/05/98	14:00	84960	103.54
02/05/98	18:00	85200	103.52
02/05/98	22:00	85440	103.50
02/06/98	2:00	85680	103.51
02/06/98	6:00	85920	103.49
02/06/98	10:00	86160	103.49
02/06/98	14:00	86400	103.48
02/06/98	18:00	86640	103.47
02/06/98	22:00	86880	103.49
02/07/98	2:00	87120	103.49

NTC Orlando OU4, IRA Performance Monitoring
OW09C

Date	Time	lapsed_tim	Water_elev
02/07/98	6:00	87360	103.49
02/07/98	10:00	87600	103.46
02/07/98	14:00	87840	103.46
02/07/98	18:00	88080	103.44
02/07/98	22:00	88320	103.43
02/08/98	2:00	88560	103.44
02/08/98	6:00	88800	103.43
02/08/98	10:00	89040	103.41
02/08/98	14:00	89280	103.40
02/08/98	18:00	89520	103.38
02/08/98	22:00	89760	103.38
02/09/98	2:00	90000	103.38
02/09/98	6:00	90240	103.37
02/13/98	18:00	96720	103.27
02/13/98	22:00	96960	103.30
02/14/98	2:00	97200	103.33
02/14/98	6:00	97440	103.33
02/14/98	10:00	97680	103.30
02/14/98	14:00	97920	103.29
02/14/98	18:00	98160	103.27
02/14/98	22:00	98400	103.27
02/15/98	2:00	98640	103.28
02/15/98	6:00	98880	103.28
02/15/98	10:00	99120	103.25
02/15/98	14:00	99360	103.26
02/15/98	18:00	99600	103.25
02/15/98	22:00	99840	103.31
02/16/98	2:00	100080	104.09
02/16/98	6:00	100320	104.37
02/16/98	10:00	100560	104.30
02/16/98	14:00	100800	104.20
02/16/98	18:00	101040	105.01
02/16/98	22:00	101280	104.90
02/17/98	2:00	101520	104.79
02/17/98	6:00	101760	104.80
02/17/98	10:00	102000	105.05
02/17/98	14:00	102240	104.91
02/17/98	15:30	102330	104.79
02/17/98	16:10	102370	104.77
02/17/98	16:50	102410	104.74
02/17/98	17:38	102458	104.72
02/17/98	18:38	102518	104.69
02/17/98	19:30	102570	104.67
02/17/98	20:34	102634	104.65
02/17/98	21:34	102694	104.62
02/17/98	22:54	102774	104.60
02/17/98	23:30	102810	104.59
02/18/98	0:18	102858	104.58
02/18/98	1:34	102934	104.56
02/18/98	3:10	103030	104.53
02/18/98	3:30	103050	104.52
02/18/98	4:26	103106	104.51
02/18/98	5:38	103178	104.49
02/18/98	7:06	103266	104.46
02/18/98	7:30	103290	104.46
02/18/98	8:34	103354	104.44
02/18/98	9:54	103434	104.41
02/18/98	11:30	103530	104.40
02/18/98	11:42	103542	104.39
02/18/98	12:54	103614	104.37
02/18/98	14:54	103734	104.35
02/18/98	15:30	103770	104.34
02/18/98	16:46	103846	104.32
02/18/98	18:14	103934	104.30
02/18/98	19:30	104010	104.29
02/18/98	20:42	104082	104.28
02/18/98	23:10	104230	104.25
02/18/98	23:30	104250	104.25
02/19/98	2:06	104406	104.23
02/19/98	3:30	104490	104.22
02/19/98	4:58	104578	104.21
02/19/98	7:14	104714	104.18
02/19/98	7:30	104730	104.18
02/19/98	9:22	104842	104.15
02/19/98	9:30	104850	104.11
02/19/98	10:14	104894	104.08
02/19/98	11:30	104970	104.08
02/19/98	11:46	104986	104.14
02/19/98	11:50	104990	104.10
02/19/98	11:54	104994	104.15
02/19/98	12:02	105002	104.07
02/19/98	13:30	105090	104.18
02/19/98	13:34	105094	104.07
02/19/98	14:30	105150	104.33
02/19/98	14:34	105154	104.49
02/19/98	14:38	105158	104.07
02/19/98	14:42	105162	104.03
02/19/98	14:54	105174	104.40
02/19/98	15:02	105182	104.04
02/19/98	15:06	105186	104.11
02/19/98	15:10	105190	104.21
02/19/98	15:18	105198	104.08
02/19/98	15:22	105202	104.03
02/19/98	15:30	105210	104.04
02/19/98	15:34	105214	104.17
02/19/98	15:38	105218	104.14
02/19/98	15:42	105222	104.04
02/19/98	15:54	105234	104.22
02/19/98	16:06	105246	104.25
02/19/98	16:10	105250	104.17
02/19/98	16:18	105258	104.22
02/19/98	16:22	105262	104.17
02/19/98	16:38	105278	104.20
02/19/98	16:42	105282	104.13
02/19/98	16:46	105286	104.22
02/19/98	16:50	105290	104.17
02/19/98	16:54	105294	104.19
02/19/98	16:58	105298	104.17
02/19/98	17:10	105310	104.20
02/19/98	17:14	105314	104.17
02/19/98	18:14	105374	104.15
02/19/98	19:10	105430	104.17
02/19/98	19:22	105442	104.20
02/19/98	19:30	105450	104.21
02/19/98	19:42	105462	104.17
02/19/98	20:58	105538	104.15
02/19/98	21:42	105582	104.17
02/19/98	22:14	105614	104.19
02/19/98	22:18	105618	104.29
02/19/98	22:22	105622	104.48
02/19/98	22:26	105626	104.56
02/19/98	22:30	105630	104.58
02/19/98	22:34	105634	104.66
02/19/98	22:42	105642	104.68
02/19/98	22:50	105650	104.73
02/19/98	23:10	105670	104.75
02/19/98	23:18	105678	104.80
02/19/98	23:30	105690	104.81
02/19/98	23:34	105694	104.85
02/19/98	23:50	105710	104.90
02/19/98	23:58	105718	104.93
02/20/98	0:10	105730	104.97
02/20/98	0:50	105770	104.99
02/20/98	0:58	105778	105.02
02/20/98	1:10	105790	105.06
02/20/98	1:38	105818	105.11
02/20/98	2:26	105866	105.16
02/20/98	3:18	105918	105.18
02/20/98	3:30	105930	105.17
02/20/98	3:54	105954	105.16
02/20/98	4:38	105998	105.13
02/20/98	5:34	106054	105.15
02/20/98	6:26	106106	105.18
02/20/98	6:34	106114	105.15
02/20/98	6:38	106118	105.10
02/20/98	7:06	106146	105.07
02/20/98	7:30	106170	105.06
02/20/98	7:42	106182	105.05
02/20/98	8:18	106218	105.03
02/20/98	8:58	106258	105.01
02/20/98	9:22	106282	105.04
02/20/98	9:30	106290	104.99
02/20/98	9:54	106314	105.02
02/20/98	9:58	106318	104.99
02/20/98	10:14	106334	104.96
02/20/98	10:30	106350	105.01
02/20/98	10:34	106354	104.98
02/20/98	10:38	106358	104.95
02/20/98	11:30	106410	104.93
02/20/98	12:06	106446	104.91
02/20/98	12:54	106494	104.88
02/20/98	13:54	106554	104.86
02/20/98	14:42	106602	104.83
02/20/98	15:30	106650	104.81
02/20/98	15:38	106658	104.81
02/20/98	16:26	106706	104.79
02/20/98	17:26	106766	104.76
02/20/98	18:06	106806	104.74
02/20/98	19:30	106890	104.72
02/20/98	19:34	106894	104.72
02/20/98	20:42	106962	104.69
02/20/98	21:46	107026	104.67
02/20/98	23:22	107122	104.65
02/20/98	23:30	107130	104.65
02/21/98	0:46	107206	104.62
02/21/98	2:30	107310	104.60
02/21/98	3:30	107370	104.59
02/21/98	4:10	107410	104.58
02/21/98	5:38	107498	104.56
02/21/98	7:02	107582	104.53
02/21/98	7:30	107610	104.52
02/21/98	8:38	107678	104.51
02/21/98	10:10	107770	104.49
02/21/98	11:30	107850	104.47
02/21/98	12:06	107886	104.46
02/21/98	13:54	107994	104.44
02/21/98	15:26	108086	104.33
02/21/98	15:30	108090	104.32
02/21/98	17:42	108222	104.31
02/21/98	19:30	108330	104.29
02/21/98	20:34	108394	104.29
02/21/98	23:30	108570	104.27
02/22/98	0:22	108622	104.26
02/22/98	3:30	108810	104.25
02/22/98	4:34	108874	104.24
02/22/98	7:30	109050	104.23
02/22/98	7:42	109062	104.22
02/22/98	10:50	109250	104.19
02/22/98	11:30	109290	104.20
02/22/98	14:30	109470	104.17
02/22/98	15:30	109530	104.17
02/22/98	17:30	109650	104.15
02/22/98	19:30	109770	104.14
02/22/98	23:30	110010	104.14
02/23/98	0:46	110086	104.18
02/23/98	0:50	110090	104.21
02/23/98	0:54	110094	104.24
02/23/98	0:58	110098	104.27
02/23/98	1:02	110102	104.35
02/23/98	1:10	110110	104.44
02/23/98	1:14	110114	104.48
02/23/98	1:22	110122	104.53
02/23/98	1:42	110142	104.58
02/23/98	1:58	110158	104.62
02/23/98	3:30	110250	104.64
02/23/98	4:34	110314	104.66
02/23/98	5:10	110350	104.68
02/23/98	5:42	110382	104.63
02/23/98	6:38	110438	104.61
02/23/98	7:30	110490	104.59
02/23/98	7:34	110494	104.59
02/23/98	8:34	110554	104.56
02/23/98	9:42	110622	104.54
02/23/98	10:26	110666	104.52
02/23/98	11:30	110730	104.50
02/23/98	11:54	110754	104.50
02/23/98	12:42	110802	104.47
02/23/98	13:54	110874	104.44
02/23/98	15:30	110970	104.43
02/23/98	15:34	110974	104.41
02/23/98	16:46	111046	104.39
02/23/98	17:50	111110	104.37
02/23/98	19:30	111210	104.35
02/23/98	20:50	111290	104.32
02/23/98	22:18	111378	104.30
02/23/98	23:30	111450	104.29
02/24/98	0:30	111510	104.28
02/24/98	2:18	111618	104.25
02/24/98	3:30	111690	104.25
02/24/98	4:38	111758	104.23
02/24/98	6:26	111866	104.21
02/24/98	7:30	111930	104.19
02/24/98	8:10	111970	104.18
02/24/98	10:10	112090	104.16
02/24/98	11:30	112170	104.15
02/24/98	12:18	112218	104.14
02/24/98	14:30	112350	104.11
02/24/98	15:30	112410	104.11
02/24/98	17:30	112530	104.09
02/24/98	19:30	112650	104.08
02/24/98	20:50	112730	104.07
02/24/98	23:30	112890	104.06
02/25/98	2:46	113086	104.05
02/25/98	3:30	113130	104.05
02/25/98	7:18	113358	104.02
02/25/98	7:30	113370	104.02
02/25/98	10:14	113534	104.00
02/25/98	11:30	113610	103.99
02/25/98	14:22	113782	103.98
02/25/98	15:30	113850	103.98
02/25/98	19:30	114090	103.96
02/25/98	21:54	114234	103.95
02/25/98	23:30	114330	103.95
02/26/98	3:30	114570	103.95
02/26/98	7:22	114802	103.93
02/26/98	7:30	114810	103.93
02/26/98	11:18	115038	103.91
02/26/98	11:30	115050	103.91
02/26/98	15:30	115290	103.89
02/26/98	16:42	115362	103.88
02/26/98	19:30	115530	103.89
02/26/98	23:30	115770	103.88
02/27/98	3:30	116010	103.88

NTC Orlando OU4, IRA Performance Monitoring
OW09C

Date	Time	lapsed tim	Water elev
02/27/98	19:30	116970	103.82
02/27/98	23:30	117210	103.82
02/28/98	1:06	117306	103.81
02/28/98	3:30	117450	103.82
02/28/98	7:30	117690	103.80
02/28/98	10:10	117850	103.79
02/28/98	11:30	117930	103.79
02/28/98	12:54	118014	103.81
02/28/98	13:14	118034	103.78
02/28/98	13:30	118050	103.80
02/28/98	13:50	118070	103.78
02/28/98	14:02	118082	103.76
02/28/98	14:14	118094	103.73
02/28/98	14:50	118130	103.77
02/28/98	14:58	118138	103.79
02/28/98	15:02	118142	103.77
02/28/98	15:06	118146	103.81
02/28/98	15:30	118170	103.81
02/28/98	19:30	118410	103.79
02/28/98	21:34	118534	103.78
02/28/98	22:42	118602	103.81
02/28/98	22:54	118614	103.78
02/28/98	23:02	118622	103.81
02/28/98	23:26	118646	103.83
02/28/98	23:30	118650	103.83
03/01/98	0:06	118686	103.86
03/01/98	0:14	118694	103.88
03/01/98	0:22	118702	103.95
03/01/98	0:34	118714	104.01
03/01/98	0:42	118722	104.05
03/01/98	0:54	118734	104.11
03/01/98	1:14	118754	104.15
03/01/98	1:50	118790	104.17
03/01/98	2:18	118818	104.20
03/01/98	3:30	118890	104.20
03/01/98	4:58	118978	104.17
03/01/98	5:26	119006	104.15
03/01/98	7:30	119130	104.14
03/01/98	8:02	119162	104.13
03/01/98	8:22	119182	104.11
03/01/98	8:58	119218	104.07
03/01/98	9:10	119230	104.11
03/01/98	9:34	119254	104.16
03/01/98	11:26	119366	104.14
03/01/98	11:30	119370	104.14
03/01/98	12:58	119458	104.11
03/01/98	14:30	119550	104.09
03/01/98	15:30	119610	104.08
03/01/98	15:58	119638	104.07
03/01/98	17:22	119722	104.05
03/01/98	19:30	119850	104.03
03/01/98	19:38	119858	104.02
03/01/98	21:30	119970	104.00
03/01/98	23:30	120090	103.99
03/02/98	0:10	120130	103.98
03/02/98	3:02	120302	103.95
03/02/98	3:30	120330	103.95
03/02/98	5:02	120422	103.93
03/02/98	7:30	120570	103.91
03/02/98	7:34	120574	103.91
03/02/98	9:22	120682	103.88
03/02/98	11:22	120802	103.86
03/02/98	11:30	120810	103.86
03/02/98	14:42	121002	103.84
03/02/98	15:30	121050	103.83
03/02/98	17:58	121198	103.81
03/02/98	19:30	121290	103.81
03/02/98	22:38	121478	103.79
03/02/98	23:30	121530	103.79
03/03/98	3:30	121770	103.78
03/03/98	6:46	121966	103.77
03/03/98	7:30	122010	103.77
03/03/98	11:30	122250	103.75
03/03/98	13:10	122350	103.74
03/03/98	15:30	122490	103.73
03/03/98	17:02	122582	103.72
03/03/98	19:30	122730	103.72
03/03/98	23:30	122970	103.72
03/04/98	3:30	123210	103.71
03/04/98	5:54	123354	103.70
03/04/98	7:30	123450	103.69
03/04/98	10:54	123654	103.67
03/04/98	11:30	123690	103.67
03/04/98	15:30	123930	103.66
03/04/98	19:30	124170	103.66
03/04/98	23:30	124410	103.66
03/05/98	3:30	124650	103.66
03/05/98	5:30	124770	103.65
03/05/98	7:30	124890	103.65
03/05/98	10:22	125062	103.63
03/05/98	11:30	125130	103.63

Date	Time	lapsed tim	Water elev
03/05/98	15:30	125370	103.61
03/05/98	19:30	125610	103.61
03/05/98	23:30	125850	103.62
03/06/98	3:30	126090	103.63
03/06/98	7:22	126322	103.60
03/06/98	7:30	126330	103.61
03/06/98	11:30	126570	103.59
03/06/98	11:42	126582	103.58
03/06/98	15:30	126810	103.58
03/06/98	19:30	127050	103.58
03/06/98	23:30	127290	103.59
03/07/98	3:30	127530	103.59
03/07/98	7:30	127770	103.58
03/07/98	11:14	127994	103.56
03/07/98	11:30	128010	103.56
03/07/98	15:30	128250	103.54
03/07/98	19:30	128490	103.54
03/07/98	23:30	128730	103.55
03/08/98	3:30	128970	103.56
03/08/98	7:30	129210	103.55
03/08/98	10:10	129370	103.54
03/08/98	11:30	129450	103.53
03/08/98	15:30	129690	103.52
03/08/98	17:26	129806	103.51
03/08/98	19:30	129930	103.52
03/08/98	23:30	130170	103.53
03/09/98	0:18	130218	103.54
03/09/98	0:46	130246	103.58
03/09/98	0:54	130254	103.61
03/09/98	1:10	130270	103.63
03/09/98	1:14	130274	103.66
03/09/98	1:18	130278	103.74
03/09/98	1:22	130282	103.84
03/09/98	1:26	130286	103.95
03/09/98	1:30	130290	104.07
03/09/98	1:34	130294	104.19
03/09/98	1:38	130298	104.31
03/09/98	1:42	130302	104.39
03/09/98	1:46	130306	104.46
03/09/98	1:50	130310	104.54
03/09/98	1:58	130318	104.62
03/09/98	2:06	130326	104.65
03/09/98	2:26	130346	104.70
03/09/98	2:42	130362	104.72
03/09/98	3:30	130410	104.75
03/09/98	4:02	130442	104.80
03/09/98	4:54	130494	104.78
03/09/98	5:46	130546	104.76
03/09/98	6:26	130586	104.74
03/09/98	7:18	130638	104.71
03/09/98	7:30	130650	104.71
03/09/98	8:14	130694	104.69
03/09/98	8:58	130738	104.67
03/09/98	10:06	130806	104.64
03/09/98	10:54	130854	104.62
03/09/98	11:30	130890	104.61
03/09/98	11:38	130898	104.60
03/09/98	12:42	130962	104.57
03/09/98	13:42	131022	104.55
03/09/98	14:38	131078	104.53
03/09/98	15:30	131130	104.51
03/09/98	15:38	131138	104.50
03/09/98	16:42	131202	104.48
03/09/98	17:50	131270	104.46
03/09/98	19:10	131350	104.44
03/09/98	19:30	131370	104.43
03/09/98	20:18	131418	104.41
03/09/98	21:38	131498	104.39
03/09/98	23:30	131610	104.37
03/09/98	23:38	131618	104.36
03/10/98	01:26	131726	104.34
03/10/98	03:22	131842	104.32
03/10/98	03:30	131850	104.32
03/10/98	04:34	131914	104.29
03/10/98	06:30	132030	104.27
03/10/98	07:30	132090	104.26
03/10/98	08:14	132134	104.24
03/10/98	10:10	132250	104.22
03/10/98	11:30	132330	104.21
03/10/98	12:58	132418	104.20
03/10/98	15:22	132562	104.17
03/10/98	15:30	132570	104.17
03/10/98	17:02	132662	104.15
03/10/98	19:30	132810	104.13
03/10/98	19:38	132818	104.13
03/10/98	22:02	132962	104.11
03/10/98	23:30	133050	104.10
03/11/98	01:38	133178	104.08
03/11/98	03:30	133290	104.07
03/11/98	05:02	133382	104.06
03/11/98	07:30	133530	104.04

Date	Time	lapsed tim	Water elev
03/11/98	07:34	133534	104.04
03/11/98	10:14	133694	104.01
03/11/98	11:30	133770	104.01
03/11/98	14:42	133962	103.99
03/11/98	15:30	134010	103.99
03/11/98	17:54	134154	103.97
03/11/98	19:30	134250	103.96
03/11/98	21:22	134362	103.94
03/11/98	23:30	134490	103.94
03/12/98	03:30	134730	103.93
03/12/98	04:30	134790	103.92
03/12/98	07:10	134950	103.90
03/12/98	07:30	134970	103.90
03/12/98	10:54	135174	103.87
03/12/98	11:30	135210	103.88
03/12/98	15:22	135442	103.85
03/12/98	15:30	135450	103.86
03/12/98	19:30	135690	103.85
03/12/98	23:30	135930	103.83
03/13/98	03:30	136170	103.83
03/13/98	04:06	136206	103.83
03/13/98	07:30	136410	103.81
03/13/98	08:30	136470	103.80
03/13/98	11:30	136650	103.79
03/13/98	13:58	136798	103.78
03/13/98	15:30	136890	103.78
03/13/98	19:30	137130	103.77
03/13/98	23:30	137370	103.77
03/14/98	03:30	137610	103.76
03/14/98	04:06	137646	103.76
03/14/98	07:30	137850	103.75
03/14/98	09:22	137962	103.73
03/14/98	11:30	138090	103.72
03/14/98	15:30	138330	103.72
03/14/98	15:46	138346	103.71
03/14/98	19:30	138570	103.70
03/14/98	23:30	138810	103.71
03/15/98	03:30	139050	103.71
03/15/98	07:30	139290	103.69
03/15/98	08:34	139354	103.69
03/15/98	11:30	139530	103.67
03/15/98	12:50	139610	103.66
03/15/98	15:30	139770	103.66
03/15/98	19:30	140010	103.66
03/15/98	23:30	140250	103.66
03/16/98	03:30	140490	103.66
03/16/98	07:30	140730	103.65
03/16/98	08:46	140806	103.64
03/16/98	11:30	140970	103.62
03/16/98	11:34	140974	103.62
03/16/98	15:30	141210	103.61
03/16/98	19:30	141450	103.61
03/16/98	23:30	141690	103.61
03/17/98	03:30	141930	103.61
03/17/98	07:30	142170	103.60
03/17/98	08:34	142234	103.60
03/17/98	11:30	142410	103.58
03/17/98	12:06	142446	103.57
03/17/98	15:30	142650	103.56
03/17/98	17:22	142762	103.55
03/17/98	19:30	142890	103.56
03/17/98	19:50	142910	103.57
03/17/98	23:30	143130	103.57
03/18/98	03:30	143370	103.58
03/18/98	07:30	143610	103.57
03/18/98	09:58	143758	103.55
03/18/98	11:30	143850	103.54
03/18/98	15:30	144090	103.55
03/18/98	19:30	144330	103.55
03/18/98	23:26	144566	103.58
03/18/98	23:30	144570	103.59
03/18/98	23:34	144574	103.60
03/18/98	23:38	144578	103.66
03/18/98	23:42	144582	103.69
03/18/98	23:46	144586	103.75
03/18/98	23:50	144590	103.78
03/18/98	23:54	144594	103.82
03/18/98	23:58	144598	103.84
03/19/98	00:06	144606	103.93
03/19/98	00:38	144638	103.97
03/19/98	01:30	144690	103.99
03/19/98	01:54	144714	104.02
03/19/98	03:30	144810	104.02
03/19/98	04:02	144842	104.05
03/19/98	04:22	144862	104.07
03/19/98	04:30	144870	104.10
03/19/98	04:38	144878	104.12
03/19/98	04:50	144890	104.15
03/19/98	04:58	144898	104.20
03/19/98	05:18	144918	104.24
03/19/98	05:34	144934	104.27

NTC Orlando OU4, IRA Performance Monitoring
OW09C

Date	Time	lapsed_tim	Water_elev
03/19/98	12:30	145350	104.24
03/19/98	13:42	145422	104.22
03/19/98	13:58	145438	104.19
03/19/98	14:06	145446	104.17
03/19/98	14:10	145450	104.19
03/19/98	14:34	145474	104.22
03/19/98	14:38	145478	104.25
03/19/98	15:30	145530	104.23
03/19/98	15:50	145550	104.23
03/19/98	16:30	145590	104.25
03/19/98	16:34	145594	104.28
03/19/98	16:42	145602	104.33
03/19/98	16:50	145610	104.38
03/19/98	16:54	145614	104.41
03/19/98	16:58	145618	104.46
03/19/98	17:06	145626	104.50
03/19/98	17:10	145630	104.53
03/19/98	17:14	145634	104.56
03/19/98	17:22	145642	104.60
03/19/98	17:34	145654	104.63
03/19/98	17:58	145678	104.67
03/19/98	18:06	145686	104.69
03/19/98	18:14	145694	104.71
03/19/98	18:26	145706	104.79
03/19/98	18:58	145738	104.83
03/19/98	19:18	145758	104.85
03/19/98	19:30	145770	104.86
03/19/98	22:46	145966	104.88
03/19/98	23:30	146010	104.85
03/20/98	00:54	146094	104.86
03/20/98	02:02	146162	104.83
03/20/98	03:30	146250	104.84
03/20/98	04:50	146330	104.81
03/20/98	07:22	146482	104.79
03/20/98	07:30	146490	104.78
03/20/98	07:42	146502	104.76
03/20/98	07:50	146510	104.74
03/20/98	07:58	146518	104.76
03/20/98	08:34	146554	104.74
03/20/98	09:46	146626	104.71
03/20/98	10:42	146682	104.69
03/20/98	11:30	146730	104.68
03/20/98	11:38	146738	104.67
03/20/98	13:06	146826	104.64
03/20/98	13:50	146870	104.62
03/20/98	14:18	146898	104.68
03/20/98	14:26	146906	104.63
03/20/98	14:30	146910	104.58
03/20/98	14:38	146918	104.61
03/20/98	14:42	146922	104.64
03/20/98	14:48	146928	104.66
03/20/98	15:30	146970	104.67
03/20/98	16:50	147050	104.64
03/20/98	18:10	147130	104.62
03/20/98	19:02	147182	104.59
03/20/98	19:30	147210	104.58
03/20/98	20:30	147270	104.57
03/20/98	21:58	147358	104.55
03/20/98	23:22	147442	104.52
03/20/98	23:30	147450	104.52
03/21/98	01:06	147546	104.50
03/21/98	03:02	147662	104.48
03/21/98	03:30	147690	104.47
03/21/98	04:36	147758	104.45
03/21/98	06:14	147854	104.43
03/21/98	07:30	147930	104.41
03/21/98	07:38	147938	104.41
03/21/98	09:14	148034	104.38
03/21/98	10:58	148138	104.36
03/21/98	11:30	148170	104.35
03/21/98	12:38	148238	104.34
03/21/98	14:42	148362	104.31
03/21/98	15:30	148410	104.30
03/21/98	16:30	148470	104.29
03/21/98	18:34	148594	104.27
03/21/98	19:30	148650	104.26
03/21/98	20:46	148726	104.24
03/21/98	23:30	148890	104.23
03/21/98	23:34	148894	104.22
03/22/98	02:30	149070	104.20
03/22/98	03:30	149130	104.19
03/22/98	05:30	149250	104.17
03/22/98	07:30	149370	104.16
03/22/98	07:50	149390	104.15
03/22/98	10:54	149574	104.13
03/22/98	11:30	149610	104.13
03/22/98	14:42	149802	104.11
03/22/98	15:30	149850	104.10
03/22/98	17:26	149966	104.08
03/22/98	19:30	150090	104.07
03/22/98	20:30	150150	104.06
03/22/98	23:30	150330	104.05
03/23/98	03:30	150570	104.04
03/23/98	03:34	150574	104.04
03/23/98	07:14	150794	104.01
03/23/98	07:30	150810	104.01

Date	Time	lapsed_tim	Water_elev
03/23/98	09:58	150958	103.99
03/23/98	11:02	151022	104.06
03/23/98	11:06	151026	104.18
03/23/98	11:10	151030	104.04
03/23/98	11:30	151050	104.04
03/23/98	12:56	151138	104.02
03/23/98	14:38	151238	103.99
03/23/98	15:30	151290	103.99
03/23/98	16:26	151466	103.97
03/23/98	19:30	151530	103.95
03/23/98	19:58	151558	103.95
03/23/98	22:50	151730	103.93
03/23/98	23:30	151770	103.93
03/24/98	03:30	152010	103.92
03/24/98	04:46	152086	103.90
03/24/98	07:30	152250	103.89
03/24/98	08:46	152326	103.88
03/24/98	11:22	152482	103.86
03/24/98	11:30	152490	103.86
03/24/98	15:30	152730	103.84
03/24/98	16:02	152762	103.83
03/24/98	19:30	152970	103.83
03/24/98	23:30	153210	103.83
03/25/98	03:30	153450	103.83
03/25/98	06:42	153642	103.81
03/25/98	07:30	153690	103.81
03/25/98	09:58	153838	103.78
03/25/98	11:30	153930	103.78
03/25/98	13:14	154034	103.76
03/25/98	15:30	154170	103.76
03/25/98	19:30	154410	103.75
03/25/98	23:30	154650	103.76
03/26/98	03:30	154890	103.76
03/26/98	07:30	155130	103.75
03/26/98	08:30	155190	103.74
03/26/98	10:54	155334	103.72
03/26/98	11:30	155370	103.71
03/26/98	15:30	155610	103.70
03/26/98	19:30	155850	103.70
03/26/98	23:30	156090	103.71
03/27/98	03:30	156330	103.72
03/27/98	07:30	156570	103.71
03/27/98	08:30	156630	103.69
03/27/98	10:54	156774	103.67
03/27/98	11:30	156810	103.67
03/27/98	15:30	157050	103.65
03/27/98	19:30	157290	103.66
03/27/98	23:30	157530	103.66
03/28/98	03:30	157770	103.67
03/28/98	07:30	158010	103.66
03/28/98	09:26	158126	103.65
03/28/98	11:30	158250	103.63
03/28/98	11:50	158270	103.62
03/28/98	15:30	158490	103.61
03/28/98	19:30	158730	103.62
03/28/98	23:30	158970	103.62
03/29/98	03:30	159210	103.62
03/29/98	07:30	159450	103.62
03/29/98	09:22	159562	103.60
03/29/98	11:30	159690	103.58
03/29/98	11:42	159702	103.58
03/29/98	15:30	159930	103.56
03/29/98	15:50	159950	103.55
03/29/98	19:30	160170	103.57
03/29/98	22:10	160330	103.58
03/29/98	23:30	160410	103.58
03/30/98	03:30	160650	103.59
03/30/98	07:30	160890	103.58
03/30/98	09:42	161022	103.55
03/30/98	11:30	161130	103.54
03/30/98	13:38	161258	103.53

Date	Time	lapsed_tim	Water_elev

NTC Orlando OU4, IRA Performance Monitoring

OW10A

Date	Time	lapsed_tim	Water_elev
12/08/97	15:00	0	102.52
12/08/97	16:00	60	102.53
12/08/97	17:00	120	102.53
12/08/97	18:00	180	102.53
12/08/97	19:00	240	102.53
12/08/97	20:00	300	102.53
12/08/97	21:00	360	102.54
12/08/97	22:00	420	102.54
12/08/97	23:00	480	102.55
12/09/97	0:00	540	102.54
12/09/97	1:00	600	102.54
12/09/97	2:00	660	102.53
12/09/97	3:00	720	102.54
12/09/97	4:00	780	102.54
12/09/97	5:00	840	102.54
12/09/97	6:00	900	102.55
12/09/97	7:00	960	102.55
12/09/97	8:00	1020	102.55
12/09/97	9:00	1080	102.56
12/09/97	10:00	1140	102.56
12/09/97	11:00	1200	102.57
12/09/97	12:00	1260	102.57
12/09/97	13:00	1320	102.57
12/09/97	14:00	1380	102.57
12/09/97	15:00	1440	102.57
12/09/97	16:00	1500	102.58
12/09/97	17:00	1560	102.58
12/09/97	18:00	1620	102.60
12/09/97	19:00	1680	102.59
12/09/97	20:00	1740	102.58
12/09/97	21:00	1800	102.58
12/09/97	22:00	1860	102.58
12/09/97	23:00	1920	102.58
12/10/97	0:00	1980	102.57
12/10/97	1:00	2040	102.56
12/10/97	2:00	2100	102.56
12/10/97	3:00	2160	102.55
12/10/97	4:00	2220	102.55
12/10/97	5:00	2280	102.55
12/10/97	6:00	2340	102.55
12/10/97	7:00	2400	102.55
12/10/97	8:00	2460	102.75
12/10/97	9:00	2520	102.57
12/10/97	10:00	2580	102.57
12/10/97	11:00	2640	102.72
12/10/97	12:00	2700	102.55
12/10/97	13:00	2760	102.55
12/10/97	14:00	2820	102.55
12/10/97	15:00	2880	102.32
12/10/97	16:00	2940	101.75
12/10/97	17:00	3000	101.55
12/10/97	18:00	3060	101.54
12/10/97	19:00	3120	101.60
12/10/97	20:00	3180	101.68
12/10/97	21:00	3240	101.72
12/10/97	22:00	3300	101.78
12/10/97	23:00	3360	101.83
12/11/97	0:00	3420	101.87
12/11/97	1:00	3480	101.90
12/11/97	2:00	3540	101.94
12/11/97	3:00	3600	101.96
12/11/97	4:00	3660	101.99
12/11/97	5:00	3720	102.01
12/11/97	6:00	3780	102.02
12/11/97	7:00	3840	102.02
12/11/97	8:00	3900	101.67
12/11/97	9:00	3960	100.76
12/11/97	10:00	4020	100.43
12/11/97	11:00	4080	100.19
12/11/97	12:00	4140	100.26
12/11/97	13:00	4200	100.06
12/11/97	14:00	4260	100.08
12/11/97	15:00	4320	100.33
12/11/97	16:00	4380	100.41
12/11/97	17:00	4440	100.43
12/11/97	18:00	4500	100.50
12/11/97	19:00	4560	100.45
12/11/97	20:00	4620	100.46
12/11/97	21:00	4680	100.49
12/11/97	22:00	4740	100.53
12/11/97	23:00	4800	100.53
12/12/97	0:00	4860	100.52
12/12/97	1:00	4920	100.55
12/12/97	2:00	4980	100.58
12/12/97	3:00	5040	100.62
12/12/97	4:00	5100	100.65
12/12/97	5:00	5160	100.69
12/12/97	6:00	5220	100.72
12/12/97	7:00	5280	100.75
12/12/97	8:00	5340	100.79
12/12/97	9:00	5400	100.82
12/12/97	10:00	5460	100.85
12/12/97	11:00	5520	100.88
12/12/97	12:00	5580	100.84
12/12/97	13:00	5640	100.77
12/12/97	14:00	5700	100.61
12/12/97	15:00	5760	100.54
12/12/97	16:00	5820	100.58
12/12/97	17:00	5880	100.97
12/12/97	18:00	5940	100.68
12/12/97	19:00	6000	100.72
12/12/97	20:00	6060	100.76
12/12/97	21:00	6120	100.79
12/12/97	22:00	6180	100.80
12/12/97	23:00	6240	100.82
12/13/97	0:00	6300	100.83
12/13/97	1:00	6360	100.75
12/13/97	2:00	6420	100.52
12/13/97	3:00	6480	100.32
12/13/97	4:00	6540	100.30
12/13/97	5:00	6600	100.33
12/13/97	6:00	6660	100.38
12/13/97	7:00	6720	100.39
12/13/97	8:00	6780	100.38
12/13/97	9:00	6840	100.21
12/13/97	10:00	6900	100.17
12/13/97	11:00	6960	100.29
12/13/97	12:00	7020	100.34
12/13/97	13:00	7080	100.37
12/13/97	14:00	7140	100.34
12/13/97	15:00	7200	100.30
12/13/97	16:00	7260	100.35
12/13/97	17:00	7320	100.41
12/13/97	18:00	7380	100.42
12/13/97	19:00	7440	100.46
12/13/97	20:00	7500	100.47
12/13/97	21:00	7560	100.49
12/13/97	22:00	7620	100.55
12/13/97	23:00	7680	100.57
12/14/97	0:00	7740	100.60
12/14/97	1:00	7800	100.73
12/14/97	2:00	7860	100.80
12/14/97	3:00	7920	100.80
12/14/97	4:00	7980	100.83
12/14/97	5:00	8040	100.87
12/14/97	6:00	8100	100.88
12/14/97	7:00	8160	100.89
12/14/97	8:00	8220	100.80
12/14/97	9:00	8280	100.54
12/14/97	10:00	8340	100.40
12/14/97	11:00	8400	100.43
12/14/97	12:00	8460	100.40
12/14/97	13:00	8520	100.41
12/14/97	14:00	8580	100.49
12/14/97	15:00	8640	100.57
12/14/97	16:00	8700	100.62
12/14/97	17:00	8760	100.63
12/14/97	18:00	8820	100.71
12/14/97	19:00	8880	100.70
12/14/97	20:00	8940	100.80
12/14/97	21:00	9000	100.83
12/14/97	22:00	9060	100.87
12/14/97	23:00	9120	100.89
12/15/97	0:00	9180	100.92
12/15/97	1:00	9240	100.94
12/15/97	2:00	9300	100.97
12/15/97	3:00	9360	100.99
12/15/97	4:00	9420	101.02
12/15/97	5:00	9480	101.03
12/15/97	6:00	9540	101.04
12/15/97	7:00	9600	101.06
12/15/97	8:00	9660	101.08
12/15/97	9:00	9720	101.10
12/15/97	10:00	9780	101.12
12/15/97	11:00	9840	101.14
12/15/97	12:00	9900	101.15
12/15/97	13:00	9960	101.17
12/15/97	14:00	10020	101.17
12/15/97	15:00	10080	101.15
12/15/97	16:00	10140	101.07
12/15/97	17:00	10200	100.94
12/15/97	18:00	10260	100.91
12/15/97	19:00	10320	100.95
12/15/97	20:00	10380	100.98
12/15/97	21:00	10440	101.03
12/15/97	22:00	10500	101.06
12/15/97	23:00	10560	101.10
12/16/97	0:00	10620	101.12
12/16/97	1:00	10680	101.15
12/16/97	2:00	10740	101.17
12/16/97	3:00	10800	101.19
12/16/97	4:00	10860	101.21
12/16/97	5:00	10920	101.21
12/16/97	6:00	10980	101.24
12/16/97	7:00	11040	101.23
12/16/97	8:00	11100	101.26
12/16/97	9:00	11160	101.29
12/16/97	10:00	11220	101.30
12/16/97	11:00	11280	101.32
12/16/97	12:00	11340	101.33
12/16/97	13:00	11400	101.34
12/16/97	14:00	11460	101.37
12/16/97	15:00	11520	101.38
12/16/97	16:00	11580	101.39
12/16/97	17:00	11640	101.40
12/16/97	18:00	11700	101.42
12/16/97	19:00	11760	101.43
12/16/97	20:00	11820	101.44
12/16/97	21:00	11880	101.45
12/16/97	22:00	11940	101.47
12/16/97	23:00	12000	101.47
12/17/97	0:00	12060	101.47
12/17/97	1:00	12120	101.48
12/17/97	2:00	12180	101.50
12/17/97	3:00	12240	101.49
12/17/97	4:00	12300	101.50
12/17/97	5:00	12360	101.51
12/17/97	6:00	12420	101.53
12/17/97	7:00	12480	101.53
12/17/97	8:00	12540	101.54
12/17/97	9:00	12600	101.54
12/17/97	10:00	12660	101.55
12/17/97	11:00	12720	101.57
12/17/97	12:00	12780	101.57
12/17/97	13:00	12840	101.58
12/17/97	14:00	12900	101.60
12/17/97	15:00	12960	101.61
12/17/97	16:00	13020	101.62
12/17/97	17:00	13080	101.63
12/17/97	18:00	13140	101.64
12/17/97	19:00	13200	101.65
12/17/97	20:00	13260	101.64
12/17/97	21:00	13320	101.64
12/17/97	22:00	13380	101.65
12/17/97	23:00	13440	101.66
12/18/97	0:00	13500	101.65
12/18/97	1:00	13560	101.64
12/18/97	2:00	13620	101.66
12/18/97	3:00	13680	101.66
12/18/97	4:00	13740	101.67
12/18/97	5:00	13800	101.66
12/18/97	6:00	13860	101.68
12/18/97	7:00	13920	101.69
12/18/97	8:00	13980	101.69
12/18/97	9:00	14040	101.70
12/18/97	10:00	14100	101.70
12/18/97	11:00	14160	101.71
12/18/97	12:00	14220	101.89
12/18/97	13:00	14280	102.01
12/18/97	14:00	14340	102.02
12/18/97	15:00	14400	101.97
12/18/97	16:00	14460	101.93
12/18/97	17:00	14520	101.91
12/18/97	18:00	14580	101.90
12/18/97	19:00	14640	101.89
12/18/97	20:00	14700	101.88
12/18/97	21:00	14760	101.88
12/18/97	22:00	14820	101.88
12/18/97	23:00	14880	101.89
12/19/97	0:00	14940	101.91
12/19/97	1:00	15000	101.90
12/19/97	2:00	15060	101.90
12/19/97	3:00	15120	101.89
12/19/97	4:00	15180	101.88
12/19/97	5:00	15240	101.88
12/19/97	6:00	15300	101.89
12/19/97	7:00	15360	101.89
12/19/97	8:00	15420	101.88
12/19/97	9:00	15480	101.88
12/19/97	10:00	15540	101.88
12/19/97	11:00	15600	101.88
12/19/97	12:00	15660	101.89
01/08/98	10:00	44340	104.50
01/08/98	11:00	44400	104.47
01/08/98	12:00	44460	104.60
01/08/98	13:00	44520	104.54
01/08/98	14:00	44580	104.43
01/08/98	15:00	44640	104.31
01/08/98	16:00	44700	104.27
01/08/98	17:00	44760	104.26
01/08/98	18:00	44820	104.32
01/08/98	19:00	44880	104.39
01/08/98	20:00	44940	104.40

NTC Orlando OU4, IRA Performance Monitoring
OW10A

Date	Time	lapsed_tim	Water_elev
01/08/98	21:00	45000	104.42
01/08/98	22:00	45060	104.40
01/08/98	23:00	45120	104.38
01/09/98	0:00	45180	104.36
01/09/98	1:00	45240	104.34
01/09/98	2:00	45300	104.34
01/09/98	3:00	45360	104.34
01/09/98	4:00	45420	104.34
01/09/98	5:00	45480	104.34
01/09/98	6:00	45540	104.35
01/09/98	7:00	45600	104.32
01/09/98	8:00	45660	104.33
01/09/98	9:00	45720	104.29
01/09/98	10:00	45780	104.31
01/09/98	11:00	45840	104.25
01/09/98	12:00	45900	104.17
01/09/98	13:00	45960	104.09
01/09/98	14:00	46020	104.02
01/09/98	15:00	46080	104.01
01/09/98	16:00	46140	104.07
01/09/98	17:00	46200	104.12
01/09/98	18:00	46260	104.20
01/09/98	19:00	46320	104.23
01/09/98	20:00	46380	104.28
01/09/98	21:00	46440	104.30
01/09/98	22:00	46500	104.32
01/09/98	23:00	46560	104.33
01/10/98	0:00	46620	104.33
01/10/98	1:00	46680	104.33
01/10/98	2:00	46740	104.35
01/10/98	3:00	46800	104.38
01/10/98	4:00	46860	104.38
01/10/98	5:00	46920	104.34
01/10/98	6:00	46980	104.34
01/10/98	7:00	47040	104.36
01/10/98	8:00	47100	104.07
01/10/98	9:00	47160	103.96
01/10/98	10:00	47220	103.96
01/10/98	11:00	47280	103.90
01/10/98	12:00	47340	103.71
01/10/98	13:00	47400	103.60
01/10/98	14:00	47460	103.55
01/10/98	15:00	47520	103.57
01/10/98	16:00	47580	103.82
01/10/98	17:00	47640	103.91
01/10/98	18:00	47700	103.96
01/10/98	19:00	47760	103.98
01/10/98	20:00	47820	104.03
01/10/98	21:00	47880	103.96
01/10/98	22:00	47940	103.97
01/10/98	23:00	48000	103.98
01/11/98	0:00	48060	103.99
01/11/98	1:00	48120	103.99
01/11/98	2:00	48180	103.90
01/11/98	3:00	48240	103.90
01/11/98	4:00	48300	103.90
01/11/98	5:00	48360	103.89
01/11/98	6:00	48420	103.91
01/11/98	7:00	48480	103.90
01/11/98	8:00	48540	103.87
01/11/98	9:00	48600	103.74
01/11/98	10:00	48660	103.71
01/11/98	11:00	48720	103.64
01/11/98	12:00	48780	103.49
01/11/98	13:00	48840	103.48
01/11/98	14:00	48900	103.50
01/11/98	15:00	48960	103.47
01/11/98	16:00	49020	103.81
01/11/98	17:00	49080	103.84
01/11/98	18:00	49140	103.72
01/11/98	19:00	49200	103.77
01/11/98	20:00	49260	103.79
01/11/98	21:00	49320	103.73
01/11/98	22:00	49380	103.77
01/11/98	23:00	49440	103.68
01/12/98	0:00	49500	103.69
01/12/98	1:00	49560	103.69
01/12/98	2:00	49620	103.68
01/12/98	3:00	49680	103.67
01/12/98	4:00	49740	103.67
01/12/98	5:00	49800	103.66
01/12/98	6:00	49860	103.67
01/12/98	7:00	49920	103.64
01/12/98	8:00	49980	103.59
01/12/98	9:00	50040	103.51
01/12/98	10:00	50100	103.56
01/12/98	11:00	50160	103.49
01/12/98	12:00	50220	103.55
01/12/98	13:00	50280	103.55
01/12/98	14:00	50340	103.54
01/12/98	15:00	50400	103.54

Date	Time	lapsed_tim	Water_elev
01/12/98	16:00	50460	103.53
01/12/98	17:00	50520	103.53
01/12/98	18:00	50580	103.53
01/12/98	19:00	50640	103.53
01/12/98	20:00	50700	103.53
01/12/98	21:00	50760	103.54
01/12/98	22:00	50820	103.54
01/12/98	23:00	50880	103.55
01/13/98	0:00	50940	103.55
01/13/98	1:00	51000	103.55
01/13/98	2:00	51060	103.55
01/13/98	3:00	51120	103.54
01/13/98	4:00	51180	103.54
01/13/98	5:00	51240	103.54
01/13/98	6:00	51300	103.53
01/13/98	7:00	51360	103.53
01/13/98	8:00	51420	103.53
01/13/98	9:00	51480	103.53
01/13/98	10:00	51540	103.51
01/13/98	11:00	51600	103.51
01/13/98	12:00	51660	103.51
01/13/98	13:00	51720	103.51
01/13/98	14:00	51780	103.50
01/13/98	15:00	51840	103.49
01/13/98	16:00	51900	103.49
01/13/98	17:00	51960	103.50
01/13/98	18:00	52020	103.50
01/13/98	19:00	52080	103.51
01/13/98	20:00	52140	103.51
01/13/98	21:00	52200	103.50
01/13/98	22:00	52260	103.50
01/13/98	23:00	52320	103.50
01/14/98	0:00	52380	103.51
01/14/98	1:00	52440	103.61
01/14/98	2:00	52500	103.51
01/14/98	3:00	52560	103.50
01/14/98	4:00	52620	103.50
01/14/98	5:00	52680	103.50
01/14/98	6:00	52740	103.50
01/14/98	7:00	52800	103.50
01/14/98	8:00	52860	103.50
01/14/98	9:00	52920	103.51
01/14/98	10:00	52980	103.50
01/14/98	11:00	53040	103.50
01/14/98	12:00	53100	103.02
01/14/98	13:00	53160	102.83
01/14/98	14:00	53220	102.80
01/14/98	15:00	53280	102.76
01/14/98	16:00	53340	102.74
01/14/98	17:00	53400	102.74
01/14/98	18:00	53460	102.74
01/14/98	19:00	53520	102.73
01/14/98	20:00	53580	102.72
01/14/98	21:00	53640	102.72
01/14/98	22:00	53700	102.71
01/14/98	23:00	53760	102.71
01/15/98	0:00	53820	102.71
01/15/98	1:00	53880	102.72
01/15/98	2:00	53940	102.72
01/15/98	3:00	54000	102.71
01/15/98	4:00	54060	102.72
01/15/98	5:00	54120	102.71
01/15/98	6:00	54180	102.71
01/15/98	7:00	54240	102.71
01/15/98	8:00	54300	102.70
01/15/98	9:00	54360	102.70
01/15/98	10:00	54420	102.69
01/15/98	11:00	54480	102.71
01/15/98	12:00	54540	102.72
01/15/98	13:00	54600	102.72
01/15/98	14:00	54660	102.71
01/15/98	15:00	54720	102.70
01/15/98	16:00	54780	102.72
01/15/98	17:00	54840	102.74
01/15/98	18:00	54900	102.92
01/15/98	19:00	54960	103.02
01/15/98	20:00	55020	103.06
01/15/98	21:00	55080	103.02
01/15/98	22:00	55140	103.04
01/15/98	23:00	55200	103.03
01/16/98	0:00	55260	103.03
01/16/98	1:00	55320	103.02
01/16/98	2:00	55380	103.03
01/16/98	3:00	55440	103.06
01/16/98	4:00	55500	103.08
01/16/98	5:00	55560	103.07
01/16/98	6:00	55620	103.06
01/16/98	7:00	55680	103.05
01/16/98	8:00	55740	103.04
01/16/98	9:00	55800	103.02
01/16/98	10:00	55860	103.01

Date	Time	lapsed_tim	Water_elev
01/16/98	11:00	55920	102.99
01/16/98	12:00	55980	102.97
01/16/98	13:00	56040	102.97
01/16/98	14:00	56100	102.97
01/16/98	15:00	56160	102.95
01/16/98	16:00	56220	102.94
01/16/98	17:00	56280	102.93
01/16/98	18:00	56340	102.93
01/16/98	19:00	56400	102.93
01/16/98	20:00	56460	102.93
01/16/98	21:00	56520	102.92
01/16/98	22:00	56580	102.92
01/16/98	23:00	56640	102.92
01/17/98	0:00	56700	102.91
01/17/98	1:00	56760	102.91
01/17/98	2:00	56820	102.91
01/17/98	3:00	56880	102.90
01/17/98	4:00	56940	102.90
01/17/98	5:00	57000	102.89
01/17/98	6:00	57060	102.89
01/17/98	7:00	57120	102.89
01/17/98	8:00	57180	102.88
01/17/98	9:00	57240	102.87
01/17/98	10:00	57300	102.86
01/17/98	11:00	57360	102.86
01/17/98	12:00	57420	102.85
01/17/98	13:00	57480	102.85
01/17/98	14:00	57540	102.84
01/17/98	15:00	57600	102.84
01/17/98	16:00	57660	102.84
01/17/98	17:00	57720	102.84
01/17/98	18:00	57780	102.84
01/17/98	19:00	57840	102.84
01/17/98	20:00	57900	102.84
01/17/98	21:00	57960	102.84
01/17/98	22:00	58020	102.85
01/17/98	23:00	58080	102.85
01/18/98	0:00	58140	102.84
01/18/98	1:00	58200	102.85
01/18/98	2:00	58260	102.85
01/18/98	3:00	58320	102.85
01/18/98	4:00	58380	102.85
01/18/98	5:00	58440	102.85
01/18/98	6:00	58500	102.85
01/18/98	7:00	58560	102.85
01/18/98	8:00	58620	102.84
01/18/98	9:00	58680	102.84
01/18/98	10:00	58740	102.84
01/18/98	11:00	58800	102.84
01/18/98	12:00	58860	102.83
01/18/98	13:00	58920	102.83
01/18/98	14:00	58980	102.83
01/18/98	15:00	59040	102.83
01/18/98	16:00	59100	102.82
01/18/98	17:00	59160	102.82
01/18/98	18:00	59220	102.83
01/18/98	19:00	59280	102.83
01/18/98	20:00	59340	102.84
01/18/98	21:00	59400	102.84
01/18/98	22:00	59460	102.84
01/18/98	23:00	59520	102.84
01/19/98	0:00	59580	102.84
01/19/98	1:00	59640	102.85
01/19/98	2:00	59700	102.85
01/19/98	3:00	59760	102.85
01/19/98	4:00	59820	102.86
01/19/98	5:00	59880	102.85
01/19/98	6:00	59940	102.86
01/19/98	7:00	60000	102.86
01/19/98	8:00	60060	102.85
01/19/98	9:00	60120	102.85
01/19/98	10:00	60180	102.84
01/19/98	11:00	60240	102.84
01/19/98	12:00	60300	102.84
01/19/98	13:00	60360	102.84
01/19/98	14:00	60420	102.83
01/19/98	15:00	60480	102.83
01/19/98	16:00	60540	102.84
01/19/98	17:00	60600	102.83
01/19/98	18:00	60660	102.83
01/19/98	19:00	60720	102.84
01/19/98	20:00	60780	102.84
01/19/98	21:00	60840	102.84
01/19/98	22:00	60900	102.83
01/19/98	23:00	60960	102.84
01/20/98	0:00	61020	102.84
01/20/98	1:00	61080	102.84
01/20/98	2:00	61140	102.84
01/20/98	3:00	61200	102.84
01/20/98	4:00	61260	102.84
01/20/98	5:00	61320	102.84

NTC Orlando OU4, IRA Performance Monitoring

OW10A

Date	Time	lapsed_tim	Water_elev
01/20/98	6:00	61380	102.84
01/20/98	7:00	61440	102.84
01/20/98	8:00	61500	102.83
01/20/98	9:00	61560	102.83
01/20/98	10:00	61620	102.83
01/20/98	11:00	61680	102.81
01/20/98	12:00	61740	102.81
01/20/98	13:00	61800	102.81
01/20/98	14:00	61860	102.81
01/20/98	15:00	61920	102.80
01/20/98	16:00	61980	102.80
01/20/98	17:00	62040	102.79
01/20/98	18:00	62100	102.79
01/20/98	19:00	62160	102.80
01/20/98	20:00	62220	102.80
01/20/98	21:00	62280	102.81
01/20/98	22:00	62340	102.81
01/20/98	23:00	62400	102.81
01/21/98	0:00	62460	102.82
01/21/98	1:00	62520	102.82
01/21/98	2:00	62580	102.83
01/21/98	3:00	62640	102.83
01/21/98	4:00	62700	102.82
01/21/98	5:00	62760	102.82
01/21/98	6:00	62820	102.81
01/21/98	7:00	62880	102.81
01/21/98	8:00	62940	102.81
01/21/98	9:00	63000	102.81
01/21/98	10:00	63060	102.80
01/21/98	11:00	63120	102.80
01/21/98	12:00	63180	102.80
01/21/98	13:00	63240	102.79
01/21/98	14:00	63300	102.80
01/21/98	15:00	63360	102.79
01/21/98	16:00	63420	102.79
01/21/98	17:00	63480	102.79
01/21/98	18:00	63540	102.79
01/21/98	19:00	63600	102.80
01/21/98	20:00	63660	102.80
01/21/98	21:00	63720	102.80
01/21/98	22:00	63780	102.80
01/21/98	23:00	63840	102.81
01/22/98	0:00	63900	102.81
01/22/98	1:00	63960	102.81
01/22/98	2:00	64020	102.81
01/22/98	3:00	64080	102.81
01/22/98	4:00	64140	102.81
01/22/98	5:00	64200	102.81
01/22/98	6:00	64260	102.80
01/22/98	7:00	64320	102.80
01/22/98	8:00	64380	102.80
01/22/98	9:00	64440	102.80
01/22/98	10:00	64500	102.79
01/22/98	11:00	64560	102.78
01/22/98	12:00	64620	102.78
01/22/98	13:00	64680	102.78
01/22/98	14:00	64740	102.78
01/22/98	15:00	64800	102.77
01/22/98	16:00	64860	102.77
01/22/98	17:00	64920	102.77
01/22/98	18:00	64980	102.77
01/22/98	19:00	65040	102.78
01/22/98	20:00	65100	102.78
01/22/98	21:00	65160	102.78
01/22/98	22:00	65220	102.78
01/22/98	23:00	65280	102.79
01/23/98	0:00	65340	102.79
01/23/98	1:00	65400	102.79
01/23/98	2:00	65460	102.79
01/23/98	3:00	65520	102.80
01/23/98	4:00	65580	102.80
01/23/98	5:00	65640	102.80
01/23/98	6:00	65700	102.80
01/23/98	7:00	65760	102.79
01/23/98	8:00	65820	102.79
01/23/98	9:00	65880	102.79
01/23/98	10:00	65940	102.79
01/23/98	11:00	66000	102.79
01/23/98	12:00	66060	102.88
01/23/98	13:00	66120	102.99
01/23/98	14:00	66180	103.21
01/23/98	15:00	66240	103.26
01/23/98	16:00	66300	103.23
01/23/98	17:00	66360	103.20
01/23/98	18:00	66420	103.18
01/23/98	19:00	66480	103.16
01/23/98	20:00	66540	103.14
01/23/98	21:00	66600	103.12
01/23/98	22:00	66660	103.11
01/23/98	23:00	66720	103.10
01/24/98	0:00	66780	103.09
01/24/98	1:00	66840	103.08
01/24/98	2:00	66900	103.07
01/24/98	3:00	66960	103.06
01/24/98	4:00	67020	103.05
01/24/98	5:00	67080	103.04
01/24/98	6:00	67140	103.03
01/24/98	7:00	67200	103.02
01/24/98	8:00	67260	103.01
01/24/98	9:00	67320	103.01
01/24/98	10:00	67380	102.99
01/24/98	11:00	67440	102.99
01/24/98	12:00	67500	102.98
01/24/98	13:00	67560	102.98
01/24/98	14:00	67620	102.97
01/24/98	15:00	67680	102.96
01/24/98	16:00	67740	102.95
01/24/98	17:00	67800	102.93
01/24/98	18:00	67860	102.92
01/24/98	19:00	67920	102.92
01/24/98	20:00	67980	102.91
01/24/98	21:00	68040	102.90
01/24/98	22:00	68100	102.90
01/24/98	23:00	68160	102.89
01/25/98	0:00	68220	102.89
01/25/98	1:00	68280	102.88
01/25/98	2:00	68340	102.88
01/25/98	3:00	68400	102.88
01/25/98	4:00	68460	102.87
01/25/98	5:00	68520	102.87
01/25/98	6:00	68580	102.86
01/25/98	7:00	68640	102.85
01/25/98	8:00	68700	102.84
01/25/98	9:00	68760	102.84
01/25/98	10:00	68820	102.83
01/25/98	11:00	68880	102.83
01/25/98	12:00	68940	102.82
01/25/98	13:00	69000	102.82
01/25/98	14:00	69060	102.81
01/25/98	15:00	69120	102.81
01/25/98	16:00	69180	102.80
01/25/98	17:00	69240	102.79
01/25/98	18:00	69300	102.79
01/25/98	19:00	69360	102.79
01/25/98	20:00	69420	102.79
01/25/98	21:00	69480	102.79
01/25/98	22:00	69540	102.80
01/25/98	23:00	69600	102.80
01/26/98	0:00	69660	102.80
01/26/98	1:00	69720	102.80
01/26/98	2:00	69780	102.80
01/26/98	3:00	69840	102.80
01/26/98	4:00	69900	102.80
01/26/98	5:00	69960	102.80
01/26/98	6:00	70020	102.80
01/26/98	7:00	70080	102.79
01/26/98	8:00	70140	102.79
01/26/98	9:00	70200	102.79
01/26/98	10:00	70260	102.79
01/26/98	11:00	70320	102.79
01/26/98	12:00	70380	102.79
01/26/98	13:00	70440	102.79
01/26/98	14:00	70500	102.79
01/26/98	15:00	70560	102.78
01/26/98	16:00	70620	102.79
01/26/98	17:00	70680	102.78
01/26/98	18:00	70740	102.79
01/26/98	19:00	70800	102.79
01/26/98	20:00	70860	102.79
01/26/98	21:00	70920	102.78
01/26/98	22:00	70980	102.78
01/26/98	23:00	71040	102.79
01/27/98	0:00	71100	102.79
01/27/98	1:00	71160	102.79
01/27/98	2:00	71220	102.80
01/27/98	3:00	71280	102.80
01/27/98	4:00	71340	102.79
01/27/98	5:00	71400	102.79
01/27/98	6:00	71460	102.81
01/27/98	7:00	71520	102.80
01/27/98	8:00	71580	102.78
01/27/98	9:00	71640	102.78
01/27/98	10:00	71700	102.77
01/27/98	11:00	71760	102.78
01/27/98	12:00	71820	102.77
01/27/98	13:00	71880	102.77
01/27/98	14:00	71940	102.78
01/27/98	15:00	72000	102.77
01/27/98	16:00	72060	102.77
01/27/98	17:00	72120	102.77
01/27/98	18:00	72180	102.76
01/27/98	19:00	72240	102.76
01/27/98	20:00	72300	102.77
01/27/98	21:00	72360	102.77
01/27/98	22:00	72420	102.76
01/27/98	23:00	72480	102.76
01/28/98	0:00	72540	102.76
01/28/98	1:00	72600	102.76
01/28/98	2:00	72660	102.75
01/28/98	3:00	72720	102.75
01/28/98	4:00	72780	102.75
01/28/98	5:00	72840	102.75
01/28/98	6:00	72900	102.75
01/28/98	7:00	72960	102.75
01/28/98	8:00	73020	102.74
01/28/98	9:00	73080	102.73
01/28/98	10:00	73140	102.73
01/28/98	11:00	73200	102.72
01/28/98	12:00	73260	102.72
01/28/98	13:00	73320	102.72
01/28/98	14:00	73380	102.72
01/28/98	15:00	73440	102.72
01/28/98	16:00	73500	102.71
01/28/98	17:00	73560	102.71
01/28/98	18:00	73620	102.71
01/28/98	19:00	73680	102.71
01/28/98	20:00	73740	102.71
01/28/98	21:00	73800	102.72
01/28/98	22:00	73860	102.72
01/28/98	23:00	73920	102.71
01/29/98	0:00	73980	102.72
01/29/98	1:00	74040	102.72
01/29/98	2:00	74100	102.72
01/29/98	3:00	74160	102.72
01/29/98	4:00	74220	102.72
01/29/98	5:00	74280	102.72
01/29/98	6:00	74340	102.72
01/29/98	7:00	74400	102.72
01/29/98	8:00	74460	102.71
01/29/98	9:00	74520	102.70
01/29/98	10:00	74580	102.70
01/29/98	11:00	74640	102.97
01/29/98	12:00	74700	102.96
01/29/98	13:00	74760	102.96
01/29/98	14:00	74820	102.96
01/29/98	15:00	74880	102.94
01/29/98	16:00	74940	102.93
01/29/98	17:00	75000	102.92
01/29/98	18:00	75060	102.93
01/29/98	19:00	75120	102.93
01/29/98	20:00	75180	102.93
01/29/98	21:00	75240	102.93
01/29/98	22:00	75300	102.93
01/29/98	23:00	75360	102.93
01/30/98	0:00	75420	102.93
01/30/98	1:00	75480	102.93
01/30/98	2:00	75540	102.93
01/30/98	3:00	75600	102.93
01/30/98	4:00	75660	102.93
01/30/98	5:00	75720	102.93
01/30/98	6:00	75780	102.93
01/30/98	7:00	75840	102.93
01/30/98	8:00	75900	102.93
01/30/98	9:00	75960	102.92
01/30/98	10:00	76020	102.92
01/30/98	11:00	76080	102.92
01/30/98	12:00	76140	102.91
01/30/98	13:00	76200	102.90
01/30/98	14:00	76260	102.90
01/30/98	15:00	76320	102.89
01/30/98	16:00	76380	102.90
01/30/98	17:00	76440	102.90
01/30/98	18:00	76500	102.89
01/30/98	19:00	76560	102.89
01/30/98	20:00	76620	102.90
01/30/98	21:00	76680	102.90
01/30/98	22:00	76740	102.90
01/30/98	23:00	76800	102.90
01/31/98	0:00	76860	102.91
01/31/98	1:00	76920	102.91
01/31/98	2:00	76980	102.91
01/31/98	3:00	77040	102.91
01/31/98	4:00	77100	102.91
01/31/98	5:00	77160	102.91
01/31/98	6:00	77220	102.91
01/31/98	7:00	77280	102.91
01/31/98	8:00	77340	102.91
01/31/98	9:00	77400	102.90
01/31/98	10:00	77460	102.90
01/31/98	11:00	77520	102.89
01/31/98	12:00	77580	102.88
01/31/98	13:00	77640	102.88
01/31/98	14:00	77700	102.88

NTC Orlando OU4, IRA Performance Monitoring
OW10A

Date	Time	lapsed_tim	Water_elev
01/31/98	15:00	77760	102.87
01/31/98	16:00	77820	102.87
01/31/98	17:00	77880	102.87
01/31/98	18:00	77940	102.87
01/31/98	19:00	78000	102.88
01/31/98	20:00	78060	102.88
01/31/98	21:00	78120	102.88
01/31/98	22:00	78180	102.88
01/31/98	23:00	78240	102.89
02/01/98	0:00	78300	102.88
02/01/98	1:00	78360	102.89
02/01/98	2:00	78420	102.89
02/01/98	3:00	78480	102.89
02/01/98	4:00	78540	102.89
02/01/98	5:00	78600	102.89
02/01/98	6:00	78660	102.88
02/01/98	7:00	78720	102.88
02/01/98	8:00	78780	102.88
02/01/98	9:00	78840	102.88
02/01/98	10:00	78900	102.87
02/01/98	11:00	78960	102.87
02/01/98	12:00	79020	102.86
02/01/98	13:00	79080	102.86
02/01/98	14:00	79140	102.86
02/01/98	15:00	79200	102.85
02/01/98	16:00	79260	102.85
02/01/98	17:00	79320	102.84
02/01/98	18:00	79380	102.86
02/01/98	19:00	79440	102.86
02/01/98	20:00	79500	102.86
02/01/98	21:00	79560	102.86
02/01/98	22:00	79620	102.86
02/01/98	23:00	79680	102.87
02/02/98	0:00	79740	102.87
02/02/98	1:00	79800	102.87
02/02/98	2:00	79860	102.88
02/02/98	3:00	79920	102.88
02/02/98	4:00	79980	102.88
02/02/98	5:00	80040	102.87
02/02/98	6:00	80100	102.86
02/02/98	7:00	80160	102.87
02/02/98	8:00	80220	102.87
02/02/98	9:00	80280	102.86
02/02/98	10:00	80340	102.87
02/02/98	11:00	80400	102.86
02/02/98	12:00	80460	102.86
02/02/98	13:00	80520	102.86
02/02/98	14:00	80580	102.86
02/02/98	15:00	80640	102.87
02/02/98	16:00	80700	102.87
02/02/98	17:00	80760	102.87
02/02/98	18:00	80820	102.87
02/02/98	19:00	80880	102.87
02/02/98	20:00	80940	102.93
02/02/98	21:00	81000	103.25
02/02/98	22:00	81060	103.98
02/02/98	23:00	81120	104.36
02/03/98	0:00	81180	104.49
02/03/98	1:00	81240	104.44
02/03/98	2:00	81300	104.34
02/03/98	3:00	81360	104.24
02/03/98	4:00	81420	104.14
02/03/98	5:00	81480	104.07
02/03/98	6:00	81540	104.00
02/03/98	7:00	81600	103.94
02/03/98	8:00	81660	103.89
02/03/98	9:00	81720	103.85
02/03/98	10:00	81780	103.81
02/03/98	11:00	81840	103.77
02/03/98	12:00	81900	103.74
02/03/98	13:00	81960	103.71
02/03/98	14:00	82020	103.67
02/03/98	15:00	82080	103.65
02/03/98	16:00	82140	103.62
02/03/98	17:00	82200	103.59
02/03/98	18:00	82260	103.57
02/03/98	19:00	82320	103.55
02/03/98	20:00	82380	103.53
02/03/98	21:00	82440	103.51
02/03/98	22:00	82500	103.50
02/03/98	23:00	82560	103.49
02/04/98	0:00	82620	103.48
02/04/98	1:00	82680	103.47
02/04/98	2:00	82740	103.46
02/04/98	3:00	82800	103.44
02/04/98	4:00	82860	103.43
02/04/98	5:00	82920	103.41
02/04/98	6:00	82980	103.40
02/04/98	7:00	83040	103.39
02/04/98	8:00	83100	103.37
02/04/98	9:00	83160	103.36

Date	Time	lapsed_tim	Water_elev
02/04/98	10:00	83220	103.35
02/04/98	11:00	83280	103.33
02/04/98	12:00	83340	103.32
02/04/98	13:00	83400	103.31
02/04/98	14:00	83460	103.30
02/04/98	15:00	83520	103.29
02/04/98	16:00	83580	103.26
02/04/98	17:00	83640	103.26
02/04/98	18:00	83700	103.24
02/04/98	19:00	83760	103.24
02/04/98	20:00	83820	103.23
02/04/98	21:00	83880	103.23
02/04/98	22:00	83940	103.22
02/04/98	23:00	84000	103.21
02/05/98	0:00	84060	103.21
02/05/98	1:00	84120	103.21
02/05/98	2:00	84180	103.20
02/05/98	3:00	84240	103.20
02/05/98	4:00	84300	103.19
02/05/98	5:00	84360	103.18
02/05/98	6:00	84420	103.17
02/05/98	7:00	84480	103.17
02/05/98	8:00	84540	103.17
02/05/98	9:00	84600	103.15
02/05/98	10:00	84660	103.15
02/05/98	11:00	84720	103.14
02/05/98	12:00	84780	103.13
02/05/98	13:00	84840	103.12
02/05/98	14:00	84900	103.11
02/05/98	15:00	84960	103.11
02/05/98	16:00	85020	103.11
02/05/98	17:00	85080	103.10
02/05/98	18:00	85140	103.10
02/05/98	19:00	85200	103.10
02/05/98	20:00	85260	103.10
02/05/98	21:00	85320	103.09
02/05/98	22:00	85380	103.09
02/05/98	23:00	85440	103.08
02/06/98	0:00	85500	103.08
02/06/98	1:00	85560	103.08
02/06/98	2:00	85620	103.08
02/06/98	3:00	85680	103.08
02/06/98	4:00	85740	103.08
02/06/98	5:00	85800	103.08
02/06/98	6:00	85860	103.08
02/06/98	7:00	85920	103.07
02/06/98	8:00	85980	103.07
02/06/98	9:00	86040	103.06
02/06/98	10:00	86100	103.06
02/06/98	11:00	86160	103.06
02/06/98	12:00	86220	103.06
02/06/98	13:00	86280	103.05
02/06/98	14:00	86340	103.05
02/06/98	15:00	86400	103.04
02/06/98	16:00	86460	103.04
02/06/98	17:00	86520	103.04
02/06/98	18:00	86580	103.04
02/06/98	19:00	86640	103.08
02/06/98	20:00	86700	103.10
02/06/98	21:00	86760	103.10
02/06/98	22:00	86820	103.11
02/06/98	23:00	86880	103.13
02/07/98	0:00	86940	103.13
02/07/98	1:00	87000	103.14
02/07/98	2:00	87060	103.15
02/07/98	3:00	87120	103.16
02/07/98	4:00	87180	103.17
02/07/98	5:00	87240	103.07
02/07/98	6:00	87300	103.07
02/07/98	7:00	87360	103.06
02/07/98	8:00	87420	103.06
02/07/98	9:00	87480	103.05
02/07/98	10:00	87540	103.05
02/07/98	11:00	87600	103.03
02/07/98	12:00	87660	103.03
02/07/98	13:00	87720	103.03
02/07/98	14:00	87780	103.03
02/07/98	15:00	87840	103.03
02/07/98	16:00	87900	103.02
02/07/98	17:00	87960	103.02
02/07/98	18:00	88020	103.02
02/07/98	19:00	88080	103.02
02/07/98	20:00	88140	103.02
02/07/98	21:00	88200	103.01
02/07/98	22:00	88260	103.01
02/07/98	23:00	88320	103.01
02/08/98	0:00	88380	103.01
02/08/98	1:00	88440	103.01
02/08/98	2:00	88500	103.01
02/08/98	3:00	88560	103.01
02/08/98	4:00	88620	103.01

Date	Time	lapsed_tim	Water_elev
02/08/98	5:00	88680	103.00
02/08/98	6:00	88740	103.00
02/08/98	7:00	88800	103.00
02/08/98	8:00	88860	102.99
02/08/98	9:00	88920	102.99
02/08/98	10:00	88980	102.99
02/08/98	11:00	89040	102.98
02/08/98	12:00	89100	102.97
02/08/98	13:00	89160	102.97
02/08/98	14:00	89220	102.96
02/08/98	15:00	89280	102.96
02/08/98	16:00	89340	102.96
02/08/98	17:00	89400	102.95
02/08/98	18:00	89460	102.95
02/08/98	19:00	89520	102.95
02/08/98	20:00	89580	102.95
02/08/98	21:00	89640	102.95
02/08/98	22:00	89700	102.95
02/08/98	23:00	89760	102.95
02/09/98	0:00	89820	102.95
02/09/98	1:00	89880	102.95
02/09/98	2:00	89940	102.95
02/09/98	3:00	90000	102.95
02/09/98	4:00	90060	102.95
02/09/98	5:00	90120	102.95
02/09/98	6:00	90180	102.95
02/09/98	7:00	90240	102.94
02/09/98	8:00	90300	102.94
02/09/98	9:00	90360	102.93
02/09/98	10:00	90420	102.93
02/09/98	11:00	90480	102.92
02/09/98	12:00	90540	102.92
02/09/98	13:00	90600	102.92
02/09/98	14:00	90660	102.91
02/09/98	15:00	90720	102.91
02/09/98	16:00	90780	102.91
02/09/98	17:00	90840	102.90
02/09/98	18:00	90900	102.90
02/09/98	19:00	90960	102.91
02/09/98	20:00	91020	102.90
02/09/98	21:00	91080	102.90
02/09/98	22:00	91140	102.90
02/09/98	23:00	91200	102.91
02/10/98	0:00	91260	102.91
02/10/98	1:00	91320	102.91
02/10/98	2:00	91380	102.91
02/10/98	3:00	91440	102.91
02/10/98	4:00	91500	102.91
02/10/98	5:00	91560	102.91
02/10/98	6:00	91620	102.91
02/10/98	7:00	91680	102.90
02/10/98	8:00	91740	102.90
02/10/98	9:00	91800	102.89
02/10/98	10:00	91860	102.90
02/10/98	11:00	91920	102.89
02/10/98	12:00	91980	102.88
02/10/98	13:00	92040	102.88
02/10/98	14:00	92100	102.88
02/10/98	15:00	92160	102.88
02/10/98	16:00	92220	102.87
02/10/98	17:00	92280	102.87
02/10/98	18:00	92340	102.87
02/10/98	19:00	92400	102.88
02/10/98	20:00	92460	102.88
02/10/98	21:00	92520	102.88
02/10/98	22:00	92580	102.89
02/10/98	23:00	92640	102.88
02/11/98	0:00	92700	102.89
02/11/98	1:00	92760	102.89
02/11/98	2:00	92820	102.90
02/11/98	3:00	92880	102.89
02/11/98	4:00	92940	102.89
02/11/98	5:00	93000	102.89
02/11/98	6:00	93060	102.89
02/11/98	7:00	93120	102.89
02/11/98	8:00	93180	102.89
02/11/98	9:00	93240	102.88
02/11/98	10:00	93300	102.88
02/11/98	11:00	93360	102.87
02/11/98	12:00	93420	102.87
02/11/98	13:00	93480	102.87
02/11/98	14:00	93540	102.87
02/11/98	15:00	93600	102.86
02/11/98	16:00	93660	102.86
02/11/98	17:00	93720	102.86
02/11/98	18:00	93780	102.86
02/11/98	19:00	93840	102.86
02/11/98	20:00	93900	102.87
02/11/98	21:00	93960	102.87
02/11/98	22:00	94020	102.87
02/11/98	23:00	94080	102.88

NTC Orlando OU4, IRA Performance Monitoring

OW10A

Date	Time	lapsed_tim	Water_elev
02/12/98	0:00	94140	102.88
02/12/98	1:00	94200	102.88
02/12/98	2:00	94260	102.87
02/12/98	3:00	94320	102.88
02/12/98	4:00	94380	102.88
02/12/98	5:00	94440	102.88
02/12/98	6:00	94500	102.87
02/12/98	7:00	94560	102.87
02/12/98	8:00	94620	102.87
02/12/98	9:00	94680	102.86
02/12/98	10:00	94740	102.86
02/12/98	11:00	94800	102.86
02/12/98	12:00	94860	102.86
02/12/98	13:00	94920	102.85
02/12/98	14:00	94980	102.84
02/12/98	15:00	95040	102.84
02/12/98	16:00	95100	102.84
02/12/98	17:00	95160	102.84
02/12/98	18:00	95220	102.84
02/12/98	19:00	95280	102.85
02/12/98	20:00	95340	102.85
02/12/98	21:00	95400	102.85
02/12/98	22:00	95460	102.85
02/12/98	23:00	95520	102.86
02/13/98	0:00	95580	102.86
02/13/98	1:00	95640	102.86
02/13/98	2:00	95700	102.86
02/13/98	3:00	95760	102.86
02/13/98	4:00	95820	102.86
02/13/98	5:00	95880	102.86
02/13/98	6:00	95940	102.86
02/13/98	7:00	96000	102.86
02/13/98	8:00	96060	102.85
02/13/98	9:00	96120	102.86
02/13/98	10:00	96180	102.85
02/13/98	11:00	96240	102.84
02/13/98	12:00	96300	102.84
02/13/98	13:00	96360	102.84
02/13/98	14:00	96420	102.84
02/13/98	15:00	96480	102.84
02/13/98	16:00	96540	102.84
02/13/98	17:00	96600	102.84
02/13/98	18:00	96660	102.84
02/13/98	19:00	96720	102.88
02/13/98	20:00	96780	102.92
02/13/98	21:00	96840	102.91
02/13/98	22:00	96900	102.93
02/13/98	23:00	96960	102.98
02/14/98	0:00	97020	103.01
02/14/98	1:00	97080	102.97
02/14/98	2:00	97140	102.98
02/14/98	3:00	97200	103.00
02/14/98	4:00	97260	103.02
02/14/98	5:00	97320	103.02
02/14/98	6:00	97380	103.01
02/14/98	7:00	97440	103.01
02/14/98	8:00	97500	102.92
02/14/98	9:00	97560	102.92
02/14/98	10:00	97620	102.92
02/14/98	11:00	97680	102.91
02/14/98	12:00	97740	102.91
02/14/98	13:00	97800	102.91
02/14/98	14:00	97860	102.90
02/14/98	15:00	97920	102.89
02/14/98	16:00	97980	102.88
02/14/98	17:00	98040	102.88
02/14/98	18:00	98100	102.88
02/14/98	19:00	98160	102.88
02/14/98	20:00	98220	102.88
02/14/98	21:00	98280	102.88
02/14/98	22:00	98340	102.88
02/14/98	23:00	98400	102.89
02/15/98	0:00	98460	102.89
02/15/98	1:00	98520	102.89
02/15/98	2:00	98580	102.89
02/15/98	3:00	98640	102.90
02/15/98	4:00	98700	102.89
02/15/98	5:00	98760	102.89
02/15/98	6:00	98820	102.89
02/15/98	7:00	98880	102.88
02/15/98	8:00	98940	102.88
02/15/98	9:00	99000	102.88
02/15/98	10:00	99060	102.87
02/15/98	11:00	99120	102.87
02/15/98	12:00	99180	102.86
02/15/98	13:00	99240	102.86
02/15/98	14:00	99300	102.87
02/15/98	15:00	99360	102.86
02/15/98	16:00	99420	102.86
02/15/98	17:00	99480	102.86
02/15/98	18:00	99540	102.86
02/15/98	19:00	99600	102.87
02/15/98	20:00	99660	102.87
02/15/98	21:00	99720	102.88
02/15/98	22:00	99780	102.95
02/15/98	23:00	99840	103.46
02/16/98	0:00	99900	104.11
02/16/98	1:00	99960	104.20
02/16/98	2:00	100020	104.16
02/16/98	3:00	100080	104.13
02/16/98	4:00	100140	104.09
02/16/98	5:00	100200	104.53
02/16/98	6:00	100260	104.58
02/16/98	7:00	100320	104.51
02/16/98	8:00	100380	104.41
02/16/98	9:00	100440	104.32
02/16/98	10:00	100500	104.31
02/16/98	11:00	100560	104.23
02/16/98	12:00	100620	104.16
02/16/98	13:00	100680	104.13
02/16/98	14:00	100740	104.05
02/16/98	15:00	100800	104.04
02/16/98	16:00	100860	105.04
02/16/98	17:00	100920	105.15
02/16/98	18:00	100980	105.11
02/16/98	19:00	101040	105.04
02/16/98	20:00	101100	104.96
02/16/98	21:00	101160	104.88
02/16/98	22:00	101220	104.86
02/16/98	23:00	101280	104.82
02/17/98	0:00	101340	104.78
02/17/98	1:00	101400	104.74
02/17/98	2:00	101460	104.70
02/17/98	3:00	101520	104.66
02/17/98	4:00	101580	104.63
02/17/98	5:00	101640	104.61
02/17/98	6:00	101700	104.72
02/17/98	7:00	101760	105.21
02/17/98	8:00	101820	105.14
02/17/98	9:00	101880	105.04
02/17/98	10:00	101940	104.96
02/17/98	11:00	102000	104.91
02/17/98	12:00	102060	104.84
02/17/98	13:00	102120	104.82
02/17/98	14:00	102180	104.76
02/17/98	15:00	102240	94.91
02/17/98	16:00	102300	94.71
02/17/98	16:05	102305	104.36
02/17/98	16:45	102345	104.33
02/17/98	17:17	102377	104.31
02/17/98	17:53	102413	104.29
02/17/98	18:37	102457	104.27
02/17/98	19:21	102501	104.25
02/17/98	20:01	102541	104.22
02/17/98	20:05	102545	104.22
02/17/98	20:41	102581	104.20
02/17/98	21:33	102633	104.18
02/17/98	22:29	102689	104.16
02/17/98	23:29	102749	104.14
02/18/98	0:05	102785	104.13
02/18/98	0:29	102809	104.12
02/18/98	1:33	102873	104.10
02/18/98	2:37	102937	104.07
02/18/98	3:37	102997	104.05
02/18/98	4:05	103025	104.05
02/18/98	4:41	103061	104.03
02/18/98	5:49	103129	104.01
02/18/98	6:41	103181	103.99
02/18/98	7:57	103257	103.97
02/18/98	8:05	103265	103.97
02/18/98	8:49	103309	103.95
02/18/98	9:57	103377	103.93
02/18/98	11:05	103445	103.91
02/18/98	12:05	103505	103.89
02/18/98	13:21	103581	103.86
02/18/98	14:29	103649	103.84
02/18/98	15:29	103709	103.82
02/18/98	16:05	103745	103.81
02/18/98	16:49	103789	103.80
02/18/98	18:21	103881	103.78
02/18/98	20:05	103985	103.77
02/18/98	20:21	104001	103.76
02/18/98	22:29	104129	103.74
02/19/98	0:05	104225	103.73
02/19/98	1:01	104281	103.72
02/19/98	3:17	104417	103.70
02/19/98	4:05	104465	103.69
02/19/98	5:33	104553	103.68
02/19/98	7:13	104653	103.66
02/19/98	8:05	104705	103.65
02/19/98	8:57	104757	103.64
02/19/98	9:05	104765	103.67
02/19/98	9:09	104769	103.61
02/19/98	9:13	104773	103.59
02/19/98	9:21	104781	103.68
02/19/98	9:25	104785	103.86
02/19/98	9:29	104789	103.94
02/19/98	9:33	104793	103.98
02/19/98	9:41	104801	104.01
02/19/98	11:05	104885	104.03
02/19/98	11:45	104925	103.84
02/19/98	11:49	104929	103.80
02/19/98	11:57	104937	103.78
02/19/98	12:01	104941	103.89
02/19/98	12:05	104945	103.95
02/19/98	12:09	104949	103.98
02/19/98	12:17	104957	104.00
02/19/98	13:33	105033	103.89
02/19/98	13:37	105037	103.95
02/19/98	13:41	105041	103.89
02/19/98	13:45	105045	103.95
02/19/98	13:49	105049	103.97
02/19/98	13:57	105057	104.00
02/19/98	14:33	105093	103.54
02/19/98	14:37	105097	103.41
02/19/98	14:41	105101	103.49
02/19/98	14:45	105105	103.69
02/19/98	14:49	105109	103.83
02/19/98	14:57	105117	103.45
02/19/98	15:01	105121	103.39
02/19/98	15:05	105125	103.62
02/19/98	15:09	105129	103.56
02/19/98	15:13	105133	103.47
02/19/98	15:17	105137	103.42
02/19/98	15:21	105141	103.58
02/19/98	15:25	105145	103.75
02/19/98	15:29	105149	103.84
02/19/98	15:33	105153	103.64
02/19/98	15:37	105157	103.47
02/19/98	15:41	105161	103.58
02/19/98	15:45	105165	103.73
02/19/98	15:49	105169	103.83
02/19/98	15:53	105173	103.74
02/19/98	15:57	105177	103.53
02/19/98	16:01	105181	103.42
02/19/98	16:05	105185	103.35
02/19/98	16:09	105189	103.33
02/19/98	16:57	105237	103.30
02/19/98	17:13	105253	103.27
02/19/98	17:33	105273	103.30
02/19/98	17:37	105277	103.28
02/19/98	18:17	105317	103.26
02/19/98	18:57	105357	103.23
02/19/98	19:01	105361	103.26
02/19/98	20:05	105425	103.26
02/19/98	20:57	105477	103.23
02/19/98	21:05	105485	103.26
02/19/98	22:13	105553	103.37
02/19/98	22:17	105557	103.82
02/19/98	22:21	105561	103.91
02/19/98	22:25	105565	104.12
02/19/98	22:29	105569	104.24
02/19/98	22:33	105573	104.30
02/19/98	22:37	105577	104.34
02/19/98	22:45	105585	104.37
02/19/98	22:57	105597	104.40
02/19/98	23:25	105625	104.42
02/19/98	23:33	105633	104.44
02/19/98	23:45	105645	104.46
02/19/98	23:49	105649	104.49
02/19/98	23:57	105657	104.51
02/20/98	0:05	105665	104.53
02/20/98	0:13	105673	104.53
02/20/98	1:17	105737	104.56
02/20/98	1:45	105765	104.59
02/20/98	2:25	105805	104.61
02/20/98	2:57	105837	104.63
02/20/98	3:33	105873	104.61
02/20/98	3:53	105893	104.59
02/20/98	4:05	105905	104.57
02/20/98	4:13	105913	104.57
02/20/98	4:25	105925	104.55
02/20/98	4:37	105937	104.52
02/20/98	4:49	105949	104.56
02/20/98	4:53	105953	104.58
02/20/98	6:05	106025	104.56
02/20/98	6:29	106049	104.54
02/20/98	6:49	106069	104.52
02/20/98	7:29	106109	104.50
02/20/98	8:01	106141	104.47
02/20/98	8:05	106145	104.47
02/20/98	8:37	106177	104.45
02/20/98	9:25	106225	104.39

NTC Orlando OU4, IRA Performance Monitoring
OW10A

Date	Time	lapsed_tim	Water_elev
02/20/98	9:29	106229	104.34
02/20/98	9:33	106233	104.37
02/20/98	9:41	106241	104.39
02/20/98	9:53	106253	104.37
02/20/98	9:57	106257	104.33
02/20/98	10:01	106261	104.31
02/20/98	10:09	106269	104.34
02/20/98	10:13	106273	104.36
02/20/98	10:33	106293	104.33
02/20/98	10:37	106297	104.30
02/20/98	10:41	106301	104.32
02/20/98	10:45	106305	104.34
02/20/98	12:05	106385	104.34
02/20/98	12:53	106433	104.32
02/20/98	13:29	106469	104.30
02/20/98	14:05	106505	104.28
02/20/98	14:41	106541	104.25
02/20/98	15:13	106573	104.23
02/20/98	15:41	106601	104.21
02/20/98	16:05	106625	104.20
02/20/98	16:17	106637	104.19
02/20/98	17:05	106685	104.17
02/20/98	17:49	106729	104.15
02/20/98	18:49	106789	104.13
02/20/98	19:37	106837	104.11
02/20/98	20:05	106865	104.10
02/20/98	20:33	106893	104.09
02/20/98	21:37	106957	104.07
02/20/98	22:37	107017	104.05
02/20/98	23:49	107089	104.03
02/21/98	0:05	107105	104.02
02/21/98	1:09	107169	104.01
02/21/98	2:29	107249	103.98
02/21/98	3:53	107333	103.96
02/21/98	4:05	107345	103.96
02/21/98	5:13	107413	103.94
02/21/98	6:21	107481	103.92
02/21/98	7:33	107553	103.90
02/21/98	8:05	107585	103.89
02/21/98	8:53	107633	103.88
02/21/98	10:13	107713	103.86
02/21/98	11:29	107789	103.84
02/21/98	12:05	107825	103.83
02/21/98	12:49	107869	103.82
02/21/98	13:57	107937	103.80
02/21/98	15:13	108013	103.78
02/21/98	15:29	108029	103.94
02/21/98	15:33	108033	104.04
02/21/98	15:37	108037	104.10
02/21/98	15:41	108041	104.13
02/21/98	15:45	108045	104.16
02/21/98	15:53	108053	104.18
02/21/98	16:05	108065	104.20
02/21/98	16:09	108069	104.20
02/21/98	16:57	108117	104.22
02/21/98	20:05	108305	104.23
02/22/98	0:05	108545	104.21
02/22/98	3:29	108749	104.20
02/22/98	4:05	108785	104.20
02/22/98	7:05	108965	104.18
02/22/98	8:05	109025	104.16
02/22/98	10:01	109141	104.16
02/22/98	12:05	109265	104.15
02/22/98	12:21	109281	104.14
02/22/98	14:41	109421	104.12
02/22/98	16:05	109505	104.11
02/22/98	19:25	109705	104.10
02/22/98	20:05	109745	104.09
02/23/98	0:05	109985	104.10
02/23/98	0:41	110021	104.12
02/23/98	0:45	110025	104.21
02/23/98	0:49	110029	104.32
02/23/98	0:53	110033	104.40
02/23/98	0:57	110037	104.49
02/23/98	1:01	110041	104.59
02/23/98	1:05	110045	104.68
02/23/98	1:09	110049	104.76
02/23/98	1:13	110053	104.81
02/23/98	1:17	110057	104.85
02/23/98	1:21	110061	104.87
02/23/98	1:29	110069	104.90
02/23/98	2:21	110121	104.88
02/23/98	2:41	110141	104.85
02/23/98	3:01	110161	104.84
02/23/98	3:25	110185	104.81
02/23/98	3:49	110209	104.79
02/23/98	4:05	110225	104.78
02/23/98	4:17	110237	104.77
02/23/98	4:45	110265	104.75
02/23/98	5:17	110297	104.73
02/23/98	5:45	110325	104.71

Date	Time	lapsed_tim	Water_elev
02/23/98	6:21	110361	104.69
02/23/98	7:01	110401	104.66
02/23/98	7:41	110441	104.64
02/23/98	8:05	110465	104.63
02/23/98	8:29	110489	104.62
02/23/98	9:13	110533	104.60
02/23/98	9:53	110573	104.58
02/23/98	10:41	110621	104.56
02/23/98	11:37	110677	104.54
02/23/98	12:05	110705	104.52
02/23/98	12:17	110717	104.52
02/23/98	13:05	110765	104.49
02/23/98	13:53	110813	104.48
02/23/98	14:53	110873	104.46
02/23/98	15:41	110921	104.43
02/23/98	16:05	110945	104.42
02/23/98	16:25	110965	104.41
02/23/98	17:33	111033	104.39
02/23/98	18:25	111085	104.37
02/23/98	19:33	111153	104.35
02/23/98	20:05	111185	104.34
02/23/98	20:33	111213	104.33
02/23/98	21:57	111297	104.31
02/23/98	23:17	111377	104.29
02/24/98	0:05	111425	104.28
02/24/98	0:45	111465	104.27
02/24/98	2:21	111561	104.25
02/24/98	4:05	111665	104.23
02/24/98	4:21	111681	104.22
02/24/98	5:37	111757	104.20
02/24/98	7:01	111841	104.18
02/24/98	8:05	111905	104.17
02/24/98	8:33	111933	104.16
02/24/98	9:53	112013	104.14
02/24/98	11:05	112085	104.12
02/24/98	12:05	112145	104.10
02/24/98	12:33	112173	104.10
02/24/98	14:09	112269	104.08
02/24/98	16:01	112381	104.06
02/24/98	16:05	112385	104.06
02/24/98	19:21	112581	104.04
02/24/98	20:05	112625	104.03
02/25/98	0:05	112885	104.02
02/25/98	0:29	112889	104.01
02/25/98	4:05	113105	104.00
02/25/98	4:53	113153	103.99
02/25/98	8:05	113345	103.98
02/25/98	8:29	113369	103.97
02/25/98	10:41	113501	103.95
02/25/98	12:05	113585	103.93
02/25/98	12:37	113617	103.93
02/25/98	15:25	113785	103.91
02/25/98	16:05	113825	103.91
02/25/98	20:05	114065	103.91
02/26/98	0:05	114305	103.90
02/26/98	4:05	114545	103.90
02/26/98	4:57	114597	103.89
02/26/98	8:05	114785	103.88
02/26/98	8:57	114837	103.87
02/26/98	11:53	115013	103.85
02/26/98	12:05	115025	103.84
02/26/98	14:53	115193	103.83
02/26/98	16:05	115265	103.83
02/26/98	20:05	115505	103.83
02/27/98	0:05	115745	103.83
02/27/98	4:05	115985	103.84
02/27/98	6:53	116153	103.81
02/27/98	8:05	116225	103.81
02/27/98	12:05	116465	103.79
02/27/98	14:25	116605	103.79
02/27/98	16:05	116705	103.77
02/27/98	16:13	116713	103.77
02/27/98	20:05	116945	103.77
02/28/98	0:05	117185	103.77
02/28/98	4:05	117425	103.77
02/28/98	8:05	117665	103.75
02/28/98	9:01	117721	103.74
02/28/98	12:05	117905	103.74
02/28/98	13:41	118001	103.77
02/28/98	16:05	118145	103.77
02/28/98	19:13	118333	103.75
02/28/98	20:05	118385	103.75
02/28/98	23:25	118585	103.78
02/28/98	23:37	118597	103.80
02/28/98	23:53	118613	103.82
02/28/98	23:57	118617	103.85
03/01/98	0:01	118621	103.89
03/01/98	0:05	118625	103.93
03/01/98	0:09	118629	103.98
03/01/98	0:13	118633	104.03
03/01/98	0:17	118637	104.07

Date	Time	lapsed_tim	Water_elev
03/01/98	0:21	118641	104.11
03/01/98	0:25	118645	104.14
03/01/98	0:29	118649	104.18
03/01/98	0:33	118653	104.21
03/01/98	0:37	118657	104.26
03/01/98	0:41	118661	104.29
03/01/98	0:45	118665	104.31
03/01/98	0:49	118669	104.34
03/01/98	0:53	118673	104.36
03/01/98	1:01	118681	104.40
03/01/98	1:09	118689	104.42
03/01/98	1:17	118697	104.45
03/01/98	1:41	118721	104.47
03/01/98	2:37	118777	104.45
03/01/98	3:09	118809	104.43
03/01/98	3:45	118845	104.41
03/01/98	4:05	118865	104.40
03/01/98	4:13	118873	104.39
03/01/98	4:37	118897	104.37
03/01/98	5:09	118929	104.35
03/01/98	5:45	118965	104.33
03/01/98	6:17	118997	104.30
03/01/98	7:05	119045	104.28
03/01/98	8:05	119105	104.26
03/01/98	8:09	119109	104.26
03/01/98	8:53	119153	104.24
03/01/98	9:41	119201	104.22
03/01/98	10:25	119245	104.20
03/01/98	11:41	119321	104.18
03/01/98	12:05	119345	104.17
03/01/98	12:33	119373	104.16
03/01/98	13:25	119425	104.14
03/01/98	14:21	119481	104.12
03/01/98	15:17	119537	104.10
03/01/98	16:05	119585	104.08
03/01/98	16:09	119589	104.07
03/01/98	17:21	119661	104.05
03/01/98	18:53	119753	104.03
03/01/98	20:05	119825	104.01
03/01/98	20:25	119845	104.01
03/01/98	21:49	119929	103.99
03/01/98	23:13	120013	103.97
03/02/98	0:05	120065	103.96
03/02/98	1:45	120165	103.95
03/02/98	3:45	120285	103.92
03/02/98	4:05	120305	103.92
03/02/98	5:41	120401	103.90
03/02/98	7:29	120509	103.88
03/02/98	8:05	120545	103.88
03/02/98	8:57	120597	103.86
03/02/98	10:25	120685	103.84
03/02/98	11:45	120765	103.82
03/02/98	12:05	120785	103.81
03/02/98	13:41	120881	103.80
03/02/98	15:29	120989	103.78
03/02/98	16:05	121025	103.77
03/02/98	18:57	121197	103.76
03/02/98	20:05	121265	103.76
03/03/98	0:05	121505	103.74
03/03/98	2:29	121649	103.74
03/03/98	4:05	121745	103.73
03/03/98	7:09	121929	103.72
03/03/98	8:05	121985	103.71
03/03/98	9:33	122073	103.80
03/03/98	9:41	122081	103.72
03/03/98	9:45	122085	103.69
03/03/98	9:57	122097	103.67
03/03/98	10:25	122125	103.61
03/03/98	10:29	122129	103.65
03/03/98	10:33	122133	103.69
03/03/98	10:37	122137	103.67
03/03/98	11:01	122161	103.65
03/03/98	12:05	122225	103.64
03/03/98	14:57	122397	103.63
03/03/98	16:05	122465	103.62
03/03/98	20:05	122705	103.62
03/04/98	0:05	122945	103.62
03/04/98	4:05	123185	103.62
03/04/98	6:01	123301	103.61
03/04/98	8:05	123425	103.60
03/04/98	9:57	123537	103.59
03/04/98	12:05	123665	103.58
03/04/98	14:33	123813	103.56
03/04/98	16:05	123905	103.56
03/04/98	20:05	124145	103.56
03/05/98	0:05	124385	103.57
03/05/98	4:05	124625	103.58
03/05/98	8:05	124865	103.56
03/05/98	10:09	124989	103.54
03/05/98	12:05	125105	103.53
03/05/98	12:21	125121	103.52

NTC Orlando OU4, IRA Performance Monitoring
OW10A

Date	Time	lapsed_tim	Water_elev
03/05/98	16:05	125345	103.51
03/05/98	20:05	125585	103.52
03/06/98	0:05	125825	103.52
03/06/98	3:05	126005	103.54
03/06/98	4:05	126065	103.53
03/06/98	5:21	126141	103.52
03/06/98	8:05	126305	103.52
03/06/98	9:45	126405	103.50
03/06/98	11:37	126517	103.48
03/06/98	12:05	126545	103.48
03/06/98	16:05	126785	103.47
03/06/98	20:05	127025	103.48
03/07/98	0:05	127265	103.49
03/07/98	2:17	127397	103.50
03/07/98	4:05	127505	103.50
03/07/98	8:05	127745	103.49
03/07/98	9:33	127833	103.48
03/07/98	11:37	127957	103.46
03/07/98	12:05	127985	103.46
03/07/98	14:53	128153	103.44
03/07/98	16:05	128225	103.43
03/07/98	20:05	128465	103.44
03/07/98	22:53	128633	103.46
03/08/98	0:05	128705	103.46
03/08/98	4:05	128945	103.47
03/08/98	8:05	129185	103.45
03/08/98	10:13	129313	103.44
03/08/98	11:57	129417	103.42
03/08/98	12:05	129425	103.42
03/08/98	16:05	129665	103.41
03/08/98	20:05	129905	103.42
03/09/98	0:05	130145	103.44
03/09/98	1:01	130201	103.44
03/09/98	1:05	130205	103.50
03/09/98	1:09	130209	103.58
03/09/98	1:13	130213	103.74
03/09/98	1:17	130217	103.98
03/09/98	1:21	130221	104.21
03/09/98	1:25	130225	104.41
03/09/98	1:29	130229	104.59
03/09/98	1:33	130233	104.76
03/09/98	1:37	130237	104.94
03/09/98	1:41	130241	105.05
03/09/98	1:45	130245	105.15
03/09/98	1:49	130249	105.19
03/09/98	1:53	130253	105.22
03/09/98	2:09	130269	105.20
03/09/98	2:17	130277	105.17
03/09/98	2:29	130289	105.14
03/09/98	2:37	130297	105.11
03/09/98	2:49	130309	105.09
03/09/98	3:01	130321	105.07
03/09/98	3:17	130337	105.05
03/09/98	3:33	130353	105.02
03/09/98	3:53	130373	105.00
03/09/98	4:05	130385	104.99
03/09/98	4:13	130393	104.98
03/09/98	4:33	130413	104.96
03/09/98	4:57	130437	104.93
03/09/98	5:21	130461	104.91
03/09/98	5:45	130485	104.89
03/09/98	6:09	130509	104.87
03/09/98	6:41	130541	104.85
03/09/98	7:09	130569	104.83
03/09/98	7:41	130601	104.81
03/09/98	8:05	130625	104.79
03/09/98	8:13	130633	104.79
03/09/98	8:49	130669	104.77
03/09/98	9:25	130705	104.74
03/09/98	10:05	130745	104.72
03/09/98	10:33	130773	104.70
03/09/98	11:09	130809	104.68
03/09/98	11:45	130845	104.66
03/09/98	12:05	130865	104.65
03/09/98	12:21	130881	104.64
03/09/98	12:57	130917	104.62
03/09/98	13:33	130953	104.59
03/09/98	14:13	130993	104.57
03/09/98	14:49	131029	104.55
03/09/98	15:29	131069	104.53
03/09/98	16:05	131105	104.51
03/09/98	16:09	131109	104.51
03/09/98	16:57	131157	104.49
03/09/98	17:53	131213	104.47
03/09/98	18:29	131249	104.45
03/09/98	19:33	131313	104.43
03/09/98	20:05	131345	104.42
03/09/98	20:21	131361	104.41
03/09/98	21:21	131421	104.39
03/09/98	22:25	131485	104.37
03/09/98	23:45	131565	104.34

Date	Time	lapsed_tim	Water_elev
03/10/98	0:05	131585	104.34
03/10/98	1:13	131653	104.32
03/10/98	2:37	131737	104.30
03/10/98	3:37	131797	104.28
03/10/98	4:05	131825	104.28
03/10/98	5:13	131893	104.26
03/10/98	6:29	131969	104.24
03/10/98	6:53	131993	104.22
03/10/98	8:05	132065	104.23
03/10/98	8:13	132073	104.17
03/10/98	8:17	132077	104.09
03/10/98	8:21	132081	104.14
03/10/98	8:25	132085	104.19
03/10/98	8:41	132101	104.21
03/10/98	9:01	132121	104.19
03/10/98	10:17	132197	104.17
03/10/98	12:05	132305	104.16
03/10/98	12:33	132333	104.15
03/10/98	14:13	132433	104.13
03/10/98	15:45	132525	104.11
03/10/98	16:05	132545	104.11
03/10/98	17:25	132625	104.09
03/10/98	19:33	132753	104.07
03/10/98	20:05	132785	104.06
03/10/98	21:53	132893	104.04
03/11/98	0:05	133025	104.03
03/11/98	1:17	133097	104.02
03/11/98	4:05	133265	104.01
03/11/98	4:33	133293	104.00
03/11/98	6:33	133413	103.98
03/11/98	8:05	133505	103.97
03/11/98	8:53	133553	103.96
03/11/98	11:01	133681	103.94
03/11/98	12:05	133745	103.93
03/11/98	13:41	133841	103.92
03/11/98	16:05	133985	103.90
03/11/98	16:37	134017	103.90
03/11/98	20:05	134225	103.88
03/11/98	20:13	134233	103.88
03/12/98	0:05	134465	103.86
03/12/98	0:45	134505	103.86
03/12/98	4:05	134705	103.84
03/12/98	5:17	134777	103.83
03/12/98	8:05	134945	103.82
03/12/98	8:25	134965	103.81
03/12/98	11:21	135141	103.79
03/12/98	12:05	135185	103.79
03/12/98	15:45	135405	103.77
03/12/98	16:05	135425	103.77
03/12/98	20:05	135665	103.76
03/12/98	22:13	135793	103.75
03/13/98	0:05	135905	103.76
03/13/98	4:05	136145	103.76
03/13/98	8:05	136385	103.74
03/13/98	8:29	136409	103.73
03/13/98	11:01	136561	103.71
03/13/98	12:05	136625	103.71
03/13/98	16:05	136865	103.70
03/13/98	16:41	136901	103.69
03/13/98	20:05	137105	103.69
03/14/98	0:05	137345	103.69
03/14/98	4:05	137585	103.69
03/14/98	8:05	137825	103.67
03/14/98	8:09	137829	103.67
03/14/98	10:45	137985	103.65
03/14/98	12:05	138065	103.64
03/14/98	14:21	138201	103.63
03/14/98	16:05	138305	103.62
03/14/98	20:05	138545	103.63
03/15/98	0:05	138785	103.64
03/15/98	4:05	139025	103.64
03/15/98	8:05	139265	103.62
03/15/98	9:37	139357	103.61
03/15/98	11:53	139493	103.59
03/15/98	12:05	139505	103.59
03/15/98	15:25	139705	103.56
03/15/98	16:05	139745	103.56
03/15/98	20:05	139985	103.58
03/15/98	23:25	140185	103.59
03/16/98	0:05	140225	103.59
03/16/98	4:05	140465	103.59
03/16/98	8:05	140705	103.57
03/16/98	9:09	140769	103.56
03/16/98	10:45	140865	103.54
03/16/98	12:05	140945	103.53
03/16/98	12:49	140989	103.52
03/16/98	16:05	141185	103.51
03/16/98	20:05	141425	103.53
03/17/98	0:05	141665	103.54
03/17/98	1:09	141729	103.54
03/17/98	4:05	141905	103.54

Date	Time	lapsed_tim	Water_elev
03/17/98	8:05	142145	103.53
03/17/98	8:33	142173	103.52
03/17/98	10:33	142293	103.50
03/17/98	12:05	142385	103.48
03/17/98	12:13	142393	103.48
03/17/98	14:57	142557	103.46
03/17/98	16:05	142625	103.46
03/17/98	19:41	142841	103.48
03/17/98	20:05	142865	103.48
03/18/98	0:05	143105	103.50
03/18/98	0:21	143121	103.50
03/18/98	4:05	143345	103.51
03/18/98	8:05	143585	103.49
03/18/98	8:41	143621	103.48
03/18/98	10:29	143729	103.46
03/18/98	12:05	143825	103.46
03/18/98	14:57	143997	103.44
03/18/98	16:05	144065	103.42
03/18/98	16:13	144073	103.42
03/18/98	17:45	144165	103.40
03/18/98	20:05	144305	103.40
03/18/98	23:21	144501	103.43
03/18/98	23:25	144505	103.47
03/18/98	23:29	144509	103.54
03/18/98	23:33	144513	103.62
03/18/98	23:37	144517	103.71
03/18/98	23:41	144521	103.81
03/18/98	23:45	144525	103.89
03/18/98	23:49	144529	103.98
03/18/98	23:53	144533	104.04
03/18/98	23:57	144537	104.10
03/19/98	0:01	144541	104.14
03/19/98	0:05	144545	104.18
03/19/98	0:09	144549	104.21
03/19/98	0:13	144553	104.23
03/19/98	0:21	144561	104.26
03/19/98	0:37	144577	104.26
03/19/98	1:21	144621	104.26
03/19/98	1:45	144645	104.24
03/19/98	2:01	144661	104.22
03/19/98	2:17	144677	104.19
03/19/98	3:33	144753	104.21
03/19/98	3:41	144761	104.24
03/19/98	4:01	144781	104.27
03/19/98	4:05	144785	104.27
03/19/98	4:13	144793	104.30
03/19/98	4:21	144801	104.32
03/19/98	4:25	144805	104.34
03/19/98	4:33	144813	104.38
03/19/98	4:41	144821	104.41
03/19/98	4:45	144825	104.44
03/19/98	4:53	144833	104.47
03/19/98	4:57	144837	104.50
03/19/98	5:05	144845	104.54
03/19/98	5:09	144849	104.56
03/19/98	5:17	144857	104.59
03/19/98	5:25	144865	104.62
03/19/98	5:37	144877	104.65
03/19/98	6:25	144925	104.63
03/19/98	6:37	144937	104.60
03/19/98	6:53	144953	104.58
03/19/98	7:17	144977	104.55
03/19/98	7:29	144989	104.53
03/19/98	7:49	145009	104.51
03/19/98	8:05	145025	104.48
03/19/98	8:29	145049	104.48
03/19/98	8:57	145077	104.44
03/19/98	9:25	145105	104.41
03/19/98	9:45	145125	104.39
03/19/98	10:21	145161	104.37
03/19/98	10:49	145189	104.34
03/19/98	11:21	145221	104.32
03/19/98	12:05	145265	104.32
03/19/98	13:17	145337	104.30
03/19/98	14:29	145409	104.28
03/19/98	15:25	145465	104.26
03/19/98	15:49	145489	104.24
03/19/98	16:05	145505	104.23
03/19/98	16:13	145513	104.22
03/19/98	16:25	145525	104.26
03/19/98	16:29	145529	104.34
03/19/98	16:33	145533	104.43
03/19/98	16:37	145537	104.50
03/19/98	16:41	145541	104.58
03/19/98	16:45	145545	104.64
03/19/98	16:49	145549	104.70
03/19/98	16:53	145553	104.75
03/19/98	16:57	145557	104.80
03/19/98	17:01	145561	104.83
03/19/98	17:05	145565	104.85
03/19/98	17:09	145569	104.88

NTC Orlando OU4, IRA Performance Monitoring
OW10A

Date	Time	lapsed_tim	Water_elev
03/19/98	17:17	145577	104.92
03/19/98	17:25	145585	104.94
03/19/98	17:49	145609	104.96
03/19/98	18:05	145625	104.98
03/19/98	18:17	145637	105.00
03/19/98	18:29	145649	105.02
03/19/98	18:45	145665	105.04
03/19/98	18:57	145677	105.07
03/19/98	19:37	145717	105.04
03/19/98	19:53	145733	105.02
03/19/98	20:05	145745	105.00
03/19/98	20:25	145765	104.98
03/19/98	20:41	145781	104.95
03/19/98	21:01	145801	104.93
03/19/98	21:57	145857	104.97
03/19/98	22:05	145865	104.99
03/19/98	22:17	145877	105.01
03/19/98	22:41	145901	105.03
03/19/98	23:01	145921	105.01
03/19/98	23:13	145933	104.99
03/19/98	23:29	145949	104.97
03/19/98	23:41	145961	104.95
03/20/98	0:05	145985	104.94
03/20/98	0:09	145989	104.92
03/20/98	1:21	146061	104.90
03/20/98	2:41	146141	104.88
03/20/98	3:29	146189	104.85
03/20/98	4:05	146225	104.84
03/20/98	4:17	146237	104.83
03/20/98	5:01	146281	104.81
03/20/98	5:49	146329	104.79
03/20/98	6:29	146369	104.77
03/20/98	7:17	146417	104.75
03/20/98	8:05	146465	104.73
03/20/98	8:57	146517	104.71
03/20/98	9:45	146565	104.69
03/20/98	10:25	146605	104.67
03/20/98	11:13	146653	104.65
03/20/98	12:05	146705	104.63
03/20/98	12:09	146709	104.63
03/20/98	12:57	146757	104.60
03/20/98	13:37	146797	104.58
03/20/98	14:21	146841	104.60
03/20/98	14:25	146845	104.62
03/20/98	16:05	146945	104.60
03/20/98	16:53	146993	104.58
03/20/98	18:17	147077	104.56
03/20/98	19:17	147137	104.54
03/20/98	20:05	147185	104.52
03/20/98	20:33	147213	104.52
03/20/98	21:45	147285	104.49
03/20/98	23:17	147377	104.47
03/21/98	0:05	147425	104.46
03/21/98	0:29	147449	104.45
03/21/98	2:21	147561	104.43
03/21/98	3:37	147637	104.41
03/21/98	4:05	147665	104.40
03/21/98	4:53	147713	104.39
03/21/98	6:25	147805	104.37
03/21/98	7:37	147877	104.35
03/21/98	8:05	147905	104.34
03/21/98	8:41	147941	104.33
03/21/98	9:57	148017	104.31
03/21/98	11:09	148089	104.28
03/21/98	12:05	148145	104.27
03/21/98	12:09	148149	104.26
03/21/98	13:17	148217	104.24
03/21/98	14:49	148309	104.22
03/21/98	16:01	148381	104.20
03/21/98	16:05	148385	104.21
03/21/98	17:45	148485	104.18
03/21/98	19:49	148609	104.16
03/21/98	20:05	148625	104.16
03/21/98	22:29	148769	104.14
03/22/98	0:05	148865	104.12
03/22/98	0:45	148905	104.12
03/22/98	3:09	149049	104.10
03/22/98	4:05	149105	104.10
03/22/98	5:21	149181	104.08
03/22/98	7:33	149313	104.06
03/22/98	8:05	149345	104.06
03/22/98	9:37	149437	104.04
03/22/98	11:25	149545	104.02
03/22/98	12:05	149585	104.01
03/22/98	13:25	149665	104.00
03/22/98	15:01	149761	103.98
03/22/98	16:05	149825	103.97
03/22/98	17:29	149909	103.95
03/22/98	20:05	150065	103.94
03/22/98	21:21	150141	103.93
03/23/98	0:05	150305	103.93
03/23/98	4:05	150545	103.92
03/23/98	4:09	150549	103.91
03/23/98	7:49	150769	103.89
03/23/98	8:05	150785	103.89
03/23/98	10:29	150929	103.87
03/23/98	11:05	150965	103.60
03/23/98	11:09	150969	103.50
03/23/98	11:13	150973	103.57
03/23/98	11:17	150977	103.62
03/23/98	11:29	150989	103.64
03/23/98	12:05	151025	103.62
03/23/98	12:09	151029	103.61
03/23/98	16:05	151265	103.60
03/23/98	16:29	151289	103.59
03/23/98	18:21	151401	103.57
03/23/98	18:33	151413	103.60
03/23/98	18:53	151433	103.62
03/23/98	19:13	151453	103.64
03/23/98	19:33	151473	103.66
03/23/98	19:57	151497	103.68
03/23/98	20:05	151505	103.69
03/23/98	20:25	151525	103.71
03/23/98	21:09	151569	103.73
03/23/98	21:45	151605	103.75
03/23/98	22:45	151665	103.77
03/24/98	0:01	151741	103.79
03/24/98	0:05	151745	103.79
03/24/98	2:17	151877	103.82
03/24/98	3:45	151965	103.84
03/24/98	4:05	151985	103.83
03/24/98	6:49	152149	103.82
03/24/98	8:05	152225	103.81
03/24/98	9:33	152313	103.80
03/24/98	11:01	152401	103.77
03/24/98	12:05	152465	103.76
03/24/98	12:45	152505	103.75
03/24/98	16:05	152705	103.74
03/24/98	20:05	152945	103.74
03/25/98	0:05	153185	103.75
03/25/98	4:05	153425	103.75
03/25/98	6:41	153581	103.74
03/25/98	8:05	153665	103.73
03/25/98	9:21	153741	103.71
03/25/98	10:45	153825	103.69
03/25/98	12:05	153905	103.68
03/25/98	12:33	153933	103.67
03/25/98	15:53	154133	103.65
03/25/98	16:05	154145	103.65
03/25/98	20:05	154385	103.67
03/25/98	21:25	154465	103.67
03/26/98	0:05	154625	103.68
03/26/98	4:05	154865	103.68
03/26/98	8:05	155105	103.67
03/26/98	9:17	155177	103.65
03/26/98	10:37	155257	103.63
03/26/98	12:05	155345	103.61
03/26/98	12:29	155369	103.61
03/26/98	16:05	155585	103.60
03/26/98	20:05	155825	103.62
03/26/98	23:05	156005	103.63
03/27/98	0:05	156065	103.63
03/27/98	4:05	156305	103.65
03/27/98	8:05	156545	103.62
03/27/98	9:05	156605	103.61
03/27/98	10:21	156681	103.59
03/27/98	12:05	156785	103.57
03/27/98	12:41	156821	103.57
03/27/98	16:05	157025	103.56
03/27/98	20:05	157265	103.58
03/28/98	0:01	157501	103.59
03/28/98	0:05	157505	103.59
03/28/98	4:05	157745	103.60
03/28/98	8:05	157985	103.58
03/28/98	9:25	158065	103.57
03/28/98	10:41	158141	103.55
03/28/98	12:05	158225	103.53
03/28/98	12:25	158245	103.53
03/28/98	16:05	158465	103.52
03/28/98	20:05	158705	103.53
03/29/98	0:05	158945	103.55
03/29/98	0:41	158981	103.55
03/29/98	4:05	159185	103.55
03/29/98	8:05	159425	103.54
03/29/98	9:13	159493	103.53
03/29/98	10:21	159561	103.51
03/29/98	11:45	159645	103.49
03/29/98	12:05	159665	103.48
03/29/98	14:01	159781	103.47
03/29/98	16:05	159905	103.46
03/29/98	20:05	160145	103.48
03/29/98	20:29	160169	103.49
03/30/98	0:05	160385	103.50
03/30/98	0:09	160389	103.51
03/30/98	4:05	160625	103.51
03/30/98	8:05	160865	103.51
03/30/98	9:17	160937	103.49
03/30/98	10:17	160997	103.47
03/30/98	12:05	161105	103.44

NTC Orlando OU4, IRA Performance Monitoring

DW11C

Date	Time	lapsed_tim	Water_elev
12/08/97	15:00	0	102.55
12/08/97	16:00	60	102.56
12/08/97	17:00	120	102.56
12/08/97	18:00	180	102.56
12/08/97	19:00	240	102.55
12/08/97	20:00	300	102.56
12/08/97	21:00	360	102.56
12/08/97	22:00	420	102.55
12/08/97	23:00	480	102.56
12/09/97	0:00	540	102.56
12/09/97	1:00	600	102.56
12/09/97	2:00	660	102.55
12/09/97	3:00	720	102.56
12/09/97	4:00	780	102.56
12/09/97	5:00	840	102.55
12/09/97	6:00	900	102.56
12/09/97	7:00	960	102.56
12/09/97	8:00	1020	102.56
12/09/97	9:00	1080	102.56
12/09/97	10:00	1140	102.56
12/09/97	11:00	1200	102.56
12/09/97	12:00	1260	102.56
12/09/97	13:00	1320	102.57
12/09/97	14:00	1380	102.57
12/09/97	15:00	1440	102.58
12/09/97	16:00	1500	102.58
12/09/97	17:00	1560	102.58
12/09/97	18:00	1620	102.58
12/09/97	19:00	1680	102.58
12/09/97	20:00	1740	102.58
12/09/97	21:00	1800	102.57
12/09/97	22:00	1860	102.57
12/09/97	23:00	1920	102.57
12/10/97	0:00	1980	102.56
12/10/97	1:00	2040	102.56
12/10/97	2:00	2100	102.55
12/10/97	3:00	2160	102.55
12/10/97	4:00	2220	102.55
12/10/97	5:00	2280	102.55
12/10/97	6:00	2340	102.55
12/10/97	7:00	2400	102.55
12/10/97	8:00	2460	102.45
12/10/97	9:00	2520	102.55
12/10/97	10:00	2580	102.56
12/10/97	11:00	2640	102.49
12/10/97	12:00	2700	102.53
12/10/97	13:00	2760	102.53
12/10/97	14:00	2820	102.53
12/10/97	15:00	2880	102.29
12/10/97	16:00	2940	101.98
12/10/97	17:00	3000	101.83
12/10/97	18:00	3060	101.84
12/10/97	19:00	3120	101.87
12/10/97	20:00	3180	101.90
12/10/97	21:00	3240	101.93
12/10/97	22:00	3300	101.96
12/10/97	23:00	3360	101.98
12/11/97	0:00	3420	102.01
12/11/97	1:00	3480	102.02
12/11/97	2:00	3540	102.04
12/11/97	3:00	3600	102.06
12/11/97	4:00	3660	102.08
12/11/97	5:00	3720	102.08
12/11/97	6:00	3780	102.09
12/11/97	7:00	3840	102.09
12/11/97	8:00	3900	101.80
12/11/97	9:00	3960	101.30
12/11/97	10:00	4020	101.04
12/11/97	11:00	4080	100.74
12/11/97	12:00	4140	100.54
12/11/97	13:00	4200	100.45
12/11/97	14:00	4260	100.42
12/11/97	15:00	4320	100.42
12/11/97	16:00	4380	100.48
12/11/97	17:00	4440	100.52
12/11/97	18:00	4500	100.56
12/11/97	19:00	4560	100.53
12/11/97	20:00	4620	100.47
12/11/97	21:00	4680	100.51
12/11/97	22:00	4740	100.54
12/11/97	23:00	4800	100.51
12/12/97	0:00	4860	100.55
12/12/97	1:00	4920	100.58
12/12/97	2:00	4980	100.59
12/12/97	3:00	5040	100.61
12/12/97	4:00	5100	100.64
12/12/97	5:00	5160	100.67
12/12/97	6:00	5220	100.65
12/12/97	7:00	5280	100.68
12/12/97	8:00	5340	100.71
12/12/97	9:00	5400	100.75
12/12/97	10:00	5460	100.77
12/12/97	11:00	5520	100.83
12/12/97	12:00	5580	100.88
12/12/97	13:00	5640	100.88
12/12/97	14:00	5700	100.78
12/12/97	15:00	5760	100.76
12/12/97	16:00	5820	100.77
12/12/97	17:00	5880	100.59
12/12/97	18:00	5940	100.84
12/12/97	19:00	6000	100.88
12/12/97	20:00	6060	100.90
12/12/97	21:00	6120	100.92
12/12/97	22:00	6180	100.95
12/12/97	23:00	6240	100.96
12/13/97	0:00	6300	100.95
12/13/97	1:00	6360	100.91
12/13/97	2:00	6420	100.69
12/13/97	3:00	6480	100.56
12/13/97	4:00	6540	100.57
12/13/97	5:00	6600	100.62
12/13/97	6:00	6660	100.64
12/13/97	7:00	6720	100.66
12/13/97	8:00	6780	100.65
12/13/97	9:00	6840	100.52
12/13/97	10:00	6900	100.48
12/13/97	11:00	6960	100.39
12/13/97	12:00	7020	100.41
12/13/97	13:00	7080	100.43
12/13/97	14:00	7140	100.42
12/13/97	15:00	7200	100.41
12/13/97	16:00	7260	100.46
12/13/97	17:00	7320	100.45
12/13/97	18:00	7380	100.49
12/13/97	19:00	7440	100.49
12/13/97	20:00	7500	100.52
12/13/97	21:00	7560	100.52
12/13/97	22:00	7620	100.54
12/13/97	23:00	7680	100.52
12/14/97	0:00	7740	100.57
12/14/97	1:00	7800	100.59
12/14/97	2:00	7860	100.61
12/14/97	3:00	7920	100.60
12/14/97	4:00	7980	100.63
12/14/97	5:00	8040	100.72
12/14/97	6:00	8100	100.74
12/14/97	7:00	8160	100.77
12/14/97	8:00	8220	100.73
12/14/97	9:00	8280	100.40
12/14/97	10:00	8340	100.18
12/14/97	11:00	8400	100.19
12/14/97	12:00	8460	100.20
12/14/97	13:00	8520	100.26
12/14/97	14:00	8580	100.29
12/14/97	15:00	8640	100.33
12/14/97	16:00	8700	100.35
12/14/97	17:00	8760	100.41
12/14/97	18:00	8820	100.40
12/14/97	19:00	8880	100.39
12/14/97	20:00	8940	100.41
12/14/97	21:00	9000	100.41
12/14/97	22:00	9060	100.47
12/14/97	23:00	9120	100.51
12/15/97	0:00	9180	100.50
12/15/97	1:00	9240	100.54
12/15/97	2:00	9300	100.55
12/15/97	3:00	9360	100.58
12/15/97	4:00	9420	100.56
12/15/97	5:00	9480	100.59
12/15/97	6:00	9540	100.59
12/15/97	7:00	9600	100.59
12/15/97	8:00	9660	100.84
12/15/97	9:00	9720	100.84
12/15/97	10:00	9780	100.84
12/15/97	11:00	9840	100.87
12/15/97	12:00	9900	100.90
12/15/97	13:00	9960	100.93
12/15/97	14:00	10020	100.97
12/15/97	15:00	10080	100.99
12/15/97	16:00	10140	100.91
12/15/97	17:00	10200	100.83
12/15/97	18:00	10260	100.79
12/15/97	19:00	10320	100.77
12/15/97	20:00	10380	100.78
12/15/97	21:00	10440	100.77
12/15/97	22:00	10500	100.79
12/15/97	23:00	10560	100.82
12/16/97	0:00	10620	100.87
12/16/97	1:00	10680	100.90
12/16/97	2:00	10740	100.89
12/16/97	3:00	10800	100.90
12/16/97	4:00	10860	100.94
12/16/97	5:00	10920	100.95
12/16/97	6:00	10980	100.89
12/16/97	7:00	11040	100.92
12/16/97	8:00	11100	100.91
12/16/97	9:00	11160	100.93
12/16/97	10:00	11220	100.95
12/16/97	11:00	11280	101.01
12/16/97	12:00	11340	101.09
12/16/97	13:00	11400	101.08
12/16/97	14:00	11460	101.10
12/16/97	15:00	11520	101.09
12/16/97	16:00	11580	101.13
12/16/97	17:00	11640	101.13
12/16/97	18:00	11700	101.12
12/16/97	19:00	11760	101.14
12/16/97	20:00	11820	101.17
12/16/97	21:00	11880	101.18
12/16/97	22:00	11940	101.17
12/16/97	23:00	12000	101.16
12/17/97	0:00	12060	101.19
12/17/97	1:00	12120	101.20
12/17/97	2:00	12180	101.19
12/17/97	3:00	12240	101.22
12/17/97	4:00	12300	101.23
12/17/97	5:00	12360	101.23
12/17/97	6:00	12420	101.21
12/17/97	7:00	12480	101.22
12/17/97	8:00	12540	101.25
12/17/97	9:00	12600	101.25
12/17/97	10:00	12660	101.27
12/17/97	11:00	12720	101.25
12/17/97	12:00	12780	101.29
12/17/97	13:00	12840	101.30
12/17/97	14:00	12900	101.28
12/17/97	15:00	12960	101.28
12/17/97	16:00	13020	101.30
12/17/97	17:00	13080	101.30
12/17/97	18:00	13140	101.32
12/17/97	19:00	13200	101.32
12/17/97	20:00	13260	101.32
12/17/97	21:00	13320	101.33
12/17/97	22:00	13380	101.33
12/17/97	23:00	13440	101.37
12/18/97	0:00	13500	101.36
12/18/97	1:00	13560	101.37
12/18/97	2:00	13620	101.37
12/18/97	3:00	13680	101.40
12/18/97	4:00	13740	101.39
12/18/97	5:00	13800	101.39
12/18/97	6:00	13860	101.40
12/18/97	7:00	13920	101.39
12/18/97	8:00	13980	101.41
12/18/97	9:00	14040	101.42
12/18/97	10:00	14100	101.42
12/18/97	11:00	14160	101.43
12/18/97	12:00	14220	101.30
12/18/97	13:00	14280	101.33
12/18/97	14:00	14340	101.37
12/18/97	15:00	14400	101.39
12/18/97	16:00	14460	101.40
12/18/97	17:00	14520	101.41
12/18/97	18:00	14580	101.42
12/18/97	19:00	14640	101.43
12/18/97	20:00	14700	101.43
12/18/97	21:00	14760	101.44
12/18/97	22:00	14820	101.44
12/18/97	23:00	14880	101.45
12/19/97	0:00	14940	101.48
12/19/97	1:00	15000	101.48
12/19/97	2:00	15060	101.48
12/19/97	3:00	15120	101.47
12/19/97	4:00	15180	101.47
12/19/97	5:00	15240	101.48
12/19/97	6:00	15300	101.48
12/19/97	7:00	15360	101.48
12/19/97	8:00	15420	101.48
12/19/97	9:00	15480	101.48
12/19/97	10:00	15540	101.48
12/19/97	11:00	15600	101.49
12/19/97	12:00	15660	101.50
12/31/97	12:00	32940	104.07
12/31/97	13:00	33000	104.08
12/31/97	14:00	33060	104.08
12/31/97	15:00	33120	104.09
12/31/97	16:00	33180	104.10
12/31/97	17:00	33240	104.11
12/31/97	18:00	33300	104.12
12/31/97	19:00	33360	104.12
12/31/97	20:00	33420	104.13
12/31/97	21:00	33480	104.14
12/31/97	22:00	33540	104.14

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
12/31/97	23:00	33600	104.14
01/01/98	0:00	33660	104.14
01/01/98	1:00	33720	104.15
01/01/98	2:00	33780	104.15
01/01/98	3:00	33840	104.15
01/01/98	4:00	33900	104.16
01/01/98	5:00	33960	104.17
01/01/98	6:00	34020	104.17
01/01/98	7:00	34080	104.18
01/01/98	8:00	34140	104.18
01/01/98	9:00	34200	104.19
01/01/98	10:00	34260	104.19
01/01/98	11:00	34320	104.20
01/01/98	12:00	34380	104.20
01/01/98	13:00	34440	104.20
01/01/98	14:00	34500	104.20
01/01/98	15:00	34560	104.21
01/01/98	16:00	34620	104.22
01/01/98	17:00	34680	104.22
01/01/98	18:00	34740	104.22
01/01/98	19:00	34800	104.22
01/01/98	20:00	34860	104.23
01/01/98	21:00	34920	104.23
01/01/98	22:00	34980	104.23
01/01/98	23:00	35040	104.23
01/02/98	0:00	35100	104.23
01/02/98	1:00	35160	104.23
01/02/98	2:00	35220	104.24
01/02/98	3:00	35280	104.24
01/02/98	4:00	35340	104.24
01/02/98	5:00	35400	104.24
01/02/98	6:00	35460	104.25
01/02/98	7:00	35520	104.25
01/02/98	8:00	35580	104.25
01/02/98	9:00	35640	104.26
01/02/98	10:00	35700	104.26
01/02/98	11:00	35760	104.26
01/02/98	12:00	35820	104.27
01/02/98	13:00	35880	104.28
01/02/98	14:00	35940	104.28
01/02/98	15:00	36000	104.29
01/02/98	16:00	36060	104.29
01/02/98	17:00	36120	104.30
01/02/98	18:00	36180	104.30
01/02/98	19:00	36240	104.29
01/02/98	20:00	36300	104.29
01/02/98	21:00	36360	104.30
01/02/98	22:00	36420	104.30
01/02/98	23:00	36480	104.30
01/03/98	0:00	36540	104.30
01/03/98	1:00	36600	104.30
01/03/98	2:00	36660	104.30
01/03/98	3:00	36720	104.30
01/03/98	4:00	36780	104.30
01/03/98	5:00	36840	104.31
01/03/98	6:00	36900	104.31
01/03/98	7:00	36960	104.31
01/03/98	8:00	37020	104.32
01/03/98	9:00	37080	104.32
01/03/98	10:00	37140	104.33
01/03/98	11:00	37200	104.34
01/03/98	12:00	37260	104.34
01/03/98	13:00	37320	104.34
01/03/98	14:00	37380	104.34
01/03/98	15:00	37440	104.35
01/03/98	16:00	37500	104.36
01/03/98	17:00	37560	104.36
01/03/98	18:00	37620	104.36
01/03/98	19:00	37680	104.36
01/03/98	20:00	37740	104.35
01/03/98	21:00	37800	104.36
01/03/98	22:00	37860	104.36
01/03/98	23:00	37920	104.36
01/04/98	0:00	37980	104.35
01/04/98	1:00	38040	104.35
01/04/98	2:00	38100	104.36
01/04/98	3:00	38160	104.36
01/04/98	4:00	38220	104.36
01/04/98	5:00	38280	104.36
01/04/98	6:00	38340	104.37
01/04/98	7:00	38400	104.36
01/04/98	8:00	38460	104.37
01/04/98	9:00	38520	104.38
01/04/98	10:00	38580	104.38
01/04/98	11:00	38640	104.39
01/04/98	12:00	38700	104.39
01/04/98	13:00	38760	104.40
01/04/98	14:00	38820	104.40
01/04/98	15:00	38880	104.40
01/04/98	16:00	38940	104.40
01/04/98	17:00	39000	104.40
01/04/98	18:00	39060	104.40
01/04/98	19:00	39120	104.40
01/04/98	20:00	39180	104.39
01/04/98	21:00	39240	104.40
01/04/98	22:00	39300	104.40
01/04/98	23:00	39360	104.40
01/05/98	0:00	39420	104.39
01/05/98	1:00	39480	104.39
01/05/98	2:00	39540	104.39
01/05/98	3:00	39600	104.39
01/05/98	4:00	39660	104.40
01/05/98	5:00	39720	104.40
01/05/98	6:00	39780	104.40
01/05/98	7:00	39840	104.40
01/05/98	8:00	39900	104.41
01/05/98	9:00	39960	104.41
01/05/98	10:00	40020	104.41
01/05/98	11:00	40080	104.42
01/05/98	12:00	40140	104.42
01/05/98	13:00	40200	104.42
01/05/98	14:00	40260	104.43
01/05/98	15:00	40320	104.44
01/05/98	16:00	40380	104.44
01/05/98	17:00	40440	104.44
01/05/98	18:00	40500	104.44
01/05/98	19:00	40560	104.44
01/05/98	20:00	40620	104.44
01/05/98	21:00	40680	104.44
01/05/98	22:00	40740	104.44
01/05/98	23:00	40800	104.44
01/06/98	0:00	40860	104.44
01/06/98	1:00	40920	104.44
01/06/98	2:00	40980	104.44
01/06/98	3:00	41040	104.44
01/06/98	4:00	41100	104.45
01/06/98	5:00	41160	104.45
01/06/98	6:00	41220	104.45
01/06/98	7:00	41280	104.45
01/06/98	8:00	41340	104.45
01/06/98	9:00	41400	104.45
01/06/98	10:00	41460	104.46
01/06/98	11:00	41520	104.46
01/06/98	12:00	41580	104.46
01/06/98	13:00	41640	104.46
01/06/98	14:00	41700	104.46
01/06/98	15:00	41760	104.46
01/06/98	16:00	41820	104.46
01/06/98	17:00	41880	104.47
01/06/98	18:00	41940	104.47
01/06/98	19:00	42000	104.47
01/06/98	20:00	42060	104.47
01/06/98	21:00	42120	104.47
01/06/98	22:00	42180	104.47
01/06/98	23:00	42240	104.47
01/07/98	0:00	42300	104.47
01/07/98	1:00	42360	104.46
01/07/98	2:00	42420	104.47
01/07/98	3:00	42480	104.47
01/07/98	4:00	42540	104.47
01/07/98	5:00	42600	104.47
01/07/98	6:00	42660	104.47
01/07/98	7:00	42720	104.48
01/07/98	8:00	42780	104.48
01/07/98	9:00	42840	104.49
01/07/98	10:00	42900	104.49
01/07/98	11:00	42960	104.50
01/07/98	12:00	43020	104.50
01/07/98	13:00	43080	104.50
01/07/98	14:00	43140	104.51
01/07/98	15:00	43200	104.51
01/07/98	16:00	43260	104.53
01/07/98	17:00	43320	104.52
01/07/98	18:00	43380	104.52
01/07/98	19:00	43440	104.52
01/07/98	20:00	43500	104.52
01/07/98	21:00	43560	104.52
01/07/98	22:00	43620	104.51
01/07/98	23:00	43680	104.51
01/08/98	0:00	43740	104.51
01/08/98	1:00	43800	104.51
01/08/98	2:00	43860	104.51
01/08/98	3:00	43920	104.51
01/08/98	4:00	43980	104.51
01/08/98	5:00	44040	104.52
01/08/98	6:00	44100	104.52
01/08/98	7:00	44160	104.50
01/08/98	8:00	44220	104.15
01/08/98	9:00	44280	103.90
01/08/98	10:00	44340	103.86
01/08/98	11:00	44400	103.83
01/08/98	12:00	44460	103.72
01/08/98	13:00	44520	103.69
01/08/98	14:00	44580	103.71
01/08/98	15:00	44640	103.74
01/08/98	16:00	44700	103.77
01/08/98	17:00	44760	103.80
01/08/98	18:00	44820	103.80
01/08/98	19:00	44880	103.79
01/08/98	20:00	44940	103.81
01/08/98	21:00	45000	103.83
01/08/98	22:00	45060	103.84
01/08/98	23:00	45120	103.86
01/09/98	0:00	45180	103.87
01/09/98	1:00	45240	103.89
01/09/98	2:00	45300	103.91
01/09/98	3:00	45360	103.93
01/09/98	4:00	45420	103.94
01/09/98	5:00	45480	103.95
01/09/98	6:00	45540	103.97
01/09/98	7:00	45600	103.99
01/09/98	8:00	45660	104.01
01/09/98	9:00	45720	104.02
01/09/98	10:00	45780	104.04
01/09/98	11:00	45840	104.05
01/09/98	12:00	45900	-5.56
01/09/98	13:00	45960	104.07
01/09/98	14:00	46020	104.05
01/09/98	15:00	46080	104.04
01/09/98	16:00	46140	104.02
01/09/98	17:00	46200	104.01
01/09/98	18:00	46260	103.99
01/09/98	19:00	46320	103.99
01/09/98	20:00	46380	103.98
01/09/98	21:00	46440	103.97
01/09/98	22:00	46500	103.96
01/09/98	23:00	46560	103.95
01/10/98	0:00	46620	103.94
01/10/98	1:00	46680	103.94
01/10/98	2:00	46740	103.93
01/10/98	3:00	46800	103.92
01/10/98	4:00	46860	103.92
01/10/98	5:00	46920	103.91
01/10/98	6:00	46980	103.90
01/10/98	7:00	47040	103.89
01/10/98	8:00	47100	103.88
01/10/98	9:00	47160	103.87
01/10/98	10:00	47220	103.86
01/10/98	11:00	47280	103.86
01/10/98	12:00	47340	103.85
01/10/98	13:00	47400	103.84
01/10/98	14:00	47460	103.83
01/10/98	15:00	47520	103.82
01/10/98	16:00	47580	103.81
01/10/98	17:00	47640	103.81
01/10/98	18:00	47700	103.80
01/10/98	19:00	47760	103.79
01/10/98	20:00	47820	103.79
01/10/98	21:00	47880	103.79
01/10/98	22:00	47940	103.78
01/10/98	23:00	48000	103.78
01/11/98	0:00	48060	103.78
01/11/98	1:00	48120	103.78
01/11/98	2:00	48180	103.78
01/11/98	3:00	48240	103.77
01/11/98	4:00	48300	103.77
01/11/98	5:00	48360	103.76
01/11/98	6:00	48420	103.76
01/11/98	7:00	48480	103.75
01/11/98	8:00	48540	103.74
01/11/98	9:00	48600	103.74
01/11/98	10:00	48660	103.73
01/11/98	11:00	48720	103.73
01/11/98	12:00	48780	103.72
01/11/98	13:00	48840	103.72
01/11/98	14:00	48900	103.71
01/11/98	15:00	48960	103.70
01/11/98	16:00	49020	103.70
01/11/98	17:00	49080	103.69
01/11/98	18:00	49140	103.69
01/11/98	19:00	49200	103.69
01/11/98	20:00	49260	103.68
01/11/98	21:00	49320	103.68
01/11/98	22:00	49380	103.68
01/11/98	23:00	49440	103.68
01/12/98	0:00	49500	103.68
01/12/98	1:00	49560	103.68
01/12/98	2:00	49620	103.68
01/12/98	3:00	49680	103.67
01/12/98	4:00	49740	103.67
01/12/98	5:00	49800	103.67
01/12/98	6:00	49860	103.66
01/12/98	7:00	49920	103.66

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
01/12/98	8:00	49980	103.66
01/12/98	9:00	50040	103.65
01/12/98	10:00	50100	103.65
01/12/98	11:00	50160	103.64
01/12/98	12:00	50220	103.64
01/12/98	13:00	50280	103.64
01/12/98	14:00	50340	103.63
01/12/98	15:00	50400	103.62
01/12/98	16:00	50460	103.62
01/12/98	17:00	50520	103.62
01/12/98	18:00	50580	103.62
01/12/98	19:00	50640	103.62
01/12/98	20:00	50700	103.62
01/12/98	21:00	50760	103.62
01/12/98	22:00	50820	103.62
01/12/98	23:00	50880	103.63
01/13/98	0:00	50940	103.63
01/13/98	1:00	51000	103.63
01/13/98	2:00	51060	103.63
01/13/98	3:00	51120	103.62
01/13/98	4:00	51180	103.62
01/13/98	5:00	51240	103.62
01/13/98	6:00	51300	103.62
01/13/98	7:00	51360	103.62
01/13/98	8:00	51420	103.62
01/13/98	9:00	51480	103.61
01/13/98	10:00	51540	103.60
01/13/98	11:00	51600	103.60
01/13/98	12:00	51660	103.60
01/13/98	13:00	51720	103.60
01/13/98	14:00	51780	103.59
01/13/98	15:00	51840	103.58
01/13/98	16:00	51900	103.58
01/13/98	17:00	51960	103.58
01/13/98	18:00	52020	103.58
01/13/98	19:00	52080	103.58
01/13/98	20:00	52140	103.58
01/13/98	21:00	52200	103.58
01/13/98	22:00	52260	103.58
01/13/98	23:00	52320	103.58
01/14/98	0:00	52380	103.59
01/14/98	1:00	52440	103.59
01/14/98	2:00	52500	103.58
01/14/98	3:00	52560	103.58
01/14/98	4:00	52620	103.58
01/14/98	5:00	52680	103.58
01/14/98	6:00	52740	103.58
01/14/98	7:00	52800	103.58
01/14/98	8:00	52860	103.58
01/14/98	9:00	52920	103.58
01/14/98	10:00	52980	103.57
01/14/98	11:00	53040	103.57
01/14/98	12:00	53100	103.88
01/14/98	13:00	53160	103.79
01/14/98	14:00	53220	103.84
01/14/98	15:00	53280	103.78
01/14/98	16:00	53340	103.84
01/14/98	17:00	53400	103.80
01/14/98	18:00	53460	103.81
01/14/98	19:00	53520	103.77
01/14/98	20:00	53580	103.76
01/14/98	21:00	53640	103.79
01/14/98	22:00	53700	103.76
01/14/98	23:00	53760	103.76
01/15/98	0:00	53820	103.76
01/15/98	1:00	53880	103.79
01/15/98	2:00	53940	103.77
01/15/98	3:00	54000	103.77
01/15/98	4:00	54060	103.85
01/15/98	5:00	54120	103.76
01/15/98	6:00	54180	103.77
01/15/98	7:00	54240	103.75
01/15/98	8:00	54300	103.75
01/15/98	9:00	54360	103.75
01/15/98	10:00	54420	103.74
01/15/98	11:00	54480	103.76
01/15/98	12:00	54540	103.74
01/15/98	13:00	54600	103.76
01/15/98	14:00	54660	103.77
01/15/98	15:00	54720	103.75
01/15/98	16:00	54780	103.77
01/15/98	17:00	54840	103.77
01/15/98	18:00	54900	103.94
01/15/98	19:00	54960	103.98
01/15/98	20:00	55020	103.99
01/15/98	21:00	55080	103.98
01/15/98	22:00	55140	103.97
01/15/98	23:00	55200	103.96
01/16/98	0:00	55260	103.96
01/16/98	1:00	55320	103.95
01/16/98	2:00	55380	103.96

Date	Time	lapsed_tim	Water_elev
01/16/98	3:00	55440	103.98
01/16/98	4:00	55500	103.99
01/16/98	5:00	55560	103.98
01/16/98	6:00	55620	103.98
01/16/98	7:00	55680	103.97
01/16/98	8:00	55740	103.96
01/16/98	9:00	55800	103.94
01/16/98	10:00	55860	103.92
01/16/98	11:00	55920	103.92
01/16/98	12:00	55980	103.90
01/16/98	13:00	56040	103.89
01/16/98	14:00	56100	103.88
01/16/98	15:00	56160	103.87
01/16/98	16:00	56220	103.85
01/16/98	17:00	56280	103.84
01/16/98	18:00	56340	103.84
01/16/98	19:00	56400	103.83
01/16/98	20:00	56460	103.83
01/16/98	21:00	56520	103.82
01/16/98	22:00	56580	103.81
01/16/98	23:00	56640	103.81
01/17/98	0:00	56700	103.80
01/17/98	1:00	56760	103.80
01/17/98	2:00	56820	103.79
01/17/98	3:00	56880	103.78
01/17/98	4:00	56940	103.78
01/17/98	5:00	57000	103.78
01/17/98	6:00	57060	103.77
01/17/98	7:00	57120	103.77
01/17/98	8:00	57180	103.76
01/17/98	9:00	57240	103.75
01/17/98	10:00	57300	103.74
01/17/98	11:00	57360	103.74
01/17/98	12:00	57420	103.74
01/17/98	13:00	57480	103.73
01/17/98	14:00	57540	103.73
01/17/98	15:00	57600	103.72
01/17/98	16:00	57660	103.72
01/17/98	17:00	57720	103.72
01/17/98	18:00	57780	103.71
01/17/98	19:00	57840	103.71
01/17/98	20:00	57900	103.70
01/17/98	21:00	57960	103.71
01/17/98	22:00	58020	103.70
01/17/98	23:00	58080	103.70
01/18/98	0:00	58140	103.70
01/18/98	1:00	58200	103.70
01/18/98	2:00	58260	103.70
01/18/98	3:00	58320	103.70
01/18/98	4:00	58380	103.70
01/18/98	5:00	58440	103.70
01/18/98	6:00	58500	103.70
01/18/98	7:00	58560	103.69
01/18/98	8:00	58620	103.69
01/18/98	9:00	58680	103.68
01/18/98	10:00	58740	103.68
01/18/98	11:00	58800	103.68
01/18/98	12:00	58860	103.67
01/18/98	13:00	58920	103.67
01/18/98	14:00	58980	103.67
01/18/98	15:00	59040	103.66
01/18/98	16:00	59100	103.66
01/18/98	17:00	59160	103.66
01/18/98	18:00	59220	103.66
01/18/98	19:00	59280	103.66
01/18/98	20:00	59340	103.66
01/18/98	21:00	59400	103.66
01/18/98	22:00	59460	103.66
01/18/98	23:00	59520	103.66
01/19/98	0:00	59580	103.66
01/19/98	1:00	59640	103.66
01/19/98	2:00	59700	103.66
01/19/98	3:00	59760	103.66
01/19/98	4:00	59820	103.66
01/19/98	5:00	59880	103.66
01/19/98	6:00	59940	103.66
01/19/98	7:00	60000	103.65
01/19/98	8:00	60060	103.65
01/19/98	9:00	60120	103.65
01/19/98	10:00	60180	103.64
01/19/98	11:00	60240	103.65
01/19/98	12:00	60300	103.64
01/19/98	13:00	60360	103.64
01/19/98	14:00	60420	103.64
01/19/98	15:00	60480	103.63
01/19/98	16:00	60540	103.64
01/19/98	17:00	60600	103.63
01/19/98	18:00	60660	103.63
01/19/98	19:00	60720	103.62
01/19/98	20:00	60780	103.62
01/19/98	21:00	60840	103.62

Date	Time	lapsed_tim	Water_elev
01/19/98	22:00	60900	103.62
01/19/98	23:00	60960	103.62
01/20/98	0:00	61020	103.62
01/20/98	1:00	61080	103.62
01/20/98	2:00	61140	103.62
01/20/98	3:00	61200	103.62
01/20/98	4:00	61260	103.62
01/20/98	5:00	61320	103.62
01/20/98	6:00	61380	103.62
01/20/98	7:00	61440	103.62
01/20/98	8:00	61500	103.61
01/20/98	9:00	61560	103.61
01/20/98	10:00	61620	103.61
01/20/98	11:00	61680	103.61
01/20/98	12:00	61740	103.60
01/20/98	13:00	61800	103.60
01/20/98	14:00	61860	103.60
01/20/98	15:00	61920	103.59
01/20/98	16:00	61980	103.59
01/20/98	17:00	62040	103.58
01/20/98	18:00	62100	103.59
01/20/98	19:00	62160	103.59
01/20/98	20:00	62220	103.59
01/20/98	21:00	62280	103.59
01/20/98	22:00	62340	103.59
01/20/98	23:00	62400	103.59
01/21/98	0:00	62460	103.59
01/21/98	1:00	62520	103.59
01/21/98	2:00	62580	103.60
01/21/98	3:00	62640	103.59
01/21/98	4:00	62700	103.59
01/21/98	5:00	62760	103.58
01/21/98	6:00	62820	103.58
01/21/98	7:00	62880	103.58
01/21/98	8:00	62940	103.58
01/21/98	9:00	63000	103.58
01/21/98	10:00	63060	103.58
01/21/98	11:00	63120	103.57
01/21/98	12:00	63180	103.57
01/21/98	13:00	63240	103.57
01/21/98	14:00	63300	103.57
01/21/98	15:00	63360	103.56
01/21/98	16:00	63420	103.56
01/21/98	17:00	63480	103.57
01/21/98	18:00	63540	103.57
01/21/98	19:00	63600	103.56
01/21/98	20:00	63660	103.57
01/21/98	21:00	63720	103.57
01/21/98	22:00	63780	103.57
01/21/98	23:00	63840	103.57
01/22/98	0:00	63900	103.57
01/22/98	1:00	63960	103.57
01/22/98	2:00	64020	103.57
01/22/98	3:00	64080	103.57
01/22/98	4:00	64140	103.57
01/22/98	5:00	64200	103.57
01/22/98	6:00	64260	103.56
01/22/98	7:00	64320	103.56
01/22/98	8:00	64380	103.56
01/22/98	9:00	64440	103.57
01/22/98	10:00	64500	103.55
01/22/98	11:00	64560	103.55
01/22/98	12:00	64620	103.55
01/22/98	13:00	64680	103.55
01/22/98	14:00	64740	103.55
01/22/98	15:00	64800	103.54
01/22/98	16:00	64860	103.54
01/22/98	17:00	64920	103.54
01/22/98	18:00	64980	103.54
01/22/98	19:00	65040	103.54
01/22/98	20:00	65100	103.54
01/22/98	21:00	65160	103.54
01/22/98	22:00	65220	103.54
01/22/98	23:00	65280	103.55
01/23/98	0:00	65340	103.55
01/23/98	1:00	65400	103.55
01/23/98	2:00	65460	103.55
01/23/98	3:00	65520	103.55
01/23/98	4:00	65580	103.55
01/23/98	5:00	65640	103.55
01/23/98	6:00	65700	103.55
01/23/98	7:00	65760	103.54
01/23/98	8:00	65820	103.54
01/23/98	9:00	65880	103.54
01/23/98	10:00	65940	103.54
01/23/98	11:00	66000	103.54
01/23/98	12:00	66060	103.63
01/23/98	13:00	66120	103.71
01/23/98	14:00	66180	103.89
01/23/98	15:00	66240	103.89
01/23/98	16:00	66300	103.88

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
01/23/98	17:00	66360	103.86
01/23/98	18:00	66420	103.85
01/23/98	19:00	66480	103.83
01/23/98	20:00	66540	103.81
01/23/98	21:00	66600	103.81
01/23/98	22:00	66660	103.80
01/23/98	23:00	66720	103.79
01/24/98	0:00	66780	103.79
01/24/98	1:00	66840	103.77
01/24/98	2:00	66900	103.77
01/24/98	3:00	66960	103.76
01/24/98	4:00	67020	103.75
01/24/98	5:00	67080	103.74
01/24/98	6:00	67140	103.74
01/24/98	7:00	67200	103.74
01/24/98	8:00	67260	103.71
01/24/98	9:00	67320	103.71
01/24/98	10:00	67380	103.71
01/24/98	11:00	67440	103.68
01/24/98	12:00	67500	103.71
01/24/98	13:00	67560	103.70
01/24/98	14:00	67620	103.68
01/24/98	15:00	67680	103.67
01/24/98	16:00	67740	103.67
01/24/98	17:00	67800	103.66
01/24/98	18:00	67860	103.65
01/24/98	19:00	67920	103.64
01/24/98	20:00	67980	103.64
01/24/98	21:00	68040	103.63
01/24/98	22:00	68100	103.62
01/24/98	23:00	68160	103.62
01/25/98	0:00	68220	103.62
01/25/98	1:00	68280	103.61
01/25/98	2:00	68340	103.61
01/25/98	3:00	68400	103.60
01/25/98	4:00	68460	103.60
01/25/98	5:00	68520	103.60
01/25/98	6:00	68580	103.60
01/25/98	7:00	68640	103.59
01/25/98	8:00	68700	103.59
01/25/98	9:00	68760	103.58
01/25/98	10:00	68820	103.58
01/25/98	11:00	68880	103.58
01/25/98	12:00	68940	103.57
01/25/98	13:00	69000	103.57
01/25/98	14:00	69060	103.57
01/25/98	15:00	69120	103.57
01/25/98	16:00	69180	103.56
01/25/98	17:00	69240	103.55
01/25/98	18:00	69300	103.55
01/25/98	19:00	69360	103.55
01/25/98	20:00	69420	103.55
01/25/98	21:00	69480	103.55
01/25/98	22:00	69540	103.55
01/25/98	23:00	69600	103.55
01/26/98	0:00	69660	103.55
01/26/98	1:00	69720	103.55
01/26/98	2:00	69780	103.55
01/26/98	3:00	69840	103.55
01/26/98	4:00	69900	103.54
01/26/98	5:00	69960	103.55
01/26/98	6:00	70020	103.54
01/26/98	7:00	70080	103.54
01/26/98	8:00	70140	103.54
01/26/98	9:00	70200	103.53
01/26/98	10:00	70260	103.53
01/26/98	11:00	70320	103.53
01/26/98	12:00	70380	103.54
01/26/98	13:00	70440	103.55
01/26/98	14:00	70500	103.54
01/26/98	15:00	70560	103.54
01/26/98	16:00	70620	103.54
01/26/98	17:00	70680	103.53
01/26/98	18:00	70740	103.54
01/26/98	19:00	70800	103.54
01/26/98	20:00	70860	103.54
01/26/98	21:00	70920	103.53
01/26/98	22:00	70980	103.53
01/26/98	23:00	71040	103.54
01/27/98	0:00	71100	103.54
01/27/98	1:00	71160	103.54
01/27/98	2:00	71220	103.54
01/27/98	3:00	71280	103.54
01/27/98	4:00	71340	103.54
01/27/98	5:00	71400	103.54
01/27/98	6:00	71460	103.54
01/27/98	7:00	71520	103.54
01/27/98	8:00	71580	103.53
01/27/98	9:00	71640	103.53
01/27/98	10:00	71700	103.52
01/27/98	11:00	71760	103.52

Date	Time	lapsed_tim	Water_elev
01/27/98	12:00	71820	103.52
01/27/98	13:00	71880	103.52
01/27/98	14:00	71940	103.52
01/27/98	15:00	72000	103.51
01/27/98	16:00	72060	103.51
01/27/98	17:00	72120	103.51
01/27/98	18:00	72180	103.50
01/27/98	19:00	72240	103.50
01/27/98	20:00	72300	103.50
01/27/98	21:00	72360	103.50
01/27/98	22:00	72420	103.50
01/27/98	23:00	72480	103.50
01/28/98	0:00	72540	103.50
01/28/98	1:00	72600	103.50
01/28/98	2:00	72660	103.50
01/28/98	3:00	72720	103.50
01/28/98	4:00	72780	103.50
01/28/98	5:00	72840	103.50
01/28/98	6:00	72900	103.49
01/28/98	7:00	72960	103.50
01/28/98	8:00	73020	103.49
01/28/98	9:00	73080	103.48
01/28/98	10:00	73140	103.48
01/28/98	11:00	73200	103.48
01/28/98	12:00	73260	103.48
01/28/98	13:00	73320	103.48
01/28/98	14:00	73380	103.47
01/28/98	15:00	73440	103.47
01/28/98	16:00	73500	103.47
01/28/98	17:00	73560	103.47
01/28/98	18:00	73620	103.47
01/28/98	19:00	73680	103.47
01/28/98	20:00	73740	103.47
01/28/98	21:00	73800	103.47
01/28/98	22:00	73860	103.47
01/28/98	23:00	73920	103.47
01/29/98	0:00	73980	103.47
01/29/98	1:00	74040	103.47
01/29/98	2:00	74100	103.47
01/29/98	3:00	74160	103.47
01/29/98	4:00	74220	103.47
01/29/98	5:00	74280	103.47
01/29/98	6:00	74340	103.46
01/29/98	7:00	74400	103.46
01/29/98	8:00	74460	103.46
01/29/98	9:00	74520	103.46
01/29/98	10:00	74580	103.46
01/29/98	11:00	74640	103.45
01/29/98	12:00	74700	103.45
01/29/98	13:00	74760	103.45
01/29/98	14:00	74820	103.44
01/29/98	15:00	74880	103.46
01/29/98	16:00	74940	103.46
01/29/98	17:00	75000	103.46
01/29/98	18:00	75060	103.46
01/29/98	19:00	75120	103.46
01/29/98	20:00	75180	103.46
01/29/98	21:00	75240	103.46
01/29/98	22:00	75300	103.47
01/29/98	23:00	75360	103.46
01/30/98	0:00	75420	103.47
01/30/98	1:00	75480	103.47
01/30/98	2:00	75540	103.47
01/30/98	3:00	75600	103.47
01/30/98	4:00	75660	103.47
01/30/98	5:00	75720	103.47
01/30/98	6:00	75780	103.47
01/30/98	7:00	75840	103.46
01/30/98	8:00	75900	103.47
01/30/98	9:00	75960	103.46
01/30/98	10:00	76020	103.46
01/30/98	11:00	76080	103.46
01/30/98	12:00	76140	103.46
01/30/98	13:00	76200	103.45
01/30/98	14:00	76260	103.45
01/30/98	15:00	76320	103.45
01/30/98	16:00	76380	103.44
01/30/98	17:00	76440	103.44
01/30/98	18:00	76500	103.44
01/30/98	19:00	76560	103.44
01/30/98	20:00	76620	103.44
01/30/98	21:00	76680	103.44
01/30/98	22:00	76740	103.44
01/30/98	23:00	76800	103.44
01/31/98	0:00	76860	103.45
01/31/98	1:00	76920	103.45
01/31/98	2:00	76980	103.45
01/31/98	3:00	77040	103.45
01/31/98	4:00	77100	103.45
01/31/98	5:00	77160	103.44
01/31/98	6:00	77220	103.44

Date	Time	lapsed_tim	Water_elev
01/31/98	7:00	77280	103.44
01/31/98	8:00	77340	103.44
01/31/98	9:00	77400	103.44
01/31/98	10:00	77460	103.43
01/31/98	11:00	77520	103.42
01/31/98	12:00	77580	103.42
01/31/98	13:00	77640	103.42
01/31/98	14:00	77700	103.41
01/31/98	15:00	77760	103.41
01/31/98	16:00	77820	103.41
01/31/98	17:00	77880	103.41
01/31/98	18:00	77940	103.41
01/31/98	19:00	78000	103.41
01/31/98	20:00	78060	103.41
01/31/98	21:00	78120	103.41
01/31/98	22:00	78180	103.41
01/31/98	23:00	78240	103.41
02/01/98	0:00	78300	103.42
02/01/98	1:00	78360	103.42
02/01/98	2:00	78420	103.42
02/01/98	3:00	78480	103.42
02/01/98	4:00	78540	103.42
02/01/98	5:00	78600	103.42
02/01/98	6:00	78660	103.41
02/01/98	7:00	78720	103.41
02/01/98	8:00	78780	103.41
02/01/98	9:00	78840	103.41
02/01/98	10:00	78900	103.41
02/01/98	11:00	78960	103.40
02/01/98	12:00	79020	103.40
02/01/98	13:00	79080	103.40
02/01/98	14:00	79140	103.40
02/01/98	15:00	79200	103.40
02/01/98	16:00	79260	103.39
02/01/98	17:00	79320	103.39
02/01/98	18:00	79380	103.39
02/01/98	19:00	79440	103.40
02/01/98	20:00	79500	103.40
02/01/98	21:00	79560	103.40
02/01/98	22:00	79620	103.40
02/01/98	23:00	79680	103.41
02/02/98	0:00	79740	103.41
02/02/98	1:00	79800	103.40
02/02/98	2:00	79860	103.41
02/02/98	3:00	79920	103.41
02/02/98	4:00	79980	103.41
02/02/98	5:00	80040	103.40
02/02/98	6:00	80100	103.40
02/02/98	7:00	80160	103.40
02/02/98	8:00	80220	103.40
02/02/98	9:00	80280	103.39
02/02/98	10:00	80340	103.40
02/02/98	11:00	80400	103.40
02/02/98	12:00	80460	103.40
02/02/98	13:00	80520	103.40
02/02/98	14:00	80580	103.41
02/02/98	15:00	80640	103.41
02/02/98	16:00	80700	103.41
02/02/98	17:00	80760	103.41
02/02/98	18:00	80820	103.41
02/02/98	19:00	80880	103.41
02/02/98	20:00	80940	103.50
02/02/98	21:00	81000	103.72
02/02/98	22:00	81060	104.06
02/02/98	23:00	81120	104.27
02/03/98	0:00	81180	104.43
02/03/98	1:00	81240	104.43
02/03/98	2:00	81300	104.38
02/03/98	3:00	81360	104.35
02/03/98	4:00	81420	104.31
02/03/98	5:00	81480	104.27
02/03/98	6:00	81540	104.24
02/03/98	7:00	81600	104.21
02/03/98	8:00	81660	104.19
02/03/98	9:00	81720	104.16
02/03/98	10:00	81780	104.14
02/03/98	11:00	81840	104.10
02/03/98	12:00	81900	104.08
02/03/98	13:00	81960	104.08
02/03/98	14:00	82020	104.06
02/03/98	15:00	82080	104.04
02/03/98	16:00	82140	104.02
02/03/98	17:00	82200	103.99
02/03/98	18:00	82260	103.98
02/03/98	19:00	82320	103.97
02/03/98	20:00	82380	103.95
02/03/98	21:00	82440	103.94
02/03/98	22:00	82500	103.93
02/03/98	23:00	82560	103.92
02/04/98	0:00	82620	103.91
02/04/98	1:00	82680	103.90

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_trm	Water_elev
02/04/98	2:00	82740	103.89
02/04/98	3:00	82800	103.88
02/04/98	4:00	82860	103.87
02/04/98	5:00	82920	103.86
02/04/98	6:00	82980	103.85
02/04/98	7:00	83040	103.83
02/04/98	8:00	83100	103.82
02/04/98	9:00	83160	103.82
02/04/98	10:00	83220	103.81
02/04/98	11:00	83280	103.80
02/04/98	12:00	83340	103.79
02/04/98	13:00	83400	103.79
02/04/98	14:00	83460	103.78
02/04/98	15:00	83520	103.78
02/04/98	16:00	83580	103.76
02/04/98	17:00	83640	103.75
02/04/98	18:00	83700	103.74
02/04/98	19:00	83760	103.74
02/04/98	20:00	83820	103.73
02/04/98	21:00	83880	103.72
02/04/98	22:00	83940	103.72
02/04/98	23:00	84000	103.71
02/05/98	0:00	84060	103.71
02/05/98	1:00	84120	103.70
02/05/98	2:00	84180	103.70
02/05/98	3:00	84240	103.69
02/05/98	4:00	84300	103.68
02/05/98	5:00	84360	103.68
02/05/98	6:00	84420	103.67
02/05/98	7:00	84480	103.66
02/05/98	8:00	84540	103.66
02/05/98	9:00	84600	103.66
02/05/98	10:00	84660	103.65
02/05/98	11:00	84720	103.65
02/05/98	12:00	84780	103.64
02/05/98	13:00	84840	103.64
02/05/98	14:00	84900	103.63
02/05/98	15:00	84960	103.62
02/05/98	16:00	85020	103.62
02/05/98	17:00	85080	103.61
02/05/98	18:00	85140	103.60
02/05/98	19:00	85200	103.60
02/05/98	20:00	85260	103.60
02/05/98	21:00	85320	103.60
02/05/98	22:00	85380	103.59
02/05/98	23:00	85440	103.59
02/06/98	0:00	85500	103.59
02/06/98	1:00	85560	103.59
02/06/98	2:00	85620	103.59
02/06/98	3:00	85680	103.59
02/06/98	4:00	85740	103.59
02/06/98	5:00	85800	103.58
02/06/98	6:00	85860	103.58
02/06/98	7:00	85920	103.57
02/06/98	8:00	85980	103.57
02/06/98	9:00	86040	103.57
02/06/98	10:00	86100	103.57
02/06/98	11:00	86160	103.56
02/06/98	12:00	86220	103.56
02/06/98	13:00	86280	103.56
02/06/98	14:00	86340	103.56
02/06/98	15:00	86400	103.56
02/06/98	16:00	86460	103.56
02/06/98	17:00	86520	103.55
02/06/98	18:00	86580	103.56
02/06/98	19:00	86640	103.57
02/06/98	20:00	86700	103.58
02/06/98	21:00	86760	103.58
02/06/98	22:00	86820	103.58
02/06/98	23:00	86880	103.59
02/07/98	0:00	86940	103.58
02/07/98	1:00	87000	103.58
02/07/98	2:00	87060	103.58
02/07/98	3:00	87120	103.58
02/07/98	4:00	87180	103.58
02/07/98	5:00	87240	103.57
02/07/98	6:00	87300	103.57
02/07/98	7:00	87360	103.56
02/07/98	8:00	87420	103.56
02/07/98	9:00	87480	103.54
02/07/98	10:00	87540	103.57
02/07/98	11:00	87600	103.54
02/07/98	12:00	87660	103.54
02/07/98	13:00	87720	103.54
02/07/98	14:00	87780	103.54
02/07/98	15:00	87840	103.54
02/07/98	16:00	87900	103.53
02/07/98	17:00	87960	103.52
02/07/98	18:00	88020	103.53
02/07/98	19:00	88080	103.52
02/07/98	20:00	88140	103.52

Date	Time	lapsed_trm	Water_elev
02/07/98	21:00	88200	103.51
02/07/98	22:00	88260	103.51
02/07/98	23:00	88320	103.51
02/08/98	0:00	88380	103.52
02/08/98	1:00	88440	103.51
02/08/98	2:00	88500	103.51
02/08/98	3:00	88560	103.51
02/08/98	4:00	88620	103.51
02/08/98	5:00	88680	103.51
02/08/98	6:00	88740	103.50
02/08/98	7:00	88800	103.50
02/08/98	8:00	88860	103.50
02/08/98	9:00	88920	103.49
02/08/98	10:00	88980	103.49
02/08/98	11:00	89040	103.49
02/08/98	12:00	89100	103.49
02/08/98	13:00	89160	103.48
02/08/98	14:00	89220	103.48
02/08/98	15:00	89280	103.48
02/08/98	16:00	89340	103.47
02/08/98	17:00	89400	103.47
02/08/98	18:00	89460	103.47
02/08/98	19:00	89520	103.47
02/08/98	20:00	89580	103.47
02/08/98	21:00	89640	103.47
02/08/98	22:00	89700	103.46
02/08/98	23:00	89760	103.47
02/09/98	0:00	89820	103.46
02/09/98	1:00	89880	103.47
02/09/98	2:00	89940	103.47
02/09/98	3:00	90000	103.46
02/09/98	4:00	90060	103.46
02/09/98	5:00	90120	103.46
02/09/98	6:00	90180	103.45
02/09/98	7:00	90240	103.45
02/09/98	8:00	90300	103.45
02/09/98	9:00	90360	103.45
02/09/98	10:00	90420	103.44
02/09/98	11:00	90480	103.44
02/09/98	12:00	90540	103.44
02/09/98	13:00	90600	103.44
02/09/98	14:00	90660	103.43
02/09/98	15:00	90720	103.43
02/09/98	16:00	90780	103.43
02/09/98	17:00	90840	103.43
02/09/98	18:00	90900	103.43
02/09/98	19:00	90960	103.43
02/09/98	20:00	91020	103.43
02/09/98	21:00	91080	103.43
02/09/98	22:00	91140	103.42
02/09/98	23:00	91200	103.42
02/10/98	0:00	91260	103.43
02/10/98	1:00	91320	103.42
02/10/98	2:00	91380	103.43
02/10/98	3:00	91440	103.42
02/10/98	4:00	91500	103.42
02/10/98	5:00	91560	103.42
02/10/98	6:00	91620	103.42
02/10/98	7:00	91680	103.41
02/10/98	8:00	91740	103.41
02/10/98	9:00	91800	103.41
02/10/98	10:00	91860	103.41
02/10/98	11:00	91920	103.40
02/10/98	12:00	91980	103.40
02/10/98	13:00	92040	103.40
02/10/98	14:00	92100	103.40
02/10/98	15:00	92160	103.39
02/10/98	16:00	92220	103.39
02/10/98	17:00	92280	103.39
02/10/98	18:00	92340	103.39
02/10/98	19:00	92400	103.39
02/10/98	20:00	92460	103.38
02/10/98	21:00	92520	103.39
02/10/98	22:00	92580	103.39
02/10/98	23:00	92640	103.40
02/11/98	0:00	92700	103.40
02/11/98	1:00	92760	103.40
02/11/98	2:00	92820	103.40
02/11/98	3:00	92880	103.40
02/11/98	4:00	92940	103.40
02/11/98	5:00	93000	103.39
02/11/98	6:00	93060	103.39
02/11/98	7:00	93120	103.39
02/11/98	8:00	93180	103.39
02/11/98	9:00	93240	103.38
02/11/98	10:00	93300	103.38
02/11/98	11:00	93360	103.38
02/11/98	12:00	93420	103.38
02/11/98	13:00	93480	103.38
02/11/98	14:00	93540	103.38
02/11/98	15:00	93600	103.38

Date	Time	lapsed_trm	Water_elev
02/11/98	16:00	93660	103.37
02/11/98	17:00	93720	103.37
02/11/98	18:00	93780	103.37
02/11/98	19:00	93840	103.37
02/11/98	20:00	93900	103.37
02/11/98	21:00	93960	103.37
02/11/98	22:00	94020	103.38
02/11/98	23:00	94080	103.38
02/12/98	0:00	94140	103.38
02/12/98	1:00	94200	103.38
02/12/98	2:00	94260	103.38
02/12/98	3:00	94320	103.38
02/12/98	4:00	94380	103.38
02/12/98	5:00	94440	103.37
02/12/98	6:00	94500	103.37
02/12/98	7:00	94560	103.37
02/12/98	8:00	94620	103.37
02/12/98	9:00	94680	103.36
02/12/98	10:00	94740	103.36
02/12/98	11:00	94800	103.36
02/12/98	12:00	94860	103.36
02/12/98	13:00	94920	103.35
02/12/98	14:00	94980	103.35
02/12/98	15:00	95040	103.35
02/12/98	16:00	95100	103.35
02/12/98	17:00	95160	103.35
02/12/98	18:00	95220	103.35
02/12/98	19:00	95280	103.35
02/12/98	20:00	95340	103.35
02/12/98	21:00	95400	103.35
02/12/98	22:00	95460	103.35
02/12/98	23:00	95520	103.35
02/13/98	0:00	95580	103.35
02/13/98	1:00	95640	103.35
02/13/98	2:00	95700	103.35
02/13/98	3:00	95760	103.35
02/13/98	4:00	95820	103.35
02/13/98	5:00	95880	103.35
02/13/98	6:00	95940	103.35
02/13/98	7:00	96000	103.35
02/13/98	8:00	96060	103.35
02/13/98	9:00	96120	103.34
02/13/98	10:00	96180	103.34
02/13/98	11:00	96240	103.34
02/13/98	12:00	96300	103.34
02/13/98	13:00	96360	103.34
02/13/98	14:00	96420	103.34
02/13/98	15:00	96480	103.34
02/13/98	16:00	96540	103.34
02/13/98	17:00	96600	103.34
02/13/98	18:00	96660	103.35
02/13/98	19:00	96720	103.35
02/13/98	20:00	96780	103.37
02/13/98	21:00	96840	103.38
02/13/98	22:00	96900	103.38
02/13/98	23:00	96960	103.40
02/14/98	0:00	97020	103.41
02/14/98	1:00	97080	103.40
02/14/98	2:00	97140	103.41
02/14/98	3:00	97200	103.41
02/14/98	4:00	97260	103.41
02/14/98	5:00	97320	103.40
02/14/98	6:00	97380	103.40
02/14/98	7:00	97440	103.40
02/14/98	8:00	97500	103.39
02/14/98	9:00	97560	103.38
02/14/98	10:00	97620	103.37
02/14/98	11:00	97680	103.38
02/14/98	12:00	97740	103.37
02/14/98	13:00	97800	103.37
02/14/98	14:00	97860	103.37
02/14/98	15:00	97920	103.37
02/14/98	16:00	97980	103.36
02/14/98	17:00	98040	103.35
02/14/98	18:00	98100	103.35
02/14/98	19:00	98160	103.35
02/14/98	20:00	98220	103.35
02/14/98	21:00	98280	103.35
02/14/98	22:00	98340	103.35
02/14/98	23:00	98400	103.35
02/15/98	0:00	98460	103.35
02/15/98	1:00	98520	103.36
02/15/98	2:00	98580	103.36
02/15/98	3:00	98640	103.36
02/15/98	4:00	98700	103.36
02/15/98	5:00	98760	103.36
02/15/98	6:00	98820	103.35
02/15/98	7:00	98880	103.35
02/15/98	8:00	98940	103.35
02/15/98	9:00	99000	103.34
02/15/98	10:00	99060	103.34

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
02/15/98	11:00	99120	103.34
02/15/98	12:00	99180	103.34
02/15/98	13:00	99240	103.34
02/15/98	14:00	99300	103.34
02/15/98	15:00	99360	103.34
02/15/98	16:00	99420	103.33
02/15/98	17:00	99480	103.33
02/15/98	18:00	99540	103.33
02/15/98	19:00	99600	103.34
02/15/98	20:00	99660	103.34
02/15/98	21:00	99720	103.34
02/15/98	22:00	99780	103.39
02/15/98	23:00	99840	103.76
02/16/98	0:00	99900	104.08
02/16/98	1:00	99960	104.16
02/16/98	2:00	100020	104.20
02/16/98	3:00	100080	104.21
02/16/98	4:00	100140	104.22
02/16/98	5:00	100200	104.42
02/16/98	6:00	100260	104.49
02/16/98	7:00	100320	104.50
02/16/98	8:00	100380	104.46
02/16/98	9:00	100440	104.42
02/16/98	10:00	100500	104.40
02/16/98	11:00	100560	104.36
02/16/98	12:00	100620	104.33
02/16/98	13:00	100680	104.32
02/16/98	14:00	100740	104.29
02/16/98	15:00	100800	104.26
02/16/98	16:00	100860	104.82
02/16/98	17:00	100920	105.04
02/16/98	18:00	100980	105.06
02/16/98	19:00	101040	105.01
02/16/98	20:00	101100	104.95
02/16/98	21:00	101160	104.88
02/16/98	22:00	101220	104.80
02/16/98	23:00	101280	104.76
02/17/98	0:00	101340	104.73
02/17/98	1:00	101400	104.73
02/17/98	2:00	101460	104.72
02/17/98	3:00	101520	104.72
02/17/98	4:00	101580	104.72
02/17/98	5:00	101640	104.74
02/17/98	6:00	101700	104.84
02/17/98	7:00	101760	105.29
02/17/98	8:00	101820	105.32
02/17/98	9:00	101880	105.24
02/17/98	10:00	101940	105.17
02/17/98	11:00	102000	105.04
02/17/98	12:00	102060	104.91
02/17/98	13:00	102120	104.84
02/17/98	14:00	102180	104.99
02/17/98	15:00	102240	62.97
02/17/98	16:00	102300	104.85
02/17/98	16:01	102301	62.95
02/17/98	16:02	102302	62.95
02/17/98	16:03	102303	62.96
02/17/98	16:04	102304	62.96
02/17/98	16:05	102305	62.97
02/17/98	16:06	102306	62.97
02/17/98	16:07	102307	62.98
02/17/98	16:08	102308	62.98
02/17/98	16:09	102309	62.98
02/17/98	16:10	102310	62.96
02/17/98	16:11	102311	62.96
02/17/98	16:12	102312	62.94
02/17/98	16:13	102313	62.93
02/17/98	16:14	102314	62.93
02/17/98	16:15	102315	62.91
02/17/98	16:16	102316	62.90
02/17/98	16:17	102317	62.88
02/17/98	16:18	102318	62.88
02/17/98	16:19	102319	62.87
02/17/98	16:20	102320	62.86
02/17/98	16:21	102321	62.86
02/17/98	16:22	102322	62.85
02/17/98	16:23	102323	62.85
02/17/98	16:24	102324	62.85
02/17/98	16:25	102325	62.85
02/17/98	16:26	102326	62.84
02/17/98	16:27	102327	62.84
02/17/98	16:28	102328	62.86
02/17/98	17:00	102360	104.83
02/17/98	17:36	102396	104.60
02/17/98	18:16	102436	104.78
02/17/98	19:24	102504	104.76
02/17/98	20:00	102540	104.74
02/17/98	20:24	102564	104.73
02/17/98	21:12	102612	104.71
02/17/98	22:48	102708	104.69
02/18/98	0:00	102780	104.67

Date	Time	lapsed_tim	Water_elev
02/18/98	0:08	102788	104.66
02/18/98	1:24	102864	104.64
02/18/98	2:44	102944	104.62
02/18/98	4:00	103020	104.60
02/18/98	4:04	103024	104.59
02/18/98	5:24	103104	104.57
02/18/98	6:48	103188	104.55
02/18/98	8:00	103260	104.53
02/18/98	8:24	103284	104.53
02/18/98	9:40	103360	104.50
02/18/98	10:36	103416	104.48
02/18/98	12:00	103500	104.47
02/18/98	13:04	103564	104.46
02/18/98	14:40	103660	104.43
02/18/98	15:48	103728	104.41
02/18/98	16:00	103740	104.40
02/18/98	18:08	103868	104.38
02/18/98	20:00	103980	104.36
02/18/98	22:04	104104	104.33
02/19/98	0:00	104220	104.32
02/19/98	1:52	104332	104.31
02/19/98	4:00	104460	104.29
02/19/98	4:12	104472	104.29
02/19/98	6:28	104608	104.26
02/19/98	8:00	104700	104.26
02/19/98	8:56	104756	104.24
02/19/98	9:20	104780	104.12
02/19/98	9:24	104784	104.22
02/19/98	9:28	104788	104.14
02/19/98	9:32	104792	104.11
02/19/98	11:44	104924	104.20
02/19/98	11:48	104928	104.17
02/19/98	11:52	104932	104.21
02/19/98	12:00	104940	104.10
02/19/98	13:32	105032	104.14
02/19/98	13:36	105036	104.08
02/19/98	13:40	105040	104.18
02/19/98	13:44	105044	104.08
02/19/98	14:32	105092	104.81
02/19/98	14:36	105096	104.27
02/19/98	14:40	105100	104.04
02/19/98	14:52	105112	104.07
02/19/98	14:56	105116	104.44
02/19/98	15:00	105120	104.10
02/19/98	15:04	105124	104.03
02/19/98	15:08	105128	104.32
02/19/98	15:20	105140	104.05
02/19/98	15:32	105152	104.31
02/19/98	15:36	105156	104.26
02/19/98	15:40	105160	104.20
02/19/98	15:44	105164	104.04
02/19/98	15:52	105172	104.27
02/19/98	15:56	105176	104.30
02/19/98	16:00	105180	104.35
02/19/98	16:08	105188	104.32
02/19/98	16:12	105192	104.27
02/19/98	16:24	105204	104.30
02/19/98	16:28	105208	104.27
02/19/98	16:36	105216	104.32
02/19/98	16:40	105220	104.37
02/19/98	16:44	105224	104.26
02/19/98	16:48	105228	104.28
02/19/98	17:08	105248	104.36
02/19/98	17:12	105252	104.29
02/19/98	17:36	105276	104.32
02/19/98	17:40	105280	104.27
02/19/98	18:20	105320	104.25
02/19/98	18:40	105340	104.28
02/19/98	18:52	105352	104.26
02/19/98	19:24	105384	104.29
02/19/98	19:28	105388	104.26
02/19/98	20:00	105420	104.26
02/19/98	21:00	105480	104.24
02/19/98	21:08	105488	104.26
02/19/98	22:12	105552	104.29
02/19/98	22:16	105556	104.43
02/19/98	22:20	105560	104.59
02/19/98	22:24	105564	104.72
02/19/98	22:28	105568	104.80
02/19/98	22:32	105572	104.85
02/19/98	22:36	105576	104.87
02/19/98	22:40	105580	104.90
02/19/98	22:48	105588	104.92
02/19/98	22:52	105592	104.95
02/19/98	23:04	105604	104.98
02/19/98	23:12	105612	105.00
02/19/98	23:28	105628	105.02
02/19/98	23:32	105632	105.04
02/19/98	23:44	105644	105.08
02/19/98	23:52	105652	105.11
02/19/98	23:56	105656	105.15

Date	Time	lapsed_tim	Water_elev
02/20/98	0:00	105660	105.15
02/20/98	0:08	105668	105.18
02/20/98	0:40	105700	105.21
02/20/98	1:12	105732	105.26
02/20/98	1:36	105756	105.29
02/20/98	1:56	105776	105.31
02/20/98	2:20	105800	105.34
02/20/98	2:36	105816	105.36
02/20/98	3:08	105848	105.40
02/20/98	3:20	105860	105.37
02/20/98	3:28	105868	105.40
02/20/98	3:32	105872	105.37
02/20/98	4:00	105900	105.36
02/20/98	4:12	105912	105.35
02/20/98	4:44	105944	105.32
02/20/98	4:56	105956	105.27
02/20/98	5:24	105984	105.24
02/20/98	5:40	106000	105.22
02/20/98	6:44	106064	105.24
02/20/98	6:48	106068	105.18
02/20/98	7:24	106104	105.15
02/20/98	8:00	106140	105.14
02/20/98	8:16	106156	105.12
02/20/98	8:52	106192	105.10
02/20/98	9:24	106224	105.15
02/20/98	9:28	106228	105.10
02/20/98	9:36	106236	105.07
02/20/98	9:52	106252	105.14
02/20/98	10:04	106264	105.07
02/20/98	10:28	106288	105.11
02/20/98	10:36	106296	105.06
02/20/98	11:16	106336	105.04
02/20/98	11:44	106364	105.01
02/20/98	12:00	106380	105.00
02/20/98	12:36	106416	104.98
02/20/98	13:32	106472	104.96
02/20/98	14:20	106520	104.94
02/20/98	15:12	106572	104.92
02/20/98	16:00	106620	104.90
02/20/98	16:12	106632	104.89
02/20/98	17:00	106680	104.87
02/20/98	17:52	106732	104.85
02/20/98	19:00	106800	104.82
02/20/98	20:00	106860	104.81
02/20/98	20:08	106868	104.80
02/20/98	21:04	106924	104.77
02/20/98	22:44	107024	104.75
02/21/98	0:00	107100	104.73
02/21/98	0:12	107112	104.73
02/21/98	1:08	107168	104.71
02/21/98	3:16	107296	104.68
02/21/98	4:00	107340	104.67
02/21/98	4:48	107388	104.66
02/21/98	6:04	107464	104.64
02/21/98	7:36	107556	104.61
02/21/98	8:00	107580	104.61
02/21/98	9:08	107648	104.59
02/21/98	10:44	107744	104.57
02/21/98	12:00	107820	104.55
02/21/98	12:48	107868	104.54
02/21/98	14:36	107976	104.52
02/21/98	15:28	108028	104.34
02/21/98	16:00	108060	104.34
02/21/98	19:12	108252	104.32
02/21/98	20:00	108300	104.31
02/21/98	21:40	108400	104.29
02/22/98	0:00	108540	104.28
02/22/98	3:12	108732	104.27
02/22/98	4:00	108780	104.26
02/22/98	6:16	108916	104.25
02/22/98	8:00	109020	104.24
02/22/98	9:44	109124	104.22
02/22/98	12:00	109260	104.21
02/22/98	12:24	109284	104.20
02/22/98	15:48	109488	104.18
02/22/98	16:00	109500	104.18
02/22/98	19:32	109712	104.15
02/22/98	20:00	109740	104.15
02/23/98	0:00	109980	104.16
02/23/98	0:44	110024	104.19
02/23/98	0:48	110028	104.24
02/23/98	0:52	110032	104.31
02/23/98	0:56	110036	104.37
02/23/98	1:00	110040	104.43
02/23/98	1:04	110044	104.49
02/23/98	1:08	110048	104.55
02/23/98	1:12	110052	104.59
02/23/98	1:16	110056	104.62
02/23/98	1:20	110060	104.65
02/23/98	1:24	110064	104.67
02/23/98	1:36	110076	104.70

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
02/23/98	1:52	110092	104.72
02/23/98	4:00	110220	104.71
02/23/98	4:16	110236	104.70
02/23/98	5:04	110284	104.68
02/23/98	5:56	110336	104.65
02/23/98	6:48	110388	104.63
02/23/98	7:52	110452	104.61
02/23/98	8:00	110460	104.60
02/23/98	8:56	110516	104.58
02/23/98	9:56	110576	104.56
02/23/98	10:56	110636	104.53
02/23/98	12:00	110700	104.52
02/23/98	12:04	110704	104.51
02/23/98	13:12	110772	104.49
02/23/98	14:12	110832	104.47
02/23/98	15:36	110916	104.44
02/23/98	16:00	110940	104.44
02/23/98	16:32	110972	104.42
02/23/98	17:48	111048	104.40
02/23/98	19:08	111128	104.37
02/23/98	20:00	111180	104.36
02/23/98	20:24	111204	104.35
02/23/98	22:04	111304	104.33
02/23/98	23:56	111416	104.30
02/24/98	0:00	111420	104.31
02/24/98	1:40	111520	104.28
02/24/98	4:00	111660	104.26
02/24/98	4:12	111672	104.26
02/24/98	5:48	111768	104.23
02/24/98	7:24	111864	104.21
02/24/98	8:00	111900	104.21
02/24/98	9:12	111972	104.19
02/24/98	11:20	112100	104.17
02/24/98	12:00	112140	104.16
02/24/98	13:44	112244	104.14
02/24/98	16:00	112380	104.12
02/24/98	19:16	112576	104.10
02/24/98	20:00	112620	104.09
02/25/98	0:00	112860	104.08
02/25/98	0:36	112896	104.07
02/25/98	4:00	113100	104.06
02/25/98	4:48	113148	104.05
02/25/98	8:00	113340	104.03
02/25/98	9:04	113404	104.02
02/25/98	11:48	113568	104.00
02/25/98	12:00	113580	104.00
02/25/98	16:00	113820	103.98
02/25/98	16:56	113876	103.98
02/25/98	20:00	114060	103.97
02/26/98	0:00	114300	103.96
02/26/98	3:08	114488	103.96
02/26/98	4:00	114540	103.96
02/26/98	8:00	114780	103.95
02/26/98	8:48	114828	103.93
02/26/98	12:00	115020	103.92
02/26/98	14:04	115144	103.91
02/26/98	16:00	115260	103.90
02/26/98	20:00	115500	103.90
02/26/98	23:40	115720	103.89
02/27/98	0:00	115740	103.89
02/27/98	4:00	115980	103.89
02/27/98	8:00	116220	103.87
02/27/98	8:32	116252	103.86
02/27/98	12:00	116460	103.85
02/27/98	15:36	116676	103.84
02/27/98	16:00	116700	103.84
02/27/98	20:00	116940	103.84
02/28/98	0:00	117180	103.83
02/28/98	4:00	117420	103.83
02/28/98	5:24	117504	103.82
02/28/98	8:00	117660	103.81
02/28/98	12:00	117900	103.80
02/28/98	13:00	117960	103.79
02/28/98	13:40	118000	103.82
02/28/98	16:00	118140	103.82
02/28/98	20:00	118380	103.81
02/28/98	21:24	118464	103.80
02/28/98	23:28	118588	103.82
02/28/98	23:56	118616	103.85
03/01/98	0:00	118620	103.87
03/01/98	0:04	118624	103.90
03/01/98	0:08	118628	103.93
03/01/98	0:12	118632	103.97
03/01/98	0:16	118636	104.01
03/01/98	0:20	118640	104.04
03/01/98	0:24	118644	104.07
03/01/98	0:28	118648	104.10
03/01/98	0:36	118656	104.14
03/01/98	0:40	118660	104.17
03/01/98	0:48	118668	104.20
03/01/98	0:56	118676	104.23

Date	Time	lapsed_tim	Water_elev
03/01/98	1:04	118684	104.25
03/01/98	1:16	118696	104.28
03/01/98	1:40	118720	104.31
03/01/98	4:00	118860	104.29
03/01/98	4:08	118868	104.28
03/01/98	4:56	118916	104.26
03/01/98	6:12	118992	104.23
03/01/98	7:28	119068	104.21
03/01/98	8:00	119100	104.21
03/01/98	8:48	119148	104.19
03/01/98	10:20	119240	104.17
03/01/98	12:00	119340	104.14
03/01/98	13:44	119444	104.12
03/01/98	15:12	119532	104.10
03/01/98	16:00	119580	104.09
03/01/98	16:36	119616	104.07
03/01/98	18:36	119736	104.05
03/01/98	20:00	119820	104.04
03/01/98	20:36	119856	104.03
03/01/98	22:12	119952	104.00
03/02/98	0:00	120060	103.99
03/02/98	1:24	120144	103.98
03/02/98	3:48	120288	103.96
03/02/98	4:00	120300	103.96
03/02/98	6:20	120440	103.93
03/02/98	8:00	120540	103.92
03/02/98	8:24	120564	103.91
03/02/98	10:32	120692	103.89
03/02/98	12:00	120780	103.87
03/02/98	12:48	120828	103.87
03/02/98	15:16	120976	103.84
03/02/98	16:00	121020	103.84
03/02/98	19:16	121216	103.82
03/02/98	20:00	121260	103.82
03/03/98	0:00	121500	103.80
03/03/98	2:28	121648	103.80
03/03/98	4:00	121740	103.79
03/03/98	7:48	121968	103.77
03/03/98	8:00	121980	103.78
03/03/98	9:32	122072	103.81
03/03/98	9:56	122096	103.78
03/03/98	12:00	122220	103.77
03/03/98	14:04	122344	103.76
03/03/98	16:00	122460	103.74
03/03/98	17:32	122552	103.73
03/03/98	20:00	122700	103.73
03/04/98	0:00	122940	103.73
03/04/98	4:00	123180	103.72
03/04/98	5:36	123276	103.71
03/04/98	8:00	123420	103.71
03/04/98	10:00	123540	103.69
03/04/98	12:00	123660	103.69
03/04/98	16:00	123900	103.68
03/04/98	20:00	124140	103.67
03/05/98	0:00	124380	103.67
03/05/98	4:00	124620	103.67
03/05/98	5:52	124732	103.66
03/05/98	8:00	124860	103.66
03/05/98	10:52	125032	103.64
03/05/98	12:00	125100	103.65
03/05/98	16:00	125340	103.63
03/05/98	20:00	125580	103.63
03/06/98	0:00	125820	103.63
03/06/98	4:00	126060	103.63
03/06/98	8:00	126300	103.62
03/06/98	8:12	126312	103.62
03/06/98	11:44	126524	103.60
03/06/98	12:00	126540	103.60
03/06/98	16:00	126780	103.59
03/06/98	20:00	127020	103.59
03/07/98	0:00	127260	103.60
03/07/98	4:00	127500	103.60
03/07/98	8:00	127740	103.59
03/07/98	12:00	127980	103.57
03/07/98	16:00	128220	103.56
03/07/98	20:00	128460	103.56
03/08/98	0:00	128700	103.57
03/08/98	4:00	128940	103.57
03/08/98	8:00	129180	103.56
03/08/98	10:12	129312	103.55
03/08/98	12:00	129420	103.54
03/08/98	16:00	129660	103.53
03/08/98	16:36	129696	103.53
03/08/98	20:00	129900	103.53
03/09/98	0:00	130140	103.54
03/09/98	1:04	130204	103.58
03/09/98	1:08	130208	103.62
03/09/98	1:12	130212	103.69
03/09/98	1:16	130216	103.81
03/09/98	1:20	130220	103.95
03/09/98	1:24	130224	104.07

Date	Time	lapsed_tim	Water_elev
03/09/98	1:28	130228	104.16
03/09/98	1:32	130232	104.29
03/09/98	1:36	130236	104.39
03/09/98	1:40	130240	104.48
03/09/98	1:44	130244	104.55
03/09/98	1:48	130248	104.63
03/09/98	1:52	130252	104.67
03/09/98	1:56	130256	104.71
03/09/98	2:04	130264	104.75
03/09/98	2:16	130276	104.77
03/09/98	2:24	130284	104.80
03/09/98	2:48	130308	104.83
03/09/98	4:00	130380	104.83
03/09/98	4:48	130428	104.81
03/09/98	5:36	130476	104.78
03/09/98	6:24	130524	104.76
03/09/98	7:20	130580	104.74
03/09/98	8:00	130620	104.72
03/09/98	8:12	130632	104.71
03/09/98	9:00	130680	104.69
03/09/98	10:00	130740	104.67
03/09/98	11:00	130800	104.65
03/09/98	11:56	130856	104.62
03/09/98	12:00	130860	104.62
03/09/98	12:44	130904	104.60
03/09/98	13:40	130960	104.58
03/09/98	14:40	131020	104.55
03/09/98	15:44	131084	104.53
03/09/98	16:00	131100	104.53
03/09/98	16:52	131152	104.51
03/09/98	17:52	131212	104.48
03/09/98	19:20	131300	104.46
03/09/98	20:00	131340	104.45
03/09/98	20:44	131384	104.43
03/09/98	21:56	131456	104.41
03/09/98	23:56	131576	104.38
03/10/98	0:00	131580	104.38
03/10/98	2:00	131700	104.36
03/10/98	3:24	131784	104.34
03/10/98	4:00	131820	104.33
03/10/98	5:16	131896	104.32
03/10/98	6:52	131992	104.29
03/10/98	8:00	132060	104.28
03/10/98	8:08	132068	104.27
03/10/98	10:12	132192	104.25
03/10/98	12:00	132300	104.24
03/10/98	12:28	132328	104.22
03/10/98	15:04	132484	104.20
03/10/98	16:00	132540	104.19
03/10/98	17:00	132600	104.18
03/10/98	19:00	132720	104.15
03/10/98	20:00	132780	104.15
03/10/98	21:28	132868	104.13
03/11/98	0:00	133020	104.11
03/11/98	0:32	133052	104.11
03/11/98	4:00	133260	104.09
03/11/98	4:12	133272	104.08
03/11/98	6:36	133416	104.06
03/11/98	8:00	133500	104.05
03/11/98	9:20	133580	104.04
03/11/98	12:00	133740	104.02
03/11/98	12:52	133792	104.02
03/11/98	16:00	133980	104.00
03/11/98	16:56	134036	103.99
03/11/98	20:00	134220	103.98
03/11/98	20:08	134228	103.97
03/12/98	0:00	134460	103.95
03/12/98	1:24	134544	103.94
03/12/98	4:00	134700	103.94
03/12/98	5:32	134792	103.92
03/12/98	8:00	134940	103.91
03/12/98	9:08	135008	103.90
03/12/98	12:00	135180	103.89
03/12/98	14:32	135332	103.87
03/12/98	16:00	135420	103.87
03/12/98	19:48	135648	103.85
03/12/98	20:00	135660	103.85
03/13/98	0:00	135900	103.85
03/13/98	4:00	136140	103.85
03/13/98	5:52	136252	103.83
03/13/98	8:00	136380	103.82
03/13/98	10:44	136544	103.81
03/13/98	12:00	136620	103.81
03/13/98	16:00	136860	103.79
03/13/98	16:52	136912	103.78
03/13/98	20:00	137100	103.78
03/14/98	0:00	137340	103.77
03/14/98	4:00	137580	103.77
03/14/98	7:28	137788	103.76
03/14/98	8:00	137820	103.75
03/14/98	10:48	137988	103.74

NTC Orlando OU4, IRA Performance Monitoring
OW11C

Date	Time	lapsed_tim	Water_elev
03/14/98	16:00	138300	103.73
03/14/98	17:48	138408	103.71
03/14/98	20:00	138540	103.72
03/15/98	0:00	138780	103.73
03/15/98	4:00	139020	103.72
03/15/98	8:00	139260	103.70
03/15/98	9:52	139372	103.69
03/15/98	12:00	139500	103.68
03/15/98	15:16	139696	103.67
03/15/98	16:00	139740	103.67
03/15/98	20:00	139980	103.67
03/16/98	0:00	140220	103.68
03/16/98	4:00	140460	103.67
03/16/98	8:00	140700	103.66
03/16/98	9:56	140816	103.64
03/16/98	12:00	140940	103.63
03/16/98	14:24	141084	103.62
03/16/98	16:00	141180	103.62
03/16/98	20:00	141420	103.63
03/17/98	0:00	141660	103.63
03/17/98	4:00	141900	103.63
03/17/98	8:00	142140	103.62
03/17/98	10:08	142268	103.60
03/17/98	12:00	142380	103.59
03/17/98	13:52	142492	103.57
03/17/98	16:00	142620	103.57
03/17/98	20:00	142860	103.57
03/18/98	0:00	143100	103.58
03/18/98	2:28	143248	103.60
03/18/98	4:00	143340	103.59
03/18/98	6:52	143512	103.57
03/18/98	8:00	143580	103.57
03/18/98	11:24	143784	103.55
03/18/98	12:00	143820	103.55
03/18/98	16:00	144060	103.56
03/18/98	18:16	144196	103.58
03/18/98	20:00	144300	103.58
03/18/98	23:24	144504	103.61
03/18/98	23:28	144508	103.64
03/18/98	23:32	144512	103.69
03/18/98	23:36	144516	103.75
03/18/98	23:40	144520	103.82
03/18/98	23:44	144524	103.87
03/18/98	23:48	144528	103.92
03/18/98	23:52	144532	103.96
03/18/98	23:56	144536	103.99
03/19/98	0:00	144540	104.02
03/19/98	0:08	144548	104.05
03/19/98	0:16	144556	104.08
03/19/98	0:24	144564	104.10
03/19/98	0:56	144596	104.13
03/19/98	2:24	144684	104.10
03/19/98	3:36	144756	104.13
03/19/98	3:44	144764	104.15
03/19/98	4:00	144780	104.17
03/19/98	4:12	144792	104.20
03/19/98	4:24	144804	104.23
03/19/98	4:36	144816	104.26
03/19/98	4:48	144828	104.29
03/19/98	4:56	144836	104.32
03/19/98	5:04	144844	104.35
03/19/98	5:12	144852	104.38
03/19/98	5:20	144860	104.40
03/19/98	5:32	144872	104.42
03/19/98	5:48	144888	104.45
03/19/98	6:56	144956	104.43
03/19/98	7:48	145008	104.41
03/19/98	8:00	145020	104.40
03/19/98	8:28	145048	104.38
03/19/98	9:20	145100	104.35
03/19/98	10:00	145140	104.33
03/19/98	10:52	145192	104.31
03/19/98	12:00	145260	104.29
03/19/98	13:56	145376	104.29
03/19/98	15:36	145476	104.26
03/19/98	16:00	145500	104.25
03/19/98	16:16	145516	104.23
03/19/98	16:28	145528	104.28
03/19/98	16:32	145532	104.33
03/19/98	16:36	145536	104.40
03/19/98	16:40	145540	104.42
03/19/98	16:44	145544	104.47
03/19/98	16:48	145548	104.50
03/19/98	16:52	145552	104.55
03/19/98	16:56	145556	104.58
03/19/98	17:00	145560	104.60
03/19/98	17:04	145564	104.65
03/19/98	17:12	145572	104.68
03/19/98	17:20	145580	104.73
03/19/98	17:28	145588	104.75
03/19/98	17:40	145600	104.79

Date	Time	lapsed_tim	Water_elev
03/19/98	17:56	145616	104.81
03/19/98	18:12	145632	104.84
03/19/98	18:20	145640	104.86
03/19/98	18:28	145648	104.89
03/19/98	18:40	145660	104.92
03/19/98	18:56	145676	104.95
03/19/98	19:12	145692	104.96
03/19/98	20:00	145740	104.97
03/19/98	20:24	145764	104.96
03/19/98	20:52	145792	104.93
03/19/98	21:28	145828	104.91
03/19/98	21:48	145848	104.93
03/19/98	22:04	145864	104.96
03/19/98	22:08	145868	104.98
03/19/98	22:20	145880	105.00
03/19/98	23:32	145952	104.98
03/20/98	0:00	145980	104.97
03/20/98	0:12	145992	104.95
03/20/98	2:44	146144	104.93
03/20/98	3:28	146188	104.91
03/20/98	4:00	146220	104.89
03/20/98	4:28	146248	104.88
03/20/98	5:20	146300	104.85
03/20/98	6:04	146344	104.83
03/20/98	6:56	146396	104.81
03/20/98	7:44	146444	104.79
03/20/98	8:00	146460	104.79
03/20/98	8:48	146508	104.76
03/20/98	9:48	146568	104.74
03/20/98	11:00	146640	104.72
03/20/98	12:00	146700	104.70
03/20/98	12:04	146704	104.69
03/20/98	13:16	146776	104.67
03/20/98	14:36	146856	104.69
03/20/98	15:08	146888	104.71
03/20/98	16:00	146940	104.69
03/20/98	16:12	146952	104.69
03/20/98	16:56	146996	104.67
03/20/98	18:16	147076	104.64
03/20/98	19:28	147148	104.62
03/20/98	20:00	147180	104.61
03/20/98	20:32	147212	104.59
03/20/98	22:00	147300	104.57
03/20/98	23:36	147396	104.55
03/21/98	0:00	147420	104.54
03/21/98	1:20	147500	104.53
03/21/98	3:12	147612	104.50
03/21/98	4:00	147660	104.49
03/21/98	4:36	147696	104.48
03/21/98	5:56	147776	104.46
03/21/98	7:16	147856	104.43
03/21/98	8:00	147900	104.43
03/21/98	9:16	147976	104.41
03/21/98	11:00	148080	104.39
03/21/98	12:00	148140	104.38
03/21/98	12:36	148176	104.36
03/21/98	14:36	148296	104.34
03/21/98	16:00	148380	104.32
03/21/98	16:28	148408	104.32
03/21/98	18:20	148520	104.29
03/21/98	20:00	148620	104.29
03/21/98	20:40	148660	104.27
03/21/98	23:24	148824	104.25
03/22/98	0:00	148860	104.25
03/22/98	2:20	149000	104.22
03/22/98	4:00	149100	104.21
03/22/98	5:24	149184	104.20
03/22/98	8:00	149340	104.18
03/22/98	10:24	149484	104.15
03/22/98	12:00	149580	104.14
03/22/98	14:20	149720	104.13
03/22/98	16:00	149820	104.12
03/22/98	17:32	149912	104.11
03/22/98	20:00	150060	104.09
03/22/98	20:08	150068	104.08
03/23/98	0:00	150300	104.08
03/23/98	2:44	150464	104.06
03/23/98	4:00	150540	104.06
03/23/98	6:04	150664	104.04
03/23/98	8:00	150780	104.03
03/23/98	9:36	150876	104.02
03/23/98	11:04	150964	104.35
03/23/98	11:08	150968	104.14
03/23/98	11:12	150972	104.11
03/23/98	12:00	151020	104.10
03/23/98	12:48	151068	104.09
03/23/98	13:44	151124	104.07
03/23/98	15:32	151232	104.04
03/23/98	16:00	151260	104.04
03/23/98	18:32	151412	104.02
03/23/98	19:32	151472	104.00

Date	Time	lapsed_tim	Water_elev
03/23/98	20:00	151500	103.99
03/23/98	20:44	151544	103.97
03/23/98	23:24	151704	103.95
03/24/98	0:00	151740	103.95
03/24/98	2:16	151876	103.93
03/24/98	4:00	151980	103.93
03/24/98	7:36	152196	103.90
03/24/98	8:00	152220	103.90
03/24/98	10:24	152364	103.88
03/24/98	12:00	152460	103.87
03/24/98	13:48	152568	103.86
03/24/98	16:00	152700	103.85
03/24/98	20:00	152940	103.84
03/25/98	0:00	153180	103.84
03/25/98	4:00	153420	103.84
03/25/98	4:20	153440	103.84
03/25/98	8:00	153660	103.82
03/25/98	8:44	153704	103.81
03/25/98	11:16	153856	103.79
03/25/98	12:00	153900	103.79
03/25/98	15:16	154096	103.76
03/25/98	16:00	154140	103.76
03/25/98	20:00	154380	103.76
03/26/98	0:00	154620	103.77
03/26/98	4:00	154860	103.77
03/26/98	8:00	155100	103.76
03/26/98	9:36	155196	103.74
03/26/98	12:00	155340	103.72
03/26/98	12:32	155372	103.72
03/26/98	16:00	155580	103.71
03/26/98	20:00	155820	103.71
03/27/98	0:00	156060	103.72
03/27/98	4:00	156300	103.73
03/27/98	8:00	156540	103.71
03/27/98	9:36	156636	103.69
03/27/98	12:00	156780	103.68
03/27/98	12:56	156836	103.67
03/27/98	16:00	157020	103.66
03/27/98	20:00	157260	103.67
03/28/98	0:00	157500	103.68
03/28/98	4:00	157740	103.68
03/28/98	8:00	157980	103.67
03/28/98	10:24	158124	103.65
03/28/98	12:00	158220	103.63
03/28/98	13:00	158280	103.63
03/28/98	16:00	158460	103.63
03/28/98	20:00	158700	103.63
03/29/98	0:00	158940	103.63
03/29/98	4:00	159180	103.63
03/29/98	8:00	159420	103.63
03/29/98	10:16	159556	103.60
03/29/98	12:00	159660	103.59
03/29/98	13:08	159728	103.58
03/29/98	16:00	159900	103.57
03/29/98	20:00	160140	103.58
03/30/98	0:00	160380	103.59
03/30/98	4:00	160620	103.59
03/30/98	8:00	160860	103.59
03/30/98	10:48	161028	103.56
03/30/98	12:00	161100	103.55

Attachment C


NTC Orlando OU4, IRA Performance Monitoring
OW06a and OW07c December 8, 1997 Start
Water Level Elevation (feet msl)
108.0
107.5
107.0
106.5
106.0
105.5
105.0
104.5
104.0
103.5
103.0
102.5
102.0
101.5
101.0
100.5
100.0
OW-07c
OW-06a
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


Rainfall Data, NTC Orlando Area
Rainfall
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


NTC Orlando OU4, IRA Performance Monitoring
OW08a and OW09c December 8, 1997 Start
Water Level Elevation (feet msl)
108.0
107.5
107.0
106.5
106.0
105.5
105.0
104.5
104.0
103.5
103.0
102.5
102.0
101.5
101.0
100.5
100.0
OW-09c
OW-08a
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


Rainfall Data, NTC Orlando Area
Rainfall
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


NTC Orlando OU4, IRA Performance Monitoring
OW10a and OW11c December 8, 1997 Start
Water Level Elevation (feet msl)
108.0
107.5
107.0
106.5
106.0
105.5
105.0
104.5
104.0
103.5
103.0
102.5
102.0
101.5
101.0
100.5
100.0
OW-11c
OW-10a
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


Rainfall Data, NTC Orlando Area
Rainfall
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


NTC Orlando OU4, IRA Performance Monitoring
OW10a, OW11c & OLD13-03a: December 8, 1997 Start
Water Level Elevation (feet msl)
108.0
107.5
107.0
106.5
106.0
105.5
105.0
104.5
104.0
103.5
103.0
102.5
102.0
101.5
101.0
100.5
100.0
OLD13-03a
OW-11c
OW-10a
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)


Rainfall Data, NTC Orlando Area
Rainfall
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
55000
60000
65000
70000
75000
80000
85000
90000
95000
100000
105000
110000
115000
120000
125000
130000
135000
Elapsed Time (minutes)

Attachment D

National Weather Service
Melbourne, Florida

Note: This data is not certified and is for "unofficial use only".
Please go to the National Climatic Data Center for official, certified data.

ORLANDO DECEMBER 1997

TEMPERATURE DATA RAINFALL DATA

Enter data in shaded areas only.

Date	Daily High	Daily Low	Daily Mean	Departure for Day	Cooling Degree Day	Heating Degree Day	Daily Total	Monthly Total	Yearly Total
01-Dec-97	68	54	61	-4	0	4	0.00	0.00	51.88
02-Dec-97	77	50	64	0	0	1	TRACE	0.00	51.88
03-Dec-97	80	61	71	7	6	0	0.01	0.01	51.89
04-Dec-97	73	65	69	5	4	0	1.61	1.62	53.50
05-Dec-97	65	52	59	-5	0	6	0.00	1.62	53.50
06-Dec-97	60	42	51	-13	0	14	0.00	1.62	53.50
07-Dec-97	57	37	47	-16	0	18	0.00	1.62	53.50
08-Dec-97	70	41	56	-7	0	9	0.00	1.62	53.50
09-Dec-97	83	58	71	8	6	0	0.97	2.59	54.47
10-Dec-97	82	67	75	12	10	0	0.72	3.31	55.19
11-Dec-97	73	69	71	8	6	0	1.95	5.26	57.14
12-Dec-97	69	60	65	2	0	0	0.23	5.49	57.37
13-Dec-97	67	59	63	1	0	2	1.98	7.47	59.35
14-Dec-97	64	51	58	-4	0	7	0.79	8.26	60.14
15-Dec-97	51	46	49	-13	0	16	0.19	8.45	60.33
16-Dec-97	65	46	56	-6	0	9	0.00	8.45	60.33
17-Dec-97	66	45	56	-6	0	9	0.00	8.45	60.33
18-Dec-97	67	42	55	-7	0	10	0.00	8.45	60.33
19-Dec-97	71	44	58	-3	0	7	0.00	8.45	60.33
20-Dec-97	75	48	62	1	0	3	0.00	8.45	60.33
21-Dec-97	75	55	65	4	0	0	0.00	8.45	60.33
22-Dec-97	83	68	75	14	10	0	0.14	8.59	60.47
23-Dec-97	76	67	72	11	7	0	0.01	8.60	60.48
24-Dec-97	79	67	73	12	8	0	0.00	8.60	60.48
25-Dec-97	78	69	74	13	9	0	0.47	9.07	60.95
26-Dec-97	72	63	68	7	3	0	0.26	9.33	61.21
27-Dec-97	73	51	62	1	0	3	3.25	12.58	64.46
28-Dec-97	51	43	47	-14	0	18	0.00	12.58	64.46
29-Dec-97	61	44	53	-7	0	12	TRACE	12.58	64.46
30-Dec-97	59	42	51	-9	0	14	0.05	12.63	64.51
31-Dec-97	67	46	57	-3	0	8	0.00	12.63	64.51

MONTHLY SUMMARY

TEMPERATURE

AVERAGE MONTHLY TEMPERATURE.....	61.4	WHICH IS	-0.7	DEGREES FROM NORMAL
AVERAGE DAILY MAXIMUM TEMPERATURE...	69.6	WHICH IS	-3.3	DEGREES FROM NORMAL
AVERAGE DAILY MINIMUM TEMPERATURE...	53.2	WHICH IS	1.9	DEGREES FROM NORMAL
HIGHEST TEMPERATURE.....	83.0	ON THE	9TH	
LOWEST TEMPERATURE.....	37.0	ON THE	7TH	

RAINFALL

TOTAL RAINFALL FOR THE MONTH.....	12.63	WHICH IS	10.48	INCHES FROM NORMAL
GREATEST CALENDAR DAY RAINFALL.....	3.25	ON THE	27TH	
RAINFALL YEAR TO DATE.....	64.51	WHICH IS	16.4	INCHES FROM NORMAL

National Weather Service
Melbourne, Florida

Note: This data is not certified and is for "unofficial use only".
Please go to the National Climatic Data Center for official, certified data.

ORLANDO JANUARY 1998

TEMPERATURE DATA RAINFALL DATA

Enter data in shaded areas only.

Date	Daily High	Daily Low	Daily Mean	Departure for Day	Cooling Degree Day	Heating Degree Day	Daily Total	Monthly Total	Yearly Total
01-Jan	63	39	51	-9	0	14	0.00	0.00	0.00
02-Jan	71	48	60	0	0	5	0.00	0.00	0.00
03-Jan	77	58	68	8	3	0	0.00	0.00	0.00
04-Jan	81	60	71	11	6	0	0.05	0.05	0.05
05-Jan	80	66	73	13	8	0	TRACE	0.05	0.05
06-Jan	81	65	73	13	8	0	0.07	0.12	0.12
07-Jan	84	72	78	18	13	0	TRACE	0.12	0.12
08-Jan	75	65	70	10	5	0	0.95	1.07	1.07
09-Jan	70	56	63	3	0	2	TRACE	1.07	1.07
10-Jan	68	49	59	-1	0	6	0.00	1.07	1.07
11-Jan	70	47	59	-1	0	6	0.00	1.07	1.07
12-Jan	75	49	62	2	0	3	0.00	1.07	1.07
13-Jan	77	53	65	5	0	0	0.00	1.07	1.07
14-Jan	75	59	67	7	2	0	0.00	1.07	1.07
15-Jan	72	64	68	8	3	0	0.40	1.47	1.47
16-Jan	68	52	60	0	0	5	0.01	1.48	1.48
17-Jan	66	48	57	-2	0	8	0.00	1.48	1.48
18-Jan	68	47	58	-1	0	7	0.00	1.48	1.48
19-Jan	74	52	63	4	0	2	TRACE	1.48	1.48
20-Jan	69	45	57	-2	0	8	0.00	1.48	1.48
21-Jan	70	54	62	3	0	3	0.01	1.49	1.49
22-Jan	77	60	69	10	4	0	TRACE	1.49	1.49
23-Jan	72	63	68	9	3	0	0.39	1.88	1.88
24-Jan	68	53	61	2	0	4	TRACE	1.88	1.88
25-Jan	61	46	54	-5	0	11	0.00	1.88	1.88
26-Jan	67	47	57	-3	0	8	0.00	1.88	1.88
27-Jan	74	56	65	5	0	0	0.11	1.99	1.99
28-Jan	65	49	57	-3	0	8	0.00	1.99	1.99
29-Jan	66	42	54	-6	0	11	0.00	1.99	1.99
30-Jan	68	40	54	-6	0	11	0.00	1.99	1.99
31-Jan	66	47	57	-3	0	8	0.00	1.99	1.99

MONTHLY SUMMARY

TEMPERATURE

AVERAGE MONTHLY TEMPERATURE.....	62.4	WHICH IS	2.7	DEGREES FROM NORMAL
AVERAGE DAILY MAXIMUM TEMPERATUR	71.5	WHICH IS	0.7	DEGREES FROM NORMAL
AVERAGE DAILY MINIMUM TEMPERATURE	53.3	WHICH IS	4.7	DEGREES FROM NORMAL
HIGHEST TEMPERATURE.....	84.0	ON THE	7TH	
LOWEST TEMPERATURE.....	39.0	ON THE	1ST	

RAINFALL

TOTAL RAINFALL FOR THE MONTH.....	1.99	WHICH IS	-0.31	INCHES FROM NORMAL
GREATEST CALENDAR DAY RAINFALL.....	0.95	ON THE	8TH	
RAINFALL YEAR TO DATE.....	1.99	WHICH IS	-0.31	INCHES FROM NORMAL

National Weather Service
Melbourne, Florida

Note: This data is not certified and is for "unofficial use only".
Please go to the National Climatic Data Center for official, certified data.

ORLANDO FEBRUARY 1998

TEMPERATURE DATA RAINFALL DATA

Enter data in shaded areas only.

Date	Daily High	Daily Low	Daily Mean	Departure for Day	Cooling Degree Days	Heating Degree Day	Daily Total	Monthly Total	Yearly Total
01-Feb	72	45	59	-1	0	6	0.00	0.00	1.99
02-Feb	72	64	68	8	3	0	1.20	1.20	3.19
03-Feb	76	62	69	9	4	0	0.16	1.36	3.35
04-Feb	62	49	56	-4	0	9	TRACE	1.36	3.35
05-Feb	65	45	55	-5	0	10	0.00	1.36	3.35
06-Feb	57	39	48	-12	0	17	0.18	1.54	3.53
07-Feb	57	44	51	-9	0	14	0.00	1.54	3.53
08-Feb	61	43	52	-8	0	13	0.00	1.54	3.53
09-Feb	64	41	53	-7	0	12	0.00	1.54	3.53
10-Feb	72	41	57	-3	0	8	0.00	1.54	3.53
11-Feb	77	52	65	4	0	0	0.00	1.54	3.53
12-Feb	75	54	65	4	0	0	0.00	1.54	3.53
13-Feb	67	44	56	-5	0	9	0.21	1.75	3.74
14-Feb	65	45	55	-6	0	10	0.00	1.75	3.74
15-Feb	71	47	59	-2	0	6	1.06	2.81	4.80
16-Feb	74	65	70	9	5	0	1.95	4.76	6.75
17-Feb	83	63	73	12	8	0	0.48	5.24	7.23
18-Feb	79	55	67	6	2	0	0.00	5.24	7.23
19-Feb	79	51	65	3	0	0	0.62	5.86	7.85
20-Feb	73	56	65	3	0	0	0.43	6.29	8.28
21-Feb	74	51	63	1	0	2	0.00	6.29	8.28
22-Feb	80	57	69	7	4	0	0.67	6.96	8.95
23-Feb	74	55	65	Q	0	0	1.44	8.40	10.39
24-Feb	71	52	62	0	0	3	0.00	8.40	10.39
25-Feb	77	46	62	-1	0	3	0.00	8.40	10.39
26-Feb	79	47	63	0	0	2	0.00	8.40	10.39
27-Feb	83	60	72	8	7	0	TRACE	8.40	10.39
28-Feb	76	64	70	6	5	0	0.34	8.74	10.73

MONTHLY SUMMARY

TEMPERATURE

AVERAGE MONTHLY TEMPERATURE.....	61.7	WHICH IS	0.5	DEGREES FROM NORMAL
AVERAGE DAILY MAXIMUM TEMPERATURE...	72.0	WHICH IS	-0.7	DEGREES FROM NORMAL
AVERAGE DAILY MINIMUM TEMPERATURE....	51.3	WHICH IS	1.8	DEGREES FROM NORMAL
HIGHEST TEMPERATURE.....	83.0	ON THE	17,27TH	
LOWEST TEMPERATURE.....	39.0	ON THE	6TH	

RAINFALL

TOTAL RAINFALL FOR THE MONTH.....	8.74	WHICH IS	5.72	INCHES FROM NORMAL
GREATEST CALENDAR DAY RAINFALL.....	1.95	ON THE	16TH	
RAINFALL YEAR TO DATE.....	10.73	WHICH IS	5.41	INCHES FROM NORMAL

THIS DATA IS NOT CERTIFIED. FOR CERTIFIED DATA CONTACT THE NATIONAL CLIMATIC DATA CENTER AT (704) 271-4800.

Orlando International Airport (MCO)

March 1998

	Temperature				Degree Days		Rainfall		
Day	High	Low	Mean	Departure	CDD	HDD	Day	Month	Year
1	77	60	69	5	4	0	0.47	0.47	11.20
2	66	49	58	-6	0	7	0.00	0.47	11.20
3	68	46	57	-7	0	8	0.00	0.47	11.20
4	64	42	53	-11	0	12	0.00	0.47	11.20
5	76	43	60	-5	0	5	0.00	0.47	11.20
6	80	58	69	4	4	0	0.00	0.47	11.20
7	84	61	73	8	8	0	0.00	0.47	11.20
8	86	67	77	12	12	0	0.00	0.47	11.20
9	75	55	65	0	0	0	2.30	2.77	13.50
10	60	46	53	-12	0	12	0.00	2.77	13.50
11	59	41	50	-15	0	15	0.00	2.77	13.50
12	55	41	48	-18	0	17	0.00	2.77	13.50
13	65	40	53	-14	0	12	0.00	2.77	13.50
14	71	41	56	-11	0	9	0.00	2.77	13.50
15	75	46	61	-6	0	4	0.00	2.77	13.50
16	78	52	65	-2	0	0	0.00	2.77	13.50
17	81	60	71	4	6	0	0.00	2.77	13.50
18	81	67	74	7	9	0	0.19	2.96	13.69
19	70	63	67	0	2	0	2.17	5.13	15.86
20	78	60	69	1	4	0	0.13	5.26	15.99
21	65	54	60	-8	0	5	0.00	5.26	15.99
22	63	47	55	-13	0	10	0.00	5.26	15.99
23	69	47	58	-10	0	7	0.00	5.26	15.99
24	76	46	61	-7	0	4	0.00	5.26	15.99
25	79	52	66	-2	1	0	0.00	5.26	15.99
26	79	58	69	1	4	0	0.00	5.26	15.99
27	80	60	70	1	5	0	0.00	5.26	15.99
28	84	59	72	3	7	0	0.00	5.26	15.99
29	84	64	74	5	9	0	0.00	5.26	15.99
30	84	63	74	5	9	0	TRACE	5.26	15.99
31	86	68	77	8	12	0	0.00	5.26	15.99

Monthly Summary

Temperature						
Average Monthly Temperature	63.8	Which Is	-2.9	Degrees from normal		
Average Daily Maximum Temperature	74.1	Which Is	-3.9	Degrees from normal		
Average Daily Minimum Temperature	53.4	Which Is	-1.8	Degrees from normal		
Highest Temperature	86.0	Last on	Mar 31	Plus	1	More day(s)
Lowest Temperature	40.0	On	Mar 13			
Rainfall						
Total Rainfall for the Month	5.26	Which Is	2.05	Inches from normal		
Greatest Calendar Day Rainfall	2.30	On	Mar 09			
Rainfall Year to Date	15.99	Which Is	7.46	Inches from normal		
Heating Degree Days						
Total for the Month	127	Which Is	62	Degree days from normal		
Total for the Season (Jul - Jun)	602	Which Is	-79	Degree days from normal		
Cooling Degree Days						
Total for the Month	96	Which Is	-21	Degree days from normal		
Total for the Season (Jan - Dec)	189	Which Is	-56	Degree days from normal		

Remarks

Return to Home

RAINFALL ONSITE AT OU4

Date	Time	Rainfall (Daily total in inches)	Source
2/27/98	9:28	0.00	ABB-ES
2/28/98			
3/1/98			
3/2/98	8:15	0.60	ABB-ES
3/3/98	10:00	0.00	ABB-ES
3/4/98	10:00	0.00	ABB-ES
3/5/98	16:00	0.00	ABB-ES
3/6/98	9:45	0.00	ABB-ES
3/7/98			
3/8/98			
3/9/98	8:45	2.70	ABB-ES
3/10/98	12:31	0.00	ABB-ES
3/11/98	9:07	0.00	ABB-ES
3/12/98	8:00	0.00	ABB-ES

Attachment E

NTC Orlando OU4, IRA Performance Monitoring

Head Differential vs. Distance from UVB-1 (1/26/98 - 70,000 min; 2/21&22/98 - 108,000&109,000 min; 3-17-98 - 135,000 min)



Attachment F

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-07A

	UNITS				Baseline	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		13G00701	13G00702	13G00703F	13G00704	13G00705	13G00706	13G00707	13G00709	13G00710					
Date Sampled		4/95	3/97	11/6/97	12/4/97	12/4/97	1/27/98	2/5/98	2/20/98	3/12/98					
Source		offsite	offsite	onsite	offsite	offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	680.0	28000.0	49000.0	12300.0	11000.0	34000.0	30000.0	33000.0	18000.0					
TCE	ug/l	52.0	N/D	1400.0	830.0	770.0	<1000	<500	<1000	<500					
C-1,2-DCE	ug/l	38.0	N/D	1100.0	260.0	330.0	<1000	<500	<1000	<500					
T-1,2-DCE	ug/l	N/D	N/D	N/D	<5	<5	<1000	<500	<1000	<500					
1,1-DCE	ug/l	N/D	N/D	N/D	<5	<5	<1000	<500	<1000	<500					
VC	ug/l	N/D	N/D	N/D	<5	<5	<1000	<500	<1000	<500					
BENZENE	ug/l	N/D	N/D	N/D			<1000	<500	<1000	<500					
TOLUENE	ug/l	N/D	N/D	N/D			<1000	<500	<1000	<500					
ETHYLBENZ.	ug/l	N/D	N/D	N/D			<1000	<500	<1000	<500					
m/p XYLENE	ug/l	N/D	N/D	N/D			<1000	<500	<1000	<500					
O XYLENE	ug/l	N/D	N/D	N/D			<1000	<500	<1000	<500					
total VOCs	ug/l	770.0	28000.0	51500.0	13390.0	12100.0	34000.0	30000.0	33000.0	18000.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-09A

	UNITS		Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G00901	U4G00902	U4G00903	U4G00904	U4G00905	U4G00906					
Date Sampled		6/96	12/5/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	N/D	<5	<50	<50	<50	270.0					
TCE	ug/l	680.0	360.0	370.0	550.0	530.0	590.0					
C-1,2-DCE	ug/l	850.0	2500.0	1600.0	1500.0	1700.0	1300.0					
T-1,2-DCE	ug/l	N/D	26.0	<50	<50	<50	<20					
1,1-DCE	ug/l	N/D	<5	<50	<50	<50	<20					
VC	ug/l	N/D	69.0	<50	<50	<50	<20					
BENZENE	ug/l	N/D		<50	<50	<50	<20					
TOLUENE	ug/l	N/D		<50	<50	<50	<20					
ETHYLBENZ.	ug/l	N/D		<50	<50	<50	<20					
m/p XYLENE	ug/l	N/D		<50	<50	<50	<20					
O XYLENE	ug/l	N/D		<50	<50	<50	<20					
total VOCs	ug/l	1530.0	2955.0	1970.0	2050.0	2230.0	2160.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-12A

	UNITS		Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G01201	U4G01202	U4G01203	U4G01204	U4G01205	U4G01206					
Date Sampled		6/96	9/10/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
TCE	ug/l	N/D	<.5	<1	<1	5.1	26.0					
C-1,2-DCE	ug/l	N/D	<.5	11.0	31.0	52.0	90.0					
T-1,2-DCE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
1,1-DCE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
VC	ug/l	N/D	<.5	<1	<1	<2.5	<2					
BENZENE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
TOLUENE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
ETHYLBENZ.	ug/l	N/D	<.5	<1	<1	<2.5	<2					
m/p XYLENE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
O XYLENE	ug/l	N/D	<.5	<1	<1	<2.5	<2					
total VOCs	ug/l	0.0	0.0	11.0	31.0	57.1	116.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-15A

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G01501	U4G01502	U4G01503	U4G01504	U4G01505					
Date Sampled		12/3/97	1/27/98	2/5/98	2/20/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	7.0	65.0	35.0	<1	2.2					
TCE	ug/l	35.0	<5	<2.5	<1	<1					
C-1,2-DCE	ug/l	42.0	<5	<2.5	<1	<1					
T-1,2-DCE	ug/l	<5	<5	<2.5	<1	<1					
1,1-DCE	ug/l	<5	<5	<2.5	<1	<1					
VC	ug/l	<5	<5	<2.5	<1	<1					
BENZENE	ug/l		<5	<2.5	<1	<1					
TOLUENE	ug/l		<5	<2.5	<1	<1					
ETHYLBENZ.	ug/l		<5	<2.5	<1	<1					
m/p XYLENE	ug/l		<5	<2.5	<1	<1					
O XYLENE	ug/l		<5	<2.5	<1	<1					
total VOCs	ug/l	84.0	65.0	35.0	<1	2.2					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-21B

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G02101	U4G02102	U4G02103	U4G02104	U4G02105					
Date Sampled		12/3/97	1/27/98	2/5/98	2/20/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	20.0	<20	<20	<50	<20					
TCE	ug/l	1200.0	690.0	530.0	680.0	600.0					
C-1,2-DCE	ug/l	1640.0	990.0	790.0	1000.0	770.0					
T-1,2-DCE	ug/l	31.0	<20	<20	<50	<20					
1,1-DCE	ug/l	<5	<20	<20	<50	<20					
VC	ug/l	<5	<20	<20	<50	<20					
BENZENE	ug/l		<20	<20	<50	<20					
TOLUENE	ug/l		<20	<20	<50	<20					
ETHYLBENZ.	ug/l		<20	<20	<50	<20					
m/p XYLENE	ug/l		<20	<20	<50	<20					
O XYLENE	ug/l		<20	<20	<50	<20					
total VOCs	ug/l	2891.0	1680.0	1320.0	1680.0	1370.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-22B

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G02201	U4G02202	U4G02203	U4G02205	U4G02206					
Date Sampled		12/9/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	<94	<2.5	<5	<2.5	<20					
TCE	ug/l	690.0	11.0	21.0	24.0	360.0					
C-1,2-DCE	ug/l	2000.0	55.0	90.0	94.0	1200.0					
T-1,2-DCE	ug/l	<94	<2.5	<5	<2.5	<20					
1,1-DCE	ug/l	<94	<2.5	<5	<2.5	<20					
VC	ug/l	<120	<2.5	<5	<2.5	<20					
BENZENE	ug/l	<94	<2.5	<5	<2.5	<20					
TOLUENE	ug/l	<94	<2.5	<5	<2.5	<20					
ETHYLBENZ.	ug/l	<62	<2.5	<5	<2.5	<20					
m/p XYLENE	ug/l	<62	<2.5	<5	<2.5	<20					
O XYLENE	ug/l	<62	<2.5	<5	<2.5	<20					
total VOCs	ug/l	2690.0	66.0	111.0	118.0	1560.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-23B

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G02301	U4G02302	U4G02303	U4G02304	U4G02305					
Date Sampled		12/3/97	1/29/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	23.0	<200	<50	<200	<50					
TCE	ug/l	1900.0	3000.0	2400.0	2500.0	2000.0					
C-1,2-DCE	ug/l	520.0	1300.0	1900.0	1700.0	1700.0					
T-1,2-DCE	ug/l	24.0	<200	<50	<200	<50					
1,1-DCE	ug/l	<5	<200	<50	<200	<50					
VC	ug/l	<5	<200	<50	<200	<50					
BENZENE	ug/l		<200	<50	<200	<50					
TOLUENE	ug/l		<200	<50	<200	<50					
ETHYLBENZ.	ug/l		<200	<50	<200	<50					
m/p XYLENE	ug/l		<200	<50	<200	<50					
O XYLENE	ug/l		<200	<50	<200	<50					
total VOCs	ug/l	2467.0	4300.0	4300.0	4200.0	3700.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-24A

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G02401	U4G02402	U4G02403	U4G02404	U4G02405					
Date Sampled		12/9/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	<2	<10	<1	<1	<1					
TCE	ug/l	22.0	35.0	14.0	11.0	14.0					
C-1,2-DCE	ug/l	46.0	96.0	33.0	21.0	22.0					
T-1,2-DCE	ug/l	<1	<10	<1	<1	<1					
1,1-DCE	ug/l	<2	<10	<1	<1	<1					
VC	ug/l	<2	<10	<1	<1	<1					
BENZENE	ug/l	<2	<10	<1	<1	<1					
TOLUENE	ug/l	<2	<10	<1	<1	<1					
ETHYLBENZ.	ug/l	<1	<10	<1	<1	<1					
m/p XYLENE	ug/l	<1	<10	<1	<1	<1					
O XYLENE	ug/l	<1	<10	<1	<1	<1					
total VOCs	ug/l	68.0	131.0	47.0	32.0	36.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - OLD-13-25B

	UNITS	Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G02501	U4G02502	U4G02503	U4G02504	U4G02505					
Date Sampled		12/3/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	280.0	240.0	180.0	270.0	320.0					
TCE	ug/l	71.0	15.0	21.0	28.0	32.0					
C-1,2-DCE	ug/l	36.0	<10	<10	<10	16.0					
T-1,2-DCE	ug/l	<5	<10	<10	<10	<5					
1,1-DCE	ug/l	<5	<10	<10	<10	<5					
VC	ug/l	<5	<10	<10	<10	<5					
BENZENE	ug/l		<10	<10	<10	<5					
TOLUENE	ug/l		<10	<10	<10	<5					
ETHYLBENZ.	ug/l		<10	<10	<10	<5					
m/p XYLENE	ug/l		<10	<10	<10	<5					
O XYLENE	ug/l		<10	<10	<10	<5					
total VOCs	ug/l	387.0	255.0	201.0	298.0	368.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - DP-1

	UNITS			Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G00101F	U4G00102F	U4G00103	U4G00104	U4G00105	U4G00106	U4G00107					
Date Sampled		5/96	5/96	9/10/97	1/28/98	2/4/98	2/19/98	3/12/98					
Source		onsite	onsite	offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	6.4	1.5	<.5	<50	<50	<200	<20					
TCE	ug/l	3000.0	450.0	69.6	310.0	150.0	<200	150.0					
C-1,2-DCE	ug/l	1600.0	880.0	776.0	2600.0	2400.0	3800.0	2000.0					
T-1,2-DCE	ug/l	25.0	32.0	9.4	<50	<50	<200	<20					
1,1-DCE	ug/l	N/D	N/D	0.7	<50	<50	<200	<20					
VC	ug/l	N/D	1.0	7.8	<50	<50	<200	<20					
BENZENE	ug/l	N/D	N/D	<.5	<50	<50	<200	<20					
TOLUENE	ug/l	N/D	N/D	<.5	<50	<50	<200	<20					
ETHYLBENZ.	ug/l	N/D	N/D	<.5	<50	<50	<200	<20					
m/p XYLENE	ug/l	N/D	N/D	<.5	<50	<50	<200	<20					
O XYLENE	ug/l	N/D	N/D	<.5	<50	<50	<200	<20					
total VOCs	ug/l	4631.4	1364.5	863.5	2910.0	2550.0	3800.0	2150.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - DP-2

	UNITS					Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G00201F	U4G00202F	U4G00203	U4G00204	U4G00205	U4G00206	U4G00207	U4G00208	U4G00209					
Date Sampled		5/96	5/96			12/5/97	1/29/98	2/4/98	2/19/98	3/12/98					
Source		onsite	onsite			offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	590.0	120.0			10.0	<100	<100	<200	<100					
TCE	ug/l	5800.0	1300.0			2400.0	1300.0	1300.0	1300.0	790.0					
C-1,2-DCE	ug/l	530.0	840.0			<5	4100.0	4200.0	5600.0	4900.0					
T-1,2-DCE	ug/l	5.0	25.0			75.0	<100	<100	<200	<100					
1,1-DCE	ug/l	N/D	1.1			<5	<100	<100	<200	<100					
VC	ug/l	N/D	0.4			<5	<100	<100	<200	<100					
BENZENE	ug/l	N/D	N/D				<100	<100	<200	<100					
TOLUENE	ug/l	N/D	N/D				<100	<100	<200	<100					
ETHYLBENZ.	ug/l	N/D	N/D				<100	<100	<200	<100					
m/p XYLENE	ug/l	N/D	N/D				<100	<100	<200	<100					
O XYLENE	ug/l	N/D	N/D				<100	<100	<200	<100					
total VOCs	ug/l	6925.0	2286.5			2485.0	5400.0	5500.0	6900.0	5690.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - DP-3

	UNITS		Baseline	Week 1	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4G00301F	U4G00302	U4G00303	U4G00304	U4G00305	U4G00306					
Date Sampled		5/96	9/12/97	1/29/98	2/4/98	2/19/98	3/12/98					
Source		onsite	offsite	offsite	offsite	offsite	offsite					
PCE	ug/l	22.0	<.5	<50	<50	<200	<50					
TCE	ug/l	1400.0	110.0	360.0	330.0	680.0	700.0					
C-1,2-DCE	ug/l	710.0	1870.0	3300.0	3000.0	3700.0	2900.0					
T-1,2-DCE	ug/l	19.0	30.7	<50	<50	<200	<50					
1,1-DCE	ug/l	N/D	1.5	<50	<50	<200	<50					
VC	ug/l	N/D	1.3	<50	<50	<200	<50					
BENZENE	ug/l	N/D	<.5	<50	<50	<200	<50					
TOLUENE	ug/l	N/D	<.5	<50	<50	<200	<50					
ETHYLBENZ.	ug/l	N/D	<.5	<50	<50	<200	<50					
m/p XYLENE	ug/l	N/D	<.5	<50	<50	<200	<50					
O XYLENE	ug/l	N/D	<.5	<50	<50	<200	<50					
total VOCs	ug/l	2151.0	2013.5	3660.0	3330.0	4280.0	3600.0					

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - UVB-1

	UNITS	Week 1	Week 1	Week 2	Week 2	Week 4	Week 4	Week 7	Week 7	Week 11	Week 11	Week 16	Week 16	Week 28	Week 28	Week 40	Week 40	Week 52	Week 52
Sample ID		INFLUENT	EFFLUENT	INFLUENT	EFFLUENT	INFLUENT	EFFLUENT	INFLUENT	EFFLUENT										
Date Sampled		1/29/98	1/29/98	2/4/98	2/4/98	2/19/98	2/19/98	3/12/98	3/12/98										
Source		offsite	offsite	offsite	offsite	offsite	offsite	offsite	offsite										
PCE	ug/l	<10	<2	<25	<5	17.0	<2.5	<1	<1										
TCE	ug/l	160.0	16.0	230.0	33.0	150.0	20.0	12.0	1.3										
C-1,2-DCE	ug/l	540.0	64.0	580.0	120.0	500.0	83.0	40.0	4.1										
T-1,2-DCE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
1,1-DCE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
VC	ug/l	<10	<2	<50	<10	<33	<5	<1	<1										
BENZENE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
TOLUENE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
ETHYLBENZ.	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
m/p XYLENE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
O XYLENE	ug/l	<10	<2	<25	<5	<17	<2.5	<1	<1										
total VOCs	ug/l	700.0	80.0	810.0	153.0	667.0	103.0	52.0	5.4										

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
GROUNDWATER RESULTS - UVB-2

	UNITS	Week 1	Week 1	Week 2	Week 2	Week 4	Week 4	Week 7	Week 7	Week 11	Week 11	Week 16	Week 16	Week 28	Week 28	Week 40	Week 40	Week 52	Week 52
Sample ID		INFLUENT	EFFLUENT	INFLUENT	EFFLUENT	INFLUENT	EFFLUENT	INFLUENT	EFFLUENT										
Date Sampled		1/29/98	1/29/98	2/4/98	2/4/98	2/19/98	2/19/98	3/12/98	3/12/98										
Source		offsite	offsite	offsite	offsite	offsite	offsite	offsite	offsite										
PCE	ug/l	3.4	<1	<2.5	<1	<1.7	<2.5	1.1	<1										
TCE	ug/l	23.0	5.4	29.0	3.8	24.0	2.4	20.0	2.1										
C-1,2-DCE	ug/l	79.0	16.0	79.0	12.0	56.0	7.3	71.0	8.5										
T-1,2-DCE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
1,1-DCE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
VC	ug/l	<2	<1	<5	<2	<3.3	<2	<1	<1										
BENZENE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
TOLUENE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
ETHYLBENZ.	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
m/p XYLENE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
O XYLENE	ug/l	<2	<1	<2.5	<1	<1.7	<1	<1	<1										
total VOCs	ug/l	105.4	21.4	108.0	15.8	80.0	9.7	92.1	10.6										

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
SYSTEM OFF-GASES RESULTS - UVB-1

	UNITS	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4VB1A01	U4VB1A02						
Date Sampled		2/4/98	2/19/98						
Source		offsite	offsite						
PCE	ppb	<12	38.0						
TCE	ppb	380.0	290.0						
C-1,2-DCE	ppb	1200.0	1100.0						
T-1,2-DCE	ppb	<12	<12						
1,1-DCE	ppb	<12	<12						
VC	ppb	<12	<12						
BENZENE	ppb	<12	<12						
TOLUENE	ppb	<12	<12						
ETHYLBENZ.	ppb	<12	<12						
m/p XYLENE	ppb	<12	<12						
O XYLENE	ppb	<12	<12						
total VOCs	ppb	1580.0	1428.0						

PERFORMANCE MONITORING AND SAMPLING PLAN - ANALYTICAL RESULTS
SYSTEM OFF-GASES RESULTS - UVB-2

	UNITS	Week 2	Week 4	Week 7	Week 11	Week 16	Week 28	Week 40	Week 52
Sample ID		U4VB2A01	U4VB2A02						
Date Sampled		2/4/98	2/19/98						
Source		offsite	offsite						
PCE	ppb	<1.1	<1.3						
TCE	ppb	13.0	13.0						
C-1,2-DCE	ppb	48.0	37.0						
T-1,2-DCE	ppb	<1.1	<1.3						
1,1-DCE	ppb	<1.1	<1.3						
VC	ppb	<1.1	<1.3						
BENZENE	ppb	<1.1	<1.3						
TOLUENE	ppb	2.8	1.4						
ETHYLBENZ.	ppb	<1.1	<1.3						
m/p XYLENE	ppb	2.2	<1.3						
O XYLENE	ppb	<1.1	<1.3						
total VOCs	ppb	66.0	51.4						