

N65928.AR.001006
NTC ORLANDO
5090.3a

LETTER REGARDING REGULATORY CONCURRENCE ON QUARTERLY GROUNDWATER
SAMPLING AT STUDY AREA 3 NTC ORLANDO FL
3/3/2000
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Jeb Bush
Governor

Department of Environmental Protection

09.01.03.0012

00299

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

March 3, 2000

Mr. Wayne Hansel
Code 18B7
Southern Division
Naval Facilities Engineering Command
P.O. Box 190010
North Charleston, South Carolina 29419-0068

RE: Study Area 3 Quarterly Groundwater Sampling Report, Naval
Training Center, Orlando, Florida

Dear Mr. Hansel:

I have completed my review of the Quarterly Groundwater Sampling Report for Study Area 3, Naval Training Center Orlando, dated December 30, 1999 (received January 3, 2000), prepared and submitted by Tetra Tech NUS, Inc. The document is suitable for its intended use. This latest report documents that the criteria for discontinuing groundwater monitoring and for site close-out have been met. A closure report should be prepared for regulatory review in order to release groundwater restrictions that have been placed on the deeds for this site.

If I can be of any further assistance with this matter, please contact me at (850)488-3935.

Sincerely,

David P. Grabka
Remedial Project Manager

cc: Barbara Nwokike, Navy SouthDiv
Nancy Rodriguez, USEPA Region 4
Richard Allen, HLA, Jacksonville
~~Steve McCoy, TetraTech NUS, Oak Ridge~~
Steve Tsangaris, CH2M Hill, Tampa
Bill Bostwick, FDEP Central District

TJB

JJC

ESN