


N65928.AR.001269
NTC ORLANDO
5090.3a

LETTER REGARDING REGULATORY REVIEW AND APPROVAL OF FINAL WORK PLAN
FOR TREATABILITY STUDY AT STUDY AREA 8 NTC ORLANDO FL
4/25/2002
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



JED BUSH
Governor

Department of Environmental Protection

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

CTO # 235
[REDACTED]
[REDACTED]
00498
David B. Struhs
Secretary

April 25, 2002

Mrs. Barbara Nwokike
Code ES333
Southern Division
Naval Facilities Engineering Command
P.O. Box 190010
North Charleston, South Carolina 29419-0068

RE: Final Work Plan for the Treatability Study at Operable Unit
3, Study Area 8, Orlando Naval Training Center, Orlando,
Florida.

Dear Mrs. Nwokike:

The Department has completed its review of the Final Work
Plan for the Treatability Study at Operable Unit 3, Study Area 8,
dated April 2002 (received April 10, 2002), for the Orlando Naval
Training Center, prepared and submitted by Tetra Tech NUS, Inc.
The report is adequate for its intent. I have attached Greg
Brown's Professional Engineer's certification to this letter.

If I can be of any further assistance with this matter,
please contact me at (850)921-9991.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager

cc: Greg Fraley, USEPA, Region 4
Bill Bostwick, FDEP Central District
Steve McCoy, TetraTech NUS, Oak Ridge, TN
Steve Tsangaris, CH2M Hill, Tampa
Mark Salvetti, Harding ESE, Wakefield, MA

TJB

JJC

for
ESN

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Memorandum

TO: David Grabka, P.G., Remedial Project Manager,
Technical Review Section

THROUGH: Tim Bahr, P.G., Supervisor, Technical Review Section *TB*

FROM: Greg Brown, P.E., Professional Engineer II, *TB*
Technical Review Section

DATE: April 23, 2002

SUBJECT: Final Work Plan For A Treatability Study At Operable
Unit 3, Study Area 8, Naval Training Center,
Orlando, Florida.

I reviewed the draft work plan for Study Area 8, dated March 26, 2002 (received March 27, 2002). I provided minor comments for your consideration in a memorandum dated March 29, 2002. The subject document dated April 2002 (received April 10, 2002) is adequate for its intent. Study Area 8, NTC, Orlando, Florida, is undergoing investigation and remedial actions under the federal Comprehensive Environmental Response, Compensation, and Liability Act, as amended, administered by the U.S. EPA Region 4 Administrator. In my professional judgment, the engineering features described in the engineering document, Final Work Plan For Treatability Study At Operable Unit 3, Study Area 8, NTC, Orlando, Florida, prepared by Tetra Tech NUS, Inc., provides reasonable assurance of reducing applicable pollutants to below levels which may be potentially harmful or injurious to human health or welfare and animal or plant life in accordance with state requirements described by Chapter 376, F.S. Mr. Steven B. McCoy, P.E., Florida Professional Engineer No. 41511, is the engineer of record for this final engineering document. I have not evaluated and do not certify aspects of this plan that are outside the limits of my review responsibilities and outside my area of technical expertise (including but not limited to electrical, mechanical, and structural features). I personally conducted this review.


Gregory M. Brown, P.E.
Professional Engineer No. 42194
Expires February 28, 2003

Apr 23, 2002
Date