

N65928.AR.002395  
NTC ORLANDO  
5090.3a

LETTER FROM FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION REGARDING  
ALTERNATIVE ACTION REQUEST BUILDING 2036 MAIN BASE NTC ORLANDO FL  
12/16/1996  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

628-08519  
JR

# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

December 16, 1996


Mr. Nick Ugolini  
Code 184(PVC)  
Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive  
P.O. Box 190010  
North Charleston, South Carolina 29419-9010

RE: Alternative Action Request, Building 2036, Main Base, NTC  
Orlando  
FDEP #488840202

Dear Mr. Ugolini:

I have completed the technical review of the Alternative Action Request dated December 5, 1996 (received December 9, 1996) submitted for Building 2036. As current contamination in soils and groundwater qualify for a Monitoring Only Proposal (MOP), a Remedial Action Plan as previously required by the Department is no longer required. The contaminated soil is only slightly above 50 ppm on the OVA in one sampling location and the groundwater contamination is only slightly above 50 ppb for BTEX. Prior to submitting a request for a MOP, I agree to the request to overdevelop MW-1 one more time to see if levels can be reduced to No Further Action levels.

If I can be of any further assistance with this matter, please contact me at (904) 921-9989.

Sincerely,  
  
John W. Mitchell  
Remedial Project Manager

cc: Wayne Hansel, Navy SouthDiv  
John Kaiser, ABB, Orlando  
Oscar "Mac" McNeil, Bechtel, Knoxville  
Nancy Rodriguez, USEPA Region IV  
Gary Whipple, NTC Orlando  
Steve McCoy, Brown and Root, Oak Ridge  
Bill Bostwick, FDEP Central District

TJB 

JJC 

ESN 