

N65928.AR.002746
NTC ORLANDO
5090.3a

LETTER REGARDING ALTERNATIVE ACTION REQUEST AT BUILDING 2036 MAIN BASE
NTC ORLANDO FL
4/24/1997
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

April 24, 1997

Mr. Nick Ugolini
Code 184(PVC)
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
P.O. Box 190010
North Charleston, South Carolina 29419-9010


RE: Alternative Action Request, Building 2036, Main Base, NTC
Orlando
FDEP #488840202

Dear Mr. Ugolini:

I have completed the technical review of the Alternative Action Request dated March 18, 1997 (received April 4, 1997) submitted for Building 2036. As current contamination levels are only slightly above no further action criteria after the overdevelopment of monitoring well MW-1, we agree with your proposal for a complete round of resampling three months from the last round of sampling on February 13, 1997. Should contaminant levels continue to be above no further action criteria, then a monitoring only or remedial action proposal must be submitted, as appropriate.

If I can be of any further assistance with this matter, please contact me at (904) 921-9989.

Sincerely,



John W. Mitchell
Remedial Project Manager

cc: Wayne Hansel, Navy SouthDiv
John Kaiser, ABB, Orlando
Oscar "Mac" McNeil, Bechtel, Knoxville
Nancy Rodriguez, USEPA Region IV
Gary Whipple, NTC Orlando
Steve McCoy, Brown and Root, Oak Ridge
Bill Bostwick, FDEP Central District

TJB B JJC JJC ESN ESN