

N00204.AR.004907
NAS PENSACOLA
5090.3a

LETTER REQUESTING AN INDUSTRIAL WASTEWATER PERMIT EXEMPTION FOR BOAT
WASHING AT MARINAS NAS PENSACOLA FL
08/10/2011
NAVY PUBLIC WORKS CENTER



DEPARTMENT OF THE NAVY

COMMANDING OFFICER
NAS PENSACOLA
190 RADFORD BLVD
PENSACOLA, FLORIDA 32508-6217

057

5090 IN REPLY REFER TO
Ser N45/621
August 10, 2011

Mrs. Cecily Tart
Engineer Specialist III
Florida Department of Environmental Protection
Industrial Wastewater Section
190 Government Street
Pensacola, Florida 32501

Mrs. Tart:

Subject: INDUSTRIAL WASTEWATER PERMIT EXEMPTION - BOAT WASHING
AT MARINAS - NAVAL AIR STATION, PENSACOLA


This letter is to request an industrial wastewater permit exemption for utilizing soap during boat washing operations at the Bayou Grande and Sherman Cove Marinas at Naval Air Station, Pensacola. Currently, both marinas have designated boat washing areas (designated by signs) that are located in pervious areas. It should be noted that the boats are rinsed with tap water only (no soap) and are rinsed as soon as the boats are retrieved from the water.

We are requesting permission to utilize West Marine citrus boat soap during boat washing operations. A copy of the MSDS sheet for the West Marine citrus boat soap is enclosed for your review. Please note that the marina manager, based on historical knowledge, has indicated that the majority of boat owners will not utilize soap if permitted and will rinse with tap water only during boat washing operations. It is estimated that approximately 3 boats per day at each marina will utilize soap if exempted by your office. It is estimated that 25 gallons of water per boat will be expended during boat washing operations with soap which equates to 75 gallons of water per day at each marina.

5090
Ser N45/621
10 August 2011

If you have any questions, please contact Mr. Greg Campbell, PE at
850-452-3131 (ext. 3007).

Sincerely,



WILLIAM H. TAYLOR, JR
Environmental Division Director
By direction of
the Commanding Officer

ENCL: (1) SITE ASSESMENT REPORT ADDENDUM

Snyder Manufacturing Corporation Material Safety Data Sheet
1501 W. Cowles St. Long Beach, CA 90813 Phone 562 432-2038 Fax 562 432-1603

SECTION I - PRODUCT IDENTIFICATION

TRADE NAME: West Marine Citrus Boat Soap PRODUCT CODE: #1110 & 1111
 CHEMICAL NAME: Surfactant Blend DATE: September 6, 2007
 CAS#: Mixture, no single CAS applies DOT HAZARD CLASS: N/A
 DOT SHIPPING NAME: Cleaning compound liquid, Non-hazardous

SECTION II - COMPONENT INFORMATION

HAZARDOUS INGREDIENTS	CAS #	TLV (UNIT'S)	PEL
There are no hazardous materials present.			

SECTION III - PHYSICAL DATA

BOILING POINT: (F) 230 SOLUBILITY: Complete pH: 9.0
 PERCENT VOLATILE: N/A VAPOR DENSITY: N/A VAPOR PRESSURE: N/A
 EVAPORATION RATE (BUTYL ACETATE = 1): 1 SPECIFIC GRAVITY: 1.01
 APPEARANCE & ODOR: Orange liquid with citrus fragrance

SECTION IV - FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT: Non flammable
 FLAMMABLE LIMITS: N/A LOWER: N/A UPPER: N/A
 FIRE/EXPLOSION HAZARDS: None
 EXTINGUISHING MEDIA: Foam, CO2, dry chemical
 FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

SECTION V - HEALTH HAZARD INFORMATION

PERMISSIBLE EXPOSURE LEVEL: ND
 EYES: Will cause irritation and redness.
 SKIN: Prolonged contact may cause irritation and redness.
 INHALATION: Prolonged inhalation of mist may cause nasal and respiratory irritation.
 INGESTION: May cause gastrointestinal irritation, nausea, vomiting or diarrhea.
 THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA
 HMIS HAZARD CLASS: Health = 1 Flammability 0 Reactivity = 0 Other = NA
 Ranking: 0 = Least 1 Slight 2 - Moderate 3 = High 4 = Extreme

FIRST AID

EYE CONTACT: Flush with water for 20 minutes lifting eyelids. Get medical attention immediately.
 SKIN CONTACT: Wash thoroughly with water.
 INHALATION: Remove victim to fresh air.
 INGESTION: Do not induce vomiting. Dilute by giving lots of water. Give milk of magnesia. Call physician immediately.

SECTION VI - REACTIVITY INFORMATION

STABILITY: Stable
 REACTIVITY: None will occur
 HAZARDOUS DECOMPOSITION INGREDIENTS: None
 HAZARDOUS POLYMERIZATION: Will not occur

Snyder Manufacturing Corporation Material Safety Data Sheet
1541 W. Cowles St. Long Beach, CA 90813 Phone 562 432-2038 Fax 562 432-1603

SECTION VII - SPILL, LEAK AND DISPOSAL PROCEDURES

SMALL SPILLS: Mop, sweep, or absorb, and dispose of in accordance with federal, state, and local regulations.

LARGE SPILLS: Mop, sweep, or absorb and dispose of in accordance with federal, state, and local regulations.

DISPOSAL: Discharge to sewer with plenty of water.

SECTION VIII - SPECIAL PROTECTIVE EQUIPMENT

EYE AND FACIAL: Eye protection should be worn while pouring.

SKIN: No protection necessary under normal conditions.

RESPIRATORY: No protection necessary under normal conditions.

VENTILATION: Local ventilation acceptable.

OTHER: None required under normal conditions.

SECTION IX - SPECIAL PRECAUTIONS

STORAGE: Avoid freezing.

HANDLING: Store in cool dry well ventilated place

LEGEND: ND, Not Determined; N/A Not Applicable; NA, Not Available.

NOTICE

All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process